

**Ambient Community Air Monitoring Weekly Report  
For the Hawaii Department of Health – Clean Air Branch**

**Lahaina, Maui**

**1/25/2024 – 1/31/2024**

Due to ongoing debris removal operations in response to the Maui Wildfires, a Community Air Monitoring and Sampling Plan (CAMSP) has been drafted and sampling is being performed at four community locations across Lahaina listed below and shown on **Figure 1**:

- Leialii Hawaiian Homelands (AM-01)
- WW Pump Station #4 (AM-02)
- Lahaina Intermediate School (AM-03)
- Lahaina Boys & Girls Club (AM-04)

This approach includes ambient community air monitoring and sampling to monitor conditions and determine whether debris removal activities, managed by the U.S. Army Corps of Engineers (USACE), significantly impacts air quality in Lahaina. Data collected is made available to HDOH via online shared site and this weekly report. This approach to air monitoring and sampling will continue until debris removal activities are complete or until HDOH CAB advises otherwise.

Air monitoring for particulate matter took place at all four community locations over a 24-hour period each day of this reporting period in accordance with the draft CAMSP. Additionally, daily air samples were collected at all community locations. Summary analytical data is presented in **Tables 1** and **2**. **Appendix 1** provides detailed analytical results for all community locations where air sampling was performed. Analytical results were compared to site-specific screening levels for particulate matter, asbestos, and heavy metals as described in the draft CAMSP. A summary of meteorological data is presented in **Table 3**. Overall wind conditions for this week show approximately 1.7 mph in a generally SE direction.

***Results for Community Locations:***

Ambient air monitoring was performed to assess the presence of airborne particulates with a particle size diameter of 10 micrometers ( $\mu\text{m}$ ), as this is the size that is recognized as being small enough to be inhaled into a person's lungs. This particle size diameter is recognized for health evaluations and is identified as "PM<sub>10</sub>". Monitoring for PM<sub>10</sub> was conducted 24 hours a day, 7 days a week at each of the following locations: Leialii Hawaiian Homelands (January 25-31), WW Pump Station #4 (January 25-31), Lahaina Intermediate School (January 25-31), Lahaina Boys & Girls Club (January 25-31).

The PM<sub>10</sub> monitoring results were not found to have exceeded the screening level during this reporting period, as shown in **Table 2**.

Please note that ambient air monitoring for fine particulate matter, with a particle size diameter of 2.5 micrometers or less (PM<sub>2.5</sub>) is not included in this report. This monitoring is being performed by the Department of Health/EPA at six locations in Lahaina and can be viewed at: <https://fire.airnow.gov/>.

There were 28 samples collected for asbestos fibers at community monitoring locations throughout this reporting period. Of the 28 samples collected, one was voided. The sample from WW Pump Station #4 on 1/29 was voided due to a damaged filter and was unable to be analyzed. All asbestos results were below the site specific screening level of 0.0034 fibers/cc and less than the lab's analytical sensitivity (see Table 1). Please note that the new asbestos laboratory utilized for this project is analyzing a lower quantity of grid openings, resulting in a higher limit of detection than previous reports. This limit of detection is sufficient to assess whether screening levels are exceeded. Notably, the laboratory commented "Numerous gypsum fibers present" on samples collected at all monitoring stations on 1/25,

1/26, 1/27, 1/29, 1/30 and 1/31. Numerous gypsum fibers were found at AM-01, AM-02, and AM-03 on 1/28. Gypsum is a common ingredient in drywall and plaster so its presence in the sample filters is likely due to debris removal operations.

Low levels of heavy metals were detected in ambient air samples at all community sampling locations. Although heavy metals were detected, all of the heavy metals concentrations were below the SSALs (see Table 1). The laboratory data sheets for the metals and asbestos samples collected from the community locations are found in **Appendix 1**.

### **Quality Control:**

This section briefly discusses the quality control efforts made by Tetra Tech throughout the air monitoring and sampling process. All references and SOPs can be found provided with the CAMSP.

Tetra Tech is utilizing Met One Instruments, Inc., environmental beta attenuation mass monitors (E-BAM) to allow for comparison to the National Ambient Air Quality Standards (NAAQS) for particulates. E-BAMs are factory-calibrated annually and do not require daily calibration, except for a leak check and a flow audit, which were performed prior to sampling according to the manufacturer's procedures.

For asbestos sampling, Tetra Tech uses a Casella Vortex 3 or similar air sampling pump. Sampling flow rates will be determined and documented by pre- and post- calibration of each sampling pump using a primary calibration standard. Calibration and sampling are conducted in accordance with Tetra Tech SOPs 064-2, "Calibration of Air Sampling Pump" and 073-3, "Air Quality Monitoring" (Appendix A) and U.S. EPA ERT SOPs No. 2008, "General Air Monitoring and Sampling Guidelines" and 2015 "Asbestos Air Sampling," included in the CAMSP.

Tetra Tech is using Tisch Environmental High Volume Air Samplers, or equivalent, collocated with the real-time particulate monitors and asbestos samplers described above. Air samples for elemental metals at community locations are collected and analyzed in accordance with the following methods:

- U.S. EPA Compendium Method IO-2.1, Sampling of Ambient Air for Total Suspended Particulate Matter (SPM) and PM10 Using High Volume (HV) Sampler
- U.S. EPA Compendium Method IO-3.5: Compendium of Methods for the Determination of Inorganic Compounds in Ambient Air: Determination of Metals in Ambient Particulate Matter Using Inductively Coupled Plasma/Mass Spectrometry (ICP/MS). EPA/625/R-96/010a
- U.S. EPA 40 Code of Federal Regulations (CFR) Part 50, Method for the Determination of Lead in Total Suspended Particulate Matter.
- U.S. EPA 40 CFR Part 58, Appendix E: Probe and Monitoring Path Siting Criteria for Ambient Air Quality Monitoring
- Standard Operating Procedures for Lead Monitoring Using a TSP High Volume Sampler

Field technicians conducted photographic and written documentation in accordance with Tetra Tech SOP No. 024- 4, "Recording of Notes in Field Logbook."

Following receipt of air sampling results from the off-site analytical laboratories, analytical data is maintained in an electronic database and compared to the SSALs. Level 1 data verification is completed on all analytical data and results are reviewed by an industrial hygienist.

## **Attachments**



- Air Sampling Locations
- Lahaina Fire Perimeter




Figure 1  
Air Sampling Locations

Hawaii DOH  
2023 Lahaina Wildfire

Basemap: ESRI ArcGIS World Street Map

**Table 1**  
**HDOH CAB Ambient Community Monitoring and Sampling**  
**Analytical Sampling Results by Date**  
**Maui Wildfire, Lahaina**  
**1/25/2024-1/31/2024**

Analyte	Asbestos	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Copper	Lead	Manganese	Molybdenum	Nickel	Selenium	Thallium	Vanadium	Zinc	
Units	s/cc	µg/m <sup>3</sup>																
Screening Level*	0.0034 <sup>1</sup>	1.4	0.18	2.4	0.1	0.05	24	0.03	480	1.5	0.24	9.6	0.05	96	48	0.48	2400	
1/25/2024	Leialii Hawaiian Homelands (AM-01)	<0.0031	0.000462	0.00572	0.0141	0.0000342	ND	0.00806	0.00248	0.0478	0.00401	0.0456	0.00139	0.0123	0.000495	0.00000195	0.00355	0.0876
	WW Pump Station #4 (AM-02)	<0.0031	0.0000427	0.000272	0.000983	ND	ND	ND	0.0000693	0.0199	0.000806	ND	0.000582	ND	0.000356	ND	0.000209	ND
	Lahaina Intermediate School (AM-03)	<0.0032	0.0000628	0.0000959	0.00175	0.00000633	ND	0.00248	0.000234	0.0456	0.00136	0.00383	0.00128	0.00106	0.000335	0.000000624	0.000379	ND
	Lahaina Boys & Girls Club (AM-04)	<0.0031	0.0000459	0.000128	ND	ND	ND	ND	0.0000611	0.0268	0.000375	ND	0.00102	ND	0.00031	ND	0.00016	ND
1/26/2024	Leialii Hawaiian Homelands (AM-01)	<0.0032	0.0000566	0.000381	0.00211	0.0000029	ND	ND	0.000129	0.0204	0.000242	0.00255	0.00107	0.000732	0.000113	0.000000563	0.000246	ND
	WW Pump Station #4 (AM-02)	<0.0030	0.0000475	0.000258	0.00129	ND	ND	ND	0.000122	0.0158	0.00454	ND	0.00108	ND	0.000114	0.000000943	0.000114	ND
	Lahaina Intermediate School (AM-03)	<0.0031	0.000062	0.0000565	0.00162	0.00000437	ND	ND	0.0000974	0.0376	0.000548	0.00163	0.00171	0.000656	0.000115	0.000000737	0.000173	ND
	Lahaina Boys & Girls Club (AM-04)	<0.0032	0.000049	0.000131	0.00127	ND	ND	ND	0.0000478	0.0313	0.000336	ND	0.00136	ND	0.000114	0.000000612	0.000103	ND
1/27/2024	Leialii Hawaiian Homelands (AM-01)	<0.0031	0.0000677	0.000545	0.00401	0.0000103	ND	0.00245	0.000698	0.0342	0.000438	0.013	0.00153	0.00446	0.000223	0.000000711	0.000834	ND
	WW Pump Station #4 (AM-02)	<0.0031	0.0000463	0.000196	ND	ND	ND	ND	0.0000374	0.0124	0.000196	ND	0.000832	ND	0.000215	ND	0.000141	ND
	Lahaina Intermediate School (AM-03)	<0.0031	0.0000577	0.000061	0.00149	ND	ND	ND	0.0000779	0.025	0.000191	ND	0.0016	0.000794	0.000209	ND	0.00019	ND
	Lahaina Boys & Girls Club (AM-04)	<0.0034	0.0000551	0.000227	0.00106	ND	ND	ND	0.0000589	0.0267	0.000456	ND	0.00111	ND	0.000204	ND	0.000152	ND
1/28/2024	Leialii Hawaiian Homelands (AM-01)	<0.0031	0.0000986	0.000749	0.00464	0.00000833	ND	0.0027	0.000485	0.0489	0.00116	0.00951	0.0017	0.00258	0.000399	0.000000798	0.000966	ND
	WW Pump Station #4 (AM-02)	<0.0031	ND	0.000202	ND	ND	ND	ND	0.0000571	0.00618	0.000216	ND	0.000444	ND	0.000371	0.000000513	0.000252	ND
	Lahaina Intermediate School (AM-03)	<0.0031	0.0000429	0.000083	0.00125	0.00000293	ND	ND	0.000106	0.016	0.000184	0.00179	0.000797	0.000568	0.000357	0.000000663	0.000266	ND
	Lahaina Boys & Girls Club (AM-04)	<0.0033	0.000039	0.000361	ND	ND	ND	ND	0.0000674	0.0183	0.000416	ND	0.000965	ND	0.000348	0.000000651	0.00025	ND
1/29/2024	Leialii Hawaiian Homelands (AM-01)	<0.0032	0.000101	0.00166	0.00548	0.0000187	ND	0.00448	0.000986	0.0366	0.00112	0.0195	0.00157	0.00475	0.000424	0.0000011	0.00208	ND
	WW Pump Station #4 (AM-02)	0.000031	0.000154	ND	ND	ND	ND	ND	0.0000478	0.00736	0.000202	ND	0.000442	ND	0.000312	0.000000474	0.000184	ND
	Lahaina Intermediate School (AM-03)	<0.0032	0.0000532	0.0000987	0.00166	0.00000441	ND	0.00189	0.000186	0.0112	0.000308	0.00302	0.000478	0.00076	0.000368	0.000000604	0.000309	ND
	Lahaina Boys & Girls Club (AM-04)	<0.0032	0.0000378	0.0002	ND	ND	ND	ND	0.0000557	0.0229	0.000365	ND	0.00128	ND	0.000357	0.000000574	0.000187	ND
1/30/2024	Leialii Hawaiian Homelands (AM-01)	<0.0031	0.000098	0.00175	0.00566	0.0000156	ND	0.0044	0.000884	0.0348	0.00106	0.0187	0.00158	0.00487	0.000262	0.000000956	0.00165	ND
	WW Pump Station #4 (AM-02)	<0.0031	0.000036	0.00022	0.000984	ND	ND	ND	0.0000467	0.0156	0.000211	ND	0.00109	ND	0.000207	0.000000473	0.000157	ND
	Lahaina Intermediate School (AM-03)	<0.0031	0.0000727	0.000065	0.00145	0.0000033	ND	ND	0.000112	0.0273	0.000172	0.00203	0.00134	0.000724	0.000189	ND	0.000246	ND
	Lahaina Boys & Girls Club (AM-04)	<0.0031	0.0000549	0.000121	0.00117	ND	ND	ND	0.0000646	0.0174	0.000246	ND	0.0011	ND	0.000164	ND	0.000189	ND
1/31/2024	Leialii Hawaiian Homelands (AM-01)	<0.0031	0.00012	0.0031	0.00376	0.00000543	ND	0.00229	0.000439	0.0573	0.00216	0.00547	0.0023	0.00112	0.000107	0.00000105	0.000503	ND
	WW Pump Station #4 (AM-02)	<0.0031	0.000198	0.000335	0.00585	0.00000802	ND	0.00178	0.000233	0.0398	0.000606	0.00653	0.00188	0.000916	0.000145	0.00000079	0.000663	ND
	Lahaina Intermediate School (AM-03)	<0.0032	0.0000636	0.0000721	0.00189	0.00000665	ND	ND	0.000014	0.0376	ND	0.003	0.00179	0.000758	0.000125	ND	0.000477	ND
	Lahaina Boys & Girls Club (AM-04)	<0.0031	0.000089	0.000209	0.003	0.00000541	ND	0.00186	0.000195	0.0226	0.000603	0.00501	0.00134	0.000937	0.000147	0.000000509	0.000681	ND
95% Upper Confidence Limit <sup>2</sup>	NA	0.0001	0.00095	0.00414	0.000016	NA	0.00459	0.00044	0.0344	0.00119	0.019	0.00147	0.00416	0.00031	0.000001	0.00075	NA	

**Notes:**

<sup>1</sup> Asbestos result determined by transmission electron microscopy (TEM) in accordance with ISO Method 10312.

<sup>2</sup> 95% UCL determined through 'best fit' lognormal or normal parametric statistics via W test

s/cc = structures per cubic centimeter

mg/m<sup>3</sup> = milligrams per cubic meter

NA = Not Applicable

ND = Not detected at or above the laboratory reporting limit

Data unavailable, voided sample due to damaged filter. Asbestos sample from WW pump Station #4 on 1/29 was not analyzed due to the damaged filter

\* Laboratory metals data provided in nanograms per cubic meter, however data shown in Table 1 has been converted to micrograms per cubic meter so data was comparable to SSALs

**Table 2**  
**HDOH CAB Ambient Community Monitoring and Sampling**  
**Particulate Monitoring Results for PM<sub>10</sub>**  
**Maui Wildfire, Lahaina**  
**1/25/2024 - 1/31/2024**

Screening Level	150 µg/m <sup>3</sup>	
1/25/2024	Leialii Hawaiian Homelands (AM-01)	6.1
	WW Pump Station #4 (AM-02)	7.6
	Lahaina Intermediate School (AM-03)	80
	Lahaina Boys & Girls Club (AM-04)	5.0
1/26/2024	Leialii Hawaiian Homelands (AM-01)	5.5
	WW Pump Station #4 (AM-02)	6.0
	Lahaina Intermediate School (AM-03)	58
	Lahaina Boys & Girls Club (AM-04)	5.8
1/27/2024	Leialii Hawaiian Homelands (AM-01)	8.0
	WW Pump Station #4 (AM-02)	7.3
	Lahaina Intermediate School (AM-03)	86
	Lahaina Boys & Girls Club (AM-04)	13.
1/28/2024	Leialii Hawaiian Homelands (AM-01)	8.8
	WW Pump Station #4 (AM-02)	12
	Lahaina Intermediate School (AM-03)	7.7
	Lahaina Boys & Girls Club (AM-04)	9.4
1/29/2024	Leialii Hawaiian Homelands (AM-01)	13
	WW Pump Station #4 (AM-02)	11
	Lahaina Intermediate School (AM-03)	8.6
	Lahaina Boys & Girls Club (AM-04)	9.9
1/30/2024	Leialii Hawaiian Homelands (AM-01)	6.3
	WW Pump Station #4 (AM-02)	5.7
	Lahaina Intermediate School (AM-03)	130
	Lahaina Boys & Girls Club (AM-04)	3.7
1/31/2024	Leialii Hawaiian Homelands (AM-01)	15
	WW Pump Station #4 (AM-02)	11
	Lahaina Intermediate School (AM-03)	12
	Lahaina Boys & Girls Club (AM-04)	9.0

**Notes:**

µg/m<sup>3</sup> = micrograms per cubic meter

24 hour TWA calculation results are shown in two significant figures

Results are based on 24 hour TWA calculation

**Table 3**  
**Maui Wildfire - Lahaina**  
**Meteorological Data**  
**1/25/2024-1/31/2024**

Date	Station ID	Weather Station Name	Wind Speed (mph)	Wind Direction (angle)	Temperature (°F)	Rel Humidity (%)	Baro Pressure (mBar)
1/25/2024	AM-01	Leialii Hawaiian Homelands	1.8	SE	75	81	757.2
1/25/2024	AM-02	WW Pump Station #4	1.2	SE	75	85	759.8
1/25/2024	AM-03	Lahaina Intermediate School	3.0	SE	78	88	750.3
1/25/2024	AM-04	Lahaina Boys & Girls Club	1.0	SE	74	84	759.4
1/26/2024	AM-01	Leialii Hawaiian Homelands	1.7	SSE	75	79	757.4
1/26/2024	AM-02	WW Pump Station #4	1.1	ESE	76	83	759.9
1/26/2024	AM-03	Lahaina Intermediate School	2.2	ESE	79	85	750.3
1/26/2024	AM-04	Lahaina Boys & Girls Club	1.1	SE	74	82	759.4
1/27/2024	AM-01	Leialii Hawaiian Homelands	2.0	SSE	76	78	757.1
1/27/2024	AM-02	WW Pump Station #4	1.8	SSE	77	81	759.6
1/27/2024	AM-03	Lahaina Intermediate School	2.3	SE	80	86	750.1
1/27/2024	AM-04	Lahaina Boys & Girls Club	1.3	SSE	76	80	759.2
1/28/2024	AM-01	Leialii Hawaiian Homelands	1.9	S	78	77	756.7
1/28/2024	AM-02	WW Pump Station #4	2.2	S	78	81	759.2
1/28/2024	AM-03	Lahaina Intermediate School	2.8	SSE	81	86	749.7
1/28/2024	AM-04	Lahaina Boys & Girls Club	1.7	S	77	80	758.8
1/29/2024	AM-01	Leialii Hawaiian Homelands	2.1	SSE	77	79	756.8
1/29/2024	AM-02	WW Pump Station #4	2.0	SSE	78	83	759.3
1/29/2024	AM-03	Lahaina Intermediate School	3.2	SSE	81	87	749.8
1/29/2024	AM-04	Lahaina Boys & Girls Club	1.4	SSE	78	80	758.9
1/30/2024	AM-01	Leialii Hawaiian Homelands	1.7	SSE	74	80	758.6
1/30/2024	AM-02	WW Pump Station #4	1.1	SE	76	83	761.1
1/30/2024	AM-03	Lahaina Intermediate School	1.0	SSE	79	88	751.5
1/30/2024	AM-04	Lahaina Boys & Girls Club	1.0	S	74	85	760.5
1/31/2024	AM-01	Leialii Hawaiian Homelands	0.8	ESE	76	69	759.1
1/31/2024	AM-02	WW Pump Station #4	0.8	SE	76	77	761.6
1/31/2024	AM-03	Lahaina Intermediate School	1.1	E	80	76	752.0
1/31/2024	AM-04	Lahaina Boys & Girls Club	0.8	SSE	74	77	761.0

**Notes:**

°F - Fahrenheit

mBar - millibar

mph - miles per hour

# **Appendix 1**



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077
Tel/Fax: (800) 220-3675 / (856) 786-5974

http://www.EMSL.com / cinnaslab@EMSL.com

EMSL Order: 042402316
Customer ID: TTDC42
Customer PO: 1206126
Project ID:

Attn: Chelsea Saber
Tetra Tech
1560 Broadway, Suite 1400
Denver, CO, 80202

Phone: (703) 489-2674
Fax:
Received Date: 02/05/2024 10:00 AM
Analysis Date: 02/09/2024
Report Date: 02/10/2024

Project: HDOH Lahaina Community Air / 103S864023206

ISO 10312 Determination of Asbestos Fibers
Direct Transfer Transmission Electron Microscopy

Customer Sample Number: MFL-AM01-012524-AB
Sample Description:
EMSL Sample Number: 042402316-0001
Magnification used for fiber counting: 20,000
Aspect ratio for fiber definition: 3:1
Minimum Length (µm): ≥ 0.5
Chi² Test for Random Distribution on Filter: N/A (N/A)
Minimum Level of analysis (chrysotile): CD
Minimum Level of analysis (amphibole): ADX
Sample Matrix: Air
Volume (L): 7175.1
Area of original collection filter (mm²): 385
Grid Opening Area (mm²): 0.0128
Grid Openings Analyzed: 4
Analyst: P. Harrison
Estimated Particulate Loading on Filter %: 5
Target Analytical Sensitivity (Structures/cc): 0.003
Analytical Sensitivity (Structures/cc): 0.0010
Limit of Detection (Structures/cc): 0.0031

Table with 7 columns: Minimum ID Level, Structures Detected (Primary, Total), Density (S/mm²), Concentration (S/cc), and 95% Confidence Interval (Lower, Upper). Rows include Total Chrysotile, Total Amphibole, and Total Asbestos Structures.

Table with 7 columns: Minimum ID Level, Structures Detected (Primary, Total), Density (S/mm²), Concentration (S/cc), and 95% Confidence Interval (Lower, Upper). Rows include Total Chrysotile (PCMe), Total Amphibole (PCMe), and Total Asbestos Structures (PCMe).

Comment
Numerous gypsum fibers present.

Approved Signatory (with signature)

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL.



**EMSL Analytical, Inc.**  
 200 Route 130 North Cinnaminson, NJ 08077  
 Tel/Fax: (800) 220-3675 / (856) 786-5974  
<http://www.EMSL.com> / [cinnasblab@EMSL.com](mailto:cinnasblab@EMSL.com)

**EMSL Order ID: 042402316**  
**Client: Tetra Tech**  
**Project ID: HDOH Lahaina Community**  
**Air / 103S864023206**

**ISO 10312 Determination of Asbestos Fibers  
 Direct Transfer Transmission Electron Microscopy**

**Analytical Bench Sheet Data**

EMSL Sample ID: 042402316-0001			Customer Sample: MFL-AM01-012524-AB								
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions (µm)		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
A1	H4	None Detected									
A2	D3	None Detected									
A2	H6	None Detected									
A3	H5	None Detected									

*Abbreviations used:*  
 XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled  
 XCGBLD - Crosses Countable Grid Bar Length Doubled



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077
Tel/Fax: (800) 220-3675 / (856) 786-5974

http://www.EMSL.com / cinnaslab@EMSL.com

EMSL Order: 042402316
Customer ID: TTDC42
Customer PO: 1206126
Project ID:

Attn: Chelsea Saber
Tetra Tech
1560 Broadway, Suite 1400
Denver, CO, 80202

Phone: (703) 489-2674
Fax:
Received Date: 02/05/2024 10:00 AM
Analysis Date: 02/09/2024
Report Date: 02/10/2024

Project: HDOH Lahaina Community Air / 103S864023206

ISO 10312 Determination of Asbestos Fibers
Direct Transfer Transmission Electron Microscopy

Customer Sample Number: MFL-AM02-012524-AB
Sample Description:
EMSL Sample Number: 042402316-0002
Magnification used for fiber counting: 20,000
Aspect ratio for fiber definition: 3:1
Minimum Length (µm): ≥ 0.5
Chi² Test for Random Distribution on Filter: N/A (N/A)
Minimum Level of analysis (chrysotile): CD
Minimum Level of analysis (amphibole): ADX
Sample Matrix: Air
Volume (L): 7279.3
Area of original collection filter (mm²): 385
Grid Opening Area (mm²): 0.0128
Grid Openings Analyzed: 4
Analyst: P. Harrison
Estimated Particulate Loading on Filter %: 5
Target Analytical Sensitivity (Structures/cc): 0.003
Analytical Sensitivity (Structures/cc): 0.0010
Limit of Detection (Structures/cc): 0.0031

Table with 7 columns: Minimum ID Level, Structures Detected (Primary, Total), Density (S/mm²), Concentration (S/cc), and 95% Confidence Interval (Lower, Upper). Rows include Total Chrysotile, Total Amphibole, and Total Asbestos Structures.

Table with 7 columns: Minimum ID Level, Structures Detected (Primary, Total), Density (S/mm²), Concentration (S/cc), and 95% Confidence Interval (Lower, Upper). Rows include Total Chrysotile (PCMe), Total Amphibole (PCMe), and Total Asbestos Structures (PCMe).

Comment
Numerous gypsum fibers present.

Approved Signatory (with signature)

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL.



**EMSL Analytical, Inc.**  
 200 Route 130 North Cinnaminson, NJ 08077  
 Tel/Fax: (800) 220-3675 / (856) 786-5974  
<http://www.EMSL.com> / [cinnasblab@EMSL.com](mailto:cinnasblab@EMSL.com)

**EMSL Order ID: 042402316**  
**Client: Tetra Tech**  
**Project ID: HDOH Lahaina Community**  
**Air / 103S864023206**

**ISO 10312 Determination of Asbestos Fibers  
 Direct Transfer Transmission Electron Microscopy**

**Analytical Bench Sheet Data**

<b>EMSL Sample ID: 042402316-0002</b>			<b>Customer Sample: MFL-AM02-012524-AB</b>								
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions (µm)		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
A5	I4	None Detected									
A5	C5	None Detected									
A6	D7	None Detected									
A6	J3	None Detected									

*Abbreviations used:*  
 XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled  
 XCGBLD - Crosses Countable Grid Bar Length Doubled



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077
Tel/Fax: (800) 220-3675 / (856) 786-5974
http://www.EMSL.com / cinnaslab@EMSL.com

EMSL Order: 042402316
Customer ID: TTDC42
Customer PO: 1206126
Project ID:

Attn: Chelsea Saber
Tetra Tech
1560 Broadway, Suite 1400
Denver, CO, 80202

Phone: (703) 489-2674
Fax:
Received Date: 02/05/2024 10:00 AM
Analysis Date: 02/06/2024
Report Date: 02/10/2024

Project: HDOH Lahaina Community Air / 103S864023206

ISO 10312 Determination of Asbestos Fibers
Direct Transfer Transmission Electron Microscopy

Table with 3 main columns: Customer Sample Number (MFL-AM03-012524-AB), Sample Description, and analysis parameters. Includes fields for Sample Matrix, Volume, Area of original collection filter, Grid Opening Area, Grid Openings Analyzed, Analyst, and Limit of Detection (0.0032).

Table titled 'TOTAL STRUCTURES (All Sizes)'. Columns include Minimum ID Level, Structures Detected (Primary, Total), Density (S/mm²), Concentration (S/cc), and 95% Confidence Interval (Lower, Upper). Rows list Total Chrysotile, Total Amphibole (Actinolite, Amosite, Anthophyllite, Crocidolite, Tremolite), Total Asbestos Structures, Other Minerals, and Total All Structures.

Table titled 'PCM EQUIVALENT (PCMe) STRUCTURES (>5 microns in length with >3:1 Aspect Ratio)'. Columns include Minimum ID Level, Structures Detected (Primary, Total), Density (S/mm²), Concentration (S/cc), and 95% Confidence Interval (Lower, Upper). Rows list Total Chrysotile (PCMe), Total Amphibole (PCMe) (Actinolite, Amosite, Anthophyllite, Crocidolite, Tremolite), Total Asbestos Structures (PCMe), Other Minerals, and Total All Structures (PCMe).

Comment: Numerous gypsum fibers present.

Signature: Pagan Pagan
Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL.



EMSL Analytical, Inc.  
 200 Route 130 North Cinnaminson, NJ 08077  
 Tel/Fax: (800) 220-3675 / (856) 786-5974  
<http://www.EMSL.com> / [cinnasblab@EMSL.com](mailto:cinnasblab@EMSL.com)

EMSL Order ID: 042402316  
 Client: Tetra Tech  
 Project ID: HDOH Lahaina Community  
 Air / 103S864023206

**ISO 10312 Determination of Asbestos Fibers  
 Direct Transfer Transmission Electron Microscopy**

**Analytical Bench Sheet Data**

EMSL Sample ID: 042402316-0003			Customer Sample: MFL-AM03-012524-AB								
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions (µm)		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
B5	D4	None Detected									
B5	G6	None Detected									
B6	J6	None Detected									
B6	B5	None Detected									

Abbreviations used:  
 XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled  
 XCGBLD - Crosses Countable Grid Bar Length Doubled



# EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077  
Tel/Fax: (800) 220-3675 / (856) 786-5974  
<http://www.EMSL.com> / [cinnaslab@EMSL.com](mailto:cinnaslab@EMSL.com)

**EMSL Order:** 042402316  
**Customer ID:** TTDC42  
**Customer PO:** 1206126  
**Project ID:**

**Attn: Chelsea Saber**  
Tetra Tech  
1560 Broadway, Suite 1400  
Denver, CO, 80202

**Phone:** (703) 489-2674  
**Fax:**  
**Received Date:** 02/05/2024 10:00 AM  
**Analysis Date:** 02/06/2024  
**Report Date:** 02/10/2024

**Project: HDOH Lahaina Community Air / 103S864023206**

## ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

<b>Customer Sample Number:</b>	<b>MFL-AM04-012524-AB</b>	<b>Sample Description:</b>
EMSL Sample Number:	042402316-0004	Sample Matrix: Air
Magnification used for fiber counting:	20,000	Volume (L) : 7272.7
Aspect ratio for fiber definition:	3:1	Area of original collection filter (mm <sup>2</sup> ): 385
Minimum Length (µm):	≥ 0.5	Grid Opening Area (mm <sup>2</sup> ): 0.0129
Chi <sup>2</sup> Test for Random Distribution on Filter:	N/A (N/A)	Grid Openings Analyzed: 4
Minimum Level of analysis (chrysotile):	CD	Analyst: P. Harrison
Minimum Level of analysis (amphibole):	ADX	
Estimated Particulate Loading on Filter %:	5	
Target Analytical Sensitivity (Structures/cc):	0.003	
<b>Analytical Sensitivity (Structures/cc):</b>	<b>0.0010</b>	<b>Limit of Detection (Structures/cc): 0.0031</b>

TOTAL STRUCTURES (All Sizes)							
	Minimum ID Level	Structures Detected		Density (S/mm <sup>2</sup> )	Concentration (S/cc)	95 % Confidence Interval (S/cc)	
		Primary	Total			Lower	Upper
<b>Total Chrysotile</b>	<b>CD</b>	<b>0</b>	<b>0</b>	<b>&lt; 57.95</b>	<b>&lt; 0.0031</b>	<b>Not Applicable</b>	<b>- 0.0031</b>
<b>Total Amphibole</b>	<b>ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 57.95</b>	<b>&lt; 0.0031</b>	<b>Not Applicable</b>	<b>- 0.0031</b>
Actinolite	ADX	0	0	< 57.95	< 0.0031	Not Applicable	- 0.0031
Amosite	ADX	0	0	< 57.95	< 0.0031	Not Applicable	- 0.0031
Anthophyllite	ADX	0	0	< 57.95	< 0.0031	Not Applicable	- 0.0031
Crocidolite	ADX	0	0	< 57.95	< 0.0031	Not Applicable	- 0.0031
Tremolite	ADX	0	0	< 57.95	< 0.0031	Not Applicable	- 0.0031
<b>Total Asbestos Structures</b>	<b>CD/ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 57.95</b>	<b>&lt; 0.0031</b>	<b>Not Applicable</b>	<b>- 0.0031</b>
Other Minerals	-	0	0	< 57.95	< 0.0031	Not Applicable	- 0.0031
<b>Total All Structures</b>	<b>-</b>	<b>0</b>	<b>0</b>	<b>&lt; 57.95</b>	<b>&lt; 0.0031</b>	<b>Not Applicable</b>	<b>- 0.0031</b>

PCM EQUIVALENT (PCMe) STRUCTURES (>5 microns in length with >3:1 Aspect Ratio)							
	Minimum ID Level	Structures Detected		Density (S/mm <sup>2</sup> )	Concentration (S/cc)	95 % Confidence Interval (S/cc)	
		Primary	Total			Lower	Upper
<b>Total Chrysotile (PCMe)</b>	<b>CD</b>	<b>0</b>	<b>0</b>	<b>&lt; 57.95</b>	<b>&lt; 0.0031</b>	<b>Not Applicable</b>	<b>- 0.0031</b>
<b>Total Amphibole (PCMe)</b>	<b>ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 57.95</b>	<b>&lt; 0.0031</b>	<b>Not Applicable</b>	<b>- 0.0031</b>
Actinolite	ADX	0	0	< 57.95	< 0.0031	Not Applicable	- 0.0031
Amosite	ADX	0	0	< 57.95	< 0.0031	Not Applicable	- 0.0031
Anthophyllite	ADX	0	0	< 57.95	< 0.0031	Not Applicable	- 0.0031
Crocidolite	ADX	0	0	< 57.95	< 0.0031	Not Applicable	- 0.0031
Tremolite	ADX	0	0	< 57.95	< 0.0031	Not Applicable	- 0.0031
<b>Total Asbestos Structures (PCMe)</b>	<b>CD/ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 57.95</b>	<b>&lt; 0.0031</b>	<b>Not Applicable</b>	<b>- 0.0031</b>
Other Minerals	-	0	0	< 57.95	< 0.0031	Not Applicable	- 0.0031
<b>Total All Structures (PCMe)</b>	<b>-</b>	<b>0</b>	<b>0</b>	<b>&lt; 57.95</b>	<b>&lt; 0.0031</b>	<b>Not Applicable</b>	<b>- 0.0031</b>

**Comment**  
Numerous gypsum fibers present.

Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL. EMSL is not responsible for sample collection activities or analytical limitations. Interpretation and use of results are the responsibility of the client.



**EMSL Analytical, Inc.**  
 200 Route 130 North Cinnaminson, NJ 08077  
 Tel/Fax: (800) 220-3675 / (856) 786-5974  
<http://www.EMSL.com> / [cinnasblab@EMSL.com](mailto:cinnasblab@EMSL.com)

**EMSL Order ID: 042402316**  
**Client: Tetra Tech**  
**Project ID: HDOH Lahaina Community**  
**Air / 103S864023206**

**ISO 10312 Determination of Asbestos Fibers  
 Direct Transfer Transmission Electron Microscopy**

**Analytical Bench Sheet Data**

EMSL Sample ID: 042402316-0004			Customer Sample: MFL-AM04-012524-AB								
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions (µm)		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
C1	G7	None Detected									
C1	J3	None Detected									
C2	A4	None Detected									
C2	I4	None Detected									

*Abbreviations used:*  
 XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled  
 XCGBLD - Crosses Countable Grid Bar Length Doubled



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077
Tel/Fax: (800) 220-3675 / (856) 786-5974
http://www.EMSL.com / cinnaslab@EMSL.com

EMSL Order: 042402316
Customer ID: TTDC42
Customer PO: 1206126
Project ID:

Attn: Chelsea Saber
Tetra Tech
1560 Broadway, Suite 1400
Denver, CO, 80202

Phone: (703) 489-2674
Fax:
Received Date: 02/05/2024 10:00 AM
Analysis Date: 02/09/2024
Report Date: 02/10/2024

Project: HDOH Lahaina Community Air / 103S864023206

ISO 10312 Determination of Asbestos Fibers
Direct Transfer Transmission Electron Microscopy

Table with 3 main columns: Customer Sample Number (MFL-FB01-012524-AB), Sample Description, and various analysis parameters like Magnification, Aspect ratio, and Limit of Detection.

TOTAL STRUCTURES (All Sizes) table with columns: Minimum ID Level, Structures Detected (Primary, Total), Density (S/mm²), Concentration (S/cc), and 95% Confidence Interval (Lower, Upper).

PCM EQUIVALENT (PCMe) STRUCTURES (>5 microns in length with >3:1 Aspect Ratio) table with columns: Minimum ID Level, Structures Detected (Primary, Total), Density (S/mm²), Concentration (S/mm²), and 95% Confidence Interval (Lower, Upper).

Comment

Signature: Pagan Pagan
Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis.



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

http://www.EMSL.com / cinnaslab@EMSL.com

EMSL Order ID: 042402316

Client: Tetra Tech

Project ID: HDOH Lahaina Community  
Air / 103S864023206

### ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

#### Analytical Bench Sheet Data

EMSL Sample ID:		042402316-0005					Customer Sample:		MFL-FB01-012524-AB		
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions (µm)		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
B1	A1	None Detected									
B1	C3	None Detected									
B1	E4	None Detected									
B1	G2	None Detected									
B1	I3	None Detected									
B2	A5	None Detected									
B2	C6	None Detected									
B2	E7	None Detected									
B2	G8	None Detected									
B2	I9	None Detected									

Abbreviations used:

XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled

XCGBLD - Crosses Countable Grid Bar Length Doubled



# EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077  
Tel/Fax: (800) 220-3675 / (856) 786-5974  
<http://www.EMSL.com> / [cinnaslab@EMSL.com](mailto:cinnaslab@EMSL.com)

**EMSL Order:** 042402316  
**Customer ID:** TTDC42  
**Customer PO:** 1206126  
**Project ID:**

**Attn: Chelsea Saber**  
Tetra Tech  
1560 Broadway, Suite 1400  
Denver, CO, 80202

**Phone:** (703) 489-2674  
**Fax:**  
**Received Date:** 02/05/2024 10:00 AM  
**Analysis Date:** 02/09/2024  
**Report Date:** 02/10/2024

**Project: HDOH Lahaina Community Air / 103S864023206**

## ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

Customer Sample Number:	MFL-AM01-012624-AB	Sample Description:
EMSL Sample Number:	042402316-0006	Sample Matrix: Air
Magnification used for fiber counting:	20,000	Volume (L) : 7134.4
Aspect ratio for fiber definition:	3:1	Area of original collection filter (mm <sup>2</sup> ): 385
Minimum Length (µm):	≥ 0.5	Grid Opening Area (mm <sup>2</sup> ): 0.0128
Chi <sup>2</sup> Test for Random Distribution on Filter:	N/A (N/A)	Grid Openings Analyzed: 4
Minimum Level of analysis (chrysotile):	CD	Analyst: P. Harrison
Minimum Level of analysis (amphibole):	ADX	
Estimated Particulate Loading on Filter %:	2	
Target Analytical Sensitivity (Structures/cc):	0.003	
<b>Analytical Sensitivity (Structures/cc):</b>	<b>0.0011</b>	<b>Limit of Detection (Structures/cc): 0.0032</b>

TOTAL STRUCTURES (All Sizes)							
	Minimum ID Level	Structures Detected		Density (S/mm <sup>2</sup> )	Concentration (S/cc)	95 % Confidence Interval (S/cc)	
		Primary	Total			Lower	Upper
<b>Total Chrysotile</b>	CD	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
<b>Total Amphibole</b>	ADX	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
Actinolite	ADX	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
Amosite	ADX	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
Anthophyllite	ADX	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
Crocidolite	ADX	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
Tremolite	ADX	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
<b>Total Asbestos Structures</b>	CD/ADX	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
Other Minerals	-	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
<b>Total All Structures</b>	-	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032

PCM EQUIVALENT (PCMe) STRUCTURES (>5 microns in length with >3:1 Aspect Ratio)							
	Minimum ID Level	Structures Detected		Density (S/mm <sup>2</sup> )	Concentration (S/cc)	95 % Confidence Interval (S/cc)	
		Primary	Total			Lower	Upper
<b>Total Chrysotile (PCMe)</b>	CD	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
<b>Total Amphibole (PCMe)</b>	ADX	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
Actinolite	ADX	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
Amosite	ADX	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
Anthophyllite	ADX	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
Crocidolite	ADX	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
Tremolite	ADX	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
<b>Total Asbestos Structures (PCMe)</b>	CD/ADX	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
Other Minerals	-	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
<b>Total All Structures (PCMe)</b>	-	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032

**Comment**  
Numerous gypsum fibers present.

Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL. EMSL is not responsible for sample collection activities or analytical limitations. Interpretation and use of results are the responsibility of the client.



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

http://www.EMSL.com / cinnasblab@EMSL.com

EMSL Order ID: 042402316

Client: Tetra Tech

Project ID: HDOH Lahaina Community  
Air / 103S864023206

### ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

#### Analytical Bench Sheet Data

EMSL Sample ID:		042402316-0006					Customer Sample:		MFL-AM01-012624-AB		
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions (µm)		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
B5	I5	None Detected									
B5	D3	None Detected									
B6	C8	None Detected									
B6	G6	None Detected									

Abbreviations used:

XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled

XCGBLD - Crosses Countable Grid Bar Length Doubled



# EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077  
Tel/Fax: (800) 220-3675 / (856) 786-5974  
<http://www.EMSL.com> / [cinnaslab@EMSL.com](mailto:cinnaslab@EMSL.com)

**EMSL Order:** 042402316  
**Customer ID:** TTDC42  
**Customer PO:** 1206126  
**Project ID:**

**Attn: Chelsea Saber**  
Tetra Tech  
1560 Broadway, Suite 1400  
Denver, CO, 80202

**Phone:** (703) 489-2674  
**Fax:**  
**Received Date:** 02/05/2024 10:00 AM  
**Analysis Date:** 02/06/2024  
**Report Date:** 02/10/2024

**Project: HDOH Lahaina Community Air / 103S864023206**

## ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

<b>Customer Sample Number:</b>	<b>MFL-AM02-012624-AB</b>	<b>Sample Description:</b>
EMSL Sample Number:	042402316-0007	Sample Matrix: Air
Magnification used for fiber counting:	20,000	Volume (L) : 7316.8
Aspect ratio for fiber definition:	3:1	Area of original collection filter (mm <sup>2</sup> ): 385
Minimum Length (µm):	≥ 0.5	Grid Opening Area (mm <sup>2</sup> ): 0.0129
Chi <sup>2</sup> Test for Random Distribution on Filter:	N/A (N/A)	Grid Openings Analyzed: 4
Minimum Level of analysis (chrysotile):	CD	Analyst: P. Harrison
Minimum Level of analysis (amphibole):	ADX	
Estimated Particulate Loading on Filter %:	3	
Target Analytical Sensitivity (Structures/cc):	0.003	
<b>Analytical Sensitivity (Structures/cc):</b>	<b>0.0010</b>	<b>Limit of Detection (Structures/cc): 0.0030</b>

TOTAL STRUCTURES (All Sizes)							
	Minimum ID Level	Structures Detected		Density (S/mm <sup>2</sup> )	Concentration (S/cc)	95 % Confidence Interval (S/cc)	
		Primary	Total			Lower	Upper
<b>Total Chrysotile</b>	<b>CD</b>	<b>0</b>	<b>0</b>	<b>&lt; 57.95</b>	<b>&lt; 0.0030</b>	<b>Not Applicable</b>	<b>- 0.0030</b>
<b>Total Amphibole</b>	<b>ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 57.95</b>	<b>&lt; 0.0030</b>	<b>Not Applicable</b>	<b>- 0.0030</b>
Actinolite	ADX	0	0	< 57.95	< 0.0030	Not Applicable	- 0.0030
Amosite	ADX	0	0	< 57.95	< 0.0030	Not Applicable	- 0.0030
Anthophyllite	ADX	0	0	< 57.95	< 0.0030	Not Applicable	- 0.0030
Crocidolite	ADX	0	0	< 57.95	< 0.0030	Not Applicable	- 0.0030
Tremolite	ADX	0	0	< 57.95	< 0.0030	Not Applicable	- 0.0030
<b>Total Asbestos Structures</b>	<b>CD/ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 57.95</b>	<b>&lt; 0.0030</b>	<b>Not Applicable</b>	<b>- 0.0030</b>
Other Minerals	-	0	0	< 57.95	< 0.0030	Not Applicable	- 0.0030
<b>Total All Structures</b>	<b>-</b>	<b>0</b>	<b>0</b>	<b>&lt; 57.95</b>	<b>&lt; 0.0030</b>	<b>Not Applicable</b>	<b>- 0.0030</b>

PCM EQUIVALENT (PCMe) STRUCTURES (>5 microns in length with >3:1 Aspect Ratio)							
	Minimum ID Level	Structures Detected		Density (S/mm <sup>2</sup> )	Concentration (S/cc)	95 % Confidence Interval (S/cc)	
		Primary	Total			Lower	Upper
<b>Total Chrysotile (PCMe)</b>	<b>CD</b>	<b>0</b>	<b>0</b>	<b>&lt; 57.95</b>	<b>&lt; 0.0030</b>	<b>Not Applicable</b>	<b>- 0.0030</b>
<b>Total Amphibole (PCMe)</b>	<b>ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 57.95</b>	<b>&lt; 0.0030</b>	<b>Not Applicable</b>	<b>- 0.0030</b>
Actinolite	ADX	0	0	< 57.95	< 0.0030	Not Applicable	- 0.0030
Amosite	ADX	0	0	< 57.95	< 0.0030	Not Applicable	- 0.0030
Anthophyllite	ADX	0	0	< 57.95	< 0.0030	Not Applicable	- 0.0030
Crocidolite	ADX	0	0	< 57.95	< 0.0030	Not Applicable	- 0.0030
Tremolite	ADX	0	0	< 57.95	< 0.0030	Not Applicable	- 0.0030
<b>Total Asbestos Structures (PCMe)</b>	<b>CD/ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 57.95</b>	<b>&lt; 0.0030</b>	<b>Not Applicable</b>	<b>- 0.0030</b>
Other Minerals	-	0	0	< 57.95	< 0.0030	Not Applicable	- 0.0030
<b>Total All Structures (PCMe)</b>	<b>-</b>	<b>0</b>	<b>0</b>	<b>&lt; 57.95</b>	<b>&lt; 0.0030</b>	<b>Not Applicable</b>	<b>- 0.0030</b>

**Comment**  
Numerous gypsum fibers present.

Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL. EMSL is not responsible for sample collection activities or analytical limitations. Interpretation and use of results are the responsibility of the client.



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

http://www.EMSL.com / cinnasblab@EMSL.com

EMSL Order ID: 042402316

Client: Tetra Tech

Project ID: HDOH Lahaina Community  
Air / 103S864023206

### ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

#### Analytical Bench Sheet Data

EMSL Sample ID: 042402316-0007			Customer Sample: MFL-AM02-012624-AB								
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions (µm)		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
D5	D2	None Detected									
D5	J3	None Detected									
D7	I8	None Detected									
D7	C5	None Detected									

Abbreviations used:

XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled

XCGBLD - Crosses Countable Grid Bar Length Doubled



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077
Tel/Fax: (800) 220-3675 / (856) 786-5974
http://www.EMSL.com / cinnaslab@EMSL.com

EMSL Order: 042402316
Customer ID: TTDC42
Customer PO: 1206126
Project ID:

Attn: Chelsea Saber
Tetra Tech
1560 Broadway, Suite 1400
Denver, CO, 80202

Phone: (703) 489-2674
Fax:
Received Date: 02/05/2024 10:00 AM
Analysis Date: 02/09/2024
Report Date: 02/10/2024

Project: HDOH Lahaina Community Air / 103S864023206

ISO 10312 Determination of Asbestos Fibers
Direct Transfer Transmission Electron Microscopy

Table with 3 main columns: Customer Sample Number (MFL-AM03-012624-AB), Sample Description, and analytical data. Includes fields for Sample Matrix, Volume, Area of original collection filter, Grid Opening Area, Grid Openings Analyzed, Analyst, and Limit of Detection (0.0031).

TOTAL STRUCTURES (All Sizes) table. Columns: Minimum ID Level, Structures Detected (Primary, Total), Density (S/mm²), Concentration (S/cc), and 95% Confidence Interval (Lower, Upper). Rows include Total Chrysotile, Total Amphibole (Actinolite, Amosite, Anthophyllite, Crocidolite, Tremolite), Total Asbestos Structures, Other Minerals, and Total All Structures.

PCM EQUIVALENT (PCMe) STRUCTURES (>5 microns in length with >3:1 Aspect Ratio) table. Columns: Minimum ID Level, Structures Detected (Primary, Total), Density (S/mm²), Concentration (S/cc), and 95% Confidence Interval (Lower, Upper). Rows include Total Chrysotile (PCMe), Total Amphibole (PCMe) (Actinolite, Amosite, Anthophyllite, Crocidolite, Tremolite), Total Asbestos Structures (PCMe), Other Minerals, and Total All Structures (PCMe).

Comment: Numerous gypsum fibers present.

Signature: [Handwritten Signature]
Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL. EMSL is not responsible for sample collection activities or analytical limitations. Interpretation and use of results are the responsibility of the client.



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

http://www.EMSL.com / cinnasblab@EMSL.com

EMSL Order ID: 042402316

Client: Tetra Tech

Project ID: HDOH Lahaina Community  
Air / 103S864023206

### ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

#### Analytical Bench Sheet Data

EMSL Sample ID: 042402316-0008			Customer Sample: MFL-AM03-012624-AB								
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions (µm)		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
C1	D7	None Detected									
C1	I9	None Detected									
C2	B9	None Detected									
C2	I8	None Detected									

Abbreviations used:

XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled

XCGBLD - Crosses Countable Grid Bar Length Doubled



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077
Tel/Fax: (800) 220-3675 / (856) 786-5974
http://www.EMSL.com / cinnaslab@EMSL.com

EMSL Order: 042402316
Customer ID: TTDC42
Customer PO: 1206126
Project ID:

Attn: Chelsea Saber
Tetra Tech
1560 Broadway, Suite 1400
Denver, CO, 80202
Phone: (703) 489-2674
Fax:
Received Date: 02/05/2024 10:00 AM
Analysis Date: 02/09/2024
Report Date: 02/16/2024
Project:

ISO 10312 Determination of Asbestos Fibers
Direct Transfer Transmission Electron Microscopy

Customer Sample Number: MFL-AM04-012624-AB Sample Description:
EMSL Sample Number: 042402316-0009 Sample Matrix: Air
Magnification used for fiber counting: 20,000 Volume (L) : 6944.5
Aspect ratio for fiber definition: 3:1 Area of original collection filter (mm²): 385
Minimum Length (µm): ≥ 0.5 Grid Opening Area (mm²): 0.0128
Chi² Test for Random Distribution on Filter: N/A (N/A) Grid Openings Analyzed: 4
Minimum Level of analysis (chrysotile): CD Analyst: P. Harrison
Minimum Level of analysis (amphibole): ADX
Estimated Particulate Loading on Filter %: 2
Target Analytical Sensitivity (Structures/cc): 0.003
Analytical Sensitivity (Structures/cc): 0.0011 Limit of Detection (Structures/cc): 0.0032

Table with 7 columns: Minimum ID Level, Structures Detected (Primary, Total), Density (S/mm²), Concentration (S/cc), 95% Confidence Interval (Lower, Upper). Rows include Total Chrysotile, Total Amphibole, Actinolite, Amosite, Anthophyllite, Crocidolite, Tremolite, Total Asbestos Structures, Other Minerals, and Total All Structures.

Table with 7 columns: Minimum ID Level, Structures Detected (Primary, Total), Density (S/mm²), Concentration (S/cc), 95% Confidence Interval (Lower, Upper). Rows include Total Chrysotile (PCMe), Total Amphibole (PCMe), Actinolite, Amosite, Anthophyllite, Crocidolite, Tremolite, Total Asbestos Structures (PCMe), Other Minerals, and Total All Structures (PCMe).

Comment
Numerous gypsum fibers present.

Signature of P. Harrison
Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL. EMSL is not responsible for sample collection activities or analytical limitations. Interpretation and use of results are the responsibility of the client.



**EMSL Analytical, Inc.**  
 200 Route 130 North Cinnaminson, NJ 08077  
 Tel/Fax: (800) 220-3675 / (856) 786-5974  
<http://www.EMSL.com> / [cinnasblab@EMSL.com](mailto:cinnasblab@EMSL.com)

**EMSL Order ID: 042402316**  
**Client: Tetra Tech**  
**Project ID: HDOH Lahaina Community**  
**Air / 103S864023206**

**ISO 10312 Determination of Asbestos Fibers  
 Direct Transfer Transmission Electron Microscopy**

**Analytical Bench Sheet Data**

EMSL Sample ID: 042402316-0009			Customer Sample: MFL-AM04-012624-AB								
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions (µm)		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
C4	B5	None Detected									
C4	I5	None Detected									
C5	C7	None Detected									
C5	I5	None Detected									

*Abbreviations used:*  
 XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled  
 XCGBLD - Crosses Countable Grid Bar Length Doubled

**EMSL Analytical, Inc.**

200 Route 130 North Cinnaminson, NJ 08077  
 Tel/Fax: (800) 220-3675 / (856) 786-5974  
<http://www.EMSL.com> / [cinnaslab@EMSL.com](mailto:cinnaslab@EMSL.com)

**EMSL Order:** 042402316  
**Customer ID:** TTDC42  
**Customer PO:** 1206126  
**Project ID:**

**Attn: Chelsea Saber**  
 Tetra Tech  
 1560 Broadway, Suite 1400  
 Denver, CO, 80202

**Phone:** (703) 489-2674  
**Fax:**  
**Received Date:** 02/05/2024 10:00 AM  
**Analysis Date:** 02/09/2024  
**Report Date:** 02/10/2024

**Project:** HDOH Lahaina Community Air / 103S864023206

## ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

Customer Sample Number:	MFL-FB01-012624-AB	Sample Description:
EMSL Sample Number:	042402316-0010	Sample Matrix: Air
Magnification used for fiber counting:	20,000	Volume (L) : 0.0
Aspect ratio for fiber definition:	3:1	Area of original collection filter (mm <sup>2</sup> ): 385
Minimum Length (µm):	≥ 0.5	Grid Opening Area (mm <sup>2</sup> ): 0.0128
Chi <sup>2</sup> Test for Random Distribution on Filter:	N/A (N/A)	Grid Openings Analyzed: 10
Minimum Level of analysis (chrysotile):	CD	Analyst: P. Harrison
Minimum Level of analysis (amphibole):	ADX	
Estimated Particulate Loading on Filter %:	1	
Target Analytical Sensitivity (Structures/cc):	0.003	
<b>Analytical Sensitivity (Structures/cc):</b>	<b>N/A</b>	<b>Limit of Detection (Structures/cc): N/A</b>

TOTAL STRUCTURES (All Sizes)							
	Minimum ID Level	Structures Detected		Density (S/mm <sup>2</sup> )	Concentration (S/cc)	95 % Confidence Interval (S/cc)	
		Primary	Total			Lower	Upper
<b>Total Chrysotile</b>	<b>CD</b>	<b>0</b>	<b>0</b>	<b>&lt; 23.36</b>	<b>&lt; N/A</b>	<b>Not Applicable</b>	<b>- Not Applicable</b>
<b>Total Amphibole</b>	<b>ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 23.36</b>	<b>&lt; N/A</b>	<b>Not Applicable</b>	<b>- Not Applicable</b>
Actinolite	ADX	0	0	< 23.36	< N/A	Not Applicable	- Not Applicable
Amosite	ADX	0	0	< 23.36	< N/A	Not Applicable	- Not Applicable
Anthophyllite	ADX	0	0	< 23.36	< N/A	Not Applicable	- Not Applicable
Crocidolite	ADX	0	0	< 23.36	< N/A	Not Applicable	- Not Applicable
Tremolite	ADX	0	0	< 23.36	< N/A	Not Applicable	- Not Applicable
<b>Total Asbestos Structures</b>	<b>CD/ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 23.36</b>	<b>&lt; N/A</b>	<b>Not Applicable</b>	<b>- Not Applicable</b>
Other Minerals	-	0	0	< 23.36	< N/A	Not Applicable	- Not Applicable
<b>Total All Structures</b>	<b>-</b>	<b>0</b>	<b>0</b>	<b>&lt; 23.36</b>	<b>&lt; N/A</b>	<b>Not Applicable</b>	<b>- Not Applicable</b>

PCM EQUIVALENT (PCMe) STRUCTURES (>5 microns in length with >3:1 Aspect Ratio)							
	Minimum ID Level	Structures Detected		Density (S/mm <sup>2</sup> )	Concentration S / mm <sup>2</sup>	95 % Confidence Interval (S/cc)	
		Primary	Total			Lower	Upper
<b>Total Chrysotile (PCMe)</b>	<b>CD</b>	<b>0</b>	<b>0</b>	<b>&lt; 23.36</b>	<b>&lt; N/A</b>	<b>Not Applicable</b>	<b>- Not Applicable</b>
<b>Total Amphibole (PCMe)</b>	<b>ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 23.36</b>	<b>&lt; N/A</b>	<b>Not Applicable</b>	<b>- Not Applicable</b>
Actinolite	ADX	0	0	< 23.36	< N/A	Not Applicable	- Not Applicable
Amosite	ADX	0	0	< 23.36	< N/A	Not Applicable	- Not Applicable
Anthophyllite	ADX	0	0	< 23.36	< N/A	Not Applicable	- Not Applicable
Crocidolite	ADX	0	0	< 23.36	< N/A	Not Applicable	- Not Applicable
Tremolite	ADX	0	0	< 23.36	< N/A	Not Applicable	- Not Applicable
<b>Total Asbestos Structures (PCMe)</b>	<b>CD/ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 23.36</b>	<b>&lt; N/A</b>	<b>Not Applicable</b>	<b>- Not Applicable</b>
Other Minerals	-	0	0	< 23.36	< N/A	Not Applicable	- Not Applicable
<b>Total All Structures (PCMe)</b>	<b>-</b>	<b>0</b>	<b>0</b>	<b>&lt; 23.36</b>	<b>&lt; N/A</b>	<b>Not Applicable</b>	<b>- Not Applicable</b>

**Comment**

Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL. EMSL is not responsible for sample collection activities or analytical limitations. Interpretation and use of results are the responsibility of the client.



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

http://www.EMSL.com / cinnaslab@EMSL.com

EMSL Order ID: 042402316

Client: Tetra Tech

Project ID: HDOH Lahaina Community  
Air / 103S864023206

### ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

#### Analytical Bench Sheet Data

EMSL Sample ID: 042402316-0010		Customer Sample: MFL-FB01-012624-AB									
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions (µm)		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
D1	G10	None Detected									
D1	F8	None Detected									
D1	E4	None Detected									
D1	D1	None Detected									
D1	D5	None Detected									
D2	A6	None Detected									
D2	C7	None Detected									
D2	E9	None Detected									
D2	G8	None Detected									
D2	I4	None Detected									

Abbreviations used:

XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled

XCGBLD - Crosses Countable Grid Bar Length Doubled



# EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077  
Tel/Fax: (800) 220-3675 / (856) 786-5974  
<http://www.EMSL.com> / [cinnaslab@EMSL.com](mailto:cinnaslab@EMSL.com)

**EMSL Order:** 042402316  
**Customer ID:** TTDC42  
**Customer PO:** 1206126  
**Project ID:**

**Attn: Chelsea Saber**  
Tetra Tech  
1560 Broadway, Suite 1400  
Denver, CO, 80202

**Phone:** (703) 489-2674  
**Fax:**  
**Received Date:** 02/05/2024 10:00 AM  
**Analysis Date:** 02/09/2024  
**Report Date:** 02/10/2024

**Project: HDOH Lahaina Community Air / 103S864023206**

## ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

<b>Customer Sample Number:</b>	<b>MFL-AM01-012724-AB</b>	<b>Sample Description:</b>
EMSL Sample Number:	042402316-0011	Sample Matrix: Air
Magnification used for fiber counting:	20,000	Volume (L) : 7207.1
Aspect ratio for fiber definition:	3:1	Area of original collection filter (mm <sup>2</sup> ): 385
Minimum Length (µm):	≥ 0.5	Grid Opening Area (mm <sup>2</sup> ): 0.0128
Chi <sup>2</sup> Test for Random Distribution on Filter:	N/A (N/A)	Grid Openings Analyzed: 4
Minimum Level of analysis (chrysotile):	CD	Analyst: P. Harrison
Minimum Level of analysis (amphibole):	ADX	
Estimated Particulate Loading on Filter %:	3	
Target Analytical Sensitivity (Structures/cc):	0.003	
<b>Analytical Sensitivity (Structures/cc):</b>	<b>0.0010</b>	<b>Limit of Detection (Structures/cc): 0.0031</b>

TOTAL STRUCTURES (All Sizes)							
	Minimum ID Level	Structures Detected		Density (S/mm <sup>2</sup> )	Concentration (S/cc)	95 % Confidence Interval (S/cc)	
		Primary	Total			Lower	Upper
<b>Total Chrysotile</b>	<b>CD</b>	<b>0</b>	<b>0</b>	<b>&lt; 58.40</b>	<b>&lt; 0.0031</b>	<b>Not Applicable</b>	<b>- 0.0031</b>
<b>Total Amphibole</b>	<b>ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 58.40</b>	<b>&lt; 0.0031</b>	<b>Not Applicable</b>	<b>- 0.0031</b>
Actinolite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Amosite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Anthophyllite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Crocidolite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Tremolite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
<b>Total Asbestos Structures</b>	<b>CD/ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 58.40</b>	<b>&lt; 0.0031</b>	<b>Not Applicable</b>	<b>- 0.0031</b>
Other Minerals	-	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
<b>Total All Structures</b>	<b>-</b>	<b>0</b>	<b>0</b>	<b>&lt; 58.40</b>	<b>&lt; 0.0031</b>	<b>Not Applicable</b>	<b>- 0.0031</b>

PCM EQUIVALENT (PCMe) STRUCTURES (>5 microns in length with >3:1 Aspect Ratio)							
	Minimum ID Level	Structures Detected		Density (S/mm <sup>2</sup> )	Concentration (S/cc)	95 % Confidence Interval (S/cc)	
		Primary	Total			Lower	Upper
<b>Total Chrysotile (PCMe)</b>	<b>CD</b>	<b>0</b>	<b>0</b>	<b>&lt; 58.40</b>	<b>&lt; 0.0031</b>	<b>Not Applicable</b>	<b>- 0.0031</b>
<b>Total Amphibole (PCMe)</b>	<b>ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 58.40</b>	<b>&lt; 0.0031</b>	<b>Not Applicable</b>	<b>- 0.0031</b>
Actinolite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Amosite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Anthophyllite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Crocidolite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Tremolite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
<b>Total Asbestos Structures (PCMe)</b>	<b>CD/ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 58.40</b>	<b>&lt; 0.0031</b>	<b>Not Applicable</b>	<b>- 0.0031</b>
Other Minerals	-	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
<b>Total All Structures (PCMe)</b>	<b>-</b>	<b>0</b>	<b>0</b>	<b>&lt; 58.40</b>	<b>&lt; 0.0031</b>	<b>Not Applicable</b>	<b>- 0.0031</b>

**Comment**  
Numerous gypsum fibers present.

Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL. EMSL is not responsible for sample collection activities or analytical limitations. Interpretation and use of results are the responsibility of the client.



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

http://www.EMSL.com / cinnaslab@EMSL.com

EMSL Order ID: 042402316

Client: Tetra Tech

Project ID: HDOH Lahaina Community  
Air / 103S864023206

### ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

#### Analytical Bench Sheet Data

EMSL Sample ID:		042402316-0011						Customer Sample:		MFL-AM01-012724-AB	
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions (µm)		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
D5	J8	None Detected									
D5	D2	None Detected									
D6	C8	None Detected									
D6	H5	None Detected									

Abbreviations used:

XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled

XCGBLD - Crosses Countable Grid Bar Length Doubled



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077
Tel/Fax: (800) 220-3675 / (856) 786-5974
http://www.EMSL.com / cinnaslab@EMSL.com

EMSL Order: 042402316
Customer ID: TTDC42
Customer PO: 1206126
Project ID:

Attn: Chelsea Saber
Tetra Tech
1560 Broadway, Suite 1400
Denver, CO, 80202

Phone: (703) 489-2674
Fax:
Received Date: 02/05/2024 10:00 AM
Analysis Date: 02/06/2024
Report Date: 02/10/2024

Project: HDOH Lahaina Community Air / 103S864023206

ISO 10312 Determination of Asbestos Fibers
Direct Transfer Transmission Electron Microscopy

Table with 3 main columns: Customer Sample Number (MFL-AM02-012724-AB), Sample Description, and various analysis parameters like Magnification, Aspect ratio, and Limit of Detection (0.0031).

Table titled 'TOTAL STRUCTURES (All Sizes)' showing detection results for Chrysotile, Amphibole, and Asbestos Structures with columns for ID Level, Structures Detected, Density, Concentration, and 95% Confidence Interval.

Table titled 'PCM EQUIVALENT (PCMe) STRUCTURES (>5 microns in length with >3:1 Aspect Ratio)' showing detection results for PCMe structures, including Total Chrysotile (PCMe) and Total Amphibole (PCMe).

Comment: Numerous gypsum fibers present.

Signature: [Handwritten Signature]
Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis.



**EMSL Analytical, Inc.**  
 200 Route 130 North Cinnaminson, NJ 08077  
 Tel/Fax: (800) 220-3675 / (856) 786-5974  
<http://www.EMSL.com> / [cinnasblab@EMSL.com](mailto:cinnasblab@EMSL.com)

**EMSL Order ID: 042402316**  
**Client: Tetra Tech**  
**Project ID: HDOH Lahaina Community**  
**Air / 103S864023206**

**ISO 10312 Determination of Asbestos Fibers  
 Direct Transfer Transmission Electron Microscopy**

**Analytical Bench Sheet Data**

EMSL Sample ID: 042402316-0012			Customer Sample: MFL-AM02-012724-AB								
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions (µm)		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
G2	A8	None Detected									
G2	G7	None Detected									
G3	C9	None Detected									
G3	H5	None Detected									

*Abbreviations used:*  
 XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled  
 XCGBLD - Crosses Countable Grid Bar Length Doubled



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077
Tel/Fax: (800) 220-3675 / (856) 786-5974
http://www.EMSL.com / cinnaslab@EMSL.com

EMSL Order: 042402316
Customer ID: TTDC42
Customer PO: 1206126
Project ID:

Attn: Chelsea Saber
Tetra Tech
1560 Broadway, Suite 1400
Denver, CO, 80202

Phone: (703) 489-2674
Fax:
Received Date: 02/05/2024 10:00 AM
Analysis Date: 02/06/2024
Report Date: 02/10/2024

Project: HDOH Lahaina Community Air / 103S864023206

ISO 10312 Determination of Asbestos Fibers
Direct Transfer Transmission Electron Microscopy

Table with 3 columns: Customer Sample Number, Sample Description, and Analytical Sensitivity. Includes details like EMSL Sample Number, Magnification, Aspect ratio, and Limit of Detection.

Table titled 'TOTAL STRUCTURES (All Sizes)' with columns for Minimum ID Level, Structures Detected (Primary/Total), Density, Concentration, and 95% Confidence Interval (Lower/Upper). Rows include Total Chrysotile, Total Amphibole, and Total All Structures.

Table titled 'PCM EQUIVALENT (PCMe) STRUCTURES (>5 microns in length with >3:1 Aspect Ratio)' with columns for Minimum ID Level, Structures Detected (Primary/Total), Density, Concentration, and 95% Confidence Interval (Lower/Upper). Rows include Total Chrysotile (PCMe), Total Amphibole (PCMe), and Total All Structures (PCMe).

Comment
Numerous gypsum fibers present.

Signature: Pagan Pagan
Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis.



EMSL Analytical, Inc.  
 200 Route 130 North Cinnaminson, NJ 08077  
 Tel/Fax: (800) 220-3675 / (856) 786-5974  
<http://www.EMSL.com> / [cinnaslab@EMSL.com](mailto:cinnaslab@EMSL.com)

EMSL Order ID: 042402316  
 Client: Tetra Tech  
 Project ID: HDOH Lahaina Community  
 Air / 103S864023206

**ISO 10312 Determination of Asbestos Fibers  
 Direct Transfer Transmission Electron Microscopy**

**Analytical Bench Sheet Data**

EMSL Sample ID: 042402316-0013			Customer Sample: MFL-AM03-012724-AB								
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions (µm)		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
G6	J3	None Detected									
G6	H6	None Detected									
G7	A5	None Detected									
G7	H2	None Detected									

Abbreviations used:  
 XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled  
 XCGBLD - Crosses Countable Grid Bar Length Doubled



# EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077  
Tel/Fax: (800) 220-3675 / (856) 786-5974  
<http://www.EMSL.com> / [cinnaslab@EMSL.com](mailto:cinnaslab@EMSL.com)

**EMSL Order:** 042402316  
**Customer ID:** TTDC42  
**Customer PO:** 1206126  
**Project ID:**

**Attn: Chelsea Saber**  
Tetra Tech  
1560 Broadway, Suite 1400  
Denver, CO, 80202

**Phone:** (703) 489-2674  
**Fax:**  
**Received Date:** 02/05/2024 10:00 AM  
**Analysis Date:** 02/06/2024  
**Report Date:** 02/10/2024

**Project: HDOH Lahaina Community Air / 103S864023206**

## ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

<b>Customer Sample Number:</b>	<b>MFL-AM04-012724-AB</b>	<b>Sample Description:</b>
EMSL Sample Number:	042402316-0014	Sample Matrix: Air
Magnification used for fiber counting:	20,000	Volume (L): 6484.0
Aspect ratio for fiber definition:	3:1	Area of original collection filter (mm <sup>2</sup> ): 385
Minimum Length (µm):	≥ 0.5	Grid Opening Area (mm <sup>2</sup> ): 0.0129
Chi <sup>2</sup> Test for Random Distribution on Filter:	N/A (N/A)	Grid Openings Analyzed: 4
Minimum Level of analysis (chrysotile):	CD	Analyst: P. Harrison
Minimum Level of analysis (amphibole):	ADX	
Estimated Particulate Loading on Filter %:	3	
Target Analytical Sensitivity (Structures/cc):	0.003	
<b>Analytical Sensitivity (Structures/cc):</b>	<b>0.0012</b>	<b>Limit of Detection (Structures/cc): 0.0034</b>

TOTAL STRUCTURES (All Sizes)							
	Minimum ID Level	Structures Detected		Density (S/mm <sup>2</sup> )	Concentration (S/cc)	95 % Confidence Interval (S/cc)	
		Primary	Total			Lower	Upper
<b>Total Chrysotile</b>	<b>CD</b>	<b>0</b>	<b>0</b>	<b>&lt; 57.95</b>	<b>&lt; 0.0034</b>	<b>Not Applicable</b>	<b>- 0.0034</b>
<b>Total Amphibole</b>	<b>ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 57.95</b>	<b>&lt; 0.0034</b>	<b>Not Applicable</b>	<b>- 0.0034</b>
Actinolite	ADX	0	0	< 57.95	< 0.0034	Not Applicable	- 0.0034
Amosite	ADX	0	0	< 57.95	< 0.0034	Not Applicable	- 0.0034
Anthophyllite	ADX	0	0	< 57.95	< 0.0034	Not Applicable	- 0.0034
Crocidolite	ADX	0	0	< 57.95	< 0.0034	Not Applicable	- 0.0034
Tremolite	ADX	0	0	< 57.95	< 0.0034	Not Applicable	- 0.0034
<b>Total Asbestos Structures</b>	<b>CD/ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 57.95</b>	<b>&lt; 0.0034</b>	<b>Not Applicable</b>	<b>- 0.0034</b>
Other Minerals	-	0	0	< 57.95	< 0.0034	Not Applicable	- 0.0034
<b>Total All Structures</b>	<b>-</b>	<b>0</b>	<b>0</b>	<b>&lt; 57.95</b>	<b>&lt; 0.0034</b>	<b>Not Applicable</b>	<b>- 0.0034</b>

PCM EQUIVALENT (PCMe) STRUCTURES (>5 microns in length with >3:1 Aspect Ratio)							
	Minimum ID Level	Structures Detected		Density (S/mm <sup>2</sup> )	Concentration (S/cc)	95 % Confidence Interval (S/cc)	
		Primary	Total			Lower	Upper
<b>Total Chrysotile (PCMe)</b>	<b>CD</b>	<b>0</b>	<b>0</b>	<b>&lt; 57.95</b>	<b>&lt; 0.0034</b>	<b>Not Applicable</b>	<b>- 0.0034</b>
<b>Total Amphibole (PCMe)</b>	<b>ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 57.95</b>	<b>&lt; 0.0034</b>	<b>Not Applicable</b>	<b>- 0.0034</b>
Actinolite	ADX	0	0	< 57.95	< 0.0034	Not Applicable	- 0.0034
Amosite	ADX	0	0	< 57.95	< 0.0034	Not Applicable	- 0.0034
Anthophyllite	ADX	0	0	< 57.95	< 0.0034	Not Applicable	- 0.0034
Crocidolite	ADX	0	0	< 57.95	< 0.0034	Not Applicable	- 0.0034
Tremolite	ADX	0	0	< 57.95	< 0.0034	Not Applicable	- 0.0034
<b>Total Asbestos Structures (PCMe)</b>	<b>CD/ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 57.95</b>	<b>&lt; 0.0034</b>	<b>Not Applicable</b>	<b>- 0.0034</b>
Other Minerals	-	0	0	< 57.95	< 0.0034	Not Applicable	- 0.0034
<b>Total All Structures (PCMe)</b>	<b>-</b>	<b>0</b>	<b>0</b>	<b>&lt; 57.95</b>	<b>&lt; 0.0034</b>	<b>Not Applicable</b>	<b>- 0.0034</b>

**Comment**  
Numerous gypsum fibers present.

Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL. EMSL is not responsible for sample collection activities or analytical limitations. Interpretation and use of results are the responsibility of the client.



**EMSL Analytical, Inc.**  
 200 Route 130 North Cinnaminson, NJ 08077  
 Tel/Fax: (800) 220-3675 / (856) 786-5974  
<http://www.EMSL.com> / [cinnasblab@EMSL.com](mailto:cinnasblab@EMSL.com)

**EMSL Order ID: 042402316**  
**Client: Tetra Tech**  
**Project ID: HDOH Lahaina Community**  
**Air / 103S864023206**

**ISO 10312 Determination of Asbestos Fibers  
 Direct Transfer Transmission Electron Microscopy**

**Analytical Bench Sheet Data**

EMSL Sample ID: 042402316-0014			Customer Sample: MFL-AM04-012724-AB								
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions (µm)		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
H1	H8	None Detected									
H1	C6	None Detected									
H2	F2	None Detected									
H2	H6	None Detected									

*Abbreviations used:*  
 XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled  
 XCGBLD - Crosses Countable Grid Bar Length Doubled



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077
Tel/Fax: (800) 220-3675 / (856) 786-5974
http://www.EMSL.com / cinnaslab@EMSL.com

EMSL Order: 042402316
Customer ID: TTDC42
Customer PO: 1206126
Project ID:

Attn: Chelsea Saber
Tetra Tech
1560 Broadway, Suite 1400
Denver, CO, 80202

Phone: (703) 489-2674
Fax:
Received Date: 02/05/2024 10:00 AM
Analysis Date: 02/06/2024
Report Date: 02/10/2024

Project: HDOH Lahaina Community Air / 103S864023206

ISO 10312 Determination of Asbestos Fibers
Direct Transfer Transmission Electron Microscopy

Customer Sample Number: MFL-FB01-012724-AB Sample Description:
EMSL Sample Number: 042402316-0015 Sample Matrix: Air
Magnification used for fiber counting: 20,000 Volume (L) : 0.0
Aspect ratio for fiber definition: 3:1 Area of original collection filter (mm²): 385
Minimum Length (µm): ≥ 0.5 Grid Opening Area (mm²): 0.0129
Ch² Test for Random Distribution on Filter: N/A (N/A) Grid Openings Analyzed: 10
Minimum Level of analysis (chrysotile): CD Analyst: P. Harrison
Minimum Level of analysis (amphibole): ADX
Estimated Particulate Loading on Filter %: 1
Target Analytical Sensitivity (Structures/cc): 0.003
Analytical Sensitivity (Structures/cc): N/A Limit of Detection (Structures/cc): N/A

Table with 8 columns: Minimum ID Level, Structures Detected (Primary, Total), Density (S/mm²), Concentration (S/cc), and 95% Confidence Interval (Lower, Upper). Rows include Total Chrysotile, Total Amphibole, and Total All Structures.

Table with 8 columns: Minimum ID Level, Structures Detected (Primary, Total), Density (S/mm²), Concentration (S/mm²), and 95% Confidence Interval (Lower, Upper). Rows include Total Chrysotile (PCMe), Total Amphibole (PCMe), and Total All Structures (PCMe).

Comment

Signature of P. Harrison
Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL. EMSL is not responsible for sample collection activities or analytical limitations. Interpretation and use of results are the responsibility of the client.



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

http://www.EMSL.com / cinnaslab@EMSL.com

EMSL Order ID: 042402316

Client: Tetra Tech

Project ID: HDOH Lahaina Community  
Air / 103S864023206

### ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

#### Analytical Bench Sheet Data

EMSL Sample ID: 042402316-0015		Customer Sample: MFL-FB01-012724-AB									
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions (µm)		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
H5	A6	None Detected									
H5	C7	None Detected									
H5	E4	None Detected									
H5	G5	None Detected									
H5	I8	None Detected									
H6	J6	None Detected									
H6	H8	None Detected									
H6	F9	None Detected									
H6	D2	None Detected									
H6	B4	None Detected									

Abbreviations used:  
XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled  
XCGBLD - Crosses Countable Grid Bar Length Doubled



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077
Tel/Fax: (800) 220-3675 / (856) 786-5974
http://www.EMSL.com / cinnaslab@EMSL.com

EMSL Order: 042402316
Customer ID: TTDC42
Customer PO: 1206126
Project ID:

Attn: Chelsea Saber
Tetra Tech
1560 Broadway, Suite 1400
Denver, CO, 80202

Phone: (703) 489-2674
Fax:
Received Date: 02/05/2024 10:00 AM
Analysis Date: 02/06/2024
Report Date: 02/10/2024

Project: HDOH Lahaina Community Air / 103S864023206

ISO 10312 Determination of Asbestos Fibers
Direct Transfer Transmission Electron Microscopy

Table with 3 columns: Customer Sample Number, Sample Description, and Analytical Sensitivity. Includes details like EMSL Sample Number, Magnification, Aspect ratio, and Limit of Detection.

Table titled 'TOTAL STRUCTURES (All Sizes)' with columns for Minimum ID Level, Structures Detected (Primary/Total), Density, Concentration, and 95% Confidence Interval (Lower/Upper).

Table titled 'PCM EQUIVALENT (PCMe) STRUCTURES (>5 microns in length with >3:1 Aspect Ratio)' with columns for Minimum ID Level, Structures Detected (Primary/Total), Density, Concentration, and 95% Confidence Interval (Lower/Upper).

Comment
Numerous gypsum fibers present.

Signature: Pagan Pagan
Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis.



EMSL Analytical, Inc.  
 200 Route 130 North Cinnaminson, NJ 08077  
 Tel/Fax: (800) 220-3675 / (856) 786-5974  
<http://www.EMSL.com> / [cinnasblab@EMSL.com](mailto:cinnasblab@EMSL.com)

EMSL Order ID: 042402316  
 Client: Tetra Tech  
 Project ID: HDOH Lahaina Community  
 Air / 103S864023206

## ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

### Analytical Bench Sheet Data

EMSL Sample ID:		042402316-0016				Customer Sample:		MFL-AM01-012824-AB			
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions (µm)		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
I1	B4	None Detected									
I2	A7	None Detected									
I2	I10	None Detected									
I3	F3	None Detected									

*Abbreviations used:*  
 XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled  
 XCGBLD - Crosses Countable Grid Bar Length Doubled



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077
Tel/Fax: (800) 220-3675 / (856) 786-5974
http://www.EMSL.com / cinnaslab@EMSL.com

EMSL Order: 042402316
Customer ID: TTDC42
Customer PO: 1206126
Project ID:

Attn: Chelsea Saber
Tetra Tech
1560 Broadway, Suite 1400
Denver, CO, 80202

Phone: (703) 489-2674
Fax:
Received Date: 02/05/2024 10:00 AM
Analysis Date: 02/09/2024
Report Date: 02/10/2024

Project: HDOH Lahaina Community Air / 103S864023206

ISO 10312 Determination of Asbestos Fibers
Direct Transfer Transmission Electron Microscopy

Table with 3 columns: Customer Sample Number, Sample Description, and Analytical Sensitivity. Includes details like EMSL Sample Number, Magnification, Aspect ratio, and Limit of Detection.

Table titled 'TOTAL STRUCTURES (All Sizes)' with columns for Minimum ID Level, Structures Detected (Primary/Total), Density, Concentration, and 95% Confidence Interval (Lower/Upper).

Table titled 'PCM EQUIVALENT (PCMe) STRUCTURES (>5 microns in length with >3:1 Aspect Ratio)' with columns for Minimum ID Level, Structures Detected (Primary/Total), Density, Concentration, and 95% Confidence Interval (Lower/Upper).

Comment
Numerous gypsum fibers present.

Signature: Pagan Pagan
Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis.



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

http://www.EMSL.com / cinnasblab@EMSL.com

EMSL Order ID: 042402316

Client: Tetra Tech

Project ID: HDOH Lahaina Community  
Air / 103S864023206

### ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

#### Analytical Bench Sheet Data

EMSL Sample ID: 042402316-0017			Customer Sample: MFL-AM02-012824-AB								
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions (µm)		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
E1	J2	None Detected									
E1	C6	None Detected									
E2	B6	None Detected									
E2	I4	None Detected									

Abbreviations used:

XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled

XCGBLD - Crosses Countable Grid Bar Length Doubled



# EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077  
Tel/Fax: (800) 220-3675 / (856) 786-5974  
<http://www.EMSL.com> / [cinnaslab@EMSL.com](mailto:cinnaslab@EMSL.com)

EMSL Order: 042402316  
Customer ID: TTDC42  
Customer PO: 1206126  
Project ID:

Attn: Chelsea Saber  
Tetra Tech  
1560 Broadway, Suite 1400  
Denver, CO, 80202

Phone: (703) 489-2674  
Fax:  
Received Date: 02/05/2024 10:00 AM  
Analysis Date: 02/09/2024  
Report Date: 02/10/2024

Project: HDOH Lahaina Community Air / 103S864023206

## ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

Customer Sample Number:	MFL-AM03-012824-AB	Sample Description:
EMSL Sample Number:	042402316-0018	Sample Matrix: Air
Magnification used for fiber counting:	20,000	Volume (L): 7203.4
Aspect ratio for fiber definition:	3:1	Area of original collection filter (mm <sup>2</sup> ): 385
Minimum Length (µm):	≥ 0.5	Grid Opening Area (mm <sup>2</sup> ): 0.0128
Chi <sup>2</sup> Test for Random Distribution on Filter:	N/A (N/A)	Grid Openings Analyzed: 4
Minimum Level of analysis (chrysotile):	CD	Analyst: P. Harrison
Minimum Level of analysis (amphibole):	ADX	
Estimated Particulate Loading on Filter %:	5	
Target Analytical Sensitivity (Structures/cc):	0.003	
<b>Analytical Sensitivity (Structures/cc):</b>	<b>0.0010</b>	<b>Limit of Detection (Structures/cc): 0.0031</b>

TOTAL STRUCTURES (All Sizes)							
	Minimum ID Level	Structures Detected		Density (S/mm <sup>2</sup> )	Concentration (S/cc)	95 % Confidence Interval (S/cc)	
		Primary	Total			Lower	Upper
<b>Total Chrysotile</b>	CD	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
<b>Total Amphibole</b>	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Actinolite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Amosite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Anthophyllite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Crocidolite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Tremolite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
<b>Total Asbestos Structures</b>	CD/ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Other Minerals	-	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
<b>Total All Structures</b>	-	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031

PCM EQUIVALENT (PCMe) STRUCTURES (>5 microns in length with >3:1 Aspect Ratio)							
	Minimum ID Level	Structures Detected		Density (S/mm <sup>2</sup> )	Concentration (S/cc)	95 % Confidence Interval (S/cc)	
		Primary	Total			Lower	Upper
<b>Total Chrysotile (PCMe)</b>	CD	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
<b>Total Amphibole (PCMe)</b>	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Actinolite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Amosite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Anthophyllite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Crocidolite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Tremolite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
<b>Total Asbestos Structures (PCMe)</b>	CD/ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Other Minerals	-	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
<b>Total All Structures (PCMe)</b>	-	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031

**Comment**  
Numerous gypsum fibers present.

Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL. EMSL is not responsible for sample collection activities or analytical limitations. Interpretation and use of results are the responsibility of the client.



**EMSL Analytical, Inc.**  
 200 Route 130 North Cinnaminson, NJ 08077  
 Tel/Fax: (800) 220-3675 / (856) 786-5974  
<http://www.EMSL.com> / [cinnasblab@EMSL.com](mailto:cinnasblab@EMSL.com)

**EMSL Order ID: 042402316**  
**Client: Tetra Tech**  
**Project ID: HDOH Lahaina Community**  
**Air / 103S864023206**

**ISO 10312 Determination of Asbestos Fibers  
 Direct Transfer Transmission Electron Microscopy**

**Analytical Bench Sheet Data**

EMSL Sample ID: 042402316-0018			Customer Sample: MFL-AM03-012824-AB								
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions (µm)		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
E5	J8	None Detected									
E5	E7	None Detected									
E6	D8	None Detected									
E6	J7	None Detected									

*Abbreviations used:*  
 XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled  
 XCGBLD - Crosses Countable Grid Bar Length Doubled



# EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077  
Tel/Fax: (800) 220-3675 / (856) 786-5974  
<http://www.EMSL.com> / [cinnaslab@EMSL.com](mailto:cinnaslab@EMSL.com)

**EMSL Order:** 042402316  
**Customer ID:** TTDC42  
**Customer PO:** 1206126  
**Project ID:**

**Attn: Chelsea Saber**  
Tetra Tech  
1560 Broadway, Suite 1400  
Denver, CO, 80202

**Phone:** (703) 489-2674  
**Fax:**  
**Received Date:** 02/05/2024 10:00 AM  
**Analysis Date:** 02/06/2024  
**Report Date:** 02/10/2024

**Project: HDOH Lahaina Community Air / 103S864023206**

## ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

<b>Customer Sample Number:</b>	<b>MFL-AM04-012824-AB</b>	<b>Sample Description:</b>
EMSL Sample Number:	042402316-0019	Sample Matrix: Air
Magnification used for fiber counting:	20,000	Volume (L) : 6678.7
Aspect ratio for fiber definition:	3:1	Area of original collection filter (mm <sup>2</sup> ): 385
Minimum Length (µm):	≥ 0.5	Grid Opening Area (mm <sup>2</sup> ): 0.0129
Chi <sup>2</sup> Test for Random Distribution on Filter:	N/A (N/A)	Grid Openings Analyzed: 4
Minimum Level of analysis (chrysotile):	CD	Analyst: P. Harrison
Minimum Level of analysis (amphibole):	ADX	
Estimated Particulate Loading on Filter %:	5	
Target Analytical Sensitivity (Structures/cc):	0.003	
<b>Analytical Sensitivity (Structures/cc):</b>	<b>0.0011</b>	<b>Limit of Detection (Structures/cc): 0.0033</b>

TOTAL STRUCTURES (All Sizes)							
	Minimum ID Level	Structures Detected		Density (S/mm <sup>2</sup> )	Concentration (S/cc)	95 % Confidence Interval (S/cc)	
		Primary	Total			Lower	Upper
<b>Total Chrysotile</b>	<b>CD</b>	<b>0</b>	<b>0</b>	<b>&lt; 57.95</b>	<b>&lt; 0.0033</b>	<b>Not Applicable</b>	<b>- 0.0033</b>
<b>Total Amphibole</b>	<b>ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 57.95</b>	<b>&lt; 0.0033</b>	<b>Not Applicable</b>	<b>- 0.0033</b>
Actinolite	ADX	0	0	< 57.95	< 0.0033	Not Applicable	- 0.0033
Amosite	ADX	0	0	< 57.95	< 0.0033	Not Applicable	- 0.0033
Anthophyllite	ADX	0	0	< 57.95	< 0.0033	Not Applicable	- 0.0033
Crocidolite	ADX	0	0	< 57.95	< 0.0033	Not Applicable	- 0.0033
Tremolite	ADX	0	0	< 57.95	< 0.0033	Not Applicable	- 0.0033
<b>Total Asbestos Structures</b>	<b>CD/ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 57.95</b>	<b>&lt; 0.0033</b>	<b>Not Applicable</b>	<b>- 0.0033</b>
Other Minerals	-	0	0	< 57.95	< 0.0033	Not Applicable	- 0.0033
<b>Total All Structures</b>	<b>-</b>	<b>0</b>	<b>0</b>	<b>&lt; 57.95</b>	<b>&lt; 0.0033</b>	<b>Not Applicable</b>	<b>- 0.0033</b>

PCM EQUIVALENT (PCMe) STRUCTURES (>5 microns in length with >3:1 Aspect Ratio)							
	Minimum ID Level	Structures Detected		Density (S/mm <sup>2</sup> )	Concentration (S/cc)	95 % Confidence Interval (S/cc)	
		Primary	Total			Lower	Upper
<b>Total Chrysotile (PCMe)</b>	<b>CD</b>	<b>0</b>	<b>0</b>	<b>&lt; 57.95</b>	<b>&lt; 0.0033</b>	<b>Not Applicable</b>	<b>- 0.0033</b>
<b>Total Amphibole (PCMe)</b>	<b>ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 57.95</b>	<b>&lt; 0.0033</b>	<b>Not Applicable</b>	<b>- 0.0033</b>
Actinolite	ADX	0	0	< 57.95	< 0.0033	Not Applicable	- 0.0033
Amosite	ADX	0	0	< 57.95	< 0.0033	Not Applicable	- 0.0033
Anthophyllite	ADX	0	0	< 57.95	< 0.0033	Not Applicable	- 0.0033
Crocidolite	ADX	0	0	< 57.95	< 0.0033	Not Applicable	- 0.0033
Tremolite	ADX	0	0	< 57.95	< 0.0033	Not Applicable	- 0.0033
<b>Total Asbestos Structures (PCMe)</b>	<b>CD/ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 57.95</b>	<b>&lt; 0.0033</b>	<b>Not Applicable</b>	<b>- 0.0033</b>
Other Minerals	-	0	0	< 57.95	< 0.0033	Not Applicable	- 0.0033
<b>Total All Structures (PCMe)</b>	<b>-</b>	<b>0</b>	<b>0</b>	<b>&lt; 57.95</b>	<b>&lt; 0.0033</b>	<b>Not Applicable</b>	<b>- 0.0033</b>

**Comment**

Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL. EMSL is not responsible for sample collection activities or analytical limitations. Interpretation and use of results are the responsibility of the client.



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

http://www.EMSL.com / cinnaslab@EMSL.com

EMSL Order ID: 042402316

Client: Tetra Tech

Project ID: HDOH Lahaina Community  
Air / 103S864023206

### ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

#### Analytical Bench Sheet Data

EMSL Sample ID: 042402316-0019			Customer Sample: MFL-AM04-012824-AB								
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions (µm)		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
J5	B5	None Detected									
J5	I6	None Detected									
J6	J6	None Detected									
J6	B5	None Detected									

Abbreviations used:

XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled

XCGBLD - Crosses Countable Grid Bar Length Doubled



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077
Tel/Fax: (800) 220-3675 / (856) 786-5974
http://www.EMSL.com / cinnaslab@EMSL.com

EMSL Order: 042402316
Customer ID: TTDC42
Customer PO: 1206126
Project ID:

Attn: Chelsea Saber
Tetra Tech
1560 Broadway, Suite 1400
Denver, CO, 80202

Phone: (703) 489-2674
Fax:
Received Date: 02/05/2024 10:00 AM
Analysis Date: 02/09/2024
Report Date: 02/10/2024

Project: HDOH Lahaina Community Air / 103S864023206

ISO 10312 Determination of Asbestos Fibers
Direct Transfer Transmission Electron Microscopy

Table with 2 main columns: Customer Sample Number (MFL-FB01-012824-AB) and Sample Description. Includes details like EMSL Sample Number, Magnification, Aspect ratio, and various test results.

TOTAL STRUCTURES (All Sizes) table with columns: Minimum ID Level, Structures Detected (Primary, Total), Density (S/mm²), Concentration (S/cc), and 95% Confidence Interval (Lower, Upper). Rows include Total Chrysotile, Total Amphibole, and Total All Structures.

PCM EQUIVALENT (PCMe) STRUCTURES (>5 microns in length with >3:1 Aspect Ratio) table with columns: Minimum ID Level, Structures Detected (Primary, Total), Density (S/mm²), Concentration (S/mm²), and 95% Confidence Interval (Lower, Upper). Rows include Total Chrysotile (PCMe), Total Amphibole (PCMe), and Total All Structures (PCMe).

Comment

Signature: [Handwritten Signature]
Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL.



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

http://www.EMSL.com / cinnaslab@EMSL.com

EMSL Order ID: 042402316

Client: Tetra Tech

Project ID: HDOH Lahaina Community  
Air / 103S864023206

### ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

#### Analytical Bench Sheet Data

EMSL Sample ID:		042402316-0020						Customer Sample:		MFL-FB01-012824-AB	
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions (µm)		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
F1	I5	None Detected									
F1	G7	None Detected									
F1	F4	None Detected									
F1	D6	None Detected									
F1	A5	None Detected									
F2	A6	None Detected									
F2	C5	None Detected									
F2	E3	None Detected									
F2	H4	None Detected									
F2	H7	None Detected									

Abbreviations used:  
XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled  
XCGBLD - Crosses Countable Grid Bar Length Doubled



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077
Tel/Fax: (800) 220-3675 / (856) 786-5974
http://www.EMSL.com / cinnaslab@EMSL.com

EMSL Order: 042402316
Customer ID: TTDC42
Customer PO: 1206126
Project ID:

Attn: Chelsea Saber
Tetra Tech
1560 Broadway, Suite 1400
Denver, CO, 80202

Phone: (703) 489-2674
Fax:
Received Date: 02/05/2024 10:00 AM
Analysis Date: 02/09/2024
Report Date: 02/10/2024

Project: HDOH Lahaina Community Air / 103S864023206

ISO 10312 Determination of Asbestos Fibers
Direct Transfer Transmission Electron Microscopy

Table with 3 main columns: Customer Sample Number (MFL-AM01-012924-AB), Sample Description, and analytical data. Includes fields for Sample Matrix, Volume, Area of original collection filter, Grid Opening Area, Grid Openings Analyzed, Analyst, and Limit of Detection.

TOTAL STRUCTURES (All Sizes) table with columns: Minimum ID Level, Structures Detected (Primary, Total), Density (S/mm²), Concentration (S/cc), and 95% Confidence Interval (Lower, Upper). Rows include Total Chrysotile, Total Amphibole, and Total All Structures.

PCM EQUIVALENT (PCMe) STRUCTURES (>5 microns in length with >3:1 Aspect Ratio) table with columns: Minimum ID Level, Structures Detected (Primary, Total), Density (S/mm²), Concentration (S/cc), and 95% Confidence Interval (Lower, Upper). Rows include Total Chrysotile (PCMe), Total Amphibole (PCMe), and Total All Structures (PCMe).

Comment: Numerous gypsum fibers present.

Signature: [Handwritten Signature]
Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL.



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

http://www.EMSL.com / cinnasblab@EMSL.com

EMSL Order ID: 042402316

Client: Tetra Tech

Project ID: HDOH Lahaina Community  
Air / 103S864023206

### ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

#### Analytical Bench Sheet Data

EMSL Sample ID:		042402316-0021		Customer Sample:		MFL-AM01-012924-AB					
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions (µm)		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
F5	G3	None Detected									
F5	C6	None Detected									
F6	H8	None Detected									
F6	B5	None Detected									

Abbreviations used:

XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled

XCGBLD - Crosses Countable Grid Bar Length Doubled



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077
Tel/Fax: (800) 220-3675 / (856) 786-5974
http://www.EMSL.com / cinnaslab@EMSL.com

EMSL Order: 042402316
Customer ID: TTDC42
Customer PO: 1206126
Project ID:

Attn: Chelsea Saber
Tetra Tech
1560 Broadway, Suite 1400
Denver, CO, 80202

Phone: (703) 489-2674
Fax:
Received Date: 02/05/2024 10:00 AM
Analysis Date: N/A
Report Date: 02/10/2024

Project: HDOH Lahaina Community Air / 103S864023206

ISO 10312 Determination of Asbestos Fibers
Direct Transfer Transmission Electron Microscopy

Table with 2 main columns: Customer Sample Number (MFL-AM02-012924-AB) and Sample Description. Includes details like EMSL Sample Number, Magnification, Aspect ratio, and various test results.

Table titled 'TOTAL STRUCTURES (All Sizes)'. Columns include Minimum ID Level, Structures Detected (Primary, Total), Density (S/mm²), Concentration (S/cc), and 95% Confidence Interval (Lower, Upper). Rows list Total Chrysotile, Total Amphibole (Actinolite, Amosite, Anthophyllite, Crocidolite, Tremolite), Total Asbestos Structures, and Total All Structures.

Table titled 'PCM EQUIVALENT (PCMe) STRUCTURES (>5 microns in length with >3:1 Aspect Ratio)'. Columns include Minimum ID Level, Structures Detected (Primary, Total), Density (S/mm²), Concentration (S/cc), and 95% Confidence Interval (Lower, Upper). Rows list Total Chrysotile (PCMe), Total Amphibole (PCMe) (Actinolite, Amosite, Anthophyllite, Crocidolite, Tremolite), Total Asbestos Structures (PCMe), and Total All Structures (PCMe).

Comment
Filter received damaged. Unable to analyze.

Signature: [Handwritten Signature]
Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL.

**EMSL Analytical, Inc.**

200 Route 130 North Cinnaminson, NJ 08077  
 Tel/Fax: (800) 220-3675 / (856) 786-5974  
<http://www.EMSL.com> / [cinnaslab@EMSL.com](mailto:cinnaslab@EMSL.com)

**EMSL Order:** 042402316  
**Customer ID:** TTDC42  
**Customer PO:** 1206126  
**Project ID:**

**Attn: Chelsea Saber**  
 Tetra Tech  
 1560 Broadway, Suite 1400  
 Denver, CO, 80202

**Phone:** (703) 489-2674  
**Fax:**  
**Received Date:** 02/05/2024 10:00 AM  
**Analysis Date:** 02/09/2024  
**Report Date:** 02/10/2024

**Project:** HDOH Lahaina Community Air / 103S864023206

## ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

Customer Sample Number:	MFL-AM03-012924-AB	Sample Description:
EMSL Sample Number:	042402316-0023	Sample Matrix: Air
Magnification used for fiber counting:	20,000	Volume (L) : 7109.0
Aspect ratio for fiber definition:	3:1	Area of original collection filter (mm <sup>2</sup> ): 385
Minimum Length (µm):	≥ 0.5	Grid Opening Area (mm <sup>2</sup> ): 0.0128
Chi <sup>2</sup> Test for Random Distribution on Filter:	N/A (N/A)	Grid Openings Analyzed: 4
Minimum Level of analysis (chrysotile):	CD	Analyst: A. Burke
Minimum Level of analysis (amphibole):	ADX	
Estimated Particulate Loading on Filter %:	6	
Target Analytical Sensitivity (Structures/cc):	0.003	
<b>Analytical Sensitivity (Structures/cc):</b>	<b>0.0011</b>	<b>Limit of Detection (Structures/cc): 0.0032</b>

TOTAL STRUCTURES (All Sizes)							
	Minimum ID Level	Structures Detected		Density (S/mm <sup>2</sup> )	Concentration (S/cc)	95 % Confidence Interval (S/cc)	
		Primary	Total			Lower	Upper
<b>Total Chrysotile</b>	CD	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
<b>Total Amphibole</b>	ADX	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
Actinolite	ADX	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
Amosite	ADX	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
Anthophyllite	ADX	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
Crocidolite	ADX	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
Tremolite	ADX	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
<b>Total Asbestos Structures</b>	CD/ADX	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
Other Minerals	-	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
<b>Total All Structures</b>	-	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032

PCM EQUIVALENT (PCMe) STRUCTURES (>5 microns in length with >3:1 Aspect Ratio)							
	Minimum ID Level	Structures Detected		Density (S/mm <sup>2</sup> )	Concentration (S/cc)	95 % Confidence Interval (S/cc)	
		Primary	Total			Lower	Upper
<b>Total Chrysotile (PCMe)</b>	CD	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
<b>Total Amphibole (PCMe)</b>	ADX	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
Actinolite	ADX	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
Amosite	ADX	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
Anthophyllite	ADX	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
Crocidolite	ADX	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
Tremolite	ADX	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
<b>Total Asbestos Structures (PCMe)</b>	CD/ADX	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
Other Minerals	-	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
<b>Total All Structures (PCMe)</b>	-	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032

**Comment**  
 Numerous gypsum fibers present.

Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL. EMSL is not responsible for sample collection activities or analytical limitations. Interpretation and use of results are the responsibility of the client.



**EMSL Analytical, Inc.**  
 200 Route 130 North Cinnaminson, NJ 08077  
 Tel/Fax: (800) 220-3675 / (856) 786-5974  
<http://www.EMSL.com> / [cinnasblab@EMSL.com](mailto:cinnasblab@EMSL.com)

**EMSL Order ID: 042402316**  
**Client: Tetra Tech**  
**Project ID: HDOH Lahaina Community**  
**Air / 103S864023206**

**ISO 10312 Determination of Asbestos Fibers  
 Direct Transfer Transmission Electron Microscopy**

**Analytical Bench Sheet Data**

<b>EMSL Sample ID: 042402316-0023</b>			<b>Customer Sample: MFL-AM03-012924-AB</b>								
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions (µm)		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
G1	B6	None Detected									
G1	F7	None Detected									
G2	C6	None Detected									
G2	I5	None Detected									

*Abbreviations used:*  
 XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled  
 XCGBLD - Crosses Countable Grid Bar Length Doubled



# EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077  
Tel/Fax: (800) 220-3675 / (856) 786-5974  
<http://www.EMSL.com> / [cinnaslab@EMSL.com](mailto:cinnaslab@EMSL.com)

**EMSL Order:** 042402316  
**Customer ID:** TTDC42  
**Customer PO:** 1206126  
**Project ID:**

**Attn: Chelsea Saber**  
Tetra Tech  
1560 Broadway, Suite 1400  
Denver, CO, 80202

**Phone:** (703) 489-2674  
**Fax:**  
**Received Date:** 02/05/2024 10:00 AM  
**Analysis Date:** 02/09/2024  
**Report Date:** 02/10/2024

**Project: HDOH Lahaina Community Air / 103S864023206**

## ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

Customer Sample Number:	MFL-AM04-012924-AB	Sample Description:
EMSL Sample Number:	042402316-0024	Sample Matrix: Air
Magnification used for fiber counting:	20,000	Volume (L): 6901.3
Aspect ratio for fiber definition:	3:1	Area of original collection filter (mm <sup>2</sup> ): 385
Minimum Length (µm):	≥ 0.5	Grid Opening Area (mm <sup>2</sup> ): 0.0129
Chi <sup>2</sup> Test for Random Distribution on Filter:	N/A (N/A)	Grid Openings Analyzed: 4
Minimum Level of analysis (chrysotile):	CD	Analyst: P. Harrison
Minimum Level of analysis (amphibole):	ADX	
Estimated Particulate Loading on Filter %:	5	
Target Analytical Sensitivity (Structures/cc):	0.003	
<b>Analytical Sensitivity (Structures/cc):</b>	<b>0.0011</b>	<b>Limit of Detection (Structures/cc): 0.0032</b>

TOTAL STRUCTURES (All Sizes)							
	Minimum ID Level	Structures Detected		Density (S/mm <sup>2</sup> )	Concentration (S/cc)	95 % Confidence Interval (S/cc)	
		Primary	Total			Lower	Upper
<b>Total Chrysotile</b>	CD	0	0	< 57.95	< 0.0032	Not Applicable	- 0.0032
<b>Total Amphibole</b>	ADX	0	0	< 57.95	< 0.0032	Not Applicable	- 0.0032
Actinolite	ADX	0	0	< 57.95	< 0.0032	Not Applicable	- 0.0032
Amosite	ADX	0	0	< 57.95	< 0.0032	Not Applicable	- 0.0032
Anthophyllite	ADX	0	0	< 57.95	< 0.0032	Not Applicable	- 0.0032
Crocidolite	ADX	0	0	< 57.95	< 0.0032	Not Applicable	- 0.0032
Tremolite	ADX	0	0	< 57.95	< 0.0032	Not Applicable	- 0.0032
<b>Total Asbestos Structures</b>	CD/ADX	0	0	< 57.95	< 0.0032	Not Applicable	- 0.0032
Other Minerals	-	0	0	< 57.95	< 0.0032	Not Applicable	- 0.0032
<b>Total All Structures</b>	-	0	0	< 57.95	< 0.0032	Not Applicable	- 0.0032

PCM EQUIVALENT (PCMe) STRUCTURES (>5 microns in length with >3:1 Aspect Ratio)							
	Minimum ID Level	Structures Detected		Density (S/mm <sup>2</sup> )	Concentration (S/cc)	95 % Confidence Interval (S/cc)	
		Primary	Total			Lower	Upper
<b>Total Chrysotile (PCMe)</b>	CD	0	0	< 57.95	< 0.0032	Not Applicable	- 0.0032
<b>Total Amphibole (PCMe)</b>	ADX	0	0	< 57.95	< 0.0032	Not Applicable	- 0.0032
Actinolite	ADX	0	0	< 57.95	< 0.0032	Not Applicable	- 0.0032
Amosite	ADX	0	0	< 57.95	< 0.0032	Not Applicable	- 0.0032
Anthophyllite	ADX	0	0	< 57.95	< 0.0032	Not Applicable	- 0.0032
Crocidolite	ADX	0	0	< 57.95	< 0.0032	Not Applicable	- 0.0032
Tremolite	ADX	0	0	< 57.95	< 0.0032	Not Applicable	- 0.0032
<b>Total Asbestos Structures (PCMe)</b>	CD/ADX	0	0	< 57.95	< 0.0032	Not Applicable	- 0.0032
Other Minerals	-	0	0	< 57.95	< 0.0032	Not Applicable	- 0.0032
<b>Total All Structures (PCMe)</b>	-	0	0	< 57.95	< 0.0032	Not Applicable	- 0.0032

**Comment**  
Numerous gypsum fibers present.

Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL. EMSL is not responsible for sample collection activities or analytical limitations. Interpretation and use of results are the responsibility of the client.



**EMSL Analytical, Inc.**  
 200 Route 130 North Cinnaminson, NJ 08077  
 Tel/Fax: (800) 220-3675 / (856) 786-5974  
<http://www.EMSL.com> / [cinnasblab@EMSL.com](mailto:cinnasblab@EMSL.com)

**EMSL Order ID: 042402316**  
**Client: Tetra Tech**  
**Project ID: HDOH Lahaina Community**  
**Air / 103S864023206**

**ISO 10312 Determination of Asbestos Fibers  
 Direct Transfer Transmission Electron Microscopy**

**Analytical Bench Sheet Data**

EMSL Sample ID: 042402316-0024			Customer Sample: MFL-AM04-012924-AB								
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions (µm)		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
B3	A6	None Detected									
B3	C9	None Detected									
B4	H3	None Detected									
B4	B5	None Detected									

*Abbreviations used:*  
 XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled  
 XCGBLD - Crosses Countable Grid Bar Length Doubled



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077
Tel/Fax: (800) 220-3675 / (856) 786-5974
http://www.EMSL.com / cinnaslab@EMSL.com

EMSL Order: 042402316
Customer ID: TTDC42
Customer PO: 1206126
Project ID:

Attn: Chelsea Saber
Tetra Tech
1560 Broadway, Suite 1400
Denver, CO, 80202

Phone: (703) 489-2674
Fax:
Received Date: 02/05/2024 10:00 AM
Analysis Date: 02/09/2024
Report Date: 02/10/2024

Project: HDOH Lahaina Community Air / 103S864023206

ISO 10312 Determination of Asbestos Fibers
Direct Transfer Transmission Electron Microscopy

Table with 2 main columns: Customer Sample Number (MFL-FB01-012924-AB) and Sample Description. Includes details like EMSL Sample Number, Magnification, Aspect ratio, and various test results.

Table titled 'TOTAL STRUCTURES (All Sizes)'. Columns include Minimum ID Level, Structures Detected (Primary, Total), Density (S/mm²), Concentration (S/cc), and 95% Confidence Interval (Lower, Upper). Rows list Total Chrysotile, Total Amphibole, and various mineral types.

Table titled 'PCM EQUIVALENT (PCMe) STRUCTURES (>5 microns in length with >3:1 Aspect Ratio)'. Columns include Minimum ID Level, Structures Detected (Primary, Total), Density (S/mm²), Concentration (S/mm²), and 95% Confidence Interval (Lower, Upper). Rows list Total Chrysotile (PCMe), Total Amphibole (PCMe), and various mineral types.

Comment

Signature: [Handwritten Signature]
Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL.



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

http://www.EMSL.com / cinnaslab@EMSL.com

EMSL Order ID: 042402316

Client: Tetra Tech

Project ID: HDOH Lahaina Community  
Air / 103S864023206

### ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

#### Analytical Bench Sheet Data

EMSL Sample ID:		042402316-0025						Customer Sample:		MFL-FB01-012924-AB	
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions (µm)		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
G5	J7	None Detected									
G5	G8	None Detected									
G5	F9	None Detected									
G5	D7	None Detected									
G5	B8	None Detected									
G6	B6	None Detected									
G6	C4	None Detected									
G6	E2	None Detected									
G6	G3	None Detected									
G6	H5	None Detected									

Abbreviations used:  
XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled  
XCGBLD - Crosses Countable Grid Bar Length Doubled



# EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077  
Tel/Fax: (800) 220-3675 / (856) 786-5974  
<http://www.EMSL.com> / [cinnaslab@EMSL.com](mailto:cinnaslab@EMSL.com)

**EMSL Order:** 042402316  
**Customer ID:** TTDC42  
**Customer PO:** 1206126  
**Project ID:**

**Attn: Chelsea Saber**  
Tetra Tech  
1560 Broadway, Suite 1400  
Denver, CO, 80202

**Phone:** (703) 489-2674  
**Fax:**  
**Received Date:** 02/05/2024 10:00 AM  
**Analysis Date:** 02/09/2024  
**Report Date:** 02/10/2024

**Project: HDOH Lahaina Community Air / 103S864023206**

## ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

Customer Sample Number:	MFL-AM01-013024-AB	Sample Description:
EMSL Sample Number:	042402316-0026	Sample Matrix: Air
Magnification used for fiber counting:	20,000	Volume (L) : 7223.0
Aspect ratio for fiber definition:	3:1	Area of original collection filter (mm <sup>2</sup> ): 385
Minimum Length (µm):	≥ 0.5	Grid Opening Area (mm <sup>2</sup> ): 0.0128
Chi <sup>2</sup> Test for Random Distribution on Filter:	N/A (N/A)	Grid Openings Analyzed: 4
Minimum Level of analysis (chrysotile):	CD	Analyst: A. Burke
Minimum Level of analysis (amphibole):	ADX	
Estimated Particulate Loading on Filter %:	8	
Target Analytical Sensitivity (Structures/cc):	0.003	
<b>Analytical Sensitivity (Structures/cc):</b>	<b>0.0010</b>	<b>Limit of Detection (Structures/cc): 0.0031</b>

TOTAL STRUCTURES (All Sizes)							
	Minimum ID Level	Structures Detected		Density (S/mm <sup>2</sup> )	Concentration (S/cc)	95 % Confidence Interval (S/cc)	
		Primary	Total			Lower	Upper
<b>Total Chrysotile</b>	CD	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
<b>Total Amphibole</b>	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Actinolite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Amosite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Anthophyllite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Crocidolite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Tremolite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
<b>Total Asbestos Structures</b>	CD/ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Other Minerals	-	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
<b>Total All Structures</b>	-	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031

PCM EQUIVALENT (PCMe) STRUCTURES (>5 microns in length with >3:1 Aspect Ratio)							
	Minimum ID Level	Structures Detected		Density (S/mm <sup>2</sup> )	Concentration (S/cc)	95 % Confidence Interval (S/cc)	
		Primary	Total			Lower	Upper
<b>Total Chrysotile (PCMe)</b>	CD	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
<b>Total Amphibole (PCMe)</b>	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Actinolite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Amosite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Anthophyllite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Crocidolite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Tremolite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
<b>Total Asbestos Structures (PCMe)</b>	CD/ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Other Minerals	-	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
<b>Total All Structures (PCMe)</b>	-	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031

**Comment**  
Numerous gypsum fibers present.

Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL. EMSL is not responsible for sample collection activities or analytical limitations. Interpretation and use of results are the responsibility of the client.



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

http://www.EMSL.com / cinnasblab@EMSL.com

EMSL Order ID: 042402316

Client: Tetra Tech

Project ID: HDOH Lahaina Community  
Air / 103S864023206

### ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

#### Analytical Bench Sheet Data

EMSL Sample ID:		042402316-0026					Customer Sample:		MFL-AM01-013024-AB		
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions (µm)		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
H2	I6	None Detected									
H2	D5	None Detected									
H3	D7	None Detected									
H3	G4	None Detected									

Abbreviations used:

XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled

XCGBLD - Crosses Countable Grid Bar Length Doubled



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077
Tel/Fax: (800) 220-3675 / (856) 786-5974
http://www.EMSL.com / cinnaslab@EMSL.com

EMSL Order: 042402316
Customer ID: TTDC42
Customer PO: 1206126
Project ID:

Attn: Chelsea Saber
Tetra Tech
1560 Broadway, Suite 1400
Denver, CO, 80202

Phone: (703) 489-2674
Fax:
Received Date: 02/05/2024 10:00 AM
Analysis Date: 02/09/2024
Report Date: 02/10/2024

Project: HDOH Lahaina Community Air / 103S864023206

ISO 10312 Determination of Asbestos Fibers
Direct Transfer Transmission Electron Microscopy

Table with 3 main columns: Customer Sample Number (MFL-AM02-013024-AB), Sample Description, and analytical data. Includes fields for Sample Matrix, Volume, Area of original collection filter, Grid Opening Area, Grid Openings Analyzed, Analyst (A. Burke), Estimated Particulate Loading on Filter %, Target Analytical Sensitivity (Structures/cc), and Analytical Sensitivity (Structures/cc) 0.0010.

TOTAL STRUCTURES (All Sizes) table. Columns: Minimum ID Level, Structures Detected (Primary, Total), Density (S/mm²), Concentration (S/cc), and 95% Confidence Interval (Lower, Upper). Rows include Total Chrysotile, Total Amphibole (Actinolite, Amosite, Anthophyllite, Crocidolite, Tremolite), Total Asbestos Structures, Other Minerals, and Total All Structures.

PCM EQUIVALENT (PCMe) STRUCTURES (>5 microns in length with >3:1 Aspect Ratio) table. Columns: Minimum ID Level, Structures Detected (Primary, Total), Density (S/mm²), Concentration (S/cc), and 95% Confidence Interval (Lower, Upper). Rows include Total Chrysotile (PCMe), Total Amphibole (PCMe) (Actinolite, Amosite, Anthophyllite, Crocidolite, Tremolite), Total Asbestos Structures (PCMe), Other Minerals, and Total All Structures (PCMe).

Comment: Numerous gypsum fibers present.

Signature: [Handwritten Signature]
Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL. EMSL is not responsible for sample collection activities or analytical limitations. Interpretation and use of results are the responsibility of the client.



**EMSL Analytical, Inc.**  
 200 Route 130 North Cinnaminson, NJ 08077  
 Tel/Fax: (800) 220-3675 / (856) 786-5974  
<http://www.EMSL.com> / [cinnasblab@EMSL.com](mailto:cinnasblab@EMSL.com)

**EMSL Order ID: 042402316**  
**Client: Tetra Tech**  
**Project ID: HDOH Lahaina Community**  
**Air / 103S864023206**

**ISO 10312 Determination of Asbestos Fibers  
 Direct Transfer Transmission Electron Microscopy**

**Analytical Bench Sheet Data**

EMSL Sample ID: 042402316-0027			Customer Sample: MFL-AM02-013024-AB								
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions (µm)		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
H6	B6	None Detected									
H6	F7	None Detected									
H7	C7	None Detected									
H7	J4	None Detected									

*Abbreviations used:*  
 XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled  
 XCGBLD - Crosses Countable Grid Bar Length Doubled



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077
Tel/Fax: (800) 220-3675 / (856) 786-5974
http://www.EMSL.com / cinnaslab@EMSL.com

EMSL Order: 042402316
Customer ID: TTDC42
Customer PO: 1206126
Project ID:

Attn: Chelsea Saber
Tetra Tech
1560 Broadway, Suite 1400
Denver, CO, 80202

Phone: (703) 489-2674
Fax:
Received Date: 02/05/2024 10:00 AM
Analysis Date: 02/09/2024
Report Date: 02/10/2024

Project: HDOH Lahaina Community Air / 103S864023206

ISO 10312 Determination of Asbestos Fibers
Direct Transfer Transmission Electron Microscopy

Table with 3 columns: Customer Sample Number, Sample Description, and analytical data. Includes fields for Sample Matrix, Volume, Area of original collection filter, Grid Opening Area, Grid Openings Analyzed, Analyst, and Limit of Detection.

Table titled 'TOTAL STRUCTURES (All Sizes)' with columns for Minimum ID Level, Structures Detected (Primary, Total), Density (S/mm²), Concentration (S/cc), and 95% Confidence Interval (Lower, Upper). Rows include Total Chrysotile, Total Amphibole, and Total All Structures.

Table titled 'PCM EQUIVALENT (PCMe) STRUCTURES (>5 microns in length with >3:1 Aspect Ratio)' with columns for Minimum ID Level, Structures Detected (Primary, Total), Density (S/mm²), Concentration (S/cc), and 95% Confidence Interval (Lower, Upper). Rows include Total Chrysotile (PCMe), Total Amphibole (PCMe), and Total All Structures (PCMe).

Comment
Numerous gypsum fibers present.

Signature: Pagan Pagan
Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL.



**EMSL Analytical, Inc.**  
 200 Route 130 North Cinnaminson, NJ 08077  
 Tel/Fax: (800) 220-3675 / (856) 786-5974  
<http://www.EMSL.com> / [cinnaslab@EMSL.com](mailto:cinnaslab@EMSL.com)

**EMSL Order ID: 042402316**  
**Client: Tetra Tech**  
**Project ID: HDOH Lahaina Community**  
**Air / 103S864023206**

**ISO 10312 Determination of Asbestos Fibers  
 Direct Transfer Transmission Electron Microscopy**

**Analytical Bench Sheet Data**

EMSL Sample ID: 042402316-0028			Customer Sample: MFL-AM03-013024-AB								
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions (µm)		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
D2	I6	None Detected									
D2	B7	None Detected									
D3	C7	None Detected									
D3	J5	None Detected									

*Abbreviations used:*  
 XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled  
 XCGBLD - Crosses Countable Grid Bar Length Doubled



# EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077  
Tel/Fax: (800) 220-3675 / (856) 786-5974  
<http://www.EMSL.com> / [cinnaslab@EMSL.com](mailto:cinnaslab@EMSL.com)

**EMSL Order:** 042402316  
**Customer ID:** TTDC42  
**Customer PO:** 1206126  
**Project ID:**

**Attn: Chelsea Saber**  
Tetra Tech  
1560 Broadway, Suite 1400  
Denver, CO, 80202

**Phone:** (703) 489-2674  
**Fax:**  
**Received Date:** 02/05/2024 10:00 AM  
**Analysis Date:** 02/09/2024  
**Report Date:** 02/10/2024

**Project: HDOH Lahaina Community Air / 103S864023206**

## ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

<b>Customer Sample Number:</b>	<b>MFL-AM04-013024-AB</b>	<b>Sample Description:</b>
EMSL Sample Number:	042402316-0029	Sample Matrix: Air
Magnification used for fiber counting:	20,000	Volume (L) : 7195.1
Aspect ratio for fiber definition:	3:1	Area of original collection filter (mm <sup>2</sup> ): 385
Minimum Length (µm):	≥ 0.5	Grid Opening Area (mm <sup>2</sup> ): 0.0128
Chi <sup>2</sup> Test for Random Distribution on Filter:	N/A (N/A)	Grid Openings Analyzed: 4
Minimum Level of analysis (chrysotile):	CD	Analyst: A. Burke
Minimum Level of analysis (amphibole):	ADX	
Estimated Particulate Loading on Filter %:	7	
Target Analytical Sensitivity (Structures/cc):	0.003	
<b>Analytical Sensitivity (Structures/cc):</b>	<b>0.0010</b>	<b>Limit of Detection (Structures/cc): 0.0031</b>

TOTAL STRUCTURES (All Sizes)							
	Minimum ID Level	Structures Detected		Density (S/mm <sup>2</sup> )	Concentration (S/cc)	95 % Confidence Interval (S/cc)	
		Primary	Total			Lower	Upper
<b>Total Chrysotile</b>	<b>CD</b>	<b>0</b>	<b>0</b>	<b>&lt; 58.40</b>	<b>&lt; 0.0031</b>	<b>Not Applicable</b>	<b>- 0.0031</b>
<b>Total Amphibole</b>	<b>ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 58.40</b>	<b>&lt; 0.0031</b>	<b>Not Applicable</b>	<b>- 0.0031</b>
Actinolite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Amosite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Anthophyllite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Crocidolite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Tremolite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
<b>Total Asbestos Structures</b>	<b>CD/ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 58.40</b>	<b>&lt; 0.0031</b>	<b>Not Applicable</b>	<b>- 0.0031</b>
Other Minerals	-	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
<b>Total All Structures</b>	<b>-</b>	<b>0</b>	<b>0</b>	<b>&lt; 58.40</b>	<b>&lt; 0.0031</b>	<b>Not Applicable</b>	<b>- 0.0031</b>

PCM EQUIVALENT (PCMe) STRUCTURES (>5 microns in length with >3:1 Aspect Ratio)							
	Minimum ID Level	Structures Detected		Density (S/mm <sup>2</sup> )	Concentration (S/cc)	95 % Confidence Interval (S/cc)	
		Primary	Total			Lower	Upper
<b>Total Chrysotile (PCMe)</b>	<b>CD</b>	<b>0</b>	<b>0</b>	<b>&lt; 58.40</b>	<b>&lt; 0.0031</b>	<b>Not Applicable</b>	<b>- 0.0031</b>
<b>Total Amphibole (PCMe)</b>	<b>ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 58.40</b>	<b>&lt; 0.0031</b>	<b>Not Applicable</b>	<b>- 0.0031</b>
Actinolite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Amosite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Anthophyllite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Crocidolite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Tremolite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
<b>Total Asbestos Structures (PCMe)</b>	<b>CD/ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 58.40</b>	<b>&lt; 0.0031</b>	<b>Not Applicable</b>	<b>- 0.0031</b>
Other Minerals	-	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
<b>Total All Structures (PCMe)</b>	<b>-</b>	<b>0</b>	<b>0</b>	<b>&lt; 58.40</b>	<b>&lt; 0.0031</b>	<b>Not Applicable</b>	<b>- 0.0031</b>

**Comment**  
Numerous gypsum fibers present.

Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL. EMSL is not responsible for sample collection activities or analytical limitations. Interpretation and use of results are the responsibility of the client.



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

http://www.EMSL.com / cinnaslab@EMSL.com

EMSL Order ID: 042402316

Client: Tetra Tech

Project ID: HDOH Lahaina Community  
Air / 103S864023206

### ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

#### Analytical Bench Sheet Data

EMSL Sample ID:		042402316-0029					Customer Sample:		MFL-AM04-013024-AB		
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions (µm)		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
F1	E3	None Detected									
F1	B5	None Detected									
F3	D4	None Detected									
F3	G3	None Detected									

Abbreviations used:

XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled

XCGBLD - Crosses Countable Grid Bar Length Doubled



# EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077  
Tel/Fax: (800) 220-3675 / (856) 786-5974  
<http://www.EMSL.com> / [cinnaslab@EMSL.com](mailto:cinnaslab@EMSL.com)

**EMSL Order:** 042402316  
**Customer ID:** TTDC42  
**Customer PO:** 1206126  
**Project ID:**

**Attn: Chelsea Saber**  
Tetra Tech  
1560 Broadway, Suite 1400  
Denver, CO, 80202

**Phone:** (703) 489-2674  
**Fax:**  
**Received Date:** 02/05/2024 10:00 AM  
**Analysis Date:** 02/09/2024  
**Report Date:** 02/10/2024

**Project: HDOH Lahaina Community Air / 103S864023206**

## ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

<b>Customer Sample Number:</b>	<b>MFL-FB01-013024-AB</b>	<b>Sample Description:</b>
EMSL Sample Number:	042402316-0030	Sample Matrix: Air
Magnification used for fiber counting:	20,000	Volume (L) : 0.0
Aspect ratio for fiber definition:	3:1	Area of original collection filter (mm <sup>2</sup> ): 385
Minimum Length (µm):	≥ 0.5	Grid Opening Area (mm <sup>2</sup> ): 0.0128
Chi <sup>2</sup> Test for Random Distribution on Filter:	N/A (N/A)	Grid Openings Analyzed: 10
Minimum Level of analysis (chrysotile):	CD	Analyst: A. Burke
Minimum Level of analysis (amphibole):	ADX	
Estimated Particulate Loading on Filter %:	1	
Target Analytical Sensitivity (Structures/cc):	0.003	
<b>Analytical Sensitivity (Structures/cc):</b>	<b>N/A</b>	<b>Limit of Detection (Structures/cc): N/A</b>

TOTAL STRUCTURES (All Sizes)							
	Minimum ID Level	Structures Detected		Density (S/mm <sup>2</sup> )	Concentration (S/cc)	95 % Confidence Interval (S/cc)	
		Primary	Total			Lower	Upper
<b>Total Chrysotile</b>	<b>CD</b>	<b>0</b>	<b>0</b>	<b>&lt; 23.36</b>	<b>&lt; N/A</b>	<b>Not Applicable</b>	<b>- Not Applicable</b>
<b>Total Amphibole</b>	<b>ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 23.36</b>	<b>&lt; N/A</b>	<b>Not Applicable</b>	<b>- Not Applicable</b>
Actinolite	ADX	0	0	< 23.36	< N/A	Not Applicable	- Not Applicable
Amosite	ADX	0	0	< 23.36	< N/A	Not Applicable	- Not Applicable
Anthophyllite	ADX	0	0	< 23.36	< N/A	Not Applicable	- Not Applicable
Crocidolite	ADX	0	0	< 23.36	< N/A	Not Applicable	- Not Applicable
Tremolite	ADX	0	0	< 23.36	< N/A	Not Applicable	- Not Applicable
<b>Total Asbestos Structures</b>	<b>CD/ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 23.36</b>	<b>&lt; N/A</b>	<b>Not Applicable</b>	<b>- Not Applicable</b>
Other Minerals	-	0	0	< 23.36	< N/A	Not Applicable	- Not Applicable
<b>Total All Structures</b>	<b>-</b>	<b>0</b>	<b>0</b>	<b>&lt; 23.36</b>	<b>&lt; N/A</b>	<b>Not Applicable</b>	<b>- Not Applicable</b>

PCM EQUIVALENT (PCMe) STRUCTURES (>5 microns in length with >3:1 Aspect Ratio)							
	Minimum ID Level	Structures Detected		Density (S/mm <sup>2</sup> )	Concentration S / mm <sup>2</sup>	95 % Confidence Interval (S/cc)	
		Primary	Total			Lower	Upper
<b>Total Chrysotile (PCMe)</b>	<b>CD</b>	<b>0</b>	<b>0</b>	<b>&lt; 23.36</b>	<b>&lt; N/A</b>	<b>Not Applicable</b>	<b>- Not Applicable</b>
<b>Total Amphibole (PCMe)</b>	<b>ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 23.36</b>	<b>&lt; N/A</b>	<b>Not Applicable</b>	<b>- Not Applicable</b>
Actinolite	ADX	0	0	< 23.36	< N/A	Not Applicable	- Not Applicable
Amosite	ADX	0	0	< 23.36	< N/A	Not Applicable	- Not Applicable
Anthophyllite	ADX	0	0	< 23.36	< N/A	Not Applicable	- Not Applicable
Crocidolite	ADX	0	0	< 23.36	< N/A	Not Applicable	- Not Applicable
Tremolite	ADX	0	0	< 23.36	< N/A	Not Applicable	- Not Applicable
<b>Total Asbestos Structures (PCMe)</b>	<b>CD/ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 23.36</b>	<b>&lt; N/A</b>	<b>Not Applicable</b>	<b>- Not Applicable</b>
Other Minerals	-	0	0	< 23.36	< N/A	Not Applicable	- Not Applicable
<b>Total All Structures (PCMe)</b>	<b>-</b>	<b>0</b>	<b>0</b>	<b>&lt; 23.36</b>	<b>&lt; N/A</b>	<b>Not Applicable</b>	<b>- Not Applicable</b>

**Comment**

Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL. EMSL is not responsible for sample collection activities or analytical limitations. Interpretation and use of results are the responsibility of the client.



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

http://www.EMSL.com / cinnasblab@EMSL.com

EMSL Order ID: 042402316

Client: Tetra Tech

Project ID: HDOH Lahaina Community  
Air / 103S864023206

### ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

#### Analytical Bench Sheet Data

EMSL Sample ID: 042402316-0030		Customer Sample: MFL-FB01-013024-AB									
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions (µm)		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
F5	C6	None Detected									
F5	D4	None Detected									
F5	F3	None Detected									
F5	G4	None Detected									
F5	H7	None Detected									
F6	J5	None Detected									
F6	F8	None Detected									
F6	D9	None Detected									
F6	C7	None Detected									
F6	A8	None Detected									

Abbreviations used:  
XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled  
XCGBLD - Crosses Countable Grid Bar Length Doubled



# EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077  
Tel/Fax: (800) 220-3675 / (856) 786-5974  
<http://www.EMSL.com> / [cinnaslab@EMSL.com](mailto:cinnaslab@EMSL.com)

**EMSL Order:** 042402316  
**Customer ID:** TTDC42  
**Customer PO:** 1206126  
**Project ID:**

**Attn: Chelsea Saber**  
Tetra Tech  
1560 Broadway, Suite 1400  
Denver, CO, 80202

**Phone:** (703) 489-2674  
**Fax:**  
**Received Date:** 02/05/2024 10:00 AM  
**Analysis Date:** 02/09/2024  
**Report Date:** 02/10/2024

**Project: HDOH Lahaina Community Air / 103S864023206**

## ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

<b>Customer Sample Number:</b>	<b>MFL-AM01-013124-AB</b>	<b>Sample Description:</b>
EMSL Sample Number:	042402316-0031	Sample Matrix: Air
Magnification used for fiber counting:	20,000	Volume (L) : 7314.3
Aspect ratio for fiber definition:	3:1	Area of original collection filter (mm <sup>2</sup> ): 385
Minimum Length (µm):	≥ 0.5	Grid Opening Area (mm <sup>2</sup> ): 0.0128
Chi <sup>2</sup> Test for Random Distribution on Filter:	N/A (N/A)	Grid Openings Analyzed: 4
Minimum Level of analysis (chrysotile):	CD	Analyst: A. Burke
Minimum Level of analysis (amphibole):	ADX	
Estimated Particulate Loading on Filter %:	8	
Target Analytical Sensitivity (Structures/cc):	0.003	
<b>Analytical Sensitivity (Structures/cc):</b>	<b>0.0010</b>	<b>Limit of Detection (Structures/cc): 0.0031</b>

TOTAL STRUCTURES (All Sizes)							
	Minimum ID Level	Structures Detected		Density (S/mm <sup>2</sup> )	Concentration (S/cc)	95 % Confidence Interval (S/cc)	
		Primary	Total			Lower	Upper
<b>Total Chrysotile</b>	<b>CD</b>	<b>0</b>	<b>0</b>	<b>&lt; 58.40</b>	<b>&lt; 0.0031</b>	<b>Not Applicable</b>	<b>- 0.0031</b>
<b>Total Amphibole</b>	<b>ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 58.40</b>	<b>&lt; 0.0031</b>	<b>Not Applicable</b>	<b>- 0.0031</b>
Actinolite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Amosite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Anthophyllite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Crocidolite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Tremolite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
<b>Total Asbestos Structures</b>	<b>CD/ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 58.40</b>	<b>&lt; 0.0031</b>	<b>Not Applicable</b>	<b>- 0.0031</b>
Other Minerals	-	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
<b>Total All Structures</b>	<b>-</b>	<b>0</b>	<b>0</b>	<b>&lt; 58.40</b>	<b>&lt; 0.0031</b>	<b>Not Applicable</b>	<b>- 0.0031</b>

PCM EQUIVALENT (PCMe) STRUCTURES (>5 microns in length with >3:1 Aspect Ratio)							
	Minimum ID Level	Structures Detected		Density (S/mm <sup>2</sup> )	Concentration (S/cc)	95 % Confidence Interval (S/cc)	
		Primary	Total			Lower	Upper
<b>Total Chrysotile (PCMe)</b>	<b>CD</b>	<b>0</b>	<b>0</b>	<b>&lt; 58.40</b>	<b>&lt; 0.0031</b>	<b>Not Applicable</b>	<b>- 0.0031</b>
<b>Total Amphibole (PCMe)</b>	<b>ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 58.40</b>	<b>&lt; 0.0031</b>	<b>Not Applicable</b>	<b>- 0.0031</b>
Actinolite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Amosite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Anthophyllite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Crocidolite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Tremolite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
<b>Total Asbestos Structures (PCMe)</b>	<b>CD/ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 58.40</b>	<b>&lt; 0.0031</b>	<b>Not Applicable</b>	<b>- 0.0031</b>
Other Minerals	-	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
<b>Total All Structures (PCMe)</b>	<b>-</b>	<b>0</b>	<b>0</b>	<b>&lt; 58.40</b>	<b>&lt; 0.0031</b>	<b>Not Applicable</b>	<b>- 0.0031</b>

**Comment**  
Numerous gypsum fibers present.

Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL. EMSL is not responsible for sample collection activities or analytical limitations. Interpretation and use of results are the responsibility of the client.



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

http://www.EMSL.com / cinnaslab@EMSL.com

EMSL Order ID: 042402316

Client: Tetra Tech

Project ID: HDOH Lahaina Community  
Air / 103S864023206

### ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

#### Analytical Bench Sheet Data

EMSL Sample ID:		042402316-0031						Customer Sample:		MFL-AM01-013124-AB	
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions (µm)		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
G1	I6	None Detected									
G1	E10	None Detected									
G2	I7	None Detected									
G2	D9	None Detected									

Abbreviations used:

XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled

XCGBLD - Crosses Countable Grid Bar Length Doubled

**EMSL Analytical, Inc.**

200 Route 130 North Cinnaminson, NJ 08077  
 Tel/Fax: (800) 220-3675 / (856) 786-5974  
<http://www.EMSL.com> / [cinnaslab@EMSL.com](mailto:cinnaslab@EMSL.com)

**EMSL Order:** 042402316  
**Customer ID:** TTDC42  
**Customer PO:** 1206126  
**Project ID:**

**Attn: Chelsea Saber**  
 Tetra Tech  
 1560 Broadway, Suite 1400  
 Denver, CO, 80202

**Phone:** (703) 489-2674  
**Fax:**  
**Received Date:** 02/05/2024 10:00 AM  
**Analysis Date:** 02/09/2024  
**Report Date:** 02/10/2024

**Project:** HDOH Lahaina Community Air / 103S864023206

## ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

Customer Sample Number:	MFL-AM02-013124-AB	Sample Description:
EMSL Sample Number:	042402316-0032	Sample Matrix: Air
Magnification used for fiber counting:	20,000	Volume (L) : 7244.8
Aspect ratio for fiber definition:	3:1	Area of original collection filter (mm <sup>2</sup> ): 385
Minimum Length (µm):	≥ 0.5	Grid Opening Area (mm <sup>2</sup> ): 0.0129
Chi <sup>2</sup> Test for Random Distribution on Filter:	N/A (N/A)	Grid Openings Analyzed: 4
Minimum Level of analysis (chrysotile):	CD	Analyst: P. Harrison
Minimum Level of analysis (amphibole):	ADX	
Estimated Particulate Loading on Filter %:	8	
Target Analytical Sensitivity (Structures/cc):	0.003	
<b>Analytical Sensitivity (Structures/cc):</b>	<b>0.0010</b>	<b>Limit of Detection (Structures/cc): 0.0031</b>

TOTAL STRUCTURES (All Sizes)							
	Minimum ID Level	Structures Detected		Density (S/mm <sup>2</sup> )	Concentration (S/cc)	95 % Confidence Interval (S/cc)	
		Primary	Total			Lower	Upper
<b>Total Chrysotile</b>	CD	0	0	< 57.95	< 0.0031	Not Applicable	- 0.0031
<b>Total Amphibole</b>	ADX	0	0	< 57.95	< 0.0031	Not Applicable	- 0.0031
Actinolite	ADX	0	0	< 57.95	< 0.0031	Not Applicable	- 0.0031
Amosite	ADX	0	0	< 57.95	< 0.0031	Not Applicable	- 0.0031
Anthophyllite	ADX	0	0	< 57.95	< 0.0031	Not Applicable	- 0.0031
Crocidolite	ADX	0	0	< 57.95	< 0.0031	Not Applicable	- 0.0031
Tremolite	ADX	0	0	< 57.95	< 0.0031	Not Applicable	- 0.0031
<b>Total Asbestos Structures</b>	CD/ADX	0	0	< 57.95	< 0.0031	Not Applicable	- 0.0031
Other Minerals	-	0	0	< 57.95	< 0.0031	Not Applicable	- 0.0031
<b>Total All Structures</b>	-	0	0	< 57.95	< 0.0031	Not Applicable	- 0.0031

PCM EQUIVALENT (PCMe) STRUCTURES (>5 microns in length with >3:1 Aspect Ratio)							
	Minimum ID Level	Structures Detected		Density (S/mm <sup>2</sup> )	Concentration (S/cc)	95 % Confidence Interval (S/cc)	
		Primary	Total			Lower	Upper
<b>Total Chrysotile (PCMe)</b>	CD	0	0	< 57.95	< 0.0031	Not Applicable	- 0.0031
<b>Total Amphibole (PCMe)</b>	ADX	0	0	< 57.95	< 0.0031	Not Applicable	- 0.0031
Actinolite	ADX	0	0	< 57.95	< 0.0031	Not Applicable	- 0.0031
Amosite	ADX	0	0	< 57.95	< 0.0031	Not Applicable	- 0.0031
Anthophyllite	ADX	0	0	< 57.95	< 0.0031	Not Applicable	- 0.0031
Crocidolite	ADX	0	0	< 57.95	< 0.0031	Not Applicable	- 0.0031
Tremolite	ADX	0	0	< 57.95	< 0.0031	Not Applicable	- 0.0031
<b>Total Asbestos Structures (PCMe)</b>	CD/ADX	0	0	< 57.95	< 0.0031	Not Applicable	- 0.0031
Other Minerals	-	0	0	< 57.95	< 0.0031	Not Applicable	- 0.0031
<b>Total All Structures (PCMe)</b>	-	0	0	< 57.95	< 0.0031	Not Applicable	- 0.0031

**Comment**  
 Numerous gypsum fibers present.

Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL. EMSL is not responsible for sample collection activities or analytical limitations. Interpretation and use of results are the responsibility of the client.



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

http://www.EMSL.com / cinnasblab@EMSL.com

EMSL Order ID: 042402316

Client: Tetra Tech

Project ID: HDOH Lahaina Community  
Air / 103S864023206

## ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

### Analytical Bench Sheet Data

EMSL Sample ID:		042402316-0032					Customer Sample:		MFL-AM02-013124-AB		
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions (µm)		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
F1	G8	None Detected									
F1	D5	None Detected									
F2	C6	None Detected									
F2	I5	None Detected									

Abbreviations used:

XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled

XCGBLD - Crosses Countable Grid Bar Length Doubled



# EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077  
Tel/Fax: (800) 220-3675 / (856) 786-5974  
<http://www.EMSL.com> / [cinnaslab@EMSL.com](mailto:cinnaslab@EMSL.com)

**EMSL Order:** 042402316  
**Customer ID:** TTDC42  
**Customer PO:** 1206126  
**Project ID:**

**Attn: Chelsea Saber**  
Tetra Tech  
1560 Broadway, Suite 1400  
Denver, CO, 80202

**Phone:** (703) 489-2674  
**Fax:**  
**Received Date:** 02/05/2024 10:00 AM  
**Analysis Date:** 02/09/2024  
**Report Date:** 02/10/2024

**Project: HDOH Lahaina Community Air / 103S864023206**

## ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

<b>Customer Sample Number:</b>	<b>MFL-AM03-013124-AB</b>	<b>Sample Description:</b>
EMSL Sample Number:	042402316-0033	Sample Matrix: Air
Magnification used for fiber counting:	20,000	Volume (L) : 7082.5
Aspect ratio for fiber definition:	3:1	Area of original collection filter (mm <sup>2</sup> ): 385
Minimum Length (µm):	≥ 0.5	Grid Opening Area (mm <sup>2</sup> ): 0.0128
Chi <sup>2</sup> Test for Random Distribution on Filter:	N/A (N/A)	Grid Openings Analyzed: 4
Minimum Level of analysis (chrysotile):	CD	Analyst: A. Burke
Minimum Level of analysis (amphibole):	ADX	
Estimated Particulate Loading on Filter %:	7	
Target Analytical Sensitivity (Structures/cc):	0.003	
<b>Analytical Sensitivity (Structures/cc):</b>	<b>0.0011</b>	<b>Limit of Detection (Structures/cc): 0.0032</b>

TOTAL STRUCTURES (All Sizes)							
	Minimum ID Level	Structures Detected		Density (S/mm <sup>2</sup> )	Concentration (S/cc)	95 % Confidence Interval (S/cc)	
		Primary	Total			Lower	Upper
<b>Total Chrysotile</b>	<b>CD</b>	<b>0</b>	<b>0</b>	<b>&lt; 58.40</b>	<b>&lt; 0.0032</b>	<b>Not Applicable</b>	<b>- 0.0032</b>
<b>Total Amphibole</b>	<b>ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 58.40</b>	<b>&lt; 0.0032</b>	<b>Not Applicable</b>	<b>- 0.0032</b>
Actinolite	ADX	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
Amosite	ADX	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
Anthophyllite	ADX	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
Crocidolite	ADX	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
Tremolite	ADX	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
<b>Total Asbestos Structures</b>	<b>CD/ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 58.40</b>	<b>&lt; 0.0032</b>	<b>Not Applicable</b>	<b>- 0.0032</b>
Other Minerals	-	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
<b>Total All Structures</b>	<b>-</b>	<b>0</b>	<b>0</b>	<b>&lt; 58.40</b>	<b>&lt; 0.0032</b>	<b>Not Applicable</b>	<b>- 0.0032</b>

PCM EQUIVALENT (PCMe) STRUCTURES (>5 microns in length with >3:1 Aspect Ratio)							
	Minimum ID Level	Structures Detected		Density (S/mm <sup>2</sup> )	Concentration (S/cc)	95 % Confidence Interval (S/cc)	
		Primary	Total			Lower	Upper
<b>Total Chrysotile (PCMe)</b>	<b>CD</b>	<b>0</b>	<b>0</b>	<b>&lt; 58.40</b>	<b>&lt; 0.0032</b>	<b>Not Applicable</b>	<b>- 0.0032</b>
<b>Total Amphibole (PCMe)</b>	<b>ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 58.40</b>	<b>&lt; 0.0032</b>	<b>Not Applicable</b>	<b>- 0.0032</b>
Actinolite	ADX	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
Amosite	ADX	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
Anthophyllite	ADX	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
Crocidolite	ADX	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
Tremolite	ADX	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
<b>Total Asbestos Structures (PCMe)</b>	<b>CD/ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 58.40</b>	<b>&lt; 0.0032</b>	<b>Not Applicable</b>	<b>- 0.0032</b>
Other Minerals	-	0	0	< 58.40	< 0.0032	Not Applicable	- 0.0032
<b>Total All Structures (PCMe)</b>	<b>-</b>	<b>0</b>	<b>0</b>	<b>&lt; 58.40</b>	<b>&lt; 0.0032</b>	<b>Not Applicable</b>	<b>- 0.0032</b>

**Comment**  
Numerous gypsum fibers present.

Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL. EMSL is not responsible for sample collection activities or analytical limitations. Interpretation and use of results are the responsibility of the client.



**EMSL Analytical, Inc.**  
 200 Route 130 North Cinnaminson, NJ 08077  
 Tel/Fax: (800) 220-3675 / (856) 786-5974  
<http://www.EMSL.com> / [cinnasblab@EMSL.com](mailto:cinnasblab@EMSL.com)

**EMSL Order ID: 042402316**  
**Client: Tetra Tech**  
**Project ID: HDOH Lahaina Community**  
**Air / 103S864023206**

**ISO 10312 Determination of Asbestos Fibers  
 Direct Transfer Transmission Electron Microscopy**

**Analytical Bench Sheet Data**

EMSL Sample ID: 042402316-0033			Customer Sample: MFL-AM03-013124-AB								
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions (µm)		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
I2	B4	None Detected									
I2	I3	None Detected									
I3	I7	None Detected									
I3	C5	None Detected									

*Abbreviations used:*  
 XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled  
 XCGBLD - Crosses Countable Grid Bar Length Doubled

**EMSL Analytical, Inc.**

200 Route 130 North Cinnaminson, NJ 08077  
 Tel/Fax: (800) 220-3675 / (856) 786-5974  
<http://www.EMSL.com> / [cinnaslab@EMSL.com](mailto:cinnaslab@EMSL.com)

**EMSL Order:** 042402316  
**Customer ID:** TTDC42  
**Customer PO:** 1206126  
**Project ID:**

**Attn: Chelsea Saber**  
 Tetra Tech  
 1560 Broadway, Suite 1400  
 Denver, CO, 80202

**Phone:** (703) 489-2674  
**Fax:**  
**Received Date:** 02/05/2024 10:00 AM  
**Analysis Date:** 02/09/2024  
**Report Date:** 02/10/2024

**Project:** HDOH Lahaina Community Air / 103S864023206

## ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

Customer Sample Number:	MFL-AM04-013124-AB	Sample Description:
EMSL Sample Number:	042402316-0034	Sample Matrix: Air
Magnification used for fiber counting:	20,000	Volume (L) : 7219.9
Aspect ratio for fiber definition:	3:1	Area of original collection filter (mm <sup>2</sup> ): 385
Minimum Length (µm):	≥ 0.5	Grid Opening Area (mm <sup>2</sup> ): 0.0128
Chi <sup>2</sup> Test for Random Distribution on Filter:	N/A (N/A)	Grid Openings Analyzed: 4
Minimum Level of analysis (chrysotile):	CD	Analyst: A. Burke
Minimum Level of analysis (amphibole):	ADX	
Estimated Particulate Loading on Filter %:	5	
Target Analytical Sensitivity (Structures/cc):	0.003	
<b>Analytical Sensitivity (Structures/cc):</b>	<b>0.0010</b>	<b>Limit of Detection (Structures/cc): 0.0031</b>

TOTAL STRUCTURES (All Sizes)							
	Minimum ID Level	Structures Detected		Density (S/mm <sup>2</sup> )	Concentration (S/cc)	95 % Confidence Interval (S/cc)	
		Primary	Total			Lower	Upper
<b>Total Chrysotile</b>	CD	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
<b>Total Amphibole</b>	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Actinolite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Amosite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Anthophyllite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Crocidolite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Tremolite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
<b>Total Asbestos Structures</b>	CD/ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Other Minerals	-	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
<b>Total All Structures</b>	-	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031

PCM EQUIVALENT (PCMe) STRUCTURES (>5 microns in length with >3:1 Aspect Ratio)							
	Minimum ID Level	Structures Detected		Density (S/mm <sup>2</sup> )	Concentration (S/cc)	95 % Confidence Interval (S/cc)	
		Primary	Total			Lower	Upper
<b>Total Chrysotile (PCMe)</b>	CD	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
<b>Total Amphibole (PCMe)</b>	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Actinolite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Amosite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Anthophyllite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Crocidolite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Tremolite	ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
<b>Total Asbestos Structures (PCMe)</b>	CD/ADX	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
Other Minerals	-	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031
<b>Total All Structures (PCMe)</b>	-	0	0	< 58.40	< 0.0031	Not Applicable	- 0.0031

**Comment**  
 Numerous gypsum fibers present.

Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL. EMSL is not responsible for sample collection activities or analytical limitations. Interpretation and use of results are the responsibility of the client.



EMSL Analytical, Inc.  
 200 Route 130 North Cinnaminson, NJ 08077  
 Tel/Fax: (800) 220-3675 / (856) 786-5974  
<http://www.EMSL.com> / [cinnaslab@EMSL.com](mailto:cinnaslab@EMSL.com)

EMSL Order ID: 042402316  
 Client: Tetra Tech  
 Project ID: HDOH Lahaina Community  
 Air / 103S864023206

## ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

### Analytical Bench Sheet Data

EMSL Sample ID: 042402316-0034			Customer Sample: MFL-AM04-013124-AB								
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions (µm)		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
I5	H5	None Detected									
I5	D7	None Detected									
I6	J4	None Detected									
I6	E7	None Detected									

*Abbreviations used:*  
 XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled  
 XCGBLD - Crosses Countable Grid Bar Length Doubled



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077
Tel/Fax: (800) 220-3675 / (856) 786-5974
http://www.EMSL.com / cinnaslab@EMSL.com

EMSL Order: 042402316
Customer ID: TTDC42
Customer PO: 1206126
Project ID:

Attn: Chelsea Saber
Tetra Tech
1560 Broadway, Suite 1400
Denver, CO, 80202

Phone: (703) 489-2674
Fax:
Received Date: 02/05/2024 10:00 AM
Analysis Date: 02/09/2024
Report Date: 02/10/2024

Project: HDOH Lahaina Community Air / 103S864023206

ISO 10312 Determination of Asbestos Fibers
Direct Transfer Transmission Electron Microscopy

Customer Sample Number: MFL-FB01-013124-AB Sample Description:
EMSL Sample Number: 042402316-0035 Sample Matrix: Air
Magnification used for fiber counting: 20,000 Volume (L) : 0.0
Aspect ratio for fiber definition: 3:1 Area of original collection filter (mm²): 385
Minimum Length (µm): ≥ 0.5 Grid Opening Area (mm²): 0.0128
Chi² Test for Random Distribution on Filter: N/A (N/A) Grid Openings Analyzed: 10
Minimum Level of analysis (chrysotile): CD Analyst: A. Burke
Minimum Level of analysis (amphibole): ADX
Estimated Particulate Loading on Filter %: 2
Target Analytical Sensitivity (Structures/cc): 0.003
Analytical Sensitivity (Structures/cc): N/A Limit of Detection (Structures/cc): N/A

Table with 8 columns: Minimum ID Level, Structures Detected (Primary, Total), Density (S/mm²), Concentration (S/cc), and 95% Confidence Interval (Lower, Upper). Rows include Total Chrysotile, Total Amphibole, and various mineral types.

Table with 8 columns: Minimum ID Level, Structures Detected (Primary, Total), Density (S/mm²), Concentration (S/mm²), and 95% Confidence Interval (Lower, Upper). Rows include Total Chrysotile (PCMe), Total Amphibole (PCMe), and various mineral types.

Comment

Signature: [Handwritten Signature]
Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL. EMSL is not responsible for sample collection activities or analytical limitations. Interpretation and use of results are the responsibility of the client.



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

http://www.EMSL.com / cinnaslab@EMSL.com

EMSL Order ID: 042402316

Client: Tetra Tech

Project ID: HDOH Lahaina Community  
Air / 103S864023206

### ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

#### Analytical Bench Sheet Data

EMSL Sample ID:		042402316-0035					Customer Sample:		MFL-FB01-013124-AB		
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions (µm)		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
J1	J6	None Detected									
J1	G6	None Detected									
J1	E8	None Detected									
J1	D5	None Detected									
J1	A7	None Detected									
J2	B4	None Detected									
J2	D3	None Detected									
J2	E4	None Detected									
J2	E7	None Detected									
J2	I7	None Detected									

Abbreviations used:

XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled

XCGBLD - Crosses Countable Grid Bar Length Doubled



# EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077  
Tel/Fax: (800) 220-3675 / (856) 786-5974  
<http://www.EMSL.com> / [cinnaslab@EMSL.com](mailto:cinnaslab@EMSL.com)

**EMSL Order:** 042402316  
**Customer ID:** TTDC42  
**Customer PO:** 1206126  
**Project ID:**

**Attn: Chelsea Saber**  
Tetra Tech  
1560 Broadway, Suite 1400  
Denver, CO, 80202

**Phone:** (703) 489-2674  
**Fax:**  
**Received Date:** 02/05/2024 10:00 AM  
**Analysis Date:** 02/05/2024  
**Report Date:** 02/10/2024

**Project: HDOH Lahaina Community Air / 103S864023206**

## ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

<b>Customer Sample Number:</b>	<b>Lab Blank</b>	<b>Sample Description: Lab Blank</b>
EMSL Sample Number:	042402316-0036	Sample Matrix: Air
Magnification used for fiber counting:	20,000	Volume (L) : 0.0
Aspect ratio for fiber definition:	3:1	Area of original collection filter (mm <sup>2</sup> ): 385
Minimum Length (µm):	≥ 0.5	Grid Opening Area (mm <sup>2</sup> ): 0.0129
Chi <sup>2</sup> Test for Random Distribution on Filter:	N/A (N/A)	Grid Openings Analyzed: 10
Minimum Level of analysis (chrysotile):	CD	Analyst: P. Harrison
Minimum Level of analysis (amphibole):	ADX	
Estimated Particulate Loading on Filter %:	1	
Target Analytical Sensitivity (Structures/cc):	0.003	
<b>Analytical Sensitivity (Structures/cc):</b>	<b>N/A</b>	<b>Limit of Detection (Structures/cc): N/A</b>

TOTAL STRUCTURES (All Sizes)							
	Minimum ID Level	Structures Detected		Density (S/mm <sup>2</sup> )	Concentration (S/cc)	95 % Confidence Interval (S/cc)	
		Primary	Total			Lower	Upper
<b>Total Chrysotile</b>	<b>CD</b>	<b>0</b>	<b>0</b>	<b>&lt; 23.18</b>	<b>&lt; N/A</b>	<b>Not Applicable</b>	<b>- Not Applicable</b>
<b>Total Amphibole</b>	<b>ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 23.18</b>	<b>&lt; N/A</b>	<b>Not Applicable</b>	<b>- Not Applicable</b>
Actinolite	ADX	0	0	< 23.18	< N/A	Not Applicable	- Not Applicable
Amosite	ADX	0	0	< 23.18	< N/A	Not Applicable	- Not Applicable
Anthophyllite	ADX	0	0	< 23.18	< N/A	Not Applicable	- Not Applicable
Crocidolite	ADX	0	0	< 23.18	< N/A	Not Applicable	- Not Applicable
Tremolite	ADX	0	0	< 23.18	< N/A	Not Applicable	- Not Applicable
<b>Total Asbestos Structures</b>	<b>CD/ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 23.18</b>	<b>&lt; N/A</b>	<b>Not Applicable</b>	<b>- Not Applicable</b>
Other Minerals	-	0	0	< 23.18	< N/A	Not Applicable	- Not Applicable
<b>Total All Structures</b>	<b>-</b>	<b>0</b>	<b>0</b>	<b>&lt; 23.18</b>	<b>&lt; N/A</b>	<b>Not Applicable</b>	<b>- Not Applicable</b>

PCM EQUIVALENT (PCMe) STRUCTURES (>5 microns in length with >3:1 Aspect Ratio)							
	Minimum ID Level	Structures Detected		Density (S/mm <sup>2</sup> )	Concentration S / mm <sup>2</sup>	95 % Confidence Interval (S/cc)	
		Primary	Total			Lower	Upper
<b>Total Chrysotile (PCMe)</b>	<b>CD</b>	<b>0</b>	<b>0</b>	<b>&lt; 23.18</b>	<b>&lt; N/A</b>	<b>Not Applicable</b>	<b>- Not Applicable</b>
<b>Total Amphibole (PCMe)</b>	<b>ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 23.18</b>	<b>&lt; N/A</b>	<b>Not Applicable</b>	<b>- Not Applicable</b>
Actinolite	ADX	0	0	< 23.18	< N/A	Not Applicable	- Not Applicable
Amosite	ADX	0	0	< 23.18	< N/A	Not Applicable	- Not Applicable
Anthophyllite	ADX	0	0	< 23.18	< N/A	Not Applicable	- Not Applicable
Crocidolite	ADX	0	0	< 23.18	< N/A	Not Applicable	- Not Applicable
Tremolite	ADX	0	0	< 23.18	< N/A	Not Applicable	- Not Applicable
<b>Total Asbestos Structures (PCMe)</b>	<b>CD/ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 23.18</b>	<b>&lt; N/A</b>	<b>Not Applicable</b>	<b>- Not Applicable</b>
Other Minerals	-	0	0	< 23.18	< N/A	Not Applicable	- Not Applicable
<b>Total All Structures (PCMe)</b>	<b>-</b>	<b>0</b>	<b>0</b>	<b>&lt; 23.18</b>	<b>&lt; N/A</b>	<b>Not Applicable</b>	<b>- Not Applicable</b>

**Comment**

Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL. EMSL is not responsible for sample collection activities or analytical limitations. Interpretation and use of results are the responsibility of the client.



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

http://www.EMSL.com / cinnaslab@EMSL.com

EMSL Order ID: 042402316

Client: Tetra Tech

Project ID: HDOH Lahaina Community  
Air / 103S864023206

## ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

### Analytical Bench Sheet Data

EMSL Sample ID:		042402316-0036		Customer Sample:		Lab Blank					
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions (µm)		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
A2	J9	None Detected									
A2	H3	None Detected									
A2	F4	None Detected									
A2	D3	None Detected									
A2	B2	None Detected									
A3	J9	None Detected									
A3	G8	None Detected									
A3	F10	None Detected									
A3	D4	None Detected									
A3	B2	None Detected									

Abbreviations used:

XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled

XCGBLD - Crosses Countable Grid Bar Length Doubled



### Asbestos Chain of Custody (Air, Bulk, Soil)

EMSL Order Number / Lab Use Only

EMSL Analytical, Inc.  
200 Route 130 North  
Cinnaminson, NJ 08077

042402316

PHONE: (800) 220-3675  
EMAIL: CinnAslab@EMSL.com

EMSL ANALYTICAL, INC.  
TESTING LABS • PRODUCTS • TRAINING

If Bill-To is the same as Report-To leave this section blank. Third-party billing requires written authorization.

Customer Information	Customer ID:	Billing ID:
	Company Name: <i>Tetra Tech</i>	Company Name:
	Contact Name: <i>Chelsea Seber</i>	Billing Contact:
	Street Address: <i>1550 Broadway, St 1400, Denver CO</i>	Street Address:
	City, State, Zip: <i>Denver, CO 80202</i> Country: <i>US</i>	City, State, Zip: Country:
	Phone: <i>703-885-5494</i>	Phone:
Email(s) for Report: <i>chelsea.seber@tetratech.com</i>	Email(s) for Invoice:	

RECEIVED  
EMSL  
CINNAMINSON, NJ  
2024 FEB -5 A 8:53

Project Name/No: <i>HDDH Whoina Community Air / 1035864023206</i>		Purchase Order:
EMSL LIMS Project ID: (If applicable, EMSL will provide)	US State where samples collected: <i>HI</i>	State of Connecticut (CT) must select project location: <input type="checkbox"/> Commercial (Taxable) <input type="checkbox"/> Residential (Non-Taxable)
Sampled By Name: <i>Elin Kergon Saldana</i>	Sampled By Signature: <i>[Signature]</i>	No. of Samples in Shipment: <i>35</i>

Turn-Around-Time (TAT)

3 Hour  4-4.5 Hour  6 Hour  24 Hour  32 Hour  48 Hour  72 Hour  96 Hour  1 Week  2 Week

TEM Air 3-6 Hour, please call ahead to schedule. 32 Hour TAT available for select tests only; samples must be submitted by 11:30 am.

<p><b>PCM Air</b></p> <input type="checkbox"/> NIOSH 7400 <input type="checkbox"/> NIOSH 7400 w/ 8hr. TWA <p><b>PLM - Bulk (reporting limit)</b></p> <input type="checkbox"/> PLM EPA 600/R-93/116 (<1%) <input type="checkbox"/> PLM EPA NOB (<1%) <input type="checkbox"/> POINT COUNT <input type="checkbox"/> 400 (<0.25%) <input type="checkbox"/> 1,000 (<0.1%) POINT COUNT w/ GRAVIMETRIC <input type="checkbox"/> 400 (<0.25%) <input type="checkbox"/> 1,000 (<0.1%) <input type="checkbox"/> NIOSH 9002 (<1%) <input type="checkbox"/> NYS 198.1 (Friable - NY) <input type="checkbox"/> NYS 198.6 NOB (Non-Friable - NY) <input type="checkbox"/> NYS 198.8 (Vermiculite SM-V)	<p><b>TEM - Air</b></p> <input type="checkbox"/> AHERA 40 CFR, Part 763 <input type="checkbox"/> NIOSH 7402 <input type="checkbox"/> EPA Level II <input checked="" type="checkbox"/> ISO 10312* <p><b>TEM - Bulk</b></p> <input type="checkbox"/> TEM EPA NOB <input type="checkbox"/> NYS NOB 198.4 (Non-Friable-NY) <input type="checkbox"/> TEM EPA 600/R-93/116 w Milling Prep (0.1%) <p><b>Other Test (please specify)</b></p>	<p><b>TEM - Settled Dust</b></p> <input type="checkbox"/> Microvac - ASTM D5755 <input type="checkbox"/> Wipe - ASTM D6480 <input type="checkbox"/> Qualitative via Filtration Prep <input type="checkbox"/> Qualitative via Drop Mount Prep <p><b>Soil - Rock - Vermiculite (reporting limit)*</b></p> <input type="checkbox"/> PLM EPA 600/R-93/116 with milling prep (<0.25%) <input type="checkbox"/> PLM EPA 600/R-93/116 with milling prep (<0.1%) <input type="checkbox"/> TEM EPA 600/R-93/116 with milling prep (<0.1%) <input type="checkbox"/> TEM Qualitative via Filtration Prep <input type="checkbox"/> TEM Qualitative via Drop Mount Prep
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

\*Please call with your project-specific requirements.

Positive Stop - Clearly Identified Homogeneous Areas (HA) Filter Pore Size (Air Samples)  0.8um  0.45um

Sample Number	Sample Location / Description	Volume, Area or Homogeneous Area	Date / Time Sampled (Air Monitoring Only)
MFL-AM01-012524-AB		7,175.088 L	01/25/24 1109
MFL-AM02-012524-AB		7,279.344 L	01/25/24 1139
MFL-AM03-012524-AB		6,986.880 L	01/25/24 1321
MFL-AM04-012524-AB		7,272.720 L	01/25/24 1350
MFL-FB01-012524-AB		0 L	01/25/24 0730
MFL-AM01-012624-AB		7,134.431 L	01/26/24 1109
MFL-AM02-012624-AB		7,316.755 L	01/26/24 1140
MFL-AM03-012624-AB		7,162.256 L	01/26/24 1324

Special Instructions and/or Regulatory Requirements (Sample Specifications, Processing Methods, Limits of Detection, etc.)

Sample MFL-AM02-012924-AB received with damaged filter. Unable to analyze. All other samples received acceptable for analysis.

Method of Shipment: <i>FedEx</i>	Sample Condition Upon Receipt:
Relinquished by: <i>[Signature]</i> Date/Time: <i>02/01/24 1100</i>	Received by: <i>[Signature]</i> Date/Time: <i>2-5-24 10</i>
Relinquished by:	Received by:

Controlled Document - COC-05 Asbestos R18 10/26/2021  AGREE TO ELECTRONIC SIGNATURE (By checking, I consent to signing this Chain of Custody document by electronic signature.)

EMSL Analytical, Inc.'s Laboratory Terms and Conditions are incorporated into this Chain of Custody by reference in their entirety. Submission of samples to EMSL Analytical, Inc. constitutes acceptance and acknowledgment of all terms and conditions by Customer.



**Asbestos Chain of Custody (Air, Bulk, Soil)**

EMSL Order Number / Lab Use Only

EMSL Analytical, Inc.  
200 Route 130 North  
Cinnaminson, NJ 08077

PHONE: (800) 220-3675

EMAIL: CinnAsblab@EMSL.com

042402316

**EMSL ANALYTICAL, INC.**  
TESTING LABS • PRODUCTS • TRAINING

Additional Pages of the Chain of Custody are only necessary if needed for additional sample information

Special Instructions and/or Regulatory Requirements (Sample Specifications, Processing Methods, Limits of Detection, etc.)

RECEIVED  
EMSL  
CINNAMINSON, NJ  
2024 FEB - 5 4 10 53

Sample Number	Sample Location / Description	Volume, Area or Homogeneous Area	Date / Time Sampled (Air Monitoring Only)
MFL-AM04-012624-AB		6,944.533L	01/26/24 1105
MFL-FB01-012624-AB		0 L	01/26/24 0730
MFL-AM01-012724-AB		7,207.057L	01/27/24 1104
MFL-AM02-012724-AB		7,169.702L	01/27/24 1133
MFL-AM03-012724-AB		7,160.274L	01/27/24 1309
MFL-AM04-012724-AB		6,484.031L	01/27/24 1346
MFL-FB01-012724-AB		0 L	01/27/24 0730
MFL-AM01-012824-AB		7,218.050L	01/28/24 1103
MFL-AM02-012824-AB		7,244.711L	01/28/24 1132
MFL-AM03-012824-AB		7,203.412L	01/28/24 1307
MFL-AM04-012824-AB		6,678.728L	01/28/24 1335
MFL-FB01-012824-AB		0 L	01/28/24 0730
MFL-AM01-012924-AB		7,088.820L	01/29/24 1107
MFL-AM02-012924-AB		7,283.088L	01/29/24 1134
MFL-AM03-012924-AB		7,108.992L	01/29/24 1312
MFL-AM04-012924-AB		6,901.308L	01/29/24 1342
MFL-FB01-012924-AB		0 L	01/29/24 0730
MFL-AM01-013024-AB		7,223.037L	01/30/24 1105
MFL-AM02-013024-AB		7,237.727L	01/30/24 1132
MFL-AM03-013024-AB		7,273.154L	01/30/24 1318
MFL-AM04-013024-AB		7,195.104L	01/30/24 1348
MFL-FB01-013024-AB		0 L	01/30/24 0730
MFL-AM01-013124-AB		7,314.336L	01/31/24 1108
MFL-AM02-013124-AB		7,244.784L	01/31/24 1134
MFL-AM03-013124-AB		7,082.470L	01/31/24 1318

Method of Shipment: <b>FedEx</b>		Sample Condition Upon Receipt:	
Relinquished by: <i>[Signature]</i>	Date/Time: 02/01/24 1100	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:

Controlled Document - COC-05 Asbestos R16 10/26/2021

**AGREE TO ELECTRONIC SIGNATURE** (By checking, I consent to signing this Chain of Custody document by electronic signature.)

EMSL Analytical, Inc.'s Laboratory Terms and Conditions are incorporated into this Chain of Custody by reference in their entirety. Submission of samples to EMSL Analytical, Inc. constitutes acceptance and acknowledgment of all terms and conditions by Customer.



Asbestos Chain of Custody (Air, Bulk, Soil)

EMSL Order Number / Lab Use Only

EMSL Analytical, Inc.
200 Route 130 North
Cinnaminson, NJ 08077

PHONE: (800) 220-3675

EMAIL: CinnAsblab@EMSL.com

042402316

EMSL ANALYTICAL, INC.
TESTING LABS • PRODUCTS • TRAINING

Additional Pages of the Chain of Custody are only necessary if needed for additional sample information

Special Instructions and/or Regulatory Requirements (Sample Specifications, Processing Methods, Limits of Detection, etc.)

RECEIVED
EMSL
CINNAMINSON, NJ
2024 FEB - 5 11 48:53

Table with 4 columns: Sample Number, Sample Location / Description, Volume, Area or Homogeneous Area, Date / Time Sampled (Air Monitoring Only). Contains handwritten entries for sample MFL-AM04-013124-AB and MFL-FB01-013124-AB.

Method of Shipment: FedEx
Sample Condition Upon Receipt:
Relinquished by: [Signature] Date/Time: 02/01/24 1100
Received by: Date/Time:
Relinquished by: Date/Time:
Received by: Date/Time:

Controlled Document - COC-05 Asbestos R16 10/26/2021
AGREE TO ELECTRONIC SIGNATURE (By checking, I consent to signing this Chain of Custody document by electronic signature.)
EMSL Analytical, Inc.'s Laboratory Terms and Conditions are incorporated into this Chain of Custody by reference in their entirety. Submission of samples to EMSL Analytical, Inc. constitutes acceptance and acknowledgment of all terms and conditions by Customer.

**Stage 1 Data Verification Checklist – Asbestos**  
**HDOH CAB – Ambient Community Air Sampling – Lahaina**  
**Task Order No. 23141**

Reviewed by:

Kierra Johnson 2/16/2024 and Shanna Vasser 2/19/2024

Laboratory: EMSL Analytical, Inc. – North Cinnaminson, NJ

Analysis date: 1/25/2024 - 1/31/2024

Report No: 042402316

- √ 1. Chain of custody (CoC) documentation is present.
- √ 2. Sample receipt condition information is present and acceptable.
- √ 3. Laboratory conducting the analysis is identified.
- X 4. All samples submitted to the laboratory are accounted for.
- √ 5. Requested analytical methods were performed.
- √ 6. Analysis dates are provided.
- √ 7. Analyte results are provided.
- NA 8. Result qualifiers and definitions are provided.
- √ 9. Result units are reported.
- √ 10. Requested reporting limits are present.
- NA 11. Method detection limits are present.
- √ 12. Sample collection date and time are present.
- √ 13. No detections in field QC blanks (lot/media blanks, field blanks, etc).

Discrepancies:

- 2. MFL-AM04-012624-AB was logged in as MFL-AM07-012624-AB. A new reported was generated to correct the sample ID. No action was necessary for this discrepancy.
- 4. Sample MFL-AM02-012924-AB was listed on the CoC; however, no results were present in the laboratory data package. The sample was received at the laboratory with a damaged filter and could not be analyzed. No action was necessary for this discrepancy.

Notes:



Eastern Research Group  
601 Keystone Park Drive  
Suite 700  
Morrisville, NC 27560

February 13, 2024

Ms. Chelsea Saber  
Tetra Tech, Inc.  
1777 Sentry Pkwy, Bldg 12  
Blue Bell, PA 19422  
Project Name: Lahaina fires

Dear Ms. Chelsea Saber,

This report contains the analytical results for the sample(s) received under chain(s) of custody by Eastern Research Group on 02/05/24 11:24.

Values below the MDL for QC results in this report are recorded as ND, however the actual values are reported in the accompanying Excel report with a "U" flag (Under the detection limit). The actual values are reported in AQS.

This test is accredited under the 2016 TNI Standard for Environmental Laboratories (FL DOH Certification # E87673). All analyses were performed as described in the US EPA-approved QAPP, under the contract for National Hazardous Air Pollutant Support (US EPA Contract No. 68HERH22D0002). This cover page is an integral part of this report, and any exceptions or comments are noted on the last page.

Release of the data contained in this data package and in the data submitted in the electronic data deliverable, has been authorized by the Program Manager, or the Program Manager's designee as verified by the following signature.

The issuance of the final Certificate of Analysis takes precedence over any previous Report. If you have any questions, please contact me at 919-468-7924.

Sincerely,

Julie Swift  
Program Manager  
[julie.swift@erg.com](mailto:julie.swift@erg.com)

The information contained in this report and its attachment(s) are intended only for the use of the individual to whom it is addressed and may contain information that is privileged, confidential, or exempt from disclosure. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this report is strictly prohibited. If you have received this report in error, please notify [julie.swift@erg.com](mailto:julie.swift@erg.com) and delete the report without retaining any copies.



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
1777 Sentry Pkwy, Bldg 12  
Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber

**PHONE:** (703) 885-5495 **FAX:**

**FILE #:** 4205.00.003.001

**REPORTED:** 02/13/24 16:40

**SUBMITTED:** 02/05/24

**AQS SITE CODE:**

**SITE CODE:** Lahaina fires

## Notes and Definitions

- U Under Detection Limit
- SRD-01 Serial dilution exceeds the control limits.
- SL The spike recovery was outside acceptance limits. Reported value may be biased low.
- QM-4X The MS/MSD recovery exceeds criteria because the parent sample concentration is greater than 4x the spike concentration.
- QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD.
- QB-04 Analyte exceeds continuing calibration blank criteria
- QB-01 Analyte exceeds method blank criteria
- FB-01 Analyte exceeds Field Blank criteria.
- B Analyte is found in the associated blank as well as in the sample (CLP B-flag).
- ND Analyte NOT DETECTED
- NR Not Reported
- MDL Method Detection Limit
- RPD Relative Percent Difference

Note: This test is accredited under the 2016 TNI Standard.



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
1777 Sentry Pkwy, Bldg 12  
Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber

**PHONE:** (703) 885-5495 **FAX:**

**FILE #:** 4205.00.003.001

**REPORTED:** 02/13/24 16:40

**SUBMITTED:** 02/05/24

**AQS SITE CODE:**

**SITE CODE:** Lahaina fires

## ANALYTICAL REPORT FOR SAMPLES

<u>SampleName</u>	<u>LabNumber</u>	<u>Matrix</u>	<u>Sampled</u>	<u>Received</u>
MFL-AM01-012524-HM	4020650-01	Air	01/25/24 23:59	02/05/24 11:24
MFL-AM02-012524-HM	4020650-02	Air	01/25/24 23:59	02/05/24 11:24
MFL-AM03-012524-HM	4020650-03	Air	01/25/24 23:59	02/05/24 11:24
MFL-AM04-012524-HM	4020650-04	Air	01/25/24 23:59	02/05/24 11:24
MFL-AM01-012624-HM	4020650-05	Air	01/26/24 23:59	02/05/24 11:24
MFL-AM02-012624-HM	4020650-06	Air	01/26/24 23:59	02/05/24 11:24
MFL-AM03-012624-HM	4020650-07	Air	01/26/24 23:59	02/05/24 11:24
MFL-AM04-012624-HM	4020650-08	Air	01/26/24 23:59	02/05/24 11:24
MFL-FB01-012624-HM	4020650-09	Air	01/26/24 00:00	02/05/24 11:24
MFL-AM01-012724-HM	4020650-10	Air	01/27/24 23:59	02/05/24 11:24
MFL-AM02-012724-HM	4020650-11	Air	01/27/24 23:59	02/05/24 11:24
MFL-AM03-012724-HM	4020650-12	Air	01/27/24 23:59	02/05/24 11:24
MFL-AM04-012724-HM	4020650-13	Air	01/27/24 23:59	02/05/24 11:24
MFL-AM01-012824-HM	4020650-14	Air	01/28/24 23:59	02/05/24 11:24
MFL-AM02-012824-HM	4020650-15	Air	01/28/24 23:59	02/05/24 11:24
MFL-AM03-012824-HM	4020650-16	Air	01/28/24 23:59	02/05/24 11:24
MFL-AM04-012824-HM	4020650-17	Air	01/28/24 23:59	02/05/24 11:24
MFL-FB01-012824-HM	4020650-18	Air	01/28/24 00:00	02/05/24 11:24
MFL-AM01-012924-HM	4020650-19	Air	01/29/24 23:59	02/05/24 11:24
MFL-AM02-012924-HM	4020650-20	Air	01/29/24 23:59	02/05/24 11:24
MFL-AM03-012924-HM	4020650-21	Air	01/29/24 23:59	02/05/24 11:24



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
**ATTN:** Ms. Chelsea Saber

**FILE #:** 4205.00.003.001  
**REPORTED:** 02/13/24 16:40  
**SUBMITTED:** 02/05/24  
**AQS SITE CODE:**

<b>PHONE:</b> (703) 885-5495	<b>FAX:</b>				
MFL-AM04-012924-HM	4020650-22	Air	01/29/24 23:59	02/05/24 11:24	
MFL-AM01-013024-HM	4020650-23	Air	01/30/24 23:59	02/05/24 11:24	
MFL-AM02-013024-HM	4020650-24	Air	01/30/24 23:59	02/05/24 11:24	
MFL-AM03-013024-HM	4020650-25	Air	01/30/24 23:59	02/05/24 11:24	
MFL-AM04-013024-HM	4020650-26	Air	01/30/24 23:59	02/05/24 11:24	
MFL-FB01-013024-HM	4020650-27	Air	01/30/24 23:59	02/05/24 11:24	
MFL-AM01-013124-HM	4020650-28	Air	01/31/24 23:59	02/05/24 11:24	
MFL-AM02-013124-HM/MS/I	4020650-29	Air	01/31/24 23:59	02/05/24 11:24	
MFL-AM03-013124-HM	4020650-30	Air	01/31/24 23:59	02/05/24 11:24	
MFL-AM04-013124-HM	4020650-31	Air	01/31/24 23:59	02/05/24 11:24	

Lahaina fires



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

**Description:** MFL-AM01-012524-HM      **Lab ID:** 4020650-01      **Sampled:** 01/25/24 23:59  
**Matrix:** Air      **Sample Volume:** 1816.472 m<sup>3</sup>      **Received:** 02/05/24 11:24  
**Filter ID:**      **Analysis Date:** 02/07/24 21:33  
**Comments:** TetraTech Q9534264

## Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>
		<u>ng/m<sup>3</sup> Air</u>	<u>Flag</u>	
Antimony	7440-36-0	0.462	SL	0.0346
Arsenic	7440-38-2	5.72		0.00839
Barium	7440-39-3	14.1		0.958
Beryllium	7440-41-7	0.0342		0.00287
Cadmium	7440-43-9	0.0585	U	0.0710
Chromium	7440-47-3	8.06		1.98
Cobalt	7440-48-4	2.48		0.0391
Copper	7440-50-8	47.8		2.36
Lead	7439-92-1	4.01		0.192
Manganese	7439-96-5	45.6		1.69
Molybdenum	7439-98-7	1.39		0.322
Nickel	7440-02-0	12.3		0.584
Selenium	7782-49-2	0.495		0.00803
Thallium	7440-28-0	0.00195	B, QB-01, QB-04	5.28E-4
Vanadium	7440-62-2	3.55		0.0474
Zinc	7440-66-6	87.6		68.8



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

**Description:** MFL-AM02-012524-HM      **Lab ID:** 4020650-02      **Sampled:** 01/25/24 23:59  
**Matrix:** Air      **Sample Volume:** 2090.254 m<sup>3</sup>      **Received:** 02/05/24 11:24  
**Filter ID:**      **Analysis Date:** 02/07/24 21:48  
**Comments:** TetraTech Q9534261

## Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m<sup>3</sup> Air</u>	<u>Flag</u>	<u>ng/m<sup>3</sup> Air</u>	
<b>Antimony</b>	<b>7440-36-0</b>	<b>0.0427</b>	SL	<b>0.0300</b>	
<b>Arsenic</b>	<b>7440-38-2</b>	<b>0.272</b>		<b>0.00729</b>	
<b>Barium</b>	<b>7440-39-3</b>	<b>0.983</b>		<b>0.833</b>	
Beryllium	7440-41-7	0.00219	U	0.00249	
Cadmium	7440-43-9	0.00851	U	0.0617	
Chromium	7440-47-3	1.60	U	1.72	
<b>Cobalt</b>	<b>7440-48-4</b>	<b>0.0693</b>		<b>0.0339</b>	
<b>Copper</b>	<b>7440-50-8</b>	<b>19.9</b>		<b>2.05</b>	
<b>Lead</b>	<b>7439-92-1</b>	<b>0.806</b>		<b>0.167</b>	
Manganese	7439-96-5	1.35	U	1.47	
<b>Molybdenum</b>	<b>7439-98-7</b>	<b>0.582</b>		<b>0.279</b>	
Nickel	7440-02-0	0.471	U	0.508	
<b>Selenium</b>	<b>7782-49-2</b>	<b>0.356</b>		<b>0.00697</b>	
Thallium	7440-28-0	4.16E-4	B, QB-01, QB-04, U	4.58E-4	
<b>Vanadium</b>	<b>7440-62-2</b>	<b>0.209</b>		<b>0.0412</b>	
Zinc	7440-66-6	33.2	U	59.8	



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

**Description:** MFL-AM03-012524-HM      **Lab ID:** 4020650-03      **Sampled:** 01/25/24 23:59  
**Matrix:** Air      **Sample Volume:** 1966.936 m<sup>3</sup>      **Received:** 02/05/24 11:24  
**Filter ID:**      **Analysis Date:** 02/07/24 17:55  
**Comments:** TetraTech Q9534259

## Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m<sup>3</sup> Air</u>	<u>Flag</u>	<u>ng/m<sup>3</sup> Air</u>	
Antimony	7440-36-0	0.0628	SL	0.0319	
Arsenic	7440-38-2	0.0959		0.00775	
Barium	7440-39-3	1.75		0.885	
Beryllium	7440-41-7	0.00633		0.00265	
Cadmium	7440-43-9	0.00836	U	0.0656	
Chromium	7440-47-3	2.48		1.83	
Cobalt	7440-48-4	0.234		0.0361	
Copper	7440-50-8	45.6	QM-07	2.18	
Lead	7439-92-1	1.36		0.177	
Manganese	7439-96-5	3.83		1.56	
Molybdenum	7439-98-7	1.28		0.297	
Nickel	7440-02-0	1.06		0.539	
Selenium	7782-49-2	0.335	SRD-01	0.00741	
Thallium	7440-28-0	6.24E-4	B, QB-01, QB-04	4.87E-4	
Vanadium	7440-62-2	0.379		0.0438	
Zinc	7440-66-6	46.6	QM-07, U	63.5	



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

**Description:** MFL-AM04-012524-HM      **Lab ID:** 4020650-04      **Sampled:** 01/25/24 23:59  
**Matrix:** Air      **Sample Volume:** 1913.588 m<sup>3</sup>      **Received:** 02/05/24 11:24  
**Filter ID:**      **Analysis Date:** 02/07/24 22:04  
**Comments:** TetraTech Q9534258

## Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m<sup>3</sup> Air</u>	<u>Flag</u>	<u>ng/m<sup>3</sup> Air</u>	
<b>Antimony</b>	<b>7440-36-0</b>	<b>0.0459</b>	SL	<b>0.0328</b>	
<b>Arsenic</b>	<b>7440-38-2</b>	<b>0.128</b>		<b>0.00797</b>	
Barium	7440-39-3	0.885	U	0.910	
Beryllium	7440-41-7	0.00147	U	0.00272	
Cadmium	7440-43-9	0.00808	U	0.0674	
Chromium	7440-47-3	1.36	U	1.88	
<b>Cobalt</b>	<b>7440-48-4</b>	<b>0.0611</b>		<b>0.0371</b>	
<b>Copper</b>	<b>7440-50-8</b>	<b>26.8</b>		<b>2.24</b>	
<b>Lead</b>	<b>7439-92-1</b>	<b>0.375</b>		<b>0.182</b>	
Manganese	7439-96-5	0.988	U	1.61	
<b>Molybdenum</b>	<b>7439-98-7</b>	<b>1.02</b>		<b>0.305</b>	
Nickel	7440-02-0	0.425	U	0.554	
<b>Selenium</b>	<b>7782-49-2</b>	<b>0.310</b>		<b>0.00762</b>	
Thallium	7440-28-0	4.32E-4	B, QB-01, QB-04, U	5.01E-4	
<b>Vanadium</b>	<b>7440-62-2</b>	<b>0.160</b>		<b>0.0450</b>	
Zinc	7440-66-6	27.8	U	65.3	



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

**Description:** MFL-AM01-012624-HM      **Lab ID:** 4020650-05      **Sampled:** 01/26/24 23:59  
**Matrix:** Air      **Sample Volume:** 2031.668 m<sup>3</sup>      **Received:** 02/05/24 11:24  
**Filter ID:**      **Analysis Date:** 02/07/24 22:17  
**Comments:** TetraTech Q9534256

## Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m<sup>3</sup> Air</u>	<u>Flag</u>	<u>ng/m<sup>3</sup> Air</u>	
<b>Antimony</b>	<b>7440-36-0</b>	<b>0.0566</b>	SL	<b>0.0309</b>	
<b>Arsenic</b>	<b>7440-38-2</b>	<b>0.381</b>		<b>0.00750</b>	
<b>Barium</b>	<b>7440-39-3</b>	<b>2.11</b>		<b>0.857</b>	
<b>Beryllium</b>	<b>7440-41-7</b>	<b>0.00290</b>		<b>0.00256</b>	
Cadmium	7440-43-9	0.00857	U	0.0635	
Chromium	7440-47-3	1.48	U	1.77	
<b>Cobalt</b>	<b>7440-48-4</b>	<b>0.129</b>		<b>0.0349</b>	
<b>Copper</b>	<b>7440-50-8</b>	<b>20.4</b>		<b>2.11</b>	
<b>Lead</b>	<b>7439-92-1</b>	<b>0.242</b>		<b>0.171</b>	
<b>Manganese</b>	<b>7439-96-5</b>	<b>2.55</b>		<b>1.51</b>	
<b>Molybdenum</b>	<b>7439-98-7</b>	<b>1.07</b>		<b>0.287</b>	
<b>Nickel</b>	<b>7440-02-0</b>	<b>0.732</b>		<b>0.522</b>	
<b>Selenium</b>	<b>7782-49-2</b>	<b>0.113</b>		<b>0.00718</b>	
<b>Thallium</b>	<b>7440-28-0</b>	<b>5.63E-4</b>	B, QB-01, QB-04	<b>4.72E-4</b>	
<b>Vanadium</b>	<b>7440-62-2</b>	<b>0.246</b>		<b>0.0424</b>	
Zinc	7440-66-6	27.8	U	61.5	



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

**Description:** MFL-AM02-012624-HM      **Lab ID:** 4020650-06      **Sampled:** 01/26/24 23:59  
**Matrix:** Air      **Sample Volume:** 2162.914 m<sup>3</sup>      **Received:** 02/05/24 11:24  
**Filter ID:**      **Analysis Date:** 02/07/24 23:34  
**Comments:** TetraTech Q9534254

## Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>
		<u>ng/m<sup>3</sup> Air</u>	<u>Flag</u>	<u>ng/m<sup>3</sup> Air</u>
<b>Antimony</b>	<b>7440-36-0</b>	<b>0.0475</b>	SL	<b>0.0290</b>
<b>Arsenic</b>	<b>7440-38-2</b>	<b>0.258</b>		<b>0.00705</b>
<b>Barium</b>	<b>7440-39-3</b>	<b>1.29</b>		<b>0.805</b>
Beryllium	7440-41-7	0.00185	U	0.00241
Cadmium	7440-43-9	0.0451	U	0.0597
Chromium	7440-47-3	1.40	U	1.66
<b>Cobalt</b>	<b>7440-48-4</b>	<b>0.122</b>		<b>0.0328</b>
<b>Copper</b>	<b>7440-50-8</b>	<b>15.8</b>		<b>1.98</b>
<b>Lead</b>	<b>7439-92-1</b>	<b>0.454</b>		<b>0.161</b>
Manganese	7439-96-5	1.31	U	1.42
<b>Molybdenum</b>	<b>7439-98-7</b>	<b>1.08</b>		<b>0.270</b>
Nickel	7440-02-0	0.471	U	0.490
<b>Selenium</b>	<b>7782-49-2</b>	<b>0.114</b>		<b>0.00674</b>
<b>Thallium</b>	<b>7440-28-0</b>	<b>9.43E-4</b>	B, QB-01, QB-04	<b>4.43E-4</b>
<b>Vanadium</b>	<b>7440-62-2</b>	<b>0.114</b>		<b>0.0398</b>
Zinc	7440-66-6	25.7	U	57.8



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

**Description:** MFL-AM03-012624-HM      **Lab ID:** 4020650-07      **Sampled:** 01/26/24 23:59  
**Matrix:** Air      **Sample Volume:** 2039.37 m<sup>3</sup>      **Received:** 02/05/24 11:24  
**Filter ID:**      **Analysis Date:** 02/07/24 23:48  
**Comments:** TetraTech Q9534253

## Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m<sup>3</sup> Air</u>	<u>Flag</u>	<u>ng/m<sup>3</sup> Air</u>	
Antimony	7440-36-0	0.0620	SL	0.0308	
Arsenic	7440-38-2	0.0565		0.00748	
Barium	7440-39-3	1.62		0.854	
Beryllium	7440-41-7	0.00437		0.00255	
Cadmium	7440-43-9	0.00721	U	0.0633	
Chromium	7440-47-3	1.51	U	1.76	
Cobalt	7440-48-4	0.0974		0.0348	
Copper	7440-50-8	37.6		2.10	
Lead	7439-92-1	0.548		0.171	
Manganese	7439-96-5	1.63		1.51	
Molybdenum	7439-98-7	1.71		0.286	
Nickel	7440-02-0	0.656		0.520	
Selenium	7782-49-2	0.115		0.00715	
Thallium	7440-28-0	7.37E-4	B, QB-01, QB-04	4.70E-4	
Vanadium	7440-62-2	0.173		0.0422	
Zinc	7440-66-6	30.0	U	61.3	



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

**Description:** MFL-AM04-012624-HM      **Lab ID:** 4020650-08      **Sampled:** 01/26/24 23:59  
**Matrix:** Air      **Sample Volume:** 1931.629 m<sup>3</sup>      **Received:** 02/05/24 11:24  
**Filter ID:**      **Analysis Date:** 02/08/24 00:03  
**Comments:** TetraTech Q9534251

## Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m<sup>3</sup> Air</u>	<u>Flag</u>	<u>ng/m<sup>3</sup> Air</u>	
<b>Antimony</b>	<b>7440-36-0</b>	<b>0.0490</b>	SL	<b>0.0325</b>	
<b>Arsenic</b>	<b>7440-38-2</b>	<b>0.131</b>		<b>0.00789</b>	
<b>Barium</b>	<b>7440-39-3</b>	<b>1.27</b>		<b>0.901</b>	
Beryllium	7440-41-7	0.00180	U	0.00270	
Cadmium	7440-43-9	0.00732	U	0.0668	
Chromium	7440-47-3	1.45	U	1.86	
<b>Cobalt</b>	<b>7440-48-4</b>	<b>0.0478</b>		<b>0.0367</b>	
<b>Copper</b>	<b>7440-50-8</b>	<b>31.3</b>		<b>2.22</b>	
<b>Lead</b>	<b>7439-92-1</b>	<b>0.336</b>		<b>0.180</b>	
Manganese	7439-96-5	0.896	U	1.59	
<b>Molybdenum</b>	<b>7439-98-7</b>	<b>1.36</b>		<b>0.302</b>	
Nickel	7440-02-0	0.396	U	0.549	
<b>Selenium</b>	<b>7782-49-2</b>	<b>0.114</b>		<b>0.00755</b>	
<b>Thallium</b>	<b>7440-28-0</b>	<b>6.12E-4</b>	B, QB-01, QB-04	<b>4.96E-4</b>	
<b>Vanadium</b>	<b>7440-62-2</b>	<b>0.103</b>		<b>0.0446</b>	
Zinc	7440-66-6	31.0	U	64.7	



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

**Description:** MFL-FB01-012624-HM      **Lab ID:** 4020650-09      **Sampled:** 01/26/24 00:00  
**Matrix:** Air      **Sample Volume:** 2031.668 m<sup>3</sup>      **Received:** 02/05/24 11:24  
**Filter ID:**      **Analysis Date:** 02/08/24 00:17  
**Comments:** TetraTech Q9534245 Field Blank

## Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m<sup>3</sup> Air</u>	<u>Flag</u>	<u>ng/m<sup>3</sup> Air</u>	
Antimony	7440-36-0	0.0147	SL, U	0.0309	
<b>Arsenic</b>	<b>7440-38-2</b>	<b>0.00806</b>	FB-01	<b>0.00750</b>	
Barium	7440-39-3	0.517	U	0.857	
Beryllium	7440-41-7	7.22E-4	U	0.00256	
Cadmium	7440-43-9	0.00442	U	0.0635	
Chromium	7440-47-3	1.25	U	1.77	
<b>Cobalt</b>	<b>7440-48-4</b>	<b>0.0662</b>	FB-01	<b>0.0349</b>	
<b>Copper</b>	<b>7440-50-8</b>	<b>3.06</b>	FB-01	<b>2.11</b>	
Lead	7439-92-1	0.132	U	0.171	
Manganese	7439-96-5	0.159	U	1.51	
Molybdenum	7439-98-7	0.191	U	0.287	
Nickel	7440-02-0	0.442	U	0.522	
Selenium	7782-49-2	0.00522	U	0.00718	
Thallium	7440-28-0	2.51E-4	B, QB-01, QB-04, U	4.72E-4	
Vanadium	7440-62-2	0.0150	U	0.0424	
Zinc	7440-66-6	24.0	U	61.5	



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

**Description:** MFL-AM01-012724-HM      **Lab ID:** 4020650-10      **Sampled:** 01/27/24 23:59  
**Matrix:** Air      **Sample Volume:** 2026.54 m<sup>3</sup>      **Received:** 02/05/24 11:24  
**Filter ID:**      **Analysis Date:** 02/08/24 00:31  
**Comments:** TetraTech Q9534250

## Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m<sup>3</sup> Air</u>	<u>Flag</u>	<u>ng/m<sup>3</sup> Air</u>	
Antimony	7440-36-0	0.0677	SL	0.0310	
Arsenic	7440-38-2	0.545		0.00752	
Barium	7440-39-3	4.01		0.859	
Beryllium	7440-41-7	0.0103		0.00257	
Cadmium	7440-43-9	0.0106	U	0.0637	
Chromium	7440-47-3	2.45		1.77	
Cobalt	7440-48-4	0.698		0.0350	
Copper	7440-50-8	34.2		2.11	
Lead	7439-92-1	0.438		0.172	
Manganese	7439-96-5	13.0		1.52	
Molybdenum	7439-98-7	1.53		0.288	
Nickel	7440-02-0	4.46		0.523	
Selenium	7782-49-2	0.223		0.00719	
Thallium	7440-28-0	7.11E-4	B, QB-01, QB-04	4.73E-4	
Vanadium	7440-62-2	0.834		0.0425	
Zinc	7440-66-6	32.0	U	61.7	



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

**Description:** MFL-AM02-012724-HM      **Lab ID:** 4020650-11      **Sampled:** 01/27/24 23:59  
**Matrix:** Air      **Sample Volume:** 2090.36 m<sup>3</sup>      **Received:** 02/05/24 11:24  
**Filter ID:**      **Analysis Date:** 02/08/24 00:45  
**Comments:** TetraTech Q9534248

## Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>
		<u>ng/m<sup>3</sup> Air</u>	<u>Flag</u>	<u>ng/m<sup>3</sup> Air</u>
<b>Antimony</b>	<b>7440-36-0</b>	<b>0.0463</b>	SL	<b>0.0300</b>
<b>Arsenic</b>	<b>7440-38-2</b>	<b>0.196</b>		<b>0.00729</b>
Barium	7440-39-3	0.801	U	0.833
Beryllium	7440-41-7	0.00114	U	0.00249
Cadmium	7440-43-9	0.0297	U	0.0617
Chromium	7440-47-3	1.36	U	1.72
<b>Cobalt</b>	<b>7440-48-4</b>	<b>0.0374</b>		<b>0.0339</b>
<b>Copper</b>	<b>7440-50-8</b>	<b>12.4</b>		<b>2.05</b>
<b>Lead</b>	<b>7439-92-1</b>	<b>0.196</b>		<b>0.167</b>
Manganese	7439-96-5	0.629	U	1.47
<b>Molybdenum</b>	<b>7439-98-7</b>	<b>0.832</b>		<b>0.279</b>
Nickel	7440-02-0	0.438	U	0.507
<b>Selenium</b>	<b>7782-49-2</b>	<b>0.215</b>		<b>0.00697</b>
Thallium	7440-28-0	4.54E-4	B, QB-01, QB-04, U	4.58E-4
<b>Vanadium</b>	<b>7440-62-2</b>	<b>0.141</b>		<b>0.0412</b>
Zinc	7440-66-6	22.0	U	59.8



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

**Description:** MFL-AM03-012724-HM      **Lab ID:** 4020650-12      **Sampled:** 01/27/24 23:59  
**Matrix:** Air      **Sample Volume:** 2018.848 m<sup>3</sup>      **Received:** 02/05/24 11:24  
**Filter ID:**      **Analysis Date:** 02/08/24 00:58  
**Comments:** TetraTech Q9534247

## Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m<sup>3</sup> Air</u>	<u>Flag</u>	<u>ng/m<sup>3</sup> Air</u>	
<b>Antimony</b>	<b>7440-36-0</b>	<b>0.0577</b>	SL	<b>0.0311</b>	
<b>Arsenic</b>	<b>7440-38-2</b>	<b>0.0610</b>		<b>0.00755</b>	
<b>Barium</b>	<b>7440-39-3</b>	<b>1.49</b>		<b>0.862</b>	
Beryllium	7440-41-7	0.00249	U	0.00258	
Cadmium	7440-43-9	0.00579	U	0.0639	
Chromium	7440-47-3	1.35	U	1.78	
<b>Cobalt</b>	<b>7440-48-4</b>	<b>0.0779</b>		<b>0.0351</b>	
<b>Copper</b>	<b>7440-50-8</b>	<b>25.0</b>		<b>2.12</b>	
<b>Lead</b>	<b>7439-92-1</b>	<b>0.191</b>		<b>0.172</b>	
Manganese	7439-96-5	1.28	U	1.52	
<b>Molybdenum</b>	<b>7439-98-7</b>	<b>1.60</b>		<b>0.289</b>	
<b>Nickel</b>	<b>7440-02-0</b>	<b>0.794</b>		<b>0.525</b>	
<b>Selenium</b>	<b>7782-49-2</b>	<b>0.209</b>		<b>0.00722</b>	
Thallium	7440-28-0	4.69E-4	B, QB-01, QB-04, U	4.75E-4	
<b>Vanadium</b>	<b>7440-62-2</b>	<b>0.190</b>		<b>0.0426</b>	
Zinc	7440-66-6	31.0	U	61.9	



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

**Description:** MFL-AM04-012724-HM      **Lab ID:** 4020650-13      **Sampled:** 01/27/24 23:59  
**Matrix:** Air      **Sample Volume:** 1890.667 m<sup>3</sup>      **Received:** 02/05/24 11:24  
**Filter ID:**      **Analysis Date:** 02/08/24 01:12  
**Comments:** TetraTech Q9534246

## Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m<sup>3</sup> Air</u>	<u>Flag</u>	<u>ng/m<sup>3</sup> Air</u>	
<b>Antimony</b>	<b>7440-36-0</b>	<b>0.0551</b>	SL	<b>0.0332</b>	
<b>Arsenic</b>	<b>7440-38-2</b>	<b>0.227</b>		<b>0.00806</b>	
<b>Barium</b>	<b>7440-39-3</b>	<b>1.06</b>		<b>0.921</b>	
Beryllium	7440-41-7	0.00149	U	0.00275	
Cadmium	7440-43-9	0.00714	U	0.0682	
Chromium	7440-47-3	1.38	U	1.90	
<b>Cobalt</b>	<b>7440-48-4</b>	<b>0.0589</b>		<b>0.0375</b>	
<b>Copper</b>	<b>7440-50-8</b>	<b>26.7</b>		<b>2.26</b>	
<b>Lead</b>	<b>7439-92-1</b>	<b>0.456</b>		<b>0.184</b>	
Manganese	7439-96-5	0.891	U	1.63	
<b>Molybdenum</b>	<b>7439-98-7</b>	<b>1.11</b>		<b>0.309</b>	
Nickel	7440-02-0	0.447	U	0.561	
<b>Selenium</b>	<b>7782-49-2</b>	<b>0.204</b>		<b>0.00771</b>	
Thallium	7440-28-0	3.66E-4	B, QB-01, QB-04, U	5.07E-4	
<b>Vanadium</b>	<b>7440-62-2</b>	<b>0.152</b>		<b>0.0455</b>	
Zinc	7440-66-6	27.0	U	66.1	



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

**Description:** MFL-AM01-012824-HM      **Lab ID:** 4020650-14      **Sampled:** 01/28/24 23:59  
**Matrix:** Air      **Sample Volume:** 1996.114 m<sup>3</sup>      **Received:** 02/05/24 11:24  
**Filter ID:**      **Analysis Date:** 02/08/24 01:26  
**Comments:** TetraTech Q9534244

## Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m<sup>3</sup> Air</u>	<u>Flag</u>	<u>ng/m<sup>3</sup> Air</u>	
Antimony	7440-36-0	0.0986	SL	0.0315	
Arsenic	7440-38-2	0.749		0.00764	
Barium	7440-39-3	4.64		0.872	
Beryllium	7440-41-7	0.00833		0.00261	
Cadmium	7440-43-9	0.0208	U	0.0646	
Chromium	7440-47-3	2.70		1.80	
Cobalt	7440-48-4	0.485		0.0355	
Copper	7440-50-8	48.9		2.14	
Lead	7439-92-1	1.16		0.174	
Manganese	7439-96-5	9.51		1.54	
Molybdenum	7439-98-7	1.70		0.293	
Nickel	7440-02-0	2.58		0.531	
Selenium	7782-49-2	0.399		0.00730	
Thallium	7440-28-0	7.98E-4	B, QB-01, QB-04	4.80E-4	
Vanadium	7440-62-2	0.966		0.0431	
Zinc	7440-66-6	44.8	U	62.6	



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

**Description:** MFL-AM02-012824-HM      **Lab ID:** 4020650-15      **Sampled:** 01/28/24 23:59  
**Matrix:** Air      **Sample Volume:** 2084.134 m<sup>3</sup>      **Received:** 02/05/24 11:24  
**Filter ID:**      **Analysis Date:** 02/08/24 01:39  
**Comments:** TetraTech Q9534243

## Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m<sup>3</sup> Air</u>	<u>Flag</u>	<u>ng/m<sup>3</sup> Air</u>	
Antimony	7440-36-0	0.0299	SL, U	0.0301	
<b>Arsenic</b>	<b>7440-38-2</b>	<b>0.202</b>		<b>0.00731</b>	
Barium	7440-39-3	0.685	U	0.835	
Beryllium	7440-41-7	0.00157	U	0.00250	
Cadmium	7440-43-9	0.00669	U	0.0619	
Chromium	7440-47-3	1.18	U	1.73	
<b>Cobalt</b>	<b>7440-48-4</b>	<b>0.0571</b>		<b>0.0340</b>	
<b>Copper</b>	<b>7440-50-8</b>	<b>6.18</b>		<b>2.05</b>	
<b>Lead</b>	<b>7439-92-1</b>	<b>0.216</b>		<b>0.167</b>	
Manganese	7439-96-5	1.18	U	1.48	
<b>Molybdenum</b>	<b>7439-98-7</b>	<b>0.444</b>		<b>0.280</b>	
Nickel	7440-02-0	0.373	U	0.509	
<b>Selenium</b>	<b>7782-49-2</b>	<b>0.371</b>		<b>0.00699</b>	
<b>Thallium</b>	<b>7440-28-0</b>	<b>5.13E-4</b>	B, QB-01, QB-04	<b>4.60E-4</b>	
<b>Vanadium</b>	<b>7440-62-2</b>	<b>0.252</b>		<b>0.0413</b>	
Zinc	7440-66-6	22.4	U	60.0	



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

**Description:** MFL-AM03-012824-HM      **Lab ID:** 4020650-16      **Sampled:** 01/28/24 23:59  
**Matrix:** Air      **Sample Volume:** 2040.225 m<sup>3</sup>      **Received:** 02/05/24 11:24  
**Filter ID:**      **Analysis Date:** 02/08/24 19:18  
**Comments:** TetraTech Q9534241

## Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m<sup>3</sup> Air</u>	<u>Flag</u>	<u>ng/m<sup>3</sup> Air</u>	
<b>Antimony</b>	<b>7440-36-0</b>	<b>0.0429</b>	SL	<b>0.0308</b>	
<b>Arsenic</b>	<b>7440-38-2</b>	<b>0.0830</b>		<b>0.00747</b>	
<b>Barium</b>	<b>7440-39-3</b>	<b>1.25</b>		<b>0.853</b>	
<b>Beryllium</b>	<b>7440-41-7</b>	<b>0.00293</b>		<b>0.00255</b>	
Cadmium	7440-43-9	0.00669	U	0.0632	
Chromium	7440-47-3	1.49	U	1.76	
<b>Cobalt</b>	<b>7440-48-4</b>	<b>0.106</b>		<b>0.0348</b>	
<b>Copper</b>	<b>7440-50-8</b>	<b>16.0</b>		<b>2.10</b>	
<b>Lead</b>	<b>7439-92-1</b>	<b>0.184</b>		<b>0.171</b>	
<b>Manganese</b>	<b>7439-96-5</b>	<b>1.79</b>		<b>1.51</b>	
<b>Molybdenum</b>	<b>7439-98-7</b>	<b>0.797</b>		<b>0.286</b>	
<b>Nickel</b>	<b>7440-02-0</b>	<b>0.568</b>		<b>0.520</b>	
<b>Selenium</b>	<b>7782-49-2</b>	<b>0.357</b>		<b>0.00715</b>	
<b>Thallium</b>	<b>7440-28-0</b>	<b>6.63E-4</b>	B, QB-01	<b>4.70E-4</b>	
<b>Vanadium</b>	<b>7440-62-2</b>	<b>0.266</b>		<b>0.0422</b>	
Zinc	7440-66-6	36.5	U	61.2	



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

**Description:** MFL-AM04-012824-HM      **Lab ID:** 4020650-17      **Sampled:** 01/28/24 23:59  
**Matrix:** Air      **Sample Volume:** 1904.321 m<sup>3</sup>      **Received:** 02/05/24 11:24  
**Filter ID:**      **Analysis Date:** 02/08/24 19:32  
**Comments:** TetraTech Q9534240

## Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m<sup>3</sup> Air</u>	<u>Flag</u>	<u>ng/m<sup>3</sup> Air</u>	
<b>Antimony</b>	<b>7440-36-0</b>	<b>0.0390</b>	SL	<b>0.0330</b>	
<b>Arsenic</b>	<b>7440-38-2</b>	<b>0.361</b>		<b>0.00801</b>	
Barium	7440-39-3	0.913	U	0.914	
Beryllium	7440-41-7	0.00185	U	0.00273	
Cadmium	7440-43-9	0.00710	U	0.0678	
Chromium	7440-47-3	1.46	U	1.89	
<b>Cobalt</b>	<b>7440-48-4</b>	<b>0.0674</b>		<b>0.0373</b>	
<b>Copper</b>	<b>7440-50-8</b>	<b>18.3</b>		<b>2.25</b>	
<b>Lead</b>	<b>7439-92-1</b>	<b>0.416</b>		<b>0.183</b>	
Manganese	7439-96-5	1.41	U	1.61	
<b>Molybdenum</b>	<b>7439-98-7</b>	<b>0.965</b>		<b>0.307</b>	
Nickel	7440-02-0	0.399	U	0.557	
<b>Selenium</b>	<b>7782-49-2</b>	<b>0.348</b>		<b>0.00766</b>	
<b>Thallium</b>	<b>7440-28-0</b>	<b>6.51E-4</b>	B, QB-01	<b>5.03E-4</b>	
<b>Vanadium</b>	<b>7440-62-2</b>	<b>0.250</b>		<b>0.0452</b>	
Zinc	7440-66-6	36.3	U	65.6	



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

**Description:** MFL-FB01-012824-HM      **Lab ID:** 4020650-18      **Sampled:** 01/28/24 00:00  
**Matrix:** Air      **Sample Volume:** 1996.114 m<sup>3</sup>      **Received:** 02/05/24 11:24  
**Filter ID:**      **Analysis Date:** 02/08/24 19:46  
**Comments:** TetraTech Q9534234 Field Blank

## Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m<sup>3</sup> Air</u>	<u>Flag</u>	<u>ng/m<sup>3</sup> Air</u>	
Antimony	7440-36-0	0.00664	SL, U	0.0315	
Arsenic	7440-38-2	0.00358	U	0.00764	
Barium	7440-39-3	0.555	U	0.872	
Beryllium	7440-41-7	0.00109	U	0.00261	
Cadmium	7440-43-9	0.00208	U	0.0646	
Chromium	7440-47-3	1.47	U	1.80	
Cobalt	7440-48-4	0.0203	U	0.0355	
Copper	7440-50-8	0.839	U	2.14	
Lead	7439-92-1	0.0791	U	0.174	
Manganese	7439-96-5	0.125	U	1.54	
Molybdenum	7439-98-7	0.242	U	0.293	
Nickel	7440-02-0	0.297	U	0.531	
Selenium	7782-49-2	0.00640	U	0.00730	
Thallium	7440-28-0	2.26E-4	B, QB-01, U	4.80E-4	
Vanadium	7440-62-2	0.0117	U	0.0431	
Zinc	7440-66-6	21.4	U	62.6	



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

**Description:** MFL-AM01-012924-HM      **Lab ID:** 4020650-19      **Sampled:** 01/29/24 23:59  
**Matrix:** Air      **Sample Volume:** 1999.456 m<sup>3</sup>      **Received:** 02/05/24 11:24  
**Filter ID:**      **Analysis Date:** 02/08/24 19:59  
**Comments:** TetraTech Q9534239

## Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m<sup>3</sup> Air</u>	<u>Flag</u>	<u>ng/m<sup>3</sup> Air</u>	
Antimony	7440-36-0	0.101	SL	0.0314	
Arsenic	7440-38-2	1.66		0.00762	
Barium	7440-39-3	5.48		0.871	
Beryllium	7440-41-7	0.0187		0.00260	
Cadmium	7440-43-9	0.0258	U	0.0645	
Chromium	7440-47-3	4.48		1.80	
Cobalt	7440-48-4	0.986		0.0355	
Copper	7440-50-8	36.6		2.14	
Lead	7439-92-1	1.12		0.174	
Manganese	7439-96-5	19.5		1.54	
Molybdenum	7439-98-7	1.57		0.292	
Nickel	7440-02-0	4.75		0.531	
Selenium	7782-49-2	0.424		0.00729	
Thallium	7440-28-0	0.00110	B, QB-01	4.79E-4	
Vanadium	7440-62-2	2.08		0.0430	
Zinc	7440-66-6	49.1	U	62.5	



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

**Description:** MFL-AM02-012924-HM      **Lab ID:** 4020650-20      **Sampled:** 01/29/24 23:59  
**Matrix:** Air      **Sample Volume:** 2082.122 m<sup>3</sup>      **Received:** 02/05/24 11:24  
**Filter ID:**      **Analysis Date:** 02/08/24 20:14  
**Comments:** TetraTech Q9534238

## Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m<sup>3</sup> Air</u>	<u>Flag</u>	<u>ng/m<sup>3</sup> Air</u>	
<b>Antimony</b>	<b>7440-36-0</b>	<b>0.0310</b>	SL	<b>0.0302</b>	
<b>Arsenic</b>	<b>7440-38-2</b>	<b>0.154</b>		<b>0.00732</b>	
Barium	7440-39-3	0.776	U	0.836	
Beryllium	7440-41-7	0.00120	U	0.00250	
Cadmium	7440-43-9	0.00529	U	0.0620	
Chromium	7440-47-3	1.46	U	1.73	
<b>Cobalt</b>	<b>7440-48-4</b>	<b>0.0478</b>		<b>0.0341</b>	
<b>Copper</b>	<b>7440-50-8</b>	<b>7.36</b>		<b>2.06</b>	
<b>Lead</b>	<b>7439-92-1</b>	<b>0.202</b>		<b>0.167</b>	
Manganese	7439-96-5	0.780	U	1.48	
<b>Molybdenum</b>	<b>7439-98-7</b>	<b>0.442</b>		<b>0.281</b>	
Nickel	7440-02-0	0.459	U	0.509	
<b>Selenium</b>	<b>7782-49-2</b>	<b>0.312</b>		<b>0.00700</b>	
<b>Thallium</b>	<b>7440-28-0</b>	<b>4.74E-4</b>	B, QB-01	<b>4.60E-4</b>	
<b>Vanadium</b>	<b>7440-62-2</b>	<b>0.184</b>		<b>0.0413</b>	
Zinc	7440-66-6	27.3	U	60.0	



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

**Description:** MFL-AM03-012924-HM      **Lab ID:** 4020650-21      **Sampled:** 01/29/24 23:59  
**Matrix:** Air      **Sample Volume:** 2031.318 m<sup>3</sup>      **Received:** 02/05/24 11:24  
**Filter ID:**      **Analysis Date:** 02/08/24 20:28  
**Comments:** TetraTech Q9534237

## Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m<sup>3</sup> Air</u>	<u>Flag</u>	<u>ng/m<sup>3</sup> Air</u>	
Antimony	7440-36-0	0.0532	SL	0.0309	
Arsenic	7440-38-2	0.0987		0.00750	
Barium	7440-39-3	1.66		0.857	
Beryllium	7440-41-7	0.00441		0.00256	
Cadmium	7440-43-9	0.00569	U	0.0635	
Chromium	7440-47-3	1.89		1.77	
Cobalt	7440-48-4	0.186		0.0349	
Copper	7440-50-8	11.2		2.11	
Lead	7439-92-1	0.308		0.171	
Manganese	7439-96-5	3.02		1.51	
Molybdenum	7439-98-7	0.478		0.288	
Nickel	7440-02-0	0.760		0.522	
Selenium	7782-49-2	0.368		0.00718	
Thallium	7440-28-0	6.04E-4	B, QB-01	4.72E-4	
Vanadium	7440-62-2	0.309		0.0424	
Zinc	7440-66-6	30.8	U	61.5	



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

**Description:** MFL-AM04-012924-HM      **Lab ID:** 4020650-22      **Sampled:** 01/29/24 23:59  
**Matrix:** Air      **Sample Volume:** 1889.206 m<sup>3</sup>      **Received:** 02/05/24 11:24  
**Filter ID:**      **Analysis Date:** 02/08/24 20:42  
**Comments:** TetraTech Q9534236

## Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m<sup>3</sup> Air</u>	<u>Flag</u>	<u>ng/m<sup>3</sup> Air</u>	
<b>Antimony</b>	<b>7440-36-0</b>	<b>0.0378</b>	SL	<b>0.0332</b>	
<b>Arsenic</b>	<b>7440-38-2</b>	<b>0.200</b>		<b>0.00807</b>	
Barium	7440-39-3	0.917	U	0.921	
Beryllium	7440-41-7	0.00171	U	0.00276	
Cadmium	7440-43-9	0.00684	U	0.0683	
Chromium	7440-47-3	1.68	U	1.90	
<b>Cobalt</b>	<b>7440-48-4</b>	<b>0.0557</b>		<b>0.0375</b>	
<b>Copper</b>	<b>7440-50-8</b>	<b>22.9</b>		<b>2.26</b>	
<b>Lead</b>	<b>7439-92-1</b>	<b>0.365</b>		<b>0.184</b>	
Manganese	7439-96-5	1.20	U	1.63	
<b>Molybdenum</b>	<b>7439-98-7</b>	<b>1.28</b>		<b>0.309</b>	
Nickel	7440-02-0	0.476	U	0.562	
<b>Selenium</b>	<b>7782-49-2</b>	<b>0.357</b>		<b>0.00772</b>	
<b>Thallium</b>	<b>7440-28-0</b>	<b>5.74E-4</b>	B, QB-01	<b>5.07E-4</b>	
<b>Vanadium</b>	<b>7440-62-2</b>	<b>0.187</b>		<b>0.0456</b>	
Zinc	7440-66-6	29.3	U	66.1	



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

**Description:** MFL-AM01-013024-HM      **Lab ID:** 4020650-23      **Sampled:** 01/30/24 23:59  
**Matrix:** Air      **Sample Volume:** 2034.232 m<sup>3</sup>      **Received:** 02/05/24 11:24  
**Filter ID:**      **Analysis Date:** 02/08/24 20:55  
**Comments:** TetraTech Q9534233

## Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m<sup>3</sup> Air</u>	<u>Flag</u>	<u>ng/m<sup>3</sup> Air</u>	
Antimony	7440-36-0	0.0980	SL	0.0309	
Arsenic	7440-38-2	1.75		0.00749	
Barium	7440-39-3	5.66		0.856	
Beryllium	7440-41-7	0.0156		0.00256	
Cadmium	7440-43-9	0.0270	U	0.0634	
Chromium	7440-47-3	4.40		1.77	
Cobalt	7440-48-4	0.884		0.0349	
Copper	7440-50-8	34.8		2.10	
Lead	7439-92-1	1.06		0.171	
Manganese	7439-96-5	18.7		1.51	
Molybdenum	7439-98-7	1.58		0.287	
Nickel	7440-02-0	4.87		0.521	
Selenium	7782-49-2	0.262		0.00717	
Thallium	7440-28-0	9.56E-4	B, QB-01	4.71E-4	
Vanadium	7440-62-2	1.65		0.0423	
Zinc	7440-66-6	44.3	U	61.4	



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

**Description:** MFL-AM02-013024-HM      **Lab ID:** 4020650-24      **Sampled:** 01/30/24 23:59  
**Matrix:** Air      **Sample Volume:** 2085.883 m<sup>3</sup>      **Received:** 02/05/24 11:24  
**Filter ID:**      **Analysis Date:** 02/08/24 22:01  
**Comments:** TetraTech Q9534229

## Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m<sup>3</sup> Air</u>	<u>Flag</u>	<u>ng/m<sup>3</sup> Air</u>	
<b>Antimony</b>	<b>7440-36-0</b>	<b>0.0360</b>	SL	<b>0.0301</b>	
<b>Arsenic</b>	<b>7440-38-2</b>	<b>0.220</b>		<b>0.00731</b>	
<b>Barium</b>	<b>7440-39-3</b>	<b>0.984</b>		<b>0.835</b>	
Beryllium	7440-41-7	0.00192	U	0.00250	
Cadmium	7440-43-9	0.00490	U	0.0619	
Chromium	7440-47-3	1.46	U	1.72	
<b>Cobalt</b>	<b>7440-48-4</b>	<b>0.0467</b>		<b>0.0340</b>	
<b>Copper</b>	<b>7440-50-8</b>	<b>15.6</b>		<b>2.05</b>	
<b>Lead</b>	<b>7439-92-1</b>	<b>0.211</b>		<b>0.167</b>	
Manganese	7439-96-5	1.14	U	1.47	
<b>Molybdenum</b>	<b>7439-98-7</b>	<b>1.09</b>		<b>0.280</b>	
Nickel	7440-02-0	0.454	U	0.509	
<b>Selenium</b>	<b>7782-49-2</b>	<b>0.207</b>		<b>0.00699</b>	
<b>Thallium</b>	<b>7440-28-0</b>	<b>4.73E-4</b>	B, QB-01	<b>4.59E-4</b>	
<b>Vanadium</b>	<b>7440-62-2</b>	<b>0.157</b>		<b>0.0413</b>	
Zinc	7440-66-6	20.9	U	59.9	



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

**Description:** MFL-AM03-013024-HM      **Lab ID:** 4020650-25      **Sampled:** 01/30/24 23:59  
**Matrix:** Air      **Sample Volume:** 2020.319 m<sup>3</sup>      **Received:** 02/05/24 11:24  
**Filter ID:**      **Analysis Date:** 02/08/24 22:15  
**Comments:** TetraTech Q9534227

## Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m<sup>3</sup> Air</u>	<u>Flag</u>	<u>ng/m<sup>3</sup> Air</u>	
<b>Antimony</b>	<b>7440-36-0</b>	<b>0.0727</b>	SL	<b>0.0311</b>	
<b>Arsenic</b>	<b>7440-38-2</b>	<b>0.0650</b>		<b>0.00755</b>	
<b>Barium</b>	<b>7440-39-3</b>	<b>1.45</b>		<b>0.862</b>	
<b>Beryllium</b>	<b>7440-41-7</b>	<b>0.00330</b>		<b>0.00258</b>	
Cadmium	7440-43-9	0.0175	U	0.0639	
Chromium	7440-47-3	1.77	U	1.78	
<b>Cobalt</b>	<b>7440-48-4</b>	<b>0.112</b>		<b>0.0351</b>	
<b>Copper</b>	<b>7440-50-8</b>	<b>27.3</b>		<b>2.12</b>	
<b>Lead</b>	<b>7439-92-1</b>	<b>0.172</b>		<b>0.172</b>	
<b>Manganese</b>	<b>7439-96-5</b>	<b>2.03</b>		<b>1.52</b>	
<b>Molybdenum</b>	<b>7439-98-7</b>	<b>1.34</b>		<b>0.289</b>	
<b>Nickel</b>	<b>7440-02-0</b>	<b>0.724</b>		<b>0.525</b>	
<b>Selenium</b>	<b>7782-49-2</b>	<b>0.189</b>		<b>0.00722</b>	
Thallium	7440-28-0	4.64E-4	B, QB-01, U	4.74E-4	
<b>Vanadium</b>	<b>7440-62-2</b>	<b>0.246</b>		<b>0.0426</b>	
Zinc	7440-66-6	27.2	U	61.8	



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

**Description:** MFL-AM04-013024-HM      **Lab ID:** 4020650-26      **Sampled:** 01/30/24 23:59  
**Matrix:** Air      **Sample Volume:** 1925.203 m<sup>3</sup>      **Received:** 02/05/24 11:24  
**Filter ID:**      **Analysis Date:** 02/08/24 22:29  
**Comments:** TetraTech Q9534224

## Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m<sup>3</sup> Air</u>	<u>Flag</u>	<u>ng/m<sup>3</sup> Air</u>	
<b>Antimony</b>	<b>7440-36-0</b>	<b>0.0549</b>	SL	<b>0.0326</b>	
<b>Arsenic</b>	<b>7440-38-2</b>	<b>0.121</b>		<b>0.00792</b>	
<b>Barium</b>	<b>7440-39-3</b>	<b>1.17</b>		<b>0.904</b>	
Beryllium	7440-41-7	0.00192	U	0.00270	
Cadmium	7440-43-9	0.00604	U	0.0670	
Chromium	7440-47-3	1.38	U	1.87	
<b>Cobalt</b>	<b>7440-48-4</b>	<b>0.0646</b>		<b>0.0368</b>	
<b>Copper</b>	<b>7440-50-8</b>	<b>17.4</b>		<b>2.22</b>	
<b>Lead</b>	<b>7439-92-1</b>	<b>0.246</b>		<b>0.181</b>	
Manganese	7439-96-5	1.39	U	1.60	
<b>Molybdenum</b>	<b>7439-98-7</b>	<b>1.10</b>		<b>0.303</b>	
Nickel	7440-02-0	0.468	U	0.551	
<b>Selenium</b>	<b>7782-49-2</b>	<b>0.164</b>		<b>0.00757</b>	
Thallium	7440-28-0	3.57E-4	B, QB-01, U	4.98E-4	
<b>Vanadium</b>	<b>7440-62-2</b>	<b>0.189</b>		<b>0.0447</b>	
Zinc	7440-66-6	22.4	U	64.9	



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

**Description:** MFL-FB01-013024-HM      **Lab ID:** 4020650-27      **Sampled:** 01/30/24 23:59  
**Matrix:** Air      **Sample Volume:** 2034.232 m<sup>3</sup>      **Received:** 02/05/24 11:24  
**Filter ID:**      **Analysis Date:** 02/08/24 22:43  
**Comments:** TetraTech Q9534220 Field Blank

## Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m<sup>3</sup> Air</u>	<u>Flag</u>	<u>ng/m<sup>3</sup> Air</u>	
Antimony	7440-36-0	0.0173	SL, U	0.0309	
Arsenic	7440-38-2	0.00627	U	0.00749	
Barium	7440-39-3	0.460	U	0.856	
Beryllium	7440-41-7	7.83E-4	U	0.00256	
Cadmium	7440-43-9	0.00891	U	0.0634	
Chromium	7440-47-3	1.41	U	1.77	
Cobalt	7440-48-4	0.0288	U	0.0349	
Copper	7440-50-8	1.01	U	2.10	
Lead	7439-92-1	0.0694	U	0.171	
Manganese	7439-96-5	0.151	U	1.51	
Molybdenum	7439-98-7	0.190	U	0.287	
Nickel	7440-02-0	0.357	U	0.521	
Selenium	7782-49-2	0.00287	U	0.00717	
Thallium	7440-28-0	1.54E-4	B, QB-01, U	4.71E-4	
Vanadium	7440-62-2	0.0170	U	0.0423	
Zinc	7440-66-6	22.3	U	61.4	



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

**Description:** MFL-AM01-013124-HM      **Lab ID:** 4020650-28      **Sampled:** 01/31/24 23:59  
**Matrix:** Air      **Sample Volume:** 2052.181 m<sup>3</sup>      **Received:** 02/05/24 11:24  
**Filter ID:**      **Analysis Date:** 02/08/24 22:57  
**Comments:** TetraTech Q9534223

## Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m<sup>3</sup> Air</u>	<u>Flag</u>	<u>ng/m<sup>3</sup> Air</u>	
Antimony	7440-36-0	0.120	SL	0.0306	
Arsenic	7440-38-2	3.10		0.00743	
Barium	7440-39-3	3.76		0.848	
Beryllium	7440-41-7	0.00543		0.00254	
Cadmium	7440-43-9	0.0482	U	0.0629	
Chromium	7440-47-3	2.29		1.75	
Cobalt	7440-48-4	0.439		0.0346	
Copper	7440-50-8	57.3		2.09	
Lead	7439-92-1	2.16		0.170	
Manganese	7439-96-5	5.47		1.50	
Molybdenum	7439-98-7	2.30		0.285	
Nickel	7440-02-0	1.12		0.517	
Selenium	7782-49-2	0.107		0.00710	
Thallium	7440-28-0	0.00105	B, QB-01	4.67E-4	
Vanadium	7440-62-2	0.503		0.0419	
Zinc	7440-66-6	34.1	U	60.9	



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

**Description:** MFL-AM02-013124-HM/MS/MS    **Lab ID:** 4020650-29    **Sampled:** 01/31/24 23:59  
**Matrix:** Air    **Sample Volume:** 2102.688 m<sup>3</sup>    **Received:** 02/05/24 11:24  
**Filter ID:**    **Analysis Date:** 02/08/24 16:19  
**Comments:** TetraTech Q9534222

## Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m<sup>3</sup> Air</u>	<u>Flag</u>	<u>ng/m<sup>3</sup> Air</u>	
Antimony	7440-36-0	0.198	SL	0.0299	
Arsenic	7440-38-2	0.335		0.00725	
Barium	7440-39-3	5.85		0.828	
Beryllium	7440-41-7	0.00802		0.00248	
Cadmium	7440-43-9	0.0120	U	0.0614	
Chromium	7440-47-3	1.78		1.71	
Cobalt	7440-48-4	0.233		0.0337	
Copper	7440-50-8	39.8		2.04	
Lead	7439-92-1	0.606		0.166	
Manganese	7439-96-5	6.53		1.46	
Molybdenum	7439-98-7	1.88		0.278	
Nickel	7440-02-0	0.916		0.504	
Selenium	7782-49-2	0.145		0.00693	
Thallium	7440-28-0	7.90E-4	B, QB-01	4.56E-4	
Vanadium	7440-62-2	0.663		0.0409	
Zinc	7440-66-6	51.0	U	59.4	



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

**Description:** MFL-AM03-013124-HM      **Lab ID:** 4020650-30      **Sampled:** 01/31/24 23:59  
**Matrix:** Air      **Sample Volume:** 2019.473 m<sup>3</sup>      **Received:** 02/05/24 11:24  
**Filter ID:**      **Analysis Date:** 02/08/24 23:12  
**Comments:** TetraTech Q9534221

## Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m<sup>3</sup> Air</u>	<u>Flag</u>	<u>ng/m<sup>3</sup> Air</u>	
<b>Antimony</b>	<b>7440-36-0</b>	<b>0.0636</b>	SL	<b>0.0311</b>	
<b>Arsenic</b>	<b>7440-38-2</b>	<b>0.0721</b>		<b>0.00755</b>	
<b>Barium</b>	<b>7440-39-3</b>	<b>1.89</b>		<b>0.862</b>	
<b>Beryllium</b>	<b>7440-41-7</b>	<b>0.00665</b>		<b>0.00258</b>	
Cadmium	7440-43-9	0.00630	U	0.0639	
Chromium	7440-47-3	1.67	U	1.78	
<b>Cobalt</b>	<b>7440-48-4</b>	<b>0.140</b>		<b>0.0351</b>	
<b>Copper</b>	<b>7440-50-8</b>	<b>37.6</b>		<b>2.12</b>	
Lead	7439-92-1	0.160	U	0.172	
<b>Manganese</b>	<b>7439-96-5</b>	<b>3.00</b>		<b>1.52</b>	
<b>Molybdenum</b>	<b>7439-98-7</b>	<b>1.79</b>		<b>0.289</b>	
<b>Nickel</b>	<b>7440-02-0</b>	<b>0.758</b>		<b>0.525</b>	
<b>Selenium</b>	<b>7782-49-2</b>	<b>0.125</b>		<b>0.00722</b>	
Thallium	7440-28-0	3.47E-4	B, QB-01, U	4.75E-4	
<b>Vanadium</b>	<b>7440-62-2</b>	<b>0.477</b>		<b>0.0426</b>	
Zinc	7440-66-6	22.2	U	61.9	



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

**Description:** MFL-AM04-013124-HM      **Lab ID:** 4020650-31      **Sampled:** 01/31/24 23:59  
**Matrix:** Air      **Sample Volume:** 1939.879 m<sup>3</sup>      **Received:** 02/05/24 11:24  
**Filter ID:**      **Analysis Date:** 02/08/24 23:26  
**Comments:** TetraTech Q9534218

## Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m<sup>3</sup> Air</u>	<u>Flag</u>	<u>ng/m<sup>3</sup> Air</u>	
Antimony	7440-36-0	0.0890	SL	0.0324	
Arsenic	7440-38-2	0.209		0.00786	
Barium	7440-39-3	3.00		0.897	
Beryllium	7440-41-7	0.00541		0.00268	
Cadmium	7440-43-9	0.00802	U	0.0665	
Chromium	7440-47-3	1.86		1.85	
Cobalt	7440-48-4	0.195		0.0366	
Copper	7440-50-8	22.6		2.21	
Lead	7439-92-1	0.603		0.179	
Manganese	7439-96-5	5.01		1.59	
Molybdenum	7439-98-7	1.34		0.301	
Nickel	7440-02-0	0.937		0.547	
Selenium	7782-49-2	0.147		0.00751	
Thallium	7440-28-0	5.09E-4	B, QB-01	4.94E-4	
Vanadium	7440-62-2	0.681		0.0444	
Zinc	7440-66-6	28.5	U	64.4	



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
1777 Sentry Pkwy, Bldg 12  
Blue Bell, PA 19422

ATTN: Ms. Chelsea Saber  
PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
REPORTED: 02/13/24 16:40  
SUBMITTED: 02/05/24  
AQS SITE CODE:  
SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

## Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2402012 - B4B0704

### Calibration Blank (2402012-CCB1)

Prepared & Analyzed: 02/07/24

Antimony	0.594		ng/l							
Arsenic	5.87		ng/l							
Barium	1.33		ng/l							
Beryllium	0.151		ng/l							
Cadmium	0.216		ng/l							
Chromium	3.74		ng/l							
Cobalt	0.290		ng/l							
Copper	83.4		ng/l							
Lead	4.40		ng/l							
Manganese	4.72		ng/l							
Molybdenum	8.95		ng/l							
Nickel	-1.19		ng/l							U
Selenium	0.689		ng/l							
Thallium	1.44		ng/l							
Vanadium	-64.5		ng/l							U
Zinc	-30.6		ng/l							U

### Calibration Blank (2402012-CCB2)

Prepared & Analyzed: 02/07/24

Antimony	1.85		ng/l							
Arsenic	12.5		ng/l							
Barium	13.2		ng/l							
Beryllium	0.472		ng/l							
Cadmium	0.736		ng/l							
Chromium	16.4		ng/l							
Cobalt	2.13		ng/l							
Copper	108		ng/l							
Lead	11.0		ng/l							
Manganese	25.5		ng/l							
Molybdenum	11.6		ng/l							
Nickel	3.61		ng/l							
Selenium	19.0		ng/l							
Thallium	3.61		ng/l							QB-04
Vanadium	-63.2		ng/l							U
Zinc	58.5		ng/l							

### Calibration Blank (2402012-CCB3)

Prepared & Analyzed: 02/07/24

Antimony	1.74		ng/l							
Arsenic	9.23		ng/l							
Barium	9.78		ng/l							
Beryllium	0.291		ng/l							

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Inorganics by Compendium Method IO-3.5 - Quality Control**

*Batch 2402012 - B4B0704*

**Calibration Blank (2402012-CCB3) Contin**

Prepared & Analyzed: 02/07/24

Cadmium	0.789		ng/l							
Chromium	13.8		ng/l							
Cobalt	1.85		ng/l							
Copper	98.6		ng/l							
Lead	8.46		ng/l							
Manganese	24.8		ng/l							
Molybdenum	9.65		ng/l							
Nickel	4.16		ng/l							
Selenium	9.23		ng/l							
Thallium	3.46		ng/l							
Vanadium	-63.6		ng/l							QB-04
Zinc	37.7		ng/l							U

**Calibration Blank (2402012-CCB4)**

Prepared: 02/07/24 Analyzed: 02/08/24

Antimony	1.91		ng/l							
Arsenic	12.5		ng/l							
Barium	18.5		ng/l							
Beryllium	0.483		ng/l							
Cadmium	1.86		ng/l							
Chromium	25.8		ng/l							
Cobalt	4.03		ng/l							
Copper	179		ng/l							
Lead	15.8		ng/l							
Manganese	43.5		ng/l							
Molybdenum	12.7		ng/l							
Nickel	9.95		ng/l							
Selenium	5.19		ng/l							
Thallium	3.99		ng/l							
Vanadium	-59.7		ng/l							QB-04
Zinc	77.4		ng/l							U

**Calibration Check (2402012-CCV1)**

Prepared & Analyzed: 02/07/24

Antimony	20100		ng/l	20000		101	90-110			
Arsenic	20300		ng/l	20000		101	90-110			
Barium	205000		ng/l	200000		103	90-110			
Beryllium	5090		ng/l	5000.0		102	90-110			
Cadmium	20400		ng/l	20000		102	90-110			
Chromium	242000		ng/l	240000		101	90-110			
Cobalt	51200		ng/l	50000		102	90-110			
Copper	2.06E6		ng/l	2.0000E6		103	90-110			

Eastern Research Group

*The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

## Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2402012 - B4B0704

### Calibration Check (2402012-CCV1) Contin

Prepared & Analyzed: 02/07/24

Lead	200000		ng/l	200000		100	90-110			
Manganese	507000		ng/l	500000		101	90-110			
Molybdenum	50900		ng/l	50000		102	90-110			
Nickel	123000		ng/l	120000		102	90-110			
Selenium	20400		ng/l	20000		102	90-110			
Thallium	494		ng/l	500.00		98.7	90-110			
Vanadium	19900		ng/l	20000		99.5	90-110			
Zinc	505000		ng/l	500000		101	90-110			

### Calibration Check (2402012-CCV2)

Prepared & Analyzed: 02/07/24

Antimony	20600		ng/l	20000		103	90-110			
Arsenic	20200		ng/l	20000		101	90-110			
Barium	204000		ng/l	200000		102	90-110			
Beryllium	4690		ng/l	5000.0		93.9	90-110			
Cadmium	20700		ng/l	20000		103	90-110			
Chromium	248000		ng/l	240000		103	90-110			
Cobalt	50600		ng/l	50000		101	90-110			
Copper	2.06E6		ng/l	2.0000E6		103	90-110			
Lead	203000		ng/l	200000		102	90-110			
Manganese	517000		ng/l	500000		103	90-110			
Molybdenum	50400		ng/l	50000		101	90-110			
Nickel	122000		ng/l	120000		101	90-110			
Selenium	20400		ng/l	20000		102	90-110			
Thallium	495		ng/l	500.00		99.1	90-110			
Vanadium	20200		ng/l	20000		101	90-110			
Zinc	511000		ng/l	500000		102	90-110			

### Calibration Check (2402012-CCV3)

Prepared & Analyzed: 02/07/24

Antimony	20400		ng/l	20000		102	90-110			
Arsenic	20200		ng/l	20000		101	90-110			
Barium	207000		ng/l	200000		103	90-110			
Beryllium	4670		ng/l	5000.0		93.3	90-110			
Cadmium	20400		ng/l	20000		102	90-110			
Chromium	246000		ng/l	240000		102	90-110			
Cobalt	49600		ng/l	50000		99.2	90-110			
Copper	2.07E6		ng/l	2.0000E6		104	90-110			
Lead	201000		ng/l	200000		100	90-110			
Manganese	513000		ng/l	500000		103	90-110			
Molybdenum	51200		ng/l	50000		102	90-110			
Nickel	121000		ng/l	120000		101	90-110			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

## Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2402012 - B4B0704

### Calibration Check (2402012-CCV3) Contin

Prepared & Analyzed: 02/07/24

Selenium	20300		ng/l	20000		102	90-110			
Thallium	480		ng/l	500.00		96.0	90-110			
Vanadium	20000		ng/l	20000		99.8	90-110			
Zinc	508000		ng/l	500000		102	90-110			

### Calibration Check (2402012-CCV4)

Prepared: 02/07/24 Analyzed: 02/08/24

Antimony	20700		ng/l	20000		103	90-110			
Arsenic	20600		ng/l	20000		103	90-110			
Barium	211000		ng/l	200000		105	90-110			
Beryllium	4780		ng/l	5000.0		95.6	90-110			
Cadmium	20900		ng/l	20000		105	90-110			
Chromium	252000		ng/l	240000		105	90-110			
Cobalt	50800		ng/l	50000		102	90-110			
Copper	2.11E6		ng/l	2.0000E6		106	90-110			
Lead	205000		ng/l	200000		102	90-110			
Manganese	531000		ng/l	500000		106	90-110			
Molybdenum	52100		ng/l	50000		104	90-110			
Nickel	124000		ng/l	120000		103	90-110			
Selenium	20600		ng/l	20000		103	90-110			
Thallium	486		ng/l	500.00		97.3	90-110			
Vanadium	20300		ng/l	20000		102	90-110			
Zinc	520000		ng/l	500000		104	90-110			

### High Cal Check (2402012-HCV1)

Prepared & Analyzed: 02/07/24

Antimony	39800		ng/l	40000		99.6	95-105			
Arsenic	39400		ng/l	40000		98.5	95-105			
Barium	405000		ng/l	400000		101	95-105			
Beryllium	10400		ng/l	10000		104	95-105			
Cadmium	39200		ng/l	40000		98.1	95-105			
Chromium	463000		ng/l	480000		96.5	95-105			
Cobalt	97500		ng/l	100000		97.5	95-105			
Copper	3.86E6		ng/l	4.0000E6		96.4	95-105			
Lead	394000		ng/l	400000		98.6	95-105			
Manganese	972000		ng/l	1.0000E6		97.2	95-105			
Molybdenum	99100		ng/l	100000		99.1	95-105			
Nickel	232000		ng/l	240000		96.8	95-105			
Selenium	39500		ng/l	40000		98.8	95-105			
Thallium	986		ng/l	1000.0		98.6	95-105			
Vanadium	39500		ng/l	40000		98.6	95-105			
Zinc	968000		ng/l	1.0000E6		96.8	95-105			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

## Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2402012 - B4B0704

### Initial Cal Blank (2402012-ICB1)

Prepared & Analyzed: 02/07/24

Antimony	0.960		ng/l							
Arsenic	2.10		ng/l							
Barium	1.60		ng/l							
Beryllium	0.0676		ng/l							
Cadmium	0.198		ng/l							
Chromium	3.43		ng/l							
Cobalt	0.288		ng/l							
Copper	59.0		ng/l							
Lead	4.89		ng/l							
Manganese	8.18		ng/l							
Molybdenum	6.54		ng/l							
Nickel	-0.111		ng/l							U
Selenium	18.8		ng/l							
Thallium	1.09		ng/l							
Vanadium	-68.1		ng/l							U
Zinc	-11.1		ng/l							U

### Initial Cal Check (2402012-ICV1)

Prepared & Analyzed: 02/07/24

Antimony	19400		ng/l	20000		96.9	90-110			
Arsenic	19600		ng/l	20000		98.2	90-110			
Barium	198000		ng/l	200000		98.9	90-110			
Beryllium	5250		ng/l	5000.0		105	90-110			
Cadmium	20100		ng/l	20000		101	90-110			
Chromium	232000		ng/l	240000		96.5	90-110			
Cobalt	48600		ng/l	50000		97.3	90-110			
Copper	1.96E6		ng/l	2.0000E6		97.9	90-110			
Lead	191000		ng/l	200000		95.3	90-110			
Manganese	472000		ng/l	500000		94.4	90-110			
Molybdenum	48900		ng/l	50000		97.7	90-110			
Nickel	116000		ng/l	120000		96.4	90-110			
Selenium	20500		ng/l	20000		102	90-110			
Thallium	497		ng/l	500.00		99.3	90-110			
Vanadium	19600		ng/l	20000		97.8	90-110			
Zinc	490000		ng/l	500000		97.9	90-110			

### Interference Check A (2402012-IFA1)

Prepared & Analyzed: 02/07/24

Antimony	0.00		ng/l				80-120			U
Arsenic	0.00		ng/l				80-120			U
Barium	0.00		ng/l				80-120			U
Beryllium	0.00		ng/l				80-120			U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

## Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2402012 - B4B0704

### Interference Check A (2402012-IFA1) Coi

Prepared & Analyzed: 02/07/24

Cadmium	0.00		ng/l				80-120			U
Chromium	0.00		ng/l				80-120			U
Cobalt	0.00		ng/l				80-120			U
Copper	0.00		ng/l				80-120			U
Lead	0.00		ng/l				80-120			U
Manganese	0.00		ng/l				80-120			U
Molybdenum	332000		ng/l	300000		111	80-120			
Nickel	0.00		ng/l				80-120			U
Selenium	0.00		ng/l				80-120			U
Thallium	0.00		ng/l				80-120			U
Vanadium	0.00		ng/l				80-120			U
Zinc	0.00		ng/l				80-120			U

### Interference Check B (2402012-IFB1)

Prepared & Analyzed: 02/07/24

Antimony	21000		ng/l	20000		105	80-120			
Arsenic	20800		ng/l	20000		104	80-120			
Barium	212000		ng/l	200000		106	80-120			
Beryllium	4470		ng/l	5000.0		89.5	80-120			
Cadmium	20400		ng/l	20000		102	80-120			
Chromium	239000		ng/l	240000		99.4	80-120			
Cobalt	50400		ng/l	50000		101	80-120			
Copper	1.94E6		ng/l	2.0000E6		97.2	80-120			
Lead	211000		ng/l	200000		105	80-120			
Manganese	522000		ng/l	500000		104	80-120			
Molybdenum	392000		ng/l	350000		112	80-120			
Nickel	118000		ng/l	120000		98.5	80-120			
Selenium	19300		ng/l	20000		96.7	80-120			
Thallium	527		ng/l	500.00		105	80-120			
Vanadium	19600		ng/l	20000		97.8	80-120			
Zinc	469000		ng/l	500000		93.8	80-120			

Batch 2402018 - B4B0801

### Calibration Blank (2402018-CCB1)

Prepared & Analyzed: 02/08/24

Antimony	0.0501		ng/l							
Arsenic	1.50		ng/l							
Barium	1.16		ng/l							
Beryllium	0.0483		ng/l							
Cadmium	0.264		ng/l							
Chromium	0.836		ng/l							
Cobalt	-0.00629		ng/l							U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

## Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2402018 - B4B0801

### Calibration Blank (2402018-CCB1) Contin

Prepared & Analyzed: 02/08/24

Copper	48.2		ng/l							
Lead	1.00		ng/l							
Manganese	0.440		ng/l							
Molybdenum	9.64		ng/l							
Nickel	1.10		ng/l							
Selenium	10.8		ng/l							
Thallium	1.14		ng/l							
Vanadium	-50.9		ng/l							U
Zinc	-1.95		ng/l							U

### Calibration Blank (2402018-CCB2)

Prepared & Analyzed: 02/08/24

Antimony	-0.0694		ng/l							U
Arsenic	2.55		ng/l							
Barium	-4.70		ng/l							U
Beryllium	-0.133		ng/l							U
Cadmium	-0.663		ng/l							U
Chromium	-4.91		ng/l							U
Cobalt	-1.19		ng/l							U
Copper	-40.5		ng/l							U
Lead	-4.68		ng/l							U
Manganese	-10.3		ng/l							U
Molybdenum	1.83		ng/l							
Nickel	-2.28		ng/l							U
Selenium	12.1		ng/l							
Thallium	0.799		ng/l							
Vanadium	-54.2		ng/l							U
Zinc	-141		ng/l							U

### Calibration Blank (2402018-CCB3)

Prepared & Analyzed: 02/08/24

Antimony	-0.245		ng/l							U
Arsenic	-0.117		ng/l							U
Barium	-4.89		ng/l							U
Beryllium	-0.106		ng/l							U
Cadmium	-0.763		ng/l							U
Chromium	-4.38		ng/l							U
Cobalt	-1.05		ng/l							U
Copper	-45.2		ng/l							U
Lead	-4.95		ng/l							U
Manganese	-9.67		ng/l							U
Molybdenum	1.04		ng/l							

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

## Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2402018 - B4B0801

### Calibration Blank (2402018-CCB3) Contin

Prepared & Analyzed: 02/08/24

Nickel	-2.32		ng/l							U
Selenium	8.50		ng/l							
Thallium	0.718		ng/l							
Vanadium	-59.7		ng/l							U
Zinc	-161		ng/l							U

### Calibration Blank (2402018-CCB4)

Prepared: 02/08/24 Analyzed: 02/09/24

Antimony	0.0376		ng/l							
Arsenic	1.73		ng/l							
Barium	-5.19		ng/l							U
Beryllium	-0.00813		ng/l							U
Cadmium	-0.660		ng/l							U
Chromium	-4.27		ng/l							U
Cobalt	-0.945		ng/l							U
Copper	-29.8		ng/l							U
Lead	-3.93		ng/l							U
Manganese	-6.31		ng/l							U
Molybdenum	2.14		ng/l							
Nickel	-2.20		ng/l							U
Selenium	10.2		ng/l							
Thallium	0.781		ng/l							
Vanadium	-59.3		ng/l							U
Zinc	-140		ng/l							U

### Calibration Check (2402018-CCV1)

Prepared & Analyzed: 02/08/24

Antimony	19900		ng/l	20000		99.6	90-110			
Arsenic	20000		ng/l	20000		99.9	90-110			
Barium	200000		ng/l	200000		99.9	90-110			
Beryllium	5230		ng/l	5000.0		105	90-110			
Cadmium	19900		ng/l	20000		99.7	90-110			
Chromium	239000		ng/l	240000		99.6	90-110			
Cobalt	50100		ng/l	50000		100	90-110			
Copper	2.01E6		ng/l	2.0000E6		100	90-110			
Lead	197000		ng/l	200000		98.7	90-110			
Manganese	489000		ng/l	500000		97.8	90-110			
Molybdenum	48900		ng/l	50000		97.9	90-110			
Nickel	121000		ng/l	120000		100	90-110			
Selenium	20000		ng/l	20000		99.9	90-110			
Thallium	497		ng/l	500.00		99.4	90-110			
Vanadium	19400		ng/l	20000		97.2	90-110			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

## Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2402018 - B4B0801

### Calibration Check (2402018-CCV1) Contin

Prepared & Analyzed: 02/08/24

Zinc	508000		ng/l	500000		102	90-110			
------	--------	--	------	--------	--	-----	--------	--	--	--

### Calibration Check (2402018-CCV2)

Prepared & Analyzed: 02/08/24

Antimony	19900		ng/l	20000		99.4	90-110			
Arsenic	20000		ng/l	20000		99.9	90-110			
Barium	200000		ng/l	200000		99.8	90-110			
Beryllium	5110		ng/l	5000.0		102	90-110			
Cadmium	19900		ng/l	20000		99.4	90-110			
Chromium	235000		ng/l	240000		97.8	90-110			
Cobalt	49300		ng/l	50000		98.6	90-110			
Copper	2.01E6		ng/l	2.0000E6		101	90-110			
Lead	199000		ng/l	200000		99.3	90-110			
Manganese	491000		ng/l	500000		98.2	90-110			
Molybdenum	49000		ng/l	50000		98.1	90-110			
Nickel	119000		ng/l	120000		99.5	90-110			
Selenium	20200		ng/l	20000		101	90-110			
Thallium	487		ng/l	500.00		97.5	90-110			
Vanadium	19600		ng/l	20000		97.8	90-110			
Zinc	512000		ng/l	500000		102	90-110			

### Calibration Check (2402018-CCV3)

Prepared & Analyzed: 02/08/24

Antimony	20100		ng/l	20000		101	90-110			
Arsenic	20100		ng/l	20000		101	90-110			
Barium	198000		ng/l	200000		99.2	90-110			
Beryllium	5090		ng/l	5000.0		102	90-110			
Cadmium	20100		ng/l	20000		101	90-110			
Chromium	250000		ng/l	240000		104	90-110			
Cobalt	49600		ng/l	50000		99.2	90-110			
Copper	2.02E6		ng/l	2.0000E6		101	90-110			
Lead	201000		ng/l	200000		100	90-110			
Manganese	495000		ng/l	500000		99.0	90-110			
Molybdenum	49200		ng/l	50000		98.4	90-110			
Nickel	120000		ng/l	120000		99.9	90-110			
Selenium	20300		ng/l	20000		102	90-110			
Thallium	489		ng/l	500.00		97.8	90-110			
Vanadium	19700		ng/l	20000		98.3	90-110			
Zinc	517000		ng/l	500000		103	90-110			

### Calibration Check (2402018-CCV4)

Prepared & Analyzed: 02/08/24

Antimony	20100		ng/l	20000		101	90-110			
Arsenic	20100		ng/l	20000		100	90-110			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

## Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2402018 - B4B0801

### Calibration Check (2402018-CCV4) Contin

Prepared & Analyzed: 02/08/24

Barium	199000		ng/l	200000		99.5	90-110			
Beryllium	4770		ng/l	5000.0		95.5	90-110			
Cadmium	20200		ng/l	20000		101	90-110			
Chromium	239000		ng/l	240000		99.6	90-110			
Cobalt	49400		ng/l	50000		98.8	90-110			
Copper	2.02E6		ng/l	2.0000E6		101	90-110			
Lead	201000		ng/l	200000		100	90-110			
Manganese	498000		ng/l	500000		99.6	90-110			
Molybdenum	49200		ng/l	50000		98.4	90-110			
Nickel	120000		ng/l	120000		99.9	90-110			
Selenium	20700		ng/l	20000		103	90-110			
Thallium	488		ng/l	500.00		97.7	90-110			
Vanadium	19800		ng/l	20000		99.0	90-110			
Zinc	517000		ng/l	500000		103	90-110			

### High Cal Check (2402018-HCV1)

Prepared & Analyzed: 02/08/24

Antimony	39200		ng/l	40000		97.9	95-105			
Arsenic	39000		ng/l	40000		97.4	95-105			
Barium	388000		ng/l	400000		97.0	95-105			
Beryllium	9730		ng/l	10000		97.3	95-105			
Cadmium	39000		ng/l	40000		97.4	95-105			
Chromium	461000		ng/l	480000		96.1	95-105			
Cobalt	96300		ng/l	100000		96.3	95-105			
Copper	3.83E6		ng/l	4.0000E6		95.8	95-105			
Lead	390000		ng/l	400000		97.6	95-105			
Manganese	956000		ng/l	1.0000E6		95.6	95-105			
Molybdenum	96600		ng/l	100000		96.6	95-105			
Nickel	230000		ng/l	240000		96.0	95-105			
Selenium	39000		ng/l	40000		97.5	95-105			
Thallium	972		ng/l	1000.0		97.2	95-105			
Vanadium	38800		ng/l	40000		96.9	95-105			
Zinc	987000		ng/l	1.0000E6		98.7	95-105			

### Initial Cal Blank (2402018-ICB1)

Prepared & Analyzed: 02/08/24

Antimony	0.233		ng/l							
Arsenic	-2.33		ng/l							U
Barium	0.434		ng/l							
Beryllium	0.0631		ng/l							
Cadmium	0.222		ng/l							
Chromium	1.60		ng/l							

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

## Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2402018 - B4B0801

### Initial Cal Blank (2402018-ICB1) Continuum

Prepared & Analyzed: 02/08/24

Cobalt	0.168		ng/l							
Copper	51.8		ng/l							
Lead	0.902		ng/l							
Manganese	3.09		ng/l							
Molybdenum	5.89		ng/l							
Nickel	1.71		ng/l							
Selenium	4.50		ng/l							
Thallium	1.04		ng/l							
Vanadium	-59.8		ng/l							U
Zinc	-8.83		ng/l							U

### Initial Cal Check (2402018-ICV1)

Prepared & Analyzed: 02/08/24

Antimony	19900		ng/l	20000		99.5	90-110			
Arsenic	20000		ng/l	20000		100	90-110			
Barium	200000		ng/l	200000		99.8	90-110			
Beryllium	4980		ng/l	5000.0		99.5	90-110			
Cadmium	20800		ng/l	20000		104	90-110			
Chromium	246000		ng/l	240000		103	90-110			
Cobalt	49800		ng/l	50000		99.7	90-110			
Copper	2.01E6		ng/l	2.0000E6		100	90-110			
Lead	197000		ng/l	200000		98.7	90-110			
Manganese	485000		ng/l	500000		96.9	90-110			
Molybdenum	49800		ng/l	50000		99.7	90-110			
Nickel	119000		ng/l	120000		99.5	90-110			
Selenium	20700		ng/l	20000		104	90-110			
Thallium	512		ng/l	500.00		102	90-110			
Vanadium	20100		ng/l	20000		100	90-110			
Zinc	514000		ng/l	500000		103	90-110			

### Interference Check A (2402018-IFA1)

Prepared & Analyzed: 02/08/24

Antimony	0.00		ng/l				80-120			U
Arsenic	0.00		ng/l				80-120			U
Barium	0.00		ng/l				80-120			U
Beryllium	0.00		ng/l				80-120			U
Cadmium	0.00		ng/l				80-120			U
Chromium	0.00		ng/l				80-120			U
Cobalt	0.00		ng/l				80-120			U
Copper	0.00		ng/l				80-120			U
Lead	0.00		ng/l				80-120			U
Manganese	0.00		ng/l				80-120			U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

## Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2402018 - B4B0801

### Interference Check A (2402018-IFA1) Co

Prepared & Analyzed: 02/08/24

Molybdenum	301000		ng/l	300000		100	80-120			
Nickel	0.00		ng/l				80-120			U
Selenium	0.00		ng/l				80-120			U
Thallium	0.00		ng/l				80-120			U
Vanadium	0.00		ng/l				80-120			U
Zinc	0.00		ng/l				80-120			U

### Interference Check B (2402018-IFB1)

Prepared & Analyzed: 02/08/24

Antimony	20200		ng/l	20000		101	80-120			
Arsenic	20200		ng/l	20000		101	80-120			
Barium	199000		ng/l	200000		99.5	80-120			
Beryllium	5300		ng/l	5000.0		106	80-120			
Cadmium	19600		ng/l	20000		97.8	80-120			
Chromium	231000		ng/l	240000		96.2	80-120			
Cobalt	48100		ng/l	50000		96.2	80-120			
Copper	1.87E6		ng/l	2.0000E6		93.3	80-120			
Lead	203000		ng/l	200000		102	80-120			
Manganese	497000		ng/l	500000		99.3	80-120			
Molybdenum	350000		ng/l	350000		100	80-120			
Nickel	113000		ng/l	120000		94.2	80-120			
Selenium	19100		ng/l	20000		95.6	80-120			
Thallium	514		ng/l	500.00		103	80-120			
Vanadium	18800		ng/l	20000		94.1	80-120			
Zinc	464000		ng/l	500000		92.9	80-120			

Batch 2402024 - B4B0801

### Calibration Blank (2402024-CCB1)

Prepared & Analyzed: 02/09/24

Antimony	0.866		ng/l							
Arsenic	0.781		ng/l							
Barium	-0.301		ng/l							U
Beryllium	-0.0319		ng/l							U
Cadmium	0.0307		ng/l							
Chromium	1.20		ng/l							
Cobalt	0.137		ng/l							
Copper	72.6		ng/l							
Lead	1.57		ng/l							
Manganese	-0.235		ng/l							U
Molybdenum	9.83		ng/l							
Nickel	-0.797		ng/l							U
Selenium	10.0		ng/l							

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

## Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2402024 - B4B0801

### Calibration Blank (2402024-CCB1) Contin

Prepared & Analyzed: 02/09/24

Thallium	1.64		ng/l							QB-04
Vanadium	-46.1		ng/l							U
Zinc	-7.34		ng/l							U

### Calibration Blank (2402024-CCB2)

Prepared & Analyzed: 02/09/24

Antimony	0.788		ng/l							
Arsenic	1.32		ng/l							
Barium	2.30		ng/l							
Beryllium	0.176		ng/l							
Cadmium	0.0546		ng/l							
Chromium	3.46		ng/l							
Cobalt	0.198		ng/l							
Copper	24.5		ng/l							
Lead	1.93		ng/l							
Manganese	1.78		ng/l							
Molybdenum	2.95		ng/l							
Nickel	0.228		ng/l							
Selenium	9.00		ng/l							
Thallium	1.00		ng/l							
Vanadium	-48.0		ng/l							U
Zinc	-62.3		ng/l							U

### Calibration Blank (2402024-CCB3)

Prepared: 02/09/24 Analyzed: 02/10/24

Antimony	0.634		ng/l							
Arsenic	3.46		ng/l							
Barium	0.712		ng/l							
Beryllium	0.0665		ng/l							
Cadmium	0.0514		ng/l							
Chromium	0.872		ng/l							
Cobalt	-0.0906		ng/l							U
Copper	42.0		ng/l							
Lead	1.52		ng/l							
Manganese	-0.594		ng/l							U
Molybdenum	4.88		ng/l							
Nickel	0.240		ng/l							
Selenium	7.54		ng/l							
Thallium	1.26		ng/l							
Vanadium	-53.6		ng/l							U
Zinc	-64.3		ng/l							U

### Calibration Blank (2402024-CCB4)

Prepared: 02/09/24 Analyzed: 02/10/24

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

## Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2402024 - B4B0801

### Calibration Blank (2402024-CCB4) Contin

Prepared: 02/09/24 Analyzed: 02/10/24

Antimony	0.521		ng/l							
Arsenic	-0.503		ng/l							U
Barium	1.14		ng/l							
Beryllium	0.0693		ng/l							
Cadmium	0.0886		ng/l							
Chromium	2.67		ng/l							
Cobalt	0.238		ng/l							
Copper	31.5		ng/l							
Lead	1.81		ng/l							
Manganese	0.754		ng/l							
Molybdenum	3.33		ng/l							
Nickel	1.02		ng/l							
Selenium	5.83		ng/l							
Thallium	0.888		ng/l							
Vanadium	-47.8		ng/l							U
Zinc	-52.8		ng/l							U

### Calibration Check (2402024-CCV1)

Prepared & Analyzed: 02/09/24

Antimony	20200		ng/l	20000		101	90-110			
Arsenic	20100		ng/l	20000		100	90-110			
Barium	199000		ng/l	200000		99.6	90-110			
Beryllium	4790		ng/l	5000.0		95.8	90-110			
Cadmium	19900		ng/l	20000		99.6	90-110			
Chromium	234000		ng/l	240000		97.6	90-110			
Cobalt	50200		ng/l	50000		100	90-110			
Copper	2.01E6		ng/l	2.0000E6		100	90-110			
Lead	200000		ng/l	200000		100	90-110			
Manganese	492000		ng/l	500000		98.3	90-110			
Molybdenum	49400		ng/l	50000		98.7	90-110			
Nickel	120000		ng/l	120000		99.9	90-110			
Selenium	19800		ng/l	20000		99.2	90-110			
Thallium	498		ng/l	500.00		99.7	90-110			
Vanadium	19700		ng/l	20000		98.4	90-110			
Zinc	527000		ng/l	500000		105	90-110			

### Calibration Check (2402024-CCV2)

Prepared & Analyzed: 02/09/24

Antimony	20100		ng/l	20000		101	90-110			
Arsenic	20000		ng/l	20000		99.9	90-110			
Barium	201000		ng/l	200000		100	90-110			
Beryllium	4910		ng/l	5000.0		98.3	90-110			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

## Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2402024 - B4B0801

### Calibration Check (2402024-CCV2) Contin

Prepared & Analyzed: 02/09/24

Cadmium	20100		ng/l	20000		101	90-110			
Chromium	249000		ng/l	240000		104	90-110			
Cobalt	49600		ng/l	50000		99.1	90-110			
Copper	2.01E6		ng/l	2.0000E6		101	90-110			
Lead	202000		ng/l	200000		101	90-110			
Manganese	490000		ng/l	500000		98.0	90-110			
Molybdenum	50100		ng/l	50000		100	90-110			
Nickel	120000		ng/l	120000		99.7	90-110			
Selenium	20200		ng/l	20000		101	90-110			
Thallium	496		ng/l	500.00		99.1	90-110			
Vanadium	19900		ng/l	20000		99.7	90-110			
Zinc	527000		ng/l	500000		105	90-110			

### Calibration Check (2402024-CCV3)

Prepared: 02/09/24 Analyzed: 02/10/24

Antimony	20400		ng/l	20000		102	90-110			
Arsenic	20300		ng/l	20000		101	90-110			
Barium	205000		ng/l	200000		102	90-110			
Beryllium	5000		ng/l	5000.0		100	90-110			
Cadmium	20600		ng/l	20000		103	90-110			
Chromium	264000		ng/l	240000		110	90-110			
Cobalt	50800		ng/l	50000		102	90-110			
Copper	2.08E6		ng/l	2.0000E6		104	90-110			
Lead	203000		ng/l	200000		102	90-110			
Manganese	501000		ng/l	500000		100	90-110			
Molybdenum	52000		ng/l	50000		104	90-110			
Nickel	122000		ng/l	120000		102	90-110			
Selenium	20000		ng/l	20000		100	90-110			
Thallium	497		ng/l	500.00		99.5	90-110			
Vanadium	20300		ng/l	20000		101	90-110			
Zinc	535000		ng/l	500000		107	90-110			

### Calibration Check (2402024-CCV4)

Prepared: 02/09/24 Analyzed: 02/10/24

Antimony	20400		ng/l	20000		102	90-110			
Arsenic	20200		ng/l	20000		101	90-110			
Barium	197000		ng/l	200000		98.4	90-110			
Beryllium	4940		ng/l	5000.0		98.8	90-110			
Cadmium	20400		ng/l	20000		102	90-110			
Chromium	250000		ng/l	240000		104	90-110			
Cobalt	50600		ng/l	50000		101	90-110			
Copper	2.09E6		ng/l	2.0000E6		104	90-110			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
1777 Sentry Pkwy, Bldg 12  
Blue Bell, PA 19422

ATTN: Ms. Chelsea Saber  
PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
REPORTED: 02/13/24 16:40  
SUBMITTED: 02/05/24  
AQS SITE CODE:  
SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

## Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2402024 - B4B0801

### Calibration Check (2402024-CCV4) Contin

Prepared: 02/09/24 Analyzed: 02/10/24

Lead	203000		ng/l	200000		101	90-110			
Manganese	503000		ng/l	500000		101	90-110			
Molybdenum	49900		ng/l	50000		99.8	90-110			
Nickel	123000		ng/l	120000		102	90-110			
Selenium	20100		ng/l	20000		100	90-110			
Thallium	490		ng/l	500.00		97.9	90-110			
Vanadium	20100		ng/l	20000		100	90-110			
Zinc	535000		ng/l	500000		107	90-110			

### High Cal Check (2402024-HCV1)

Prepared & Analyzed: 02/09/24

Antimony	39600		ng/l	40000		99.1	95-105			
Arsenic	39400		ng/l	40000		98.4	95-105			
Barium	395000		ng/l	400000		98.7	95-105			
Beryllium	10300		ng/l	10000		103	95-105			
Cadmium	38700		ng/l	40000		96.9	95-105			
Chromium	458000		ng/l	480000		95.4	95-105			
Cobalt	96400		ng/l	100000		96.4	95-105			
Copper	3.82E6		ng/l	4.0000E6		95.4	95-105			
Lead	395000		ng/l	400000		98.7	95-105			
Manganese	959000		ng/l	1.0000E6		95.9	95-105			
Molybdenum	96500		ng/l	100000		96.5	95-105			
Nickel	230000		ng/l	240000		95.7	95-105			
Selenium	39300		ng/l	40000		98.2	95-105			
Thallium	995		ng/l	1000.0		99.5	95-105			
Vanadium	39000		ng/l	40000		97.4	95-105			
Zinc	1.02E6		ng/l	1.0000E6		102	95-105			

### Initial Cal Blank (2402024-ICB1)

Prepared & Analyzed: 02/09/24

Antimony	0.646		ng/l							
Arsenic	-1.20		ng/l							U
Barium	0.366		ng/l							
Beryllium	0.0725		ng/l							
Cadmium	0.114		ng/l							
Chromium	0.835		ng/l							
Cobalt	0.288		ng/l							
Copper	77.4		ng/l							
Lead	2.01		ng/l							
Manganese	1.07		ng/l							
Molybdenum	4.14		ng/l							
Nickel	0.846		ng/l							

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
1777 Sentry Pkwy, Bldg 12  
Blue Bell, PA 19422

ATTN: Ms. Chelsea Saber  
PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
REPORTED: 02/13/24 16:40  
SUBMITTED: 02/05/24  
AQS SITE CODE:  
SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

### Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2402024 - B4B0801

#### Initial Cal Blank (2402024-ICB1) Continuu

Prepared & Analyzed: 02/09/24

Selenium	1.39		ng/l							
Thallium	1.18		ng/l							
Vanadium	-50.0		ng/l							U
Zinc	-27.9		ng/l							U

#### Initial Cal Check (2402024-ICV1)

Prepared & Analyzed: 02/09/24

Antimony	19900		ng/l	20000		99.6	90-110			
Arsenic	20200		ng/l	20000		101	90-110			
Barium	199000		ng/l	200000		99.5	90-110			
Beryllium	4830		ng/l	5000.0		96.6	90-110			
Cadmium	20600		ng/l	20000		103	90-110			
Chromium	247000		ng/l	240000		103	90-110			
Cobalt	50100		ng/l	50000		100	90-110			
Copper	2.02E6		ng/l	2.0000E6		101	90-110			
Lead	197000		ng/l	200000		98.7	90-110			
Manganese	485000		ng/l	500000		97.1	90-110			
Molybdenum	50200		ng/l	50000		100	90-110			
Nickel	119000		ng/l	120000		99.4	90-110			
Selenium	20700		ng/l	20000		104	90-110			
Thallium	523		ng/l	500.00		105	90-110			
Vanadium	20200		ng/l	20000		101	90-110			
Zinc	531000		ng/l	500000		106	90-110			

#### Interference Check A (2402024-IFA1)

Prepared & Analyzed: 02/09/24

Antimony	0.00		ng/l				80-120			U
Arsenic	0.00		ng/l				80-120			U
Barium	0.00		ng/l				80-120			U
Beryllium	0.00		ng/l				80-120			U
Cadmium	0.00		ng/l				80-120			U
Chromium	0.00		ng/l				80-120			U
Cobalt	0.00		ng/l				80-120			U
Copper	0.00		ng/l				80-120			U
Lead	0.00		ng/l				80-120			U
Manganese	0.00		ng/l				80-120			U
Molybdenum	305000		ng/l	300000		102	80-120			
Nickel	0.00		ng/l				80-120			U
Selenium	0.00		ng/l				80-120			U
Thallium	0.00		ng/l				80-120			U
Vanadium	0.00		ng/l				80-120			U
Zinc	0.00		ng/l				80-120			U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

## Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2402024 - B4B0801

### Interference Check B (2402024-IFB1)

Prepared & Analyzed: 02/09/24

Antimony	21000		ng/l	20000		105	80-120			
Arsenic	20800		ng/l	20000		104	80-120			
Barium	205000		ng/l	200000		102	80-120			
Beryllium	4790		ng/l	5000.0		95.7	80-120			
Cadmium	20100		ng/l	20000		100	80-120			
Chromium	228000		ng/l	240000		95.1	80-120			
Cobalt	49400		ng/l	50000		98.8	80-120			
Copper	1.91E6		ng/l	2.0000E6		95.5	80-120			
Lead	208000		ng/l	200000		104	80-120			
Manganese	509000		ng/l	500000		102	80-120			
Molybdenum	357000		ng/l	350000		102	80-120			
Nickel	115000		ng/l	120000		96.1	80-120			
Selenium	19700		ng/l	20000		98.3	80-120			
Thallium	529		ng/l	500.00		106	80-120			
Vanadium	19200		ng/l	20000		96.2	80-120			
Zinc	490000		ng/l	500000		98.0	80-120			

Batch B4B0704 - ICP-MS Extraction

### Blank (B4B0704-BLK1)

Prepared & Analyzed: 02/07/24

Antimony	ND	0.0386	ng/m <sup>3</sup> Air							SL, U
Arsenic	ND	0.00937	ng/m <sup>3</sup> Air							U
Barium	ND	1.07	ng/m <sup>3</sup> Air							U
Beryllium	ND	0.00320	ng/m <sup>3</sup> Air							U
Cadmium	ND	0.0793	ng/m <sup>3</sup> Air							U
Chromium	ND	2.21	ng/m <sup>3</sup> Air							U
Cobalt	ND	0.0436	ng/m <sup>3</sup> Air							U
Copper	ND	2.63	ng/m <sup>3</sup> Air							U
Lead	ND	0.214	ng/m <sup>3</sup> Air							U
Manganese	ND	1.89	ng/m <sup>3</sup> Air							U
Molybdenum	ND	0.359	ng/m <sup>3</sup> Air							U
Nickel	ND	0.652	ng/m <sup>3</sup> Air							U
Selenium	ND	0.00896	ng/m <sup>3</sup> Air							U
Thallium	7.20E-4	5.89E-4	ng/m <sup>3</sup> Air							B, QB-01, QB-04
Vanadium	ND	0.0529	ng/m <sup>3</sup> Air							U
Zinc	ND	76.8	ng/m <sup>3</sup> Air							U

### LCS (B4B0704-BS1)

Prepared & Analyzed: 02/07/24

Antimony	0.642	0.0386	ng/m <sup>3</sup> Air	1.3829		46.4	80-120			SL
Arsenic	2.68	0.00937	ng/m <sup>3</sup> Air	2.7658		97.0	80-120			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

## Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B4B0704 - ICP-MS Extraction

### LCS (B4B0704-BS1) Continued

Prepared & Analyzed: 02/07/24

Barium	27.5	1.07	ng/m <sup>3</sup> Air	27.658		99.3	80-120			
Beryllium	1.38	0.00320	ng/m <sup>3</sup> Air	1.3829		99.8	80-120			
Cadmium	1.36	0.0793	ng/m <sup>3</sup> Air	1.3829		98.5	80-120			
Chromium	15.5	2.21	ng/m <sup>3</sup> Air	13.829		112	80-120			
Cobalt	1.39	0.0436	ng/m <sup>3</sup> Air	1.3829		101	80-120			
Copper	28.1	2.63	ng/m <sup>3</sup> Air	27.658		102	80-120			
Lead	13.4	0.214	ng/m <sup>3</sup> Air	13.829		96.9	80-120			
Manganese	8.42	1.89	ng/m <sup>3</sup> Air	8.2975		102	80-120			
Molybdenum	1.61	0.359	ng/m <sup>3</sup> Air	1.3829		116	80-120			
Nickel	3.01	0.652	ng/m <sup>3</sup> Air	2.7658		109	80-120			
Selenium	2.69	0.00896	ng/m <sup>3</sup> Air	2.7658		97.1	80-120			
Thallium	0.135	5.89E-4	ng/m <sup>3</sup> Air	0.13829		97.5	80-120			B, QB-01, QB-04
Vanadium	2.69	0.0529	ng/m <sup>3</sup> Air	2.7658		97.1	80-120			
Zinc	133	76.8	ng/m <sup>3</sup> Air	82.975		160	80-120			

### Duplicate (B4B0704-DUP1)

Source: 4020650-03

Prepared & Analyzed: 02/07/24

Antimony	0.0639	0.0319	ng/m <sup>3</sup> Air		0.0628			1.82	10	SL
Arsenic	0.0862	0.00775	ng/m <sup>3</sup> Air		0.0959			10.7	10	
Barium	1.78	0.885	ng/m <sup>3</sup> Air		1.75			1.89	10	
Beryllium	0.00635	0.00265	ng/m <sup>3</sup> Air		0.00633			0.166	10	
Cadmium	ND	0.0656	ng/m <sup>3</sup> Air		ND				10	U
Chromium	2.48	1.83	ng/m <sup>3</sup> Air		2.48			0.340	10	
Cobalt	0.249	0.0361	ng/m <sup>3</sup> Air		0.234			6.37	10	
Copper	46.0	2.18	ng/m <sup>3</sup> Air		45.6			1.00	10	
Lead	1.40	0.177	ng/m <sup>3</sup> Air		1.36			3.39	10	
Manganese	4.24	1.56	ng/m <sup>3</sup> Air		3.83			10.1	10	
Molybdenum	1.35	0.297	ng/m <sup>3</sup> Air		1.28			5.47	10	
Nickel	0.985	0.539	ng/m <sup>3</sup> Air		1.06			7.78	10	
Selenium	0.346	0.00741	ng/m <sup>3</sup> Air		0.335			3.12	10	
Thallium	6.89E-4	4.87E-4	ng/m <sup>3</sup> Air		6.24E-4			9.88	10	B, QB-01, QB-04
Vanadium	0.417	0.0438	ng/m <sup>3</sup> Air		0.379			9.62	10	
Zinc	ND	63.5	ng/m <sup>3</sup> Air		ND				10	U

### Duplicate (B4B0704-DUP2)

Source: 4020650-05

Prepared & Analyzed: 02/07/24

Antimony	0.0578	0.0309	ng/m <sup>3</sup> Air		0.0566			1.99	10	SL
Arsenic	0.390	0.00750	ng/m <sup>3</sup> Air		0.381			2.22	10	
Barium	2.19	0.857	ng/m <sup>3</sup> Air		2.11			3.77	10	
Beryllium	0.00272	0.00256	ng/m <sup>3</sup> Air		0.00290			6.37	10	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

## Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B4B0704 - ICP-MS Extraction

**Duplicate (B4B0704-DUP2) Continued** Source: 4020650-05 Prepared & Analyzed: 02/07/24

Cadmium	ND	0.0635	ng/m <sup>3</sup> Air	ND					10	U
Chromium	ND	1.77	ng/m <sup>3</sup> Air	ND					10	U
Cobalt	0.133	0.0349	ng/m <sup>3</sup> Air	0.129				2.64	10	
Copper	20.7	2.11	ng/m <sup>3</sup> Air	20.4				1.46	10	
Lead	0.245	0.171	ng/m <sup>3</sup> Air	0.242				1.38	10	
Manganese	2.63	1.51	ng/m <sup>3</sup> Air	2.55				3.03	10	
Molybdenum	1.11	0.287	ng/m <sup>3</sup> Air	1.07				3.08	10	
Nickel	0.746	0.522	ng/m <sup>3</sup> Air	0.732				1.94	10	
Selenium	0.112	0.00718	ng/m <sup>3</sup> Air	0.113				0.707	10	
Thallium	5.23E-4	4.72E-4	ng/m <sup>3</sup> Air	5.63E-4				7.35	10	B, QB-01, QB-04
Vanadium	0.253	0.0424	ng/m <sup>3</sup> Air	0.246				2.76	10	
Zinc	ND	61.5	ng/m <sup>3</sup> Air	ND					10	U

**Matrix Spike (B4B0704-MS1)** Source: 4020650-03 Prepared & Analyzed: 02/07/24

Antimony	0.737	0.0319	ng/m <sup>3</sup> Air	1.1439	0.0628	59.0	80-120			SL
Arsenic	2.37	0.00775	ng/m <sup>3</sup> Air	2.2878	0.0959	99.4	80-120			
Barium	24.8	0.885	ng/m <sup>3</sup> Air	22.878	1.75	101	80-120			
Beryllium	1.13	0.00265	ng/m <sup>3</sup> Air	1.1439	0.00633	97.8	80-120			
Cadmium	1.18	0.0656	ng/m <sup>3</sup> Air	1.1439	ND	103	80-120			
Chromium	14.0	1.83	ng/m <sup>3</sup> Air	11.439	2.48	101	80-120			
Cobalt	1.38	0.0361	ng/m <sup>3</sup> Air	1.1439	0.234	100	80-120			
Copper	59.6	2.18	ng/m <sup>3</sup> Air	22.878	45.6	61.4	80-120			QM-07
Lead	12.5	0.177	ng/m <sup>3</sup> Air	11.439	1.36	97.8	80-120			
Manganese	10.8	1.56	ng/m <sup>3</sup> Air	6.8635	3.83	102	80-120			
Molybdenum	2.46	0.297	ng/m <sup>3</sup> Air	1.1439	1.28	103	80-120			
Nickel	3.37	0.539	ng/m <sup>3</sup> Air	2.2878	1.06	101	80-120			
Selenium	2.57	0.00741	ng/m <sup>3</sup> Air	2.2878	0.335	97.6	80-120			
Thallium	0.115	4.87E-4	ng/m <sup>3</sup> Air	0.11439	6.24E-4	99.8	80-120			B, QB-01, QB-04
Vanadium	2.62	0.0438	ng/m <sup>3</sup> Air	2.2878	0.379	98.0	80-120			
Zinc	108	63.5	ng/m <sup>3</sup> Air	68.635	ND	157	80-120			

**Matrix Spike Dup (B4B0704-MSD1)** Source: 4020650-03 Prepared & Analyzed: 02/07/24

Antimony	0.728	0.0319	ng/m <sup>3</sup> Air	1.1439	0.0628	58.2	80-120	1.28	20	SL
Arsenic	2.32	0.00775	ng/m <sup>3</sup> Air	2.2878	0.0959	97.2	80-120	2.13	20	
Barium	24.5	0.885	ng/m <sup>3</sup> Air	22.878	1.75	99.6	80-120	1.04	20	
Beryllium	1.12	0.00265	ng/m <sup>3</sup> Air	1.1439	0.00633	97.0	80-120	0.844	20	
Cadmium	1.16	0.0656	ng/m <sup>3</sup> Air	1.1439	ND	102	80-120	1.47	20	
Chromium	13.8	1.83	ng/m <sup>3</sup> Air	11.439	2.48	99.1	80-120	1.54	20	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

## Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B4B0704 - ICP-MS Extraction

### Matrix Spike Dup (B4B0704-MSD1) Contisource: 4020650-03 Prepared & Analyzed: 02/07/24

Cobalt	1.35	0.0361	ng/m <sup>3</sup> Air	1.1439	0.234	97.9	80-120	1.83	20	
Copper	51.9	2.18	ng/m <sup>3</sup> Air	22.878	45.6	27.5	80-120	13.9	20	QM-07
Lead	12.0	0.177	ng/m <sup>3</sup> Air	11.439	1.36	93.1	80-120	4.44	20	
Manganese	10.7	1.56	ng/m <sup>3</sup> Air	6.8635	3.83	100	80-120	1.10	20	
Molybdenum	2.54	0.297	ng/m <sup>3</sup> Air	1.1439	1.28	110	80-120	3.10	20	
Nickel	3.12	0.539	ng/m <sup>3</sup> Air	2.2878	1.06	89.7	80-120	7.83	20	
Selenium	2.60	0.00741	ng/m <sup>3</sup> Air	2.2878	0.335	99.0	80-120	1.21	20	
Thallium	0.113	4.87E-4	ng/m <sup>3</sup> Air	0.11439	6.24E-4	98.5	80-120	1.25	20	B, QB-01, QB-04
Vanadium	2.59	0.0438	ng/m <sup>3</sup> Air	2.2878	0.379	96.6	80-120	1.27	20	
Zinc	99.3	63.5	ng/m <sup>3</sup> Air	68.635	ND	145	80-120	8.20	20	QM-07

### Post Spike (B4B0704-PS1) Source: 4020650-03 Prepared & Analyzed: 02/07/24

Antimony	0.294	0.0319	ng/m <sup>3</sup> Air	0.22878	0.0628	101	75-125			SL
Arsenic	1.22	0.00775	ng/m <sup>3</sup> Air	1.1439	0.0959	98.4	75-125			
Barium	4.03	0.885	ng/m <sup>3</sup> Air	2.2878	1.75	99.8	75-125			
Beryllium	0.238	0.00265	ng/m <sup>3</sup> Air	0.22878	0.00633	101	75-125			
Cadmium	0.125	0.0656	ng/m <sup>3</sup> Air	0.11439	ND	109	75-125			
Chromium	3.59	1.83	ng/m <sup>3</sup> Air	1.1439	2.48	97.1	75-125			
Cobalt	0.461	0.0361	ng/m <sup>3</sup> Air	0.22878	0.234	99.4	75-125			
Copper	57.6	2.18	ng/m <sup>3</sup> Air	11.439	45.6	105	75-125			
Lead	24.1	0.177	ng/m <sup>3</sup> Air	22.878	1.36	99.6	75-125			
Manganese	6.10	1.56	ng/m <sup>3</sup> Air	2.2878	3.83	99.1	75-125			
Molybdenum	2.40	0.297	ng/m <sup>3</sup> Air	1.1439	1.28	97.6	75-125			
Nickel	3.31	0.539	ng/m <sup>3</sup> Air	2.2878	1.06	98.1	75-125			
Selenium	1.45	0.00741	ng/m <sup>3</sup> Air	1.1439	0.335	97.3	75-125			
Thallium	0.0579	4.87E-4	ng/m <sup>3</sup> Air	5.7196E-2	6.24E-4	100	75-125			B, QB-01, QB-04
Vanadium	1.50	0.0438	ng/m <sup>3</sup> Air	1.1439	0.379	98.0	75-125			
Zinc	70.4	63.5	ng/m <sup>3</sup> Air	22.878	ND	308	75-125			

### Dilution Check (B4B0704-SRL1) Source: 4020650-03 Prepared & Analyzed: 02/07/24

Antimony	ND	0.160	ng/m <sup>3</sup> Air		ND			10		SL, U
Arsenic	0.104	0.0388	ng/m <sup>3</sup> Air		0.0959			7.85	10	
Barium	ND	4.43	ng/m <sup>3</sup> Air		ND				10	U
Beryllium	0.0143	0.0132	ng/m <sup>3</sup> Air		ND			77.0	10	
Cadmium	ND	0.328	ng/m <sup>3</sup> Air		ND				10	U
Chromium	ND	9.14	ng/m <sup>3</sup> Air		ND				10	U
Cobalt	0.237	0.180	ng/m <sup>3</sup> Air		0.234			1.53	10	
Copper	46.2	10.9	ng/m <sup>3</sup> Air		45.6			1.27	10	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

## Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B4B0704 - ICP-MS Extraction

### Dilution Check (B4B0704-SRL1) Continue Source: 4020650-03

Prepared & Analyzed: 02/07/24

Lead	1.37	0.885	ng/m <sup>3</sup> Air		1.36			0.947	10	
Manganese	ND	7.82	ng/m <sup>3</sup> Air		ND				10	U
Molybdenum	ND	1.48	ng/m <sup>3</sup> Air		ND				10	U
Nickel	ND	2.70	ng/m <sup>3</sup> Air		ND				10	U
Selenium	0.374	0.0371	ng/m <sup>3</sup> Air		0.335			11.0	10	SRD-01
Thallium	0.00443	0.00244	ng/m <sup>3</sup> Air		ND			151	10	B, QB-01, QB-04
Vanadium	0.366	0.219	ng/m <sup>3</sup> Air		0.379			3.56	10	
Zinc	ND	318	ng/m <sup>3</sup> Air		ND				10	U

Batch B4B0801 - ICP-MS Extraction

### Blank (B4B0801-BLK1)

Prepared & Analyzed: 02/08/24

Antimony	ND	0.0386	ng/m <sup>3</sup> Air							SL, U
Arsenic	ND	0.00937	ng/m <sup>3</sup> Air							U
Barium	ND	1.07	ng/m <sup>3</sup> Air							U
Beryllium	ND	0.00320	ng/m <sup>3</sup> Air							U
Cadmium	ND	0.0793	ng/m <sup>3</sup> Air							U
Chromium	ND	2.21	ng/m <sup>3</sup> Air							U
Cobalt	ND	0.0436	ng/m <sup>3</sup> Air							U
Copper	ND	2.63	ng/m <sup>3</sup> Air							U
Lead	ND	0.214	ng/m <sup>3</sup> Air							U
Manganese	ND	1.89	ng/m <sup>3</sup> Air							U
Molybdenum	ND	0.359	ng/m <sup>3</sup> Air							U
Nickel	ND	0.652	ng/m <sup>3</sup> Air							U
Selenium	ND	0.00896	ng/m <sup>3</sup> Air							U
Thallium	6.29E-4	5.89E-4	ng/m <sup>3</sup> Air							B, QB-01
Vanadium	ND	0.0529	ng/m <sup>3</sup> Air							U
Zinc	ND	76.8	ng/m <sup>3</sup> Air							U

### LCS (B4B0801-BS1)

Prepared & Analyzed: 02/08/24

Antimony	0.669	0.0386	ng/m <sup>3</sup> Air	1.3829		48.4	80-120			SL
Arsenic	2.69	0.00937	ng/m <sup>3</sup> Air	2.7658		97.2	80-120			
Barium	27.4	1.07	ng/m <sup>3</sup> Air	27.658		98.9	80-120			
Beryllium	1.35	0.00320	ng/m <sup>3</sup> Air	1.3829		97.6	80-120			
Cadmium	1.36	0.0793	ng/m <sup>3</sup> Air	1.3829		98.4	80-120			
Chromium	16.3	2.21	ng/m <sup>3</sup> Air	13.829		118	80-120			
Cobalt	1.37	0.0436	ng/m <sup>3</sup> Air	1.3829		99.2	80-120			
Copper	30.0	2.63	ng/m <sup>3</sup> Air	27.658		108	80-120			
Lead	13.6	0.214	ng/m <sup>3</sup> Air	13.829		98.0	80-120			
Manganese	8.68	1.89	ng/m <sup>3</sup> Air	8.2975		105	80-120			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

## Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B4B0801 - ICP-MS Extraction

### LCS (B4B0801-BS1) Continued

Prepared & Analyzed: 02/08/24

Molybdenum	1.60	0.359	ng/m <sup>3</sup> Air	1.3829		116	80-120			
Nickel	3.00	0.652	ng/m <sup>3</sup> Air	2.7658		108	80-120			
Selenium	2.74	0.00896	ng/m <sup>3</sup> Air	2.7658		98.9	80-120			
Thallium	0.133	5.89E-4	ng/m <sup>3</sup> Air	0.13829		96.5	80-120			B, QB-01
Vanadium	2.67	0.0529	ng/m <sup>3</sup> Air	2.7658		96.5	80-120			
Zinc	128	76.8	ng/m <sup>3</sup> Air	82.975		154	80-120			

### Duplicate (B4B0801-DUP1)

Source: 4020650-29

Prepared & Analyzed: 02/08/24

Antimony	0.203	0.0299	ng/m <sup>3</sup> Air		0.198			2.85	10	SL
Arsenic	0.326	0.00725	ng/m <sup>3</sup> Air		0.335			2.83	10	
Barium	5.95	0.828	ng/m <sup>3</sup> Air		5.85			1.64	10	
Beryllium	0.00786	0.00248	ng/m <sup>3</sup> Air		0.00802			2.04	10	
Cadmium	ND	0.0614	ng/m <sup>3</sup> Air		ND				10	U
Chromium	1.84	1.71	ng/m <sup>3</sup> Air		1.78			3.42	10	
Cobalt	0.229	0.0337	ng/m <sup>3</sup> Air		0.233			1.60	10	
Copper	38.7	2.04	ng/m <sup>3</sup> Air		39.8			2.64	10	
Lead	0.610	0.166	ng/m <sup>3</sup> Air		0.606			0.553	10	
Manganese	6.64	1.46	ng/m <sup>3</sup> Air		6.53			1.56	10	
Molybdenum	1.84	0.278	ng/m <sup>3</sup> Air		1.88			1.92	10	
Nickel	0.990	0.504	ng/m <sup>3</sup> Air		0.916			7.79	10	
Selenium	0.136	0.00693	ng/m <sup>3</sup> Air		0.145			6.61	10	
Thallium	6.71E-4	4.56E-4	ng/m <sup>3</sup> Air		7.90E-4			16.3	10	B, QB-01
Vanadium	0.675	0.0409	ng/m <sup>3</sup> Air		0.663			1.80	10	
Zinc	ND	59.4	ng/m <sup>3</sup> Air		ND				10	U

### Duplicate (B4B0801-DUP2)

Source: 4020650-19

Prepared: 02/08/24 Analyzed: 02/10/24

Antimony	0.104	0.0314	ng/m <sup>3</sup> Air		0.101			3.37	10	SL
Arsenic	1.70	0.00762	ng/m <sup>3</sup> Air		1.66			2.52	10	
Barium	5.56	0.871	ng/m <sup>3</sup> Air		5.48			1.42	10	
Beryllium	0.0176	0.00260	ng/m <sup>3</sup> Air		0.0187			6.60	10	
Cadmium	ND	0.0645	ng/m <sup>3</sup> Air		ND				10	U
Chromium	4.63	1.80	ng/m <sup>3</sup> Air		4.48			3.28	10	
Cobalt	1.02	0.0355	ng/m <sup>3</sup> Air		0.986			3.49	10	
Copper	37.9	2.14	ng/m <sup>3</sup> Air		36.6			3.35	10	
Lead	1.13	0.174	ng/m <sup>3</sup> Air		1.12			1.27	10	
Manganese	20.0	1.54	ng/m <sup>3</sup> Air		19.5			2.53	10	
Molybdenum	1.61	0.292	ng/m <sup>3</sup> Air		1.57			2.85	10	
Nickel	4.87	0.531	ng/m <sup>3</sup> Air		4.75			2.60	10	
Selenium	0.417	0.00729	ng/m <sup>3</sup> Air		0.424			1.81	10	
Thallium	0.00117	4.79E-4	ng/m <sup>3</sup> Air		0.00110			6.15	10	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

## Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B4B0801 - ICP-MS Extraction

**Duplicate (B4B0801-DUP2) Continued** Source: 4020650-19 Prepared: 02/08/24 Analyzed: 02/10/24

Vanadium	2.13	0.0430	ng/m <sup>3</sup> Air		2.08			2.49	10	
Zinc	ND	62.5	ng/m <sup>3</sup> Air		ND				10	U

**Matrix Spike (B4B0801-MS1)** Source: 4020650-29 Prepared & Analyzed: 02/08/24

Antimony	0.732	0.0299	ng/m <sup>3</sup> Air	1.0701	0.198	49.9	80-120			SL
Arsenic	2.36	0.00725	ng/m <sup>3</sup> Air	2.1401	0.335	94.5	80-120			
Barium	26.7	0.828	ng/m <sup>3</sup> Air	21.401	5.85	97.6	80-120			
Beryllium	1.09	0.00248	ng/m <sup>3</sup> Air	1.0701	0.00802	101	80-120			
Cadmium	1.04	0.0614	ng/m <sup>3</sup> Air	1.0701	ND	97.5	80-120			
Chromium	12.6	1.71	ng/m <sup>3</sup> Air	10.701	1.78	101	80-120			
Cobalt	1.26	0.0337	ng/m <sup>3</sup> Air	1.0701	0.233	96.3	80-120			
Copper	57.8	2.04	ng/m <sup>3</sup> Air	21.401	39.8	84.1	80-120			
Lead	11.3	0.166	ng/m <sup>3</sup> Air	10.701	0.606	99.5	80-120			
Manganese	12.9	1.46	ng/m <sup>3</sup> Air	6.4204	6.53	98.7	80-120			
Molybdenum	2.88	0.278	ng/m <sup>3</sup> Air	1.0701	1.88	93.9	80-120			
Nickel	2.98	0.504	ng/m <sup>3</sup> Air	2.1401	0.916	96.4	80-120			
Selenium	2.26	0.00693	ng/m <sup>3</sup> Air	2.1401	0.145	98.7	80-120			
Thallium	0.105	4.56E-4	ng/m <sup>3</sup> Air	0.10701	7.90E-4	97.6	80-120			B, QB-01
Vanadium	2.65	0.0409	ng/m <sup>3</sup> Air	2.1401	0.663	92.8	80-120			
Zinc	108	59.4	ng/m <sup>3</sup> Air	64.204	ND	168	80-120			

**Matrix Spike Dup (B4B0801-MSD1)** Source: 4020650-29 Prepared & Analyzed: 02/08/24

Antimony	0.791	0.0299	ng/m <sup>3</sup> Air	1.0701	0.198	55.4	80-120	7.76	20	SL
Arsenic	2.40	0.00725	ng/m <sup>3</sup> Air	2.1401	0.335	96.6	80-120	1.88	20	
Barium	27.4	0.828	ng/m <sup>3</sup> Air	21.401	5.85	100	80-120	2.23	20	
Beryllium	1.01	0.00248	ng/m <sup>3</sup> Air	1.0701	0.00802	93.5	80-120	7.56	20	
Cadmium	1.08	0.0614	ng/m <sup>3</sup> Air	1.0701	ND	100	80-120	3.04	20	
Chromium	17.3	1.71	ng/m <sup>3</sup> Air	10.701	1.78	145	80-120	31.4	20	QM-4X
Cobalt	1.32	0.0337	ng/m <sup>3</sup> Air	1.0701	0.233	102	80-120	4.53	20	
Copper	58.1	2.04	ng/m <sup>3</sup> Air	21.401	39.8	85.6	80-120	0.573	20	
Lead	11.5	0.166	ng/m <sup>3</sup> Air	10.701	0.606	102	80-120	1.90	20	
Manganese	13.3	1.46	ng/m <sup>3</sup> Air	6.4204	6.53	106	80-120	3.37	20	
Molybdenum	2.99	0.278	ng/m <sup>3</sup> Air	1.0701	1.88	104	80-120	3.75	20	
Nickel	4.96	0.504	ng/m <sup>3</sup> Air	2.1401	0.916	189	80-120	49.8	20	QM-07
Selenium	2.29	0.00693	ng/m <sup>3</sup> Air	2.1401	0.145	100	80-120	1.29	20	
Thallium	0.106	4.56E-4	ng/m <sup>3</sup> Air	0.10701	7.90E-4	98.6	80-120	1.03	20	B, QB-01
Vanadium	2.72	0.0409	ng/m <sup>3</sup> Air	2.1401	0.663	96.3	80-120	2.83	20	
Zinc	110	59.4	ng/m <sup>3</sup> Air	64.204	ND	171	80-120	2.22	20	

**Post Spike (B4B0801-PS1)** Source: 4020650-29 Prepared & Analyzed: 02/08/24

Antimony	0.409	0.0299	ng/m <sup>3</sup> Air	0.21401	0.198	99.0	75-125			SL
----------	-------	--------	-----------------------	---------	-------	------	--------	--	--	----

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
 1777 Sentry Pkwy, Bldg 12  
 Blue Bell, PA 19422  
 ATTN: Ms. Chelsea Saber  
 PHONE: (703) 885-5495 FAX:

FILE #: 4205.00.003.001  
 REPORTED: 02/13/24 16:40  
 SUBMITTED: 02/05/24  
 AQS SITE CODE:  
 SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

## Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B4B0801 - ICP-MS Extraction

Post Spike (B4B0801-PS1) Continued Source: 4020650-29 Prepared & Analyzed: 02/08/24

Arsenic	1.35	0.00725	ng/m <sup>3</sup> Air	1.0701	0.335	95.0	75-125			
Barium	7.87	0.828	ng/m <sup>3</sup> Air	2.1401	5.85	94.1	75-125			
Beryllium	0.219	0.00248	ng/m <sup>3</sup> Air	0.21401	0.00802	98.6	75-125			
Cadmium	0.116	0.0614	ng/m <sup>3</sup> Air	0.10701	ND	108	75-125			
Chromium	2.81	1.71	ng/m <sup>3</sup> Air	1.0701	1.78	96.2	75-125			
Cobalt	0.439	0.0337	ng/m <sup>3</sup> Air	0.21401	0.233	96.1	75-125			
Copper	50.3	2.04	ng/m <sup>3</sup> Air	10.701	39.8	98.2	75-125			
Lead	21.5	0.166	ng/m <sup>3</sup> Air	21.401	0.606	97.7	75-125			
Manganese	8.67	1.46	ng/m <sup>3</sup> Air	2.1401	6.53	99.7	75-125			
Molybdenum	2.88	0.278	ng/m <sup>3</sup> Air	1.0701	1.88	93.4	75-125			
Nickel	2.93	0.504	ng/m <sup>3</sup> Air	2.1401	0.916	94.2	75-125			
Selenium	1.19	0.00693	ng/m <sup>3</sup> Air	1.0701	0.145	97.9	75-125			
Thallium	0.0544	4.56E-4	ng/m <sup>3</sup> Air	5.3503E-2	7.90E-4	100	75-125			B, QB-01
Vanadium	1.66	0.0409	ng/m <sup>3</sup> Air	1.0701	0.663	93.2	75-125			
Zinc	72.4	59.4	ng/m <sup>3</sup> Air	21.401	ND	338	75-125			

Dilution Check (B4B0801-SRL1) Source: 4020650-29 Prepared & Analyzed: 02/08/24

Antimony	0.200	0.149	ng/m <sup>3</sup> Air		0.198			1.43	10	SL
Arsenic	0.334	0.0363	ng/m <sup>3</sup> Air		0.335			0.328	10	
Barium	5.99	4.14	ng/m <sup>3</sup> Air		5.85			2.25	10	
Beryllium	ND	0.0124	ng/m <sup>3</sup> Air		ND				10	U
Cadmium	ND	0.307	ng/m <sup>3</sup> Air		ND				10	U
Chromium	ND	8.55	ng/m <sup>3</sup> Air		ND				10	U
Cobalt	0.239	0.169	ng/m <sup>3</sup> Air		0.233			2.77	10	
Copper	41.4	10.2	ng/m <sup>3</sup> Air		39.8			4.08	10	
Lead	ND	0.828	ng/m <sup>3</sup> Air		ND				10	U
Manganese	ND	7.31	ng/m <sup>3</sup> Air		ND				10	U
Molybdenum	1.95	1.39	ng/m <sup>3</sup> Air		1.88			3.86	10	
Nickel	ND	2.52	ng/m <sup>3</sup> Air		ND				10	U
Selenium	0.147	0.0347	ng/m <sup>3</sup> Air		0.145			1.15	10	
Thallium	ND	0.00228	ng/m <sup>3</sup> Air		ND				10	B, QB-01, U
Vanadium	0.691	0.205	ng/m <sup>3</sup> Air		0.663			4.21	10	
Zinc	ND	297	ng/m <sup>3</sup> Air		ND				10	U

**Stage 1 Data Verification Checklist – Metals**  
**HDOH CAB – Ambient Community Air Sampling – Lahaina**  
**Task Order No. 23141**

Reviewed by:

Kierra Johnson 2/14/2024 and Shanna Vasser 2/15/2024

Laboratory: Eastern Research Group – Morrisville, NC

Collection date(s): 1/25/2024 – 1/31/2024

Report No: 4020650

- 1. Chain of custody (CoC) documentation is present.
- 2. Sample receipt condition information is present and acceptable.
- 3. Laboratory conducting the analysis is identified.
- 4. All samples submitted to the laboratory are accounted for.
- 5. Requested analytical methods were performed.
- 6. Analysis dates are provided.
- 7. Analyte results are provided.
- 8. Result qualifiers and definitions are provided.
- 9. Result units are reported.
- 10. Requested reporting limits are present.
- 11. Method detection limits are present.
- 12. Sample collection date and time are present.
- 13. No detections in field QC blanks (lot/media blanks, field blanks, etc).

Discrepancies:

- 13. Field blank MFL-FB01-012624-HM had detections above the method detection limit.

Notes:

- 2 No sample receipt information was included.