

**REQUEST FOR PUBLIC COMMENTS  
ON DRAFT AIR PERMIT  
REGULATING THE EMISSIONS OF AIR POLLUTANTS**

**(Docket No. 15-CA-PA-42)**

Pursuant to Hawaii Revised Statutes (HRS), Chapter 342B-13 and Hawaii Administrative Rules (HAR), Chapter 11-60.1, the Department of Health, State of Hawaii (DOH), is requesting public comments on the following **DRAFT PERMIT** presently under review for:

**Temporary Covered Source Permit (CSP) No. 0769-01-CT**

Application for Significant Modification No. 0769-03  
Hawaiian Dredging Construction Company  
400 TPH Mobile Crushing and Screening Plant  
Located At: Various Temporary Sites, State of Hawaii  
Storage location: Maui Business Park, Kahului, Maui

The **DRAFT PERMIT** is described as follows:

**CSP No. 0769-01-CT** will grant conditional approval for the operation of an existing 400 TPH mobile crushing and screening plant. The applicant proposes to modify the mobile crushing and screening plant operation with the removal of the 551 TPH mobile screen which was never added to the plant. The applicant also proposes to remove the operational limitation of 2,500 hours per year and allow for unlimited operation at 8,760 hours per year. Water suppression will be used as necessary to minimize fugitive emissions from crushing operations, material transfer points, stockpiles, and plant roads. The crushing plant is subject to 40 Code of Federal Regulations (CFR) Part 60, Subpart 000, Standards of Performance for Nonmetallic Mineral Processing Plants.

The proposed modification to the crushing plant (screen removed and unlimited operations) results in the following emissions increase:

Pollutant	Emissions Increase (TPY)	Significant Levels (TPY)
CO	0	100
NO <sub>x</sub>	0	40
SO <sub>2</sub>	0	40
PM	1.2	25
PM-10	0.7	15
VOC	0	40

This permit, if issued, will supersede CSP No. 0769-01-CT, issued on December 13, 2013 in its entirety. The **ADMINISTRATIVE RECORD**, consisting of the **APPLICATION** and non-confidential supporting material from the applicant, the permit review summary, and the **DRAFT PERMIT**, is available for public inspection during regular office hours, Monday through Friday, 7:45 a.m. to 4:15 p.m., at the following locations:

**Oahu:** Clean Air Branch, Department of Health  
919 Ala Moana Boulevard, Room 203, Honolulu, Oahu 96814

**Maui:** Maui District Health Office, Department of Health  
54 High Street, Room 300, Wailuku, Maui, Hawaii 96793

All comments on the draft permit and any request for a public hearing must be in writing, addressed to the Clean Air Branch at the above address on Oahu and must be postmarked or received by **January 19, 2016**.

Any person may request a public hearing by submitting a written request that explains the party's interest and the reasons why a hearing is warranted. The DOH may hold a public hearing if a hearing would aid in DOH's decision. If a public hearing is warranted, a public notice for the hearing will be published at least thirty days in advance of the hearing.

Interested persons may obtain copies of the administrative record or parts thereof at a copying cost of five cents per page. Please send written requests to the Oahu office of the Clean Air Branch listed above or call Mr. Gary Siu at the Clean Air Branch in Honolulu at (808) 586-4200. Electronic copies of the draft permit and permit review may be found online at <http://health.hawaii.gov/cab/public-notices/>.

Comments on the draft permit should address, but need not be limited to, the permit conditions and the facility's compliance with federal and state air pollution laws, including: (1) the National and State Ambient Air Quality Standards; and (2) HRS, Chapter 342B and HAR, Chapter 11-60.1.

The DOH will make a final decision on the permit after considering all comments and will send notice of the final decision to each person who has submitted comments or requested such notice.

Virginia Pressler, M.D.  
Director of Health