

Child and Adolescent Mental Health Division

Fiscal Year 2013 Annual Factbook

For the Period of July 1, 2012 to June 30, 2013

Prepared by

Scott S. Keir, Ph.D.
*Child and Adolescent Mental
Health Division*

David S. Jackson, Ph.D.
*Child and Adolescent Mental
Health Division*

Charles W. Mueller, Ph.D.
University of Hawai'i at Manoa

Daniel Wilkie, B.A.
University of Hawai'i at Manoa



For more information, please contact: David Jackson, Ph.D. at david.jackson@doh.hawaii.gov

For the Period of July 1, 2012 to June 30, 2013
Version 1/29/13

Contents

Introduction	iv
Definitions for Information Reported	iv
Registered and Served	1
Age	2
13 years and older.....	2.1
18 years and older.....	2.2
Gender	3
Race	4
American Indian or Alaska Native	4.1
Asian.....	4.2
Black or African American.....	4.3
Native Hawaiian or Other Pacific Islander	4.4
White	4.5
Other	4.6
Multiracial	4.7
Race Based on Observation.....	4.8
Race Not Available.....	4.9
National Origin.....	5
Hispanic or Latino	5.1
Diagnosis	6
Adjustment Disorder	6.1
Anxiety Disorder	6.2
Attention Disorder.....	6.3
Disruptive Behavior Disorder.....	6.4
Mood Disorder	6.5
Family Guidance Branches.....	7
Family Court Liaison Branch	7.1
Hawaii (Big Island) Family Guidance Center	7.2
Kauai Family Guidance Center	7.3
Maui Family Guidance Center	7.4
Oahu, Central Family Guidance Center.....	7.5
Oahu, Honolulu Family Guidance Center	7.6
Oahu, Leeward Family Guidance Center	7.7
Services Procured	8
Out-of-Home	8.1
Hospital Residential	8.2
Community Residential	8.3
Therapeutic Foster Home Total.....	8.4

Intensive Home and Community	8.5
Multisystemic Therapy	8.6
Intensive In-Home	8.7
Outpatient Services	8.8
Treatment	8.9
Functional Family Therapy	8.10
Outpatient Therapy	8.11
Assessment	8.12
Supportive Services	8.13
Crisis Stabilization	8.14

Introduction

The purpose of this Factbook is to provide detailed reference information regarding the population, services, and outcomes of the State of Hawai'i Department of Health's Child and Adolescent Mental Health Division (CAMHD). The information reported here is based on the population of youth and families that were registered with CAMHD for one or more days during the period from July 1, 2012 to June 30, 2013. Thus, these "factsheets" present a snapshot of the CAMHD system as it functioned during the fiscal year of 2013.

Definitions for Information Reported

Data Sources

Data for this report were gathered from a variety of sources. The primary source of information is the Child and Adolescent Mental Health Management Information System (CAMHMIS), which supports registration of youth with CAMHD, authorization of services, electronic billing for services, and child status monitoring functions. System information was collected from independent databases maintained by various offices within CAMHD. The CAMHD Administrative Services Office maintains the databases for manual billing information and contracts, and provides analysis and reporting based on the Department of Accounting and General Services (DAGS) Financial Accounting and Management Information System (FAMIS). The Clinical Services Office maintains a database of youth placed in out-of-home settings based on weekly provider census reports. The Performance Management Office maintains a database of sentinel events based on incident reports submitted by providers. The CAMHD Research and Evaluation Office (REO) was responsible for merging and validating information from these databases, and is responsible for any errors in data or analysis reported here.

Child and Adolescent Mental Health Management Information System (CAMHMIS) Fields. Information was gathered and entered into CAMHMIS through the standard operating procedures of the regional Family Guidance Centers. Generally, care coordinators are responsible for gathering data from families and professionals and for organizing the completion of child status measures on a quarterly basis. Detailed information about the structure of the CAMHMIS database is beyond the scope of the present report.

The section to follow introduces and defines the information presented in the Factbook:

Population Variables

Admissions were defined to include both initial registrations and repeated registrations. Initial registrations were counted when a new record is created for a youth previously unknown to CAMHD with a registration start date within the reporting period. Repeated registrations were identified whenever a previously known youth had at least one registration record during the reporting period indicating a change in registration status from a discharged status to a registered status.

Age in Years was defined as the difference between a youth's date of birth and the final day of each fiscal year (e.g., June 30, 2013).

Diagnostic Status was defined based on Diagnostic and Statistical Manual of Mental Disorders (DSM-IV; American Psychiatric Association, 1994) codes entered into CAMHMIS. Children and youth may receive up to three Axis I diagnoses and two Axis II diagnoses. Diagnostic information from the most recent assessment recorded in CAMHMIS provided the data for these indicators. The primary diagnosis indicators count only primary diagnoses, whereas the *any diagnosis* indicators count a diagnosis within each category regardless of whether it is primary, secondary, or tertiary. The multiple diagnosis indicators describe the number and proportion of youth with any secondary or tertiary diagnosis recorded. The arithmetic mean of diagnoses is also reported for all registered youth.

Discharges were recorded when a youth had at least one registration record during the reporting period indicating a change in registration status from registered status to discharged status.

Ethnicity information was collected using the categories of Alaska Native, American Indian, Asian Indian, Chinese, Filipino, Japanese, Korean, Vietnamese, Other Asian, Black or African-American, Guamanian or Chamorro, Micronesian, Native Hawaiian, Samoan, Other Pacific Islander, White or Caucasian,

Portuguese, Cuban, Mexican, Puerto Rican, or Other Hispanic or Latino or of Spanish Origin, Other Race or Ethnicity not Listed, or Unknown. The race and national origin categories were collected through two different questions. Consumers could select multiple responses so the number of endorsements reported is duplicated across categories. A multiethnic category is also calculated indicating whether more than one category was endorsed regardless of whether the multiple categories occurred within or across racial and national origin groups.

Family Court Liaison Branch (FCLB) was defined as registration of youth to the statewide Family Court Liaison Branch as of the final day of the reporting period without registration to a regional Family Guidance Center.

Family Guidance Branch (FGB) is a term used to refer to the regional Family Guidance Centers along with the Family Court Liaison Branch and the “Other” center designation for special populations (e.g., youth involved in specially funded projects or special divisional programs).

Family Guidance Center (FGC) was defined as the most recent regional center to which youth were registered as of the final day of the reporting period.

Gender was based on (a) client self-presentation, (b) caregiver presentation of child gender, or (c) staff observation of child gender, and was coded as either female or male.

National Origin was based on client reports in the categories of (a) Hispanic or Latino or of Spanish Origin, (b) Not Hispanic or Latino or of Spanish Origin, or (c) Unknown whether Hispanic or Latino or of Spanish Origin. Within the Hispanic or Latino or of Spanish Origin category, clients could select multiple choices from the options of Cuban, Mexican, Puerto Rican, or Other.

Race was based on client reports as either (a) American Indian or Alaska Native; (b) Asian, (c) Black or African-American, (d) Native Hawaiian or Other Pacific Islander, (e) White, (f) Other Race or Ethnicity not Listed, (g) Multiracial, or (h) Unknown. Consumers could also select multiple choices from the options of Alaska Native, American Indian, Asian Indian, Chinese, Filipino, Japanese, Korean, Vietnamese, Other Asian, Black or African-American, Guamanian or Chamorro, Micronesian, Native Hawaiian, Samoan, Other Pacific Islander, White or Caucasian, or Portuguese. The multiracial category was identified when respondents selected multiple choices that crossed racial categories (e.g., American Indian and Chinese) but not when multiple choices were selected within the same racial category (e.g., Chinese and Filipino was classified as single race Asian). If valid client reports are not available then care coordinators may identify youth race, ethnicity, and national origin based on their observations. This category is reported as “Based on Observation.”

Service Variables

Crisis Stabilization was defined to include community-based crisis group home and crisis therapeutic foster home.

Intensive Home and Community Services were defined to include partial hospitalization, Multisystemic Therapy, and intensive in-home services.

Monthly Treatment and Progress Summary (MTPS). The MTPS (CAMHD 2003; 2005) is a locally constructed clinician report form designed to measure the service format, service setting, treatment targets, clinical progress, intervention practice elements, and provider outcomes on a monthly basis. In addition to providing structured response options from which clinicians could select, the MTPS included other fields for each domain that allowed clinicians to write open-ended responses that were not addressed by the predefined fields. For the format and setting questions, clinicians are asked to indicate all formats (individual, group, parent, family, teacher, or other) and settings (home, school, community, out of home, clinic/office, or other) in which the youth received services during the reporting month. Clinicians are then asked to indicate up to 10 target competencies or concerns, which were the focus of treatment during the reporting month. The targets are selected from a list of 48 predefined targets and two additional open-response fields are provided. Clinicians then provide a progress rating for each target that describes the degree of progress achieved between the child’s baseline level of functioning and the goal specified for the target. Progress ratings are provided on a 7-point scale with the anchors of *Deterioration (< 0%)*, *No Significant changes (0 – 10%)*, *Minimal Improvement (11 – 30%)*, *Some Improvement (31 – 50%)*,

Moderate Improvement (51 – 70%), Significant Improvement (71 – 90%), and Complete Improvement (91 – 100%). Next, clinicians are asked to indicate all of the specific intervention strategies (a.k.a., practice elements) that were used with the child and family during the month. The MTPS records 63 predefined intervention practice elements (e.g., activity scheduling, assertiveness training, biofeedback, etc.) and allows for the write-in of up to three additional intervention practice elements per month. The 2005 revision includes additional fields for listing psychiatric medications, dose, and schedule, discharge living situation, and reason for discharge. Finally, the MTPS provides a number of optional fields that allow providers to report other measure of outcomes that they may collect including the CAFAS and CALOCUS, whether the youth was arrested during the month, and the percent of school days attended. These forms and the structured codebook defining the interventions are available on the CAMHD website. Statewide training is provided on the completion of the form and definitions of various practice elements.

For the Factbook, MTPS data were based exclusively on CAMHMIS records. Providers' written responses were individually reviewed and coded into appropriate categories, including new response categories that were created to account for responses that could not be categorized into the existing category framework. The definitions for the specific codes are as follows:

Service Setting

Home – Working with youth or family members in the youth's home.

School – Working with youth or professionals in the youth's educational setting, other than in the context of an IEP/MP meeting.

Community – Working with youth or others in the youth's community/neighborhood.

Out of Home – Working with the youth or family in a residential facility.

Clinic/Office – Working with the youth or family in a clinical office.

Phone – Any written response to an open-end question that indicated use of the telephone as a service setting. No specification of the person called was required.

Other – Any written response to an open-ended question that could not be categorized into another service setting sub-category and did not necessitate the addition of a new category.

Service Format

Individual – Working with youth directly.

Group – Working with youth along with other youths receiving services.

Parent – Working directly with parents or caretakers, with youth not present.

Family – Working with parents or caretakers and youth together. Can include other family members.

Teacher – Working with a teacher directly.

Phone – Any written response to an open-ended question that indicated use of the telephone as a service format. No specification of the person called was required.

Professional Consult – Any written response to an open-ended question that indicated consultation or involvement of another service profession.

Other – Any written response to an open-ended question that could not be categorized into another service format sub-category and did not necessitate the addition of a new category.

Discharge Living Situation - Describes the type of living environment in which the youth was expected to reside at the time of discharge.

Foster Home – A home that is licensed to provide foster care to children, adolescents, and/or adults. Examples include foster homes or therapeutic foster homes.

Group Care – This level of care may include group homes, therapeutic group homes, or board and care homes. This excludes community-based residential and hospital-based residential care where youth reside in a group care facility.

Home – This living situation for youth includes places where youth live in houses, apartments, trailers, hotels, dorms, barracks, and/or single rooms. This excludes situations better characterized as foster homes.

Homeless/Shelter – Youth are considered homeless if they lack a fixed, regular, and adequate nighttime residence or their primary nighttime residency is a supervised publicly or privately operated shelter designed to provide temporary living accommodations, an institution that provides a temporary residence for individuals intended to be institutionalized, or a public or private place not designed for, or ordinarily used as, a regular sleeping accommodation for human beings (e.g., on the street). Youth

who were discharged due to extended runaway or elopement episode should be recorded in this category.

Institutional/Hospital – This level of care includes skilled nursing/intermediate care facilities, nursing homes, institutes of mental disease, inpatient psychiatric hospitals, psychiatric health facilities, Veterans Affairs hospitals, or state hospitals where youth reside with care provided on a 24 hour, 7 day a week basis.

Jail/Correctional Facility – This level of care includes jails, correctional facilities, detention centers, prisons, youth authority facilities, juvenile halls, boot camps, or boys ranches where youth reside with care provided on a 24 hour, 7 day a week basis.

Residential Treatment – This level of care includes community-based residential treatment centers, rehabilitation centers, or other residential treatment that are not better characterized as group homes or institution/hospital facilities. An organization, not licensed as a psychiatric hospital, whose primary purpose is the provision of individually planned programs of mental health treatment services in conjunction with residential care for children and youth. The services are provided in facilities that are certified by state or federal agencies or through a national accrediting agency.

Other – Any other Discharge Living Situation response that could not be categorized in one of the above sub-categories.

Reason for Discharge

Eligibility Change – Youth discharged in association with a change in eligibility for services, such as a termination of a court order or commitment, aging out of child and adolescent services, loss of Medicaid insurance, etc.

Family Relocation – Youth discharged because the youth and family moved out of state or out of the service area.

Insufficient Progress – Youth discharged from service without showing sufficient treatment progress to be judged as clinically successful (i.e., little symptom reduction, improvement in functioning, or goal attainment was achieved).

Runaway/Elopement – Youth discharged in association with an extended period of unavailability for treatment because the youth had runaway from home or eloped from the program.

Refuse/Withdraw – Youth discharged due to parental refusal, non-participation in treatment, lack of consent, or other indication that client withdrew from services against professional advice.

Success/Goals Met – Youth clinically discharged due to sufficient treatment progress (e.g., symptoms reduced, functioning improved), treatment goals were met, youth was evaluated and services were determined unnecessary, services were completed, or youth was moving to a less restrictive and intensive level of care.

Other – Any other Reason for Discharge response that could not be categorized in one of the above sub-categories.

Treatment Target - described the strengths and needs being addressed as part of the youths' mental health services.

Academic Achievement – issues related to general level or quality of achievement in an educational or academic context. This commonly includes performance in coursework, and excludes cognitive-intellectual ability/capacity issues and specific challenges in learning or achievement.

Activity Involvement – issues related to general engagement and participation in activities. Only code here those activities that are not better described by the particular activity classes of school involvement, peer involvement, or community involvement.

Adaptive Behavior/Living Skills – any written response to an open-end question that targeted development of skills related to independent living, social functioning, financial management, and self-sufficiency that are not better captured under other codes such as personal hygiene, self-management, social skills, housing/living situation, or occupational functioning/stress.

Adjustment to Change – any written response to an open-end question referring to targeting a youth's global response to a life transition or specific challenge (e.g., change of school, living situation, treatment transition or discharge, etc.).

Adult Inter-coordination – any written response to an open-end question that targeted communication and interaction among relevant adults and/or service system workers involved in a child's life. This includes such things as home-school relationships, communication between service providers, treatment team members, transition and discharge preparedness, guardianship issues, etc.

Aggression – verbal and/or physical aggression, or threat thereof, that results in intimidation, physical harm, or property destruction.

Anger – emotional experience or expression of agitation or destructiveness directed at a particular object or individual. Common physical feelings include accelerated heartbeat, muscle tension, quicker breathing, and feeling hot.

Anxiety – a general uneasiness that can be characterized by irrational fears, panic, tension, physical symptoms, excessive anxiety, worry, or fear.

Assertiveness – the skills or effectiveness of clearly communicating one’s wishes. For example, the effectiveness with which a child refuses unreasonable requests from others, expresses his/her rights in a non-aggressive manner, and/or negotiates to get what s/he wants in their relationships with others.

Attention Problems – described by short attention span, difficulty sustaining attention on a consistent basis, and susceptible to distraction by extraneous stimuli.

Avoidance – behaviors aimed at escaping or preventing exposure to a particular situation or stimulus.

Caregiver Self-Management/Coping – any written response to an open-end question that indicated attempting to alter a caregiver’s management, regulation, or monitoring of their own behavior and emotions.

Cognitive-Intellectual Functioning – issues related to cognitive-intellectual ability/capacity and use of those abilities for positive adaptation to the environment. This includes efforts to increase IQ, memory capacity, or abstract problem-solving ability.

Community Involvement – detailed description of amount of involvement in specific community activities within the child’s day.

Compulsive Behavior – any written response to an open-end question that targeted specific compulsive/excessive responses such as hoarding or trichotillomania.

Contentment/Enjoyment/Happiness – refers to issues involving the experience and expression of satisfaction, joy, pleasure, and optimism for the future.

Depressed Mood – behaviors that can be described as persistent sadness, anxiety, or "empty" mood, feelings of hopelessness, guilt, worthlessness, helplessness, decreased energy, fatigue, etc.

Eating/Feeding Problems – knowledge or behaviors involved with the ingestion or consumption of food. May include nutritional awareness, food choice, feeding mechanics (e.g., swallowing, gagging, etc.), and social factors relating with eating situations.

Empathy – identifications with and understanding of another person’s situation, feelings, and motives.

Enuresis/Encopresis – enuresis refers to the repeated pattern of voluntarily or involuntarily passing urine into inappropriate places during the day or at night in bed or clothes. Encopresis refers to a repeated pattern of voluntarily or involuntarily passing feces into inappropriate places.

Fire Setting – intentionally igniting fires.

Fitness/Exercise – any written response to an open-end question that indicated issues related to general fitness or exercise.

Gender Identity Problems – issues related with a youth’s self-concept or self-understanding involving sex roles and social behaviors in relation to their biological sex. This does not address self-concept issues involving sexual orientation, which would be coded as “other.”

Goal Setting – any written response to an open-end question that indicated targeting the clarification and commitment to future goals (e.g., academic, career, etc.) that are not better characterized under other targets such as self-management or occupational functioning/stress.

Grief – feelings associated with a loss of contact with a significant person in the youth’s environment (e.g., parent, guardian, friend, etc.).

Health management – issues related to the improvement or management of one’s health, inclusive of both physical illness and fitness. In addition to dealing with the general development of health oriented behavior and management of health conditions, this target can also focus on exercise or lack of exercise.

Housing/Living Situation – any written response to an open-end question that indicated finding or stabilizing an appropriate living situation for a youth.

Hyperactivity – can be described by fidgeting, squirming in seat, inability to remain seated, talking excessively, difficulty engaging in leisure activities quietly, etc.

Information Gathering – any written response to an open-end question that indicated focus on service provider learning more about the child and family through assessment, evaluation, or history taking.

Learning Disorder, Underachievement – refers to specific challenges with learning or educational performance that are not better accounted for by cognitive-intellectual functioning or general academic achievement.

Low Self-Esteem – an inability to identify or accept his/her positive traits or talents, and accept compliments. Verbalization of self-disparaging remarks and viewing him or herself in a negative manner.

Mania – an inflated self-perception that can be manifested by loud, overly friendly social style that oversteps social boundaries and high energy and restlessness with a reduced need for sleep.

Medical Regimen Adherence – knowledge, attitudes, and behaviors related to regular implementation procedures prescribed by a health care professional. Commonly include lifestyle behaviors (e.g., exercise, nutrition), taking medication, or self-administration of routine assessments (e.g., taking blood samples in a diabetic regimen).

Occupational Functioning/Stress – any written response to an open-end question that indicated issues related to career interests, seeking employment, obtaining work permits, job performance, or managing job stress or strain that are not better characterized under other targets (e.g., anxiety).

Oppositional/Non-Compliant Behavior – behaviors that can be described as refusal to follow adult requests or demands or established rules and procedures (e.g., classroom rules, school rules, etc.).

Pain Management – any written response to an open-end question that indicated a focus on regulating experiences or behaviors related to pain or ill health.

Parenting Skills – any written response to an open-end question that indicated attempting to modify a caregiver’s strategies for managing child behavior, emotions, or structuring of the caregiving environment.

Peer Involvement – a greater involvement in activities with peers. Activities could range from academic tasks to recreational activities while involvement could range from working next to a peer to initiating an activity with a peer.

Peer/Sibling Conflict – peer and/or sibling relationships that are characterized by fighting, bullying, defiance, revenge, taunting, incessant teasing and other inappropriate behaviors.

Phobia/Fears – irrational dread, fear, and avoidance of an object, situation, or activity.

Personal Hygiene – challenges related to self-care and grooming.

Positive Family Functioning – issues related with healthy communication, problem-solving, shared pleasurable activities, physical and emotional support, etc. in the context of a interactions among multiple persons in a family relation, broadly defined.

Positive Peer Interaction – social interaction and communication with peers that are pro-social and appropriate. This differs from peer involvement in that it focuses on interactional behavior, styles, and intentions, whereas peer involvement targets actual engagement in activities with peers regardless of interactional processes.

Positive Thinking/Attitude – this target involves clear, healthy, or optimistic thinking, and involves the absence of distortions or cognitive bias that might lead to maladaptive behavior.

Pregnancy Education/Adjustment – any written response to an open-end question that indicated issues related to helping a pregnant youth prepare and adjust to parenthood.

Psychosis – issues related to bizarre thought content (delusions of grandeur, persecution, reference, influence, control, somatic sensations), and/or auditory or visual hallucinations.

Runaway – running away from home or current residential placement for a day or more.

Safe Environment – any written response to an open-end question that indicated establishing a safe and secure environment for the youth’s development that was not better described as targeting the youth’s housing/living situation.

School Refusal/Truancy – reluctance or refusal to attend school without adult permission for the absence. May be associated with school phobia or fear manifested by frequent somatic complaints associated with attending school or in anticipation of school attendance, or willful avoidance of school in the interest of pursuing other activities.

School Involvement – detailed description of amount of involvement in specific school activities within the child’s scheduled school day.

Self-Injurious Behavior – acts of harm, violence, or aggression directed at oneself.

Self-Management/Self-Control – issues related to management, regulation, and monitoring of one’s own behavior.

Sexual Misconduct – issues related with sexual conduct that is defined as inappropriate by the youth’s social environment or that includes intrusion upon or violation of the rights of others.

Sexual Orientation – any written response to an open-end question that indicated issues related to clarification or management of a youth’s sexual orientation that are excluded from the gender identity problems code.

Shyness – social isolation and/or excessive involvement in isolated activities. Extremely limited or no close friendships outside the immediate family members. Excessive shrinking or avoidance of contact with unfamiliar people.

Sleep Disturbance – difficulty getting to or maintaining sleep.

Social Skills – skills for managing interpersonal interactions successfully. Can include body language, verbal tone, assertiveness, and listening skills, among other areas.

Speech and Language Problems – expressive and/or receptive language abilities substantially below expected levels as measured by standardized tests.

Substance Abuse/Substance Use – issues related to the use or misuse of a common, prescribed, or illicit substances for altering mental or emotional experience or functioning.

Suicidality – issues related to recurrent thoughts, gestures, or attempts to end one’s life.

Traumatic Stress – issues related to the experience or witnessing of life events involving actual or threatened death or serious injury to which the youth responded with intense fear, helplessness, or horror.

Treatment Engagement – any written response to an open-end question that indicated targeting interest, motivation, or active participation in therapeutic activities. This included targeting improved rapport.

Treatment Planning/Framing – any written response to an open-end question that indicated setting or revising a treatment plan or treatment structure (including IEPs, CSPs, MPs, MHTPs, etc.).

Willful Misconduct/Delinquency – persistent failure to comply with rules or expectations in the home, school, or community. Excessive fighting, intimidation of others, cruelty or violence toward people or animals, and/or destruction of property.

Other – any written response to an open-ended question that could not be categorized into another treatment target sub-category and did not necessitate the addition of a new category.

Unclear – any written response to an open-end question whose meaning could not be discerned and could not be coded into another category (e.g., relationship issues not otherwise specified).

Practice Elements (a.k.a. Intervention Strategies; Treatment Practices)

Activity Scheduling – the assignment or request that a child participate in specific activities outside of therapy time, with the goal of promoting or maintaining involvement in satisfying and enriching experiences.

Anger Management – any written response to an open-end question that referred to treatment in the family of anger management with no specific practices identified.

Animal or Plant Assisted Activities – any written response to an open-end question that indicated use of activities incorporating animals or plants as a therapeutic modality.

Arousal Reconditioning – any written response to an open-end question that indicated use of classical or operant conditioning procedures to alter the targets of sexual arousal.

Art/Music Therapy – any written response to an open-end question that indicated use of expressive activities as a therapeutic modality.

Assertiveness Training – exercises or techniques designed to promote the child’s ability to be assertive with others, usually involving rehearsal of assertive interactions.

Assessment – any written response to an open-end question that focused on service provider learning more about the child and family through evaluation, testing, or observation (that would not qualify as parent or self-monitoring).

Attending – exercises involving the youth and caregiver playing together in a specific manner to facilitate their improved verbal communication and nonverbal interaction. This can involve the caregiver’s imitation and participation in the youth’s activity, as well as parent-directed play (previously called “Directed Play”).

Behavioral Contracting – any written response to an open-end question that indicated the development of a formal agreement specify rules, consequences, and a commitment by the youth and relevant others to honor the content of the agreement.

Behavior Management – any written response to an open-end question that indicated the use of behavioral techniques or plan with no specific practices identified.

Biofeedback/ Neurofeedback – strategies to provide information about physiological activity that is typically below the threshold of perception, often involving the use of specialized equipment.

Care Coordination – any written response to an open-end question that indicated coordinating among the service providers to ensure effective communication, receipt of appropriate services, adequate housing, etc.

Catharsis – strategies designed to bring about the release of intense emotions, with the intent to develop mastery of affect and conflict.

Cognitive/Coping – any techniques designed to alter interpretation of events through examination of the child’s reported thoughts, typically through the generation and rehearsal of alternative counter-statements. This can sometimes be accompanied by exercises designed to comparatively test the

- validity of the original thoughts and the alternative thoughts through the gathering or review of relevant information.
- Commands/Limit Setting** – training for caretakers in how to give directions and commands in such a manner as to increase the likelihood of child compliance.
- Communication Skills** – training for youth or caretakers in how to communicate more effectively with others to increase consistency and minimize stress. Can include a variety of specific communication strategies (e.g., active listening, “I” statements).
- Counseling** – any written response to an open-end question that referred to counseling sessions with youth or parent with no specific practices identified.
- Crisis Management** – immediate problem solving approaches to handle urgent or dangerous events. This might involve defusing an escalating pattern of behavior and emotions either in person or by telephone, and is typically accompanied by debriefing and follow-up planning.
- Cultural Training** – any written response to an open-end question that indicated education or interaction with culturally important values, rituals, or sites with no specific practices identified.
- Discrete Trial Training** – a method of teaching involving breaking a task into many small steps and rehearsing these steps repeatedly with prompts and a high rate of reinforcement.
- Educational Support** – exercises designed to assist the child with specific academic problems, such as homework or study skills. This includes tutoring.
- Emotional Processing** – a program based on an information processing model of emotion that requires activation of emotional memories in conjunction with new and incompatible information about those memories.
- Exposure** – techniques or exercises that involve direct or imagined experience with a target stimulus, whether performed gradually or suddenly, and with or without the therapist’s elaboration or intensification of the meaning of the stimulus.
- Eye Movement/Body Tapping** – a method in which the youth is guided through a procedure to access and resolve troubling experiences and emotions, while being exposed to a therapeutic visual or tactile stimulus designed to facilitate bilateral brain activity.
- Family Engagement** – the use of skills and strategies to facilitate family or child’s positive interest in participation in an intervention.
- Family Therapy** – a set of approaches designed to shift patterns of relationships and interactions within a family, typically involving interaction and exercises with the youth, the caretakers, and sometimes siblings.
- Family Visit** – any written response to an open-end question that indicated structured or unstructured therapeutic visit with one or more family members who is not typically part of the youth’s daily ecology during the course of treatment.
- Free Association** – technique for probing the unconscious in which a person recites a running commentary of thoughts and feelings as they occur.
- Functional Analysis** – arrangement of antecedents and consequences based on a functional understanding of a youth’s behavior. This goes beyond straightforward application of other behavioral techniques.
- Goal Setting** – any written response to an open-end question that indicated setting specific goals and developing commitment from youth or family to attempt to achieve those goals (e.g., academic, career, etc.).
- Guided Imagery** – visualization or guided imaginal techniques for the purpose of mental rehearsal of successful performance. Guided imagery for the purpose of physical relaxation (e.g., picturing calm scenery) is not coded here, but rather coded under relaxation.
- Ho’Oponopono** – any written response to an open-end question that indicated use of the techniques of Ho’Oponopono with no specific practices identified.
- Hypnosis** – the induction of a trance-like mental state achieved through suggestion.
- Ignoring or Differential Reinforcement of Other Behavior** – the training of parents or others involved in the social ecology of the child to selectively ignore mild target behaviors and selectively attend to alternative behaviors.
- Individual Therapy for Caregiver** – any therapy designed directly to target individual (non-dyadic) psychopathology in one or more of the youth’s caregivers. This is distinct from Marital Therapy and Communication Skills.
- Informal Supports** – any written response to an open-end question that explicitly identified working with youth or families to make use of informal supports in their homes and communities (e.g., cultural or faith based groups, neighbors and friends, etc.).
- Insight Building** – activity designed to help a youth achieve greater self-understanding.

Interpretation – reflective discussion or listening exercises with the child designed to yield therapeutic interpretations. This does not involve targeting specific thoughts and their alternatives, which would be coded as cognitive/coping.

Juvenile Sex Offender Treatment – any written response to an open-end question that indicated sex offender treatment with no specific practices identified.

Legal Assistance/Involvement – any written response to an open-end question that indicated obtaining legal aide for the youth or family or engaging the legal system to provide additional motivation for treatment.

Line of Sight Supervision – direct observation of a youth for the purpose of assuring safe and appropriate behavior.

Maintenance/Relapse Prevention – exercises and training designed to consolidate skills already developed and to anticipate future challenges, with the overall goal to minimize the chance that gains will be lost in the future.

Marital Therapy – techniques used to improve the quality of the relationship between caregivers.

Medication/ Pharmacotherapy – any use of psychotropic medication to manage emotional, behavioral, or psychiatric symptoms.

Mentoring – pairing with a more senior and experienced individual who serves as a positive role model for the identified youth.

Milieu Therapy – a therapeutic approach in residential settings that involves making the environment itself part of the therapeutic program. Often involves a system of privileges and restrictions such as a token or point system.

Mindfulness – exercises designed to facilitate present-focused, non-evaluative observation of experiences as they occur, with a strong emphasis of being “in the moment.” This can involve the youth’s conscious observation of feelings, thoughts, or situations.

Modeling – demonstration of a desired behavior by a therapist, confederates, peers, or other actors to promote the imitation and subsequent performance of that behavior by the identified youth.

Motivational Interviewing – exercises designed to increase readiness to participate in additional therapeutic activity or programs. These can involve cost-benefit analysis, persuasion, or a variety of other approaches.

Natural and Logical Consequences – training for parents or teachers in (a) allowing youth to experience the negative consequences of poor decisions or unwanted behaviors, or (b) delivering consequences in a manner that is appropriate for the behavior performed by the youth.

Parent Coping – exercises or strategies designed to enhance caretakers’ ability to deal with stressful situations, inclusive of formal interventions targeting one or more caretaker.

Parent Monitoring – the repeated measurement of some target index by the caretaker.

Parent Praise – the training of parents or others involved in the social ecology of the child in the administration of social rewards to promote desired behaviors. This can involve praise, encouragement, affection, or physical proximity.

Parenting – any written response to an open-end question that addressed parenting issues with caregiver(s) but no specific practices identified.

Peer Modeling/Pairing – pairing with another youth of same or similar age to allow for reciprocal learning or skills practice.

Personal Safety Skills – training for the youth in how to maintain personal safety of one’s physical self. This can include education about attending to one’s sense of danger, body ownership issues (e.g., “good touch-bad touch”), risks involved with keeping secrets, how to ask for help when feeling unsafe, and identification of other high-risk situations for abuse.

Physical Exercise – the engagement of the youth in energetic physical movements to promote strength or endurance or both. Examples can include running, swimming, weight-lifting, karate, soccer, etc. Note that when the focus of the physical exercise is also to produce talents or competence, Skill Building may also apply.

Play Therapy – the use of play as a primary strategy in therapeutic activities. This may include the use of play as a strategy for clinical interpretation. Different from Directed Play, which involves a specific focus on modifying parent-child communication. This is also different from play designed specifically to build relationship quality.

Problem Solving – techniques, discussions, or activities designed to bring about solutions to targeted problems, usually with the intention of imparting a skill for how to approach and solve future problems in a similar manner.

Psychoeducational-Child – the formal review of information with the child about the development of a problem and its relation to a proposed intervention.

Psychoeducational-Parent – the formal review of information with the caretaker(s) about the development of the child's problem and its relation to a proposed intervention. This often involves an emphasis on the caretaker's role in either or both.

Relationship/Rapport Building – strategies in which the immediate aim is to increase the quality of the relationship between the youth and the therapist. Can include play, talking, games, or other activities.

Relaxation – techniques or exercises designed to induce physiological calming, including muscle relaxation, breathing exercises, meditation, and similar activities. Guided imagery exclusively for the purpose of physical relaxation is also coded here.

Response Cost – training parents or teachers how to use a point or token system in which negative behaviors result in the loss of points or tokens for the youth.

Response Prevention – explicit prevention of a maladaptive behavior that typically occurs habitually or in response to emotional or physical discomfort.

Self-Monitoring – the repeated measurement of some target index by the child.

Self-Reward/Self-Praise – techniques designed to encourage the youth to self-administer positive consequences contingent on performance of target behaviors.

Skill Building – the practice or assignment to practice or participate in activities with the intention of building and promoting talents and competencies.

Social Skills Training – providing information and feedback to improve interpersonal verbal and non-verbal functioning, which may include direct rehearsal of the skills. If this is paired with peer pairing, that should be coded as well.

Stimulus/Antecedent Control – strategies to identify specific triggers for problem behaviors and to alter or eliminate those triggers in order to reduce or eliminate the behavior.

Supportive Listening – reflective discussion with the child designed to demonstrate warmth, empathy, and positive regard, without suggesting solutions or alternative interpretations.

Tangible Rewards – the training of parents or others involved in the social ecology of the child in the administration of tangible rewards to promote desired behaviors. This can involve tokens, charts, or record keeping, in addition to first-order reinforcers.

Therapist Praise/Rewards – the administration of tangible (i.e. rewards) or social (e.g., praise) reinforcers by the therapist.

Thought Field Therapy – techniques involving the tapping of various parts of the body in particular sequences or "algorithms" in order to correct unbalanced energies, known as thought fields.

Time Out – the training of or the direct use of a technique involving removing the youth from all reinforcement for a specified period of time following the performance of an identified, unwanted behavior.

Twelve-step Programming – any programs that involve the twelve-step model for gaining control over problem behavior, most typically in the context of alcohol and substance use, but can be used to target other behaviors as well.

Other – any written response to an open-ended question that could not be categorized into another intervention strategy sub-category and did not necessitate the addition of a new category.

Unclear – any written response to an open-end question whose meaning could not be discerned and could not be coded into another category.

Out-of-Home Services was an indicator variable identifying if a youth received any out-of-home service during the period. Out-of-home services included out-of-state, hospital residential, community high-risk residential, community residential, Multidimensional Treatment Foster Care, and transitional family home. Billing records for bed-holds and therapeutic passes were also considered when calculating the indicator of whether a youth received any out-of-home services. When specifically noted, some analysis may include services provided while youth were detained or incarcerated as out-of-home services.

Outpatient Services were defined to include treatment (i.e., medication management, Functional Family Therapy, and outpatient therapy [individual, group, or family]), consultation, and assessment of any type.

Services Procured (Receipt of Services) was calculated based on records that were accepted as payable during billing adjudication. This billing information is augmented by information from manual billing and weekly provider census data from the Fiscal and Clinical Services Offices for specific levels of care. A youth is identified as receiving a service if there was any indication of service for that youth on at least one day during the reporting period. Thus, the service receipt counts are unduplicated within a level of care, but are duplicated across levels of care. For example a youth who received hospital residential and intensive in-home services would be recorded as receiving both of these levels during the period. A hierarchical model

of services is used so that unduplicated aggregates are systematically presented. For example, the out-of-home services count is unduplicated across out-of-home services, such that a youth who received hospital residential and community residential services would be counted only once for the out-of-home services, but would also be counted at the hospital residential and community residential levels.

Service Changes: Care Coordinator Changes were defined as any change in the assignment of a care coordinator to a youth as recorded in CAMHMIS child registration. The total number of changes across all youth is reported, as are the average number of changes per month, and the average number of changes per registered youth during the reporting period (i.e., FY 2013).

Service Changes: Out-of-Home Changes were defined as any transition of services from one type of out-of-home service to another (e.g., hospital-residential to therapeutic group home).

Service Changes: Placement Changes were defined as any transition of services from community-based to out-of-home or from one type of out-of-home service to another (e.g., hospital-residential to therapeutic group home).

Service Changes: Provider Agency Changes were calculated as the number of provider agency changes per period. For example, a youth who moved from a community residential provider to a Multisystemic Therapy provider during a period would record one provider change, whereas a youth moving from community residential to hospital residential and back to community residential services during the period would record two changes. A youth changing providers within a level of care would record a provider change whereas a youth changing levels of care within a provider agency may not. This variable was selected to provide a gross indicator of the frequency with which youth experience major service transition, but it does not capture the frequency of changes to individual therapists within a provider agency.

Service Intensity was defined as the number of service hours per reporting period. Service units are generally recorded in CAMHMIS as 15-minute units for non-residential services and daily units for out-of-home services. To create a relatively comparable metric across levels of care, daily out-of-home services were converted to hours at a rate of 6.5 hours per day. The service intensity was designed to provide some basis for comparison across time, but the absolute level of this indicator is largely meaningless due to the arbitrary nature of the daily conversion rate.

Supportive Services was defined to include respite home and ancillary services that could not be classified as another level of care.

Outcome Variables

Child and Adolescent Functional Assessment Scale (CAFAS). The CAFAS (Hodges, 1998) is a 200-item clinician report scale that measures youth's level of functional impairment. Based on their knowledge and experience with the child, raters review behavioral descriptions ordered by level of impairment within eight domains of functioning. The subscales of School Role Performance, Home Role Performance, Community Role Performance, Behavior Toward Others, Mood/Emotions, Mood/Self-Harmful Behavior, Substance Use, and Thinking are calculated by scoring the highest level of impairment (i.e., severe = 30, moderate = 20, mild = 10, no/minimal = 0) endorsed within the respective domain of items. An eight-scale total score is calculated by summing across the eight subscales, whereas a five-scale total is calculated by summing the raw scores from behavior, substance use, and thinking scales with the maximum score from the school, home, and community role performance scales and with the maximum score from the emotions and self-harm. The CAFAS has been found to have acceptable internal consistency across items, inter-rater reliability across sites, and stability across time (Hodges, 1995; Hodges and Wong, 1996). Studies of concurrent validity have found that CAFAS scores are related to severity of psychiatric diagnosis, intensity of care provided, restrictiveness of living settings, juvenile justice involvement, social relationship difficulties, school-related problems, and risk factors. Studies of predictive validity have found that CAFAS scores from intake assessments predict service utilization and cost for services. Analysis of the operating characteristics of the CAFAS within the CAMHD system suggested reasonable convergent validity with the CALOCUS and MTPS progress ratings periods (Daleiden, 2004; Nakamura, Daleiden, & Mueller, 2007). Care coordinators serve as the primary raters for the CAFAS and results are entered directly into a networked, computer-scoring program by care coordinators or statistics clerks.

Recommended interpretation guidelines for the eight-scale total score are:

8-Scale	Description
0 – 10	Exhibits no or minimal impairment
20 – 40	Likely can be treated on an outpatient basis provided that risk behaviors are not present
50 – 90	May need care additional services beyond outpatient care
100 – 130	Likely needs care which is more intensive than outpatient and/or which includes multiple sources of supportive care
140 +	Likely needs intensive treatment, the form of which would be shaped by the presence of risk factors and the resources available within the family and the community

Child and Adolescent Level of Care Utilization System. The CALOCUS (American Academy of Child and Adolescent Psychiatry, 1999) is a clinician rating form. Clinicians make dimensional ratings on a five-point scale in the domains of risk of harm, functional status, comorbidity, environmental stress, environmental support, resiliency and treatment history, child treatment acceptance and engagement, and parent treatment acceptance and engagement. These ratings may be summed to yield a total score, but are also combined through a detailed algorithm into a level of care judgment into one of seven categories: basic services (Level 0), recovery maintenance and health management (Level 1), outpatient services (Level 2), intensive outpatient services (Level 3), intensive integrated service without 24-hour medical monitoring (Level 4), non-secure, 24-hour, medically monitored services (Level 5), and secure, 24-hour, medically managed services (Level 6). Preliminary reliability (Fallon et al., 2002) indicated that intrajudge agreement based on clinical vignettes ranged from ICC (2, 2) = .57 - .95 across scales with all scale above .70 except for environmental stress and child treatment acceptance and engagement. Preliminary validity analysis found that the CALOCUS total score correlated -.33 with the Child Global Assessment of Scale (CGAS) and .62 with the CAFAS eight-scale total score. Analysis of the operating characteristics of the CALOCUS within the CAMHD system suggested reasonable convergent validity with the CAFAS and MTPS progress ratings over short time periods (Daleiden, 2004; Nakamura, Daleiden, & Mueller, 2007). Care coordinators serve as the primary raters for the CALOCUS and results are entered directly into a networked computer scoring program by care coordinators or statistics clerks.

Recommended interpretation guidelines for the total and level of care scores are:

Total	Level	Description
7 – 9	0	Basic Services
10 – 13	1	Recovery Maintenance and Health Management
14 – 16	2	Outpatient Services
17 – 19	3	Intensive Outpatient Services
20 – 22	4	Intensive Integrated Service without 24-hour Psychiatric Monitoring
23 – 27	5	Non-secure, 24-hour, Services with Psychiatric Monitoring
28 +	6	Secure, 24-hour, Services with Psychiatric Monitoring

CAMHD Lifetime Max represents the most severe level of functioning, need, or impairment known to CAMHD since the youth has entered the system. Specifically, this is the highest score that the youth has ever received at any assessment occasion recorded in CAMHMIS. Due to missing data or time between assessments, this value may underestimate the youth’s “true” level of most impaired functioning.

Average During Period represents the youth’s typical level of functioning during the reporting period as defined by the arithmetic average of all scores recorded for the youth during the reporting period.

Most Recent Score represents the most “up-to-date” status of the youth as indicated by the most recent assessment conducted during the reporting period.

Average Change in Score represents the most “up-to-date” status of the youth relative to their most impaired status and is an indication of the amount of progress the youth has achieved since their “worst” level. Specifically, the youth’s most recent score is subtracted from their CAMHD lifetime maximum score to calculate this value. The number of youth (N) reported for this indicator includes youth with at least two assessments, one of which must have been completed during the reporting period.

Reliable Improvement in Child Status. Reliable improvements were calculated using the most recent score during the reporting period for youth with more than one assessment. This was compared to the most impaired level of functioning the child experienced during any assessment since s/he was registered for CAMHD services. This index describes whether the child’s recent functioning is statistically significantly better than the most problematic functioning. This maximum to recent value comparison was selected to increase the sample size available for this analysis due to limited availability of intake assessments available. Because the maximum values represent extreme scores, this procedure will tend to overestimate the percent of improvement that would be expected from intake to most recent scores. However, the maximum scores also tended to have greater variability than intake scores, so the amount of change necessary to be considered reliable would also be greater and thus tend to buffer the overestimation effect. The final indicator was the number of youth showing reliable improvement divided by the number of youth (N) with maximum scores in the moderate to severe range represented as a percentage.

Clinical Improvement in Child Status. Youth were identified as experiencing clinical improvements if their maximum scores represented moderate to severe impairments or problems and their most recent score represented mild or borderline problems. The final indicator was the number of youth showing clinical improvement divided by the number of youth (N) with maximum scores in the moderate to severe range represented as a percentage. For the CAFAS, total scores of 70 or above were defined as moderate to severe, whereas scores 20 or above on the subscales were defined as moderate to severe. For the CALOCUS, a level of care score of 3 or above were defined as moderate to severe, whereas scores of 17 or above on the total scale define moderate to severe.


Sentinel Event information is based on hard copy reports that are submitted by the provider network to the CAMHD performance management office. These reports are recorded in the Sentinel Event Database, which provided the final data for analysis. The total number of hard copy reports was adjusted based on the monthly CAMHD census to estimate the rate of sentinel event reports per 1,000 youth. The monthly average represents the average number of reports that are received per month and is not adjusted for population size. Finally, the percent of youth with one or more event reports is presented to provide some indication of the distribution of events across youth. Child events are events that involve behaviors emitted by the youth (e.g., person-directed events involving physical or sexual assault of another person by the youth). Institutional events are circumstances that involve actions by others in the youth’s ecology. For institutional events, the youth may be the recipient or victim of the event (e.g., assault of the youth by another) or it may involve staff injury during the treatment of the youth.

**Summary of Registered Youth and Youth with Procured Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Total Registered Youth		
	N	%
Total Registered Youth	2,119	
with Services Procured	1,313	62.0%
Youth with New Admissions	969	45.7%
with Initial Admissions	690	32.6%
with Repeat Admissions	279	13.2%
Youth with Discharges	856	40.4%

	N	% of Available
Gender		
Females	798	38%
Males	1,321	62%

	Mean	SD
Age in Years	14.0	3.7




Primary Diagnosis of	N	% Avail
None Recorded	6	0.3%
Adjustment	129	7.3%
Anxiety	185	10.5%
Attention	347	19.6%
Disruptive Behavior	570	32.3%
Mental Retardation	0	0.0%
Miscellaneous	74	4.2%
Mood	331	18.7%
Pervasive Developmental	25	1.4%
Psychotic Spectrum	38	2.2%
Substance-Related	62	3.5%
Not Available (% Total)	352	16.6%

Any Diagnosis of	N	% Avail
None Recorded	4	0.2%
Adjustment	205	11.6%
Anxiety	410	23.1%
Attention	629	35.5%
Disruptive Behavior	938	52.9%
Mental Retardation	34	1.9%
Miscellaneous	466	26.3%
Mood	524	29.6%
Pervasive Developmental	36	2.0%
Psychotic Spectrum	46	2.6%
Substance-Related	356	20.1%
Multiple Diagnoses	1,319	74.4%
Avg. Number of Diagnoses	1.8	

Youth with Services Procured		
	N	%
Total Registered Youth	1,313	
with Services Procured	1,313	100.0%
Youth with New Admissions	505	38.5%
with Initial Admissions	341	26.0%
with Repeat Admissions	164	12.5%
Youth with Discharges	372	28.3%

	N	% of Available
Gender		
Females	486	37%
Males	827	63%

	Mean	SD
Age in Years	14.1	3.5



Primary Diagnosis of	N	% Avail
None Recorded	3	0.2%
Adjustment	79	6.3%
Anxiety	136	10.8%
Attention	245	19.5%
Disruptive Behavior	415	33.0%
Mental Retardation	0	0.0%
Miscellaneous	55	4.4%
Mood	229	18.2%
Pervasive Developmental	21	1.7%
Psychotic Spectrum	29	2.3%
Substance-Related	46	3.7%
Not Available (% Total)	55	4.2%

Any Diagnosis of	N	% Avail
None Recorded	1	0.1%
Adjustment	135	10.7%
Anxiety	318	25.2%
Attention	462	36.6%
Disruptive Behavior	685	54.3%
Mental Retardation	29	2.3%
Miscellaneous	348	27.6%
Mood	369	29.3%
Pervasive Developmental	28	2.2%
Psychotic Spectrum	37	2.9%
Substance-Related	257	20.4%
Multiple Diagnoses	972	77.1%
Avg. Number of Diagnoses	2.2	

**Summary of Registered Youth and Youth with Procured Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Total Registered Youth		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	900	71.5%
Hispanic or Latino/a	358	28.5%
Not Available (% Total)	861	40.6%
Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	7	0.5%
Asian	122	8.0%
Black or African-American	22	1.4%
Native Hawaiian or Pacific Islander	208	13.7%
White	212	13.9%
Other Race	8	0.5%
Multiracial	944	62.0%
Based on Observation	93	6.1%
Not Available (% Total)	596	28.1%
Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	130	10.4%
Alaska Native	0	0.0%
American Indian	130	10.4%
Asian	691	55.3%
Asian Indian	5	0.4%
Chinese	312	25.0%
Filipino	399	31.9%
Japanese	215	17.2%
Korean	45	3.6%
Vietnamese	9	0.7%
Other Asian	20	1.6%
Black or African-American	83	6.6%
Hispanic or Latina/o	350	28.0%
Cuban	6	0.5%
Mexican	65	5.2%
Puerto Rican	189	15.1%
Other Hispanic	136	10.9%
Native Hawaiian or Pacific Islander	759	60.7%
Guamanian or Chamorro	12	1.0%
Micronesian	58	4.6%
Native Hawaiian	641	51.3%
Samoan	82	6.6%
Other Pacific Islander	50	4.0%
White	787	63.0%
White or Caucasian	621	49.7%
Portuguese	308	24.6%
Other Race or Ethnicity	52	4.2%
Multiethnic	879	70.3%
Not Available (% Total)	869	41.0%

Youth with Services Procured		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	640	71.1%
Hispanic or Latino/a	260	28.9%
Not Available (% Total)	413	31.5%
Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	4	0.4%
Asian	86	8.0%
Black or African-American	19	1.8%
Native Hawaiian or Pacific Islander	141	13.2%
White	141	13.2%
Other Race	7	0.7%
Multiracial	672	62.8%
Based on Observation	67	6.3%
Not Available (% Total)	243	18.5%
Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	91	10.2%
Alaska Native	0	0.0%
American Indian	91	10.2%
Asian	500	55.9%
Asian Indian	3	0.3%
Chinese	228	25.5%
Filipino	287	32.1%
Japanese	155	17.3%
Korean	32	3.6%
Vietnamese	6	0.7%
Other Asian	14	1.6%
Black or African-American	64	7.2%
Hispanic or Latina/o	256	28.6%
Cuban	6	0.7%
Mexican	44	4.9%
Puerto Rican	142	15.9%
Other Hispanic	98	10.9%
Native Hawaiian or Pacific Islander	536	59.9%
Guamanian or Chamorro	9	1.0%
Micronesian	46	5.1%
Native Hawaiian	445	49.7%
Samoan	63	7.0%
Other Pacific Islander	38	4.2%
White	560	62.6%
White or Caucasian	448	50.1%
Portuguese	216	24.1%
Other Race or Ethnicity	37	4.1%
Multiethnic	631	70.5%
Not Available (% Total)	418	31.8%

**Summary of Registered Youth and Youth with Procured Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Total Registered Youth			Youth with Services Procured		
Most Recent	Total Registered		Most Recent	Total Registered	
Family Guidance Center	N	%	Family Guidance Center	N	%
Central Oahu*	296	14.0%	Central Oahu*	201	15.3%
Leeward Oahu	303	14.3%	Leeward Oahu	219	16.7%
Honolulu Oahu	251	11.8%	Honolulu Oahu	164	12.5%
Hawaii (Big Island)	770	36.3%	Hawaii (Big Island)	452	34.4%
Maui	225	10.6%	Maui	155	11.8%
Kauai	186	8.8%	Kauai	97	7.4%
Family Court Liaison Branch	88	4.2%	Family Court Liaison Branch	25	1.9%

*Central Oahu FGC now includes both Central and Windward Oahu offices.

**Summary of Registered Youth and Youth with Procured Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Any Services Procured	Youth with Services Procured		
	Monthly Average	Total N	% of Procured
Out-of-Home	182	392	29.9%
Out-of-State	5	5	0.4%
Hospital Residential	17	77	5.9%
Community High Risk	7	14	1.1%
Community Residential	54	155	11.8%
Therapeutic Foster Home	103	199	15.2%
<i>Multidimensional Treatment Foster Care</i>	5	12	0.9%
<i>Transitional Family Home</i>	98	192	14.6%
Intensive Home & Community	475	986	75.1%
Partial Hospitalization	5	23	1.8%
Multisystemic Therapy	68	213	16.2%
Intensive In-Home	407	812	61.8%
Outpatient	59	308	23.5%
Treatment	43	133	10.1%
<i>Medication Management*</i>	0	0	0.0%
<i>Functional Family Therapy</i>	33	101	7.7%
<i>Outpatient Therapy</i>	10	32	2.4%
Consultation*	0	0	0.0%
Assessment	16	181	13.8%
Supportive Services	43	188	14.3%
Respite Home	6	30	2.3%
Ancillary Service	38	162	12.3%
Crisis Stabilization	5	46	3.5%
Unduplicated Total (% of Registered)	691	1,313	62%

*These services either were not procured or had no data available in FY 2013.

**Summary of Registered Youth and Youth with Procured Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Total Hours Procured	Youth with Services Procured		
	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth
Out-of-Home	152	967	88.9%
Out-of-State	195	2,120	95.1%
Hospital Residential	120	359	58.7%
Community High Risk	175	1,060	83.2%
Community Residential	138	669	77.6%
Therapeutic Foster Home	165	1,117	83.6%
<i>Multidimensional Treatment Foster Care</i>	173	913	76.5%
<i>Transitional Family Home</i>	164	1,101	81.9%
Intensive Home & Community	18	99	78.5%
Partial Hospitalization	3	8	7.0%
Multisystemic Therapy	40	135	80.0%
Intensive In-Home	12	84	74.1%
Outpatient	4	9	50.2%
Treatment	4	15	48.5%
<i>Medication Management*</i>	0	0	0.0%
<i>Functional Family Therapy</i>	3	13	51.0%
<i>Outpatient Therapy</i>	5	21	40.6%
Consultation*	0	0	0.0%
Assessment	5	5	49.8%
Supportive Services**	-	-	-
Respite Home	20	51	12.2%
Ancillary Service**	-	-	-
Crisis Stabilization	29	41	48.6%
Unduplicated Total	40	368	

Service Changes	Monthly		
	Average	Total N	Total per Youth
Placement Changes	45	541	0.3
Out-of-Home Changes	4	45	0.0
Provider Agency Changes	106	1,274	0.6
Care Coordinator Changes	73	881	0.4

*These services either were not procured or had no data available in FY 2013.

**Duration not available for these services.

Summary of Registered Youth and Youth with Procured Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Total Registered Youth				Youth with Services Procured		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	119 (0.9)	90 (0.9)	86 (1.0)	122 (1.0)	92 (0.9)	88 (1.1)
Moods: Self-Harm	9 (0.3)	3 (0.2)	3 (0.2)	10 (0.3)	3 (0.2)	2 (0.2)
Moods: Emotions	21 (0.2)	16 (0.2)	15 (0.2)	21 (0.2)	16 (0.2)	15 (0.2)
Home Role Performance	25 (0.2)	19 (0.2)	18 (0.3)	26 (0.2)	20 (0.2)	19 (0.3)
School Role Performance	26 (0.2)	19 (0.2)	18 (0.3)	27 (0.2)	19 (0.3)	19 (0.3)
Community Role Performance	14 (0.3)	9 (0.3)	9 (0.3)	15 (0.3)	10 (0.3)	9 (0.3)
Behavior Towards Other	21 (0.2)	16 (0.2)	15 (0.2)	22 (0.2)	16 (0.2)	16 (0.2)
Substance Use	10 (0.3)	5 (0.2)	5 (0.2)	10 (0.4)	5 (0.3)	5 (0.3)
Thinking	6 (0.2)	3 (0.1)	2 (0.1)	7 (0.3)	3 (0.2)	3 (0.2)
Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	21 (0.1)	18 (0.1)	18 (0.1)	21 (0.1)	18 (0.1)	18 (0.1)
Level of Care	4 (0.0)	3 (0.0)	3 (0.0)	4 (0.0)	3 (0.0)	3 (0.0)
Child and Adolescent Functional Assessment Scale (CAFAS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total (8-scale)	33 (1421)	53% (1349)	34% (1349)	34 (1127)	55% (1089)	33% (1089)
Moods: Self-Harm	7 (1421)	79% (485)	96% (485)	7 (1127)	82% (396)	97% (396)
Moods: Emotions	6 (1421)	47% (1255)	95% (1255)	6 (1127)	48% (1026)	95% (1026)
Home Role Performance	7 (1421)	50% (1276)	65% (1276)	8 (1127)	52% (1047)	65% (1047)
School Role Performance	8 (1420)	48% (1316)	62% (1316)	8 (1127)	50% (1069)	62% (1069)
Community Role Performance	5 (1421)	47% (756)	90% (756)	6 (1127)	48% (640)	90% (640)
Behavior Towards Other	6 (1421)	49% (1244)	95% (1244)	6 (1127)	50% (1019)	95% (1019)
Substance Use	5 (1421)	61% (513)	83% (513)	5 (1127)	64% (422)	84% (422)
Thinking	4 (1421)	75% (281)	97% (281)	4 (1127)	76% (240)	97% (240)
Child and Adolescent Level of Care Utilization System (CALOCUS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total	3 (1284)	46% (1196)	42% (1196)	3 (1086)	46% (1025)	40% (1025)
Level of Care	1 (1284)	55% (1201)	67% (1201)	1 (1086)	55% (1029)	66% (1029)
Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	861	152	23.5%	1,383	151	37.5%
Child Events	935	165	21.8%	1,503	164	34.8%
Person-Directed	182	32	9.2%	292	32	14.8%
Property-Directed	95	17	6.3%	154	17	10.1%
Runaway or Elopement	246	43	10.0%	397	43	16.1%
Self-Injury	172	30	7.4%	273	30	11.7%
Substance Use	96	17	5.1%	155	17	8.2%
Other	108	19	6.5%	174	19	10.5%
Institutional Events	544	96	15.3%	874	96	24.4%
Person-Directed (Client Victim)	46	8	3.7%	75	8	5.9%
Seclusion or Restraint	59	11	2.7%	94	10	4.3%
Medication Error	9	2	0.7%	15	2	1.1%
Police Called	153	27	8.2%	248	27	13.2%
Criminal Charges or Arrest	100	18	5.5%	161	18	8.9%
Client Injury	40	7	3.5%	63	7	5.5%
Staff Injury	9	2	0.6%	14	2	1.0%
Other	113	20	6.8%	182	20	11.0%

*Indicates average change from highest CAFAS or CALOCUS score to most recent.
(A positive number reflects improvement.)

**Summary of Registered Youth and Youth with Procured Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Youth with Services Procured			
Service Setting	Any Use N	Any Use % Avail	Dosage % of Months
Clinic	560	45.7%	57.0%
Community	930	75.9%	73.0%
Home	1,075	87.7%	83.8%
Out-of-Home	493	40.2%	61.1%
Phone*	139	11.3%	59.2%
School	723	59.0%	55.6%
Unclear*	48	3.9%	27.6%
Not Available	87	6.6%	

Service Format	Any Use N	Any Use % Avail	Dosage % of Months
Family	960	78.3%	72.3%
Group	362	29.5%	48.8%
Individual	1,049	85.6%	87.7%
Parent	946	77.2%	75.0%
Phone*	35	2.9%	43.5%
Professional Consult*	302	24.6%	42.4%
Teacher	463	37.8%	47.0%
Unclear*	174	14.2%	48.1%
Not Available	87	6.6%	

Discharge Living Situation	Youth N	% Youth Discharged	% Discharges
Foster Home	100	13.6%	9.1%
Group Care	8	1.1%	0.7%
Home	519	70.3%	47.1%
Homeless/Shelter	18	2.4%	1.6%
Institution/Hospital	23	3.1%	2.1%
Jail/Correctional Facility	53	7.2%	4.8%
Other	123	16.7%	11.2%
Residential Treatment	53	7.2%	4.8%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	738		
Number of Discharges	1102		

Reason for Discharge	Youth N	% Youth Discharged	% Discharges
Eligibility Change	16	2.2%	1.5%
Family Relocation	22	3.0%	2.0%
Insufficient Progress	69	9.3%	6.3%
Other	231	31.3%	21.0%
Runaway/Elopement	97	13.1%	8.8%
Refuse/Withdraw	76	10.3%	6.9%
Success/Goals Met	437	59.2%	39.7%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	738		
Number of Discharges	1102		

*Indicates written response to an open-ended question.

**Summary of Registered Youth and Youth with Procured Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Treatment Target	Youth with Services Procured		
	Any Use N	Any Use % Avail	Dosage % of Months
Academic Achievement	445	36.3%	40.0%
Activity Involvement	663	54.1%	55.8%
Adaptive Behavior/Living Skills	159	13.0%	38.1%
Adjustment to Change	346	28.2%	38.0%
Adult Intercoordination	13	1.1%	22.0%
Aggression	529	43.1%	54.5%
Anger	615	50.2%	55.4%
Anxiety	451	36.8%	50.1%
Assertiveness	221	18.0%	37.8%
Attention Problems	217	17.7%	35.4%
Avoidance	286	23.3%	40.8%
Caregiver Self-Management/Coping	6	0.5%	22.1%
Cognitive-Intellectual Functioning	97	7.9%	38.6%
Community Involvement	226	18.4%	31.7%
Compulsive Behavior	3	0.2%	22.2%
Contentment/Enjoyment/Happiness	251	20.5%	40.6%
Depressed Mood	396	32.3%	49.4%
Eating/Feeding Problems	36	2.9%	32.3%
Empathy	149	12.2%	42.8%
Enuresis/Encopresis	41	3.3%	50.7%
Fire Setting	6	0.5%	39.0%
Fitness/Exercise	1	0.1%	20.0%
Gender Identity Problems	7	0.6%	26.3%
Goal Setting	4	0.3%	12.7%
Grief	71	5.8%	38.2%
Health Management	92	7.5%	31.6%
Housing/Living Situation	206	16.8%	32.6%
Hyperactivity	103	8.4%	39.3%
Information Gathering	11	0.9%	32.8%
Learning Disorder/Underachievement	38	3.1%	25.8%
Low Self-Esteem	313	25.5%	42.0%
Mania	11	0.9%	27.6%
Medical Regimen Adherence	128	10.4%	38.3%
Occupational Functioning/Stress	49	4.0%	27.9%
Oppositional/Non-Compliant Behavior	792	64.6%	64.3%
Pain Management	0	0.0%	0.0%
Parenting Skills	19	1.5%	32.3%
Peer Involvement	202	16.5%	34.0%
Peer/Sibling Conflict	312	25.4%	44.3%
Personal Hygiene	46	3.8%	29.2%
Phobia/Fears	415	33.8%	43.6%
Positive Family Functioning	86	7.0%	40.8%
Positive Peer Interaction	959	78.2%	67.3%
Positive Thinking/Attitude	375	30.6%	40.9%
Pregnancy Education/Adjustment	24	2.0%	41.2%
Psychosis	38	3.1%	51.6%
Runaway	229	18.7%	46.0%
Safe Environment	11	0.9%	28.8%
School Involvement	282	23.0%	36.6%
School Refusal/Truancy	226	18.4%	42.5%
Self-Control	158	12.9%	44.5%
Self-Injurious Behavior	314	25.6%	41.2%
Sexual Orientation	0	0.0%	0.0%
Sexual Misconduct	68	5.5%	51.7%
Shyness	25	2.0%	27.4%
Sleep Disturbance	23	1.9%	33.2%
Social Skills	361	29.4%	45.7%
Speech and Language	8	0.7%	25.6%
Substance Use	345	28.1%	64.5%
Suicidality	90	7.3%	36.5%
Traumatic Stress	190	15.5%	44.2%
Treatment Engagement	677	55.2%	52.5%
Treatment Planning/Framing	66	5.4%	44.6%
Willful Misconduct/Delinquency	234	19.1%	45.5%
Other	14	1.1%	15.6%
Unclear	100	8.2%	28.8%
Not Available	87	6.6%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

**Summary of Registered Youth and Youth with Procured Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Practice Elements	Youth with Services Procured		
	Any Use N	Any Use % Avail	Dosage % of Months
Activity Scheduling	730	59.5%	56.5%
Anger Management	4	0.3%	16.8%
Animal or Plant Assisted Activities	0	0.0%	0.0%
Arousal Reconditioning	0	0.0%	0.0%
Art/Music Therapy	2	0.2%	22.2%
Assertiveness Training	407	33.2%	45.9%
Assessment	41	3.3%	67.7%
Attending	357	29.1%	44.6%
Behavior Management	5	0.4%	15.3%
Behavioral Contracting	709	57.8%	55.5%
Biofeedback/Neurofeedback	19	1.5%	29.4%
Care Coordination	760	62.0%	65.1%
Catharsis	73	6.0%	38.4%
Cognitive/Coping	739	60.3%	63.9%
Commands/Limit Setting	188	15.3%	39.5%
Communication Skills	954	77.8%	67.6%
Counseling	1	0.1%	27.3%
Crisis Management	537	43.8%	45.6%
Cultural Training	144	11.7%	41.0%
Discrete Trial Training	15	1.2%	19.6%
Educational Support	666	54.3%	55.1%
Emotional Processing	796	64.9%	62.7%
Exposure	252	20.6%	40.3%
Eye Movement/Body Tapping	18	1.5%	18.0%
Family Engagement	924	75.4%	63.9%
Family Therapy	860	70.1%	60.2%
Family Visit	0	0.0%	0.0%
Free Association	77	6.3%	36.1%
Functional Analysis	204	16.6%	48.7%
Goal Setting	877	71.5%	63.5%
Guided Imagery	208	17.0%	36.3%
Ho'Oponopono	0	0.0%	0.0%
Hypnosis	23	1.9%	25.8%
Ignoring or DRO	421	34.3%	46.4%
Individual Therapy for Caregiver	360	29.4%	41.1%
Informal Supports	6	0.5%	26.8%
Insight Building	782	63.8%	60.3%
Interpretation	213	17.4%	36.1%
Juvenile Sex Offender Treatment	23	1.9%	71.3%
Legal Assistance/Involvement	0	0.0%	0.0%
Line of Sight Supervision	404	33.0%	46.7%
Maintenance/Relapse Prevention	347	28.3%	43.8%
Marital Therapy	67	5.5%	29.6%
Medication/Pharmacotherapy	360	29.4%	51.9%
Mentoring	479	39.1%	49.1%
Milieu Therapy	306	25.0%	50.2%
Mindfulness	500	40.8%	48.3%
Modeling	777	63.4%	56.8%
Motivational Interviewing	629	51.3%	54.7%
Natural and Logical Consequences	845	68.9%	61.7%
Parent Coping	779	63.5%	57.6%
Parent or Teacher Monitoring	592	48.3%	51.2%
Parent Praise	607	49.5%	51.5%
Parenting	15	1.2%	21.0%
Peer Modeling/Pairing	211	17.2%	32.1%
Personal Safety Skills	564	46.0%	50.8%
Physical Exercise	0	0.0%	0.0%
Play Therapy	201	16.4%	48.0%
Problem Solving	944	77.0%	65.5%
Psychoeducation-Child	776	63.3%	59.6%
Psychoeducation-Parent	836	68.2%	61.8%
Relationship/Rapport Building	927	75.6%	60.4%
Relaxation	611	49.8%	49.8%
Response Cost	229	18.7%	41.9%
Response Prevention	265	21.6%	40.9%
Self-Monitoring	542	44.2%	49.0%
Self-Reward/Self-Praise	429	35.0%	49.0%
Skill Building	872	71.1%	61.0%
Social Skills Training	656	53.5%	53.8%
Stimulus Control/Antecedent Man.	288	23.5%	42.9%
Supportive Listening	987	80.5%	71.0%
Tangible Rewards	589	48.0%	51.6%
Therapist Praise/Rewards	804	65.6%	61.9%
Thought Field Therapy	32	2.6%	19.9%
Time Out	342	27.9%	44.7%
Twelve-step Programming	144	11.7%	49.8%
Other	35	2.9%	28.0%
Unclear	153	12.5%	38.5%
Not Available	87	6.6%	

Note:Some open-ended responses relating to the "Other" category were recoded into existing categories.


Summary of Youth by Age 13 Years and Older
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Youth Age 13 and Older

	N	%
Total Registered Youth	1,510	71.3%
with Services Procured	956	63.3%
Youth with New Admissions	606	40.1%
with Initial Admissions	395	26.2%
with Repeat Admissions	211	14.0%
Youth with Discharges	635	42.1%

	N	% of Available
Gender		
Females	620	41%
Males	890	59%

	Mean	SD
Age in Years	16.0	1.7




Youth Age Younger than 13 Years

	N	%
Total Registered Youth	607	28.7%
with Services Procured	356	58.6%
Youth with New Admissions	361	59.5%
with Initial Admissions	294	48.4%
with Repeat Admissions	67	11.0%
Youth with Discharges	219	36.1%

	N	% of Available
Gender		
Females	177	29%
Males	430	71%

	Mean	SD
Age in Years	9.0	2.4



Primary Diagnosis of	N	% Avail
None Recorded	1	0.1%
Adjustment	78	6.0%
Anxiety	128	9.9%
Attention	187	14.4%
Disruptive Behavior	458	35.4%
Mental Retardation	0	0.0%
Miscellaneous	50	3.9%
Mood	283	21.9%
Pervasive Developmental	15	1.2%
Psychotic Spectrum	35	2.7%
Substance-Related	60	4.6%
Not Available (% Total)	215	14.2%

Any Diagnosis of	N	% Avail
None Recorded	1	0.1%
Adjustment	126	9.7%
Anxiety	293	22.6%
Attention	381	29.3%
Disruptive Behavior	706	54.3%
Mental Retardation	25	1.9%
Miscellaneous	334	25.7%
Mood	438	33.7%
Pervasive Developmental	21	1.6%
Psychotic Spectrum	42	3.2%
Substance-Related	353	27.2%
Multiple Diagnoses	984	75.8%
Avg. Number of Diagnoses	1.9	

Primary Diagnosis of	N	% Avail
None Recorded	5	1.1%
Adjustment	51	10.8%
Anxiety	57	12.1%
Attention	160	33.9%
Disruptive Behavior	112	23.7%
Mental Retardation	0	0.0%
Miscellaneous	24	5.1%
Mood	48	10.2%
Pervasive Developmental	10	2.1%
Psychotic Spectrum	3	0.6%
Substance-Related	2	0.4%
Not Available (% Total)	135	22.2%

Any Diagnosis of	N	% Avail
None Recorded	3	0.6%
Adjustment	79	16.7%
Anxiety	117	24.7%
Attention	248	52.4%
Disruptive Behavior	232	49.0%
Mental Retardation	9	1.9%
Miscellaneous	132	27.9%
Mood	86	18.2%
Pervasive Developmental	15	3.2%
Psychotic Spectrum	4	0.8%
Substance-Related	3	0.6%
Multiple Diagnoses	335	70.8%
Avg. Number of Diagnoses	1.6	

Summary of Youth by Age 13 Years and Older
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Youth Age 13 and Older		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	701	73.2%
Hispanic or Latino/a	256	26.8%
Not Available (% Total)	553	36.6%
Race (Unduplicated)		
N		% of Available
American Indian or Alaska Native	5	0.4%
Asian	103	9.0%
Black or African-American	13	1.1%
Native Hawaiian or Pacific Islander	169	14.8%
White	142	12.4%
Other Race	5	0.4%
Multiracial	706	61.8%
Based on Observation	81	7.1%
Not Available (% Total)	367	24.3%
Ethnicity (Duplicated)		
N		% of Available
American Indian or Alaska Native	90	9.4%
Alaska Native	0	0.0%
American Indian	90	9.4%
Asian	539	56.6%
Asian Indian	4	0.4%
Chinese	245	25.7%
Filipino	308	32.3%
Japanese	170	17.8%
Korean	36	3.8%
Vietnamese	9	0.9%
Other Asian	16	1.7%
Black or African-American	64	6.7%
Hispanic or Latina/o	250	26.2%
Cuban	5	0.5%
Mexican	49	5.1%
Puerto Rican	128	13.4%
Other Hispanic	99	10.4%
Native Hawaiian or Pacific Islander	581	61.0%
Guamanian or Chamorro	9	0.9%
Micronesian	47	4.9%
Native Hawaiian	482	50.6%
Samoan	65	6.8%
Other Pacific Islander	40	4.2%
White	574	60.2%
White or Caucasian	444	46.6%
Portuguese	228	23.9%
Other Race or Ethnicity	39	4.1%
Multiethnic	662	69.5%
Not Available (% Total)	557	36.9%

Youth Age Younger than 13 Years		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	199	66.1%
Hispanic or Latino/a	102	33.9%
Not Available (% Total)	306	50.4%
Race (Unduplicated)		
N		% of Available
American Indian or Alaska Native	2	0.5%
Asian	19	5.0%
Black or African-American	9	2.4%
Native Hawaiian or Pacific Islander	39	10.3%
White	70	18.5%
Other Race	3	0.8%
Multiracial	237	62.5%
Based on Observation	12	3.2%
Not Available (% Total)	228	37.6%
Ethnicity (Duplicated)		
N		% of Available
American Indian or Alaska Native	40	13.5%
Alaska Native	0	0.0%
American Indian	40	13.5%
Asian	152	51.2%
Asian Indian	1	0.3%
Chinese	67	22.6%
Filipino	91	30.6%
Japanese	45	15.2%
Korean	9	3.0%
Vietnamese	0	0.0%
Other Asian	4	1.3%
Black or African-American	19	6.4%
Hispanic or Latina/o	100	33.7%
Cuban	1	0.3%
Mexican	16	5.4%
Puerto Rican	61	20.5%
Other Hispanic	37	12.5%
Native Hawaiian or Pacific Islander	178	59.9%
Guamanian or Chamorro	3	1.0%
Micronesian	11	3.7%
Native Hawaiian	159	53.5%
Samoan	17	5.7%
Other Pacific Islander	10	3.4%
White	213	71.7%
White or Caucasian	177	59.6%
Portuguese	80	26.9%
Other Race or Ethnicity	13	4.4%
Multiethnic	217	73.1%
Not Available (% Total)	310	51.1%

Summary of Youth by Age 13 Years and Older
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Youth Age 13 and Older		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	223	14.8%
Leeward Oahu	253	16.8%
Honolulu Oahu	183	12.1%
Hawaii (Big Island)	484	32.1%
Maui	149	9.9%
Kauai	131	8.7%
Family Court Liaison Branch	87	5.8%

Youth Age Younger than 13 Years		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	73	12.0%
Leeward Oahu	50	8.2%
Honolulu Oahu	68	11.2%
Hawaii (Big Island)	286	47.1%
Maui	76	12.5%
Kauai	54	8.9%
Family Court Liaison Branch	0	0.0%

*Central Oahu FGC now includes both Central and Windward Oahu offices.

Summary of Youth by Age 13 Years and Older
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Services Procured	Youth Age 13 and Older			Youth Age Younger than 13 Years		
	Monthly Average	Total N	% of Procured	Monthly Average	Total N	% of Procured
Out-of-Home	158	343	35.9%	24	49	13.8%
Out-of-State	5	5	0.5%	0	0	0.0%
Hospital Residential	13	59	6.2%	4	18	5.1%
Community High Risk	6	13	1.4%	0	1	0.3%
Community Residential	54	154	16.1%	1	1	0.3%
Therapeutic Foster Home	83	168	17.6%	20	31	8.7%
<i>Multidimensional Treatment Foster Care</i>	5	12	1.3%	0	0	0.0%
<i>Transitional Family Home</i>	79	161	16.8%	20	31	8.7%
Intensive Home & Community	326	698	73.0%	149	288	80.9%
Partial Hospitalization	5	22	2.3%	0	1	0.3%
Multisystemic Therapy	61	190	19.9%	7	23	6.5%
Intensive In-Home	265	542	56.7%	142	270	75.8%
Outpatient	42	199	20.8%	17	109	30.6%
Treatment	33	101	10.6%	11	32	9.0%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	26	80	8.4%	7	21	5.9%
<i>Outpatient Therapy</i>	7	21	2.2%	3	11	3.1%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	9	103	10.8%	7	78	21.9%
Supportive Services	37	155	16.2%	7	33	9.3%
Respite Home	3	15	1.6%	3	15	4.2%
Ancillary Service	34	143	15.0%	4	19	5.3%
Crisis Stabilization	4	35	3.7%	1	10	2.8%
Unduplicated Total (% of Registered)	507	956	63%	185	356	59%

*These services either were not procured or had no data available in FY 2013.

Summary of Youth by Age 13 Years and Older
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Total Hours Procured	Youth Age 13 and Older			Youth Age Younger than 13 Years		
	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth
Out-of-Home	150	951	89.2%	162	1,078	86.4%
Out-of-State	195	2,120	95.1%	0	0	0.0%
Hospital Residential	118	351	56.0%	129	386	67.4%
Community High Risk	173	1,096	81.9%	197	592	100.0%
Community Residential	137	666	77.7%	167	1,001	66.7%
Therapeutic Foster Home	163	1,059	82.1%	179	1,429	92.0%
<i>Multidimensional Treatment Foster Care</i>	173	913	76.5%	0	0	0.0%
<i>Transitional Family Home</i>	161	1,037	79.9%	179	1,429	92.0%
Intensive Home & Community	18	99	74.3%	16	99	88.8%
Partial Hospitalization	3	8	7.0%	3	17	7.5%
Multisystemic Therapy	39	134	78.7%	46	143	90.7%
Intensive In-Home	12	80	67.8%	13	94	86.9%
Outpatient	4	10	52.0%	4	8	47.0%
Treatment	4	16	47.7%	3	14	51.2%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	3	14	47.6%	3	12	64.0%
<i>Outpatient Therapy</i>	5	23	47.9%	5	18	26.8%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	5	5	53.7%	5	5	44.7%
Supportive Services**	-	-	-	-	-	-
Respite Home	21	56	11.5%	20	46	12.9%
Ancillary Service**	-	-	-	-	-	-
Crisis Stabilization	30	43	52.7%	24	34	29.1%
Unduplicated Total	45	418		26	234	

Service Changes	Youth Age 13 and Older			Youth Age Younger than 13 Years		
	Monthly Average	Total N	Total per Youth	Monthly Average	Total N	Total per Youth
Placement Changes	41	489	0.3	4	52	0.1
Out-of-Home Changes	4	43	0.0	0	2	0.0
Provider Agency Changes	77	925	0.6	29	348	0.6
Care Coordinator Changes	48	571	0.4	26	310	0.5

*These services either were not procured or had no data available in FY 2013.

**Duration not available for these services.

Summary of Youth by Age 13 Years and Older
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Youth Age 13 and Older			
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	127 (1.0)	95 (1.0)	91 (1.2)
Moods: Self-Harm	11 (0.3)	3 (0.2)	3 (0.2)
Moods: Emotions	21 (0.2)	16 (0.2)	15 (0.2)
Home Role Performance	26 (0.2)	19 (0.3)	18 (0.3)
School Role Performance	27 (0.2)	19 (0.3)	18 (0.4)
Community Role Performance	17 (0.3)	11 (0.3)	11 (0.3)
Behavior Towards Other	21 (0.2)	16 (0.2)	15 (0.2)
Substance Use	13 (0.4)	7 (0.3)	7 (0.3)
Thinking	7 (0.3)	3 (0.2)	2 (0.2)

Youth Age 13 and Older			
Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	22 (0.1)	19 (0.1)	18 (0.1)
Level of Care	4 (0.0)	3 (0.0)	3 (0.0)

Child and Adolescent Functional Assessment Scale (CAFAS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total (8-scale)	36 (1038)	56% (1010)	31% (1010)
Moods: Self-Harm	8 (1038)	79% (414)	96% (414)
Moods: Emotions	6 (1038)	50% (937)	94% (937)
Home Role Performance	8 (1038)	51% (949)	62% (949)
School Role Performance	9 (1037)	49% (976)	58% (976)
Community Role Performance	6 (1038)	44% (678)	89% (678)
Behavior Towards Other	6 (1038)	52% (925)	96% (925)
Substance Use	6 (1038)	61% (507)	83% (507)
Thinking	4 (1038)	78% (223)	96% (223)

Child and Adolescent Level of Care Utilization System (CALOCUS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total	3 (944)	49% (905)	39% (905)
Level of Care	1 (944)	58% (907)	62% (907)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	1,045	132	27.7%
Child Events	1,148	145	26.0%
Person-Directed	182	23	10.0%
Property-Directed	120	15	7.6%
Runaway or Elopement	343	43	13.8%
Self-Injury	215	27	8.6%
Substance Use	134	17	7.1%
Other	116	15	7.2%
Institutional Events	643	81	18.3%
Person-Directed (Client Victim)	57	7	4.5%
Seclusion or Restraint	56	7	3.3%
Medication Error	13	2	0.9%
Police Called	199	25	10.5%
Criminal Charges or Arrest	134	17	7.2%
Client Injury	47	6	4.0%
Staff Injury	7	1	0.6%
Other	124	16	7.6%

Youth Age Younger than 13 Years		
"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
96 (1.4)	77 (1.3)	73 (1.5)
6 (0.4)	2 (0.3)	2 (0.3)
19 (0.3)	16 (0.3)	15 (0.4)
24 (0.4)	18 (0.4)	18 (0.4)
24 (0.4)	18 (0.4)	18 (0.5)
6 (0.4)	3 (0.3)	2 (0.3)
21 (0.3)	16 (0.3)	16 (0.4)
0 (0.1)	0 (0.1)	0 (0.1)
5 (0.4)	2 (0.3)	2 (0.3)

Youth Age Younger than 13 Years		
"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
19 (0.2)	17 (0.1)	17 (0.2)
3 (0.1)	3 (0.1)	3 (0.1)

Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
23 (383)	42% (339)	42% (339)
4 (383)	73% (71)	96% (71)
4 (383)	38% (318)	96% (318)
6 (383)	48% (327)	73% (327)
6 (383)	46% (340)	73% (340)
4 (383)	71% (78)	96% (78)
5 (383)	42% (319)	91% (319)
0 (383)	83% (6)	100% (6)
3 (383)	66% (58)	98% (58)

Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
2 (340)	35% (291)	52% (291)
1 (340)	45% (294)	81% (294)

Reports per 1,000 youth	Monthly Average	Any Report % of youth
405	21	12.9%
407	21	11.4%
183	9	7.4%
35	2	3.0%
5	0	0.5%
66	3	4.3%
2	0	0.2%
89	5	4.8%
297	15	7.6%
20	1	1.6%
68	3	1.3%
2	0	0.2%
40	2	2.5%
15	1	1.3%
21	1	2.0%
15	1	0.7%
87	4	4.9%

*Indicates average change from highest CAFAS or CALOCUS score to most recent.
 (A positive number reflects improvement.)

Summary of Youth by Age 13 Years and Older
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Youth Age 13 and Older			
Service Setting	Any Use N	Any Use % Avail	Dosage % of Months
Clinic	436	47.8%	56.9%
Community	693	75.9%	73.8%
Home	791	86.6%	83.0%
Out-of-Home	408	44.7%	62.7%
Phone*	100	11.0%	59.5%
School	550	60.2%	56.7%
Unclear*	40	4.4%	29.7%
Not Available	597	39.5%	

Service Format	Any Use N	Any Use % Avail	Dosage % of Months
Family	713	78.1%	72.2%
Group	298	32.6%	50.7%
Individual	775	84.9%	88.6%
Parent	687	75.2%	75.0%
Phone*	28	3.1%	46.3%
Professional Consult*	222	24.3%	41.5%
Teacher	360	39.4%	48.2%
Unclear*	158	17.3%	50.9%
Not Available	597	39.5%	

Discharge Living Situation	Youth N	% Youth Discharged	% Discharges
Foster Home	79	13.4%	8.7%
Group Care	8	1.4%	0.9%
Home	397	67.2%	43.9%
Homeless/Shelter	16	2.7%	1.8%
Institution/Hospital	18	3.0%	2.0%
Jail/Correctional Facility	52	8.8%	5.8%
Other	119	20.1%	13.2%
Residential Treatment	50	8.5%	5.5%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	591		
Number of Discharges	904		

Reason for Discharge	Youth N	% Youth Discharged	% Discharges
Eligibility Change	15	2.5%	1.7%
Family Relocation	14	2.4%	1.5%
Insufficient Progress	62	10.5%	6.9%
Other	193	32.7%	21.3%
Runaway/Elopement	98	16.6%	10.8%
Refuse/Withdraw	61	10.3%	6.7%
Success/Goals Met	328	55.5%	36.3%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	591		
Number of Discharges	904		

Youth Age Younger than 13 Years		
Any Use N	Any Use % Avail	Dosage % of Months
125	38.2%	57.6%
244	74.6%	71.1%
295	90.2%	86.4%
88	26.9%	55.0%
39	11.9%	58.4%
177	54.1%	53.1%
8	2.4%	17.5%
280	46.1%	

Any Use N	Any Use % Avail	Dosage % of Months
254	77.7%	73.1%
66	20.2%	40.7%
283	86.5%	85.6%
267	81.7%	75.5%
7	2.1%	31.9%
81	24.8%	45.6%
106	32.4%	43.0%
18	5.5%	30.0%
280	46.1%	

Youth N	% Youth Discharged	% Discharges
21	13.6%	10.2%
0	0.0%	0.0%
126	81.8%	61.5%
2	1.3%	1.0%
5	3.2%	2.4%
1	0.6%	0.5%
7	4.5%	3.4%
3	1.9%	1.5%
0	0.0%	0.0%
154		
205		

Youth N	% Youth Discharged	% Discharges
2	1.3%	1.0%
8	5.2%	3.9%
7	4.5%	3.4%
38	24.7%	18.5%
0	0.0%	0.0%
16	10.4%	7.8%
113	73.4%	55.1%
0	0.0%	0.0%
154		
205		

*Indicates written response to an open-ended question.

Summary of Youth by Age 13 Years and Older
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Treatment Target	Youth Age 13 and Older			Youth Age Younger than 13 Years		
	Any Use N	Any Use % Avail	Dosage % of Months	Any Use N	Any Use % Avail	Dosage % of Months
Academic Achievement	330	36.1%	40.6%	118	36.1%	39.2%
Activity Involvement	537	58.8%	57.1%	129	39.4%	50.7%
Adaptive Behavior/Living Skills	130	14.2%	38.0%	29	8.9%	38.5%
Adjustment to Change	264	28.9%	37.3%	84	25.7%	41.5%
Adult Intercoordination	9	1.0%	23.9%	4	1.2%	17.8%
Aggression	353	38.7%	52.0%	176	53.8%	59.6%
Anger	447	49.0%	54.8%	169	51.7%	56.9%
Anxiety	315	34.5%	50.5%	139	42.5%	49.6%
Assertiveness	168	18.4%	35.4%	53	16.2%	45.4%
Attention Problems	114	12.5%	30.6%	105	32.1%	41.8%
Avoidance	241	26.4%	43.1%	48	14.7%	32.7%
Caregiver Self-Management/Coping	3	0.3%	25.0%	3	0.9%	19.2%
Cognitive-Intellectual Functioning	78	8.5%	38.2%	19	5.8%	40.3%
Community Involvement	180	19.7%	32.9%	48	14.7%	30.2%
Compulsive Behavior	1	0.1%	8.3%	2	0.6%	29.2%
Contentment/Enjoyment/Happiness	182	19.9%	39.0%	69	21.1%	44.6%
Depressed Mood	340	37.2%	51.1%	57	17.4%	40.0%
Eating/Feeding Problems	30	3.3%	32.8%	6	1.8%	29.5%
Empathy	107	11.7%	44.6%	42	12.8%	38.2%
Enuresis/Encopresis	13	1.4%	50.2%	28	8.6%	50.9%
Fire Setting	4	0.4%	49.4%	2	0.6%	18.3%
Fitness/Exercise	0	0.0%	0.0%	1	0.3%	20.0%
Gender Identity Problems	6	0.7%	28.0%	1	0.3%	16.7%
Goal Setting	4	0.4%	12.7%	0	0.0%	0.0%
Grief	54	5.9%	40.9%	17	5.2%	29.3%
Health Management	69	7.6%	32.1%	23	7.0%	30.2%
Housing/Living Situation	167	18.3%	34.4%	39	11.9%	25.2%
Hyperactivity	34	3.7%	32.0%	69	21.1%	42.9%
Information Gathering	8	0.9%	37.5%	3	0.9%	20.4%
Learning Disorder/Underachievement	30	3.3%	22.7%	8	2.4%	37.4%
Low Self-Esteem	252	27.6%	42.7%	61	18.7%	39.3%
Mania	9	1.0%	26.5%	2	0.6%	32.5%
Medical Regimen Adherence	102	11.2%	38.3%	26	8.0%	38.3%
Occupational Functioning/Stress	47	5.1%	29.5%	3	0.9%	26.4%
Oppositional/Non-Compliant Behavior	571	62.5%	62.2%	226	69.1%	70.3%
Pain Management	0	0.0%	0.0%	0	0.0%	0.0%
Parenting Skills	12	1.3%	36.8%	7	2.1%	24.7%
Peer Involvement	159	17.4%	35.8%	43	13.1%	27.2%
Peer/Sibling Conflict	179	19.6%	40.1%	134	41.0%	50.1%
Personal Hygiene	34	3.7%	30.6%	12	3.7%	25.5%
Phobia/Fears	327	35.8%	45.7%	90	27.5%	36.2%
Positive Family Functioning	63	6.9%	43.0%	23	7.0%	34.9%
Positive Peer Interaction	706	77.3%	67.9%	259	79.2%	66.1%
Positive Thinking/Attitude	301	33.0%	40.5%	75	22.9%	43.4%
Pregnancy Education/Adjustment	21	2.3%	42.5%	3	0.9%	31.9%
Psychosis	35	3.8%	54.3%	3	0.9%	21.0%
Runaway	220	24.1%	47.3%	11	3.4%	25.0%
Safe Environment	1	0.1%	25.0%	10	3.1%	29.1%
School Involvement	228	25.0%	38.6%	56	17.1%	30.6%
School Refusal/Truancy	208	22.8%	42.4%	19	5.8%	43.6%
Self-Control	125	13.7%	46.9%	34	10.4%	37.2%
Self-Injurious Behavior	207	22.7%	41.3%	108	33.0%	41.6%
Sexual Orientation	0	0.0%	0.0%	0	0.0%	0.0%
Sexual Misconduct	48	5.3%	55.7%	21	6.4%	42.5%
Shyness	22	2.4%	25.8%	3	0.9%	39.6%
Sleep Disturbance	19	2.1%	37.3%	5	1.5%	31.2%
Social Skills	256	28.0%	44.5%	107	32.7%	49.6%
Speech and Language	6	0.7%	19.7%	2	0.6%	43.1%
Substance Use	340	37.2%	65.0%	6	1.8%	42.7%
Suicidality	79	8.7%	37.5%	11	3.4%	29.1%
Traumatic Stress	133	14.6%	44.1%	57	17.4%	44.6%
Treatment Engagement	539	59.0%	54.0%	142	43.4%	48.0%
Treatment Planning/Framing	52	5.7%	47.6%	15	4.6%	37.9%
Willful Misconduct/Delinquency	208	22.8%	46.3%	26	8.0%	38.6%
Other	11	1.2%	15.3%	3	0.9%	16.9%
Unclear	65	7.1%	27.4%	36	11.0%	33.3%
Not Available	597	39.5%		280	46.1%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Age 13 Years and Older
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Youth Age 13 and Older			Youth Age Younger than 13 Years		
	Any Use	Any Use	Dosage	Any Use	Any Use	Dosage
Practice Elements	N	% Avail	% of Months	N	% Avail	% of Months
Activity Scheduling	549	60.1%	56.4%	189	57.8%	58.4%
Anger Management	3	0.3%	19.6%	1	0.3%	8.3%
Animal or Plant Assisted Activities	0	0.0%	0.0%	0	0.0%	0.0%
Arousal Reconditioning	0	0.0%	0.0%	0	0.0%	0.0%
Art/Music Therapy	0	0.0%	0.0%	2	0.6%	22.2%
Assertiveness Training	304	33.3%	46.2%	105	32.1%	45.3%
Assessment	36	3.9%	69.6%	5	1.5%	53.9%
Attending	269	29.5%	46.0%	92	28.1%	41.8%
Behavior Management	4	0.4%	17.1%	1	0.3%	8.3%
Behavioral Contracting	531	58.2%	55.0%	182	55.7%	57.9%
Biofeedback/Neurofeedback	14	1.5%	28.0%	5	1.5%	33.5%
Care Coordination	604	66.2%	66.5%	163	49.8%	60.8%
Catharsis	57	6.2%	39.9%	17	5.2%	36.9%
Cognitive/Coping	583	63.9%	64.9%	159	48.6%	61.1%
Commands/Limit Setting	140	15.3%	38.1%	50	15.3%	45.4%
Communication Skills	716	78.4%	68.0%	245	74.9%	67.4%
Counseling	1	0.1%	27.3%	0	0.0%	0.0%
Crisis Management	442	48.4%	47.0%	101	30.9%	42.2%
Cultural Training	125	13.7%	41.4%	20	6.1%	41.5%
Discrete Trial Training	10	1.1%	17.0%	5	1.5%	24.7%
Educational Support	519	56.8%	56.6%	152	46.5%	51.1%
Emotional Processing	607	66.5%	63.5%	193	59.0%	60.9%
Exposure	181	19.8%	41.5%	72	22.0%	37.9%
Eye Movement/Body Tapping	14	1.5%	18.2%	4	1.2%	17.5%
Family Engagement	686	75.1%	65.5%	245	74.9%	60.5%
Family Therapy	638	69.9%	60.2%	227	69.4%	60.8%
Family Visit	0	0.0%	0.0%	0	0.0%	0.0%
Free Association	66	7.2%	37.8%	12	3.7%	27.7%
Functional Analysis	168	18.4%	49.7%	38	11.6%	46.8%
Goal Setting	689	75.5%	65.1%	193	59.0%	58.8%
Guided Imagery	161	17.6%	36.4%	49	15.0%	37.6%
Ho'Oponopono	0	0.0%	0.0%	0	0.0%	0.0%
Hypnosis	15	1.6%	30.7%	8	2.4%	16.7%
Ignoring or DRO	284	31.1%	47.1%	142	43.4%	46.7%
Individual Therapy for Caregiver	237	26.0%	37.9%	127	38.8%	48.6%
Informal Supports	5	0.5%	28.2%	1	0.3%	20.0%
Insight Building	609	66.7%	62.2%	176	53.8%	54.5%
Interpretation	184	20.2%	35.8%	32	9.8%	39.3%
Juvenile Sex Offender Treatment	22	2.4%	70.0%	1	0.3%	100.0%
Legal Assistance/Involvement	0	0.0%	0.0%	0	0.0%	0.0%
Line of Sight Supervision	296	32.4%	46.8%	109	33.3%	46.4%
Maintenance/Relapse Prevention	309	33.8%	45.4%	40	12.2%	32.1%
Marital Therapy	50	5.5%	27.0%	18	5.5%	36.9%
Medication/Pharmacotherapy	275	30.1%	51.3%	88	26.9%	54.7%
Mentoring	391	42.8%	51.4%	92	28.1%	41.8%
Milieu Therapy	263	28.8%	51.8%	44	13.5%	41.5%
Mindfulness	401	43.9%	49.3%	105	32.1%	47.3%
Modeling	571	62.5%	58.0%	214	65.4%	55.1%
Motivational Interviewing	525	57.5%	56.7%	109	33.3%	46.8%
Natural and Logical Consequences	616	67.5%	61.4%	232	70.9%	62.9%
Parent Coping	533	58.4%	55.2%	252	77.1%	63.8%
Parent or Teacher Monitoring	424	46.4%	50.3%	172	52.6%	54.3%
Parent Praise	434	47.5%	50.2%	181	55.4%	55.7%
Parenting	10	1.1%	17.3%	5	1.5%	28.3%
Peer Modeling/Pairing	168	18.4%	34.0%	44	13.5%	26.4%
Personal Safety Skills	418	45.8%	51.6%	150	45.9%	49.2%
Physical Exercise	0	0.0%	0.0%	0	0.0%	0.0%
Play Therapy	61	6.7%	25.7%	142	43.4%	57.9%
Problem Solving	710	77.8%	67.8%	240	73.4%	59.4%
Psychoeducation-Child	585	64.1%	61.3%	197	60.2%	55.8%
Psychoeducation-Parent	582	63.7%	58.8%	264	80.7%	69.9%
Relationship/Rapport Building	682	74.7%	61.8%	250	76.5%	57.5%
Relaxation	448	49.1%	50.3%	167	51.1%	49.6%
Response Cost	169	18.5%	41.8%	62	19.0%	44.0%
Response Prevention	209	22.9%	42.0%	60	18.3%	39.9%
Self-Monitoring	426	46.7%	49.1%	122	37.3%	51.1%
Self-Reward/Self-Praise	333	36.5%	49.3%	101	30.9%	50.2%
Skill Building	656	71.9%	62.0%	223	68.2%	58.9%
Social Skills Training	473	51.8%	52.0%	188	57.5%	59.2%
Stimulus Control/Antecedent Man.	204	22.3%	44.4%	86	26.3%	40.6%
Supportive Listening	737	80.7%	72.2%	257	78.6%	68.4%
Tangible Rewards	425	46.5%	51.2%	170	52.0%	53.9%
Therapist Praise/Rewards	582	63.7%	60.2%	228	69.7%	67.0%
Thought Field Therapy	26	2.8%	19.1%	6	1.8%	23.4%
Time Out	250	27.4%	46.9%	95	29.1%	40.5%
Twelve-step Programming	143	15.7%	49.9%	1	0.3%	41.7%
Other	30	3.3%	28.5%	5	1.5%	25.2%
Unclear	133	14.6%	40.2%	21	6.4%	30.5%
Not Available	597	39.5%		280	46.1%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Age 18 Years and Older
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Youth Age 18 and Older

	N	%
Total Registered Youth	328	15.5%
with Services Procured	174	53.0%
Youth with New Admissions	60	18.3%
with Initial Admissions	25	7.6%
with Repeat Admissions	35	10.7%
Youth with Discharges	230	70.1%

	N	% of Available
Gender		
Females	123	38%
Males	205	63%

	Mean	SD
Age in Years	18.4	0.6



Primary Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	13	4.5%
Anxiety	28	9.7%
Attention	27	9.4%
Disruptive Behavior	94	32.6%
Mental Retardation	0	0.0%
Miscellaneous	16	5.6%
Mood	74	25.7%
Pervasive Developmental	4	1.4%
Psychotic Spectrum	12	4.2%
Substance-Related	20	6.9%
Not Available (% Total)	40	12.2%


Any Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	19	6.6%
Anxiety	61	21.2%
Attention	68	23.6%
Disruptive Behavior	143	49.7%
Mental Retardation	9	3.1%
Miscellaneous	71	24.7%
Mood	111	38.5%
Pervasive Developmental	7	2.4%
Psychotic Spectrum	14	4.9%
Substance-Related	110	38.2%
Multiple Diagnoses	220	76.4%
Avg. Number of Diagnoses	2.0	

Youth Age Younger than 18 Years

	N	%
Total Registered Youth	1,789	84.5%
with Services Procured	1,138	63.6%
Youth with New Admissions	907	50.7%
with Initial Admissions	664	37.1%
with Repeat Admissions	243	13.6%
Youth with Discharges	624	34.9%

	N	% of Available
Gender		
Females	674	38%
Males	1,115	62%

	Mean	SD
Age in Years	13.2	3.5



Primary Diagnosis of	N	% Avail
None Recorded	6	0.4%
Adjustment	116	7.8%
Anxiety	157	10.6%
Attention	320	21.6%
Disruptive Behavior	476	32.2%
Mental Retardation	0	0.0%
Miscellaneous	58	3.9%
Mood	257	17.4%
Pervasive Developmental	21	1.4%
Psychotic Spectrum	26	1.8%
Substance-Related	42	2.8%
Not Available (% Total)	310	17.3%

Any Diagnosis of	N	% Avail
None Recorded	4	0.3%
Adjustment	186	12.5%
Anxiety	349	23.5%
Attention	561	37.8%
Disruptive Behavior	795	53.6%
Mental Retardation	25	1.7%
Miscellaneous	395	26.6%
Mood	413	27.8%
Pervasive Developmental	29	2.0%
Psychotic Spectrum	32	2.2%
Substance-Related	246	16.6%
Multiple Diagnoses	1,099	74.1%
Avg. Number of Diagnoses	1.8	

Summary of Youth by Age 18 Years and Older
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Youth Age 18 and Older		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	172	76.1%
Hispanic or Latino/a	54	23.9%
Not Available (% Total)	102	31.1%
Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	1	0.4%
Asian	26	9.7%
Black or African-American	3	1.1%
Native Hawaiian or Pacific Islander	41	15.2%
White	37	13.8%
Other Race	0	0.0%
Multiracial	161	59.9%
Based on Observation	17	6.3%
Not Available (% Total)	59	18.0%
Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	20	8.8%
Alaska Native	0	0.0%
American Indian	20	8.8%
Asian	121	53.3%
Asian Indian	0	0.0%
Chinese	50	22.0%
Filipino	65	28.6%
Japanese	38	16.7%
Korean	6	2.6%
Vietnamese	3	1.3%
Other Asian	3	1.3%
Black or African-American	18	7.9%
Hispanic or Latina/o	53	23.3%
Cuban	1	0.4%
Mexican	7	3.1%
Puerto Rican	27	11.9%
Other Hispanic	21	9.3%
Native Hawaiian or Pacific Islander	133	58.6%
Guamanian or Chamorro	3	1.3%
Micronesian	9	4.0%
Native Hawaiian	112	49.3%
Samoan	14	6.2%
Other Pacific Islander	7	3.1%
White	133	58.6%
White or Caucasian	102	44.9%
Portuguese	50	22.0%
Other Race or Ethnicity	9	4.0%
Multiethnic	152	67.0%
Not Available (% Total)	101	30.8%

Youth Age Younger than 18 Years		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	728	70.5%
Hispanic or Latino/a	304	29.5%
Not Available (% Total)	757	42.3%
Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	6	0.5%
Asian	96	7.7%
Black or African-American	19	1.5%
Native Hawaiian or Pacific Islander	167	13.3%
White	175	14.0%
Other Race	8	0.6%
Multiracial	782	62.4%
Based on Observation	76	6.1%
Not Available (% Total)	536	30.0%
Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	110	10.8%
Alaska Native	0	0.0%
American Indian	110	10.8%
Asian	570	55.7%
Asian Indian	5	0.5%
Chinese	262	25.6%
Filipino	334	32.6%
Japanese	177	17.3%
Korean	39	3.8%
Vietnamese	6	0.6%
Other Asian	17	1.7%
Black or African-American	65	6.4%
Hispanic or Latina/o	297	29.0%
Cuban	5	0.5%
Mexican	58	5.7%
Puerto Rican	162	15.8%
Other Hispanic	115	11.2%
Native Hawaiian or Pacific Islander	626	61.2%
Guamanian or Chamorro	9	0.9%
Micronesian	49	4.8%
Native Hawaiian	529	51.7%
Samoan	68	6.6%
Other Pacific Islander	43	4.2%
White	654	63.9%
White or Caucasian	519	50.7%
Portuguese	258	25.2%
Other Race or Ethnicity	43	4.2%
Multiethnic	727	71.1%
Not Available (% Total)	766	42.8%

Summary of Youth by Age 18 Years and Older
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Youth Age 18 and Older		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	45	13.7%
Leeward Oahu	55	16.8%
Honolulu Oahu	33	10.1%
Hawaii (Big Island)	88	26.8%
Maui	16	4.9%
Kauai	33	10.1%
Family Court Liaison Branch	58	17.7%

Youth Age Younger than 18 Years		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	251	14.0%
Leeward Oahu	248	13.9%
Honolulu Oahu	218	12.2%
Hawaii (Big Island)	682	38.1%
Maui	209	11.7%
Kauai	152	8.5%
Family Court Liaison Branch	29	1.6%

*Central Oahu FGC now includes both Central and Windward Oahu offices.

Summary of Youth by Age 18 Years and Older
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Services Procured	Youth Age 18 and Older			Youth Age Younger than 18 Years		
	Monthly Average	Total N	% of Procured	Monthly Average	Total N	% of Procured
Out-of-Home	19	53	30.5%	163	339	29.8%
Out-of-State	0	0	0.0%	5	5	0.4%
Hospital Residential	1	7	4.0%	16	70	6.2%
Community High Risk	2	3	1.7%	5	11	1.0%
Community Residential	8	24	13.8%	47	131	11.5%
Therapeutic Foster Home	10	25	14.4%	93	174	15.3%
<i>Multidimensional Treatment Foster Care</i>	0	0	0.0%	5	12	1.1%
<i>Transitional Family Home</i>	10	25	14.4%	88	167	14.7%
Intensive Home & Community	61	131	75.3%	414	855	75.1%
Partial Hospitalization	1	2	1.1%	5	21	1.8%
Multisystemic Therapy	4	12	6.9%	64	201	17.7%
Intensive In-Home	57	122	70.1%	350	690	60.6%
Outpatient	6	31	17.8%	53	277	24.3%
Treatment	4	10	5.7%	39	123	10.8%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	2	7	4.0%	31	94	8.3%
<i>Outpatient Therapy</i>	2	3	1.7%	8	29	2.5%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	2	21	12.1%	14	160	14.1%
Supportive Services	4	19	10.9%	39	169	14.9%
Respite Home	0	1	0.6%	6	29	2.5%
Ancillary Service	4	18	10.3%	34	144	12.7%
Crisis Stabilization	0	1	0.6%	5	44	3.9%
Unduplicated Total (% of Registered)	84	174	53%	608	1,138	64%

*These services either were not procured or had no data available in FY 2013.

Summary of Youth by Age 18 Years and Older
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Total Hours Procured	Youth Age 18 and Older			Youth Age Younger than 18 Years		
	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth
Out-of-Home	139	718	87.9%	153	1,006	89.0%
Out-of-State	0	0	0.0%	195	2,120	95.1%
Hospital Residential	67	105	47.0%	126	384	59.8%
Community High Risk	183	1,107	72.6%	173	1,047	86.1%
Community Residential	134	596	81.6%	138	682	76.9%
Therapeutic Foster Home	147	789	86.2%	168	1,164	83.3%
<i>Multidimensional Treatment Foster Care</i>	0	0	0.0%	173	913	76.5%
<i>Transitional Family Home</i>	147	789	86.2%	167	1,147	81.3%
Intensive Home & Community	13	79	82.2%	18	102	77.9%
Partial Hospitalization	3	10	7.8%	3	8	6.9%
Multisystemic Therapy	26	93	77.7%	40	137	80.1%
Intensive In-Home	12	76	80.5%	13	86	73.0%
Outpatient	3	10	59.3%	4	9	49.2%
Treatment	3	22	31.0%	4	15	49.9%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	2	9	20.2%	3	14	53.3%
<i>Outpatient Therapy</i>	5	52	56.1%	5	18	39.0%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	4	4	72.8%	5	5	46.8%
Supportive Services**	-	-	-	-	-	-
Respite Home	8	33	21.1%	21	52	11.9%
Ancillary Service**	-	-	-	-	-	-
Crisis Stabilization	49	98	10.7%	29	40	48.3%
Unduplicated Total	36	281		41	381	

Service Changes	Youth Age 18 and Older			Youth Age Younger than 18 Years		
	Monthly Average	Total N	Total per Youth	Monthly Average	Total N	Total per Youth
Placement Changes	6	72	0.2	39	469	0.3
Out-of-Home Changes	0	4	0.0	3	41	0.0
Provider Agency Changes	7	85	0.3	99	1,188	0.7
Care Coordinator Changes	7	83	0.3	67	798	0.4

*These services either were not procured or had no data available in FY 2013.

**Duration not available for these services.

Summary of Youth by Age 18 Years and Older
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Youth Age 18 and Older	Youth Age 18 and Older		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	137 (2.3)	87 (2.6)	80 (2.8)
Moods: Self-Harm	12 (0.8)	2 (0.4)	2 (0.4)
Moods: Emotions	23 (0.4)	15 (0.5)	14 (0.6)
Home Role Performance	27 (0.5)	17 (0.7)	16 (0.8)
School Role Performance	28 (0.4)	16 (0.8)	14 (0.9)
Community Role Performance	19 (0.8)	10 (0.7)	9 (0.8)
Behavior Towards Other	22 (0.5)	14 (0.5)	13 (0.5)
Substance Use	17 (0.9)	8 (0.7)	8 (0.7)
Thinking	9 (0.7)	3 (0.4)	3 (0.4)

Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	23 (0.3)	18 (0.3)	18 (0.3)
Level of Care	5 (0.1)	3 (0.1)	3 (0.1)

Child and Adolescent Functional Assessment Scale (CAFAS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total (8-scale)	58 (198)	79% (194)	45% (194)
Moods: Self-Harm	10 (198)	92% (93)	99% (93)
Moods: Emotions	9 (198)	63% (191)	94% (191)
Home Role Performance	12 (198)	64% (183)	67% (183)
School Role Performance	14 (197)	60% (187)	63% (187)
Community Role Performance	9 (198)	61% (143)	89% (143)
Behavior Towards Other	9 (198)	70% (178)	97% (178)
Substance Use	9 (198)	73% (125)	86% (125)
Thinking	6 (198)	79% (63)	98% (63)

Child and Adolescent Level of Care Utilization System (CALOCUS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total	5 (185)	70% (178)	49% (178)
Level of Care	2 (185)	76% (179)	69% (179)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	491	13	15.9%
Child Events	543	15	13.7%
Person-Directed	67	2	4.9%
Property-Directed	61	2	4.0%
Runaway or Elopement	183	5	6.7%
Self-Injury	91	3	4.0%
Substance Use	73	2	4.0%
Other	52	1	3.4%
Institutional Events	299	8	10.7%
Person-Directed (Client Victim)	30	1	2.7%
Seclusion or Restraint	21	1	1.5%
Medication Error	12	0	0.3%
Police Called	101	3	5.2%
Criminal Charges or Arrest	55	2	3.4%
Client Injury	21	1	2.1%
Staff Injury	0	0	0.0%
Other	58	2	4.0%

Youth Age Younger than 18 Years			
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	116 (1.0)	90 (0.9)	87 (1.0)
Moods: Self-Harm	9 (0.3)	3 (0.2)	3 (0.2)
Moods: Emotions	20 (0.2)	16 (0.2)	15 (0.2)
Home Role Performance	25 (0.2)	19 (0.2)	19 (0.3)
School Role Performance	26 (0.2)	20 (0.2)	19 (0.3)
Community Role Performance	13 (0.3)	9 (0.3)	9 (0.3)
Behavior Towards Other	21 (0.2)	16 (0.2)	16 (0.2)
Substance Use	9 (0.3)	5 (0.2)	5 (0.3)
Thinking	6 (0.2)	2 (0.1)	2 (0.2)

Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	21 (0.1)	18 (0.1)	18 (0.1)
Level of Care	4 (0.0)	3 (0.0)	3 (0.0)

Child and Adolescent Functional Assessment Scale (CAFAS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total (8-scale)	29 (1223)	48% (1155)	32% (1155)
Moods: Self-Harm	6 (1223)	75% (392)	96% (392)
Moods: Emotions	5 (1223)	44% (1064)	95% (1064)
Home Role Performance	6 (1223)	48% (1093)	64% (1093)
School Role Performance	7 (1223)	46% (1129)	62% (1129)
Community Role Performance	5 (1223)	44% (613)	90% (613)
Behavior Towards Other	5 (1223)	46% (1066)	94% (1066)
Substance Use	4 (1223)	58% (388)	82% (388)
Thinking	4 (1223)	74% (218)	96% (218)

Child and Adolescent Level of Care Utilization System (CALOCUS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total	3 (1099)	41% (1018)	40% (1018)
Level of Care	1 (1099)	51% (1022)	66% (1022)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	930	139	24.9%
Child Events	1,008	150	23.3%
Person-Directed	203	30	10.1%
Property-Directed	102	15	6.7%
Runaway or Elopement	258	38	10.6%
Self-Injury	187	28	8.0%
Substance Use	101	15	5.3%
Other	119	18	7.1%
Institutional Events	589	88	16.1%
Person-Directed (Client Victim)	49	7	3.9%
Seclusion or Restraint	67	10	3.0%
Medication Error	9	1	0.7%
Police Called	163	24	8.7%
Criminal Charges or Arrest	108	16	5.9%
Client Injury	43	6	3.7%
Staff Injury	11	2	0.7%
Other	124	18	7.4%

*Indicates average change from highest CAFAS or CALOCUS score to most recent.
(A positive number reflects improvement.)

Summary of Youth by Age 18 Years and Older
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Youth Age 18 and Older			
Youth Age 18 and Older	Any Use	Any Use	Dosage
Service Setting	N	% Avail	% of Months
Clinic	74	43.8%	57.5%
Community	124	73.4%	82.8%
Home	138	81.7%	82.2%
Out-of-Home	67	39.6%	67.4%
Phone*	10	5.9%	63.1%
School	90	53.3%	54.4%
Unclear*	8	4.7%	43.2%
Not Available	159	48.5%	

Service Format	Any Use	Any Use	Dosage
	N	% Avail	% of Months
Family	103	60.9%	66.8%
Group	43	25.4%	54.1%
Individual	160	94.7%	92.6%
Parent	105	62.1%	73.6%
Phone*	4	2.4%	53.2%
Professional Consult*	24	14.2%	36.6%
Teacher	47	27.8%	46.6%
Unclear*	35	20.7%	61.4%
Not Available	159	48.5%	

Discharge Living Situation	Youth	% Youth	%
	N	Discharged	Discharges
Foster Home	12	9.9%	7.4%
Group Care	2	1.7%	1.2%
Home	71	58.7%	43.6%
Homeless/Shelter	4	3.3%	2.5%
Institution/Hospital	4	3.3%	2.5%
Jail/Correctional Facility	16	13.2%	9.8%
Other	28	23.1%	17.2%
Residential Treatment	6	5.0%	3.7%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	121		
Number of Discharges	163		

Reason for Discharge	Youth	% Youth	%
	N	Discharged	Discharges
Eligibility Change	4	3.3%	2.5%
Family Relocation	3	2.5%	1.8%
Insufficient Progress	9	7.4%	5.5%
Other	42	34.7%	25.8%
Runaway/Elopement	17	14.0%	10.4%
Refuse/Withdraw	13	10.7%	8.0%
Success/Goals Met	65	53.7%	39.9%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	121		
Number of Discharges	163		

Youth Age Younger than 18 Years		
Any Use	Any Use	Dosage
N	% Avail	% of Months
487	45.5%	57.0%
813	75.9%	71.6%
948	88.5%	84.2%
429	40.1%	60.4%
129	12.0%	58.9%
637	59.5%	56.0%
40	3.7%	24.5%
718	40.1%	

Any Use	Any Use	Dosage
N	% Avail	% of Months
864	80.7%	73.1%
321	30.0%	48.2%
898	83.8%	87.0%
849	79.3%	75.3%
31	2.9%	42.2%
279	26.1%	43.1%
419	39.1%	47.1%
141	13.2%	45.6%
718	40.1%	

Youth	% Youth	%
N	Discharged	Discharges
88	14.1%	9.3%
6	1.0%	0.6%
452	72.4%	47.8%
14	2.2%	1.5%
19	3.0%	2.0%
37	5.9%	3.9%
98	15.7%	10.4%
47	7.5%	5.0%
0	0.0%	0.0%
624		
946		

Youth	% Youth	%
N	Discharged	Discharges
13	2.1%	1.4%
19	3.0%	2.0%
60	9.6%	6.3%
189	30.3%	20.0%
81	13.0%	8.6%
64	10.3%	6.8%
376	60.3%	39.7%
0	0.0%	0.0%
624		
946		

*Indicates written response to an open-ended question.

Summary of Youth by Age 18 Years and Older
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Youth Age 18 and Older Treatment Target	Youth Age 18 and Older			Youth Age Younger than 18 Years		
	Any Use N	Any Use % Avail	Dosage % of Months	Any Use N	Any Use % Avail	Dosage % of Months
Academic Achievement	56	33.1%	45.5%	392	36.6%	39.5%
Activity Involvement	92	54.4%	59.0%	574	53.6%	55.3%
Adaptive Behavior/Living Skills	48	28.4%	43.9%	111	10.4%	35.5%
Adjustment to Change	46	27.2%	43.2%	302	28.2%	37.6%
Adult Intercoordination	1	0.6%	33.3%	12	1.1%	21.1%
Aggression	46	27.2%	51.4%	483	45.1%	54.8%
Anger	84	49.7%	60.5%	532	49.7%	54.6%
Anxiety	57	33.7%	60.5%	397	37.1%	48.7%
Assertiveness	27	16.0%	37.6%	194	18.1%	37.8%
Attention Problems	17	10.1%	19.9%	202	18.9%	37.3%
Avoidance	48	28.4%	46.5%	241	22.5%	40.3%
Caregiver Self-Management/Coping	0	0.0%	0.0%	6	0.6%	22.1%
Cognitive-Intellectual Functioning	16	9.5%	36.6%	81	7.6%	39.0%
Community Involvement	44	26.0%	35.8%	184	17.2%	31.5%
Compulsive Behavior	0	0.0%	0.0%	3	0.3%	22.2%
Contentment/Enjoyment/Happiness	40	23.7%	50.1%	211	19.7%	38.7%
Depressed Mood	59	34.9%	58.6%	338	31.6%	48.0%
Eating/Feeding Problems	6	3.6%	32.1%	30	2.8%	32.3%
Empathy	16	9.5%	37.8%	133	12.4%	43.4%
Enuresis/Encopresis	1	0.6%	20.0%	40	3.7%	51.5%
Fire Setting	0	0.0%	0.0%	6	0.6%	39.0%
Fitness/Exercise	0	0.0%	0.0%	1	0.1%	20.0%
Gender Identity Problems	1	0.6%	25.0%	6	0.6%	26.6%
Goal Setting	1	0.6%	8.3%	3	0.3%	14.1%
Grief	15	8.9%	38.6%	56	5.2%	38.0%
Health Management	18	10.7%	44.0%	74	6.9%	28.6%
Housing/Living Situation	44	26.0%	49.8%	162	15.1%	28.0%
Hyperactivity	4	2.4%	15.2%	99	9.2%	40.2%
Information Gathering	2	1.2%	37.5%	9	0.8%	31.8%
Learning Disorder/Underachievement	3	1.8%	17.2%	35	3.3%	26.5%
Low Self-Esteem	49	29.0%	50.6%	264	24.6%	40.5%
Mania	3	1.8%	24.4%	8	0.7%	28.8%
Medical Regimen Adherence	26	15.4%	39.2%	102	9.5%	38.0%
Occupational Functioning/Stress	28	16.6%	39.6%	22	2.1%	16.3%
Oppositional/Non-Compliant Behavior	88	52.1%	59.9%	709	66.2%	65.0%
Pain Management	0	0.0%	0.0%	0	0.0%	0.0%
Parenting Skills	0	0.0%	0.0%	19	1.8%	32.3%
Peer Involvement	16	9.5%	44.6%	186	17.4%	33.1%
Peer/Sibling Conflict	21	12.4%	31.0%	292	27.3%	45.3%
Personal Hygiene	7	4.1%	32.3%	39	3.6%	28.7%
Phobia/Fears	48	28.4%	49.4%	369	34.5%	42.9%
Positive Family Functioning	11	6.5%	45.9%	75	7.0%	40.1%
Positive Peer Interaction	115	68.0%	66.3%	850	79.4%	67.6%
Positive Thinking/Attitude	60	35.5%	43.2%	316	29.5%	40.7%
Pregnancy Education/Adjustment	6	3.6%	47.5%	18	1.7%	39.1%
Psychosis	5	3.0%	55.0%	33	3.1%	51.1%
Runaway	31	18.3%	41.1%	200	18.7%	47.0%
Safe Environment	0	0.0%	0.0%	11	1.0%	28.8%
School Involvement	36	21.3%	43.4%	248	23.2%	36.1%
School Refusal/Truancy	29	17.2%	41.3%	198	18.5%	42.7%
Self-Control	15	8.9%	49.2%	144	13.4%	44.4%
Self-Injurious Behavior	34	20.1%	46.7%	281	26.2%	40.8%
Sexual Orientation	0	0.0%	0.0%	0	0.0%	0.0%
Sexual Misconduct	6	3.6%	51.9%	63	5.9%	51.7%
Shyness	2	1.2%	15.3%	23	2.1%	28.5%
Sleep Disturbance	5	3.0%	52.9%	19	1.8%	31.5%
Social Skills	48	28.4%	49.1%	315	29.4%	45.5%
Speech and Language	2	1.2%	16.7%	6	0.6%	28.5%
Substance Use	69	40.8%	72.5%	277	25.9%	62.7%
Suicidality	7	4.1%	16.7%	83	7.7%	38.2%
Traumatic Stress	24	14.2%	49.3%	166	15.5%	43.5%
Treatment Engagement	74	43.8%	53.0%	607	56.7%	52.7%
Treatment Planning/Framing	9	5.3%	66.7%	58	5.4%	42.1%
Willful Misconduct/Delinquency	35	20.7%	49.2%	199	18.6%	44.8%
Other	0	0.0%	0.0%	14	1.3%	15.6%
Unclear	9	5.3%	37.8%	92	8.6%	28.7%
Not Available	159	48.5%		718	40.1%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Age 18 Years and Older
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Youth Age 18 and Older	Youth Age 18 and Older			Youth Age Younger than 18 Years	Youth Age Younger than 18 Years		
	Any Use	Any Use	Dosage		Any Use	Any Use	Dosage
Practice Elements	N	% Avail	% of Months	N	% Avail	% of Months	% of Months
Activity Scheduling	91	53.8%	58.1%	647	60.4%	56.8%	
Anger Management	1	0.6%	16.7%	3	0.3%	16.9%	
Animal or Plant Assisted Activities	0	0.0%	0.0%	0	0.0%	0.0%	
Arousal Reconditioning	0	0.0%	0.0%	0	0.0%	0.0%	
Art/Music Therapy	0	0.0%	0.0%	2	0.2%	22.2%	
Assertiveness Training	38	22.5%	53.1%	371	34.6%	45.2%	
Assessment	15	8.9%	77.7%	26	2.4%	61.9%	
Attending	40	23.7%	51.6%	321	30.0%	44.1%	
Behavior Management	0	0.0%	0.0%	5	0.5%	15.3%	
Behavioral Contracting	85	50.3%	52.1%	628	58.6%	56.2%	
Biofeedback/Neurofeedback	4	2.4%	37.6%	15	1.4%	27.2%	
Care Coordination	89	52.7%	61.2%	678	63.3%	65.8%	
Catharsis	19	11.2%	51.5%	55	5.1%	35.0%	
Cognitive/Coping	112	66.3%	70.5%	630	58.8%	62.9%	
Commands/Limit Setting	24	14.2%	46.4%	166	15.5%	39.0%	
Communication Skills	119	70.4%	66.7%	842	78.6%	68.0%	
Counseling	0	0.0%	0.0%	1	0.1%	27.3%	
Crisis Management	72	42.6%	47.8%	471	44.0%	45.9%	
Cultural Training	26	15.4%	51.0%	119	11.1%	39.4%	
Discrete Trial Training	1	0.6%	50.0%	14	1.3%	17.4%	
Educational Support	84	49.7%	55.5%	587	54.8%	55.3%	
Emotional Processing	108	63.9%	66.8%	692	64.6%	62.3%	
Exposure	39	23.1%	51.1%	214	20.0%	38.6%	
Eye Movement/Body Tapping	2	1.2%	12.5%	16	1.5%	18.7%	
Family Engagement	100	59.2%	60.5%	831	77.6%	64.7%	
Family Therapy	92	54.4%	53.3%	773	72.2%	61.2%	
Family Visit	0	0.0%	0.0%	0	0.0%	0.0%	
Free Association	14	8.3%	46.5%	64	6.0%	34.0%	
Functional Analysis	26	15.4%	47.3%	180	16.8%	49.4%	
Goal Setting	129	76.3%	68.8%	753	70.3%	62.8%	
Guided Imagery	27	16.0%	43.1%	183	17.1%	35.8%	
Ho'Oponopono	0	0.0%	0.0%	0	0.0%	0.0%	
Hypnosis	1	0.6%	8.3%	22	2.1%	26.6%	
Ignoring or DRO	38	22.5%	48.8%	388	36.2%	46.7%	
Individual Therapy for Caregiver	26	15.4%	32.1%	338	31.6%	42.4%	
Informal Supports	2	1.2%	29.2%	4	0.4%	25.6%	
Insight Building	111	65.7%	65.9%	674	62.9%	59.6%	
Interpretation	33	19.5%	45.9%	183	17.1%	34.5%	
Juvenile Sex Offender Treatment	3	1.8%	52.6%	20	1.9%	74.1%	
Legal Assistance/Involvement	0	0.0%	0.0%	0	0.0%	0.0%	
Line of Sight Supervision	37	21.9%	42.7%	368	34.4%	47.1%	
Maintenance/Relapse Prevention	52	30.8%	49.9%	297	27.7%	42.8%	
Marital Therapy	5	3.0%	11.1%	63	5.9%	31.1%	
Medication/Pharmacotherapy	40	23.7%	52.4%	323	30.2%	52.1%	
Mentoring	81	47.9%	52.9%	402	37.5%	48.9%	
Milieu Therapy	39	23.1%	49.7%	268	25.0%	50.4%	
Mindfulness	69	40.8%	54.3%	437	40.8%	48.1%	
Modeling	99	58.6%	58.8%	686	64.1%	57.0%	
Motivational Interviewing	94	55.6%	64.7%	540	50.4%	53.3%	
Natural and Logical Consequences	112	66.3%	58.7%	736	68.7%	62.3%	
Parent Coping	76	45.0%	50.1%	709	66.2%	58.8%	
Parent or Teacher Monitoring	58	34.3%	44.5%	538	50.2%	52.2%	
Parent Praise	57	33.7%	52.1%	558	52.1%	51.8%	
Parenting	1	0.6%	16.7%	14	1.3%	21.3%	
Peer Modeling/Pairing	20	11.8%	38.7%	192	17.9%	31.8%	
Personal Safety Skills	74	43.8%	48.8%	494	46.1%	51.3%	
Physical Exercise	0	0.0%	0.0%	0	0.0%	0.0%	
Play Therapy	8	4.7%	26.6%	195	18.2%	49.1%	
Problem Solving	131	77.5%	70.3%	819	76.5%	64.9%	
Psychoeducation-Child	110	65.1%	61.5%	672	62.7%	59.7%	
Psychoeducation-Parent	94	55.6%	58.9%	752	70.2%	62.7%	
Relationship/Rapport Building	99	58.6%	55.7%	833	77.8%	61.2%	
Relaxation	81	47.9%	51.7%	534	49.9%	49.9%	
Response Cost	27	16.0%	45.2%	204	19.0%	42.0%	
Response Prevention	26	15.4%	45.9%	243	22.7%	41.1%	
Self-Monitoring	75	44.4%	44.2%	473	44.2%	50.4%	
Self-Reward/Self-Praise	58	34.3%	45.9%	376	35.1%	50.1%	
Skill Building	113	66.9%	60.0%	766	71.5%	61.4%	
Social Skills Training	91	53.8%	48.3%	570	53.2%	54.9%	
Stimulus Control/Antecedent Man.	34	20.1%	50.4%	256	23.9%	42.3%	
Supportive Listening	130	76.9%	68.7%	864	80.7%	71.6%	
Tangible Rewards	60	35.5%	55.4%	535	50.0%	51.6%	
Therapist Praise/Rewards	104	61.5%	59.0%	706	65.9%	62.6%	
Thought Field Therapy	3	1.8%	20.2%	29	2.7%	19.9%	
Time Out	31	18.3%	42.1%	314	29.3%	45.5%	
Twelve-step Programming	30	17.8%	50.4%	114	10.6%	49.7%	
Other	4	2.4%	25.5%	31	2.9%	28.3%	
Unclear	17	10.1%	37.6%	137	12.8%	39.0%	
Not Available	159	48.5%		718	40.1%		


Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Gender
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Male		
	N	%
Total Registered Youth	1,321	62.3%
with Services Procured	827	62.6%
Youth with New Admissions	587	44.4%
with Initial Admissions	418	31.6%
with Repeat Admissions	169	12.8%
Youth with Discharges	528	40.0%

	N	% of Available
Gender		
Females	0	0%
Males	1,321	100%

	Mean	SD
Age in Years	13.7	3.9




Primary Diagnosis of	N	% Avail
None Recorded	4	0.4%
Adjustment	67	6.0%
Anxiety	94	8.4%
Attention	285	25.6%
Disruptive Behavior	407	36.5%
Mental Retardation	0	0.0%
Miscellaneous	38	3.4%
Mood	132	11.8%
Pervasive Developmental	22	2.0%
Psychotic Spectrum	30	2.7%
Substance-Related	36	3.2%
Not Available (% Total)	206	15.6%

Any Diagnosis of	N	% Avail
None Recorded	3	0.3%
Adjustment	114	10.2%
Anxiety	209	18.7%
Attention	490	43.8%
Disruptive Behavior	653	58.3%
Mental Retardation	23	2.1%
Miscellaneous	294	26.3%
Mood	245	21.9%
Pervasive Developmental	32	2.9%
Psychotic Spectrum	34	3.0%
Substance-Related	230	20.5%
Multiple Diagnoses	853	76.2%
Avg. Number of Diagnoses	1.9	

Female		
	N	%
Total Registered Youth	798	37.7%
with Services Procured	486	60.9%
Youth with New Admissions	382	47.9%
with Initial Admissions	272	34.1%
with Repeat Admissions	110	13.8%
Youth with Discharges	328	41.1%

	N	% of Available
Gender		
Females	798	100%
Males	0	0%

	Mean	SD
Age in Years	14.4	3.5



Primary Diagnosis of	N	% Avail
None Recorded	2	0.3%
Adjustment	62	9.5%
Anxiety	91	14.0%
Attention	62	9.5%
Disruptive Behavior	163	25.0%
Mental Retardation	0	0.0%
Miscellaneous	36	5.5%
Mood	199	30.5%
Pervasive Developmental	3	0.5%
Psychotic Spectrum	8	1.2%
Substance-Related	26	4.0%
Not Available (% Total)	146	18.3%

Any Diagnosis of	N	% Avail
None Recorded	1	0.2%
Adjustment	91	14.0%
Anxiety	201	30.8%
Attention	139	21.3%
Disruptive Behavior	285	43.7%
Mental Retardation	11	1.7%
Miscellaneous	172	26.4%
Mood	279	42.8%
Pervasive Developmental	4	0.6%
Psychotic Spectrum	12	1.8%
Substance-Related	126	19.3%
Multiple Diagnoses	466	71.5%
Avg. Number of Diagnoses	1.8	

Summary of Youth by Gender
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Male		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	565	71.8%
Hispanic or Latino/a	222	28.2%
Not Available (% Total)	534	40.4%

Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	6	0.6%
Asian	78	8.1%
Black or African-American	14	1.5%
Native Hawaiian or Pacific Islander	137	14.2%
White	141	14.6%
Other Race	7	0.7%
Multiracial	582	60.3%
Based on Observation	67	6.9%
Not Available (% Total)	356	26.9%

Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	81	10.3%
Alaska Native	0	0.0%
American Indian	81	10.3%
Asian	425	54.2%
Asian Indian	4	0.5%
Chinese	196	25.0%
Filipino	241	30.7%
Japanese	121	15.4%
Korean	28	3.6%
Vietnamese	5	0.6%
Other Asian	14	1.8%
Black or African-American	53	6.8%
Hispanic or Latina/o	217	27.7%
Cuban	3	0.4%
Mexican	39	5.0%
Puerto Rican	122	15.6%
Other Hispanic	83	10.6%
Native Hawaiian or Pacific Islander	468	59.7%
Guamanian or Chamorro	8	1.0%
Micronesian	40	5.1%
Native Hawaiian	381	48.6%
Samoan	51	6.5%
Other Pacific Islander	29	3.7%
White	484	61.7%
White or Caucasian	380	48.5%
Portuguese	192	24.5%
Other Race or Ethnicity	35	4.5%
Multiethnic	532	67.9%
Not Available (% Total)	537	40.7%

Female		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	335	71.1%
Hispanic or Latino/a	136	28.9%
Not Available (% Total)	327	41.0%

Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	1	0.2%
Asian	44	7.9%
Black or African-American	8	1.4%
Native Hawaiian or Pacific Islander	71	12.7%
White	71	12.7%
Other Race	1	0.2%
Multiracial	362	64.9%
Based on Observation	26	4.7%
Not Available (% Total)	240	30.1%

Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	49	10.5%
Alaska Native	0	0.0%
American Indian	49	10.5%
Asian	266	57.1%
Asian Indian	1	0.2%
Chinese	116	24.9%
Filipino	158	33.9%
Japanese	94	20.2%
Korean	17	3.6%
Vietnamese	4	0.9%
Other Asian	6	1.3%
Black or African-American	30	6.4%
Hispanic or Latina/o	133	28.5%
Cuban	3	0.6%
Mexican	26	5.6%
Puerto Rican	67	14.4%
Other Hispanic	53	11.4%
Native Hawaiian or Pacific Islander	291	62.4%
Guamanian or Chamorro	4	0.9%
Micronesian	18	3.9%
Native Hawaiian	260	55.8%
Samoan	31	6.7%
Other Pacific Islander	21	4.5%
White	303	65.0%
White or Caucasian	241	51.7%
Portuguese	116	24.9%
Other Race or Ethnicity	17	3.6%
Multiethnic	347	74.5%
Not Available (% Total)	332	41.6%

Summary of Youth by Gender
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Male			Female		
Most Recent Family Guidance Center	Total Registered		Most Recent Family Guidance Center	Total Registered	
	N	%		N	%
Central Oahu*	181	13.7%	Central Oahu*	115	14.4%
Leeward Oahu	183	13.9%	Leeward Oahu	120	15.0%
Honolulu Oahu	153	11.6%	Honolulu Oahu	98	12.3%
Hawaii (Big Island)	478	36.2%	Hawaii (Big Island)	292	36.6%
Maui	141	10.7%	Maui	84	10.5%
Kauai	113	8.6%	Kauai	73	9.1%
Family Court Liaison Branch	72	5.5%	Family Court Liaison Branch	16	2.0%

*Central Oahu FGC now includes both Central and Windward Oahu offices.

Summary of Youth by Gender
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Services Procured	Male			Female		
	Monthly Average	Total N	% of Procured	Monthly Average	Total N	% of Procured
Out-of-Home	111	242	29.3%	71	150	30.9%
Out-of-State	4	4	0.5%	1	1	0.2%
Hospital Residential	8	38	4.6%	9	39	8.0%
Community High Risk	7	14	1.7%	0	0	0.0%
Community Residential	35	100	12.1%	19	55	11.3%
Therapeutic Foster Home	59	112	13.5%	45	87	17.9%
<i>Multidimensional Treatment Foster Care</i>	3	6	0.7%	3	6	1.2%
<i>Transitional Family Home</i>	56	107	12.9%	42	85	17.5%
Intensive Home & Community	310	633	76.5%	165	353	72.6%
Partial Hospitalization	3	13	1.6%	2	10	2.1%
Multisystemic Therapy	50	153	18.5%	18	60	12.3%
Intensive In-Home	261	513	62.0%	146	299	61.5%
Outpatient	35	194	23.5%	24	114	23.5%
Treatment	24	75	9.1%	19	58	11.9%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	17	56	6.8%	16	45	9.3%
<i>Outpatient Therapy</i>	7	19	2.3%	3	13	2.7%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	11	123	14.9%	5	58	11.9%
Supportive Services	27	113	13.7%	16	75	15.4%
Respite Home	3	14	1.7%	3	16	3.3%
Ancillary Service	24	100	12.1%	14	62	12.8%
Crisis Stabilization	3	25	3.0%	3	21	4.3%
Unduplicated Total (% of Registered)	441	827	63%	250	486	61%

*These services either were not procured or had no data available in FY 2013.

Summary of Youth by Gender
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Total Hours Procured	Male			Female		
	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth
Out-of-Home	154	966	88.3%	147	968	89.7%
Out-of-State	198	2,373	95.6%	185	1,112	92.9%
Hospital Residential	127	364	61.5%	114	354	55.9%
Community High Risk	175	1,060	83.2%	0	0	0.0%
Community Residential	140	681	80.1%	134	646	73.1%
Therapeutic Foster Home	169	1,139	84.6%	161	1,089	82.3%
<i>Multidimensional Treatment Foster Care</i>	180	936	85.1%	166	891	67.9%
<i>Transitional Family Home</i>	168	1,140	83.8%	159	1,052	79.4%
Intensive Home & Community	19	107	79.5%	16	83	76.7%
Partial Hospitalization	3	9	10.5%	3	7	2.5%
Multisystemic Therapy	39	137	77.6%	40	129	86.0%
Intensive In-Home	13	91	74.7%	11	72	73.2%
Outpatient	4	9	48.6%	4	9	53.1%
Treatment	4	17	46.5%	3	14	51.1%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	3	13	46.1%	3	14	57.1%
<i>Outpatient Therapy</i>	6	28	47.8%	3	11	30.2%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	4	5	48.2%	5	5	53.2%
Supportive Services**	-	-	-	-	-	-
Respite Home	24	70	18.2%	17	34	6.9%
Ancillary Service**	-	-	-	-	-	-
Crisis Stabilization	27	35	44.8%	31	47	53.2%
Unduplicated Total	41	369		39	365	

Service Changes	Male			Female		
	Monthly Average	Total N	Total per Youth	Monthly Average	Total N	Total per Youth
Placement Changes	26	309	0.2	19	232	0.3
Out-of-Home Changes	2	24	0.0	2	21	0.0
Provider Agency Changes	65	784	0.6	41	490	0.6
Care Coordinator Changes	46	548	0.4	28	333	0.4

*These services either were not procured or had no data available in FY 2013.

**Duration not available for these services.

Summary of Youth by Gender
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Male		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	119 (1.1)	90 (1.1)	86 (1.2)
Moods: Self-Harm	8 (0.3)	2 (0.2)	2 (0.2)
Moods: Emotions	20 (0.2)	15 (0.2)	15 (0.3)
Home Role Performance	26 (0.2)	19 (0.3)	18 (0.3)
School Role Performance	27 (0.2)	20 (0.3)	19 (0.4)
Community Role Performance	15 (0.4)	10 (0.3)	9 (0.4)
Behavior Towards Other	22 (0.2)	16 (0.2)	16 (0.2)
Substance Use	10 (0.4)	5 (0.3)	5 (0.3)
Thinking	7 (0.3)	3 (0.2)	3 (0.2)

Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	21 (0.1)	18 (0.1)	18 (0.1)
Level of Care	4 (0.0)	3 (0.0)	3 (0.0)

Child and Adolescent Functional Assessment Scale (CAFAS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total (8-scale)	33 (892)	53% (854)	34% (854)
Moods: Self-Harm	6 (892)	83% (248)	98% (248)
Moods: Emotions	6 (892)	48% (785)	95% (785)
Home Role Performance	7 (892)	50% (809)	66% (809)
School Role Performance	8 (892)	49% (851)	62% (851)
Community Role Performance	5 (892)	48% (499)	87% (499)
Behavior Towards Other	6 (892)	52% (805)	93% (805)
Substance Use	5 (892)	62% (321)	84% (321)
Thinking	4 (892)	78% (187)	97% (187)

Child and Adolescent Level of Care Utilization System (CALOCUS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total	3 (814)	47% (754)	43% (754)
Level of Care	1 (814)	55% (759)	67% (759)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	829	91	23.5%
Child Events	905	100	21.7%
Person-Directed	204	23	10.5%
Property-Directed	113	12	7.2%
Runaway or Elopement	230	25	9.6%
Self-Injury	123	14	5.6%
Substance Use	98	11	5.5%
Other	98	11	6.1%
Institutional Events	538	59	15.7%
Person-Directed (Client Victim)	51	6	3.9%
Seclusion or Restraint	56	6	3.0%
Medication Error	5	1	0.4%
Police Called	167	18	8.9%
Criminal Charges or Arrest	117	13	6.3%
Client Injury	36	4	3.2%
Staff Injury	9	1	0.6%
Other	92	10	6.5%

	Female		
"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)	
118 (1.5)	90 (1.4)	85 (1.6)	
12 (0.5)	5 (0.3)	4 (0.3)	
21 (0.3)	17 (0.3)	16 (0.3)	
25 (0.3)	19 (0.4)	18 (0.4)	
25 (0.4)	18 (0.4)	17 (0.5)	
12 (0.5)	8 (0.4)	7 (0.4)	
20 (0.3)	15 (0.3)	15 (0.3)	
10 (0.5)	6 (0.4)	5 (0.4)	
6 (0.4)	2 (0.2)	2 (0.2)	

"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
21 (0.2)	18 (0.1)	18 (0.2)
4 (0.1)	3 (0.1)	3 (0.1)

Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
32 (529)	53% (495)	33% (495)
8 (529)	74% (237)	95% (237)
5 (529)	45% (470)	94% (470)
7 (529)	49% (467)	62% (467)
8 (528)	48% (465)	62% (465)
5 (529)	46% (257)	96% (257)
5 (529)	45% (439)	97% (439)
5 (529)	60% (192)	81% (192)
4 (529)	71% (94)	97% (94)

Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
3 (470)	44% (442)	39% (442)
1 (470)	55% (442)	65% (442)

Reports per 1,000 youth	Monthly Average	Any Report % of youth
915	61	23.4%
984	65	21.9%
145	10	7.1%
66	4	4.8%
272	18	10.5%
254	17	10.3%
94	6	4.4%
124	8	7.1%
553	37	14.5%
39	3	3.4%
65	4	2.3%
18	1	1.1%
132	9	6.9%
71	5	4.3%
46	3	4.0%
9	1	0.6%
148	10	7.4%

*Indicates average change from highest CAFAS or CALOCUS score to most recent.
 (A positive number reflects improvement.)

Summary of Youth by Gender
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Service Setting	Male		
	Any Use N	Any Use % Avail	Dosage % of Months
Clinic	359	45.7%	56.1%
Community	599	76.3%	72.6%
Home	699	89.0%	85.4%
Out-of-Home	313	39.9%	60.8%
Phone*	79	10.1%	55.8%
School	486	61.9%	56.5%
Unclear*	30	3.8%	30.6%
Not Available	536	40.6%	

Service Format			
	Any Use N	Any Use % Avail	Dosage % of Months
Family	603	76.8%	72.5%
Group	235	29.9%	51.3%
Individual	677	86.2%	86.7%
Parent	609	77.6%	77.1%
Phone*	19	2.4%	37.6%
Professional Consult*	194	24.7%	41.2%
Teacher	310	39.5%	47.8%
Unclear*	107	13.6%	49.8%
Not Available	536	40.6%	

Discharge Living Situation			
	Youth N	% Youth Discharged	% Discharges
Foster Home	55	12.0%	8.1%
Group Care	3	0.7%	0.4%
Home	327	71.1%	48.1%
Homeless/Shelter	12	2.6%	1.8%
Institution/Hospital	13	2.8%	1.9%
Jail/Correctional Facility	42	9.1%	6.2%
Other	67	14.6%	9.9%
Residential Treatment	35	7.6%	5.1%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	460		
Number of Discharges	680		

Reason for Discharge			
	Youth N	% Youth Discharged	% Discharges
Eligibility Change	13	2.8%	1.9%
Family Relocation	15	3.3%	2.2%
Insufficient Progress	45	9.8%	6.6%
Other	155	33.7%	22.8%
Runaway/Elopement	56	12.2%	8.2%
Refuse/Withdraw	36	7.8%	5.3%
Success/Goals Met	264	57.4%	38.8%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	460		
Number of Discharges	680		

	Female		
	Any Use N	Any Use % Avail	Dosage % of Months
	202	44.4%	58.6%
	338	74.3%	73.9%
	387	85.1%	81.3%
	183	40.2%	62.2%
	60	13.2%	63.7%
	241	53.0%	54.4%
	18	4.0%	22.7%
	343	43.0%	

	Any Use N	Any Use % Avail	Dosage % of Months
	364	80.0%	72.3%
	129	28.4%	44.5%
	381	83.7%	89.9%
	345	75.8%	71.7%
	16	3.5%	50.4%
	109	24.0%	45.2%
	156	34.3%	45.5%
	69	15.2%	47.1%
	343	43.0%	

	Youth N	% Youth Discharged	% Discharges
	45	15.8%	10.5%
	5	1.8%	1.2%
	196	68.8%	45.7%
	6	2.1%	1.4%
	10	3.5%	2.3%
	11	3.9%	2.6%
	59	20.7%	13.8%
	18	6.3%	4.2%
	0	0.0%	0.0%
	285		
	429		

	Youth N	% Youth Discharged	% Discharges
	4	1.4%	0.9%
	7	2.5%	1.6%
	24	8.4%	5.6%
	76	26.7%	17.7%
	42	14.7%	9.8%
	41	14.4%	9.6%
	177	62.1%	41.3%
	0	0.0%	0.0%
	285		
	429		

*Indicates written response to an open-ended question.

Summary of Youth by Gender
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Treatment Target	Male			Female		
	Any Use N	Any Use % Avail	Dosage % of Months	Any Use N	Any Use % Avail	Dosage % of Months
Academic Achievement	292	37.2%	39.5%	156	34.3%	41.6%
Activity Involvement	430	54.8%	54.4%	236	51.9%	58.5%
Adaptive Behavior/Living Skills	104	13.2%	41.2%	55	12.1%	32.2%
Adjustment to Change	206	26.2%	37.1%	142	31.2%	40.2%
Adult Intercoordination	7	0.9%	19.9%	6	1.3%	24.4%
Aggression	379	48.3%	55.9%	150	33.0%	50.9%
Anger	427	54.4%	56.8%	189	41.5%	52.1%
Anxiety	292	37.2%	48.5%	162	35.6%	53.3%
Assertiveness	129	16.4%	37.2%	92	20.2%	38.7%
Attention Problems	166	21.1%	37.3%	53	11.6%	32.0%
Avoidance	196	25.0%	42.8%	93	20.4%	38.3%
Caregiver Self-Management/Coping	4	0.5%	20.6%	2	0.4%	25.0%
Cognitive-Intellectual Functioning	63	8.0%	34.2%	34	7.5%	46.8%
Community Involvement	134	17.1%	30.0%	94	20.7%	35.7%
Compulsive Behavior	3	0.4%	22.2%	0	0.0%	0.0%
Contentment/Enjoyment/Happiness	156	19.9%	36.9%	95	20.9%	46.5%
Depressed Mood	200	25.5%	43.8%	197	43.3%	55.4%
Eating/Feeding Problems	19	2.4%	20.4%	17	3.7%	45.6%
Empathy	113	14.4%	45.3%	36	7.9%	34.8%
Enuresis/Encopresis	27	3.4%	46.7%	14	3.1%	58.4%
Fire Setting	5	0.6%	43.5%	1	0.2%	16.7%
Fitness/Exercise	0	0.0%	0.0%	1	0.2%	20.0%
Gender Identity Problems	6	0.8%	26.6%	1	0.2%	25.0%
Goal Setting	3	0.4%	13.9%	1	0.2%	9.1%
Grief	45	5.7%	38.6%	26	5.7%	37.4%
Health Management	52	6.6%	31.0%	40	8.8%	32.4%
Housing/Living Situation	122	15.5%	34.4%	84	18.5%	30.0%
Hyperactivity	84	10.7%	41.3%	19	4.2%	30.3%
Information Gathering	7	0.9%	36.9%	4	0.9%	25.7%
Learning Disorder/Underachievement	29	3.7%	27.2%	9	2.0%	21.1%
Low Self-Esteem	182	23.2%	40.2%	131	28.8%	44.6%
Mania	8	1.0%	27.0%	3	0.7%	29.2%
Medical Regimen Adherence	88	11.2%	39.7%	40	8.8%	35.1%
Occupational Functioning/Stress	39	5.0%	32.7%	11	2.4%	17.2%
Oppositional/Non-Compliant Behavior	534	68.0%	65.7%	263	57.8%	62.0%
Pain Management	0	0.0%	0.0%	0	0.0%	0.0%
Parenting Skills	10	1.3%	37.5%	9	2.0%	26.6%
Peer Involvement	144	18.3%	34.9%	58	12.7%	31.7%
Peer/Sibling Conflict	212	27.0%	43.7%	101	22.2%	45.7%
Personal Hygiene	25	3.2%	26.2%	21	4.6%	32.8%
Phobia/Fears	271	34.5%	43.0%	146	32.1%	44.8%
Positive Family Functioning	46	5.9%	38.4%	40	8.8%	43.6%
Positive Peer Interaction	618	78.7%	66.2%	347	76.3%	69.6%
Positive Thinking/Attitude	225	28.7%	38.2%	151	33.2%	45.3%
Pregnancy Education/Adjustment	5	0.6%	65.7%	19	4.2%	34.8%
Psychosis	27	3.4%	59.8%	11	2.4%	31.7%
Runaway	134	17.1%	43.2%	97	21.3%	50.4%
Safe Environment	8	1.0%	30.5%	3	0.7%	24.2%
School Involvement	195	24.8%	36.1%	89	19.6%	39.1%
School Refusal/Truancy	140	17.8%	41.1%	87	19.1%	44.7%
Self-Control	61	7.8%	33.8%	98	21.5%	51.7%
Self-Injurious Behavior	228	29.0%	42.2%	87	19.1%	39.5%
Sexual Orientation	0	0.0%	0.0%	0	0.0%	0.0%
Sexual Misconduct	52	6.6%	54.0%	17	3.7%	44.7%
Shyness	17	2.2%	21.0%	8	1.8%	41.1%
Sleep Disturbance	12	1.5%	40.7%	12	2.6%	31.3%
Social Skills	240	30.6%	45.5%	123	27.0%	46.9%
Speech and Language	5	0.6%	15.9%	3	0.7%	41.7%
Substance Use	230	29.3%	64.4%	116	25.5%	65.1%
Suicidality	42	5.4%	27.4%	48	10.5%	44.5%
Traumatic Stress	78	9.9%	40.4%	112	24.6%	46.8%
Treatment Engagement	411	52.4%	50.6%	270	59.3%	55.9%
Treatment Planning/Framing	44	5.6%	47.5%	23	5.1%	41.5%
Willful Misconduct/Delinquency	187	23.8%	48.4%	47	10.3%	33.6%
Other	7	0.9%	19.2%	7	1.5%	12.0%
Unclear	68	8.7%	28.5%	33	7.3%	31.5%
Not Available	536	40.6%		343	43.0%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Gender
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Male			Female		
	Any Use	Any Use	Dosage	Any Use	Any Use	Dosage
Practice Elements	N	% Avail	% of Months	N	% Avail	% of Months
Activity Scheduling	482	61.4%	56.1%	256	56.3%	58.4%
Anger Management	3	0.4%	19.6%	1	0.2%	8.3%
Animal or Plant Assisted Activities	0	0.0%	0.0%	0	0.0%	0.0%
Arousal Reconditioning	0	0.0%	0.0%	0	0.0%	0.0%
Art/Music Therapy	2	0.3%	22.2%	0	0.0%	0.0%
Assertiveness Training	237	30.2%	44.2%	172	37.8%	48.4%
Assessment	33	4.2%	68.9%	8	1.8%	62.6%
Attending	218	27.8%	43.7%	143	31.4%	46.9%
Behavior Management	3	0.4%	11.7%	2	0.4%	20.8%
Behavioral Contracting	467	59.5%	55.9%	246	54.1%	55.2%
Biofeedback/Neurofeedback	14	1.8%	34.3%	5	1.1%	15.9%
Care Coordination	475	60.5%	64.1%	292	64.2%	67.3%
Catharsis	35	4.5%	41.3%	39	8.6%	37.4%
Cognitive/Coping	456	58.1%	63.7%	286	62.9%	64.6%
Commands/Limit Setting	122	15.5%	40.5%	68	14.9%	39.1%
Communication Skills	593	75.5%	67.4%	368	80.9%	68.5%
Counseling	0	0.0%	0.0%	1	0.2%	27.3%
Crisis Management	329	41.9%	43.7%	214	47.0%	49.9%
Cultural Training	92	11.7%	40.3%	53	11.6%	43.4%
Discrete Trial Training	9	1.1%	16.5%	6	1.3%	24.2%
Educational Support	427	54.4%	55.7%	244	53.6%	54.8%
Emotional Processing	481	61.3%	62.0%	319	70.1%	64.3%
Exposure	149	19.0%	39.9%	104	22.9%	41.4%
Eye Movement/Body Tapping	9	1.1%	16.6%	9	2.0%	19.4%
Family Engagement	580	73.9%	64.4%	351	77.1%	63.9%
Family Therapy	537	68.4%	59.2%	328	72.1%	62.3%
Family Visit	0	0.0%	0.0%	0	0.0%	0.0%
Free Association	43	5.5%	37.8%	35	7.7%	34.4%
Functional Analysis	132	16.8%	52.7%	74	16.3%	42.8%
Goal Setting	557	71.0%	62.0%	325	71.4%	66.7%
Guided Imagery	118	15.0%	37.1%	92	20.2%	36.2%
Ho'Oponopono	0	0.0%	0.0%	0	0.0%	0.0%
Hypnosis	13	1.7%	19.5%	10	2.2%	34.1%
Ignoring or DRO	277	35.3%	47.8%	149	32.7%	45.3%
Individual Therapy for Caregiver	218	27.8%	40.8%	146	32.1%	43.0%
Informal Supports	6	0.8%	26.8%	0	0.0%	0.0%
Insight Building	475	60.5%	58.9%	310	68.1%	63.0%
Interpretation	123	15.7%	37.1%	93	20.4%	35.2%
Juvenile Sex Offender Treatment	23	2.9%	71.3%	0	0.0%	0.0%
Legal Assistance/Involvement	0	0.0%	0.0%	0	0.0%	0.0%
Line of Sight Supervision	251	32.0%	46.6%	154	33.8%	46.8%
Maintenance/Relapse Prevention	222	28.3%	42.7%	127	27.9%	45.9%
Marital Therapy	46	5.9%	31.2%	22	4.8%	26.3%
Medication/Pharmacotherapy	235	29.9%	50.7%	128	28.1%	54.8%
Mentoring	320	40.8%	49.4%	163	35.8%	49.8%
Milieu Therapy	198	25.2%	49.9%	109	24.0%	51.2%
Mindfulness	303	38.6%	48.8%	203	44.6%	49.0%
Modeling	501	63.8%	56.8%	284	62.4%	58.0%
Motivational Interviewing	419	53.4%	54.3%	215	47.3%	56.3%
Natural and Logical Consequences	557	71.0%	61.6%	291	64.0%	62.2%
Parent Coping	487	62.0%	57.6%	298	65.5%	58.6%
Parent or Teacher Monitoring	372	47.4%	52.4%	224	49.2%	49.8%
Parent Praise	384	48.9%	52.3%	231	50.8%	51.0%
Parenting	10	1.3%	23.4%	5	1.1%	16.2%
Peer Modeling/Pairing	150	19.1%	32.0%	62	13.6%	33.4%
Personal Safety Skills	344	43.8%	49.9%	224	49.2%	52.6%
Physical Exercise	0	0.0%	0.0%	0	0.0%	0.0%
Play Therapy	132	16.8%	48.8%	71	15.6%	47.1%
Problem Solving	591	75.3%	63.6%	359	78.9%	69.0%
Psychoeducation-Child	485	61.8%	58.7%	297	65.3%	61.9%
Psychoeducation-Parent	539	68.7%	62.9%	307	67.5%	61.3%
Relationship/Rapport Building	570	72.6%	59.8%	362	79.6%	61.9%
Relaxation	379	48.3%	49.6%	236	51.9%	50.9%
Response Cost	133	16.9%	42.0%	98	21.5%	43.0%
Response Prevention	169	21.5%	40.7%	100	22.0%	43.0%
Self-Monitoring	331	42.2%	48.6%	217	47.7%	51.0%
Self-Reward/Self-Praise	260	33.1%	49.1%	174	38.2%	50.1%
Skill Building	553	70.4%	60.9%	326	71.6%	61.6%
Social Skills Training	429	54.6%	54.2%	232	51.0%	53.6%
Stimulus Control/Antecedent Man.	183	23.3%	41.8%	107	23.5%	45.8%
Supportive Listening	607	77.3%	70.1%	387	85.1%	72.9%
Tangible Rewards	389	49.6%	52.9%	206	45.3%	50.2%
Therapist Praise/Rewards	512	65.2%	61.5%	298	65.5%	63.1%
Thought Field Therapy	15	1.9%	18.4%	17	3.7%	21.3%
Time Out	222	28.3%	44.9%	123	27.0%	45.6%
Twelve-step Programming	97	12.4%	50.5%	47	10.3%	48.4%
Other	29	3.7%	30.9%	6	1.3%	14.0%
Unclear	91	11.6%	39.0%	63	13.8%	38.7%
Not Available	536	40.6%		343	43.0%	


Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

**Summary of Youth by American Indian or Alaska Native
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

American Indian or Alaska Native		
	N	%
Total Registered Youth	7	0.3%
with Services Procured	4	57.1%
Youth with New Admissions	2	28.6%
with Initial Admissions	1	14.3%
with Repeat Admissions	1	14.3%
Youth with Discharges	5	71.4%

	N	% of Available
Gender		
Females	1	14%
Males	6	86%

	Mean	SD
Age in Years	14.6	2.8




Primary Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	0	0.0%
Anxiety	0	0.0%
Attention	3	42.9%
Disruptive Behavior	0	0.0%
Mental Retardation	0	0.0%
Miscellaneous	2	28.6%
Mood	2	28.6%
Pervasive Developmental	0	0.0%
Psychotic Spectrum	0	0.0%
Substance-Related	0	0.0%
Not Available (% Total)	0	0.0%

Any Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	1	14.3%
Anxiety	2	28.6%
Attention	5	71.4%
Disruptive Behavior	2	28.6%
Mental Retardation	0	0.0%
Miscellaneous	5	71.4%
Mood	3	42.9%
Pervasive Developmental	0	0.0%
Psychotic Spectrum	0	0.0%
Substance-Related	0	0.0%
Multiple Diagnoses	7	100.0%
Avg. Number of Diagnoses	3.0	

All Other Races		
	N	%
Total Registered Youth	2,112	99.7%
with Services Procured	1,309	62.0%
Youth with New Admissions	967	45.8%
with Initial Admissions	689	32.6%
with Repeat Admissions	278	13.2%
Youth with Discharges	851	40.3%

	N	% of Available
Gender		
Females	797	38%
Males	1,315	62%

	Mean	SD
Age in Years	14.0	3.7



Primary Diagnosis of	N	% Avail
None Recorded	6	0.3%
Adjustment	129	7.3%
Anxiety	185	10.5%
Attention	344	19.5%
Disruptive Behavior	570	32.4%
Mental Retardation	0	0.0%
Miscellaneous	72	4.1%
Mood	329	18.7%
Pervasive Developmental	25	1.4%
Psychotic Spectrum	38	2.2%
Substance-Related	62	3.5%
Not Available (% Total)	352	16.7%

Any Diagnosis of	N	% Avail
None Recorded	4	0.2%
Adjustment	204	11.6%
Anxiety	408	23.1%
Attention	624	35.4%
Disruptive Behavior	936	53.0%
Mental Retardation	34	1.9%
Miscellaneous	461	26.1%
Mood	521	29.5%
Pervasive Developmental	36	2.0%
Psychotic Spectrum	46	2.6%
Substance-Related	356	20.2%
Multiple Diagnoses	1,312	74.3%
Avg. Number of Diagnoses	1.8	

**Summary of Youth by American Indian or Alaska Native
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

American Indian or Alaska Native		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	4	57.1%
Hispanic or Latino/a	3	42.9%
Not Available (% Total)	0	0.0%

Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	7	100.0%
Asian	0	0.0%
Black or African-American	0	0.0%
Native Hawaiian or Pacific Islander	0	0.0%
White	0	0.0%
Other Race	0	0.0%
Multiracial	0	0.0%
Based on Observation	0	0.0%
Not Available (% Total)	0	0.0%

Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	7	100.0%
Alaska Native	0	0.0%
American Indian	7	100.0%
Asian	0	0.0%
Asian Indian	0	0.0%
Chinese	0	0.0%
Filipino	0	0.0%
Japanese	0	0.0%
Korean	0	0.0%
Vietnamese	0	0.0%
Other Asian	0	0.0%
Black or African-American	0	0.0%
Hispanic or Latina/o	3	42.9%
Cuban	0	0.0%
Mexican	0	0.0%
Puerto Rican	0	0.0%
Other Hispanic	3	42.9%
Native Hawaiian or Pacific Islander	0	0.0%
Guamanian or Chamorro	0	0.0%
Micronesian	0	0.0%
Native Hawaiian	0	0.0%
Samoan	0	0.0%
Other Pacific Islander	0	0.0%
White	0	0.0%
White or Caucasian	0	0.0%
Portuguese	0	0.0%
Other Race or Ethnicity	0	0.0%
Multiethnic	3	42.9%
Not Available (% Total)	0	0.0%

All Other Races		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	896	71.6%
Hispanic or Latino/a	355	28.4%
Not Available (% Total)	861	40.8%

Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	0	0.0%
Asian	122	8.0%
Black or African-American	22	1.5%
Native Hawaiian or Pacific Islander	208	13.7%
White	212	14.0%
Other Race	8	0.5%
Multiracial	944	62.3%
Based on Observation	93	6.1%
Not Available (% Total)	596	28.2%

Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	123	9.9%
Alaska Native	0	0.0%
American Indian	123	9.9%
Asian	691	55.6%
Asian Indian	5	0.4%
Chinese	312	25.1%
Filipino	399	32.1%
Japanese	215	17.3%
Korean	45	3.6%
Vietnamese	9	0.7%
Other Asian	20	1.6%
Black or African-American	83	6.7%
Hispanic or Latina/o	347	27.9%
Cuban	6	0.5%
Mexican	65	5.2%
Puerto Rican	189	15.2%
Other Hispanic	133	10.7%
Native Hawaiian or Pacific Islander	759	61.1%
Guamanian or Chamorro	12	1.0%
Micronesian	58	4.7%
Native Hawaiian	641	51.6%
Samoan	82	6.6%
Other Pacific Islander	50	4.0%
White	787	63.3%
White or Caucasian	621	50.0%
Portuguese	308	24.8%
Other Race or Ethnicity	52	4.2%
Multiethnic	876	70.5%
Not Available (% Total)	869	41.1%

**Summary of Youth by American Indian or Alaska Native
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

American Indian or Alaska Native		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	2	28.6%
Leeward Oahu	0	0.0%
Honolulu Oahu	1	14.3%
Hawaii (Big Island)	3	42.9%
Maui	1	14.3%
Kauai	0	0.0%
Family Court Liaison Branch	0	0.0%

All Other Races		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	294	13.9%
Leeward Oahu	303	14.3%
Honolulu Oahu	250	11.8%
Hawaii (Big Island)	767	36.3%
Maui	224	10.6%
Kauai	186	8.8%
Family Court Liaison Branch	88	4.2%

*Central Oahu FGC now includes both Central and Windward Oahu offices.

**Summary of Youth by American Indian or Alaska Native
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Any Services Procured	American Indian or Alaska Native			All Other Races		
	Monthly Average	Total N	% of Procured	Monthly Average	Total N	% of Procured
Out-of-Home	1	1	25.0%	182	391	29.9%
Out-of-State	0	0	0.0%	5	5	0.4%
Hospital Residential	0	0	0.0%	17	77	5.9%
Community High Risk	0	0	0.0%	7	14	1.1%
Community Residential	0	0	0.0%	54	155	11.8%
Therapeutic Foster Home	1	1	25.0%	102	198	15.1%
<i>Multidimensional Treatment Foster Care</i>	0	0	0.0%	5	12	0.9%
<i>Transitional Family Home</i>	1	1	25.0%	97	191	14.6%
Intensive Home & Community	2	4	100.0%	473	982	75.0%
Partial Hospitalization	0	0	0.0%	5	23	1.8%
Multisystemic Therapy	0	0	0.0%	68	213	16.3%
Intensive In-Home	2	4	100.0%	405	808	61.7%
Outpatient	0	0	0.0%	59	308	23.5%
Treatment	0	0	0.0%	43	133	10.2%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	0	0	0.0%	33	101	7.7%
<i>Outpatient Therapy</i>	0	0	0.0%	10	32	2.4%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	0	0	0.0%	16	181	13.8%
Supportive Services	0	0	0.0%	43	188	14.4%
Respite Home	0	0	0.0%	6	30	2.3%
Ancillary Service	0	0	0.0%	38	162	12.4%
Crisis Stabilization	0	0	0.0%	5	46	3.5%
Unduplicated Total (% of Registered)	3	4	57%	689	1,309	62%

*These services either were not procured or had no data available in FY 2013.

**Summary of Youth by American Indian or Alaska Native
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Total Hours Procured	American Indian or Alaska Native			All Other Races		
	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth
Out-of-Home	194	1,749	96.4%	151	965	88.8%
Out-of-State	0	0	0.0%	195	2,120	95.1%
Hospital Residential	0	0	0.0%	120	359	58.7%
Community High Risk	0	0	0.0%	175	1,060	83.2%
Community Residential	0	0	0.0%	138	669	77.6%
Therapeutic Foster Home	194	1,749	96.4%	165	1,114	83.6%
<i>Multidimensional Treatment Foster Care</i>	0	0	0.0%	173	913	76.5%
<i>Transitional Family Home</i>	194	1,749	96.4%	164	1,097	81.8%
Intensive Home & Community	16	105	75.9%	18	99	78.5%
Partial Hospitalization	0	0	0.0%	3	8	7.0%
Multisystemic Therapy	0	0	0.0%	40	135	80.0%
Intensive In-Home	16	105	75.9%	12	84	74.1%
Outpatient	0	0	0.0%	4	9	50.2%
Treatment	0	0	0.0%	4	15	48.5%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	0	0	0.0%	3	13	51.0%
<i>Outpatient Therapy</i>	0	0	0.0%	5	21	40.6%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	0	0	0.0%	5	5	49.8%
Supportive Services**	-	-	-	-	-	-
Respite Home	0	0	0.0%	20	51	12.2%
Ancillary Service**	-	-	-	-	-	-
Crisis Stabilization	0	0	0.0%	29	41	48.6%
Unduplicated Total	47	542		40	367	

Service Changes	American Indian or Alaska Native			All Other Races		
	Monthly Average	Total N	Total per Youth	Monthly Average	Total N	Total per Youth
Placement Changes	0	1	0.1	45	540	0.3
Out-of-Home Changes	0	0	0.0	4	45	0.0
Provider Agency Changes	0	2	0.3	106	1,272	0.6
Care Coordinator Changes	0	1	0.1	73	880	0.4

*These services either were not procured or had no data available in FY 2013.

**Duration not available for these services.

**Summary of Youth by American Indian or Alaska Native
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

	American Indian or Alaska Native		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	103 (10.8)	66 (14.5)	64 (13.8)
Moods: Self-Harm	3 (2.9)	0 (0.0)	0 (0.0)
Moods: Emotions	19 (1.4)	11 (3.2)	10 (3.1)
Home Role Performance	24 (3.0)	18 (4.8)	19 (5.1)
School Role Performance	29 (1.4)	19 (3.3)	20 (3.8)
Community Role Performance	10 (3.1)	1 (0.6)	0 (0.0)
Behavior Towards Other	23 (2.9)	12 (3.5)	11 (3.4)
Substance Use	7 (3.6)	4 (2.9)	3 (2.9)
Thinking	4 (2.0)	1 (1.4)	1 (1.4)

	American Indian or Alaska Native		
Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	20 (1.0)	16 (1.4)	16 (1.4)
Level of Care	4 (0.4)	2 (0.6)	2 (0.7)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Functional Assessment Scale (CAFAS)			
Total (8-scale)	39 (7)	50% (6)	33% (6)
Moods: Self-Harm	3 (7)	100% (1)	100% (1)
Moods: Emotions	9 (7)	67% (6)	100% (6)
Home Role Performance	6 (7)	33% (6)	50% (6)
School Role Performance	9 (7)	57% (7)	57% (7)
Community Role Performance	10 (7)	100% (2)	100% (2)
Behavior Towards Other	11 (7)	67% (6)	100% (6)
Substance Use	4 (7)	50% (2)	100% (2)
Thinking	3 (7)	-	-

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Level of Care Utilization System (CALOCUS)			
Total	4 (6)	60% (5)	40% (5)
Level of Care	1 (6)	60% (5)	80% (5)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	857	1	42.9%
Child Events	1,857	1	42.9%
Person-Directed	286	0	14.3%
Property-Directed	286	0	28.6%
Runaway or Elopement	143	0	14.3%
Self-Injury	571	0	14.3%
Substance Use	286	0	14.3%
Other	286	0	14.3%
Institutional Events	429	0	28.6%
Person-Directed (Client Victim)	0	0	0.0%
Seclusion or Restraint	0	0	0.0%
Medication Error	0	0	0.0%
Police Called	0	0	0.0%
Criminal Charges or Arrest	0	0	0.0%
Client Injury	0	0	0.0%
Staff Injury	0	0	0.0%
Other	429	0	28.6%

	All Other Races		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	119 (0.9)	90 (0.9)	86 (1.0)
Moods: Self-Harm	9 (0.3)	3 (0.2)	3 (0.2)
Moods: Emotions	21 (0.2)	16 (0.2)	15 (0.2)
Home Role Performance	26 (0.2)	19 (0.2)	18 (0.3)
School Role Performance	26 (0.2)	19 (0.2)	18 (0.3)
Community Role Performance	14 (0.3)	9 (0.3)	9 (0.3)
Behavior Towards Other	21 (0.2)	16 (0.2)	15 (0.2)
Substance Use	10 (0.3)	5 (0.2)	5 (0.2)
Thinking	6 (0.2)	3 (0.1)	2 (0.2)

	All Other Races		
Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	21 (0.1)	18 (0.1)	18 (0.1)
Level of Care	4 (0.0)	3 (0.0)	3 (0.0)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Functional Assessment Scale (CAFAS)			
Total (8-scale)	33 (1414)	53% (1343)	34% (1343)
Moods: Self-Harm	7 (1414)	79% (484)	96% (484)
Moods: Emotions	6 (1414)	47% (1249)	95% (1249)
Home Role Performance	7 (1414)	50% (1270)	65% (1270)
School Role Performance	8 (1413)	48% (1309)	62% (1309)
Community Role Performance	5 (1414)	47% (754)	90% (754)
Behavior Towards Other	6 (1414)	49% (1238)	95% (1238)
Substance Use	5 (1414)	61% (511)	83% (511)
Thinking	4 (1414)	75% (281)	97% (281)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Level of Care Utilization System (CALOCUS)			
Total	3 (1278)	46% (1191)	42% (1191)
Level of Care	1 (1278)	55% (1196)	67% (1196)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	861	152	23.4%
Child Events	932	164	21.7%
Person-Directed	182	32	9.2%
Property-Directed	95	17	6.2%
Runaway or Elopement	246	43	9.9%
Self-Injury	171	30	7.3%
Substance Use	96	17	5.1%
Other	107	19	6.5%
Institutional Events	544	96	15.2%
Person-Directed (Client Victim)	46	8	3.7%
Seclusion or Restraint	60	11	2.7%
Medication Error	9	2	0.7%
Police Called	154	27	8.2%
Criminal Charges or Arrest	100	18	5.5%
Client Injury	40	7	3.5%
Staff Injury	9	2	0.6%
Other	112	20	6.8%

*Indicates average change from highest CAFAS or CALOCUS score to most recent.
(A positive number reflects improvement.)

**Summary of Youth by American Indian or Alaska Native
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Service Setting	American Indian or Alaska Native		
	Any Use N	Any Use % Avail	Dosage % of Months
Clinic	0	0.0%	0.0%
Community	4	100.0%	60.0%
Home	4	100.0%	78.3%
Out-of-Home	1	25.0%	91.7%
Phone*	0	0.0%	0.0%
School	4	100.0%	54.3%
Unclear*	0	0.0%	0.0%
Not Available	3	42.9%	

Service Format	American Indian or Alaska Native		
	Any Use N	Any Use % Avail	Dosage % of Months
Family	4	100.0%	49.3%
Group	2	50.0%	37.5%
Individual	4	100.0%	100.0%
Parent	4	100.0%	49.4%
Phone*	0	0.0%	0.0%
Professional Consult*	1	25.0%	16.7%
Teacher	1	25.0%	33.3%
Unclear*	0	0.0%	0.0%
Not Available	3	42.9%	

Discharge Living Situation	Youth		
	N	% Youth Discharged	% Discharges
Foster Home	1	50.0%	50.0%
Group Care	0	0.0%	0.0%
Home	1	50.0%	50.0%
Homeless/Shelter	0	0.0%	0.0%
Institution/Hospital	0	0.0%	0.0%
Jail/Correctional Facility	0	0.0%	0.0%
Other	0	0.0%	0.0%
Residential Treatment	0	0.0%	0.0%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	2		
Number of Discharges	2		

Reason for Discharge	Youth		
	N	% Youth Discharged	% Discharges
Eligibility Change	0	0.0%	0.0%
Family Relocation	1	50.0%	50.0%
Insufficient Progress	0	0.0%	0.0%
Other	1	50.0%	50.0%
Runaway/Elopement	0	0.0%	0.0%
Refuse/Withdraw	0	0.0%	0.0%
Success/Goals Met	0	0.0%	0.0%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	2		
Number of Discharges	2		

	All Other Races		
	Any Use N	Any Use % Avail	Dosage % of Months
	561	45.4%	57.0%
	933	75.5%	73.1%
	1,082	87.5%	83.9%
	495	40.0%	61.3%
	139	11.2%	59.2%
	723	58.5%	55.8%
	48	3.9%	27.6%
	876	41.5%	

	All Other Races		
	Any Use N	Any Use % Avail	Dosage % of Months
	963	77.9%	72.5%
	362	29.3%	49.0%
	1,054	85.3%	87.8%
	950	76.9%	75.2%
	35	2.8%	43.5%
	302	24.4%	42.7%
	465	37.6%	47.1%
	176	14.2%	48.7%
	876	41.5%	

	All Other Races		
	Youth N	% Youth Discharged	% Discharges
	99	13.3%	8.9%
	8	1.1%	0.7%
	522	70.3%	47.2%
	18	2.4%	1.6%
	23	3.1%	2.1%
	53	7.1%	4.8%
	126	17.0%	11.4%
	53	7.1%	4.8%
	0	0.0%	0.0%
	743		
	1107		

	All Other Races		
	Youth N	% Youth Discharged	% Discharges
	17	2.3%	1.5%
	21	2.8%	1.9%
	69	9.3%	6.2%
	230	31.0%	20.8%
	98	13.2%	8.9%
	77	10.4%	7.0%
	441	59.4%	39.8%
	0	0.0%	0.0%
	743		
	1107		

*Indicates written response to an open-ended question.

Summary of Youth by American Indian or Alaska Native
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Treatment Target	American Indian or Alaska Native			All Other Races		
	Any Use N	Any Use % Avail	Dosage % of Months	Any Use N	Any Use % Avail	Dosage % of Months
Academic Achievement	1	25.0%	25.0%	447	36.2%	40.3%
Activity Involvement	3	75.0%	41.7%	663	53.6%	55.9%
Adaptive Behavior/Living Skills	1	25.0%	100.0%	158	12.8%	37.7%
Adjustment to Change	1	25.0%	16.7%	347	28.1%	38.4%
Adult Intercoordination	0	0.0%	0.0%	13	1.1%	22.0%
Aggression	3	75.0%	77.2%	526	42.6%	54.4%
Anger	2	50.0%	25.0%	614	49.7%	55.5%
Anxiety	2	50.0%	26.8%	452	36.6%	50.3%
Assertiveness	2	50.0%	33.3%	219	17.7%	37.8%
Attention Problems	0	0.0%	0.0%	219	17.7%	36.0%
Avoidance	2	50.0%	22.9%	287	23.2%	41.5%
Caregiver Self-Management/Coping	0	0.0%	0.0%	6	0.5%	22.1%
Cognitive-Intellectual Functioning	3	75.0%	20.0%	94	7.6%	39.2%
Community Involvement	2	50.0%	15.5%	226	18.3%	32.5%
Compulsive Behavior	0	0.0%	0.0%	3	0.2%	22.2%
Contentment/Enjoyment/Happiness	2	50.0%	42.0%	249	20.1%	40.5%
Depressed Mood	3	75.0%	32.5%	394	31.9%	49.7%
Eating/Feeding Problems	1	25.0%	12.5%	35	2.8%	32.8%
Empathy	2	50.0%	48.2%	147	11.9%	42.7%
Enuresis/Encopresis	0	0.0%	0.0%	41	3.3%	50.7%
Fire Setting	0	0.0%	0.0%	6	0.5%	39.0%
Fitness/Exercise	0	0.0%	0.0%	1	0.1%	20.0%
Gender Identity Problems	0	0.0%	0.0%	7	0.6%	26.3%
Goal Setting	0	0.0%	0.0%	4	0.3%	12.7%
Grief	0	0.0%	0.0%	71	5.7%	38.2%
Health Management	1	25.0%	12.5%	91	7.4%	31.8%
Housing/Living Situation	1	25.0%	100.0%	205	16.6%	32.3%
Hyperactivity	2	50.0%	13.4%	101	8.2%	39.8%
Information Gathering	0	0.0%	0.0%	11	0.9%	32.8%
Learning Disorder/Underachievement	1	25.0%	12.5%	37	3.0%	26.1%
Low Self-Esteem	1	25.0%	16.7%	312	25.2%	42.1%
Mania	0	0.0%	0.0%	11	0.9%	27.6%
Medical Regimen Adherence	1	25.0%	12.5%	127	10.3%	38.5%
Occupational Functioning/Stress	0	0.0%	0.0%	50	4.0%	29.3%
Oppositional/Non-Compliant Behavior	3	75.0%	26.0%	794	64.2%	64.6%
Pain Management	0	0.0%	0.0%	0	0.0%	0.0%
Parenting Skills	0	0.0%	0.0%	19	1.5%	32.3%
Peer Involvement	1	25.0%	50.0%	201	16.3%	33.9%
Peer/Sibling Conflict	1	25.0%	42.9%	312	25.2%	44.4%
Personal Hygiene	1	25.0%	12.5%	45	3.6%	29.6%
Phobia/Fears	1	25.0%	14.3%	416	33.7%	43.7%
Positive Family Functioning	0	0.0%	0.0%	86	7.0%	40.8%
Positive Peer Interaction	2	50.0%	50.0%	963	77.9%	67.5%
Positive Thinking/Attitude	4	100.0%	16.5%	372	30.1%	41.3%
Pregnancy Education/Adjustment	0	0.0%	0.0%	24	1.9%	41.2%
Psychosis	0	0.0%	0.0%	38	3.1%	51.6%
Runaway	0	0.0%	0.0%	231	18.7%	46.2%
Safe Environment	0	0.0%	0.0%	11	0.9%	28.8%
School Involvement	2	50.0%	41.7%	282	22.8%	37.0%
School Refusal/Truancy	1	25.0%	16.7%	226	18.3%	42.6%
Self-Control	1	25.0%	12.5%	158	12.8%	45.0%
Self-Injurious Behavior	1	25.0%	50.0%	314	25.4%	41.4%
Sexual Orientation	0	0.0%	0.0%	0	0.0%	0.0%
Sexual Misconduct	0	0.0%	0.0%	69	5.6%	51.7%
Shyness	0	0.0%	0.0%	25	2.0%	27.4%
Sleep Disturbance	0	0.0%	0.0%	24	1.9%	36.0%
Social Skills	2	50.0%	22.9%	361	29.2%	46.1%
Speech and Language	0	0.0%	0.0%	8	0.6%	25.6%
Substance Use	0	0.0%	0.0%	346	28.0%	64.6%
Suicidality	0	0.0%	0.0%	90	7.3%	36.5%
Traumatic Stress	1	25.0%	8.3%	189	15.3%	44.4%
Treatment Engagement	2	50.0%	25.0%	679	54.9%	52.8%
Treatment Planning/Framing	0	0.0%	0.0%	67	5.4%	45.4%
Willful Misconduct/Delinquency	0	0.0%	0.0%	234	18.9%	45.5%
Other	0	0.0%	0.0%	14	1.1%	15.6%
Unclear	0	0.0%	0.0%	101	8.2%	29.5%
Not Available	3	42.9%		876	41.5%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by American Indian or Alaska Native
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	American Indian or Alaska Native			All Other Races		
	Any Use	Any Use	Dosage	Any Use	Any Use	Dosage
Practice Elements	N	% Avail	% of Months	N	% Avail	% of Months
Activity Scheduling	3	75.0%	31.9%	735	59.5%	57.0%
Anger Management	0	0.0%	0.0%	4	0.3%	16.8%
Animal or Plant Assisted Activities	0	0.0%	0.0%	0	0.0%	0.0%
Arousal Reconditioning	0	0.0%	0.0%	0	0.0%	0.0%
Art/Music Therapy	0	0.0%	0.0%	2	0.2%	22.2%
Assertiveness Training	2	50.0%	27.1%	407	32.9%	46.1%
Assessment	0	0.0%	0.0%	41	3.3%	67.7%
Attending	2	50.0%	10.4%	359	29.0%	45.1%
Behavior Management	0	0.0%	0.0%	5	0.4%	15.3%
Behavioral Contracting	4	100.0%	42.6%	709	57.4%	55.8%
Biofeedback/Neurofeedback	1	25.0%	57.1%	18	1.5%	27.9%
Care Coordination	3	75.0%	31.7%	764	61.8%	65.4%
Catharsis	0	0.0%	0.0%	74	6.0%	39.2%
Cognitive/Coping	2	50.0%	83.3%	740	59.9%	64.0%
Commands/Limit Setting	1	25.0%	25.0%	189	15.3%	40.1%
Communication Skills	4	100.0%	63.8%	957	77.4%	67.8%
Counseling	0	0.0%	0.0%	1	0.1%	27.3%
Crisis Management	2	50.0%	37.5%	541	43.8%	46.2%
Cultural Training	0	0.0%	0.0%	145	11.7%	41.4%
Discrete Trial Training	0	0.0%	0.0%	15	1.2%	19.6%
Educational Support	3	75.0%	52.8%	668	54.0%	55.4%
Emotional Processing	3	75.0%	54.2%	797	64.5%	62.9%
Exposure	2	50.0%	13.4%	251	20.3%	40.7%
Eye Movement/Body Tapping	1	25.0%	8.3%	17	1.4%	18.6%
Family Engagement	3	75.0%	61.1%	928	75.1%	64.2%
Family Therapy	3	75.0%	30.6%	862	69.7%	60.5%
Family Visit	0	0.0%	0.0%	0	0.0%	0.0%
Free Association	0	0.0%	0.0%	78	6.3%	36.3%
Functional Analysis	2	50.0%	22.9%	204	16.5%	49.4%
Goal Setting	4	100.0%	57.1%	878	71.0%	63.7%
Guided Imagery	1	25.0%	50.0%	209	16.9%	36.6%
Ho'Oponopono	0	0.0%	0.0%	0	0.0%	0.0%
Hypnosis	0	0.0%	0.0%	23	1.9%	25.8%
Ignoring or DRO	2	50.0%	18.8%	424	34.3%	47.1%
Individual Therapy for Caregiver	2	50.0%	27.1%	362	29.3%	41.7%
Informal Supports	0	0.0%	0.0%	6	0.5%	26.8%
Insight Building	3	75.0%	70.2%	782	63.3%	60.5%
Interpretation	2	50.0%	52.1%	214	17.3%	36.1%
Juvenile Sex Offender Treatment	0	0.0%	0.0%	23	1.9%	71.3%
Legal Assistance/Involvement	0	0.0%	0.0%	0	0.0%	0.0%
Line of Sight Supervision	2	50.0%	27.7%	403	32.6%	46.8%
Maintenance/Relapse Prevention	1	25.0%	12.5%	348	28.2%	44.0%
Marital Therapy	1	25.0%	25.0%	67	5.4%	29.7%
Medication/Pharmacotherapy	2	50.0%	47.9%	361	29.2%	52.2%
Mentoring	3	75.0%	33.3%	480	38.8%	49.7%
Milieu Therapy	1	25.0%	25.0%	306	24.8%	50.4%
Mindfulness	2	50.0%	29.2%	504	40.8%	49.0%
Modeling	4	100.0%	62.1%	781	63.2%	57.2%
Motivational Interviewing	3	75.0%	42.9%	631	51.1%	55.1%
Natural and Logical Consequences	3	75.0%	59.5%	845	68.4%	61.8%
Parent Coping	4	100.0%	29.6%	781	63.2%	58.1%
Parent or Teacher Monitoring	1	25.0%	50.0%	595	48.1%	51.4%
Parent Praise	1	25.0%	50.0%	614	49.7%	51.8%
Parenting	0	0.0%	0.0%	15	1.2%	21.0%
Peer Modeling/Pairing	1	25.0%	12.5%	211	17.1%	32.5%
Personal Safety Skills	3	75.0%	45.8%	565	45.7%	51.0%
Physical Exercise	0	0.0%	0.0%	0	0.0%	0.0%
Play Therapy	0	0.0%	0.0%	203	16.4%	48.2%
Problem Solving	4	100.0%	65.5%	946	76.5%	65.7%
Psychoeducation-Child	4	100.0%	78.7%	778	62.9%	59.8%
Psychoeducation-Parent	4	100.0%	69.8%	842	68.1%	62.2%
Relationship/Rapport Building	4	100.0%	45.5%	928	75.1%	60.7%
Relaxation	3	75.0%	28.4%	612	49.5%	50.2%
Response Cost	2	50.0%	60.7%	229	18.5%	42.2%
Response Prevention	1	25.0%	62.5%	268	21.7%	41.5%
Self-Monitoring	2	50.0%	45.8%	546	44.2%	49.5%
Self-Reward/Self-Praise	3	75.0%	47.2%	431	34.9%	49.5%
Skill Building	4	100.0%	60.1%	875	70.8%	61.2%
Social Skills Training	4	100.0%	60.6%	657	53.2%	54.0%
Stimulus Control/Antecedent Man.	3	75.0%	35.1%	287	23.2%	43.4%
Supportive Listening	4	100.0%	70.4%	990	80.1%	71.2%
Tangible Rewards	4	100.0%	59.1%	591	47.8%	51.9%
Therapist Praise/Rewards	4	100.0%	51.9%	806	65.2%	62.2%
Thought Field Therapy	1	25.0%	25.0%	31	2.5%	19.8%
Time Out	2	50.0%	54.5%	343	27.8%	45.1%
Twelve-step Programming	1	25.0%	37.5%	143	11.6%	49.9%
Other	0	0.0%	0.0%	35	2.8%	28.0%
Unclear	1	25.0%	16.7%	153	12.4%	39.0%
Not Available	3	42.9%		876	41.5%	


Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Asian Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Asian		
	N	%
Total Registered Youth	122	5.8%
with Services Procured	86	70.5%
Youth with New Admissions	48	39.3%
with Initial Admissions	34	27.9%
with Repeat Admissions	14	11.5%
Youth with Discharges	49	40.2%

	N	% of Available
Gender		
Females	44	36%
Males	78	64%

	Mean	SD
Age in Years	14.9	3.0




Primary Diagnosis of	N	% Avail
None Recorded	2	1.7%
Adjustment	7	6.0%
Anxiety	11	9.4%
Attention	19	16.2%
Disruptive Behavior	25	21.4%
Mental Retardation	0	0.0%
Miscellaneous	6	5.1%
Mood	36	30.8%
Pervasive Developmental	4	3.4%
Psychotic Spectrum	6	5.1%
Substance-Related	1	0.9%
Not Available (% Total)	5	4.1%

Any Diagnosis of	N	% Avail
None Recorded	2	1.7%
Adjustment	12	10.3%
Anxiety	32	27.4%
Attention	31	26.5%
Disruptive Behavior	48	41.0%
Mental Retardation	1	0.9%
Miscellaneous	23	19.7%
Mood	45	38.5%
Pervasive Developmental	5	4.3%
Psychotic Spectrum	7	6.0%
Substance-Related	12	10.3%
Multiple Diagnoses	83	70.9%
Avg. Number of Diagnoses	1.9	

All Other Races		
	N	%
Total Registered Youth	1,997	94.2%
with Services Procured	1,227	61.4%
Youth with New Admissions	921	46.1%
with Initial Admissions	656	32.8%
with Repeat Admissions	265	13.3%
Youth with Discharges	807	40.4%

	N	% of Available
Gender		
Females	754	38%
Males	1,243	62%

	Mean	SD
Age in Years	13.9	3.8



Primary Diagnosis of	N	% Avail
None Recorded	4	0.2%
Adjustment	122	7.4%
Anxiety	174	10.5%
Attention	328	19.9%
Disruptive Behavior	545	33.0%
Mental Retardation	0	0.0%
Miscellaneous	68	4.1%
Mood	295	17.9%
Pervasive Developmental	21	1.3%
Psychotic Spectrum	32	1.9%
Substance-Related	61	3.7%
Not Available (% Total)	347	17.4%

Any Diagnosis of	N	% Avail
None Recorded	2	0.1%
Adjustment	193	11.7%
Anxiety	378	22.8%
Attention	598	36.1%
Disruptive Behavior	890	53.8%
Mental Retardation	33	2.0%
Miscellaneous	443	26.8%
Mood	479	28.9%
Pervasive Developmental	31	1.9%
Psychotic Spectrum	39	2.4%
Substance-Related	344	20.8%
Multiple Diagnoses	1,236	74.7%
Avg. Number of Diagnoses	1.8	

Summary of Youth by Asian Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Asian		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	92	86.8%
Hispanic or Latino/a	14	13.2%
Not Available (% Total)	16	13.1%

Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	0	0.0%
Asian	122	100.0%
Black or African-American	0	0.0%
Native Hawaiian or Pacific Islander	0	0.0%
White	0	0.0%
Other Race	0	0.0%
Multiracial	0	0.0%
Based on Observation	9	7.4%
Not Available (% Total)	0	0.0%

Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	0	0.0%
Alaska Native	0	0.0%
American Indian	0	0.0%
Asian	104	98.1%
Asian Indian	1	0.9%
Chinese	15	14.2%
Filipino	62	58.5%
Japanese	29	27.4%
Korean	8	7.5%
Vietnamese	5	4.7%
Other Asian	4	3.8%
Black or African-American	0	0.0%
Hispanic or Latina/o	14	13.2%
Cuban	0	0.0%
Mexican	7	6.6%
Puerto Rican	7	6.6%
Other Hispanic	4	3.8%
Native Hawaiian or Pacific Islander	0	0.0%
Guamanian or Chamorro	0	0.0%
Micronesian	0	0.0%
Native Hawaiian	0	0.0%
Samoan	0	0.0%
Other Pacific Islander	0	0.0%
White	0	0.0%
White or Caucasian	0	0.0%
Portuguese	0	0.0%
Other Race or Ethnicity	0	0.0%
Multiethnic	26	24.5%
Not Available (% Total)	16	13.1%

All Other Races		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	808	70.1%
Hispanic or Latino/a	344	29.9%
Not Available (% Total)	845	42.3%

Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	7	0.5%
Asian	0	0.0%
Black or African-American	22	1.6%
Native Hawaiian or Pacific Islander	208	14.8%
White	212	15.1%
Other Race	8	0.6%
Multiracial	944	67.4%
Based on Observation	84	6.0%
Not Available (% Total)	596	29.8%

Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	130	11.4%
Alaska Native	0	0.0%
American Indian	130	11.4%
Asian	587	51.3%
Asian Indian	4	0.3%
Chinese	297	26.0%
Filipino	337	29.5%
Japanese	186	16.3%
Korean	37	3.2%
Vietnamese	4	0.3%
Other Asian	16	1.4%
Black or African-American	83	7.3%
Hispanic or Latina/o	336	29.4%
Cuban	6	0.5%
Mexican	58	5.1%
Puerto Rican	182	15.9%
Other Hispanic	132	11.5%
Native Hawaiian or Pacific Islander	759	66.3%
Guamanian or Chamorro	12	1.0%
Micronesian	58	5.1%
Native Hawaiian	641	56.0%
Samoan	82	7.2%
Other Pacific Islander	50	4.4%
White	787	68.8%
White or Caucasian	621	54.3%
Portuguese	308	26.9%
Other Race or Ethnicity	52	4.5%
Multiethnic	853	74.6%
Not Available (% Total)	853	42.7%

Summary of Youth by Asian Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Asian		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	10	8.2%
Leeward Oahu	32	26.2%
Honolulu Oahu	34	27.9%
Hawaii (Big Island)	13	10.7%
Maui	15	12.3%
Kauai	18	14.8%
Family Court Liaison Branch	0	0.0%

All Other Races		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	286	14.3%
Leeward Oahu	271	13.6%
Honolulu Oahu	217	10.9%
Hawaii (Big Island)	757	37.9%
Maui	210	10.5%
Kauai	168	8.4%
Family Court Liaison Branch	88	4.4%

*Central Oahu FGC now includes both Central and Windward Oahu offices.

Summary of Youth by Asian Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Services Procured	Asian			All Other Races		
	Monthly Average	Total N	% of Procured	Monthly Average	Total N	% of Procured
Out-of-Home	7	19	22.1%	176	373	30.4%
Out-of-State	0	0	0.0%	5	5	0.4%
Hospital Residential	1	5	5.8%	16	72	5.9%
Community High Risk	0	0	0.0%	7	14	1.1%
Community Residential	2	6	7.0%	53	149	12.1%
Therapeutic Foster Home	4	8	9.3%	99	191	15.6%
<i>Multidimensional Treatment Foster Care</i>	0	1	1.2%	5	11	0.9%
<i>Transitional Family Home</i>	3	7	8.1%	95	185	15.1%
Intensive Home & Community	35	70	81.4%	439	916	74.7%
Partial Hospitalization	2	6	7.0%	4	17	1.4%
Multisystemic Therapy	6	18	20.9%	62	195	15.9%
Intensive In-Home	29	58	67.4%	378	754	61.5%
Outpatient	6	20	23.3%	53	288	23.5%
Treatment	6	16	18.6%	38	117	9.5%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	5	13	15.1%	29	88	7.2%
<i>Outpatient Therapy</i>	1	3	3.5%	9	29	2.4%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	0	5	5.8%	16	176	14.3%
Supportive Services	2	10	11.6%	41	178	14.5%
Respite Home	0	0	0.0%	6	30	2.4%
Ancillary Service	2	10	11.6%	35	152	12.4%
Crisis Stabilization	0	4	4.7%	5	42	3.4%
Unduplicated Total (% of Registered)	47	86	70%	645	1,227	61%

*These services either were not procured or had no data available in FY 2013.

Summary of Youth by Asian Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Total Hours Procured	Asian			All Other Races		
	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth
Out-of-Home	148	670	90.4%	152	982	88.8%
Out-of-State	0	0	0.0%	195	2,120	95.1%
Hospital Residential	148	484	90.4%	118	350	56.5%
Community High Risk	0	0	0.0%	175	1,060	83.2%
Community Residential	128	468	80.9%	138	677	77.5%
Therapeutic Foster Home	163	938	97.5%	165	1,124	83.0%
<i>Multidimensional Treatment Foster Care</i>	156	624	92.3%	175	940	75.0%
<i>Transitional Family Home</i>	164	982	98.2%	164	1,105	81.3%
Intensive Home & Community	18	111	83.2%	18	98	78.1%
Partial Hospitalization	2	8	2.4%	3	8	8.6%
Multisystemic Therapy	39	146	81.6%	40	134	79.8%
Intensive In-Home	13	88	74.9%	12	84	74.1%
Outpatient	5	15	41.4%	4	9	50.8%
Treatment	4	17	49.0%	4	15	48.5%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	4	16	44.7%	3	13	52.0%
<i>Outpatient Therapy</i>	5	21	67.8%	5	21	37.8%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	6	6	8.6%	5	5	51.0%
Supportive Services**	-	-	-	-	-	-
Respite Home	0	0	0.0%	20	51	12.2%
Ancillary Service**	-	-	-	-	-	-
Crisis Stabilization	20	20	57.7%	29	43	47.8%
Unduplicated Total	31	243		41	376	

Service Changes	Asian			All Other Races		
	Monthly Average	Total N	Total per Youth	Monthly Average	Total N	Total per Youth
Placement Changes	2	21	0.2	43	520	0.3
Out-of-Home Changes	0	0	0.0	4	45	0.0
Provider Agency Changes	7	84	0.7	99	1,190	0.6
Care Coordinator Changes	3	33	0.3	71	848	0.4

*These services either were not procured or had no data available in FY 2013.

**Duration not available for these services.

Summary of Youth by Asian Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Asian		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	115 (3.2)	85 (3.3)	79 (3.9)
Moods: Self-Harm	10 (1.1)	4 (0.7)	4 (0.8)
Moods: Emotions	22 (0.8)	16 (0.8)	15 (0.9)
Home Role Performance	24 (0.9)	17 (1.0)	17 (1.1)
School Role Performance	26 (0.7)	19 (0.9)	17 (1.2)
Community Role Performance	11 (1.2)	7 (0.9)	7 (1.0)
Behavior Towards Other	20 (0.8)	15 (0.7)	13 (0.8)
Substance Use	6 (1.0)	3 (0.7)	4 (0.8)
Thinking	7 (1.0)	3 (0.6)	3 (0.6)

Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	20 (0.3)	18 (0.3)	17 (0.4)
Level of Care	4 (0.1)	3 (0.1)	3 (0.1)

Child and Adolescent Functional Assessment Scale (CAFAS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total (8-scale)	35 (91)	57% (87)	40% (87)
Moods: Self-Harm	7 (91)	73% (33)	97% (33)
Moods: Emotions	7 (91)	56% (81)	88% (81)
Home Role Performance	7 (91)	52% (77)	64% (77)
School Role Performance	9 (91)	50% (84)	64% (84)
Community Role Performance	4 (91)	48% (40)	93% (40)
Behavior Towards Other	7 (91)	63% (75)	95% (75)
Substance Use	3 (91)	55% (20)	80% (20)
Thinking	5 (91)	73% (22)	100% (22)

Child and Adolescent Level of Care Utilization System (CALOCUS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total	3 (87)	49% (81)	44% (81)
Level of Care	1 (87)	55% (82)	72% (82)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	795	8	24.6%
Child Events	943	10	23.8%
Person-Directed	246	3	13.1%
Property-Directed	180	2	10.7%
Runaway or Elopement	98	1	4.9%
Self-Injury	262	3	9.8%
Substance Use	49	1	2.5%
Other	90	1	6.6%
Institutional Events	434	4	17.2%
Person-Directed (Client Victim)	41	0	2.5%
Seclusion or Restraint	49	1	3.3%
Medication Error	0	0	0.0%
Police Called	123	1	9.0%
Criminal Charges or Arrest	57	1	4.9%
Client Injury	16	0	1.6%
Staff Injury	0	0	0.0%
Other	148	2	9.0%

	All Other Races		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	119 (0.9)	90 (0.9)	86 (1.0)
Moods: Self-Harm	9 (0.3)	3 (0.2)	2 (0.2)
Moods: Emotions	21 (0.2)	16 (0.2)	15 (0.2)
Home Role Performance	26 (0.2)	19 (0.2)	18 (0.3)
School Role Performance	26 (0.2)	19 (0.3)	18 (0.3)
Community Role Performance	14 (0.3)	9 (0.3)	9 (0.3)
Behavior Towards Other	21 (0.2)	16 (0.2)	16 (0.2)
Substance Use	10 (0.3)	5 (0.2)	5 (0.3)
Thinking	6 (0.2)	2 (0.1)	2 (0.2)

Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	21 (0.1)	18 (0.1)	18 (0.1)
Level of Care	4 (0.0)	3 (0.0)	3 (0.0)

Child and Adolescent Functional Assessment Scale (CAFAS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total (8-scale)	33 (1330)	52% (1262)	33% (1262)
Moods: Self-Harm	7 (1330)	79% (452)	96% (452)
Moods: Emotions	5 (1330)	46% (1174)	95% (1174)
Home Role Performance	7 (1330)	50% (1199)	65% (1199)
School Role Performance	8 (1329)	48% (1232)	62% (1232)
Community Role Performance	5 (1330)	47% (716)	90% (716)
Behavior Towards Other	6 (1330)	48% (1169)	95% (1169)
Substance Use	5 (1330)	62% (493)	83% (493)
Thinking	4 (1330)	76% (259)	97% (259)

Child and Adolescent Level of Care Utilization System (CALOCUS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total	3 (1197)	45% (1115)	42% (1115)
Level of Care	1 (1197)	55% (1119)	66% (1119)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	865	144	23.4%
Child Events	934	156	21.6%
Person-Directed	178	30	9.0%
Property-Directed	90	15	6.0%
Runaway or Elopement	255	42	10.3%
Self-Injury	167	28	7.2%
Substance Use	99	17	5.3%
Other	109	18	6.5%
Institutional Events	550	92	15.2%
Person-Directed (Client Victim)	47	8	3.8%
Seclusion or Restraint	60	10	2.7%
Medication Error	10	2	0.7%
Police Called	155	26	8.1%
Criminal Charges or Arrest	103	17	5.6%
Client Injury	42	7	3.6%
Staff Injury	10	2	0.7%
Other	111	19	6.7%

*Indicates average change from highest CAFAS or CALOCUS score to most recent.
(A positive number reflects improvement.)

Summary of Youth by Asian Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Service Setting	Asian		
	Any Use N	Any Use % Avail	Dosage % of Months
Clinic	36	41.9%	43.0%
Community	62	72.1%	69.6%
Home	78	90.7%	87.7%
Out-of-Home	28	32.6%	54.8%
Phone*	17	19.8%	50.0%
School	58	67.4%	56.8%
Unclear*	8	9.3%	12.1%
Not Available	36	29.5%	

Service Format	Asian		
	Any Use N	Any Use % Avail	Dosage % of Months
Family	71	82.6%	74.7%
Group	28	32.6%	46.0%
Individual	71	82.6%	86.3%
Parent	71	82.6%	82.5%
Phone*	6	7.0%	39.2%
Professional Consult*	23	26.7%	46.1%
Teacher	31	36.0%	46.9%
Unclear*	7	8.1%	24.1%
Not Available	36	29.5%	

Discharge Living Situation	Youth		
	N	% Youth Discharged	% Discharges
Foster Home	4	7.1%	4.4%
Group Care	1	1.8%	1.1%
Home	41	73.2%	45.1%
Homeless/Shelter	0	0.0%	0.0%
Institution/Hospital	0	0.0%	0.0%
Jail/Correctional Facility	3	5.4%	3.3%
Other	9	16.1%	9.9%
Residential Treatment	4	7.1%	4.4%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	56		
Number of Discharges	91		

Reason for Discharge	Youth		
	N	% Youth Discharged	% Discharges
Eligibility Change	1	1.8%	1.1%
Family Relocation	1	1.8%	1.1%
Insufficient Progress	5	8.9%	5.5%
Other	16	28.6%	17.6%
Runaway/Elopement	4	7.1%	4.4%
Refuse/Withdraw	5	8.9%	5.5%
Success/Goals Met	36	64.3%	39.6%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	56		
Number of Discharges	91		

	All Other Races		
	Any Use N	Any Use % Avail	Dosage % of Months
	525	45.5%	58.0%
	875	75.8%	73.3%
	1,008	87.3%	83.6%
	468	40.6%	61.7%
	122	10.6%	60.5%
	669	58.0%	55.7%
	40	3.5%	30.8%
	843	42.2%	

	All Other Races		
	Any Use N	Any Use % Avail	Dosage % of Months
	896	77.6%	72.2%
	336	29.1%	49.2%
	987	85.5%	87.9%
	883	76.5%	74.5%
	29	2.5%	44.3%
	280	24.3%	42.3%
	435	37.7%	47.1%
	169	14.6%	49.8%
	843	42.2%	

	All Other Races		
	Youth N	% Youth Discharged	% Discharges
	96	13.9%	9.4%
	7	1.0%	0.7%
	482	70.0%	47.3%
	18	2.6%	1.8%
	23	3.3%	2.3%
	50	7.3%	4.9%
	117	17.0%	11.5%
	49	7.1%	4.8%
	0	0.0%	0.0%
	689		
	1018		

	All Other Races		
	Youth N	% Youth Discharged	% Discharges
	16	2.3%	1.6%
	21	3.0%	2.1%
	64	9.3%	6.3%
	215	31.2%	21.1%
	94	13.6%	9.2%
	72	10.4%	7.1%
	405	58.8%	39.8%
	0	0.0%	0.0%
	689		
	1018		

*Indicates written response to an open-ended question.

Summary of Youth by Asian Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Treatment Target	Asian			All Other Races		
	Any Use N	Any Use % Avail	Dosage % of Months	Any Use N	Any Use % Avail	Dosage % of Months
Academic Achievement	29	33.7%	39.7%	419	36.3%	40.3%
Activity Involvement	47	54.7%	67.6%	619	53.6%	54.9%
Adaptive Behavior/Living Skills	14	16.3%	39.5%	145	12.6%	37.9%
Adjustment to Change	23	26.7%	48.4%	325	28.2%	37.6%
Adult Intercoordination	0	0.0%	0.0%	13	1.1%	22.0%
Aggression	35	40.7%	51.8%	494	42.8%	54.7%
Anger	36	41.9%	57.7%	580	50.3%	55.2%
Anxiety	42	48.8%	52.9%	412	35.7%	49.9%
Assertiveness	17	19.8%	33.6%	204	17.7%	38.2%
Attention Problems	13	15.1%	44.5%	206	17.9%	35.4%
Avoidance	25	29.1%	45.4%	264	22.9%	41.0%
Caregiver Self-Management/Coping	0	0.0%	0.0%	6	0.5%	22.1%
Cognitive-Intellectual Functioning	8	9.3%	32.2%	89	7.7%	39.2%
Community Involvement	18	20.9%	30.5%	210	18.2%	32.5%
Compulsive Behavior	0	0.0%	0.0%	3	0.3%	22.2%
Contentment/Enjoyment/Happiness	16	18.6%	34.4%	235	20.4%	41.0%
Depressed Mood	32	37.2%	64.5%	365	31.6%	48.2%
Eating/Feeding Problems	4	4.7%	23.5%	32	2.8%	33.4%
Empathy	4	4.7%	53.8%	145	12.6%	42.5%
Enuresis/Encopresis	2	2.3%	54.2%	39	3.4%	50.5%
Fire Setting	0	0.0%	0.0%	6	0.5%	39.0%
Fitness/Exercise	0	0.0%	0.0%	1	0.1%	20.0%
Gender Identity Problems	0	0.0%	0.0%	7	0.6%	26.3%
Goal Setting	1	1.2%	8.3%	3	0.3%	14.1%
Grief	4	4.7%	37.5%	67	5.8%	38.2%
Health Management	10	11.6%	27.9%	82	7.1%	32.0%
Housing/Living Situation	11	12.8%	35.1%	195	16.9%	32.5%
Hyperactivity	5	5.8%	52.6%	98	8.5%	38.6%
Information Gathering	0	0.0%	0.0%	11	1.0%	32.8%
Learning Disorder/Underachievement	2	2.3%	14.2%	36	3.1%	26.4%
Low Self-Esteem	25	29.1%	54.8%	288	25.0%	40.9%
Mania	0	0.0%	0.0%	11	1.0%	27.6%
Medical Regimen Adherence	11	12.8%	29.2%	117	10.1%	39.1%
Occupational Functioning/Stress	7	8.1%	51.5%	43	3.7%	25.7%
Oppositional/Non-Compliant Behavior	48	55.8%	66.7%	749	64.9%	64.3%
Pain Management	0	0.0%	0.0%	0	0.0%	0.0%
Parenting Skills	1	1.2%	30.0%	18	1.6%	32.5%
Peer Involvement	16	18.6%	31.6%	186	16.1%	34.2%
Peer/Sibling Conflict	9	10.5%	33.1%	304	26.3%	44.7%
Personal Hygiene	9	10.5%	28.1%	37	3.2%	29.5%
Phobia/Fears	23	26.7%	44.9%	394	34.1%	43.6%
Positive Family Functioning	5	5.8%	24.2%	81	7.0%	41.9%
Positive Peer Interaction	66	76.7%	70.5%	899	77.9%	67.2%
Positive Thinking/Attitude	26	30.2%	45.5%	350	30.3%	40.7%
Pregnancy Education/Adjustment	1	1.2%	25.0%	23	2.0%	41.9%
Psychosis	5	5.8%	50.5%	33	2.9%	51.8%
Runaway	10	11.6%	52.4%	221	19.2%	46.0%
Safe Environment	2	2.3%	44.4%	9	0.8%	25.3%
School Involvement	24	27.9%	44.4%	260	22.5%	36.3%
School Refusal/Truancy	15	17.4%	43.5%	212	18.4%	42.4%
Self-Control	10	11.6%	41.9%	149	12.9%	45.0%
Self-Injurious Behavior	18	20.9%	36.5%	297	25.7%	41.7%
Sexual Orientation	0	0.0%	0.0%	0	0.0%	0.0%
Sexual Misconduct	1	1.2%	83.3%	68	5.9%	51.2%
Shyness	7	8.1%	30.0%	18	1.6%	26.4%
Sleep Disturbance	1	1.2%	25.0%	23	2.0%	36.5%
Social Skills	32	37.2%	50.1%	331	28.7%	45.6%
Speech and Language	2	2.3%	12.5%	6	0.5%	29.9%
Substance Use	16	18.6%	58.6%	330	28.6%	64.9%
Suicidality	12	14.0%	46.3%	78	6.8%	35.0%
Traumatic Stress	10	11.6%	49.4%	180	15.6%	43.9%
Treatment Engagement	42	48.8%	56.4%	639	55.4%	52.5%
Treatment Planning/Framing	2	2.3%	61.1%	65	5.6%	45.0%
Willful Misconduct/Delinquency	17	19.8%	48.0%	217	18.8%	45.3%
Other	0	0.0%	0.0%	14	1.2%	15.6%
Unclear	5	5.8%	15.3%	96	8.3%	30.2%
Not Available	36	29.5%		843	42.2%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Asian Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Asian			All Other Races		
	Any Use	Any Use	Dosage	Any Use	Any Use	Dosage
Practice Elements	N	% Avail	% of Months	N	% Avail	% of Months
Activity Scheduling	49	57.0%	59.1%	689	59.7%	56.8%
Anger Management	1	1.2%	16.7%	3	0.3%	16.9%
Animal or Plant Assisted Activities	0	0.0%	0.0%	0	0.0%	0.0%
Arousal Reconditioning	0	0.0%	0.0%	0	0.0%	0.0%
Art/Music Therapy	1	1.2%	11.1%	1	0.1%	33.3%
Assertiveness Training	25	29.1%	57.0%	384	33.3%	45.3%
Assessment	2	2.3%	30.6%	39	3.4%	69.6%
Attending	28	32.6%	58.7%	333	28.9%	43.8%
Behavior Management	1	1.2%	25.0%	4	0.3%	12.9%
Behavioral Contracting	56	65.1%	58.6%	657	56.9%	55.5%
Biofeedback/Neurofeedback	1	1.2%	9.1%	18	1.6%	30.6%
Care Coordination	53	61.6%	67.1%	714	61.9%	65.2%
Catharsis	6	7.0%	94.3%	68	5.9%	34.4%
Cognitive/Coping	51	59.3%	71.0%	691	59.9%	63.6%
Commands/Limit Setting	16	18.6%	39.3%	174	15.1%	40.0%
Communication Skills	73	84.9%	69.3%	888	76.9%	67.7%
Counseling	0	0.0%	0.0%	1	0.1%	27.3%
Crisis Management	41	47.7%	52.2%	502	43.5%	45.6%
Cultural Training	14	16.3%	55.6%	131	11.4%	39.9%
Discrete Trial Training	0	0.0%	0.0%	15	1.3%	19.6%
Educational Support	47	54.7%	50.0%	624	54.1%	55.7%
Emotional Processing	51	59.3%	61.8%	749	64.9%	63.0%
Exposure	29	33.7%	51.2%	224	19.4%	39.1%
Eye Movement/Body Tapping	1	1.2%	22.2%	17	1.5%	17.8%
Family Engagement	67	77.9%	69.6%	864	74.9%	63.8%
Family Therapy	60	69.8%	67.4%	805	69.8%	59.8%
Family Visit	0	0.0%	0.0%	0	0.0%	0.0%
Free Association	12	14.0%	39.2%	66	5.7%	35.7%
Functional Analysis	24	27.9%	65.7%	182	15.8%	47.0%
Goal Setting	63	73.3%	65.9%	819	71.0%	63.5%
Guided Imagery	20	23.3%	46.3%	190	16.5%	35.7%
Ho'Oponopono	0	0.0%	0.0%	0	0.0%	0.0%
Hypnosis	1	1.2%	9.1%	22	1.9%	26.6%
Ignoring or DRO	31	36.0%	50.6%	395	34.2%	46.6%
Individual Therapy for Caregiver	23	26.7%	40.0%	341	29.5%	41.8%
Informal Supports	1	1.2%	8.3%	5	0.4%	30.5%
Insight Building	56	65.1%	63.3%	729	63.2%	60.3%
Interpretation	18	20.9%	59.0%	198	17.2%	34.2%
Juvenile Sex Offender Treatment	0	0.0%	0.0%	23	2.0%	71.3%
Legal Assistance/Involvement	0	0.0%	0.0%	0	0.0%	0.0%
Line of Sight Supervision	22	25.6%	41.3%	383	33.2%	47.0%
Maintenance/Relapse Prevention	23	26.7%	41.7%	326	28.2%	44.0%
Marital Therapy	5	5.8%	14.5%	63	5.5%	30.8%
Medication/Pharmacotherapy	26	30.2%	49.0%	337	29.2%	52.4%
Mentoring	41	47.7%	51.0%	442	38.3%	49.4%
Milieu Therapy	19	22.1%	42.1%	288	25.0%	50.9%
Mindfulness	39	45.3%	64.5%	467	40.5%	47.6%
Modeling	62	72.1%	56.2%	723	62.7%	57.3%
Motivational Interviewing	48	55.8%	53.6%	586	50.8%	55.1%
Natural and Logical Consequences	57	66.3%	64.6%	791	68.5%	61.6%
Parent Coping	53	61.6%	58.1%	732	63.4%	57.9%
Parent or Teacher Monitoring	40	46.5%	55.5%	556	48.2%	51.1%
Parent Praise	40	46.5%	54.6%	575	49.8%	51.6%
Parenting	3	3.5%	12.0%	12	1.0%	23.2%
Peer Modeling/Pairing	16	18.6%	27.3%	196	17.0%	32.8%
Personal Safety Skills	39	45.3%	51.2%	529	45.8%	50.9%
Physical Exercise	0	0.0%	0.0%	0	0.0%	0.0%
Play Therapy	11	12.8%	26.5%	192	16.6%	49.5%
Problem Solving	71	82.6%	67.6%	879	76.2%	65.5%
Psychoeducation-Child	54	62.8%	62.5%	728	63.1%	59.7%
Psychoeducation-Parent	56	65.1%	66.4%	790	68.5%	62.0%
Relationship/Rapport Building	63	73.3%	63.5%	869	75.3%	60.4%
Relaxation	49	57.0%	50.4%	566	49.0%	50.1%
Response Cost	17	19.8%	54.5%	214	18.5%	41.4%
Response Prevention	21	24.4%	55.9%	248	21.5%	40.3%
Self-Monitoring	42	48.8%	57.1%	506	43.8%	48.9%
Self-Reward/Self-Praise	34	39.5%	52.7%	400	34.7%	49.3%
Skill Building	67	77.9%	61.8%	812	70.4%	61.2%
Social Skills Training	45	52.3%	54.7%	616	53.4%	54.0%
Stimulus Control/Antecedent Man.	19	22.1%	52.5%	271	23.5%	42.6%
Supportive Listening	66	76.7%	71.6%	928	80.4%	71.2%
Tangible Rewards	36	41.9%	52.6%	559	48.4%	51.9%
Therapist Praise/Rewards	62	72.1%	64.6%	748	64.8%	61.9%
Thought Field Therapy	1	1.2%	8.3%	31	2.7%	20.3%
Time Out	20	23.3%	40.8%	325	28.2%	45.4%
Twelve-step Programming	4	4.7%	45.0%	140	12.1%	50.0%
Other	2	2.3%	9.7%	33	2.9%	29.1%
Unclear	13	15.1%	38.8%	141	12.2%	38.9%
Not Available	36	29.5%		843	42.2%	


Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Black or African American Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Black or African American		
	N	%
Total Registered Youth	22	1.0%
with Services Procured	19	86.4%
Youth with New Admissions	5	22.7%
with Initial Admissions	3	13.6%
with Repeat Admissions	2	9.1%
Youth with Discharges	10	45.5%

	N	% of Available
Gender		
Females	8	36%
Males	14	64%

	Mean	SD
Age in Years	13.0	3.9




Primary Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	0	0.0%
Anxiety	2	9.1%
Attention	10	45.5%
Disruptive Behavior	7	31.8%
Mental Retardation	0	0.0%
Miscellaneous	0	0.0%
Mood	3	13.6%
Pervasive Developmental	0	0.0%
Psychotic Spectrum	0	0.0%
Substance-Related	0	0.0%
Not Available (% Total)	0	0.0%

Any Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	1	4.5%
Anxiety	5	22.7%
Attention	13	59.1%
Disruptive Behavior	15	68.2%
Mental Retardation	0	0.0%
Miscellaneous	3	13.6%
Mood	6	27.3%
Pervasive Developmental	0	0.0%
Psychotic Spectrum	0	0.0%
Substance-Related	4	18.2%
Multiple Diagnoses	19	86.4%
Avg. Number of Diagnoses	2.3	

All Other Races		
	N	%
Total Registered Youth	2,097	99.0%
with Services Procured	1,294	61.7%
Youth with New Admissions	964	46.0%
with Initial Admissions	687	32.8%
with Repeat Admissions	277	13.2%
Youth with Discharges	846	40.3%

	N	% of Available
Gender		
Females	790	38%
Males	1,307	62%

	Mean	SD
Age in Years	14.0	3.7



Primary Diagnosis of	N	% Avail
None Recorded	6	0.3%
Adjustment	129	7.4%
Anxiety	183	10.5%
Attention	337	19.3%
Disruptive Behavior	563	32.3%
Mental Retardation	0	0.0%
Miscellaneous	74	4.2%
Mood	328	18.8%
Pervasive Developmental	25	1.4%
Psychotic Spectrum	38	2.2%
Substance-Related	62	3.6%
Not Available (% Total)	352	16.8%

Any Diagnosis of	N	% Avail
None Recorded	4	0.2%
Adjustment	204	11.7%
Anxiety	405	23.1%
Attention	616	35.2%
Disruptive Behavior	923	52.7%
Mental Retardation	34	1.9%
Miscellaneous	463	26.5%
Mood	518	29.6%
Pervasive Developmental	36	2.1%
Psychotic Spectrum	46	2.6%
Substance-Related	352	20.1%
Multiple Diagnoses	1,300	74.3%
Avg. Number of Diagnoses	1.8	

Summary of Youth by Black or African American Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Black or African American		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	12	80.0%
Hispanic or Latino/a	3	20.0%
Not Available (% Total)	7	31.8%
Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	0	0.0%
Asian	0	0.0%
Black or African-American	22	100.0%
Native Hawaiian or Pacific Islander	0	0.0%
White	0	0.0%
Other Race	0	0.0%
Multiracial	0	0.0%
Based on Observation	5	22.7%
Not Available (% Total)	0	0.0%
Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	0	0.0%
Alaska Native	0	0.0%
American Indian	0	0.0%
Asian	0	0.0%
Asian Indian	0	0.0%
Chinese	0	0.0%
Filipino	0	0.0%
Japanese	0	0.0%
Korean	0	0.0%
Vietnamese	0	0.0%
Other Asian	0	0.0%
Black or African-American	14	93.3%
Hispanic or Latina/o	3	20.0%
Cuban	0	0.0%
Mexican	0	0.0%
Puerto Rican	2	13.3%
Other Hispanic	1	6.7%
Native Hawaiian or Pacific Islander	0	0.0%
Guamanian or Chamorro	0	0.0%
Micronesian	0	0.0%
Native Hawaiian	0	0.0%
Samoan	0	0.0%
Other Pacific Islander	0	0.0%
White	0	0.0%
White or Caucasian	0	0.0%
Portuguese	0	0.0%
Other Race or Ethnicity	0	0.0%
Multiethnic	3	20.0%
Not Available (% Total)	7	31.8%

All Other Races		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	888	71.4%
Hispanic or Latino/a	355	28.6%
Not Available (% Total)	854	40.7%
Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	7	0.5%
Asian	122	8.1%
Black or African-American	0	0.0%
Native Hawaiian or Pacific Islander	208	13.9%
White	212	14.1%
Other Race	8	0.5%
Multiracial	944	62.9%
Based on Observation	88	5.9%
Not Available (% Total)	596	28.4%
Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	130	10.5%
Alaska Native	0	0.0%
American Indian	130	10.5%
Asian	691	56.0%
Asian Indian	5	0.4%
Chinese	312	25.3%
Filipino	399	32.3%
Japanese	215	17.4%
Korean	45	3.6%
Vietnamese	9	0.7%
Other Asian	20	1.6%
Black or African-American	69	5.6%
Hispanic or Latina/o	347	28.1%
Cuban	6	0.5%
Mexican	65	5.3%
Puerto Rican	187	15.1%
Other Hispanic	135	10.9%
Native Hawaiian or Pacific Islander	759	61.5%
Guamanian or Chamorro	12	1.0%
Micronesian	58	4.7%
Native Hawaiian	641	51.9%
Samoan	82	6.6%
Other Pacific Islander	50	4.0%
White	787	63.7%
White or Caucasian	621	50.3%
Portuguese	308	24.9%
Other Race or Ethnicity	52	4.2%
Multiethnic	876	70.9%
Not Available (% Total)	862	41.1%

Summary of Youth by Black or African American Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Black or African American		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	6	27.3%
Leeward Oahu	5	22.7%
Honolulu Oahu	6	27.3%
Hawaii (Big Island)	5	22.7%
Maui	0	0.0%
Kauai	0	0.0%
Family Court Liaison Branch	0	0.0%

All Other Races		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	290	13.8%
Leeward Oahu	298	14.2%
Honolulu Oahu	245	11.7%
Hawaii (Big Island)	765	36.5%
Maui	225	10.7%
Kauai	186	8.9%
Family Court Liaison Branch	88	4.2%

*Central Oahu FGC now includes both Central and Windward Oahu offices.

Summary of Youth by Black or African American Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Services Procured	Black or African American			All Other Races		
	Monthly Average	Total N	% of Procured	Monthly Average	Total N	% of Procured
Out-of-Home	2	3	15.8%	181	389	30.1%
Out-of-State	0	0	0.0%	5	5	0.4%
Hospital Residential	0	0	0.0%	17	77	6.0%
Community High Risk	0	0	0.0%	7	14	1.1%
Community Residential	0	0	0.0%	54	155	12.0%
Therapeutic Foster Home	2	3	15.8%	101	196	15.1%
<i>Multidimensional Treatment Foster Care</i>	0	0	0.0%	5	12	0.9%
<i>Transitional Family Home</i>	2	3	15.8%	96	189	14.6%
Intensive Home & Community	7	16	84.2%	467	970	75.0%
Partial Hospitalization	0	0	0.0%	5	23	1.8%
Multisystemic Therapy	1	2	10.5%	67	211	16.3%
Intensive In-Home	7	15	78.9%	400	797	61.6%
Outpatient	1	3	15.8%	58	305	23.6%
Treatment	1	3	15.8%	43	130	10.0%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	1	3	15.8%	33	98	7.6%
<i>Outpatient Therapy</i>	0	0	0.0%	10	32	2.5%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	0	0	0.0%	16	181	14.0%
Supportive Services	0	1	5.3%	43	187	14.5%
Respite Home	0	1	5.3%	6	29	2.2%
Ancillary Service	0	0	0.0%	38	162	12.5%
Crisis Stabilization	0	0	0.0%	5	46	3.6%
Unduplicated Total (% of Registered)	10	19	86%	682	1,294	62%

*These services either were not procured or had no data available in FY 2013.

Summary of Youth by Black or African American Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Total Hours Procured	Black or African American			All Other Races		
	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth
Out-of-Home	179	1,350	98.2%	151	964	88.8%
Out-of-State	0	0	0.0%	195	2,120	95.1%
Hospital Residential	0	0	0.0%	120	359	58.7%
Community High Risk	0	0	0.0%	175	1,060	83.2%
Community Residential	0	0	0.0%	138	669	77.6%
Therapeutic Foster Home	179	1,350	98.2%	165	1,113	83.4%
<i>Multidimensional Treatment Foster Care</i>	0	0	0.0%	173	913	76.5%
<i>Transitional Family Home</i>	179	1,350	98.2%	164	1,097	81.6%
Intensive Home & Community	12	82	84.2%	18	99	78.4%
Partial Hospitalization	0	0	0.0%	3	8	7.0%
Multisystemic Therapy	32	130	95.8%	40	135	79.8%
Intensive In-Home	10	70	77.1%	13	85	74.1%
Outpatient	3	9	73.6%	4	9	50.0%
Treatment	3	9	73.6%	4	15	47.9%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	3	9	73.6%	3	14	50.3%
<i>Outpatient Therapy</i>	0	0	0.0%	5	21	40.6%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	0	0	0.0%	5	5	49.8%
Supportive Services**	-	-	-	-	-	-
Respite Home	12	59	37.1%	20	51	11.3%
Ancillary Service**	-	-	-	-	-	-
Crisis Stabilization	0	0	0.0%	29	41	48.6%
Unduplicated Total	32	286		40	369	

Service Changes	Black or African American			All Other Races		
	Monthly Average	Total N	Total per Youth	Monthly Average	Total N	Total per Youth
Placement Changes	0	2	0.1	45	539	0.3
Out-of-Home Changes	0	0	0.0	4	45	0.0
Provider Agency Changes	1	10	0.5	105	1,264	0.6
Care Coordinator Changes	0	4	0.2	73	877	0.4

*These services either were not procured or had no data available in FY 2013.

**Duration not available for these services.

Summary of Youth by Black or African American Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Black or African American		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	124 (5.9)	89 (7.4)	85 (8.3)
Moods: Self-Harm	12 (2.6)	2 (1.3)	2 (1.3)
Moods: Emotions	21 (1.2)	16 (1.1)	13 (1.9)
Home Role Performance	28 (1.1)	19 (2.0)	19 (2.2)
School Role Performance	29 (0.8)	22 (2.2)	21 (2.3)
Community Role Performance	14 (2.6)	8 (2.3)	9 (2.6)
Behavior Towards Other	26 (1.2)	18 (1.6)	18 (1.8)
Substance Use	8 (2.6)	2 (1.8)	2 (1.8)
Thinking	5 (1.9)	2 (1.2)	2 (1.0)

	Black or African American		
Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	21 (0.6)	18 (0.7)	17 (0.8)
Level of Care	4 (0.2)	3 (0.2)	3 (0.3)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Functional Assessment Scale (CAFAS)			
Total (8-scale)	39 (17)	47% (17)	24% (17)
Moods: Self-Harm	10 (17)	80% (5)	100% (5)
Moods: Emotions	8 (17)	56% (16)	100% (16)
Home Role Performance	8 (17)	59% (17)	71% (17)
School Role Performance	8 (17)	59% (17)	65% (17)
Community Role Performance	5 (17)	50% (10)	90% (10)
Behavior Towards Other	8 (17)	59% (17)	88% (17)
Substance Use	5 (17)	75% (4)	75% (4)
Thinking	3 (17)	100% (3)	100% (3)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Level of Care Utilization System (CALOCUS)			
Total	4 (16)	56% (16)	50% (16)
Level of Care	1 (16)	56% (16)	88% (16)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	1,591	3	31.8%
Child Events	1,864	3	31.8%
Person-Directed	773	1	18.2%
Property-Directed	227	0	13.6%
Runaway or Elopement	636	1	18.2%
Self-Injury	0	0	0.0%
Substance Use	91	0	4.5%
Other	45	0	4.5%
Institutional Events	955	2	27.3%
Person-Directed (Client Victim)	0	0	0.0%
Seclusion or Restraint	0	0	0.0%
Medication Error	0	0	0.0%
Police Called	455	1	18.2%
Criminal Charges or Arrest	364	1	22.7%
Client Injury	45	0	4.5%
Staff Injury	0	0	0.0%
Other	91	0	9.1%

	All Other Races		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	119 (0.9)	90 (0.9)	86 (1.0)
Moods: Self-Harm	9 (0.3)	3 (0.2)	3 (0.2)
Moods: Emotions	21 (0.2)	16 (0.2)	15 (0.2)
Home Role Performance	25 (0.2)	19 (0.2)	18 (0.3)
School Role Performance	26 (0.2)	19 (0.2)	18 (0.3)
Community Role Performance	14 (0.3)	9 (0.3)	9 (0.3)
Behavior Towards Other	21 (0.2)	16 (0.2)	15 (0.2)
Substance Use	10 (0.3)	5 (0.2)	5 (0.2)
Thinking	6 (0.2)	3 (0.1)	2 (0.2)

	All Other Races		
Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	21 (0.1)	18 (0.1)	18 (0.1)
Level of Care	4 (0.0)	3 (0.0)	3 (0.0)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Functional Assessment Scale (CAFAS)			
Total (8-scale)	33 (1404)	53% (1332)	34% (1332)
Moods: Self-Harm	7 (1404)	79% (480)	96% (480)
Moods: Emotions	6 (1404)	47% (1239)	95% (1239)
Home Role Performance	7 (1404)	50% (1259)	65% (1259)
School Role Performance	8 (1403)	48% (1299)	62% (1299)
Community Role Performance	5 (1404)	47% (746)	90% (746)
Behavior Towards Other	6 (1404)	49% (1227)	95% (1227)
Substance Use	5 (1404)	61% (509)	83% (509)
Thinking	4 (1404)	75% (278)	97% (278)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Level of Care Utilization System (CALOCUS)			
Total	3 (1268)	46% (1180)	42% (1180)
Level of Care	1 (1268)	55% (1185)	66% (1185)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	854	149	23.4%
Child Events	925	162	21.6%
Person-Directed	176	31	9.2%
Property-Directed	94	16	6.2%
Runaway or Elopement	242	42	9.9%
Self-Injury	174	30	7.4%
Substance Use	96	17	5.1%
Other	109	19	6.5%
Institutional Events	539	94	15.2%
Person-Directed (Client Victim)	47	8	3.7%
Seclusion or Restraint	60	11	2.8%
Medication Error	10	2	0.7%
Police Called	150	26	8.1%
Criminal Charges or Arrest	97	17	5.3%
Client Injury	40	7	3.5%
Staff Injury	9	2	0.6%
Other	113	20	6.8%

*Indicates average change from highest CAFAS or CALOCUS score to most recent.
(A positive number reflects improvement.)

Summary of Youth by Black or African American Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Service Setting	Black or African American		
	Any Use N	Any Use % Avail	Dosage % of Months
Clinic	1	5.3%	40.0%
Community	13	68.4%	71.7%
Home	16	84.2%	86.8%
Out-of-Home	5	26.3%	54.9%
Phone*	2	10.5%	55.6%
School	9	47.4%	47.0%
Unclear*	1	5.3%	42.9%
Not Available	3	13.6%	

Service Format	Black or African American		
	Any Use N	Any Use % Avail	Dosage % of Months
Family	13	68.4%	62.5%
Group	2	10.5%	20.0%
Individual	16	84.2%	79.5%
Parent	12	63.2%	67.5%
Phone*	1	5.3%	100.0%
Professional Consult*	1	5.3%	10.0%
Teacher	5	26.3%	38.6%
Unclear*	0	0.0%	0.0%
Not Available	3	13.6%	

Discharge Living Situation	Black or African American		
	Youth N	% Youth Discharged	% Discharges
Foster Home	1	8.3%	6.7%
Group Care	0	0.0%	0.0%
Home	10	83.3%	66.7%
Homeless/Shelter	0	0.0%	0.0%
Institution/Hospital	0	0.0%	0.0%
Jail/Correctional Facility	0	0.0%	0.0%
Other	2	16.7%	13.3%
Residential Treatment	1	8.3%	6.7%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	12		
Number of Discharges	15		

Reason for Discharge	Black or African American		
	Youth N	% Youth Discharged	% Discharges
Eligibility Change	0	0.0%	0.0%
Family Relocation	2	16.7%	13.3%
Insufficient Progress	0	0.0%	0.0%
Other	4	33.3%	26.7%
Runaway/Elopement	0	0.0%	0.0%
Refuse/Withdraw	3	25.0%	20.0%
Success/Goals Met	4	33.3%	26.7%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	12		
Number of Discharges	15		

	All Other Races		
	Any Use N	Any Use % Avail	Dosage % of Months
	560	45.9%	57.1%
	924	75.7%	73.1%
	1,070	87.6%	83.9%
	491	40.2%	61.4%
	137	11.2%	59.3%
	718	58.8%	55.9%
	47	3.8%	27.3%
	876	41.8%	

	All Other Races		
	Any Use N	Any Use % Avail	Dosage % of Months
	954	78.1%	72.5%
	362	29.6%	49.1%
	1,042	85.3%	88.0%
	942	77.1%	75.2%
	34	2.8%	41.8%
	302	24.7%	42.7%
	461	37.8%	47.1%
	176	14.4%	48.7%
	876	41.8%	

	All Other Races		
	Youth N	% Youth Discharged	% Discharges
	99	13.5%	9.0%
	8	1.1%	0.7%
	513	70.0%	46.9%
	18	2.5%	1.6%
	23	3.1%	2.1%
	53	7.2%	4.8%
	124	16.9%	11.3%
	52	7.1%	4.8%
	0	0.0%	0.0%
	733		
	1094		

	All Other Races		
	Youth N	% Youth Discharged	% Discharges
	17	2.3%	1.6%
	20	2.7%	1.8%
	69	9.4%	6.3%
	227	31.0%	20.7%
	98	13.4%	9.0%
	74	10.1%	6.8%
	437	59.6%	39.9%
	0	0.0%	0.0%
	733		
	1094		

*Indicates written response to an open-ended question.

Summary of Youth by Black or African American Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Treatment Target	Black or African American			All Other Races		
	Any Use N	Any Use % Avail	Dosage % of Months	Any Use N	Any Use % Avail	Dosage % of Months
Academic Achievement	4	21.1%	50.3%	444	36.4%	40.2%
Activity Involvement	8	42.1%	57.1%	658	53.9%	55.8%
Adaptive Behavior/Living Skills	2	10.5%	18.3%	157	12.9%	38.3%
Adjustment to Change	4	21.1%	58.3%	344	28.2%	38.1%
Adult Intercoordination	0	0.0%	0.0%	13	1.1%	22.0%
Aggression	9	47.4%	64.5%	520	42.6%	54.3%
Anger	9	47.4%	40.6%	607	49.7%	55.6%
Anxiety	7	36.8%	48.8%	447	36.6%	50.2%
Assertiveness	1	5.3%	8.3%	220	18.0%	37.9%
Attention Problems	3	15.8%	38.8%	216	17.7%	35.9%
Avoidance	3	15.8%	52.3%	286	23.4%	41.3%
Caregiver Self-Management/Coping	0	0.0%	0.0%	6	0.5%	22.1%
Cognitive-Intellectual Functioning	0	0.0%	0.0%	97	7.9%	38.6%
Community Involvement	2	10.5%	18.3%	226	18.5%	32.5%
Compulsive Behavior	0	0.0%	0.0%	3	0.2%	22.2%
Contentment/Enjoyment/Happiness	3	15.8%	63.5%	248	20.3%	40.3%
Depressed Mood	4	21.1%	35.3%	393	32.2%	49.7%
Eating/Feeding Problems	1	5.3%	57.1%	35	2.9%	31.6%
Empathy	1	5.3%	8.3%	148	12.1%	43.0%
Enuresis/Encopresis	1	5.3%	28.6%	40	3.3%	51.2%
Fire Setting	0	0.0%	0.0%	6	0.5%	39.0%
Fitness/Exercise	0	0.0%	0.0%	1	0.1%	20.0%
Gender Identity Problems	0	0.0%	0.0%	7	0.6%	26.3%
Goal Setting	0	0.0%	0.0%	4	0.3%	12.7%
Grief	1	5.3%	40.0%	70	5.7%	38.1%
Health Management	1	5.3%	33.3%	91	7.5%	31.6%
Housing/Living Situation	3	15.8%	25.6%	203	16.6%	32.7%
Hyperactivity	4	21.1%	31.7%	99	8.1%	39.6%
Information Gathering	0	0.0%	0.0%	11	0.9%	32.8%
Learning Disorder/Underachievement	0	0.0%	0.0%	38	3.1%	25.8%
Low Self-Esteem	3	15.8%	51.4%	310	25.4%	42.0%
Mania	0	0.0%	0.0%	11	0.9%	27.6%
Medical Regimen Adherence	2	10.5%	80.0%	126	10.3%	37.6%
Occupational Functioning/Stress	1	5.3%	20.0%	49	4.0%	29.5%
Oppositional/Non-Compliant Behavior	10	52.6%	72.9%	787	64.5%	64.4%
Pain Management	0	0.0%	0.0%	0	0.0%	0.0%
Parenting Skills	0	0.0%	0.0%	19	1.6%	32.3%
Peer Involvement	2	10.5%	15.0%	200	16.4%	34.2%
Peer/Sibling Conflict	3	15.8%	50.0%	310	25.4%	44.3%
Personal Hygiene	0	0.0%	0.0%	46	3.8%	29.2%
Phobia/Fears	4	21.1%	16.1%	413	33.8%	43.9%
Positive Family Functioning	1	5.3%	50.0%	85	7.0%	40.7%
Positive Peer Interaction	9	47.4%	60.9%	956	78.3%	67.5%
Positive Thinking/Attitude	5	26.3%	17.6%	371	30.4%	41.4%
Pregnancy Education/Adjustment	0	0.0%	0.0%	24	2.0%	41.2%
Psychosis	1	5.3%	100.0%	37	3.0%	50.3%
Runaway	1	5.3%	75.0%	230	18.8%	46.1%
Safe Environment	0	0.0%	0.0%	11	0.9%	28.8%
School Involvement	3	15.8%	18.1%	281	23.0%	37.2%
School Refusal/Truancy	1	5.3%	8.3%	226	18.5%	42.7%
Self-Control	3	15.8%	21.2%	156	12.8%	45.3%
Self-Injurious Behavior	3	15.8%	56.5%	312	25.6%	41.3%
Sexual Orientation	0	0.0%	0.0%	0	0.0%	0.0%
Sexual Misconduct	0	0.0%	0.0%	69	5.7%	51.7%
Shyness	0	0.0%	0.0%	25	2.0%	27.4%
Sleep Disturbance	0	0.0%	0.0%	24	2.0%	36.0%
Social Skills	4	21.1%	37.9%	359	29.4%	46.1%
Speech and Language	0	0.0%	0.0%	8	0.7%	25.6%
Substance Use	2	10.5%	25.0%	344	28.2%	64.9%
Suicidality	1	5.3%	40.0%	89	7.3%	36.5%
Traumatic Stress	1	5.3%	100.0%	189	15.5%	43.9%
Treatment Engagement	10	52.6%	55.2%	671	55.0%	52.7%
Treatment Planning/Framing	0	0.0%	0.0%	67	5.5%	45.4%
Willful Misconduct/Delinquency	2	10.5%	57.5%	232	19.0%	45.4%
Other	0	0.0%	0.0%	14	1.1%	15.6%
Unclear	3	15.8%	90.5%	98	8.0%	27.6%
Not Available	3	13.6%		876	41.8%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Black or African American Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Black or African American			All Other Races		
	Any Use	Any Use	Dosage	Any Use	Any Use	Dosage
Practice Elements	N	% Avail	% of Months	N	% Avail	% of Months
Activity Scheduling	9	47.4%	60.1%	729	59.7%	56.9%
Anger Management	0	0.0%	0.0%	4	0.3%	16.8%
Animal or Plant Assisted Activities	0	0.0%	0.0%	0	0.0%	0.0%
Arousal Reconditioning	0	0.0%	0.0%	0	0.0%	0.0%
Art/Music Therapy	0	0.0%	0.0%	2	0.2%	22.2%
Assertiveness Training	4	21.1%	39.0%	405	33.2%	46.1%
Assessment	0	0.0%	0.0%	41	3.4%	67.7%
Attending	2	10.5%	33.3%	359	29.4%	45.0%
Behavior Management	0	0.0%	0.0%	5	0.4%	15.3%
Behavioral Contracting	9	47.4%	50.5%	704	57.7%	55.8%
Biofeedback/Neurofeedback	0	0.0%	0.0%	19	1.6%	29.4%
Care Coordination	9	47.4%	46.6%	758	62.1%	65.5%
Catharsis	1	5.3%	41.7%	73	6.0%	39.2%
Cognitive/Coping	9	47.4%	59.2%	733	60.0%	64.1%
Commands/Limit Setting	2	10.5%	14.2%	188	15.4%	40.3%
Communication Skills	11	57.9%	60.1%	950	77.8%	67.9%
Counseling	0	0.0%	0.0%	1	0.1%	27.3%
Crisis Management	5	26.3%	48.2%	538	44.1%	46.1%
Cultural Training	1	5.3%	33.3%	144	11.8%	41.5%
Discrete Trial Training	0	0.0%	0.0%	15	1.2%	19.6%
Educational Support	7	36.8%	32.3%	664	54.4%	55.6%
Emotional Processing	10	52.6%	55.1%	790	64.7%	63.0%
Exposure	3	15.8%	52.4%	250	20.5%	40.4%
Eye Movement/Body Tapping	0	0.0%	0.0%	18	1.5%	18.0%
Family Engagement	16	84.2%	51.3%	915	74.9%	64.4%
Family Therapy	13	68.4%	36.9%	852	69.8%	60.7%
Family Visit	0	0.0%	0.0%	0	0.0%	0.0%
Free Association	1	5.3%	16.7%	77	6.3%	36.5%
Functional Analysis	3	15.8%	64.4%	203	16.6%	48.9%
Goal Setting	12	63.2%	49.0%	870	71.3%	63.9%
Guided Imagery	3	15.8%	20.8%	207	17.0%	36.9%
Ho'Oponopono	0	0.0%	0.0%	0	0.0%	0.0%
Hypnosis	0	0.0%	0.0%	23	1.9%	25.8%
Ignoring or DRO	5	26.3%	59.2%	421	34.5%	46.8%
Individual Therapy for Caregiver	4	21.1%	21.1%	360	29.5%	41.9%
Informal Supports	0	0.0%	0.0%	6	0.5%	26.8%
Insight Building	12	63.2%	60.9%	773	63.3%	60.5%
Interpretation	3	15.8%	27.8%	213	17.4%	36.4%
Juvenile Sex Offender Treatment	0	0.0%	0.0%	23	1.9%	71.3%
Legal Assistance/Involvement	0	0.0%	0.0%	0	0.0%	0.0%
Line of Sight Supervision	6	31.6%	37.3%	399	32.7%	46.8%
Maintenance/Relapse Prevention	3	15.8%	25.0%	346	28.3%	44.0%
Marital Therapy	0	0.0%	0.0%	68	5.6%	29.6%
Medication/Pharmacotherapy	5	26.3%	51.4%	358	29.3%	52.2%
Mentoring	4	21.1%	20.7%	479	39.2%	49.8%
Milieu Therapy	0	0.0%	0.0%	307	25.1%	50.3%
Mindfulness	5	26.3%	38.4%	501	41.0%	49.0%
Modeling	9	47.4%	53.1%	776	63.6%	57.3%
Motivational Interviewing	9	47.4%	44.9%	625	51.2%	55.1%
Natural and Logical Consequences	12	63.2%	61.0%	836	68.5%	61.8%
Parent Coping	13	68.4%	60.3%	772	63.2%	57.9%
Parent or Teacher Monitoring	7	36.8%	31.0%	589	48.2%	51.7%
Parent Praise	6	31.6%	32.6%	609	49.9%	52.0%
Parenting	1	5.3%	25.0%	14	1.1%	20.7%
Peer Modeling/Pairing	2	10.5%	41.3%	210	17.2%	32.3%
Personal Safety Skills	5	26.3%	23.8%	563	46.1%	51.2%
Physical Exercise	0	0.0%	0.0%	0	0.0%	0.0%
Play Therapy	2	10.5%	48.2%	201	16.5%	48.2%
Problem Solving	13	68.4%	58.6%	937	76.7%	65.8%
Psychoeducation-Child	11	57.9%	48.4%	771	63.1%	60.1%
Psychoeducation-Parent	12	63.2%	56.0%	834	68.3%	62.4%
Relationship/Rapport Building	16	84.2%	65.4%	916	75.0%	60.6%
Relaxation	7	36.8%	41.6%	608	49.8%	50.2%
Response Cost	4	21.1%	61.3%	227	18.6%	42.1%
Response Prevention	4	21.1%	27.8%	265	21.7%	41.8%
Self-Monitoring	6	31.6%	47.9%	542	44.4%	49.6%
Self-Reward/Self-Praise	3	15.8%	52.2%	431	35.3%	49.5%
Skill Building	11	57.9%	54.7%	868	71.1%	61.3%
Social Skills Training	10	52.6%	42.9%	651	53.3%	54.2%
Stimulus Control/Antecedent Man.	4	21.1%	51.8%	286	23.4%	43.2%
Supportive Listening	14	73.7%	71.0%	980	80.3%	71.2%
Tangible Rewards	8	42.1%	55.2%	587	48.1%	51.9%
Therapist Praise/Rewards	12	63.2%	62.3%	798	65.4%	62.1%
Thought Field Therapy	0	0.0%	0.0%	32	2.6%	19.9%
Time Out	3	15.8%	20.6%	342	28.0%	45.4%
Twelve-step Programming	0	0.0%	0.0%	144	11.8%	49.8%
Other	1	5.3%	42.9%	34	2.8%	27.6%
Unclear	1	5.3%	20.0%	153	12.5%	39.0%
Not Available	3	13.6%		876	41.8%	


Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

**Summary of Youth by Native Hawaiian or Other Pacific Islander Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Native Hawaiian or Other Pacific Islander		
	N	%
Total Registered Youth	208	9.8%
with Services Procured	141	67.8%
Youth with New Admissions	67	32.2%
with Initial Admissions	44	21.2%
with Repeat Admissions	23	11.1%
Youth with Discharges	72	34.6%

	N	% of Available
Gender		
Females	71	34%
Males	137	66%

	Mean	SD
Age in Years	15.0	3.0




Primary Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	16	8.1%
Anxiety	17	8.6%
Attention	32	16.2%
Disruptive Behavior	82	41.4%
Mental Retardation	0	0.0%
Miscellaneous	9	4.5%
Mood	27	13.6%
Pervasive Developmental	3	1.5%
Psychotic Spectrum	2	1.0%
Substance-Related	10	5.1%
Not Available (% Total)	10	4.8%

Any Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	27	13.6%
Anxiety	38	19.2%
Attention	62	31.3%
Disruptive Behavior	110	55.6%
Mental Retardation	6	3.0%
Miscellaneous	51	25.8%
Mood	45	22.7%
Pervasive Developmental	3	1.5%
Psychotic Spectrum	2	1.0%
Substance-Related	57	28.8%
Multiple Diagnoses	148	74.7%
Avg. Number of Diagnoses	2.1	

All Other Races		
	N	%
Total Registered Youth	1,911	90.2%
with Services Procured	1,172	61.3%
Youth with New Admissions	902	47.2%
with Initial Admissions	646	33.8%
with Repeat Admissions	256	13.4%
Youth with Discharges	784	41.0%

	N	% of Available
Gender		
Females	727	38%
Males	1,184	62%

	Mean	SD
Age in Years	13.9	3.8



Primary Diagnosis of	N	% Avail
None Recorded	6	0.4%
Adjustment	113	7.2%
Anxiety	168	10.7%
Attention	315	20.1%
Disruptive Behavior	488	31.1%
Mental Retardation	0	0.0%
Miscellaneous	65	4.1%
Mood	304	19.4%
Pervasive Developmental	22	1.4%
Psychotic Spectrum	36	2.3%
Substance-Related	52	3.3%
Not Available (% Total)	342	17.9%

Any Diagnosis of	N	% Avail
None Recorded	4	0.3%
Adjustment	178	11.3%
Anxiety	372	23.6%
Attention	567	36.0%
Disruptive Behavior	828	52.6%
Mental Retardation	28	1.8%
Miscellaneous	415	26.4%
Mood	479	30.4%
Pervasive Developmental	33	2.1%
Psychotic Spectrum	44	2.8%
Substance-Related	299	19.0%
Multiple Diagnoses	1,171	74.4%
Avg. Number of Diagnoses	1.8	

**Summary of Youth by Native Hawaiian or Other Pacific Islander Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Native Hawaiian or Other Pacific Islander		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	142	86.1%
Hispanic or Latino/a	23	13.9%
Not Available (% Total)	43	20.7%

Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	0	0.0%
Asian	0	0.0%
Black or African-American	0	0.0%
Native Hawaiian or Pacific Islander	208	100.0%
White	0	0.0%
Other Race	0	0.0%
Multiracial	0	0.0%
Based on Observation	18	8.7%
Not Available (% Total)	0	0.0%

Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	0	0.0%
Alaska Native	0	0.0%
American Indian	0	0.0%
Asian	0	0.0%
Asian Indian	0	0.0%
Chinese	0	0.0%
Filipino	0	0.0%
Japanese	0	0.0%
Korean	0	0.0%
Vietnamese	0	0.0%
Other Asian	0	0.0%
Black or African-American	0	0.0%
Hispanic or Latina/o	23	13.9%
Cuban	1	0.6%
Mexican	1	0.6%
Puerto Rican	14	8.5%
Other Hispanic	10	6.1%
Native Hawaiian or Pacific Islander	161	97.6%
Guamanian or Chamorro	2	1.2%
Micronesian	54	32.7%
Native Hawaiian	79	47.9%
Samoan	29	17.6%
Other Pacific Islander	18	10.9%
White	0	0.0%
White or Caucasian	0	0.0%
Portuguese	0	0.0%
Other Race or Ethnicity	0	0.0%
Multiethnic	38	23.0%
Not Available (% Total)	43	20.7%

All Other Races		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	758	69.4%
Hispanic or Latino/a	335	30.6%
Not Available (% Total)	818	42.8%

Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	7	0.5%
Asian	122	9.3%
Black or African-American	22	1.7%
Native Hawaiian or Pacific Islander	0	0.0%
White	212	16.1%
Other Race	8	0.6%
Multiracial	944	71.8%
Based on Observation	75	5.7%
Not Available (% Total)	596	31.2%

Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	130	12.0%
Alaska Native	0	0.0%
American Indian	130	12.0%
Asian	691	63.7%
Asian Indian	5	0.5%
Chinese	312	28.8%
Filipino	399	36.8%
Japanese	215	19.8%
Korean	45	4.1%
Vietnamese	9	0.8%
Other Asian	20	1.8%
Black or African-American	83	7.6%
Hispanic or Latina/o	327	30.1%
Cuban	5	0.5%
Mexican	64	5.9%
Puerto Rican	175	16.1%
Other Hispanic	126	11.6%
Native Hawaiian or Pacific Islander	598	55.1%
Guamanian or Chamorro	10	0.9%
Micronesian	4	0.4%
Native Hawaiian	562	51.8%
Samoan	53	4.9%
Other Pacific Islander	32	2.9%
White	787	72.5%
White or Caucasian	621	57.2%
Portuguese	308	28.4%
Other Race or Ethnicity	52	4.8%
Multiethnic	841	77.5%
Not Available (% Total)	826	43.2%

**Summary of Youth by Native Hawaiian or Other Pacific Islander Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Native Hawaiian or Other Pacific Islander		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	24	11.5%
Leeward Oahu	27	13.0%
Honolulu Oahu	64	30.8%
Hawaii (Big Island)	32	15.4%
Maui	13	6.3%
Kauai	39	18.8%
Family Court Liaison Branch	9	4.3%

All Other Races		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	272	14.2%
Leeward Oahu	276	14.4%
Honolulu Oahu	187	9.8%
Hawaii (Big Island)	738	38.6%
Maui	212	11.1%
Kauai	147	7.7%
Family Court Liaison Branch	79	4.1%

*Central Oahu FGC now includes both Central and Windward Oahu offices.

**Summary of Youth by Native Hawaiian or Other Pacific Islander Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Any Services Procured	Native Hawaiian or Other Pacific Islander			All Other Races		
	Monthly Average	Total N	% of Procured	Monthly Average	Total N	% of Procured
Out-of-Home	32	59	41.8%	150	333	28.4%
Out-of-State	2	2	1.4%	3	3	0.3%
Hospital Residential	2	8	5.7%	15	69	5.9%
Community High Risk	2	5	3.5%	5	9	0.8%
Community Residential	14	32	22.7%	41	123	10.5%
Therapeutic Foster Home	13	22	15.6%	90	177	15.1%
<i>Multidimensional Treatment Foster Care</i>	0	0	0.0%	5	12	1.0%
<i>Transitional Family Home</i>	13	22	15.6%	85	170	14.5%
Intensive Home & Community	53	112	79.4%	422	874	74.6%
Partial Hospitalization	1	2	1.4%	5	21	1.8%
Multisystemic Therapy	12	34	24.1%	56	179	15.3%
Intensive In-Home	42	86	61.0%	365	726	61.9%
Outpatient	5	15	10.6%	55	293	25.0%
Treatment	4	10	7.1%	39	123	10.5%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	3	6	4.3%	31	95	8.1%
<i>Outpatient Therapy</i>	1	4	2.8%	9	28	2.4%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	0	5	3.5%	16	176	15.0%
Supportive Services	7	30	21.3%	36	158	13.5%
Respite Home	0	2	1.4%	6	28	2.4%
Ancillary Service	7	29	20.6%	30	133	11.3%
Crisis Stabilization	0	2	1.4%	5	44	3.8%
Unduplicated Total (% of Registered)	86	141	68%	605	1,172	61%

*These services either were not procured or had no data available in FY 2013.

**Summary of Youth by Native Hawaiian or Other Pacific Islander Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Total Hours Procured	Native Hawaiian or Other Pacific Islander			All Other Races		
	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth
Out-of-Home	159	1,153	90.5%	150	934	88.6%
Out-of-State	191	1,742	96.4%	198	2,373	94.1%
Hospital Residential	112	439	44.3%	121	350	60.3%
Community High Risk	168	849	88.0%	179	1,177	80.6%
Community Residential	146	859	77.8%	135	619	77.6%
Therapeutic Foster Home	171	1,331	84.8%	164	1,090	83.5%
<i>Multidimensional Treatment Foster Care</i>	0	0	0.0%	173	913	76.5%
<i>Transitional Family Home</i>	171	1,331	84.8%	163	1,071	81.5%
Intensive Home & Community	18	99	74.0%	18	99	79.1%
Partial Hospitalization	4	10	3.8%	3	8	7.3%
Multisystemic Therapy	36	144	78.0%	40	133	80.4%
Intensive In-Home	12	72	65.4%	13	86	75.2%
Outpatient	5	20	24.6%	4	9	51.5%
Treatment	5	28	16.1%	4	14	51.2%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	4	19	8.1%	3	13	53.7%
<i>Outpatient Therapy</i>	8	41	28.0%	4	18	42.4%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	4	4	41.7%	5	5	50.0%
Supportive Services**	-	-	-	-	-	-
Respite Home	13	13	1.3%	21	54	13.0%
Ancillary Service**	-	-	-	-	-	-
Crisis Stabilization	20	20	50.6%	29	42	48.5%
Unduplicated Total	55	564		38	344	

Service Changes	Native Hawaiian or Other Pacific Islander			All Other Races		
	Monthly Average	Total N	Total per Youth	Monthly Average	Total N	Total per Youth
Placement Changes	7	79	0.4	39	462	0.2
Out-of-Home Changes	1	7	0.0	3	38	0.0
Provider Agency Changes	10	125	0.6	96	1,149	0.6
Care Coordinator Changes	4	49	0.2	69	832	0.4

*These services either were not procured or had no data available in FY 2013.

**Duration not available for these services.

**Summary of Youth by Native Hawaiian or Other Pacific Islander Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

	Native Hawaiian or Other Pacific Islander		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	130 (2.7)	95 (2.9)	93 (3.3)
Moods: Self-Harm	9 (0.9)	2 (0.5)	2 (0.5)
Moods: Emotions	21 (0.5)	14 (0.5)	14 (0.6)
Home Role Performance	27 (0.5)	20 (0.7)	20 (0.8)
School Role Performance	27 (0.5)	19 (0.7)	19 (0.9)
Community Role Performance	19 (0.8)	13 (0.8)	12 (0.8)
Behavior Towards Other	22 (0.5)	16 (0.5)	16 (0.6)
Substance Use	15 (1.0)	8 (0.8)	7 (0.8)
Thinking	7 (0.7)	3 (0.4)	3 (0.5)

	Native Hawaiian or Other Pacific Islander		
Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	22 (0.3)	18 (0.3)	18 (0.3)
Level of Care	4 (0.1)	3 (0.1)	3 (0.1)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Functional Assessment Scale (CAFAS)			
Total (8-scale)	37 (155)	55% (148)	28% (148)
Moods: Self-Harm	7 (155)	79% (53)	92% (53)
Moods: Emotions	7 (155)	53% (140)	96% (140)
Home Role Performance	7 (155)	45% (147)	58% (147)
School Role Performance	8 (154)	48% (143)	56% (143)
Community Role Performance	7 (155)	50% (111)	89% (111)
Behavior Towards Other	6 (155)	50% (142)	93% (142)
Substance Use	7 (155)	67% (82)	80% (82)
Thinking	4 (155)	77% (35)	100% (35)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Level of Care Utilization System (CALOCUS)			
Total	4 (146)	54% (140)	42% (140)
Level of Care	1 (146)	60% (140)	58% (140)

	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Sentinel Event Reports			
Total	1,418	25	31.7%
Child Events	1,620	28	29.8%
Person-Directed	279	5	13.9%
Property-Directed	178	3	9.6%
Runaway or Elopement	481	8	15.9%
Self-Injury	250	4	9.1%
Substance Use	207	4	9.6%
Other	163	3	9.1%
Institutional Events	861	15	21.6%
Person-Directed (Client Victim)	67	1	5.3%
Seclusion or Restraint	87	2	4.8%
Medication Error	14	0	1.4%
Police Called	240	4	13.5%
Criminal Charges or Arrest	221	4	10.6%
Client Injury	91	2	8.2%
Staff Injury	14	0	1.4%
Other	115	2	7.2%

	All Other Races		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	117 (1.0)	89 (0.9)	85 (1.0)
Moods: Self-Harm	9 (0.3)	3 (0.2)	3 (0.2)
Moods: Emotions	21 (0.2)	16 (0.2)	15 (0.2)
Home Role Performance	25 (0.2)	19 (0.2)	18 (0.3)
School Role Performance	26 (0.2)	19 (0.3)	18 (0.3)
Community Role Performance	13 (0.3)	8 (0.3)	8 (0.3)
Behavior Towards Other	21 (0.2)	16 (0.2)	15 (0.2)
Substance Use	9 (0.3)	5 (0.2)	5 (0.3)
Thinking	6 (0.2)	2 (0.2)	2 (0.2)

	All Other Races		
Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	21 (0.1)	18 (0.1)	18 (0.1)
Level of Care	4 (0.0)	3 (0.0)	3 (0.0)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Functional Assessment Scale (CAFAS)			
Total (1266)	32 (1266)	53% (1201)	35% (1201)
Moods: Self-Harm	7 (1266)	78% (432)	97% (432)
Moods: Emotions	5 (1266)	46% (1115)	95% (1115)
Home Role Performance	7 (1266)	51% (1129)	66% (1129)
School Role Performance	8 (1266)	48% (1173)	63% (1173)
Community Role Performance	5 (1266)	46% (645)	90% (645)
Behavior Towards Other	6 (1266)	49% (1102)	95% (1102)
Substance Use	4 (1266)	60% (431)	84% (431)
Thinking	4 (1266)	75% (246)	96% (246)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Level of Care Utilization System (CALOCUS)			
Total	3 (1138)	45% (1056)	42% (1056)
Level of Care	1 (1138)	54% (1061)	68% (1061)

	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Sentinel Event Reports			
Total	801	128	22.6%
Child Events	860	137	20.9%
Person-Directed	172	27	8.7%
Property-Directed	86	14	5.9%
Runaway or Elopement	220	35	9.3%
Self-Injury	164	26	7.2%
Substance Use	84	13	4.6%
Other	102	16	6.2%
Institutional Events	509	81	14.6%
Person-Directed (Client Victim)	44	7	3.5%
Seclusion or Restraint	57	9	2.5%
Medication Error	9	1	0.6%
Police Called	144	23	7.6%
Criminal Charges or Arrest	87	14	5.0%
Client Injury	35	6	3.0%
Staff Injury	8	1	0.5%
Other	113	18	6.8%

*Indicates average change from highest CAFAS or CALOCUS score to most recent.
(A positive number reflects improvement.)

**Summary of Youth by Native Hawaiian or Other Pacific Islander Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

	Native Hawaiian or Other Pacific Islander		
	Any Use	Any Use	Dosage
Service Setting	N	% Avail	% of Months
Clinic	62	44.6%	61.9%
Community	111	79.9%	80.5%
Home	125	89.9%	86.4%
Out-of-Home	70	50.4%	59.4%
Phone*	10	7.2%	58.2%
School	88	63.3%	61.4%
Unclear*	4	2.9%	34.2%
Not Available	69	33.2%	

	Any Use	Any Use	Dosage
Service Format	N	% Avail	% of Months
Family	111	79.9%	70.6%
Group	49	35.3%	52.7%
Individual	129	92.8%	89.1%
Parent	116	83.5%	78.3%
Phone*	2	1.4%	47.5%
Professional Consult*	43	30.9%	34.0%
Teacher	63	45.3%	49.4%
Unclear*	22	15.8%	44.3%
Not Available	69	33.2%	

	Youth	% Youth	%
Discharge Living Situation	N	Discharged	Discharges
Foster Home	11	11.2%	7.5%
Group Care	2	2.0%	1.4%
Home	62	63.3%	42.2%
Homeless/Shelter	6	6.1%	4.1%
Institution/Hospital	3	3.1%	2.0%
Jail/Correctional Facility	9	9.2%	6.1%
Other	21	21.4%	14.3%
Residential Treatment	11	11.2%	7.5%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	98		
Number of Discharges	147		

	Youth	% Youth	%
Reason for Discharge	N	Discharged	Discharges
Eligibility Change	5	5.1%	3.4%
Family Relocation	2	2.0%	1.4%
Insufficient Progress	10	10.2%	6.8%
Other	32	32.7%	21.8%
Runaway/Elopement	18	18.4%	12.2%
Refuse/Withdraw	7	7.1%	4.8%
Success/Goals Met	58	59.2%	39.5%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	98		
Number of Discharges	147		

	All Other Races		
	Any Use	Any Use	Dosage
	N	% Avail	% of Months
	499	45.3%	56.4%
	826	75.0%	72.1%
	961	87.3%	83.6%
	426	38.7%	61.6%
	129	11.7%	59.3%
	639	58.0%	55.0%
	44	4.0%	27.0%
	810	42.4%	

	Any Use	Any Use	Dosage
	N	% Avail	% of Months
	856	77.7%	72.6%
	315	28.6%	48.3%
	929	84.4%	87.7%
	838	76.1%	74.7%
	33	3.0%	43.2%
	260	23.6%	44.0%
	403	36.6%	46.7%
	154	14.0%	49.4%
	810	42.4%	

	Youth	% Youth	%
	N	Discharged	Discharges
	89	13.8%	9.3%
	6	0.9%	0.6%
	461	71.3%	47.9%
	12	1.9%	1.2%
	20	3.1%	2.1%
	44	6.8%	4.6%
	105	16.2%	10.9%
	42	6.5%	4.4%
	0	0.0%	0.0%
	647		
	962		

	Youth	% Youth	%
	N	Discharged	Discharges
	12	1.9%	1.2%
	20	3.1%	2.1%
	59	9.1%	6.1%
	199	30.8%	20.7%
	80	12.4%	8.3%
	70	10.8%	7.3%
	383	59.2%	39.8%
	0	0.0%	0.0%
	647		
	962		

*Indicates written response to an open-ended question.

**Summary of Youth by Native Hawaiian or Other Pacific Islander Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Treatment Target	Native Hawaiian or Other Pacific Islander			All Other Races		
	Any Use N	Any Use % Avail	Dosage % of Months	Any Use N	Any Use % Avail	Dosage % of Months
Academic Achievement	59	42.4%	42.7%	389	35.3%	39.9%
Activity Involvement	85	61.2%	57.4%	581	52.8%	55.6%
Adaptive Behavior/Living Skills	20	14.4%	44.7%	139	12.6%	37.1%
Adjustment to Change	39	28.1%	37.7%	309	28.1%	38.4%
Adult Intercoordination	1	0.7%	8.3%	12	1.1%	23.1%
Aggression	65	46.8%	51.7%	464	42.1%	54.9%
Anger	74	53.2%	59.8%	542	49.2%	54.8%
Anxiety	46	33.1%	43.8%	408	37.1%	50.9%
Assertiveness	36	25.9%	38.4%	185	16.8%	37.7%
Attention Problems	25	18.0%	30.1%	194	17.6%	36.7%
Avoidance	45	32.4%	46.7%	244	22.2%	40.4%
Caregiver Self-Management/Coping	0	0.0%	0.0%	6	0.5%	22.1%
Cognitive-Intellectual Functioning	16	11.5%	44.3%	81	7.4%	37.5%
Community Involvement	33	23.7%	27.7%	195	17.7%	33.1%
Compulsive Behavior	0	0.0%	0.0%	3	0.3%	22.2%
Contentment/Enjoyment/Happiness	27	19.4%	36.6%	224	20.3%	41.0%
Depressed Mood	42	30.2%	47.8%	355	32.2%	49.7%
Eating/Feeding Problems	2	1.4%	66.7%	34	3.1%	30.2%
Empathy	26	18.7%	51.9%	123	11.2%	40.8%
Enuresis/Encopresis	4	2.9%	62.1%	37	3.4%	49.5%
Fire Setting	2	1.4%	41.7%	4	0.4%	37.7%
Fitness/Exercise	0	0.0%	0.0%	1	0.1%	20.0%
Gender Identity Problems	0	0.0%	0.0%	7	0.6%	26.3%
Goal Setting	1	0.7%	8.3%	3	0.3%	14.1%
Grief	8	5.8%	49.8%	63	5.7%	36.7%
Health Management	16	11.5%	32.9%	76	6.9%	31.3%
Housing/Living Situation	30	21.6%	43.4%	176	16.0%	30.8%
Hyperactivity	5	3.6%	38.4%	98	8.9%	39.3%
Information Gathering	2	1.4%	16.7%	9	0.8%	36.4%
Learning Disorder/Underachievement	5	3.6%	27.7%	33	3.0%	25.5%
Low Self-Esteem	38	27.3%	47.5%	275	25.0%	41.3%
Mania	0	0.0%	0.0%	11	1.0%	27.6%
Medical Regimen Adherence	14	10.1%	42.6%	114	10.4%	37.7%
Occupational Functioning/Stress	6	4.3%	19.2%	44	4.0%	30.7%
Oppositional/Non-Compliant Behavior	105	75.5%	65.9%	692	62.9%	64.3%
Pain Management	0	0.0%	0.0%	0	0.0%	0.0%
Parenting Skills	0	0.0%	0.0%	19	1.7%	32.3%
Peer Involvement	30	21.6%	45.1%	172	15.6%	32.0%
Peer/Sibling Conflict	34	24.5%	49.3%	279	25.3%	43.8%
Personal Hygiene	6	4.3%	24.2%	40	3.6%	30.0%
Phobia/Fears	55	39.6%	45.3%	362	32.9%	43.4%
Positive Family Functioning	10	7.2%	37.4%	76	6.9%	41.3%
Positive Peer Interaction	118	84.9%	65.2%	847	76.9%	67.7%
Positive Thinking/Attitude	47	33.8%	40.2%	329	29.9%	41.2%
Pregnancy Education/Adjustment	5	3.6%	58.4%	19	1.7%	36.7%
Psychosis	7	5.0%	26.5%	31	2.8%	57.3%
Runaway	42	30.2%	45.8%	189	17.2%	46.3%
Safe Environment	1	0.7%	25.0%	10	0.9%	29.1%
School Involvement	36	25.9%	38.4%	248	22.5%	36.8%
School Refusal/Truancy	54	38.8%	47.3%	173	15.7%	41.0%
Self-Control	9	6.5%	46.0%	150	13.6%	44.8%
Self-Injurious Behavior	48	34.5%	40.5%	267	24.3%	41.6%
Sexual Orientation	0	0.0%	0.0%	0	0.0%	0.0%
Sexual Misconduct	15	10.8%	59.9%	54	4.9%	49.4%
Shyness	3	2.2%	25.0%	22	2.0%	27.8%
Sleep Disturbance	1	0.7%	8.3%	23	2.1%	37.2%
Social Skills	43	30.9%	35.8%	320	29.1%	47.4%
Speech and Language	0	0.0%	0.0%	8	0.7%	25.6%
Substance Use	58	41.7%	64.9%	288	26.2%	64.6%
Suicidality	10	7.2%	18.8%	80	7.3%	38.7%
Traumatic Stress	19	13.7%	41.8%	171	15.5%	44.5%
Treatment Engagement	82	59.0%	50.2%	599	54.4%	53.1%
Treatment Planning/Framing	13	9.4%	34.5%	54	4.9%	48.1%
Willful Misconduct/Delinquency	44	31.7%	55.0%	190	17.3%	43.2%
Other	3	2.2%	10.6%	11	1.0%	17.0%
Unclear	12	8.6%	21.6%	89	8.1%	30.6%
Not Available	69	33.2%		810	42.4%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

**Summary of Youth by Native Hawaiian or Other Pacific Islander Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

	Native Hawaiian or Other Pacific Islander			All Other Races		
	Any Use	Any Use	Dosage	Any Use	Any Use	Dosage
Practice Elements	N	% Avail	% of Months	N	% Avail	% of Months
Activity Scheduling	90	64.7%	50.9%	648	58.9%	57.8%
Anger Management	1	0.7%	20.0%	3	0.3%	15.7%
Animal or Plant Assisted Activities	0	0.0%	0.0%	0	0.0%	0.0%
Arousal Reconditioning	0	0.0%	0.0%	0	0.0%	0.0%
Art/Music Therapy	0	0.0%	0.0%	2	0.2%	22.2%
Assertiveness Training	53	38.1%	43.2%	356	32.3%	46.4%
Assessment	4	2.9%	65.5%	37	3.4%	67.9%
Attending	38	27.3%	45.9%	323	29.3%	44.8%
Behavior Management	1	0.7%	10.0%	4	0.4%	16.7%
Behavioral Contracting	88	63.3%	54.2%	625	56.8%	55.9%
Biofeedback/Neurofeedback	0	0.0%	0.0%	19	1.7%	29.4%
Care Coordination	99	71.2%	69.8%	668	60.7%	64.6%
Catharsis	7	5.0%	33.3%	67	6.1%	39.9%
Cognitive/Coping	90	64.7%	64.1%	652	59.2%	64.1%
Commands/Limit Setting	23	16.5%	34.7%	167	15.2%	40.7%
Communication Skills	118	84.9%	67.9%	843	76.6%	67.8%
Counseling	0	0.0%	0.0%	1	0.1%	27.3%
Crisis Management	61	43.9%	42.5%	482	43.8%	46.6%
Cultural Training	26	18.7%	48.2%	119	10.8%	40.0%
Discrete Trial Training	2	1.4%	37.5%	13	1.2%	16.8%
Educational Support	92	66.2%	55.8%	579	52.6%	55.3%
Emotional Processing	99	71.2%	65.1%	701	63.7%	62.6%
Exposure	29	20.9%	37.9%	224	20.3%	40.8%
Eye Movement/Body Tapping	2	1.4%	17.0%	16	1.5%	18.1%
Family Engagement	106	76.3%	62.1%	825	74.9%	64.5%
Family Therapy	102	73.4%	54.4%	763	69.3%	61.2%
Family Visit	0	0.0%	0.0%	0	0.0%	0.0%
Free Association	11	7.9%	35.6%	67	6.1%	36.4%
Functional Analysis	30	21.6%	54.4%	176	16.0%	48.3%
Goal Setting	110	79.1%	64.1%	772	70.1%	63.6%
Guided Imagery	28	20.1%	41.8%	182	16.5%	35.9%
Ho'Oponopono	0	0.0%	0.0%	0	0.0%	0.0%
Hypnosis	4	2.9%	12.0%	19	1.7%	28.7%
Ignoring or DRO	46	33.1%	41.6%	380	34.5%	47.6%
Individual Therapy for Caregiver	34	24.5%	39.5%	330	30.0%	41.9%
Informal Supports	2	1.4%	24.5%	4	0.4%	27.9%
Insight Building	97	69.8%	60.5%	688	62.5%	60.5%
Interpretation	29	20.9%	30.1%	187	17.0%	37.2%
Juvenile Sex Offender Treatment	9	6.5%	70.9%	14	1.3%	71.6%
Legal Assistance/Involvement	0	0.0%	0.0%	0	0.0%	0.0%
Line of Sight Supervision	48	34.5%	45.7%	357	32.4%	46.8%
Maintenance/Relapse Prevention	48	34.5%	41.3%	301	27.3%	44.3%
Marital Therapy	3	2.2%	19.4%	65	5.9%	30.1%
Medication/Pharmacotherapy	42	30.2%	50.4%	321	29.2%	52.4%
Mentoring	65	46.8%	46.7%	418	38.0%	50.0%
Milieu Therapy	52	37.4%	52.5%	255	23.2%	49.9%
Mindfulness	58	41.7%	45.1%	448	40.7%	49.4%
Modeling	93	66.9%	56.7%	692	62.9%	57.3%
Motivational Interviewing	82	59.0%	52.6%	552	50.1%	55.4%
Natural and Logical Consequences	102	73.4%	62.2%	746	67.8%	61.7%
Parent Coping	80	57.6%	53.2%	705	64.0%	58.5%
Parent or Teacher Monitoring	68	48.9%	57.2%	528	48.0%	50.7%
Parent Praise	71	51.1%	50.3%	544	49.4%	52.0%
Parenting	2	1.4%	14.3%	13	1.2%	22.0%
Peer Modeling/Pairing	31	22.3%	36.4%	181	16.4%	31.7%
Personal Safety Skills	64	46.0%	51.2%	504	45.8%	50.9%
Physical Exercise	0	0.0%	0.0%	0	0.0%	0.0%
Play Therapy	12	8.6%	34.6%	191	17.3%	49.1%
Problem Solving	116	83.5%	66.1%	834	75.7%	65.6%
Psychoeducation-Child	88	63.3%	58.1%	694	63.0%	60.2%
Psychoeducation-Parent	92	66.2%	59.2%	754	68.5%	62.7%
Relationship/Rapport Building	107	77.0%	63.8%	825	74.9%	60.2%
Relaxation	71	51.1%	45.8%	544	49.4%	50.7%
Response Cost	28	20.1%	41.6%	203	18.4%	42.5%
Response Prevention	39	28.1%	37.2%	230	20.9%	42.3%
Self-Monitoring	68	48.9%	51.6%	480	43.6%	49.2%
Self-Reward/Self-Praise	52	37.4%	46.4%	382	34.7%	49.9%
Skill Building	113	81.3%	64.6%	766	69.6%	60.7%
Social Skills Training	75	54.0%	51.0%	586	53.2%	54.4%
Stimulus Control/Antecedent Man.	40	28.8%	47.1%	250	22.7%	42.7%
Supportive Listening	112	80.6%	74.7%	882	80.1%	70.8%
Tangible Rewards	67	48.2%	53.7%	528	48.0%	51.7%
Therapist Praise/Rewards	95	68.3%	62.2%	715	64.9%	62.1%
Thought Field Therapy	7	5.0%	22.2%	25	2.3%	19.3%
Time Out	40	28.8%	51.3%	305	27.7%	44.4%
Twelve-step Programming	24	17.3%	51.2%	120	10.9%	49.6%
Other	9	6.5%	37.0%	26	2.4%	24.9%
Unclear	24	17.3%	30.6%	130	11.8%	40.4%
Not Available	69	33.2%		810	42.4%	


Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by White Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

White		
	N	%
Total Registered Youth	212	10.0%
with Services Procured	141	66.5%
Youth with New Admissions	87	41.0%
with Initial Admissions	38	17.9%
with Repeat Admissions	49	23.1%
Youth with Discharges	85	40.1%

	N	% of Available
Gender		
Females	71	33%
Males	141	67%

	Mean	SD
Age in Years	13.8	3.9




Primary Diagnosis of	N	% Avail
None Recorded	1	0.5%
Adjustment	10	5.0%
Anxiety	26	13.1%
Attention	49	24.6%
Disruptive Behavior	51	25.6%
Mental Retardation	0	0.0%
Miscellaneous	5	2.5%
Mood	41	20.6%
Pervasive Developmental	2	1.0%
Psychotic Spectrum	3	1.5%
Substance-Related	11	5.5%
Not Available (% Total)	13	6.1%

Any Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	17	8.5%
Anxiety	59	29.5%
Attention	86	43.0%
Disruptive Behavior	110	55.0%
Mental Retardation	4	2.0%
Miscellaneous	62	31.0%
Mood	74	37.0%
Pervasive Developmental	7	3.5%
Psychotic Spectrum	7	3.5%
Substance-Related	32	16.0%
Multiple Diagnoses	162	81.0%
Avg. Number of Diagnoses	2.3	

All Other Races		
	N	%
Total Registered Youth	1,907	90.0%
with Services Procured	1,172	61.5%
Youth with New Admissions	882	46.3%
with Initial Admissions	652	34.2%
with Repeat Admissions	230	12.1%
Youth with Discharges	771	40.4%

	N	% of Available
Gender		
Females	727	38%
Males	1,180	62%

	Mean	SD
Age in Years	14.0	3.7



Primary Diagnosis of	N	% Avail
None Recorded	5	0.3%
Adjustment	119	7.6%
Anxiety	159	10.1%
Attention	298	19.0%
Disruptive Behavior	519	33.1%
Mental Retardation	0	0.0%
Miscellaneous	69	4.4%
Mood	290	18.5%
Pervasive Developmental	23	1.5%
Psychotic Spectrum	35	2.2%
Substance-Related	51	3.3%
Not Available (% Total)	339	17.8%

Any Diagnosis of	N	% Avail
None Recorded	4	0.3%
Adjustment	188	12.0%
Anxiety	351	22.3%
Attention	543	34.5%
Disruptive Behavior	828	52.7%
Mental Retardation	30	1.9%
Miscellaneous	404	25.7%
Mood	450	28.6%
Pervasive Developmental	29	1.8%
Psychotic Spectrum	39	2.5%
Substance-Related	324	20.6%
Multiple Diagnoses	1,157	73.6%
Avg. Number of Diagnoses	1.8	

Summary of Youth by White Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

White		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	139	79.4%
Hispanic or Latino/a	36	20.6%
Not Available (% Total)	37	17.5%

Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	0	0.0%
Asian	0	0.0%
Black or African-American	0	0.0%
Native Hawaiian or Pacific Islander	0	0.0%
White	212	100.0%
Other Race	0	0.0%
Multiracial	0	0.0%
Based on Observation	17	8.0%
Not Available (% Total)	0	0.0%

Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	0	0.0%
Alaska Native	0	0.0%
American Indian	0	0.0%
Asian	0	0.0%
Asian Indian	0	0.0%
Chinese	0	0.0%
Filipino	0	0.0%
Japanese	0	0.0%
Korean	0	0.0%
Vietnamese	0	0.0%
Other Asian	0	0.0%
Black or African-American	0	0.0%
Hispanic or Latina/o	35	20.0%
Cuban	2	1.1%
Mexican	9	5.1%
Puerto Rican	11	6.3%
Other Hispanic	13	7.4%
Native Hawaiian or Pacific Islander	0	0.0%
Guamanian or Chamorro	0	0.0%
Micronesian	0	0.0%
Native Hawaiian	0	0.0%
Samoan	0	0.0%
Other Pacific Islander	0	0.0%
White	168	96.0%
White or Caucasian	166	94.9%
Portuguese	7	4.0%
Other Race or Ethnicity	0	0.0%
Multiethnic	38	21.7%
Not Available (% Total)	37	17.5%

All Other Races		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	761	70.3%
Hispanic or Latino/a	322	29.7%
Not Available (% Total)	824	43.2%

Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	7	0.5%
Asian	122	9.3%
Black or African-American	22	1.7%
Native Hawaiian or Pacific Islander	208	15.9%
White	0	0.0%
Other Race	8	0.6%
Multiracial	944	72.0%
Based on Observation	76	5.8%
Not Available (% Total)	596	31.3%

Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	130	12.1%
Alaska Native	0	0.0%
American Indian	130	12.1%
Asian	691	64.3%
Asian Indian	5	0.5%
Chinese	312	29.0%
Filipino	399	37.1%
Japanese	215	20.0%
Korean	45	4.2%
Vietnamese	9	0.8%
Other Asian	20	1.9%
Black or African-American	83	7.7%
Hispanic or Latina/o	315	29.3%
Cuban	4	0.4%
Mexican	56	5.2%
Puerto Rican	178	16.6%
Other Hispanic	123	11.4%
Native Hawaiian or Pacific Islander	759	70.6%
Guamanian or Chamorro	12	1.1%
Micronesian	58	5.4%
Native Hawaiian	641	59.6%
Samoan	82	7.6%
Other Pacific Islander	50	4.7%
White	619	57.6%
White or Caucasian	455	42.3%
Portuguese	301	28.0%
Other Race or Ethnicity	52	4.8%
Multiethnic	841	78.2%
Not Available (% Total)	832	43.6%

Summary of Youth by White Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

White		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	36	17.0%
Leeward Oahu	17	8.0%
Honolulu Oahu	21	9.9%
Hawaii (Big Island)	70	33.0%
Maui	26	12.3%
Kauai	37	17.5%
Family Court Liaison Branch	5	2.4%

All Other Races		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	260	13.6%
Leeward Oahu	286	15.0%
Honolulu Oahu	230	12.1%
Hawaii (Big Island)	700	36.7%
Maui	199	10.4%
Kauai	149	7.8%
Family Court Liaison Branch	83	4.4%

*Central Oahu FGC now includes both Central and Windward Oahu offices.

Summary of Youth by White Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Services Procured	White			All Other Races		
	Monthly Average	Total N	% of Procured	Monthly Average	Total N	% of Procured
Out-of-Home	21	45	31.9%	161	347	29.6%
Out-of-State	0	0	0.0%	5	5	0.4%
Hospital Residential	2	11	7.8%	15	66	5.6%
Community High Risk	0	1	0.7%	6	13	1.1%
Community Residential	6	13	9.2%	49	142	12.1%
Therapeutic Foster Home	13	29	20.6%	90	170	14.5%
<i>Multidimensional Treatment Foster Care</i>	1	1	0.7%	5	11	0.9%
<i>Transitional Family Home</i>	13	29	20.6%	85	163	13.9%
Intensive Home & Community	51	105	74.5%	424	881	75.2%
Partial Hospitalization	0	2	1.4%	5	21	1.8%
Multisystemic Therapy	7	23	16.3%	60	190	16.2%
Intensive In-Home	44	86	61.0%	363	726	61.9%
Outpatient	6	24	17.0%	54	284	24.2%
Treatment	5	14	9.9%	39	119	10.2%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	4	10	7.1%	30	91	7.8%
<i>Outpatient Therapy</i>	1	4	2.8%	9	28	2.4%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	1	11	7.8%	15	170	14.5%
Supportive Services	7	25	17.7%	37	163	13.9%
Respite Home	1	4	2.8%	5	26	2.2%
Ancillary Service	6	21	14.9%	32	141	12.0%
Crisis Stabilization	1	5	3.5%	4	41	3.5%
Unduplicated Total (% of Registered)	76	141	67%	616	1,172	61%

*These services either were not procured or had no data available in FY 2013.

Summary of Youth by White Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Total Hours Procured	White			All Other Races		
	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth
Out-of-Home	152	979	88.6%	151	965	88.9%
Out-of-State	0	0	0.0%	195	2,120	95.1%
Hospital Residential	129	355	50.8%	119	359	60.0%
Community High Risk	197	592	100.0%	173	1,096	81.9%
Community Residential	150	904	81.9%	136	647	77.2%
Therapeutic Foster Home	149	958	78.1%	168	1,144	84.6%
<i>Multidimensional Treatment Foster Care</i>	196	1,177	86.0%	171	889	75.6%
<i>Transitional Family Home</i>	147	918	75.1%	167	1,133	83.1%
Intensive Home & Community	17	99	81.7%	18	99	78.1%
Partial Hospitalization	3	5	1.5%	3	8	7.5%
Multisystemic Therapy	32	117	74.6%	40	137	80.6%
Intensive In-Home	13	90	79.7%	12	84	73.5%
Outpatient	4	11	47.3%	4	9	50.5%
Treatment	4	15	45.0%	4	15	48.9%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	3	12	53.2%	3	14	50.8%
<i>Outpatient Therapy</i>	6	21	24.6%	5	21	42.9%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	4	5	45.9%	5	5	50.1%
Supportive Services**	-	-	-	-	-	-
Respite Home	39	143	14.6%	17	37	11.8%
Ancillary Service**	-	-	-	-	-	-
Crisis Stabilization	50	98	8.5%	26	34	53.5%
Unduplicated Total	40	396		40	364	

Service Changes	White			All Other Races		
	Monthly Average	Total N	Total per Youth	Monthly Average	Total N	Total per Youth
Placement Changes	5	59	0.3	40	482	0.3
Out-of-Home Changes	1	7	0.0	3	38	0.0
Provider Agency Changes	11	130	0.6	95	1,144	0.6
Care Coordinator Changes	5	58	0.3	69	823	0.4

*These services either were not procured or had no data available in FY 2013.

**Duration not available for these services.

Summary of Youth by White Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	White		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	122 (2.6)	92 (2.5)	85 (2.9)
Moods: Self-Harm	10 (0.8)	3 (0.5)	3 (0.5)
Moods: Emotions	21 (0.4)	16 (0.5)	16 (0.6)
Home Role Performance	27 (0.5)	20 (0.6)	19 (0.8)
School Role Performance	27 (0.4)	19 (0.7)	17 (0.9)
Community Role Performance	12 (0.9)	7 (0.8)	7 (0.8)
Behavior Towards Other	22 (0.5)	17 (0.4)	16 (0.6)
Substance Use	10 (1.0)	5 (0.7)	5 (0.8)
Thinking	9 (0.8)	3 (0.5)	3 (0.5)

Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	21 (0.3)	18 (0.3)	18 (0.3)
Level of Care	4 (0.1)	3 (0.1)	3 (0.1)

Child and Adolescent Functional Assessment Scale (CAFAS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total (8-scale)	37 (150)	58% (145)	34% (145)
Moods: Self-Harm	8 (150)	78% (58)	98% (58)
Moods: Emotions	6 (150)	47% (144)	97% (144)
Home Role Performance	8 (150)	54% (142)	68% (142)
School Role Performance	10 (150)	55% (146)	69% (146)
Community Role Performance	6 (150)	51% (68)	88% (68)
Behavior Towards Other	7 (150)	54% (140)	94% (140)
Substance Use	5 (150)	63% (52)	81% (52)
Thinking	6 (150)	78% (46)	98% (46)

Child and Adolescent Level of Care Utilization System (CALOCUS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total	3 (143)	43% (134)	47% (134)
Level of Care	1 (143)	57% (134)	67% (134)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	858	15	24.1%
Child Events	1,028	18	23.1%
Person-Directed	297	5	13.2%
Property-Directed	132	2	8.0%
Runaway or Elopement	151	3	8.5%
Self-Injury	217	4	8.0%
Substance Use	61	1	4.2%
Other	118	2	6.6%
Institutional Events	509	9	15.1%
Person-Directed (Client Victim)	38	1	1.9%
Seclusion or Restraint	47	1	2.8%
Medication Error	38	1	1.9%
Police Called	137	2	8.0%
Criminal Charges or Arrest	52	1	3.8%
Client Injury	33	1	3.3%
Staff Injury	5	0	0.5%
Other	146	3	8.0%

	All Other Races		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	118 (1.0)	89 (0.9)	86 (1.0)
Moods: Self-Harm	9 (0.3)	3 (0.2)	3 (0.2)
Moods: Emotions	21 (0.2)	16 (0.2)	15 (0.2)
Home Role Performance	25 (0.2)	19 (0.2)	18 (0.3)
School Role Performance	26 (0.2)	19 (0.3)	18 (0.3)
Community Role Performance	14 (0.3)	9 (0.3)	9 (0.3)
Behavior Towards Other	21 (0.2)	16 (0.2)	15 (0.2)
Substance Use	10 (0.3)	5 (0.2)	5 (0.3)
Thinking	6 (0.2)	2 (0.1)	2 (0.2)

Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	21 (0.1)	18 (0.1)	18 (0.1)
Level of Care	4 (0.0)	3 (0.0)	3 (0.0)

Child and Adolescent Functional Assessment Scale (CAFAS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total (8-scale)	32 (1271)	52% (1204)	34% (1204)
Moods: Self-Harm	7 (1271)	79% (427)	96% (427)
Moods: Emotions	6 (1271)	47% (1111)	95% (1111)
Home Role Performance	7 (1271)	50% (1134)	64% (1134)
School Role Performance	8 (1270)	48% (1170)	61% (1170)
Community Role Performance	5 (1271)	47% (688)	90% (688)
Behavior Towards Other	6 (1271)	49% (1104)	95% (1104)
Substance Use	5 (1271)	61% (461)	83% (461)
Thinking	4 (1271)	75% (235)	97% (235)

Child and Adolescent Level of Care Utilization System (CALOCUS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total	3 (1141)	46% (1062)	41% (1062)
Level of Care	1 (1141)	54% (1067)	67% (1067)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	862	137	23.4%
Child Events	924	147	21.6%
Person-Directed	169	27	8.8%
Property-Directed	91	15	6.1%
Runaway or Elopement	256	41	10.1%
Self-Injury	167	27	7.3%
Substance Use	100	16	5.2%
Other	107	17	6.5%
Institutional Events	547	87	15.3%
Person-Directed (Client Victim)	47	7	3.9%
Seclusion or Restraint	61	10	2.7%
Medication Error	6	1	0.5%
Police Called	155	25	8.2%
Criminal Charges or Arrest	105	17	5.7%
Client Injury	41	6	3.5%
Staff Injury	9	2	0.6%
Other	110	17	6.7%

*Indicates average change from highest CAFAS or CALOCUS score to most recent.
 (A positive number reflects improvement.)

Summary of Youth by White Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	White		
	Any Use	Any Use	Dosage
Service Setting	N	% Avail	% of Months
Clinic	67	48.6%	51.6%
Community	106	76.8%	75.0%
Home	120	87.0%	83.1%
Out-of-Home	52	37.7%	66.9%
Phone*	20	14.5%	64.1%
School	81	58.7%	51.6%
Unclear*	7	5.1%	11.3%
Not Available	74	34.9%	

	Any Use	Any Use	Dosage
Service Format	N	% Avail	% of Months
Family	109	79.0%	71.6%
Group	41	29.7%	47.4%
Individual	115	83.3%	86.0%
Parent	113	81.9%	71.8%
Phone*	1	0.7%	16.7%
Professional Consult*	40	29.0%	45.4%
Teacher	52	37.7%	45.0%
Unclear*	14	10.1%	52.7%
Not Available	74	34.9%	

	Youth	% Youth	%
Discharge Living Situation	N	Discharged	Discharges
Foster Home	15	16.0%	10.1%
Group Care	1	1.1%	0.7%
Home	71	75.5%	47.7%
Homeless/Shelter	2	2.1%	1.3%
Institution/Hospital	2	2.1%	1.3%
Jail/Correctional Facility	5	5.3%	3.4%
Other	11	11.7%	7.4%
Residential Treatment	5	5.3%	3.4%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	94		
Number of Discharges	149		

	Youth	% Youth	%
Reason for Discharge	N	Discharged	Discharges
Eligibility Change	0	0.0%	0.0%
Family Relocation	7	7.4%	4.7%
Insufficient Progress	8	8.5%	5.4%
Other	30	31.9%	20.1%
Runaway/Elopement	13	13.8%	8.7%
Refuse/Withdraw	15	16.0%	10.1%
Success/Goals Met	55	58.5%	36.9%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	94		
Number of Discharges	149		

	All Other Races		
	Any Use	Any Use	Dosage
	N	% Avail	% of Months
	494	44.8%	57.8%
	831	75.4%	72.8%
	966	87.7%	84.0%
	444	40.3%	60.7%
	119	10.8%	58.4%
	646	58.6%	56.3%
	41	3.7%	30.4%
	805	42.2%	

	Any Use	Any Use	Dosage
	N	% Avail	% of Months
	858	77.9%	72.5%
	323	29.3%	49.1%
	943	85.6%	88.0%
	841	76.3%	75.6%
	34	3.1%	44.2%
	263	23.9%	42.2%
	414	37.6%	47.3%
	162	14.7%	48.4%
	805	42.2%	

	Youth	% Youth	%
	N	Discharged	Discharges
	85	13.1%	8.9%
	7	1.1%	0.7%
	452	69.4%	47.1%
	16	2.5%	1.7%
	21	3.2%	2.2%
	48	7.4%	5.0%
	115	17.7%	12.0%
	48	7.4%	5.0%
	0	0.0%	0.0%
	651		
	960		

	Youth	% Youth	%
	N	Discharged	Discharges
	17	2.6%	1.8%
	15	2.3%	1.6%
	61	9.4%	6.4%
	201	30.9%	20.9%
	85	13.1%	8.9%
	62	9.5%	6.5%
	386	59.3%	40.2%
	0	0.0%	0.0%
	651		
	960		

*Indicates written response to an open-ended question.

Summary of Youth by White Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Treatment Target	White			All Other Races		
	Any Use N	Any Use % Avail	Dosage % of Months	Any Use N	Any Use % Avail	Dosage % of Months
Academic Achievement	45	32.6%	45.2%	403	36.6%	39.7%
Activity Involvement	72	52.2%	55.5%	594	53.9%	55.9%
Adaptive Behavior/Living Skills	22	15.9%	38.8%	137	12.4%	37.9%
Adjustment to Change	43	31.2%	32.6%	305	27.7%	39.2%
Adult Intercoordination	1	0.7%	11.1%	12	1.1%	22.9%
Aggression	71	51.4%	56.7%	458	41.6%	54.2%
Anger	73	52.9%	55.4%	543	49.3%	55.4%
Anxiety	57	41.3%	47.6%	397	36.0%	50.6%
Assertiveness	24	17.4%	35.0%	197	17.9%	38.1%
Attention Problems	27	19.6%	36.0%	192	17.4%	36.0%
Avoidance	22	15.9%	36.7%	267	24.2%	41.8%
Caregiver Self-Management/Coping	1	0.7%	12.5%	5	0.5%	24.0%
Cognitive-Intellectual Functioning	7	5.1%	37.1%	90	8.2%	38.7%
Community Involvement	22	15.9%	39.5%	206	18.7%	31.6%
Compulsive Behavior	0	0.0%	0.0%	3	0.3%	22.2%
Contentment/Enjoyment/Happiness	25	18.1%	42.0%	226	20.5%	40.4%
Depressed Mood	49	35.5%	49.7%	348	31.6%	49.5%
Eating/Feeding Problems	5	3.6%	30.5%	31	2.8%	32.6%
Empathy	15	10.9%	33.9%	134	12.2%	43.8%
Enuresis/Encopresis	3	2.2%	17.8%	38	3.4%	53.3%
Fire Setting	0	0.0%	0.0%	6	0.5%	39.0%
Fitness/Exercise	0	0.0%	0.0%	1	0.1%	20.0%
Gender Identity Problems	1	0.7%	25.0%	6	0.5%	26.6%
Goal Setting	0	0.0%	0.0%	4	0.4%	12.7%
Grief	7	5.1%	22.4%	64	5.8%	39.9%
Health Management	9	6.5%	33.0%	83	7.5%	31.4%
Housing/Living Situation	19	13.8%	36.8%	187	17.0%	32.2%
Hyperactivity	10	7.2%	25.9%	93	8.4%	40.7%
Information Gathering	1	0.7%	25.0%	10	0.9%	33.6%
Learning Disorder/Underachievement	5	3.6%	48.2%	33	3.0%	22.4%
Low Self-Esteem	33	23.9%	52.4%	280	25.4%	40.8%
Mania	4	2.9%	29.3%	7	0.6%	26.7%
Medical Regimen Adherence	12	8.7%	33.6%	116	10.5%	38.7%
Occupational Functioning/Stress	10	7.2%	41.7%	40	3.6%	26.2%
Oppositional/Non-Compliant Behavior	96	69.6%	62.4%	701	63.6%	64.8%
Pain Management	0	0.0%	0.0%	0	0.0%	0.0%
Parenting Skills	3	2.2%	44.4%	16	1.5%	30.1%
Peer Involvement	30	21.7%	32.3%	172	15.6%	34.3%
Peer/Sibling Conflict	45	32.6%	46.6%	268	24.3%	44.0%
Personal Hygiene	1	0.7%	33.3%	45	4.1%	29.1%
Phobia/Fears	49	35.5%	43.3%	368	33.4%	43.7%
Positive Family Functioning	12	8.7%	36.5%	74	6.7%	41.5%
Positive Peer Interaction	113	81.9%	73.2%	852	77.3%	66.7%
Positive Thinking/Attitude	39	28.3%	43.3%	337	30.6%	40.8%
Pregnancy Education/Adjustment	0	0.0%	0.0%	24	2.2%	41.2%
Psychosis	1	0.7%	66.7%	37	3.4%	51.2%
Runaway	18	13.0%	35.9%	213	19.3%	47.1%
Safe Environment	1	0.7%	8.3%	10	0.9%	30.8%
School Involvement	28	20.3%	40.7%	256	23.2%	36.6%
School Refusal/Truancy	16	11.6%	31.0%	211	19.1%	43.4%
Self-Control	24	17.4%	42.6%	135	12.3%	45.2%
Self-Injurious Behavior	37	26.8%	39.8%	278	25.2%	41.6%
Sexual Orientation	0	0.0%	0.0%	0	0.0%	0.0%
Sexual Misconduct	7	5.1%	58.1%	62	5.6%	51.0%
Shyness	2	1.4%	15.3%	23	2.1%	28.5%
Sleep Disturbance	2	1.4%	75.0%	22	2.0%	32.5%
Social Skills	51	37.0%	46.0%	312	28.3%	46.0%
Speech and Language	0	0.0%	0.0%	8	0.7%	25.6%
Substance Use	30	21.7%	63.5%	316	28.7%	64.7%
Suicidality	13	9.4%	29.5%	77	7.0%	37.7%
Traumatic Stress	23	16.7%	51.3%	167	15.2%	43.2%
Treatment Engagement	82	59.4%	50.2%	599	54.4%	53.1%
Treatment Planning/Framing	8	5.8%	31.9%	59	5.4%	47.3%
Willful Misconduct/Delinquency	22	15.9%	39.0%	212	19.2%	46.1%
Other	1	0.7%	16.7%	13	1.2%	15.6%
Unclear	6	4.3%	22.0%	95	8.6%	30.0%
Not Available	74	34.9%		805	42.2%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by White Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	White			All Other Races		
	Any Use	Any Use	Dosage	Any Use	Any Use	Dosage
Practice Elements	N	% Avail	% of Months	N	% Avail	% of Months
Activity Scheduling	82	59.4%	57.4%	656	59.5%	56.9%
Anger Management	0	0.0%	0.0%	4	0.4%	16.8%
Animal or Plant Assisted Activities	0	0.0%	0.0%	0	0.0%	0.0%
Arousal Reconditioning	0	0.0%	0.0%	0	0.0%	0.0%
Art/Music Therapy	1	0.7%	33.3%	1	0.1%	11.1%
Assertiveness Training	44	31.9%	45.4%	365	33.1%	46.1%
Assessment	2	1.4%	60.0%	39	3.5%	68.1%
Attending	40	29.0%	37.7%	321	29.1%	45.9%
Behavior Management	0	0.0%	0.0%	5	0.5%	15.3%
Behavioral Contracting	85	61.6%	55.7%	628	57.0%	55.7%
Biofeedback/Neurofeedback	3	2.2%	26.4%	16	1.5%	30.0%
Care Coordination	79	57.2%	67.8%	688	62.4%	65.0%
Catharsis	6	4.3%	41.1%	68	6.2%	39.1%
Cognitive/Coping	84	60.9%	67.0%	658	59.7%	63.7%
Commands/Limit Setting	26	18.8%	34.8%	164	14.9%	40.8%
Communication Skills	107	77.5%	66.2%	854	77.5%	68.0%
Counseling	0	0.0%	0.0%	1	0.1%	27.3%
Crisis Management	62	44.9%	44.7%	481	43.6%	46.3%
Cultural Training	10	7.2%	34.8%	135	12.3%	41.9%
Discrete Trial Training	3	2.2%	16.1%	12	1.1%	20.4%
Educational Support	73	52.9%	55.4%	598	54.3%	55.3%
Emotional Processing	89	64.5%	62.0%	711	64.5%	63.0%
Exposure	22	15.9%	39.3%	231	21.0%	40.6%
Eye Movement/Body Tapping	5	3.6%	17.5%	13	1.2%	18.2%
Family Engagement	110	79.7%	60.2%	821	74.5%	64.8%
Family Therapy	98	71.0%	54.9%	767	69.6%	61.1%
Family Visit	0	0.0%	0.0%	0	0.0%	0.0%
Free Association	8	5.8%	26.8%	70	6.4%	37.4%
Functional Analysis	22	15.9%	37.9%	184	16.7%	50.5%
Goal Setting	93	67.4%	63.5%	789	71.6%	63.7%
Guided Imagery	26	18.8%	31.8%	184	16.7%	37.4%
Ho'Oponopono	0	0.0%	0.0%	0	0.0%	0.0%
Hypnosis	2	1.4%	19.6%	21	1.9%	26.4%
Ignoring or DRO	55	39.9%	46.3%	371	33.7%	47.0%
Individual Therapy for Caregiver	48	34.8%	41.7%	316	28.7%	41.6%
Informal Supports	1	0.7%	20.0%	5	0.5%	28.2%
Insight Building	88	63.8%	56.0%	697	63.2%	61.1%
Interpretation	28	20.3%	33.5%	188	17.1%	36.7%
Juvenile Sex Offender Treatment	3	2.2%	80.0%	20	1.8%	70.0%
Legal Assistance/Involvement	0	0.0%	0.0%	0	0.0%	0.0%
Line of Sight Supervision	41	29.7%	46.1%	364	33.0%	46.7%
Maintenance/Relapse Prevention	39	28.3%	42.9%	310	28.1%	44.0%
Marital Therapy	7	5.1%	23.5%	61	5.5%	30.3%
Medication/Pharmacotherapy	54	39.1%	49.4%	309	28.0%	52.6%
Mentoring	47	34.1%	52.3%	436	39.6%	49.3%
Milieu Therapy	32	23.2%	54.6%	275	25.0%	49.8%
Mindfulness	59	42.8%	49.5%	447	40.6%	48.8%
Modeling	96	69.6%	57.6%	689	62.5%	57.2%
Motivational Interviewing	69	50.0%	51.3%	565	51.3%	55.5%
Natural and Logical Consequences	96	69.6%	63.7%	752	68.2%	61.5%
Parent Coping	94	68.1%	57.8%	691	62.7%	58.0%
Parent or Teacher Monitoring	71	51.4%	50.9%	525	47.6%	51.5%
Parent Praise	77	55.8%	50.8%	538	48.8%	52.0%
Parenting	0	0.0%	0.0%	15	1.4%	21.0%
Peer Modeling/Pairing	21	15.2%	32.8%	191	17.3%	32.4%
Personal Safety Skills	61	44.2%	48.8%	507	46.0%	51.2%
Physical Exercise	0	0.0%	0.0%	0	0.0%	0.0%
Play Therapy	25	18.1%	43.6%	178	16.2%	48.9%
Problem Solving	98	71.0%	67.4%	852	77.3%	65.5%
Psychoeducation-Child	84	60.9%	62.6%	698	63.3%	59.6%
Psychoeducation-Parent	95	68.8%	63.1%	751	68.1%	62.2%
Relationship/Rapport Building	107	77.5%	57.0%	825	74.9%	61.1%
Relaxation	73	52.9%	47.9%	542	49.2%	50.4%
Response Cost	26	18.8%	37.8%	205	18.6%	43.0%
Response Prevention	30	21.7%	34.3%	239	21.7%	42.5%
Self-Monitoring	62	44.9%	50.9%	486	44.1%	49.4%
Self-Reward/Self-Praise	56	40.6%	52.3%	378	34.3%	49.1%
Skill Building	92	66.7%	61.5%	787	71.4%	61.2%
Social Skills Training	76	55.1%	56.0%	585	53.1%	53.8%
Stimulus Control/Antecedent Man.	32	23.2%	41.7%	258	23.4%	43.5%
Supportive Listening	114	82.6%	69.5%	880	79.9%	71.4%
Tangible Rewards	74	53.6%	53.0%	521	47.3%	51.8%
Therapist Praise/Rewards	92	66.7%	58.5%	718	65.2%	62.6%
Thought Field Therapy	3	2.2%	12.5%	29	2.6%	20.7%
Time Out	46	33.3%	39.2%	299	27.1%	46.1%
Twelve-step Programming	13	9.4%	48.2%	131	11.9%	50.0%
Other	6	4.3%	27.8%	29	2.6%	28.0%
Unclear	13	9.4%	51.5%	141	12.8%	37.7%
Not Available	74	34.9%		805	42.2%	


Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Other Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Other Race		
	N	%
Total Registered Youth	8	0.4%
with Services Procured	7	87.5%
Youth with New Admissions	1	12.5%
with Initial Admissions	1	12.5%
with Repeat Admissions	0	0.0%
Youth with Discharges	1	12.5%

	N	% of Available
Gender		
Females	1	13%
Males	7	88%

	Mean	SD
Age in Years	12.5	3.8




Primary Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	1	16.7%
Anxiety	0	0.0%
Attention	3	50.0%
Disruptive Behavior	2	33.3%
Mental Retardation	0	0.0%
Miscellaneous	0	0.0%
Mood	0	0.0%
Pervasive Developmental	0	0.0%
Psychotic Spectrum	0	0.0%
Substance-Related	0	0.0%
Not Available (% Total)	2	25.0%

Any Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	2	28.6%
Anxiety	1	14.3%
Attention	4	57.1%
Disruptive Behavior	5	71.4%
Mental Retardation	0	0.0%
Miscellaneous	3	42.9%
Mood	0	0.0%
Pervasive Developmental	0	0.0%
Psychotic Spectrum	0	0.0%
Substance-Related	0	0.0%
Multiple Diagnoses	6	85.7%
Avg. Number of Diagnoses	1.9	

All Other Race Categories		
	N	%
Total Registered Youth	2,111	99.6%
with Services Procured	1,306	61.9%
Youth with New Admissions	968	45.9%
with Initial Admissions	689	32.6%
with Repeat Admissions	279	13.2%
Youth with Discharges	855	40.5%

	N	% of Available
Gender		
Females	797	38%
Males	1,314	62%

	Mean	SD
Age in Years	14.0	3.7



Primary Diagnosis of	N	% Avail
None Recorded	6	0.3%
Adjustment	128	7.3%
Anxiety	185	10.5%
Attention	344	19.5%
Disruptive Behavior	568	32.3%
Mental Retardation	0	0.0%
Miscellaneous	74	4.2%
Mood	331	18.8%
Pervasive Developmental	25	1.4%
Psychotic Spectrum	38	2.2%
Substance-Related	62	3.5%
Not Available (% Total)	350	16.6%

Any Diagnosis of	N	% Avail
None Recorded	4	0.2%
Adjustment	203	11.5%
Anxiety	409	23.2%
Attention	625	35.4%
Disruptive Behavior	933	52.9%
Mental Retardation	34	1.9%
Miscellaneous	463	26.2%
Mood	524	29.7%
Pervasive Developmental	36	2.0%
Psychotic Spectrum	46	2.6%
Substance-Related	356	20.2%
Multiple Diagnoses	1,313	74.4%
Avg. Number of Diagnoses	1.8	

Summary of Youth by Other Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Other Race		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	2	25.0%
Hispanic or Latino/a	6	75.0%
Not Available (% Total)	0	0.0%

Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	0	0.0%
Asian	0	0.0%
Black or African-American	0	0.0%
Native Hawaiian or Pacific Islander	0	0.0%
White	0	0.0%
Other Race	8	100.0%
Multiracial	0	0.0%
Based on Observation	0	0.0%
Not Available (% Total)	0	0.0%

Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	0	0.0%
Alaska Native	0	0.0%
American Indian	0	0.0%
Asian	0	0.0%
Asian Indian	0	0.0%
Chinese	0	0.0%
Filipino	0	0.0%
Japanese	0	0.0%
Korean	0	0.0%
Vietnamese	0	0.0%
Other Asian	0	0.0%
Black or African-American	0	0.0%
Hispanic or Latina/o	6	75.0%
Cuban	2	25.0%
Mexican	1	12.5%
Puerto Rican	5	62.5%
Other Hispanic	2	25.0%
Native Hawaiian or Pacific Islander	0	0.0%
Guamanian or Chamorro	0	0.0%
Micronesian	0	0.0%
Native Hawaiian	0	0.0%
Samoan	0	0.0%
Other Pacific Islander	0	0.0%
White	0	0.0%
White or Caucasian	0	0.0%
Portuguese	0	0.0%
Other Race or Ethnicity	8	100.0%
Multiethnic	6	75.0%
Not Available (% Total)	0	0.0%

All Other Race Categories		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	898	71.8%
Hispanic or Latino/a	352	28.2%
Not Available (% Total)	861	40.8%

Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	7	0.5%
Asian	122	8.1%
Black or African-American	22	1.5%
Native Hawaiian or Pacific Islander	208	13.7%
White	212	14.0%
Other Race	0	0.0%
Multiracial	944	62.3%
Based on Observation	93	6.1%
Not Available (% Total)	596	28.2%

Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	130	10.5%
Alaska Native	0	0.0%
American Indian	130	10.5%
Asian	691	55.6%
Asian Indian	5	0.4%
Chinese	312	25.1%
Filipino	399	32.1%
Japanese	215	17.3%
Korean	45	3.6%
Vietnamese	9	0.7%
Other Asian	20	1.6%
Black or African-American	83	6.7%
Hispanic or Latina/o	344	27.7%
Cuban	4	0.3%
Mexican	64	5.2%
Puerto Rican	184	14.8%
Other Hispanic	134	10.8%
Native Hawaiian or Pacific Islander	759	61.1%
Guamanian or Chamorro	12	1.0%
Micronesian	58	4.7%
Native Hawaiian	641	51.6%
Samoan	82	6.6%
Other Pacific Islander	50	4.0%
White	787	63.4%
White or Caucasian	621	50.0%
Portuguese	308	24.8%
Other Race or Ethnicity	44	3.5%
Multiethnic	873	70.3%
Not Available (% Total)	869	41.2%

Summary of Youth by Other Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Other Race		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	1	12.5%
Leeward Oahu	0	0.0%
Honolulu Oahu	1	12.5%
Hawaii (Big Island)	3	37.5%
Maui	1	12.5%
Kauai	2	25.0%
Family Court Liaison Branch	0	0.0%

All Other Race Categories		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	295	14.0%
Leeward Oahu	303	14.4%
Honolulu Oahu	250	11.8%
Hawaii (Big Island)	767	36.3%
Maui	224	10.6%
Kauai	184	8.7%
Family Court Liaison Branch	88	4.2%

*Central Oahu FGC now includes both Central and Windward Oahu offices.

Summary of Youth by Other Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Services Procured	Other Race			All Other Race Categories		
	Monthly Average	Total N	% of Procured	Monthly Average	Total N	% of Procured
Out-of-Home	1	2	28.6%	181	390	29.9%
Out-of-State	0	0	0.0%	5	5	0.4%
Hospital Residential	0	1	14.3%	17	76	5.8%
Community High Risk	0	0	0.0%	7	14	1.1%
Community Residential	1	1	14.3%	54	154	11.8%
Therapeutic Foster Home	0	0	0.0%	103	199	15.2%
<i>Multidimensional Treatment Foster Care</i>	0	0	0.0%	5	12	0.9%
<i>Transitional Family Home</i>	0	0	0.0%	98	192	14.7%
Intensive Home & Community	3	5	71.4%	472	981	75.1%
Partial Hospitalization	0	0	0.0%	5	23	1.8%
Multisystemic Therapy	0	0	0.0%	68	213	16.3%
Intensive In-Home	3	5	71.4%	404	807	61.8%
Outpatient	0	2	28.6%	59	306	23.4%
Treatment	0	2	28.6%	43	131	10.0%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	0	2	28.6%	33	99	7.6%
<i>Outpatient Therapy</i>	0	0	0.0%	10	32	2.5%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	0	0	0.0%	16	181	13.9%
Supportive Services	0	1	14.3%	43	187	14.3%
Respite Home	0	0	0.0%	6	30	2.3%
Ancillary Service	0	1	14.3%	37	161	12.3%
Crisis Stabilization	0	1	14.3%	5	45	3.4%
Unduplicated Total (% of Registered)	4	7	88%	688	1,306	62%

*These services either were not procured or had no data available in FY 2013.

Summary of Youth by Other Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Total Hours Procured	Other Race			All Other Race Categories		
	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth
Out-of-Home	186	1,112	81.8%	151	966	88.9%
Out-of-State	0	0	0.0%	195	2,120	95.1%
Hospital Residential	189	566	63.8%	119	356	58.6%
Community High Risk	0	0	0.0%	175	1,060	83.2%
Community Residential	184	1,658	99.9%	137	662	77.5%
Therapeutic Foster Home	0	0	0.0%	165	1,117	83.6%
<i>Multidimensional Treatment Foster Care</i>	0	0	0.0%	173	913	76.5%
<i>Transitional Family Home</i>	0	0	0.0%	164	1,101	81.9%
Intensive Home & Community	11	71	64.8%	18	99	78.6%
Partial Hospitalization	0	0	0.0%	3	8	7.0%
Multisystemic Therapy	0	0	0.0%	40	135	80.0%
Intensive In-Home	11	71	64.8%	13	84	74.2%
Outpatient	2	2	100.0%	4	9	49.9%
Treatment	2	2	100.0%	4	15	47.7%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	2	2	100.0%	3	14	50.0%
<i>Outpatient Therapy</i>	0	0	0.0%	5	21	40.6%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	0	0	0.0%	5	5	49.8%
Supportive Services**	-	-	-	-	-	-
Respite Home	0	0	0.0%	20	51	12.2%
Ancillary Service**	-	-	-	-	-	-
Crisis Stabilization	37	111	12.5%	28	39	49.4%
Unduplicated Total	35	385		40	368	

Service Changes	Other Race			All Other Race Categories		
	Monthly Average	Total N	Total per Youth	Monthly Average	Total N	Total per Youth
Placement Changes	0	2	0.3	45	539	0.3
Out-of-Home Changes	0	0	0.0	4	45	0.0
Provider Agency Changes	1	10	1.3	105	1,264	0.6
Care Coordinator Changes	0	3	0.4	73	878	0.4

*These services either were not procured or had no data available in FY 2013.

**Duration not available for these services.

Summary of Youth by Other Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Other Race		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	129 (11.0)	101 (9.8)	101 (12.0)
Moods: Self-Harm	9 (4.6)	3 (2.9)	3 (2.9)
Moods: Emotions	23 (1.8)	17 (2.6)	17 (3.6)
Home Role Performance	29 (1.4)	27 (2.2)	27 (2.9)
School Role Performance	26 (3.0)	21 (3.5)	21 (4.0)
Community Role Performance	16 (4.8)	7 (3.3)	7 (3.6)
Behavior Towards Other	23 (2.9)	17 (1.8)	17 (3.6)
Substance Use	6 (4.3)	5 (4.2)	4 (4.3)
Thinking	13 (3.6)	5 (3.2)	4 (3.0)

Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	21 (0.5)	18 (0.5)	18 (1.3)
Level of Care	4 (0.3)	3 (0.2)	3 (0.5)

Child and Adolescent Functional Assessment Scale (CAFAS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total (8-scale)	27 (7)	57% (7)	43% (7)
Moods: Self-Harm	6 (7)	50% (2)	100% (2)
Moods: Emotions	6 (7)	29% (7)	86% (7)
Home Role Performance	1 (7)	14% (7)	14% (7)
School Role Performance	4 (7)	33% (6)	33% (6)
Community Role Performance	9 (7)	75% (4)	100% (4)
Behavior Towards Other	6 (7)	50% (6)	83% (6)
Substance Use	1 (7)	0% (1)	0% (1)
Thinking	9 (7)	75% (4)	100% (4)

Child and Adolescent Level of Care Utilization System (CALOCUS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total	3 (7)	43% (7)	43% (7)
Level of Care	1 (7)	57% (7)	57% (7)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	1,375	1	25.0%
Child Events	1,250	1	25.0%
Person-Directed	1,000	1	12.5%
Property-Directed	125	0	12.5%
Runaway or Elopement	125	0	12.5%
Self-Injury	0	0	0.0%
Substance Use	0	0	0.0%
Other	0	0	0.0%
Institutional Events	1,250	1	25.0%
Person-Directed (Client Victim)	125	0	12.5%
Seclusion or Restraint	125	0	12.5%
Medication Error	125	0	12.5%
Police Called	0	0	0.0%
Criminal Charges or Arrest	125	0	12.5%
Client Injury	125	0	12.5%
Staff Injury	500	0	12.5%
Other	125	0	12.5%

All Other Race Categories		
"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
119 (0.9)	90 (0.9)	86 (1.0)
9 (0.3)	3 (0.2)	3 (0.2)
21 (0.2)	16 (0.2)	15 (0.2)
25 (0.2)	19 (0.2)	18 (0.3)
26 (0.2)	19 (0.2)	18 (0.3)
14 (0.3)	9 (0.3)	9 (0.3)
21 (0.2)	16 (0.2)	15 (0.2)
10 (0.3)	5 (0.2)	5 (0.2)
6 (0.2)	2 (0.1)	2 (0.1)

"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
21 (0.1)	18 (0.1)	18 (0.1)
4 (0.0)	3 (0.0)	3 (0.0)

Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
33 (1414)	53% (1342)	34% (1342)
7 (1414)	79% (483)	96% (483)
6 (1414)	47% (1248)	95% (1248)
7 (1414)	50% (1269)	65% (1269)
8 (1413)	48% (1310)	62% (1310)
5 (1414)	47% (752)	90% (752)
6 (1414)	49% (1238)	95% (1238)
5 (1414)	62% (512)	83% (512)
4 (1414)	75% (277)	97% (277)

Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
3 (1277)	46% (1189)	42% (1189)
1 (1277)	55% (1194)	67% (1194)

Reports per 1,000 youth	Monthly Average	Any Report % of youth
859	151	23.5%
934	164	21.7%
179	32	9.2%
95	17	6.3%
246	43	9.9%
173	30	7.4%
97	17	5.1%
108	19	6.5%
541	95	15.3%
46	8	3.6%
59	10	2.7%
9	2	0.6%
154	27	8.2%
100	18	5.5%
40	7	3.5%
7	1	0.6%
113	20	6.8%

*Indicates average change from highest CAFAS or CALOCUS score to most recent.
 (A positive number reflects improvement.)

Summary of Youth by Other Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Other Race			
Service Setting	Any Use N	Any Use % Avail	Dosage % of Months
Clinic	4	66.7%	66.4%
Community	3	50.0%	89.3%
Home	5	83.3%	78.2%
Out-of-Home	2	33.3%	72.8%
Phone*	0	0.0%	0.0%
School	3	50.0%	89.3%
Unclear*	0	0.0%	0.0%
Not Available	2	25.0%	

Service Format	Any Use N	Any Use % Avail	Dosage % of Months
Family	5	83.3%	71.1%
Group	1	16.7%	90.0%
Individual	4	66.7%	74.4%
Parent	4	66.7%	72.8%
Phone*	0	0.0%	0.0%
Professional Consult*	3	50.0%	66.3%
Teacher	1	16.7%	90.0%
Unclear*	1	16.7%	22.2%
Not Available	2	25.0%	

Discharge Living Situation	Youth N	% Youth Discharged	% Discharges
Foster Home	0	0.0%	0.0%
Group Care	0	0.0%	0.0%
Home	5	100.0%	55.6%
Homeless/Shelter	0	0.0%	0.0%
Institution/Hospital	1	20.0%	11.1%
Jail/Correctional Facility	0	0.0%	0.0%
Other	0	0.0%	0.0%
Residential Treatment	0	0.0%	0.0%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	5		
Number of Discharges	9		

Reason for Discharge	Youth N	% Youth Discharged	% Discharges
Eligibility Change	0	0.0%	0.0%
Family Relocation	1	20.0%	11.1%
Insufficient Progress	0	0.0%	0.0%
Other	1	20.0%	11.1%
Runaway/Elopement	0	0.0%	0.0%
Refuse/Withdraw	0	0.0%	0.0%
Success/Goals Met	5	100.0%	55.6%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	5		
Number of Discharges	9		

All Other Race Categories		
Any Use N	Any Use % Avail	Dosage % of Months
557	45.1%	57.0%
934	75.7%	73.0%
1,081	87.6%	83.9%
494	40.0%	61.3%
139	11.3%	59.2%
724	58.7%	55.7%
48	3.9%	27.6%
877	41.5%	

Any Use N	Any Use % Avail	Dosage % of Months
962	78.0%	72.4%
363	29.4%	48.8%
1,054	85.4%	87.9%
950	77.0%	75.1%
35	2.8%	43.5%
300	24.3%	42.4%
465	37.7%	47.0%
175	14.2%	48.9%
877	41.5%	

Youth N	% Youth Discharged	% Discharges
100	13.5%	9.1%
8	1.1%	0.7%
518	70.0%	47.1%
18	2.4%	1.6%
22	3.0%	2.0%
53	7.2%	4.8%
126	17.0%	11.5%
53	7.2%	4.8%
0	0.0%	0.0%
740		
1100		

Youth N	% Youth Discharged	% Discharges
17	2.3%	1.5%
21	2.8%	1.9%
69	9.3%	6.3%
230	31.1%	20.9%
98	13.2%	8.9%
77	10.4%	7.0%
436	58.9%	39.6%
0	0.0%	0.0%
740		
1100		

*Indicates written response to an open-ended question.

Summary of Youth by Other Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Treatment Target	Other Race			All Other Race Categories		
	Any Use N	Any Use % Avail	Dosage % of Months	Any Use N	Any Use % Avail	Dosage % of Months
Academic Achievement	2	33.3%	10.0%	446	36.1%	40.4%
Activity Involvement	3	50.0%	37.0%	663	53.7%	55.9%
Adaptive Behavior/Living Skills	0	0.0%	0.0%	159	12.9%	38.1%
Adjustment to Change	0	0.0%	0.0%	348	28.2%	38.3%
Adult Intercoordination	0	0.0%	0.0%	13	1.1%	22.0%
Aggression	3	50.0%	85.2%	526	42.6%	54.3%
Anger	3	50.0%	74.4%	613	49.7%	55.3%
Anxiety	4	66.7%	46.7%	450	36.5%	50.3%
Assertiveness	1	16.7%	30.0%	220	17.8%	37.8%
Attention Problems	2	33.3%	21.7%	217	17.6%	36.1%
Avoidance	2	33.3%	36.1%	287	23.3%	41.4%
Caregiver Self-Management/Coping	0	0.0%	0.0%	6	0.5%	22.1%
Cognitive-Intellectual Functioning	0	0.0%	0.0%	97	7.9%	38.6%
Community Involvement	1	16.7%	20.0%	227	18.4%	32.4%
Compulsive Behavior	0	0.0%	0.0%	3	0.2%	22.2%
Contentment/Enjoyment/Happiness	1	16.7%	33.3%	250	20.3%	40.6%
Depressed Mood	3	50.0%	36.7%	394	31.9%	49.6%
Eating/Feeding Problems	0	0.0%	0.0%	36	2.9%	32.3%
Empathy	1	16.7%	11.1%	148	12.0%	43.0%
Enuresis/Encopresis	1	16.7%	22.2%	40	3.2%	51.4%
Fire Setting	0	0.0%	0.0%	6	0.5%	39.0%
Fitness/Exercise	0	0.0%	0.0%	1	0.1%	20.0%
Gender Identity Problems	0	0.0%	0.0%	7	0.6%	26.3%
Goal Setting	0	0.0%	0.0%	4	0.3%	12.7%
Grief	0	0.0%	0.0%	71	5.8%	38.2%
Health Management	0	0.0%	0.0%	92	7.5%	31.6%
Housing/Living Situation	1	16.7%	40.0%	205	16.6%	32.6%
Hyperactivity	1	16.7%	33.3%	102	8.3%	39.3%
Information Gathering	0	0.0%	0.0%	11	0.9%	32.8%
Learning Disorder/Underachievement	0	0.0%	0.0%	38	3.1%	25.8%
Low Self-Esteem	0	0.0%	0.0%	313	25.4%	42.0%
Mania	0	0.0%	0.0%	11	0.9%	27.6%
Medical Regimen Adherence	0	0.0%	0.0%	128	10.4%	38.3%
Occupational Functioning/Stress	0	0.0%	0.0%	50	4.1%	29.3%
Oppositional/Non-Compliant Behavior	4	66.7%	60.6%	793	64.3%	64.5%
Pain Management	0	0.0%	0.0%	0	0.0%	0.0%
Parenting Skills	0	0.0%	0.0%	19	1.5%	32.3%
Peer Involvement	1	16.7%	10.0%	201	16.3%	34.1%
Peer/Sibling Conflict	1	16.7%	33.3%	312	25.3%	44.4%
Personal Hygiene	0	0.0%	0.0%	46	3.7%	29.2%
Phobia/Fears	1	16.7%	90.0%	416	33.7%	43.6%
Positive Family Functioning	0	0.0%	0.0%	86	7.0%	40.8%
Positive Peer Interaction	6	100.0%	68.0%	959	77.7%	67.4%
Positive Thinking/Attitude	1	16.7%	11.1%	375	30.4%	41.1%
Pregnancy Education/Adjustment	0	0.0%	0.0%	24	1.9%	41.2%
Psychosis	0	0.0%	0.0%	38	3.1%	51.6%
Runaway	1	16.7%	90.0%	230	18.6%	46.0%
Safe Environment	0	0.0%	0.0%	11	0.9%	28.8%
School Involvement	2	33.3%	20.6%	282	22.9%	37.1%
School Refusal/Truancy	0	0.0%	0.0%	227	18.4%	42.5%
Self-Control	0	0.0%	0.0%	159	12.9%	44.8%
Self-Injurious Behavior	1	16.7%	22.2%	314	25.4%	41.5%
Sexual Orientation	0	0.0%	0.0%	0	0.0%	0.0%
Sexual Misconduct	0	0.0%	0.0%	69	5.6%	51.7%
Shyness	0	0.0%	0.0%	25	2.0%	27.4%
Sleep Disturbance	1	16.7%	33.3%	23	1.9%	36.1%
Social Skills	1	16.7%	11.1%	362	29.3%	46.1%
Speech and Language	0	0.0%	0.0%	8	0.6%	25.6%
Substance Use	1	16.7%	60.0%	345	28.0%	64.6%
Suicidality	1	16.7%	11.1%	89	7.2%	36.8%
Traumatic Stress	2	33.3%	10.6%	188	15.2%	44.6%
Treatment Engagement	4	66.7%	69.2%	677	54.9%	52.6%
Treatment Planning/Framing	0	0.0%	0.0%	67	5.4%	45.4%
Willful Misconduct/Delinquency	2	33.3%	61.7%	232	18.8%	45.3%
Other	0	0.0%	0.0%	14	1.1%	15.6%
Unclear	1	16.7%	11.1%	100	8.1%	29.7%
Not Available	2	25.0%		877	41.5%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Other Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Other Race			All Other Race Categories		
	Any Use	Any Use	Dosage	Any Use	Any Use	Dosage
Practice Elements	N	% Avail	% of Months	N	% Avail	% of Months
Activity Scheduling	3	50.0%	24.4%	735	59.6%	57.1%
Anger Management	0	0.0%	0.0%	4	0.3%	16.8%
Animal or Plant Assisted Activities	0	0.0%	0.0%	0	0.0%	0.0%
Arousal Reconditioning	0	0.0%	0.0%	0	0.0%	0.0%
Art/Music Therapy	0	0.0%	0.0%	2	0.2%	22.2%
Assertiveness Training	3	50.0%	28.1%	406	32.9%	46.1%
Assessment	0	0.0%	0.0%	41	3.3%	67.7%
Attending	3	50.0%	57.0%	358	29.0%	44.9%
Behavior Management	0	0.0%	0.0%	5	0.4%	15.3%
Behavioral Contracting	1	16.7%	88.9%	712	57.7%	55.7%
Biofeedback/Neurofeedback	0	0.0%	0.0%	19	1.5%	29.4%
Care Coordination	5	83.3%	64.4%	762	61.8%	65.3%
Catharsis	0	0.0%	0.0%	74	6.0%	39.2%
Cognitive/Coping	5	83.3%	48.0%	737	59.7%	64.2%
Commands/Limit Setting	1	16.7%	33.3%	189	15.3%	40.0%
Communication Skills	5	83.3%	64.0%	956	77.5%	67.8%
Counseling	0	0.0%	0.0%	1	0.1%	27.3%
Crisis Management	2	33.3%	66.7%	541	43.8%	46.1%
Cultural Training	1	16.7%	11.1%	144	11.7%	41.7%
Discrete Trial Training	0	0.0%	0.0%	15	1.2%	19.6%
Educational Support	4	66.7%	29.7%	667	54.1%	55.5%
Emotional Processing	5	83.3%	57.8%	795	64.4%	62.9%
Exposure	1	16.7%	77.8%	252	20.4%	40.3%
Eye Movement/Body Tapping	0	0.0%	0.0%	18	1.5%	18.0%
Family Engagement	5	83.3%	64.2%	926	75.0%	64.2%
Family Therapy	5	83.3%	81.8%	860	69.7%	60.2%
Family Visit	0	0.0%	0.0%	0	0.0%	0.0%
Free Association	0	0.0%	0.0%	78	6.3%	36.3%
Functional Analysis	0	0.0%	0.0%	206	16.7%	49.2%
Goal Setting	5	83.3%	44.4%	877	71.1%	63.8%
Guided Imagery	1	16.7%	33.3%	209	16.9%	36.7%
Ho'Oponopono	0	0.0%	0.0%	0	0.0%	0.0%
Hypnosis	0	0.0%	0.0%	23	1.9%	25.8%
Ignoring or DRO	1	16.7%	88.9%	425	34.4%	46.8%
Individual Therapy for Caregiver	2	33.3%	55.6%	362	29.3%	41.6%
Informal Supports	0	0.0%	0.0%	6	0.5%	26.8%
Insight Building	3	50.0%	59.6%	782	63.4%	60.5%
Interpretation	0	0.0%	0.0%	216	17.5%	36.3%
Juvenile Sex Offender Treatment	0	0.0%	0.0%	23	1.9%	71.3%
Legal Assistance/Involvement	0	0.0%	0.0%	0	0.0%	0.0%
Line of Sight Supervision	1	16.7%	11.1%	404	32.7%	46.8%
Maintenance/Relapse Prevention	1	16.7%	100.0%	348	28.2%	43.7%
Marital Therapy	1	16.7%	33.3%	67	5.4%	29.6%
Medication/Pharmacotherapy	3	50.0%	68.9%	360	29.2%	52.0%
Mentoring	1	16.7%	90.0%	482	39.1%	49.5%
Milieu Therapy	2	33.3%	61.7%	305	24.7%	50.3%
Mindfulness	3	50.0%	81.9%	503	40.8%	48.7%
Modeling	4	66.7%	58.3%	781	63.3%	57.2%
Motivational Interviewing	3	50.0%	27.8%	631	51.1%	55.1%
Natural and Logical Consequences	5	83.3%	41.3%	843	68.3%	61.9%
Parent Coping	5	83.3%	43.8%	780	63.2%	58.0%
Parent or Teacher Monitoring	3	50.0%	25.6%	593	48.1%	51.6%
Parent Praise	3	50.0%	38.9%	612	49.6%	51.9%
Parenting	0	0.0%	0.0%	15	1.2%	21.0%
Peer Modeling/Pairing	1	16.7%	22.2%	211	17.1%	32.5%
Personal Safety Skills	3	50.0%	48.5%	565	45.8%	51.0%
Physical Exercise	0	0.0%	0.0%	0	0.0%	0.0%
Play Therapy	2	33.3%	66.7%	201	16.3%	48.0%
Problem Solving	5	83.3%	62.4%	945	76.6%	65.7%
Psychoeducation-Child	4	66.7%	55.0%	778	63.0%	59.9%
Psychoeducation-Parent	4	66.7%	68.3%	842	68.2%	62.2%
Relationship/Rapport Building	5	83.3%	49.3%	927	75.1%	60.7%
Relaxation	2	33.3%	80.0%	613	49.7%	50.0%
Response Cost	2	33.3%	22.2%	229	18.6%	42.6%
Response Prevention	1	16.7%	77.8%	268	21.7%	41.4%
Self-Monitoring	2	33.3%	21.1%	546	44.2%	49.6%
Self-Reward/Self-Praise	1	16.7%	11.1%	433	35.1%	49.6%
Skill Building	3	50.0%	42.6%	876	71.0%	61.3%
Social Skills Training	2	33.3%	37.8%	659	53.4%	54.1%
Stimulus Control/Antecedent Man.	1	16.7%	11.1%	289	23.4%	43.4%
Supportive Listening	6	100.0%	65.0%	988	80.1%	71.2%
Tangible Rewards	2	33.3%	33.3%	593	48.1%	52.0%
Therapist Praise/Rewards	4	66.7%	55.3%	806	65.3%	62.1%
Thought Field Therapy	0	0.0%	0.0%	32	2.6%	19.9%
Time Out	4	66.7%	53.3%	341	27.6%	45.1%
Twelve-step Programming	0	0.0%	0.0%	144	11.7%	49.8%
Other	0	0.0%	0.0%	35	2.8%	28.0%
Unclear	0	0.0%	0.0%	154	12.5%	38.9%
Not Available	2	25.0%		877	41.5%	


Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Multiracial Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Multiracial		
	N	%
Total Registered Youth	944	44.5%
with Services Procured	672	71.2%
Youth with New Admissions	355	37.6%
with Initial Admissions	216	22.9%
with Repeat Admissions	139	14.7%
Youth with Discharges	354	37.5%

	N	% of Available
Gender		
Females	362	38%
Males	582	62%

	Mean	SD
Age in Years	14.4	3.5




Primary Diagnosis of	N	% Avail
None Recorded	2	0.2%
Adjustment	65	7.2%
Anxiety	90	9.9%
Attention	175	19.3%
Disruptive Behavior	304	33.5%
Mental Retardation	0	0.0%
Miscellaneous	40	4.4%
Mood	165	18.2%
Pervasive Developmental	14	1.5%
Psychotic Spectrum	21	2.3%
Substance-Related	31	3.4%
Not Available (% Total)	37	3.9%

Any Diagnosis of	N	% Avail
None Recorded	1	0.1%
Adjustment	103	11.3%
Anxiety	209	23.0%
Attention	334	36.7%
Disruptive Behavior	484	53.2%
Mental Retardation	22	2.4%
Miscellaneous	247	27.1%
Mood	264	29.0%
Pervasive Developmental	16	1.8%
Psychotic Spectrum	23	2.5%
Substance-Related	196	21.5%
Multiple Diagnoses	685	75.3%
Avg. Number of Diagnoses	2.1	

Single Race		
	N	%
Total Registered Youth	1,175	55.5%
with Services Procured	641	54.6%
Youth with New Admissions	614	52.3%
with Initial Admissions	474	40.3%
with Repeat Admissions	140	11.9%
Youth with Discharges	502	42.7%

	N	% of Available
Gender		
Females	436	37%
Males	739	63%

	Mean	SD
Age in Years	13.6	3.9



Primary Diagnosis of	N	% Avail
None Recorded	4	0.5%
Adjustment	64	7.4%
Anxiety	95	11.0%
Attention	172	20.0%
Disruptive Behavior	266	30.9%
Mental Retardation	0	0.0%
Miscellaneous	34	4.0%
Mood	166	19.3%
Pervasive Developmental	11	1.3%
Psychotic Spectrum	17	2.0%
Substance-Related	31	3.6%
Not Available (% Total)	315	26.8%

Any Diagnosis of	N	% Avail
None Recorded	3	0.3%
Adjustment	102	11.8%
Anxiety	201	23.3%
Attention	295	34.2%
Disruptive Behavior	454	52.7%
Mental Retardation	12	1.4%
Miscellaneous	219	25.4%
Mood	260	30.2%
Pervasive Developmental	20	2.3%
Psychotic Spectrum	23	2.7%
Substance-Related	160	18.6%
Multiple Diagnoses	634	73.5%
Avg. Number of Diagnoses	1.6	

Summary of Youth by Multiracial Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Multiracial		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	505	65.5%
Hispanic or Latino/a	266	34.5%
Not Available (% Total)	173	18.3%

Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	0	0.0%
Asian	0	0.0%
Black or African-American	0	0.0%
Native Hawaiian or Pacific Islander	0	0.0%
White	0	0.0%
Other Race	0	0.0%
Multiracial	944	100.0%
Based on Observation	40	4.2%
Not Available (% Total)	0	0.0%

Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	123	15.9%
Alaska Native	0	0.0%
American Indian	123	15.9%
Asian	587	75.9%
Asian Indian	4	0.5%
Chinese	297	38.4%
Filipino	337	43.6%
Japanese	186	24.1%
Korean	37	4.8%
Vietnamese	4	0.5%
Other Asian	16	2.1%
Black or African-American	69	8.9%
Hispanic or Latina/o	266	34.4%
Cuban	1	0.1%
Mexican	47	6.1%
Puerto Rican	150	19.4%
Other Hispanic	103	13.3%
Native Hawaiian or Pacific Islander	598	77.4%
Guamanian or Chamorro	10	1.3%
Micronesian	4	0.5%
Native Hawaiian	562	72.7%
Samoan	53	6.9%
Other Pacific Islander	32	4.1%
White	619	80.1%
White or Caucasian	455	58.9%
Portuguese	301	38.9%
Other Race or Ethnicity	44	5.7%
Multiethnic	765	99.0%
Not Available (% Total)	171	18.1%

Single Race		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	395	81.1%
Hispanic or Latino/a	92	18.9%
Not Available (% Total)	688	58.6%

Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	7	1.2%
Asian	122	21.1%
Black or African-American	22	3.8%
Native Hawaiian or Pacific Islander	208	35.9%
White	212	36.6%
Other Race	8	1.4%
Multiracial	0	0.0%
Based on Observation	53	9.2%
Not Available (% Total)	596	50.7%

Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	7	1.5%
Alaska Native	0	0.0%
American Indian	7	1.5%
Asian	104	21.8%
Asian Indian	1	0.2%
Chinese	15	3.1%
Filipino	62	13.0%
Japanese	29	6.1%
Korean	8	1.7%
Vietnamese	5	1.0%
Other Asian	4	0.8%
Black or African-American	14	2.9%
Hispanic or Latina/o	84	17.6%
Cuban	5	1.0%
Mexican	18	3.8%
Puerto Rican	39	8.2%
Other Hispanic	33	6.9%
Native Hawaiian or Pacific Islander	161	33.8%
Guamanian or Chamorro	2	0.4%
Micronesian	54	11.3%
Native Hawaiian	79	16.6%
Samoan	29	6.1%
Other Pacific Islander	18	3.8%
White	168	35.2%
White or Caucasian	166	34.8%
Portuguese	7	1.5%
Other Race or Ethnicity	8	1.7%
Multiethnic	114	23.9%
Not Available (% Total)	698	59.4%

Summary of Youth by Multiracial Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Multiracial		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	191	20.2%
Leeward Oahu	173	18.3%
Honolulu Oahu	92	9.7%
Hawaii (Big Island)	308	32.6%
Maui	85	9.0%
Kauai	72	7.6%
Family Court Liaison Branch	23	2.4%

Single Race		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	105	8.9%
Leeward Oahu	130	11.1%
Honolulu Oahu	159	13.5%
Hawaii (Big Island)	462	39.3%
Maui	140	11.9%
Kauai	114	9.7%
Family Court Liaison Branch	65	5.5%

*Central Oahu FGC now includes both Central and Windward Oahu offices.

Summary of Youth by Multiracial Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Services Procured	Multiracial			Single Race		
	Monthly Average	Total N	% of Procured	Monthly Average	Total N	% of Procured
Out-of-Home	93	208	31.0%	89	184	28.7%
Out-of-State	3	3	0.4%	2	2	0.3%
Hospital Residential	8	40	6.0%	9	37	5.8%
Community High Risk	4	8	1.2%	2	6	0.9%
Community Residential	25	82	12.2%	29	73	11.4%
Therapeutic Foster Home	55	105	15.6%	48	94	14.7%
<i>Multidimensional Treatment Foster Care</i>	3	9	1.3%	2	3	0.5%
<i>Transitional Family Home</i>	51	100	14.9%	47	92	14.4%
Intensive Home & Community	252	516	76.8%	223	470	73.3%
Partial Hospitalization	3	13	1.9%	3	10	1.6%
Multisystemic Therapy	35	111	16.5%	33	102	15.9%
Intensive In-Home	217	421	62.6%	190	391	61.0%
Outpatient	32	143	21.3%	27	165	25.7%
Treatment	26	74	11.0%	18	59	9.2%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	21	60	8.9%	13	41	6.4%
<i>Outpatient Therapy</i>	5	14	2.1%	5	18	2.8%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	6	73	10.9%	10	108	16.8%
Supportive Services	18	78	11.6%	26	110	17.2%
Respite Home	3	16	2.4%	3	14	2.2%
Ancillary Service	15	62	9.2%	23	100	15.6%
Crisis Stabilization	2	18	2.7%	3	28	4.4%
Unduplicated Total (% of Registered)	362	672	71%	330	641	55%

*These services either were not procured or had no data available in FY 2013.

Summary of Youth by Multiracial Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Total Hours Procured	Multiracial			Single Race		
	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth
Out-of-Home	148	925	87.6%	155	1,013	90.3%
Out-of-State	198	2,373	94.1%	191	1,742	96.4%
Hospital Residential	116	306	56.2%	125	416	61.3%
Community High Risk	177	1,250	78.1%	173	806	90.0%
Community Residential	129	552	75.9%	147	800	79.6%
Therapeutic Foster Home	168	1,123	84.2%	162	1,110	83.0%
<i>Multidimensional Treatment Foster Care</i>	170	804	71.2%	181	1,242	92.1%
<i>Transitional Family Home</i>	167	1,107	82.0%	161	1,094	81.8%
Intensive Home & Community	18	101	78.2%	17	97	78.8%
Partial Hospitalization	3	8	10.5%	3	8	2.5%
Multisystemic Therapy	41	136	81.4%	38	134	78.4%
Intensive In-Home	13	88	74.0%	12	81	74.2%
Outpatient	4	10	53.3%	4	9	47.6%
Treatment	3	15	52.9%	4	16	43.1%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	3	14	52.7%	3	13	48.6%
<i>Outpatient Therapy</i>	4	20	53.7%	5	22	30.5%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	5	5	50.7%	5	5	49.2%
Supportive Services**	-	-	-	-	-	-
Respite Home	17	41	12.3%	24	62	12.0%
Ancillary Service**	-	-	-	-	-	-
Crisis Stabilization	33	44	34.7%	26	38	57.6%
Unduplicated Total	41	368		39	367	

Service Changes	Multiracial			Single Race		
	Monthly Average	Total N	Total per Youth	Monthly Average	Total N	Total per Youth
Placement Changes	25	303	0.3	20	238	0.2
Out-of-Home Changes	2	23	0.0	2	22	0.0
Provider Agency Changes	54	644	0.7	53	630	0.5
Care Coordinator Changes	30	355	0.4	44	526	0.4

*These services either were not procured or had no data available in FY 2013.

**Duration not available for these services.

Summary of Youth by Multiracial Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Multiracial		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	123 (1.2)	91 (1.2)	86 (1.4)
Moods: Self-Harm	10 (0.4)	3 (0.2)	2 (0.2)
Moods: Emotions	21 (0.2)	16 (0.2)	15 (0.3)
Home Role Performance	26 (0.2)	19 (0.3)	18 (0.4)
School Role Performance	27 (0.2)	19 (0.3)	18 (0.4)
Community Role Performance	15 (0.4)	10 (0.4)	9 (0.4)
Behavior Towards Other	22 (0.2)	16 (0.2)	15 (0.3)
Substance Use	10 (0.5)	5 (0.3)	5 (0.3)
Thinking	6 (0.3)	2 (0.2)	2 (0.2)

Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	21 (0.1)	18 (0.1)	18 (0.1)
Level of Care	4 (0.0)	3 (0.0)	3 (0.1)

Child and Adolescent Functional Assessment Scale (CAFAS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total (8-scale)	36 (723)	58% (702)	36% (702)
Moods: Self-Harm	8 (723)	82% (280)	96% (280)
Moods: Emotions	6 (723)	48% (650)	95% (650)
Home Role Performance	8 (723)	54% (670)	66% (670)
School Role Performance	9 (723)	51% (686)	61% (686)
Community Role Performance	6 (723)	46% (425)	90% (425)
Behavior Towards Other	6 (723)	53% (651)	96% (651)
Substance Use	5 (723)	64% (281)	86% (281)
Thinking	4 (723)	77% (138)	96% (138)

Child and Adolescent Level of Care Utilization System (CALOCUS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total	3 (674)	50% (639)	43% (639)
Level of Care	1 (674)	60% (640)	66% (640)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	1,005	79	27.8%
Child Events	1,061	84	25.3%
Person-Directed	173	14	9.9%
Property-Directed	92	7	6.4%
Runaway or Elopement	316	25	12.9%
Self-Injury	200	16	9.0%
Substance Use	106	8	5.4%
Other	136	11	8.1%
Institutional Events	602	47	17.2%
Person-Directed (Client Victim)	59	5	4.9%
Seclusion or Restraint	67	5	3.1%
Medication Error	6	1	0.5%
Police Called	180	14	9.0%
Criminal Charges or Arrest	113	9	5.7%
Client Injury	41	3	3.6%
Staff Injury	8	1	0.6%
Other	113	9	7.5%

	Single Race		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	115 (1.3)	89 (1.2)	86 (1.4)
Moods: Self-Harm	8 (0.4)	3 (0.2)	3 (0.2)
Moods: Emotions	20 (0.2)	16 (0.3)	15 (0.3)
Home Role Performance	25 (0.3)	19 (0.3)	18 (0.4)
School Role Performance	25 (0.3)	19 (0.3)	18 (0.4)
Community Role Performance	12 (0.4)	8 (0.4)	8 (0.4)
Behavior Towards Other	21 (0.3)	16 (0.2)	16 (0.3)
Substance Use	9 (0.4)	5 (0.3)	5 (0.4)
Thinking	6 (0.3)	3 (0.2)	3 (0.2)

Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	20 (0.1)	18 (0.1)	18 (0.1)
Level of Care	4 (0.0)	3 (0.0)	3 (0.1)

Child and Adolescent Functional Assessment Scale (CAFAS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total (8-scale)	29 (698)	47% (647)	31% (647)
Moods: Self-Harm	6 (698)	74% (205)	96% (205)
Moods: Emotions	5 (698)	45% (605)	94% (605)
Home Role Performance	6 (698)	45% (606)	63% (606)
School Role Performance	7 (697)	46% (630)	63% (630)
Community Role Performance	5 (698)	48% (331)	90% (331)
Behavior Towards Other	5 (698)	46% (593)	93% (593)
Substance Use	4 (698)	58% (232)	79% (232)
Thinking	4 (698)	74% (143)	98% (143)

Child and Adolescent Level of Care Utilization System (CALOCUS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total	3 (610)	41% (557)	41% (557)
Level of Care	1 (610)	49% (561)	68% (561)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	746	73	20.1%
Child Events	833	82	18.9%
Person-Directed	190	19	8.8%
Property-Directed	98	10	6.2%
Runaway or Elopement	190	19	7.6%
Self-Injury	150	15	6.0%
Substance Use	89	9	4.9%
Other	86	8	5.3%
Institutional Events	497	49	13.8%
Person-Directed (Client Victim)	36	4	2.7%
Seclusion or Restraint	54	5	2.5%
Medication Error	12	1	0.8%
Police Called	132	13	7.5%
Criminal Charges or Arrest	89	9	5.4%
Client Injury	39	4	3.4%
Staff Injury	9	1	0.6%
Other	113	11	6.3%

*Indicates average change from highest CAFAS or CALOCUS score to most recent.
 (A positive number reflects improvement.)

Summary of Youth by Multiracial Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Service Setting	Multiracial		
	Any Use N	Any Use % Avail	Dosage % of Months
Clinic	289	45.2%	56.8%
Community	486	75.9%	71.8%
Home	566	88.4%	83.3%
Out-of-Home	251	39.2%	59.3%
Phone*	71	11.1%	61.5%
School	385	60.2%	56.3%
Unclear*	25	3.9%	35.6%
Not Available	304	32.2%	

Service Format	Multiracial		
	Any Use N	Any Use % Avail	Dosage % of Months
Family	497	77.7%	73.0%
Group	190	29.7%	49.5%
Individual	544	85.0%	87.7%
Parent	479	74.8%	74.2%
Phone*	19	3.0%	45.7%
Professional Consult*	144	22.5%	44.6%
Teacher	248	38.8%	46.2%
Unclear*	93	14.5%	44.8%
Not Available	304	32.2%	

Discharge Living Situation	Multiracial		
	Youth N	% Youth Discharged	% Discharges
Foster Home	52	13.7%	9.2%
Group Care	4	1.1%	0.7%
Home	269	71.0%	47.4%
Homeless/Shelter	10	2.6%	1.8%
Institution/Hospital	14	3.7%	2.5%
Jail/Correctional Facility	27	7.1%	4.8%
Other	63	16.6%	11.1%
Residential Treatment	26	6.9%	4.6%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	379		
Number of Discharges	567		

Reason for Discharge	Multiracial		
	Youth N	% Youth Discharged	% Discharges
Eligibility Change	11	2.9%	1.9%
Family Relocation	7	1.8%	1.2%
Insufficient Progress	35	9.2%	6.2%
Other	124	32.7%	21.9%
Runaway/Elopement	49	12.9%	8.6%
Refuse/Withdraw	30	7.9%	5.3%
Success/Goals Met	227	59.9%	40.0%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	379		
Number of Discharges	567		

	Single Race		
	Any Use N	Any Use % Avail	Dosage % of Months
	272	45.3%	57.3%
	451	75.2%	74.5%
	520	86.7%	84.6%
	245	40.8%	63.4%
	68	11.3%	56.8%
	342	57.0%	55.3%
	23	3.8%	19.0%
	575	48.9%	

	Single Race		
	Any Use N	Any Use % Avail	Dosage % of Months
	470	78.3%	71.8%
	174	29.0%	48.2%
	514	85.7%	88.0%
	475	79.2%	76.0%
	16	2.7%	40.8%
	159	26.5%	40.8%
	218	36.3%	48.0%
	83	13.8%	53.1%
	575	48.9%	

	Single Race		
	Youth N	% Youth Discharged	% Discharges
	48	13.1%	8.9%
	4	1.1%	0.7%
	254	69.4%	46.9%
	8	2.2%	1.5%
	9	2.5%	1.7%
	26	7.1%	4.8%
	63	17.2%	11.6%
	27	7.4%	5.0%
	0	0.0%	0.0%
	366		
	542		

	Single Race		
	Youth N	% Youth Discharged	% Discharges
	6	1.6%	1.1%
	15	4.1%	2.8%
	34	9.3%	6.3%
	107	29.2%	19.7%
	49	13.4%	9.0%
	47	12.8%	8.7%
	214	58.5%	39.5%
	0	0.0%	0.0%
	366		
	542		

*Indicates written response to an open-ended question.

Summary of Youth by Multiracial Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Treatment Target	Multiracial			Single Race		
	Any Use N	Any Use % Avail	Dosage % of Months	Any Use N	Any Use % Avail	Dosage % of Months
Academic Achievement	229	35.8%	39.2%	219	36.5%	41.4%
Activity Involvement	349	54.5%	54.7%	317	52.8%	57.1%
Adaptive Behavior/Living Skills	80	12.5%	34.8%	79	13.2%	41.3%
Adjustment to Change	173	27.0%	36.8%	175	29.2%	39.9%
Adult Intercoordination	8	1.3%	25.8%	5	0.8%	15.9%
Aggression	264	41.3%	54.1%	265	44.2%	54.9%
Anger	333	52.0%	53.3%	283	47.2%	57.8%
Anxiety	217	33.9%	51.1%	237	39.5%	49.4%
Assertiveness	103	16.1%	41.0%	118	19.7%	35.0%
Attention Problems	112	17.5%	34.7%	107	17.8%	37.3%
Avoidance	150	23.4%	38.2%	139	23.2%	44.8%
Caregiver Self-Management/Coping	3	0.5%	23.3%	3	0.5%	20.8%
Cognitive-Intellectual Functioning	44	6.9%	43.7%	53	8.8%	34.4%
Community Involvement	113	17.7%	35.4%	115	19.2%	29.4%
Compulsive Behavior	3	0.5%	22.2%	0	0.0%	0.0%
Contentment/Enjoyment/Happiness	132	20.6%	39.4%	119	19.8%	41.9%
Depressed Mood	196	30.6%	49.1%	201	33.5%	49.9%
Eating/Feeding Problems	19	3.0%	28.7%	17	2.8%	36.2%
Empathy	80	12.5%	43.3%	69	11.5%	42.1%
Enuresis/Encopresis	25	3.9%	54.9%	16	2.7%	44.1%
Fire Setting	2	0.3%	60.0%	4	0.7%	28.6%
Fitness/Exercise	1	0.2%	20.0%	0	0.0%	0.0%
Gender Identity Problems	5	0.8%	26.9%	2	0.3%	25.0%
Goal Setting	1	0.2%	9.1%	3	0.5%	13.9%
Grief	35	5.5%	37.4%	36	6.0%	38.9%
Health Management	42	6.6%	31.7%	50	8.3%	31.5%
Housing/Living Situation	108	16.9%	31.2%	98	16.3%	34.2%
Hyperactivity	58	9.1%	44.6%	45	7.5%	32.4%
Information Gathering	5	0.8%	40.6%	6	1.0%	26.4%
Learning Disorder/Underachievement	15	2.3%	14.3%	23	3.8%	33.3%
Low Self-Esteem	169	26.4%	40.0%	144	24.0%	44.4%
Mania	5	0.8%	24.8%	6	1.0%	30.0%
Medical Regimen Adherence	70	10.9%	39.9%	58	9.7%	36.3%
Occupational Functioning/Stress	21	3.3%	24.0%	29	4.8%	33.1%
Oppositional/Non-Compliant Behavior	418	65.3%	65.8%	379	63.2%	63.0%
Pain Management	0	0.0%	0.0%	0	0.0%	0.0%
Parenting Skills	11	1.7%	19.8%	8	1.3%	49.6%
Peer Involvement	104	16.3%	33.3%	98	16.3%	34.8%
Peer/Sibling Conflict	168	26.3%	44.3%	145	24.2%	44.5%
Personal Hygiene	24	3.8%	31.0%	22	3.7%	27.3%
Phobia/Fears	230	35.9%	43.6%	187	31.2%	43.7%
Positive Family Functioning	52	8.1%	40.5%	34	5.7%	41.3%
Positive Peer Interaction	505	78.9%	66.9%	460	76.7%	68.0%
Positive Thinking/Attitude	199	31.1%	42.5%	177	29.5%	39.5%
Pregnancy Education/Adjustment	14	2.2%	37.2%	10	1.7%	46.8%
Psychosis	19	3.0%	57.9%	19	3.2%	45.4%
Runaway	127	19.8%	44.6%	104	17.3%	48.2%
Safe Environment	6	0.9%	31.0%	5	0.8%	26.1%
School Involvement	145	22.7%	35.0%	139	23.2%	39.1%
School Refusal/Truancy	114	17.8%	43.4%	113	18.8%	41.6%
Self-Control	92	14.4%	46.2%	67	11.2%	42.9%
Self-Injurious Behavior	165	25.8%	40.3%	150	25.0%	42.6%
Sexual Orientation	0	0.0%	0.0%	0	0.0%	0.0%
Sexual Misconduct	43	6.7%	47.0%	26	4.3%	59.5%
Shyness	10	1.6%	31.2%	15	2.5%	24.9%
Sleep Disturbance	13	2.0%	32.7%	11	1.8%	39.9%
Social Skills	182	28.4%	48.9%	181	30.2%	43.1%
Speech and Language	4	0.6%	35.8%	4	0.7%	15.3%
Substance Use	182	28.4%	65.8%	164	27.3%	63.3%
Suicidality	38	5.9%	42.9%	52	8.7%	31.8%
Traumatic Stress	94	14.7%	43.9%	96	16.0%	44.5%
Treatment Engagement	358	55.9%	54.5%	323	53.8%	50.8%
Treatment Planning/Framing	21	3.3%	49.3%	46	7.7%	43.7%
Willful Misconduct/Delinquency	113	17.7%	40.5%	121	20.2%	50.1%
Other	9	1.4%	14.9%	5	0.8%	16.9%
Unclear	58	9.1%	29.4%	43	7.2%	29.7%
Not Available	304	32.2%		575	48.9%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Multiracial Race
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Multiracial			Single Race		
	Any Use	Any Use	Dosage	Any Use	Any Use	Dosage
Practice Elements	N	% Avail	% of Months	N	% Avail	% of Months
Activity Scheduling	385	60.2%	57.6%	353	58.8%	56.2%
Anger Management	1	0.2%	8.3%	3	0.5%	19.6%
Animal or Plant Assisted Activities	0	0.0%	0.0%	0	0.0%	0.0%
Arousal Reconditioning	0	0.0%	0.0%	0	0.0%	0.0%
Art/Music Therapy	0	0.0%	0.0%	2	0.3%	22.2%
Assertiveness Training	209	32.7%	45.7%	200	33.3%	46.3%
Assessment	16	2.5%	59.8%	25	4.2%	72.7%
Attending	188	29.4%	42.5%	173	28.8%	47.7%
Behavior Management	3	0.5%	13.9%	2	0.3%	17.5%
Behavioral Contracting	373	58.3%	55.6%	340	56.7%	55.8%
Biofeedback/Neurofeedback	11	1.7%	33.5%	8	1.3%	23.8%
Care Coordination	411	64.2%	64.1%	356	59.3%	66.7%
Catharsis	44	6.9%	33.4%	30	5.0%	47.9%
Cognitive/Coping	384	60.0%	63.2%	358	59.7%	65.1%
Commands/Limit Setting	94	14.7%	41.9%	96	16.0%	38.1%
Communication Skills	502	78.4%	68.2%	459	76.5%	67.4%
Counseling	1	0.2%	27.3%	0	0.0%	0.0%
Crisis Management	287	44.8%	47.2%	256	42.7%	45.0%
Cultural Training	72	11.3%	37.6%	73	12.2%	45.2%
Discrete Trial Training	8	1.3%	17.1%	7	1.2%	22.4%
Educational Support	350	54.7%	57.4%	321	53.5%	53.1%
Emotional Processing	412	64.4%	63.1%	388	64.7%	62.7%
Exposure	134	20.9%	39.2%	119	19.8%	41.9%
Eye Movement/Body Tapping	7	1.1%	14.8%	11	1.8%	20.1%
Family Engagement	479	74.8%	64.9%	452	75.3%	63.5%
Family Therapy	443	69.2%	60.6%	422	70.3%	60.2%
Family Visit	0	0.0%	0.0%	0	0.0%	0.0%
Free Association	38	5.9%	38.8%	40	6.7%	33.9%
Functional Analysis	101	15.8%	48.5%	105	17.5%	49.8%
Goal Setting	460	71.9%	64.5%	422	70.3%	62.9%
Guided Imagery	109	17.0%	36.0%	101	16.8%	37.5%
Ho'Oponopono	0	0.0%	0.0%	0	0.0%	0.0%
Hypnosis	14	2.2%	28.6%	9	1.5%	21.6%
Ignoring or DRO	217	33.9%	47.5%	209	34.8%	46.3%
Individual Therapy for Caregiver	183	28.6%	43.4%	181	30.2%	39.9%
Informal Supports	2	0.3%	41.7%	4	0.7%	19.4%
Insight Building	406	63.4%	60.1%	379	63.2%	60.9%
Interpretation	108	16.9%	37.4%	108	18.0%	35.1%
Juvenile Sex Offender Treatment	11	1.7%	69.3%	12	2.0%	73.1%
Legal Assistance/Involvement	0	0.0%	0.0%	0	0.0%	0.0%
Line of Sight Supervision	213	33.3%	47.7%	192	32.0%	45.5%
Maintenance/Relapse Prevention	185	28.9%	45.8%	164	27.3%	41.8%
Marital Therapy	33	5.2%	29.6%	35	5.8%	29.7%
Medication/Pharmacotherapy	187	29.2%	53.5%	176	29.3%	50.7%
Mentoring	253	39.5%	49.8%	230	38.3%	49.3%
Milieu Therapy	156	24.4%	48.3%	151	25.2%	52.5%
Mindfulness	257	40.2%	48.4%	249	41.5%	49.4%
Modeling	399	62.3%	58.3%	386	64.3%	56.0%
Motivational Interviewing	326	50.9%	57.0%	308	51.3%	52.9%
Natural and Logical Consequences	452	70.6%	61.8%	396	66.0%	61.7%
Parent Coping	410	64.1%	58.4%	375	62.5%	57.4%
Parent or Teacher Monitoring	320	50.0%	51.3%	276	46.0%	51.6%
Parent Praise	325	50.8%	52.5%	290	48.3%	51.1%
Parenting	6	0.9%	23.0%	9	1.5%	19.7%
Peer Modeling/Pairing	109	17.0%	34.4%	103	17.2%	30.4%
Personal Safety Skills	300	46.9%	52.5%	268	44.7%	49.2%
Physical Exercise	0	0.0%	0.0%	0	0.0%	0.0%
Play Therapy	99	15.5%	48.4%	104	17.3%	48.1%
Problem Solving	500	78.1%	65.8%	450	75.0%	65.5%
Psychoeducation-Child	403	63.0%	59.3%	379	63.2%	60.6%
Psychoeducation-Parent	442	69.1%	61.2%	404	67.3%	63.5%
Relationship/Rapport Building	475	74.2%	59.7%	457	76.2%	61.6%
Relaxation	320	50.0%	51.1%	295	49.2%	49.0%
Response Cost	128	20.0%	41.8%	103	17.2%	43.1%
Response Prevention	143	22.3%	42.6%	126	21.0%	40.4%
Self-Monitoring	283	44.2%	47.8%	265	44.2%	51.4%
Self-Reward/Self-Praise	216	33.8%	48.0%	218	36.3%	51.0%
Skill Building	461	72.0%	60.0%	418	69.7%	62.5%
Social Skills Training	349	54.5%	53.4%	312	52.0%	54.7%
Stimulus Control/Antecedent Man.	148	23.1%	42.0%	142	23.7%	44.7%
Supportive Listening	515	80.5%	71.4%	479	79.8%	71.0%
Tangible Rewards	322	50.3%	50.5%	273	45.5%	53.6%
Therapist Praise/Rewards	422	65.9%	62.6%	388	64.7%	61.6%
Thought Field Therapy	13	2.0%	19.6%	19	3.2%	20.2%
Time Out	172	26.9%	45.0%	173	28.8%	45.3%
Twelve-step Programming	76	11.9%	48.5%	68	11.3%	51.4%
Other	17	2.7%	24.6%	18	3.0%	31.2%
Unclear	76	11.9%	37.0%	78	13.0%	40.7%
Not Available	304	32.2%		575	48.9%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.


Summary of Youth by Race Based on Observation
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Race Based on Observation

	N	%
Total Registered Youth	93	4.4%
with Services Procured	67	72.0%
Youth with New Admissions	27	29.0%
with Initial Admissions	16	17.2%
with Repeat Admissions	11	11.8%
Youth with Discharges	34	36.6%

	N	% of Available
Gender		
Females	26	28%
Males	67	72%

	Mean	SD
Age in Years	15.3	2.8



Primary Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	5	5.7%
Anxiety	7	8.0%
Attention	23	26.1%
Disruptive Behavior	28	31.8%
Mental Retardation	0	0.0%
Miscellaneous	5	5.7%
Mood	15	17.0%
Pervasive Developmental	1	1.1%
Psychotic Spectrum	1	1.1%
Substance-Related	3	3.4%
Not Available (% Total)	5	5.4%


Any Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	8	9.1%
Anxiety	18	20.5%
Attention	39	44.3%
Disruptive Behavior	50	56.8%
Mental Retardation	5	5.7%
Miscellaneous	19	21.6%
Mood	22	25.0%
Pervasive Developmental	2	2.3%
Psychotic Spectrum	1	1.1%
Substance-Related	17	19.3%
Multiple Diagnoses	68	77.3%
Avg. Number of Diagnoses	2.1	

Race Not Based on Observation

	N	%
Total Registered Youth	2,026	95.6%
with Services Procured	1,246	61.5%
Youth with New Admissions	942	46.5%
with Initial Admissions	674	33.3%
with Repeat Admissions	268	13.2%
Youth with Discharges	822	40.6%

	N	% of Available
Gender		
Females	772	38%
Males	1,254	62%

	Mean	SD
Age in Years	13.9	3.8



Primary Diagnosis of	N	% Avail
None Recorded	6	0.4%
Adjustment	124	7.4%
Anxiety	178	10.6%
Attention	324	19.3%
Disruptive Behavior	542	32.3%
Mental Retardation	0	0.0%
Miscellaneous	69	4.1%
Mood	316	18.8%
Pervasive Developmental	24	1.4%
Psychotic Spectrum	37	2.2%
Substance-Related	59	3.5%
Not Available (% Total)	347	17.1%

Any Diagnosis of	N	% Avail
None Recorded	4	0.2%
Adjustment	197	11.7%
Anxiety	392	23.3%
Attention	590	35.0%
Disruptive Behavior	888	52.7%
Mental Retardation	29	1.7%
Miscellaneous	447	26.5%
Mood	502	29.8%
Pervasive Developmental	34	2.0%
Psychotic Spectrum	45	2.7%
Substance-Related	339	20.1%
Multiple Diagnoses	1,251	74.3%
Avg. Number of Diagnoses	1.8	

Summary of Youth by Race Based on Observation
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Race Based on Observation		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	49	83.1%
Hispanic or Latino/a	10	16.9%
Not Available (% Total)	34	36.6%

Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	0	0.0%
Asian	9	10.1%
Black or African-American	5	5.6%
Native Hawaiian or Pacific Islander	18	20.2%
White	17	19.1%
Other Race	0	0.0%
Multiracial	40	44.9%
Based on Observation	93	104.5%
Not Available (% Total)	4	4.3%

Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	3	5.0%
Alaska Native	0	0.0%
American Indian	3	5.0%
Asian	21	35.0%
Asian Indian	0	0.0%
Chinese	11	18.3%
Filipino	13	21.7%
Japanese	6	10.0%
Korean	0	0.0%
Vietnamese	0	0.0%
Other Asian	0	0.0%
Black or African-American	3	5.0%
Hispanic or Latina/o	10	16.7%
Cuban	0	0.0%
Mexican	1	1.7%
Puerto Rican	5	8.3%
Other Hispanic	5	8.3%
Native Hawaiian or Pacific Islander	30	50.0%
Guamanian or Chamorro	0	0.0%
Micronesian	9	15.0%
Native Hawaiian	17	28.3%
Samoan	5	8.3%
Other Pacific Islander	3	5.0%
White	31	51.7%
White or Caucasian	26	43.3%
Portuguese	8	13.3%
Other Race or Ethnicity	1	1.7%
Multiethnic	26	43.3%
Not Available (% Total)	33	35.5%

Race Not Based on Observation		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	851	71.0%
Hispanic or Latino/a	348	29.0%
Not Available (% Total)	827	40.8%

Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	7	0.5%
Asian	113	7.9%
Black or African-American	17	1.2%
Native Hawaiian or Pacific Islander	190	13.2%
White	195	13.6%
Other Race	8	0.6%
Multiracial	904	63.0%
Based on Observation	0	0.0%
Not Available (% Total)	592	29.2%

Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	127	10.7%
Alaska Native	0	0.0%
American Indian	127	10.7%
Asian	670	56.3%
Asian Indian	5	0.4%
Chinese	301	25.3%
Filipino	386	32.4%
Japanese	209	17.6%
Korean	45	3.8%
Vietnamese	9	0.8%
Other Asian	20	1.7%
Black or African-American	80	6.7%
Hispanic or Latina/o	340	28.6%
Cuban	6	0.5%
Mexican	64	5.4%
Puerto Rican	184	15.5%
Other Hispanic	131	11.0%
Native Hawaiian or Pacific Islander	729	61.3%
Guamanian or Chamorro	12	1.0%
Micronesian	49	4.1%
Native Hawaiian	624	52.4%
Samoan	77	6.5%
Other Pacific Islander	47	3.9%
White	756	63.5%
White or Caucasian	595	50.0%
Portuguese	300	25.2%
Other Race or Ethnicity	51	4.3%
Multiethnic	853	71.7%
Not Available (% Total)	836	41.3%

Summary of Youth by Race Based on Observation
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Race Based on Observation		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	4	4.3%
Leeward Oahu	23	24.7%
Honolulu Oahu	23	24.7%
Hawaii (Big Island)	26	28.0%
Maui	2	2.2%
Kauai	14	15.1%
Family Court Liaison Branch	1	1.1%

Race Not Based on Observation		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	292	14.4%
Leeward Oahu	280	13.8%
Honolulu Oahu	228	11.3%
Hawaii (Big Island)	744	36.7%
Maui	223	11.0%
Kauai	172	8.5%
Family Court Liaison Branch	87	4.3%

*Central Oahu FGC now includes both Central and Windward Oahu offices.

Summary of Youth by Race Based on Observation
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Services Procured	Race Based on Observation			Race Not Based on Observation		
	Monthly Average	Total N	% of Procured	Monthly Average	Total N	% of Procured
Out-of-Home	17	33	49.3%	166	359	28.8%
Out-of-State	1	1	1.5%	4	4	0.3%
Hospital Residential	1	3	4.5%	17	74	5.9%
Community High Risk	0	1	1.5%	7	13	1.0%
Community Residential	3	10	14.9%	51	145	11.6%
Therapeutic Foster Home	12	22	32.8%	91	177	14.2%
<i>Multidimensional Treatment Foster Care</i>	1	2	3.0%	4	10	0.8%
<i>Transitional Family Home</i>	11	20	29.9%	87	172	13.8%
Intensive Home & Community	27	53	79.1%	448	933	74.9%
Partial Hospitalization	0	2	3.0%	5	21	1.7%
Multisystemic Therapy	6	16	23.9%	62	197	15.8%
Intensive In-Home	21	40	59.7%	386	772	62.0%
Outpatient	2	8	11.9%	57	300	24.1%
Treatment	2	5	7.5%	42	128	10.3%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	1	4	6.0%	32	97	7.8%
<i>Outpatient Therapy</i>	1	1	1.5%	9	31	2.5%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	0	3	4.5%	16	178	14.3%
Supportive Services	4	17	25.4%	40	171	13.7%
Respite Home	1	3	4.5%	5	27	2.2%
Ancillary Service	3	14	20.9%	35	148	11.9%
Crisis Stabilization	1	4	6.0%	5	42	3.4%
Unduplicated Total (% of Registered)	43	67	72%	649	1,246	62%

*These services either were not procured or had no data available in FY 2013.

Summary of Youth by Race Based on Observation
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Total Hours Procured	Race Based on Observation			Race Not Based on Observation		
	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth
Out-of-Home	157	1,103	85.7%	151	954	89.1%
Out-of-State	198	2,373	85.7%	195	2,057	97.4%
Hospital Residential	137	388	51.6%	120	358	59.0%
Community High Risk	117	117	32.0%	180	1,133	87.2%
Community Residential	144	658	85.0%	137	669	77.1%
Therapeutic Foster Home	159	1,190	77.5%	166	1,108	84.4%
<i>Multidimensional Treatment Foster Care</i>	176	1,154	93.6%	172	865	73.0%
<i>Transitional Family Home</i>	157	1,193	75.9%	165	1,090	82.6%
Intensive Home & Community	19	121	68.5%	18	98	79.1%
Partial Hospitalization	3	6	50.8%	3	8	2.8%
Multisystemic Therapy	37	148	74.1%	40	134	80.5%
Intensive In-Home	14	100	58.6%	12	84	74.9%
Outpatient	5	17	23.1%	4	9	51.0%
Treatment	5	23	32.3%	4	15	49.2%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	3	10	29.1%	3	14	51.9%
<i>Outpatient Therapy</i>	13	78	45.1%	4	19	40.5%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	6	6	7.6%	5	5	50.5%
Supportive Services**	-	-	-	-	-	-
Respite Home	18	41	9.1%	20	52	12.5%
Ancillary Service**	-	-	-	-	-	-
Crisis Stabilization	29	49	6.7%	29	40	52.6%
Unduplicated Total	58	645		39	353	

Service Changes	Race Based on Observation			Race Not Based on Observation		
	Monthly Average	Total N	Total per Youth	Monthly Average	Total N	Total per Youth
Placement Changes	4	43	0.5	42	498	0.2
Out-of-Home Changes	0	4	0.0	3	41	0.0
Provider Agency Changes	6	66	0.7	101	1,208	0.6
Care Coordinator Changes	3	32	0.3	71	849	0.4

*These services either were not procured or had no data available in FY 2013.

**Duration not available for these services.

Summary of Youth by Race Based on Observation
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Race Based on Observation		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	136 (3.6)	101 (4.2)	100 (4.6)
Moods: Self-Harm	12 (1.3)	4 (0.9)	3 (0.9)
Moods: Emotions	23 (0.6)	16 (0.7)	16 (0.8)
Home Role Performance	28 (0.6)	20 (1.0)	19 (1.2)
School Role Performance	28 (0.5)	20 (1.2)	20 (1.4)
Community Role Performance	18 (1.3)	13 (1.2)	13 (1.3)
Behavior Towards Other	24 (0.7)	17 (0.7)	17 (0.9)
Substance Use	13 (1.4)	8 (1.1)	8 (1.2)
Thinking	10 (1.1)	4 (0.8)	4 (0.8)

	Race Based on Observation		
Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	22 (0.4)	18 (0.4)	18 (0.4)
Level of Care	4 (0.1)	3 (0.1)	3 (0.2)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Functional Assessment Scale (CAFAS)			
Total (8-scale)	36 (71)	48% (71)	21% (71)
Moods: Self-Harm	9 (71)	80% (30)	97% (30)
Moods: Emotions	6 (71)	49% (69)	93% (69)
Home Role Performance	9 (71)	57% (67)	64% (67)
School Role Performance	9 (71)	46% (69)	54% (69)
Community Role Performance	6 (71)	45% (49)	84% (49)
Behavior Towards Other	7 (71)	61% (66)	88% (66)
Substance Use	5 (71)	55% (33)	85% (33)
Thinking	6 (71)	79% (24)	92% (24)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Level of Care Utilization System (CALOCUS)			
Total	4 (70)	57% (68)	41% (68)
Level of Care	1 (70)	57% (68)	63% (68)

	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Sentinel Event Reports			
Total	1,677	13	39.8%
Child Events	2,118	16	39.8%
Person-Directed	355	3	19.4%
Property-Directed	161	1	10.8%
Runaway or Elopement	516	4	18.3%
Self-Injury	387	3	10.8%
Substance Use	237	2	12.9%
Other	333	3	18.3%
Institutional Events	1,075	8	25.8%
Person-Directed (Client Victim)	86	1	5.4%
Seclusion or Restraint	65	1	4.3%
Medication Error	0	0	0.0%
Police Called	376	3	18.3%
Criminal Charges or Arrest	258	2	14.0%
Client Injury	75	1	5.4%
Staff Injury	22	0	2.2%
Other	194	2	8.6%

	Race Not Based on Observation		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	118 (0.9)	89 (0.9)	85 (1.0)
Moods: Self-Harm	9 (0.3)	3 (0.2)	2 (0.2)
Moods: Emotions	21 (0.2)	16 (0.2)	15 (0.2)
Home Role Performance	25 (0.2)	19 (0.2)	18 (0.3)
School Role Performance	26 (0.2)	19 (0.2)	18 (0.3)
Community Role Performance	14 (0.3)	9 (0.3)	8 (0.3)
Behavior Towards Other	21 (0.2)	16 (0.2)	15 (0.2)
Substance Use	10 (0.3)	5 (0.2)	5 (0.2)
Thinking	6 (0.2)	2 (0.1)	2 (0.2)

	Race Not Based on Observation		
Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	21 (0.1)	18 (0.1)	18 (0.1)
Level of Care	4 (0.0)	3 (0.0)	3 (0.0)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Functional Assessment Scale (CAFAS)			
Total (8-scale)	33 (1350)	53% (1278)	35% (1278)
Moods: Self-Harm	7 (1350)	78% (455)	96% (455)
Moods: Emotions	6 (1350)	47% (1186)	95% (1186)
Home Role Performance	7 (1350)	50% (1209)	65% (1209)
School Role Performance	8 (1349)	49% (1247)	63% (1247)
Community Role Performance	5 (1350)	47% (707)	90% (707)
Behavior Towards Other	6 (1350)	49% (1178)	95% (1178)
Substance Use	5 (1350)	62% (480)	83% (480)
Thinking	4 (1350)	75% (257)	97% (257)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Level of Care Utilization System (CALOCUS)			
Total	3 (1214)	45% (1128)	42% (1128)
Level of Care	1 (1214)	55% (1133)	67% (1133)

	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Sentinel Event Reports			
Total	824	139	22.8%
Child Events	881	149	20.9%
Person-Directed	174	29	8.8%
Property-Directed	92	16	6.1%
Runaway or Elopement	233	39	9.6%
Self-Injury	162	27	7.2%
Substance Use	90	15	4.7%
Other	98	17	6.0%
Institutional Events	519	88	14.8%
Person-Directed (Client Victim)	44	7	3.6%
Seclusion or Restraint	59	10	2.7%
Medication Error	10	2	0.7%
Police Called	143	24	7.7%
Criminal Charges or Arrest	93	16	5.1%
Client Injury	38	6	3.4%
Staff Injury	8	1	0.5%
Other	110	19	6.8%

*Indicates average change from highest CAFAS or CALOCUS score to most recent.
 (A positive number reflects improvement.)

Summary of Youth by Race Based on Observation
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Race Based on Observation			
Service Setting	Any Use N	Any Use % Avail	Dosage % of Months
Clinic	36	53.7%	65.5%
Community	55	82.1%	76.8%
Home	59	88.1%	82.4%
Out-of-Home	38	56.7%	59.2%
Phone*	3	4.5%	52.2%
School	49	73.1%	57.9%
Unclear*	2	3.0%	13.9%
Not Available	26	28.0%	

Service Format	Any Use N	Any Use % Avail	Dosage % of Months
Family	52	77.6%	71.3%
Group	20	29.9%	53.8%
Individual	62	92.5%	91.0%
Parent	52	77.6%	74.9%
Phone*	0	0.0%	0.0%
Professional Consult*	18	26.9%	35.8%
Teacher	30	44.8%	54.9%
Unclear*	10	14.9%	34.6%
Not Available	26	28.0%	

Discharge Living Situation	Youth N	% Youth Discharged	% Discharges
Foster Home	9	19.1%	12.7%
Group Care	1	2.1%	1.4%
Home	28	59.6%	39.4%
Homeless/Shelter	1	2.1%	1.4%
Institution/Hospital	3	6.4%	4.2%
Jail/Correctional Facility	3	6.4%	4.2%
Other	14	29.8%	19.7%
Residential Treatment	4	8.5%	5.6%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	47		
Number of Discharges	71		

Reason for Discharge	Youth N	% Youth Discharged	% Discharges
Eligibility Change	2	4.3%	2.8%
Family Relocation	1	2.1%	1.4%
Insufficient Progress	7	14.9%	9.9%
Other	18	38.3%	25.4%
Runaway/Elopement	10	21.3%	14.1%
Refuse/Withdraw	6	12.8%	8.5%
Success/Goals Met	22	46.8%	31.0%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	47		
Number of Discharges	71		

Race Not Based on Observation		
Any Use N	Any Use % Avail	Dosage % of Months
525	44.8%	56.5%
882	75.2%	72.9%
1,027	87.6%	84.0%
458	39.0%	61.5%
136	11.6%	59.4%
678	57.8%	55.7%
46	3.9%	28.2%
853	42.1%	

Any Use N	Any Use % Avail	Dosage % of Months
915	78.0%	72.5%
344	29.3%	48.6%
996	84.9%	87.6%
902	76.9%	75.1%
35	3.0%	43.5%
285	24.3%	43.0%
436	37.2%	46.5%
166	14.2%	49.6%
853	42.1%	

Youth N	% Youth Discharged	% Discharges
91	13.0%	8.8%
7	1.0%	0.7%
495	70.9%	47.7%
17	2.4%	1.6%
20	2.9%	1.9%
50	7.2%	4.8%
112	16.0%	10.8%
49	7.0%	4.7%
0	0.0%	0.0%
698		
1038		

Youth N	% Youth Discharged	% Discharges
15	2.1%	1.4%
21	3.0%	2.0%
62	8.9%	6.0%
213	30.5%	20.5%
88	12.6%	8.5%
71	10.2%	6.8%
419	60.0%	40.4%
0	0.0%	0.0%
698		
1038		

*Indicates written response to an open-ended question.

Summary of Youth by Race Based on Observation
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Treatment Target	Race Based on Observation			Race Not Based on Observation		
	Any Use N	Any Use % Avail	Dosage % of Months	Any Use N	Any Use % Avail	Dosage % of Months
Academic Achievement	28	41.8%	46.7%	420	35.8%	39.8%
Activity Involvement	41	61.2%	49.1%	625	53.3%	56.3%
Adaptive Behavior/Living Skills	18	26.9%	33.1%	141	12.0%	38.7%
Adjustment to Change	22	32.8%	25.8%	326	27.8%	39.2%
Adult Intercoordination	1	1.5%	11.1%	12	1.0%	22.9%
Aggression	29	43.3%	56.2%	500	42.6%	54.4%
Anger	43	64.2%	56.7%	573	48.8%	55.3%
Anxiety	31	46.3%	47.6%	423	36.1%	50.4%
Assertiveness	15	22.4%	33.3%	206	17.6%	38.1%
Attention Problems	16	23.9%	27.5%	203	17.3%	36.6%
Avoidance	22	32.8%	41.3%	267	22.8%	41.4%
Caregiver Self-Management/Coping	0	0.0%	0.0%	6	0.5%	22.1%
Cognitive-Intellectual Functioning	9	13.4%	45.9%	88	7.5%	37.9%
Community Involvement	17	25.4%	23.3%	211	18.0%	33.1%
Compulsive Behavior	0	0.0%	0.0%	3	0.3%	22.2%
Contentment/Enjoyment/Happiness	20	29.9%	28.9%	231	19.7%	41.6%
Depressed Mood	21	31.3%	46.7%	376	32.1%	49.7%
Eating/Feeding Problems	3	4.5%	21.4%	33	2.8%	33.3%
Empathy	14	20.9%	35.0%	135	11.5%	43.6%
Enuresis/Encopresis	3	4.5%	15.9%	38	3.2%	53.4%
Fire Setting	0	0.0%	0.0%	6	0.5%	39.0%
Fitness/Exercise	0	0.0%	0.0%	1	0.1%	20.0%
Gender Identity Problems	0	0.0%	0.0%	7	0.6%	26.3%
Goal Setting	0	0.0%	0.0%	4	0.3%	12.7%
Grief	6	9.0%	27.9%	65	5.5%	39.1%
Health Management	5	7.5%	31.6%	87	7.4%	31.6%
Housing/Living Situation	18	26.9%	32.2%	188	16.0%	32.7%
Hyperactivity	6	9.0%	48.4%	97	8.3%	38.7%
Information Gathering	0	0.0%	0.0%	11	0.9%	32.8%
Learning Disorder/Underachievement	4	6.0%	14.0%	34	2.9%	27.2%
Low Self-Esteem	24	35.8%	41.7%	289	24.6%	42.1%
Mania	1	1.5%	40.0%	10	0.9%	26.4%
Medical Regimen Adherence	8	11.9%	48.8%	120	10.2%	37.6%
Occupational Functioning/Stress	8	11.9%	39.9%	42	3.6%	27.3%
Oppositional/Non-Compliant Behavior	52	77.6%	67.8%	745	63.5%	64.2%
Pain Management	0	0.0%	0.0%	0	0.0%	0.0%
Parenting Skills	2	3.0%	13.3%	17	1.4%	34.6%
Peer Involvement	14	20.9%	29.2%	188	16.0%	34.3%
Peer/Sibling Conflict	24	35.8%	48.6%	289	24.6%	44.0%
Personal Hygiene	2	3.0%	14.5%	44	3.8%	29.9%
Phobia/Fears	32	47.8%	43.2%	385	32.8%	43.7%
Positive Family Functioning	10	14.9%	40.7%	76	6.5%	40.9%
Positive Peer Interaction	58	86.6%	70.4%	907	77.3%	67.2%
Positive Thinking/Attitude	37	55.2%	35.0%	339	28.9%	41.7%
Pregnancy Education/Adjustment	1	1.5%	100.0%	23	2.0%	38.6%
Psychosis	3	4.5%	30.6%	35	3.0%	53.5%
Runaway	23	34.3%	44.7%	208	17.7%	46.4%
Safe Environment	1	1.5%	33.3%	10	0.9%	28.3%
School Involvement	23	34.3%	42.5%	261	22.3%	36.5%
School Refusal/Truancy	13	19.4%	50.2%	214	18.2%	42.0%
Self-Control	13	19.4%	29.5%	146	12.4%	46.2%
Self-Injurious Behavior	25	37.3%	32.4%	290	24.7%	42.2%
Sexual Orientation	0	0.0%	0.0%	0	0.0%	0.0%
Sexual Misconduct	7	10.4%	41.6%	62	5.3%	52.9%
Shyness	2	3.0%	75.0%	23	2.0%	23.3%
Sleep Disturbance	3	4.5%	43.3%	21	1.8%	35.0%
Social Skills	28	41.8%	44.9%	335	28.6%	46.1%
Speech and Language	0	0.0%	0.0%	8	0.7%	25.6%
Substance Use	27	40.3%	59.0%	319	27.2%	65.1%
Suicidality	6	9.0%	47.4%	84	7.2%	35.7%
Traumatic Stress	11	16.4%	26.5%	179	15.3%	45.3%
Treatment Engagement	41	61.2%	40.5%	640	54.6%	53.5%
Treatment Planning/Framing	4	6.0%	82.9%	63	5.4%	43.1%
Willful Misconduct/Delinquency	21	31.3%	47.5%	213	18.2%	45.3%
Other	2	3.0%	12.9%	12	1.0%	16.1%
Unclear	4	6.0%	14.3%	97	8.3%	30.1%
Not Available	26	28.0%		853	42.1%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Race Based on Observation
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Race Based on Observation			Race Not Based on Observation		
	Any Use	Any Use	Dosage	Any Use	Any Use	Dosage
Practice Elements	N	% Avail	% of Months	N	% Avail	% of Months
Activity Scheduling	50	74.6%	56.3%	688	58.7%	57.0%
Anger Management	0	0.0%	0.0%	4	0.3%	16.8%
Animal or Plant Assisted Activities	0	0.0%	0.0%	0	0.0%	0.0%
Arousal Reconditioning	0	0.0%	0.0%	0	0.0%	0.0%
Art/Music Therapy	0	0.0%	0.0%	2	0.2%	22.2%
Assertiveness Training	25	37.3%	37.4%	384	32.7%	46.5%
Assessment	2	3.0%	41.7%	39	3.3%	69.0%
Attending	24	35.8%	40.1%	337	28.7%	45.3%
Behavior Management	0	0.0%	0.0%	5	0.4%	15.3%
Behavioral Contracting	47	70.1%	64.3%	666	56.8%	55.1%
Biofeedback/Neurofeedback	0	0.0%	0.0%	19	1.6%	29.4%
Care Coordination	52	77.6%	73.1%	715	61.0%	64.7%
Catharsis	7	10.4%	42.7%	67	5.7%	38.9%
Cognitive/Coping	47	70.1%	60.9%	695	59.2%	64.3%
Commands/Limit Setting	17	25.4%	37.2%	173	14.7%	40.2%
Communication Skills	58	86.6%	73.1%	903	77.0%	67.5%
Counseling	0	0.0%	0.0%	1	0.1%	27.3%
Crisis Management	37	55.2%	53.9%	506	43.1%	45.6%
Cultural Training	11	16.4%	48.3%	134	11.4%	40.9%
Discrete Trial Training	0	0.0%	0.0%	15	1.3%	19.6%
Educational Support	48	71.6%	57.6%	623	53.1%	55.2%
Emotional Processing	54	80.6%	64.5%	746	63.6%	62.8%
Exposure	15	22.4%	38.4%	238	20.3%	40.6%
Eye Movement/Body Tapping	1	1.5%	20.0%	17	1.4%	17.9%
Family Engagement	53	79.1%	58.6%	878	74.9%	64.6%
Family Therapy	48	71.6%	53.4%	817	69.7%	60.8%
Family Visit	0	0.0%	0.0%	0	0.0%	0.0%
Free Association	10	14.9%	30.5%	68	5.8%	37.1%
Functional Analysis	17	25.4%	61.4%	189	16.1%	48.1%
Goal Setting	59	88.1%	65.6%	823	70.2%	63.6%
Guided Imagery	22	32.8%	32.9%	188	16.0%	37.1%
Ho'Oponopono	0	0.0%	0.0%	0	0.0%	0.0%
Hypnosis	2	3.0%	8.7%	21	1.8%	27.5%
Ignoring or DRO	27	40.3%	43.4%	399	34.0%	47.2%
Individual Therapy for Caregiver	26	38.8%	44.4%	338	28.8%	41.4%
Informal Supports	1	1.5%	40.0%	5	0.4%	24.2%
Insight Building	49	73.1%	59.9%	736	62.7%	60.5%
Interpretation	22	32.8%	43.3%	194	16.5%	35.5%
Juvenile Sex Offender Treatment	1	1.5%	8.3%	22	1.9%	74.2%
Legal Assistance/Involvement	0	0.0%	0.0%	0	0.0%	0.0%
Line of Sight Supervision	30	44.8%	44.7%	375	32.0%	46.8%
Maintenance/Relapse Prevention	22	32.8%	50.2%	327	27.9%	43.5%
Marital Therapy	9	13.4%	29.5%	59	5.0%	29.6%
Medication/Pharmacotherapy	21	31.3%	60.2%	342	29.2%	51.7%
Mentoring	38	56.7%	47.1%	445	37.9%	49.8%
Milieu Therapy	20	29.9%	42.5%	287	24.5%	50.9%
Mindfulness	33	49.3%	52.8%	473	40.3%	48.6%
Modeling	50	74.6%	57.0%	735	62.7%	57.2%
Motivational Interviewing	40	59.7%	52.1%	594	50.6%	55.2%
Natural and Logical Consequences	52	77.6%	64.6%	796	67.9%	61.6%
Parent Coping	41	61.2%	51.6%	744	63.4%	58.3%
Parent or Teacher Monitoring	44	65.7%	52.8%	552	47.1%	51.3%
Parent Praise	39	58.2%	49.9%	576	49.1%	51.9%
Parenting	0	0.0%	0.0%	15	1.3%	21.0%
Peer Modeling/Pairing	17	25.4%	29.7%	195	16.6%	32.7%
Personal Safety Skills	33	49.3%	57.8%	535	45.6%	50.5%
Physical Exercise	0	0.0%	0.0%	0	0.0%	0.0%
Play Therapy	6	9.0%	30.2%	197	16.8%	48.8%
Problem Solving	59	88.1%	67.8%	891	76.0%	65.5%
Psychoeducation-Child	42	62.7%	60.9%	740	63.1%	59.9%
Psychoeducation-Parent	46	68.7%	55.8%	800	68.2%	62.6%
Relationship/Rapport Building	49	73.1%	59.2%	883	75.3%	60.7%
Relaxation	44	65.7%	48.5%	571	48.7%	50.2%
Response Cost	12	17.9%	43.9%	219	18.7%	42.3%
Response Prevention	20	29.9%	40.8%	249	21.2%	41.6%
Self-Monitoring	37	55.2%	45.3%	511	43.6%	49.8%
Self-Reward/Self-Praise	28	41.8%	48.3%	406	34.6%	49.6%
Skill Building	53	79.1%	63.8%	826	70.4%	61.0%
Social Skills Training	45	67.2%	58.3%	616	52.5%	53.7%
Stimulus Control/Antecedent Man.	23	34.3%	32.5%	267	22.8%	44.2%
Supportive Listening	59	88.1%	70.7%	935	79.7%	71.2%
Tangible Rewards	35	52.2%	60.2%	560	47.7%	51.4%
Therapist Praise/Rewards	51	76.1%	64.2%	759	64.7%	62.0%
Thought Field Therapy	3	4.5%	18.5%	29	2.5%	20.1%
Time Out	20	29.9%	45.4%	325	27.7%	45.2%
Twelve-step Programming	10	14.9%	45.5%	134	11.4%	50.2%
Other	4	6.0%	20.0%	31	2.6%	29.0%
Unclear	9	13.4%	45.6%	145	12.4%	38.5%
Not Available	26	28.0%		853	42.1%	


Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Race Not Available
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Race Not Available		
	N	%
Total Registered Youth	596	28.1%
with Services Procured	243	40.8%
Youth with New Admissions	404	67.8%
with Initial Admissions	353	59.2%
with Repeat Admissions	51	8.6%
Youth with Discharges	280	47.0%

	N	% of Available
Gender		
Females	240	40%
Males	356	60%

	Mean	SD
Age in Years	12.9	4.1




Primary Diagnosis of	N	% Avail
None Recorded	1	0.3%
Adjustment	30	9.6%
Anxiety	39	12.5%
Attention	56	18.0%
Disruptive Behavior	99	31.8%
Mental Retardation	0	0.0%
Miscellaneous	12	3.9%
Mood	57	18.3%
Pervasive Developmental	2	0.6%
Psychotic Spectrum	6	1.9%
Substance-Related	9	2.9%
Not Available (% Total)	285	47.8%

Any Diagnosis of	N	% Avail
None Recorded	1	0.3%
Adjustment	42	13.5%
Anxiety	64	20.6%
Attention	94	30.2%
Disruptive Behavior	164	52.7%
Mental Retardation	1	0.3%
Miscellaneous	72	23.2%
Mood	87	28.0%
Pervasive Developmental	5	1.6%
Psychotic Spectrum	7	2.3%
Substance-Related	55	17.7%
Multiple Diagnoses	209	67.2%
Avg. Number of Diagnoses	1.0	

Race Available		
	N	%
Total Registered Youth	1,523	71.9%
with Services Procured	1,070	70.3%
Youth with New Admissions	565	37.1%
with Initial Admissions	337	22.1%
with Repeat Admissions	228	15.0%
Youth with Discharges	576	37.8%

	N	% of Available
Gender		
Females	558	37%
Males	965	63%

	Mean	SD
Age in Years	14.4	3.5



Primary Diagnosis of	N	% Avail
None Recorded	5	0.3%
Adjustment	99	6.8%
Anxiety	146	10.0%
Attention	291	20.0%
Disruptive Behavior	471	32.3%
Mental Retardation	0	0.0%
Miscellaneous	62	4.3%
Mood	274	18.8%
Pervasive Developmental	23	1.6%
Psychotic Spectrum	32	2.2%
Substance-Related	53	3.6%
Not Available (% Total)	67	4.4%

Any Diagnosis of	N	% Avail
None Recorded	3	0.2%
Adjustment	163	11.2%
Anxiety	346	23.7%
Attention	535	36.6%
Disruptive Behavior	774	53.0%
Mental Retardation	33	2.3%
Miscellaneous	394	27.0%
Mood	437	29.9%
Pervasive Developmental	31	2.1%
Psychotic Spectrum	39	2.7%
Substance-Related	301	20.6%
Multiple Diagnoses	1,110	76.0%
Avg. Number of Diagnoses	2.1	

Summary of Youth by Race Not Available
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Race Not Available		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	4	36.4%
Hispanic or Latino/a	7	63.6%
Not Available (% Total)	585	98.2%

Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	0	-
Asian	0	-
Black or African-American	0	-
Native Hawaiian or Pacific Islander	0	-
White	0	-
Other Race	0	-
Multiracial	0	-
Based on Observation	4	-
Not Available (% Total)	596	100.0%

Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	0	0.0%
Alaska Native	0	0.0%
American Indian	0	0.0%
Asian	0	0.0%
Asian Indian	0	0.0%
Chinese	0	0.0%
Filipino	0	0.0%
Japanese	0	0.0%
Korean	0	0.0%
Vietnamese	0	0.0%
Other Asian	0	0.0%
Black or African-American	0	0.0%
Hispanic or Latina/o	0	0.0%
Cuban	0	0.0%
Mexican	0	0.0%
Puerto Rican	0	0.0%
Other Hispanic	0	0.0%
Native Hawaiian or Pacific Islander	0	0.0%
Guamanian or Chamorro	0	0.0%
Micronesian	0	0.0%
Native Hawaiian	0	0.0%
Samoan	0	0.0%
Other Pacific Islander	0	0.0%
White	0	0.0%
White or Caucasian	0	0.0%
Portuguese	0	0.0%
Other Race or Ethnicity	0	0.0%
Multiethnic	0	0.0%
Not Available (% Total)	595	99.8%

Race Available		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	896	71.9%
Hispanic or Latino/a	351	28.1%
Not Available (% Total)	276	18.1%

Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	7	0.5%
Asian	122	8.0%
Black or African-American	22	1.4%
Native Hawaiian or Pacific Islander	208	13.7%
White	212	13.9%
Other Race	8	0.5%
Multiracial	944	62.0%
Based on Observation	89	5.8%
Not Available (% Total)	0	0.0%

Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	130	10.4%
Alaska Native	0	0.0%
American Indian	130	10.4%
Asian	691	55.3%
Asian Indian	5	0.4%
Chinese	312	25.0%
Filipino	399	31.9%
Japanese	215	17.2%
Korean	45	3.6%
Vietnamese	9	0.7%
Other Asian	20	1.6%
Black or African-American	83	6.6%
Hispanic or Latina/o	350	28.0%
Cuban	6	0.5%
Mexican	65	5.2%
Puerto Rican	189	15.1%
Other Hispanic	136	10.9%
Native Hawaiian or Pacific Islander	759	60.8%
Guamanian or Chamorro	12	1.0%
Micronesian	58	4.6%
Native Hawaiian	641	51.3%
Samoan	82	6.6%
Other Pacific Islander	50	4.0%
White	787	63.0%
White or Caucasian	621	49.7%
Portuguese	308	24.7%
Other Race or Ethnicity	52	4.2%
Multiethnic	879	70.4%
Not Available (% Total)	274	18.0%

Summary of Youth by Race Not Available
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Race Not Available		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	26	4.4%
Leeward Oahu	49	8.2%
Honolulu Oahu	32	5.4%
Hawaii (Big Island)	336	56.4%
Maui	84	14.1%
Kauai	18	3.0%
Family Court Liaison Branch	51	8.6%

Race Available		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	270	17.7%
Leeward Oahu	254	16.7%
Honolulu Oahu	219	14.4%
Hawaii (Big Island)	434	28.5%
Maui	141	9.3%
Kauai	168	11.0%
Family Court Liaison Branch	37	2.4%

*Central Oahu FGC now includes both Central and Windward Oahu offices.

Summary of Youth by Race Not Available
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Services Procured	Race Not Available			Race Available		
	Monthly Average	Total N	% of Procured	Monthly Average	Total N	% of Procured
Out-of-Home	26	55	22.6%	156	337	31.5%
Out-of-State	0	0	0.0%	5	5	0.5%
Hospital Residential	3	12	4.9%	14	65	6.1%
Community High Risk	0	0	0.0%	7	14	1.3%
Community Residential	8	21	8.6%	47	134	12.5%
Therapeutic Foster Home	16	31	12.8%	87	168	15.7%
<i>Multidimensional Treatment Foster Care</i>	1	1	0.4%	4	11	1.0%
<i>Transitional Family Home</i>	15	30	12.3%	83	162	15.1%
Intensive Home & Community	71	158	65.0%	404	828	77.4%
Partial Hospitalization	0	0	0.0%	5	23	2.1%
Multisystemic Therapy	7	25	10.3%	61	188	17.6%
Intensive In-Home	64	137	56.4%	342	675	63.1%
Outpatient	10	101	41.6%	49	207	19.3%
Treatment	3	14	5.8%	41	119	11.1%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	1	7	2.9%	32	94	8.8%
<i>Outpatient Therapy</i>	2	7	2.9%	8	25	2.3%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	8	87	35.8%	8	94	8.8%
Supportive Services	8	43	17.7%	35	145	13.6%
Respite Home	1	7	2.9%	5	23	2.1%
Ancillary Service	8	39	16.0%	30	123	11.5%
Crisis Stabilization	2	16	6.6%	4	30	2.8%
Unduplicated Total (% of Registered)	105	243	41%	587	1,070	70%

*These services either were not procured or had no data available in FY 2013.

Summary of Youth by Race Not Available
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Total Hours Procured	Race Not Available			Race Available		
	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth
Out-of-Home	153	976	91.1%	151	965	88.5%
Out-of-State	0	0	0.0%	195	2,120	95.1%
Hospital Residential	116	416	70.1%	121	348	56.6%
Community High Risk	0	0	0.0%	175	1,060	83.2%
Community Residential	151	700	79.4%	135	664	77.4%
Therapeutic Foster Home	166	1,097	80.8%	165	1,121	84.1%
<i>Multidimensional Treatment Foster Care</i>	192	1,924	98.1%	171	821	74.5%
<i>Transitional Family Home</i>	165	1,069	80.2%	164	1,106	82.2%
Intensive Home & Community	17	89	78.4%	18	101	78.5%
Partial Hospitalization	0	0	0.0%	3	8	7.0%
Multisystemic Therapy	44	129	78.9%	39	136	80.1%
Intensive In-Home	12	79	76.1%	13	86	73.7%
Outpatient	4	5	50.5%	4	11	50.1%
Treatment	3	9	39.0%	4	16	49.6%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	3	5	58.7%	3	14	50.4%
<i>Outpatient Therapy</i>	4	13	19.2%	5	24	46.6%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	4	5	52.4%	5	5	47.5%
Supportive Services**	-	-	-	-	-	-
Respite Home	20	31	9.9%	20	57	12.9%
Ancillary Service**	-	-	-	-	-	-
Crisis Stabilization	20	22	76.6%	33	50	33.7%
Unduplicated Total	32	283		42	387	

Service Changes	Race Not Available			Race Available		
	Monthly Average	Total N	Total per Youth	Monthly Average	Total N	Total per Youth
Placement Changes	6	74	0.1	39	467	0.3
Out-of-Home Changes	1	8	0.0	3	37	0.0
Provider Agency Changes	22	269	0.5	84	1,005	0.7
Care Coordinator Changes	31	378	0.6	42	503	0.3

*These services either were not procured or had no data available in FY 2013.

**Duration not available for these services.

Summary of Youth by Race Not Available
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Race Not Available		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	100 (2.2)	85 (2.0)	83 (2.1)
Moods: Self-Harm	6 (0.5)	3 (0.4)	2 (0.4)
Moods: Emotions	19 (0.4)	16 (0.4)	15 (0.4)
Home Role Performance	22 (0.5)	18 (0.5)	18 (0.6)
School Role Performance	23 (0.5)	19 (0.5)	19 (0.6)
Community Role Performance	9 (0.6)	7 (0.5)	6 (0.6)
Behavior Towards Other	19 (0.4)	16 (0.4)	16 (0.4)
Substance Use	7 (0.7)	5 (0.5)	5 (0.6)
Thinking	4 (0.5)	2 (0.3)	2 (0.3)

Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	19 (0.2)	18 (0.2)	18 (0.2)
Level of Care	3 (0.1)	3 (0.1)	3 (0.1)

Child and Adolescent Functional Assessment Scale (CAFAS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total (8-scale)	17 (271)	32% (237)	28% (237)
Moods: Self-Harm	4 (271)	66% (53)	96% (53)
Moods: Emotions	3 (271)	34% (211)	93% (211)
Home Role Performance	4 (271)	38% (210)	65% (210)
School Role Performance	4 (271)	35% (227)	63% (227)
Community Role Performance	3 (271)	40% (96)	91% (96)
Behavior Towards Other	3 (271)	29% (207)	93% (207)
Substance Use	2 (271)	45% (71)	76% (71)
Thinking	2 (271)	64% (33)	94% (33)

Child and Adolescent Level of Care Utilization System (CALOCUS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total	1 (205)	21% (174)	33% (174)
Level of Care	0 (205)	31% (177)	73% (177)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	419	21	12.9%
Child Events	411	20	11.7%
Person-Directed	76	4	4.0%
Property-Directed	34	2	2.9%
Runaway or Elopement	106	5	4.4%
Self-Injury	70	4	3.7%
Substance Use	64	3	3.9%
Other	47	2	3.2%
Institutional Events	352	18	9.1%
Person-Directed (Client Victim)	23	1	2.2%
Seclusion or Restraint	47	2	1.3%
Medication Error	3	0	0.2%
Police Called	86	4	4.7%
Criminal Charges or Arrest	54	3	3.5%
Client Injury	27	1	2.0%
Staff Injury	5	0	0.3%
Other	91	5	4.4%

	Race Available		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	123 (1.0)	91 (1.0)	86 (1.1)
Moods: Self-Harm	10 (0.3)	3 (0.2)	3 (0.2)
Moods: Emotions	21 (0.2)	16 (0.2)	15 (0.2)
Home Role Performance	26 (0.2)	19 (0.2)	18 (0.3)
School Role Performance	27 (0.2)	19 (0.3)	18 (0.3)
Community Role Performance	15 (0.3)	9 (0.3)	9 (0.3)
Behavior Towards Other	22 (0.2)	16 (0.2)	15 (0.2)
Substance Use	10 (0.4)	5 (0.3)	5 (0.3)
Thinking	7 (0.3)	3 (0.2)	2 (0.2)

Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	21 (0.1)	18 (0.1)	18 (0.1)
Level of Care	4 (0.0)	3 (0.0)	3 (0.0)

Child and Adolescent Functional Assessment Scale (CAFAS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total (8-scale)	37 (1150)	57% (1112)	35% (1112)
Moods: Self-Harm	8 (1150)	80% (432)	96% (432)
Moods: Emotions	6 (1150)	49% (1044)	95% (1044)
Home Role Performance	8 (1150)	52% (1066)	65% (1066)
School Role Performance	9 (1149)	51% (1089)	62% (1089)
Community Role Performance	6 (1150)	48% (660)	90% (660)
Behavior Towards Other	7 (1150)	53% (1037)	95% (1037)
Substance Use	5 (1150)	64% (442)	84% (442)
Thinking	4 (1150)	77% (248)	97% (248)

Child and Adolescent Level of Care Utilization System (CALOCUS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total	3 (1079)	50% (1022)	43% (1022)
Level of Care	1 (1079)	59% (1024)	66% (1024)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	1,034	131	27.6%
Child Events	1,140	145	25.7%
Person-Directed	224	28	11.3%
Property-Directed	120	15	7.6%
Runaway or Elopement	301	38	12.1%
Self-Injury	212	27	8.8%
Substance Use	109	14	5.6%
Other	132	17	7.8%
Institutional Events	619	79	17.7%
Person-Directed (Client Victim)	55	7	4.3%
Seclusion or Restraint	64	8	3.3%
Medication Error	12	2	0.9%
Police Called	180	23	9.5%
Criminal Charges or Arrest	118	15	6.3%
Client Injury	45	6	4.1%
Staff Injury	11	1	0.7%
Other	122	16	7.8%

*Indicates average change from highest CAFAS or CALOCUS score to most recent.
 (A positive number reflects improvement.)

Summary of Youth by Race Not Available
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Race Not Available			
Service Setting	Any Use N	Any Use % Avail	Dosage % of Months
Clinic	102	49.0%	63.0%
Community	152	73.1%	72.1%
Home	172	82.7%	83.0%
Out-of-Home	87	41.8%	67.3%
Phone*	19	9.1%	54.7%
School	99	47.6%	51.7%
Unclear*	3	1.4%	27.1%
Not Available	388	65.1%	

Service Format	Any Use N	Any Use % Avail	Dosage % of Months
Family	157	75.5%	72.8%
Group	51	24.5%	46.6%
Individual	175	84.1%	89.9%
Parent	155	74.5%	75.9%
Phone*	6	2.9%	34.4%
Professional Consult*	48	23.1%	40.1%
Teacher	65	31.3%	49.9%
Unclear*	39	18.8%	64.2%
Not Available	388	65.1%	

Discharge Living Situation	Youth N	% Youth Discharged	% Discharges
Foster Home	16	16.2%	12.4%
Group Care	0	0.0%	0.0%
Home	64	64.6%	49.6%
Homeless/Shelter	0	0.0%	0.0%
Institution/Hospital	3	3.0%	2.3%
Jail/Correctional Facility	9	9.1%	7.0%
Other	20	20.2%	15.5%
Residential Treatment	6	6.1%	4.7%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	99		
Number of Discharges	129		

Reason for Discharge	Youth N	% Youth Discharged	% Discharges
Eligibility Change	0	0.0%	0.0%
Family Relocation	1	1.0%	0.8%
Insufficient Progress	11	11.1%	8.5%
Other	23	23.2%	17.8%
Runaway/Elopement	14	14.1%	10.9%
Refuse/Withdraw	17	17.2%	13.2%
Success/Goals Met	56	56.6%	43.4%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	99		
Number of Discharges	129		

Race Available		
Any Use N	Any Use % Avail	Dosage % of Months
459	44.5%	55.7%
785	76.1%	73.3%
914	88.6%	84.1%
409	39.6%	60.1%
120	11.6%	59.9%
628	60.9%	56.5%
45	4.4%	27.7%
491	32.2%	

Any Use N	Any Use % Avail	Dosage % of Months
810	78.5%	72.3%
313	30.3%	49.3%
883	85.6%	87.4%
799	77.4%	75.0%
29	2.8%	45.3%
255	24.7%	43.1%
401	38.9%	46.6%
137	13.3%	44.3%
491	32.2%	

Youth N	% Youth Discharged	% Discharges
84	13.0%	8.6%
8	1.2%	0.8%
459	71.1%	46.8%
18	2.8%	1.8%
20	3.1%	2.0%
44	6.8%	4.5%
106	16.4%	10.8%
47	7.3%	4.8%
0	0.0%	0.0%
646		
980		

Youth N	% Youth Discharged	% Discharges
17	2.6%	1.7%
21	3.3%	2.1%
58	9.0%	5.9%
208	32.2%	21.2%
84	13.0%	8.6%
60	9.3%	6.1%
385	59.6%	39.3%
0	0.0%	0.0%
646		
980		

*Indicates written response to an open-ended question.

Summary of Youth by Race Not Available
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Treatment Target	Race Not Available			Race Available		
	Any Use N	Any Use % Avail	Dosage % of Months	Any Use N	Any Use % Avail	Dosage % of Months
Academic Achievement	79	38.0%	39.4%	369	35.8%	40.4%
Activity Involvement	99	47.6%	54.1%	567	54.9%	56.1%
Adaptive Behavior/Living Skills	20	9.6%	41.3%	139	13.5%	37.6%
Adjustment to Change	65	31.3%	42.3%	283	27.4%	37.4%
Adult Intercoordination	3	1.4%	20.0%	10	1.0%	22.6%
Aggression	79	38.0%	54.1%	450	43.6%	54.6%
Anger	86	41.3%	60.3%	530	51.4%	54.6%
Anxiety	79	38.0%	52.8%	375	36.3%	49.7%
Assertiveness	37	17.8%	33.4%	184	17.8%	38.7%
Attention Problems	37	17.8%	41.3%	182	17.6%	34.9%
Avoidance	40	19.2%	47.6%	249	24.1%	40.4%
Caregiver Self-Management/Coping	2	1.0%	25.0%	4	0.4%	20.6%
Cognitive-Intellectual Functioning	19	9.1%	28.2%	78	7.6%	41.1%
Community Involvement	37	17.8%	25.8%	191	18.5%	33.6%
Compulsive Behavior	0	0.0%	0.0%	3	0.3%	22.2%
Contentment/Enjoyment/Happiness	45	21.6%	46.4%	206	20.0%	39.3%
Depressed Mood	68	32.7%	46.7%	329	31.9%	50.1%
Eating/Feeding Problems	4	1.9%	41.7%	32	3.1%	31.1%
Empathy	20	9.6%	35.9%	129	12.5%	43.8%
Enuresis/Encopresis	5	2.4%	49.0%	36	3.5%	50.9%
Fire Setting	2	1.0%	15.5%	4	0.4%	50.8%
Fitness/Exercise	0	0.0%	0.0%	1	0.1%	20.0%
Gender Identity Problems	1	0.5%	25.0%	6	0.6%	26.6%
Goal Setting	1	0.5%	25.0%	3	0.3%	8.6%
Grief	16	7.7%	41.0%	55	5.3%	37.3%
Health Management	13	6.3%	32.7%	79	7.7%	31.4%
Housing/Living Situation	33	15.9%	22.6%	173	16.8%	34.5%
Hyperactivity	18	8.7%	31.0%	85	8.2%	41.0%
Information Gathering	3	1.4%	33.3%	8	0.8%	32.6%
Learning Disorder/Underachievement	10	4.8%	34.6%	28	2.7%	22.6%
Low Self-Esteem	44	21.2%	30.1%	269	26.1%	44.0%
Mania	2	1.0%	31.3%	9	0.9%	26.8%
Medical Regimen Adherence	18	8.7%	34.0%	110	10.7%	39.0%
Occupational Functioning/Stress	5	2.4%	9.7%	45	4.4%	31.5%
Oppositional/Non-Compliant Behavior	113	54.3%	59.4%	684	66.3%	65.3%
Pain Management	0	0.0%	0.0%	0	0.0%	0.0%
Parenting Skills	4	1.9%	58.3%	15	1.5%	25.4%
Peer Involvement	18	8.7%	27.1%	184	17.8%	34.7%
Peer/Sibling Conflict	52	25.0%	41.4%	261	25.3%	45.0%
Personal Hygiene	5	2.4%	31.2%	41	4.0%	29.0%
Phobia/Fears	54	26.0%	43.8%	363	35.2%	43.7%
Positive Family Functioning	6	2.9%	70.1%	80	7.8%	38.6%
Positive Peer Interaction	146	70.2%	65.8%	819	79.4%	67.7%
Positive Thinking/Attitude	55	26.4%	37.5%	321	31.1%	41.7%
Pregnancy Education/Adjustment	4	1.9%	37.9%	20	1.9%	41.9%
Psychosis	5	2.4%	51.6%	33	3.2%	51.6%
Runaway	32	15.4%	54.8%	199	19.3%	44.9%
Safe Environment	1	0.5%	8.3%	10	1.0%	30.8%
School Involvement	44	21.2%	38.0%	240	23.3%	36.8%
School Refusal/Truancy	26	12.5%	37.7%	201	19.5%	43.1%
Self-Control	20	9.6%	47.3%	139	13.5%	44.5%
Self-Injurious Behavior	42	20.2%	49.4%	273	26.5%	40.2%
Sexual Orientation	0	0.0%	0.0%	0	0.0%	0.0%
Sexual Misconduct	3	1.4%	53.2%	66	6.4%	51.6%
Shyness	3	1.4%	19.4%	22	2.1%	28.5%
Sleep Disturbance	6	2.9%	37.1%	18	1.7%	35.6%
Social Skills	48	23.1%	43.6%	315	30.5%	46.4%
Speech and Language	2	1.0%	18.1%	6	0.6%	28.1%
Substance Use	57	27.4%	64.4%	289	28.0%	64.7%
Suicidality	15	7.2%	31.8%	75	7.3%	37.4%
Traumatic Stress	40	19.2%	42.0%	150	14.5%	44.8%
Treatment Engagement	101	48.6%	48.8%	580	56.2%	53.4%
Treatment Planning/Framing	23	11.1%	51.5%	44	4.3%	42.3%
Willful Misconduct/Delinquency	34	16.3%	50.6%	200	19.4%	44.6%
Other	1	0.5%	36.4%	13	1.3%	14.0%
Unclear	16	7.7%	32.9%	85	8.2%	28.9%
Not Available	388	65.1%		491	32.2%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Race Not Available
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Race Not Available			Race Available		
	Any Use	Any Use	Dosage	Any Use	Any Use	Dosage
Practice Elements	N	% Avail	% of Months	N	% Avail	% of Months
Activity Scheduling	117	56.3%	59.5%	621	60.2%	56.5%
Anger Management	1	0.5%	22.2%	3	0.3%	15.0%
Animal or Plant Assisted Activities	0	0.0%	0.0%	0	0.0%	0.0%
Arousal Reconditioning	0	0.0%	0.0%	0	0.0%	0.0%
Art/Music Therapy	0	0.0%	0.0%	2	0.2%	22.2%
Assertiveness Training	69	33.2%	47.1%	340	32.9%	45.8%
Assessment	17	8.2%	80.8%	24	2.3%	58.3%
Attending	60	28.8%	51.5%	301	29.2%	43.7%
Behavior Management	0	0.0%	0.0%	5	0.5%	15.3%
Behavioral Contracting	97	46.6%	56.3%	616	59.7%	55.6%
Biofeedback/Neurofeedback	3	1.4%	14.9%	16	1.6%	32.1%
Care Coordination	108	51.9%	65.6%	659	63.9%	65.2%
Catharsis	10	4.8%	34.9%	64	6.2%	39.9%
Cognitive/Coping	117	56.3%	62.7%	625	60.6%	64.3%
Commands/Limit Setting	27	13.0%	46.0%	163	15.8%	39.0%
Communication Skills	141	67.8%	67.7%	820	79.5%	67.8%
Counseling	0	0.0%	0.0%	1	0.1%	27.3%
Crisis Management	83	39.9%	42.9%	460	44.6%	46.7%
Cultural Training	21	10.1%	41.8%	124	12.0%	41.4%
Discrete Trial Training	2	1.0%	16.7%	13	1.3%	20.0%
Educational Support	95	45.7%	52.9%	576	55.8%	55.8%
Emotional Processing	131	63.0%	62.7%	669	64.8%	62.9%
Exposure	33	15.9%	38.8%	220	21.3%	40.8%
Eye Movement/Body Tapping	2	1.0%	34.2%	16	1.6%	16.0%
Family Engagement	145	69.7%	65.7%	786	76.2%	63.9%
Family Therapy	141	67.8%	66.9%	724	70.2%	59.1%
Family Visit	0	0.0%	0.0%	0	0.0%	0.0%
Free Association	8	3.8%	33.0%	70	6.8%	36.6%
Functional Analysis	24	11.5%	39.3%	182	17.6%	50.5%
Goal Setting	135	64.9%	62.1%	747	72.4%	64.0%
Guided Imagery	22	10.6%	32.7%	188	18.2%	37.2%
Ho'Oponopono	0	0.0%	0.0%	0	0.0%	0.0%
Hypnosis	2	1.0%	48.8%	21	2.0%	23.6%
Ignoring or DRO	69	33.2%	46.9%	357	34.6%	46.9%
Individual Therapy for Caregiver	68	32.7%	39.8%	296	28.7%	42.1%
Informal Supports	0	0.0%	0.0%	6	0.6%	26.8%
Insight Building	120	57.7%	63.5%	665	64.4%	59.9%
Interpretation	28	13.5%	26.2%	188	18.2%	37.8%
Juvenile Sex Offender Treatment	0	0.0%	0.0%	23	2.2%	71.3%
Legal Assistance/Involvement	0	0.0%	0.0%	0	0.0%	0.0%
Line of Sight Supervision	72	34.6%	48.0%	333	32.3%	46.4%
Maintenance/Relapse Prevention	49	23.6%	41.8%	300	29.1%	44.2%
Marital Therapy	18	8.7%	38.0%	50	4.8%	26.6%
Medication/Pharmacotherapy	44	21.2%	52.3%	319	30.9%	52.1%
Mentoring	69	33.2%	50.4%	414	40.1%	49.4%
Milieu Therapy	45	21.6%	55.6%	262	25.4%	49.4%
Mindfulness	83	39.9%	45.2%	423	41.0%	49.6%
Modeling	118	56.7%	54.1%	667	64.6%	57.8%
Motivational Interviewing	94	45.2%	56.0%	540	52.3%	54.8%
Natural and Logical Consequences	121	58.2%	59.4%	727	70.4%	62.2%
Parent Coping	126	60.6%	60.6%	659	63.9%	57.4%
Parent or Teacher Monitoring	86	41.3%	48.7%	510	49.4%	51.9%
Parent Praise	92	44.2%	52.0%	523	50.7%	51.8%
Parenting	3	1.4%	29.2%	12	1.2%	19.0%
Peer Modeling/Pairing	31	14.9%	24.4%	181	17.5%	33.8%
Personal Safety Skills	93	44.7%	48.8%	475	46.0%	51.4%
Physical Exercise	0	0.0%	0.0%	0	0.0%	0.0%
Play Therapy	52	25.0%	57.2%	151	14.6%	45.1%
Problem Solving	143	68.8%	63.5%	807	78.2%	66.1%
Psychoeducation-Child	134	64.4%	60.9%	648	62.8%	59.7%
Psychoeducation-Parent	141	67.8%	65.7%	705	68.3%	61.6%
Relationship/Rapport Building	155	74.5%	62.9%	777	75.3%	60.2%
Relaxation	90	43.3%	52.2%	525	50.9%	49.7%
Response Cost	24	11.5%	40.0%	207	20.1%	42.7%
Response Prevention	30	14.4%	39.5%	239	23.2%	41.8%
Self-Monitoring	83	39.9%	49.9%	465	45.1%	49.5%
Self-Reward/Self-Praise	69	33.2%	53.4%	365	35.4%	48.8%
Skill Building	128	61.5%	62.9%	751	72.8%	60.9%
Social Skills Training	100	48.1%	57.7%	561	54.4%	53.4%
Stimulus Control/Antecedent Man.	43	20.7%	41.8%	247	23.9%	43.5%
Supportive Listening	163	78.4%	69.5%	831	80.5%	71.5%
Tangible Rewards	82	39.4%	54.5%	513	49.7%	51.5%
Therapist Praise/Rewards	119	57.2%	62.4%	691	67.0%	62.1%
Thought Field Therapy	7	3.4%	22.5%	25	2.4%	19.2%
Time Out	58	27.9%	48.0%	287	27.8%	44.6%
Twelve-step Programming	26	12.5%	54.6%	118	11.4%	48.8%
Other	0	0.0%	0.0%	35	3.4%	28.0%
Unclear	26	12.5%	47.3%	128	12.4%	37.2%
Not Available	388	65.1%		491	32.2%	


Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Hispanic or Latino Origin
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Hispanic or Latino Origin		
	N	%
Total Registered Youth	358	16.9%
with Services Procured	260	72.6%
Youth with New Admissions	140	39.1%
with Initial Admissions	77	21.5%
with Repeat Admissions	63	17.6%
Youth with Discharges	130	36.3%

	N	% of Available
Gender		
Females	136	38%
Males	222	62%

	Mean	SD
Age in Years	14.2	3.4




Primary Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	32	9.2%
Anxiety	37	10.6%
Attention	72	20.6%
Disruptive Behavior	124	35.5%
Mental Retardation	0	0.0%
Miscellaneous	14	4.0%
Mood	49	14.0%
Pervasive Developmental	5	1.4%
Psychotic Spectrum	4	1.1%
Substance-Related	12	3.4%
Not Available (% Total)	9	2.5%

Any Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	45	12.9%
Anxiety	82	23.4%
Attention	133	38.0%
Disruptive Behavior	193	55.1%
Mental Retardation	5	1.4%
Miscellaneous	88	25.1%
Mood	91	26.0%
Pervasive Developmental	6	1.7%
Psychotic Spectrum	8	2.3%
Substance-Related	64	18.3%
Multiple Diagnoses	256	73.1%
Avg. Number of Diagnoses	2.1	

All Other National Origins		
	N	%
Total Registered Youth	1,761	83.1%
with Services Procured	1,053	59.8%
Youth with New Admissions	829	47.1%
with Initial Admissions	613	34.8%
with Repeat Admissions	216	12.3%
Youth with Discharges	726	41.2%

	N	% of Available
Gender		
Females	662	38%
Males	1,099	62%

	Mean	SD
Age in Years	13.9	3.8



Primary Diagnosis of	N	% Avail
None Recorded	6	0.4%
Adjustment	97	6.8%
Anxiety	148	10.4%
Attention	275	19.4%
Disruptive Behavior	446	31.5%
Mental Retardation	0	0.0%
Miscellaneous	60	4.2%
Mood	282	19.9%
Pervasive Developmental	20	1.4%
Psychotic Spectrum	34	2.4%
Substance-Related	50	3.5%
Not Available (% Total)	343	19.5%

Any Diagnosis of	N	% Avail
None Recorded	4	0.3%
Adjustment	160	11.3%
Anxiety	328	23.1%
Attention	496	34.9%
Disruptive Behavior	745	52.4%
Mental Retardation	29	2.0%
Miscellaneous	378	26.6%
Mood	433	30.5%
Pervasive Developmental	30	2.1%
Psychotic Spectrum	38	2.7%
Substance-Related	292	20.5%
Multiple Diagnoses	1,063	74.8%
Avg. Number of Diagnoses	1.8	

Summary of Youth by Hispanic or Latino Origin
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Hispanic or Latino Origin		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	0	0.0%
Hispanic or Latino/a	358	100.0%
Not Available (% Total)	0	0.0%

Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	3	0.9%
Asian	14	4.0%
Black or African-American	3	0.9%
Native Hawaiian or Pacific Islander	23	6.6%
White	36	10.3%
Other Race	6	1.7%
Multiracial	266	75.8%
Based on Observation	10	2.8%
Not Available (% Total)	7	2.0%

Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	71	20.2%
Alaska Native	0	0.0%
American Indian	71	20.2%
Asian	223	63.5%
Asian Indian	1	0.3%
Chinese	118	33.6%
Filipino	142	40.5%
Japanese	57	16.2%
Korean	16	4.6%
Vietnamese	1	0.3%
Other Asian	5	1.4%
Black or African-American	25	7.1%
Hispanic or Latina/o	350	99.7%
Cuban	6	1.7%
Mexican	65	18.5%
Puerto Rican	189	53.8%
Other Hispanic	136	38.7%
Native Hawaiian or Pacific Islander	231	65.8%
Guamanian or Chamorro	0	0.0%
Micronesian	0	0.0%
Native Hawaiian	219	62.4%
Samoan	22	6.3%
Other Pacific Islander	15	4.3%
White	246	70.1%
White or Caucasian	190	54.1%
Portuguese	124	35.3%
Other Race or Ethnicity	24	6.8%
Multiethnic	350	99.7%
Not Available (% Total)	7	2.0%

All Other National Origins		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	900	100.0%
Hispanic or Latino/a	0	0.0%
Not Available (% Total)	861	48.9%

Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	4	0.3%
Asian	108	9.2%
Black or African-American	19	1.6%
Native Hawaiian or Pacific Islander	185	15.8%
White	176	15.0%
Other Race	2	0.2%
Multiracial	678	57.8%
Based on Observation	83	7.1%
Not Available (% Total)	589	33.4%

Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	59	6.6%
Alaska Native	0	0.0%
American Indian	59	6.6%
Asian	468	52.1%
Asian Indian	4	0.4%
Chinese	194	21.6%
Filipino	257	28.6%
Japanese	158	17.6%
Korean	29	3.2%
Vietnamese	8	0.9%
Other Asian	15	1.7%
Black or African-American	58	6.5%
Hispanic or Latina/o	0	0.0%
Cuban	0	0.0%
Mexican	0	0.0%
Puerto Rican	0	0.0%
Other Hispanic	0	0.0%
Native Hawaiian or Pacific Islander	528	58.7%
Guamanian or Chamorro	12	1.3%
Micronesian	58	6.5%
Native Hawaiian	422	46.9%
Samoan	60	6.7%
Other Pacific Islander	35	3.9%
White	541	60.2%
White or Caucasian	431	47.9%
Portuguese	184	20.5%
Other Race or Ethnicity	28	3.1%
Multiethnic	529	58.8%
Not Available (% Total)	862	48.9%

**Summary of Youth by Hispanic or Latino Origin
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Hispanic or Latino Origin		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	57	15.9%
Leeward Oahu	69	19.3%
Honolulu Oahu	34	9.5%
Hawaii (Big Island)	146	40.8%
Maui	22	6.1%
Kauai	23	6.4%
Family Court Liaison Branch	7	2.0%

All Other National Origins		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	239	13.6%
Leeward Oahu	234	13.3%
Honolulu Oahu	217	12.3%
Hawaii (Big Island)	624	35.4%
Maui	203	11.5%
Kauai	163	9.3%
Family Court Liaison Branch	81	4.6%

*Central Oahu FGC now includes both Central and Windward Oahu offices.

Summary of Youth by Hispanic or Latino Origin
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Services Procured	Hispanic or Latino Origin			All Other National Origins		
	Monthly Average	Total N	% of Procured	Monthly Average	Total N	% of Procured
Out-of-Home	32	74	28.5%	151	318	30.2%
Out-of-State	0	0	0.0%	5	5	0.5%
Hospital Residential	3	15	5.8%	15	62	5.9%
Community High Risk	2	3	1.2%	5	11	1.0%
Community Residential	8	29	11.2%	47	126	12.0%
Therapeutic Foster Home	20	40	15.4%	83	159	15.1%
<i>Multidimensional Treatment Foster Care</i>	1	2	0.8%	4	10	0.9%
<i>Transitional Family Home</i>	19	39	15.0%	79	153	14.5%
Intensive Home & Community	107	204	78.5%	367	782	74.3%
Partial Hospitalization	1	3	1.2%	4	20	1.9%
Multisystemic Therapy	16	45	17.3%	52	168	16.0%
Intensive In-Home	92	169	65.0%	315	643	61.1%
Outpatient	13	60	23.1%	46	248	23.6%
Treatment	10	28	10.8%	34	105	10.0%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	9	25	9.6%	25	76	7.2%
<i>Outpatient Therapy</i>	1	3	1.2%	9	29	2.8%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	3	34	13.1%	13	147	14.0%
Supportive Services	6	23	8.8%	38	165	15.7%
Respite Home	1	2	0.8%	5	28	2.7%
Ancillary Service	5	21	8.1%	32	141	13.4%
Crisis Stabilization	0	3	1.2%	5	43	4.1%
Unduplicated Total (% of Registered)	146	260	73%	546	1,053	60%

*These services either were not procured or had no data available in FY 2013.

Summary of Youth by Hispanic or Latino Origin
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Total Hours Procured	Hispanic or Latino Origin			All Other National Origins		
	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth
Out-of-Home	148	888	85.7%	152	985	89.6%
Out-of-State	0	0	0.0%	195	2,120	95.1%
Hospital Residential	127	286	61.6%	119	377	58.0%
Community High Risk	190	1,549	65.2%	171	927	88.1%
Community Residential	124	478	67.5%	141	713	80.0%
Therapeutic Foster Home	165	1,073	81.6%	165	1,128	84.1%
<i>Multidimensional Treatment Foster Care</i>	182	1,008	89.2%	171	894	73.9%
<i>Transitional Family Home</i>	163	1,049	79.1%	164	1,114	82.6%
Intensive Home & Community	19	112	81.6%	17	95	77.7%
Partial Hospitalization	3	12	3.5%	3	7	7.5%
Multisystemic Therapy	38	140	77.7%	40	133	80.6%
Intensive In-Home	14	97	77.7%	12	81	73.2%
Outpatient	4	10	45.9%	4	9	51.3%
Treatment	4	15	56.7%	4	15	46.3%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	3	14	58.5%	3	13	48.5%
<i>Outpatient Therapy</i>	6	26	41.6%	5	21	40.5%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	5	5	34.3%	5	5	53.4%
Supportive Services**	-	-	-	-	-	-
Respite Home	25	101	14.2%	20	47	12.0%
Ancillary Service**	-	-	-	-	-	-
Crisis Stabilization	47	72	10.0%	27	39	51.3%
Unduplicated Total	38	344		41	373	

Service Changes	Hispanic or Latino Origin			All Other National Origins		
	Monthly Average	Total N	Total per Youth	Monthly Average	Total N	Total per Youth
Placement Changes	9	104	0.3	36	437	0.2
Out-of-Home Changes	1	10	0.0	3	35	0.0
Provider Agency Changes	20	235	0.7	87	1,039	0.6
Care Coordinator Changes	12	145	0.4	61	736	0.4

*These services either were not procured or had no data available in FY 2013.

**Duration not available for these services.

Summary of Youth by Hispanic or Latino Origin
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Hispanic or Latino Origin		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	122 (1.9)	91 (1.9)	86 (2.2)
Moods: Self-Harm	9 (0.7)	3 (0.3)	2 (0.4)
Moods: Emotions	22 (0.3)	17 (0.3)	16 (0.4)
Home Role Performance	27 (0.4)	19 (0.5)	18 (0.6)
School Role Performance	27 (0.4)	19 (0.5)	18 (0.7)
Community Role Performance	15 (0.7)	9 (0.6)	9 (0.6)
Behavior Towards Other	22 (0.3)	16 (0.3)	16 (0.4)
Substance Use	10 (0.7)	5 (0.5)	5 (0.6)
Thinking	7 (0.5)	2 (0.3)	2 (0.3)

	Hispanic or Latino Origin		
Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	21 (0.2)	18 (0.2)	18 (0.2)
Level of Care	4 (0.1)	3 (0.1)	3 (0.1)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Functional Assessment Scale (CAFAS)			
Total (8-scale)	36 (277)	55% (272)	36% (272)
Moods: Self-Harm	7 (277)	82% (99)	97% (99)
Moods: Emotions	6 (277)	48% (259)	96% (259)
Home Role Performance	8 (277)	55% (260)	65% (260)
School Role Performance	9 (277)	52% (265)	62% (265)
Community Role Performance	6 (277)	52% (160)	91% (160)
Behavior Towards Other	6 (277)	52% (257)	96% (257)
Substance Use	5 (277)	57% (105)	84% (105)
Thinking	4 (277)	75% (59)	95% (59)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Level of Care Utilization System (CALOCUS)			
Total	3 (260)	48% (247)	41% (247)
Level of Care	1 (260)	56% (248)	69% (248)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	1,039	31	29.6%
Child Events	1,123	34	26.3%
Person-Directed	246	7	10.6%
Property-Directed	92	3	5.9%
Runaway or Elopement	246	7	11.7%
Self-Injury	212	6	9.8%
Substance Use	89	3	5.9%
Other	176	5	9.5%
Institutional Events	567	17	19.3%
Person-Directed (Client Victim)	73	2	5.0%
Seclusion or Restraint	36	1	2.8%
Medication Error	14	0	1.1%
Police Called	142	4	9.2%
Criminal Charges or Arrest	75	2	5.0%
Client Injury	45	1	4.2%
Staff Injury	17	1	0.8%
Other	156	5	10.1%

	All Other National Origins		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	118 (1.0)	89 (1.0)	86 (1.1)
Moods: Self-Harm	9 (0.3)	3 (0.2)	3 (0.2)
Moods: Emotions	20 (0.2)	16 (0.2)	15 (0.2)
Home Role Performance	25 (0.2)	19 (0.2)	18 (0.3)
School Role Performance	26 (0.2)	19 (0.3)	18 (0.3)
Community Role Performance	14 (0.3)	9 (0.3)	9 (0.3)
Behavior Towards Other	21 (0.2)	16 (0.2)	15 (0.2)
Substance Use	10 (0.4)	5 (0.3)	5 (0.3)
Thinking	6 (0.3)	3 (0.2)	2 (0.2)

	All Other National Origins		
Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	21 (0.1)	18 (0.1)	18 (0.1)
Level of Care	4 (0.0)	3 (0.0)	3 (0.0)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Functional Assessment Scale (CAFAS)			
Total (8-scale)	32 (1144)	52% (1077)	33% (1077)
Moods: Self-Harm	7 (1144)	78% (386)	96% (386)
Moods: Emotions	5 (1144)	46% (996)	94% (996)
Home Role Performance	7 (1144)	49% (1016)	65% (1016)
School Role Performance	8 (1143)	47% (1051)	62% (1051)
Community Role Performance	5 (1144)	46% (596)	89% (596)
Behavior Towards Other	6 (1144)	49% (987)	94% (987)
Substance Use	5 (1144)	63% (408)	83% (408)
Thinking	4 (1144)	76% (222)	97% (222)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Level of Care Utilization System (CALOCUS)			
Total	3 (1024)	45% (949)	42% (949)
Level of Care	1 (1024)	54% (953)	66% (953)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	825	121	22.3%
Child Events	897	132	20.8%
Person-Directed	169	25	9.0%
Property-Directed	96	14	6.4%
Runaway or Elopement	246	36	9.6%
Self-Injury	164	24	6.9%
Substance Use	98	14	4.9%
Other	94	14	5.9%
Institutional Events	539	79	14.5%
Person-Directed (Client Victim)	41	6	3.4%
Seclusion or Restraint	64	9	2.7%
Medication Error	9	1	0.6%
Police Called	156	23	8.0%
Criminal Charges or Arrest	105	15	5.6%
Client Injury	39	6	3.4%
Staff Injury	7	1	0.6%
Other	104	15	6.2%

*Indicates average change from highest CAFAS or CALOCUS score to most recent.
 (A positive number reflects improvement.)

Summary of Youth by Hispanic or Latino Origin
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Hispanic or Latino Origin			
Service Setting	Any Use N	Any Use % Avail	Dosage % of Months
Clinic	103	41.2%	57.7%
Community	198	79.2%	73.3%
Home	227	90.8%	85.2%
Out-of-Home	96	38.4%	57.2%
Phone*	32	12.8%	66.3%
School	165	66.0%	54.8%
Unclear*	9	3.6%	24.2%
Not Available	108	30.2%	

Service Format	Any Use N	Any Use % Avail	Dosage % of Months
Family	199	79.6%	75.4%
Group	72	28.8%	46.3%
Individual	216	86.4%	85.8%
Parent	200	80.0%	73.6%
Phone*	6	2.4%	43.4%
Professional Consult*	66	26.4%	47.3%
Teacher	105	42.0%	44.6%
Unclear*	29	11.6%	41.1%
Not Available	108	30.2%	

Discharge Living Situation	Youth N	% Youth Discharged	% Discharges
Foster Home	15	10.1%	6.1%
Group Care	2	1.4%	0.8%
Home	107	72.3%	43.3%
Homeless/Shelter	4	2.7%	1.6%
Institution/Hospital	6	4.1%	2.4%
Jail/Correctional Facility	8	5.4%	3.2%
Other	28	18.9%	11.3%
Residential Treatment	10	6.8%	4.0%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	148		
Number of Discharges	247		

Reason for Discharge	Youth N	% Youth Discharged	% Discharges
Eligibility Change	1	0.7%	0.4%
Family Relocation	6	4.1%	2.4%
Insufficient Progress	19	12.8%	7.7%
Other	48	32.4%	19.4%
Runaway/Elopement	18	12.2%	7.3%
Refuse/Withdraw	15	10.1%	6.1%
Success/Goals Met	91	61.5%	36.8%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	148		
Number of Discharges	247		

All Other National Origins		
Any Use N	Any Use % Avail	Dosage % of Months
458	46.3%	56.9%
739	74.6%	73.0%
859	86.8%	83.6%
400	40.4%	62.3%
107	10.8%	57.1%
562	56.8%	56.1%
39	3.9%	28.4%
771	43.8%	

Any Use N	Any Use % Avail	Dosage % of Months
768	77.6%	71.6%
292	29.5%	49.6%
842	85.1%	88.3%
754	76.2%	75.5%
29	2.9%	43.5%
237	23.9%	41.3%
361	36.5%	47.8%
147	14.8%	50.2%
771	43.8%	

Youth N	% Youth Discharged	% Discharges
85	14.2%	9.9%
6	1.0%	0.7%
416	69.7%	48.3%
14	2.3%	1.6%
17	2.8%	2.0%
45	7.5%	5.2%
98	16.4%	11.4%
43	7.2%	5.0%
0	0.0%	0.0%
597		
862		

Youth N	% Youth Discharged	% Discharges
16	2.7%	1.9%
16	2.7%	1.9%
50	8.4%	5.8%
183	30.7%	21.2%
80	13.4%	9.3%
62	10.4%	7.2%
350	58.6%	40.6%
0	0.0%	0.0%
597		
862		

*Indicates written response to an open-ended question.

Summary of Youth by Hispanic or Latino Origin
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Treatment Target	Hispanic or Latino Origin			All Other National Origins		
	Any Use N	Any Use % Avail	Dosage % of Months	Any Use N	Any Use % Avail	Dosage % of Months
Academic Achievement	88	35.2%	39.7%	360	36.4%	40.4%
Activity Involvement	148	59.2%	54.7%	518	52.3%	56.2%
Adaptive Behavior/Living Skills	34	13.6%	33.8%	125	12.6%	39.2%
Adjustment to Change	66	26.4%	35.7%	282	28.5%	39.0%
Adult Intercoordination	1	0.4%	9.1%	12	1.2%	23.1%
Aggression	115	46.0%	54.9%	414	41.8%	54.4%
Anger	142	56.8%	53.2%	474	47.9%	56.0%
Anxiety	89	35.6%	52.6%	365	36.9%	49.6%
Assertiveness	38	15.2%	44.2%	183	18.5%	36.5%
Attention Problems	47	18.8%	35.4%	172	17.4%	36.1%
Avoidance	59	23.6%	39.2%	230	23.2%	41.9%
Caregiver Self-Management/Coping	2	0.8%	22.5%	4	0.4%	21.9%
Cognitive-Intellectual Functioning	11	4.4%	47.3%	86	8.7%	37.5%
Community Involvement	47	18.8%	39.8%	181	18.3%	30.4%
Compulsive Behavior	1	0.4%	50.0%	2	0.2%	8.3%
Contentment/Enjoyment/Happiness	46	18.4%	37.3%	205	20.7%	41.3%
Depressed Mood	74	29.6%	48.6%	323	32.6%	49.8%
Eating/Feeding Problems	13	5.2%	27.6%	23	2.3%	34.9%
Empathy	23	9.2%	40.3%	126	12.7%	43.2%
Enuresis/Encopresis	9	3.6%	45.6%	32	3.2%	52.1%
Fire Setting	2	0.8%	58.3%	4	0.4%	29.4%
Fitness/Exercise	1	0.4%	20.0%	0	0.0%	0.0%
Gender Identity Problems	2	0.8%	50.6%	5	0.5%	16.7%
Goal Setting	1	0.4%	9.1%	3	0.3%	13.9%
Grief	8	3.2%	37.1%	63	6.4%	38.3%
Health Management	17	6.8%	37.1%	75	7.6%	30.4%
Housing/Living Situation	44	17.6%	34.0%	162	16.4%	32.3%
Hyperactivity	23	9.2%	38.8%	80	8.1%	39.4%
Information Gathering	2	0.8%	16.7%	9	0.9%	36.4%
Learning Disorder/Underachievement	4	1.6%	39.6%	34	3.4%	24.2%
Low Self-Esteem	59	23.6%	44.5%	254	25.7%	41.5%
Mania	3	1.2%	23.9%	8	0.8%	29.0%
Medical Regimen Adherence	29	11.6%	32.2%	99	10.0%	40.0%
Occupational Functioning/Stress	5	2.0%	36.0%	45	4.5%	28.6%
Oppositional/Non-Compliant Behavior	171	68.4%	66.1%	626	63.2%	64.0%
Pain Management	0	0.0%	0.0%	0	0.0%	0.0%
Parenting Skills	6	2.4%	16.8%	13	1.3%	39.5%
Peer Involvement	48	19.2%	30.1%	154	15.6%	35.2%
Peer/Sibling Conflict	78	31.2%	50.1%	235	23.7%	42.4%
Personal Hygiene	9	3.6%	22.5%	37	3.7%	30.9%
Phobia/Fears	85	34.0%	41.7%	332	33.5%	44.2%
Positive Family Functioning	18	7.2%	36.3%	68	6.9%	42.0%
Positive Peer Interaction	197	78.8%	66.6%	768	77.6%	67.6%
Positive Thinking/Attitude	79	31.6%	41.1%	297	30.0%	41.0%
Pregnancy Education/Adjustment	5	2.0%	39.3%	19	1.9%	41.7%
Psychosis	6	2.4%	39.9%	32	3.2%	53.9%
Runaway	52	20.8%	42.2%	179	18.1%	47.4%
Safe Environment	5	2.0%	23.8%	6	0.6%	32.9%
School Involvement	65	26.0%	34.0%	219	22.1%	37.9%
School Refusal/Truancy	38	15.2%	50.9%	189	19.1%	40.8%
Self-Control	33	13.2%	40.6%	126	12.7%	46.0%
Self-Injurious Behavior	62	24.8%	35.6%	253	25.6%	42.8%
Sexual Orientation	0	0.0%	0.0%	0	0.0%	0.0%
Sexual Misconduct	13	5.2%	54.2%	56	5.7%	51.1%
Shyness	5	2.0%	27.1%	20	2.0%	27.5%
Sleep Disturbance	5	2.0%	36.2%	19	1.9%	36.0%
Social Skills	75	30.0%	46.7%	288	29.1%	45.8%
Speech and Language	2	0.8%	50.0%	6	0.6%	17.4%
Substance Use	71	28.4%	70.6%	275	27.8%	63.1%
Suicidality	18	7.2%	33.7%	72	7.3%	37.2%
Traumatic Stress	30	12.0%	37.3%	160	16.2%	45.5%
Treatment Engagement	143	57.2%	51.1%	538	54.3%	53.2%
Treatment Planning/Framing	8	3.2%	44.9%	59	6.0%	45.5%
Willful Misconduct/Delinquency	41	16.4%	43.3%	193	19.5%	45.9%
Other	3	1.2%	16.7%	11	1.1%	15.3%
Unclear	23	9.2%	30.1%	78	7.9%	29.3%
Not Available	108	30.2%		771	43.8%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Hispanic or Latino Origin
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Hispanic or Latino Origin			All Other National Origins		
	Any Use	Any Use	Dosage	Any Use	Any Use	Dosage
Practice Elements	N	% Avail	% of Months	N	% Avail	% of Months
Activity Scheduling	151	60.4%	52.9%	587	59.3%	58.0%
Anger Management	0	0.0%	0.0%	4	0.4%	16.8%
Animal or Plant Assisted Activities	0	0.0%	0.0%	0	0.0%	0.0%
Arousal Reconditioning	0	0.0%	0.0%	0	0.0%	0.0%
Art/Music Therapy	1	0.4%	33.3%	1	0.1%	11.1%
Assertiveness Training	83	33.2%	44.8%	326	32.9%	46.3%
Assessment	5	2.0%	50.1%	36	3.6%	70.1%
Attending	77	30.8%	41.6%	284	28.7%	45.9%
Behavior Management	1	0.4%	16.7%	4	0.4%	15.0%
Behavioral Contracting	148	59.2%	52.9%	565	57.1%	56.4%
Biofeedback/Neurofeedback	5	2.0%	30.3%	14	1.4%	29.1%
Care Coordination	167	66.8%	64.6%	600	60.6%	65.5%
Catharsis	15	6.0%	38.1%	59	6.0%	39.5%
Cognitive/Coping	150	60.0%	59.5%	592	59.8%	65.2%
Commands/Limit Setting	39	15.6%	40.9%	151	15.3%	39.7%
Communication Skills	202	80.8%	68.7%	759	76.7%	67.6%
Counseling	0	0.0%	0.0%	1	0.1%	27.3%
Crisis Management	106	42.4%	46.0%	437	44.1%	46.2%
Cultural Training	25	10.0%	35.5%	120	12.1%	42.7%
Discrete Trial Training	5	2.0%	10.3%	10	1.0%	24.2%
Educational Support	143	57.2%	56.1%	528	53.3%	55.1%
Emotional Processing	161	64.4%	62.5%	639	64.5%	63.0%
Exposure	43	17.2%	38.6%	210	21.2%	40.9%
Eye Movement/Body Tapping	5	2.0%	13.9%	13	1.3%	19.6%
Family Engagement	190	76.0%	66.6%	741	74.8%	63.6%
Family Therapy	185	74.0%	61.5%	680	68.7%	60.1%
Family Visit	0	0.0%	0.0%	0	0.0%	0.0%
Free Association	18	7.2%	29.9%	60	6.1%	38.2%
Functional Analysis	37	14.8%	45.7%	169	17.1%	49.9%
Goal Setting	184	73.6%	62.9%	698	70.5%	63.9%
Guided Imagery	41	16.4%	37.6%	169	17.1%	36.5%
Ho'Oponopono	0	0.0%	0.0%	0	0.0%	0.0%
Hypnosis	4	1.6%	11.1%	19	1.9%	28.9%
Ignoring or DRO	86	34.4%	47.2%	340	34.3%	46.9%
Individual Therapy for Caregiver	82	32.8%	45.3%	282	28.5%	40.6%
Informal Supports	3	1.2%	30.8%	3	0.3%	22.8%
Insight Building	161	64.4%	60.1%	624	63.0%	60.6%
Interpretation	38	15.2%	35.2%	178	18.0%	36.5%
Juvenile Sex Offender Treatment	6	2.4%	72.2%	17	1.7%	71.0%
Legal Assistance/Involvement	0	0.0%	0.0%	0	0.0%	0.0%
Line of Sight Supervision	82	32.8%	42.3%	323	32.6%	47.8%
Maintenance/Relapse Prevention	68	27.2%	43.0%	281	28.4%	44.1%
Marital Therapy	13	5.2%	26.0%	55	5.6%	30.5%
Medication/Pharmacotherapy	67	26.8%	51.4%	296	29.9%	52.3%
Mentoring	86	34.4%	47.5%	397	40.1%	50.0%
Milieu Therapy	58	23.2%	46.9%	249	25.2%	51.2%
Mindfulness	108	43.2%	47.6%	398	40.2%	49.3%
Modeling	159	63.6%	56.8%	626	63.2%	57.3%
Motivational Interviewing	120	48.0%	54.0%	514	51.9%	55.2%
Natural and Logical Consequences	181	72.4%	59.1%	667	67.4%	62.5%
Parent Coping	173	69.2%	57.6%	612	61.8%	58.1%
Parent or Teacher Monitoring	139	55.6%	50.0%	457	46.2%	51.9%
Parent Praise	136	54.4%	52.7%	479	48.4%	51.6%
Parenting	2	0.8%	14.2%	13	1.3%	22.1%
Peer Modeling/Pairing	43	17.2%	32.1%	169	17.1%	32.5%
Personal Safety Skills	118	47.2%	49.7%	450	45.5%	51.3%
Physical Exercise	0	0.0%	0.0%	0	0.0%	0.0%
Play Therapy	31	12.4%	50.6%	172	17.4%	47.8%
Problem Solving	193	77.2%	66.2%	757	76.5%	65.5%
Psychoeducation-Child	152	60.8%	56.6%	630	63.6%	60.7%
Psychoeducation-Parent	172	68.8%	59.8%	674	68.1%	62.9%
Relationship/Rapport Building	187	74.8%	56.9%	745	75.3%	61.6%
Relaxation	117	46.8%	49.1%	498	50.3%	50.3%
Response Cost	55	22.0%	36.1%	176	17.8%	44.4%
Response Prevention	53	21.2%	35.3%	216	21.8%	43.1%
Self-Monitoring	107	42.8%	49.2%	441	44.5%	49.6%
Self-Reward/Self-Praise	84	33.6%	47.8%	350	35.4%	49.9%
Skill Building	177	70.8%	59.6%	702	70.9%	61.6%
Social Skills Training	141	56.4%	51.8%	520	52.5%	54.6%
Stimulus Control/Antecedent Man.	54	21.6%	34.9%	236	23.8%	45.2%
Supportive Listening	208	83.2%	71.3%	786	79.4%	71.2%
Tangible Rewards	134	53.6%	47.7%	461	46.6%	53.2%
Therapist Praise/Rewards	174	69.6%	60.0%	636	64.2%	62.7%
Thought Field Therapy	5	2.0%	14.3%	27	2.7%	21.0%
Time Out	77	30.8%	37.7%	268	27.1%	47.3%
Twelve-step Programming	24	9.6%	50.3%	120	12.1%	49.7%
Other	6	2.4%	22.2%	29	2.9%	29.2%
Unclear	33	13.2%	35.2%	121	12.2%	39.9%
Not Available	108	30.2%		771	43.8%	


Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Primary Adjustment Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Primary Adjustment Disorder		
	N	%
Total Registered Youth	129	6.1%
with Services Procured	79	61.2%
Youth with New Admissions	63	48.8%
with Initial Admissions	43	33.3%
with Repeat Admissions	20	15.5%
Youth with Discharges	53	41.1%

	N	% of Available
Gender		
Females	62	48%
Males	67	52%

	Mean	SD
Age in Years	13.2	3.8




Primary Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	129	100.0%
Anxiety	0	0.0%
Attention	0	0.0%
Disruptive Behavior	0	0.0%
Mental Retardation	0	0.0%
Miscellaneous	0	0.0%
Mood	0	0.0%
Pervasive Developmental	0	0.0%
Psychotic Spectrum	0	0.0%
Substance-Related	0	0.0%
Not Available (% Total)	0	0.0%

Any Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	129	100.0%
Anxiety	9	7.0%
Attention	12	9.3%
Disruptive Behavior	12	9.3%
Mental Retardation	0	0.0%
Miscellaneous	38	29.5%
Mood	7	5.4%
Pervasive Developmental	1	0.8%
Psychotic Spectrum	0	0.0%
Substance-Related	12	9.3%
Multiple Diagnoses	69	53.5%
Avg. Number of Diagnoses	1.8	

All Other Primary Diagnoses		
	N	%
Total Registered Youth	1,990	93.9%
with Services Procured	1,234	62.0%
Youth with New Admissions	906	45.5%
with Initial Admissions	647	32.5%
with Repeat Admissions	259	13.0%
Youth with Discharges	803	40.4%

	N	% of Available
Gender		
Females	736	37%
Males	1,254	63%

	Mean	SD
Age in Years	14.0	3.7



Primary Diagnosis of	N	% Avail
None Recorded	6	0.4%
Adjustment	0	0.0%
Anxiety	185	11.3%
Attention	347	21.2%
Disruptive Behavior	570	34.8%
Mental Retardation	0	0.0%
Miscellaneous	74	4.5%
Mood	331	20.2%
Pervasive Developmental	25	1.5%
Psychotic Spectrum	38	2.3%
Substance-Related	62	3.8%
Not Available (% Total)	352	17.7%

Any Diagnosis of	N	% Avail
None Recorded	4	0.2%
Adjustment	76	4.6%
Anxiety	401	24.4%
Attention	617	37.6%
Disruptive Behavior	926	56.4%
Mental Retardation	34	2.1%
Miscellaneous	428	26.0%
Mood	517	31.5%
Pervasive Developmental	35	2.1%
Psychotic Spectrum	46	2.8%
Substance-Related	344	20.9%
Multiple Diagnoses	1,250	76.1%
Avg. Number of Diagnoses	1.8	

Summary of Youth by Primary Adjustment Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Primary Adjustment Disorder		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	54	62.8%
Hispanic or Latino/a	32	37.2%
Not Available (% Total)	43	33.3%
Race (Unduplicated)		
N		% of Available
American Indian or Alaska Native	0	0.0%
Asian	7	7.1%
Black or African-American	0	0.0%
Native Hawaiian or Pacific Islander	16	16.2%
White	10	10.1%
Other Race	1	1.0%
Multiracial	65	65.7%
Based on Observation	5	5.1%
Not Available (% Total)	30	23.3%
Ethnicity (Duplicated)		
N		% of Available
American Indian or Alaska Native	8	9.4%
Alaska Native	0	0.0%
American Indian	8	9.4%
Asian	44	51.8%
Asian Indian	0	0.0%
Chinese	25	29.4%
Filipino	30	35.3%
Japanese	10	11.8%
Korean	6	7.1%
Vietnamese	1	1.2%
Other Asian	2	2.4%
Black or African-American	1	1.2%
Hispanic or Latina/o	32	37.6%
Cuban	0	0.0%
Mexican	10	11.8%
Puerto Rican	15	17.6%
Other Hispanic	12	14.1%
Native Hawaiian or Pacific Islander	61	71.8%
Guamanian or Chamorro	0	0.0%
Micronesian	3	3.5%
Native Hawaiian	57	67.1%
Samoan	6	7.1%
Other Pacific Islander	1	1.2%
White	54	63.5%
White or Caucasian	40	47.1%
Portuguese	28	32.9%
Other Race or Ethnicity	2	2.4%
Multiethnic	68	80.0%
Not Available (% Total)	44	34.1%

All Other Primary Diagnoses		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	846	72.2%
Hispanic or Latino/a	326	27.8%
Not Available (% Total)	818	41.1%
Race (Unduplicated)		
N		% of Available
American Indian or Alaska Native	7	0.5%
Asian	115	8.1%
Black or African-American	22	1.5%
Native Hawaiian or Pacific Islander	192	13.5%
White	202	14.2%
Other Race	7	0.5%
Multiracial	879	61.7%
Based on Observation	88	6.2%
Not Available (% Total)	566	28.4%
Ethnicity (Duplicated)		
N		% of Available
American Indian or Alaska Native	122	10.5%
Alaska Native	0	0.0%
American Indian	122	10.5%
Asian	647	55.5%
Asian Indian	5	0.4%
Chinese	287	24.6%
Filipino	369	31.7%
Japanese	205	17.6%
Korean	39	3.3%
Vietnamese	8	0.7%
Other Asian	18	1.5%
Black or African-American	82	7.0%
Hispanic or Latina/o	318	27.3%
Cuban	6	0.5%
Mexican	55	4.7%
Puerto Rican	174	14.9%
Other Hispanic	124	10.6%
Native Hawaiian or Pacific Islander	698	59.9%
Guamanian or Chamorro	12	1.0%
Micronesian	55	4.7%
Native Hawaiian	584	50.1%
Samoan	76	6.5%
Other Pacific Islander	49	4.2%
White	733	62.9%
White or Caucasian	581	49.9%
Portuguese	280	24.0%
Other Race or Ethnicity	50	4.3%
Multiethnic	811	69.6%
Not Available (% Total)	825	41.5%

**Summary of Youth by Primary Adjustment Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Primary Adjustment Disorder		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	16	12.4%
Leeward Oahu	17	13.2%
Honolulu Oahu	15	11.6%
Hawaii (Big Island)	46	35.7%
Maui	23	17.8%
Kauai	11	8.5%
Family Court Liaison Branch	1	0.8%

All Other Primary Diagnoses		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	280	14.1%
Leeward Oahu	286	14.4%
Honolulu Oahu	236	11.9%
Hawaii (Big Island)	724	36.4%
Maui	202	10.2%
Kauai	175	8.8%
Family Court Liaison Branch	87	4.4%

*Central Oahu FGC now includes both Central and Windward Oahu offices.

Summary of Youth by Primary Adjustment Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Services Procured	Primary Adjustment Disorder			All Other Primary Diagnoses		
	Monthly Average	Total N	% of Procured	Monthly Average	Total N	% of Procured
Out-of-Home	10	21	26.6%	173	371	30.1%
Out-of-State	0	0	0.0%	5	5	0.4%
Hospital Residential	0	2	2.5%	17	75	6.1%
Community High Risk	0	0	0.0%	7	14	1.1%
Community Residential	2	8	10.1%	52	147	11.9%
Therapeutic Foster Home	7	13	16.5%	96	186	15.1%
<i>Multidimensional Treatment Foster Care</i>	0	1	1.3%	5	11	0.9%
<i>Transitional Family Home</i>	7	12	15.2%	91	180	14.6%
Intensive Home & Community	25	51	64.6%	450	935	75.8%
Partial Hospitalization	0	1	1.3%	5	22	1.8%
Multisystemic Therapy	4	11	13.9%	64	202	16.4%
Intensive In-Home	22	44	55.7%	385	768	62.2%
Outpatient	7	28	35.4%	52	280	22.7%
Treatment	6	15	19.0%	37	118	9.6%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	4	9	11.4%	29	92	7.5%
<i>Outpatient Therapy</i>	2	6	7.6%	8	26	2.1%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	1	13	16.5%	15	168	13.6%
Supportive Services	3	11	13.9%	41	177	14.3%
Respite Home	0	2	2.5%	6	28	2.3%
Ancillary Service	2	9	11.4%	35	153	12.4%
Crisis Stabilization	0	1	1.3%	5	45	3.6%
Unduplicated Total (% of Registered)	41	79	61%	650	1,234	62%

*These services either were not procured or had no data available in FY 2013.

Summary of Youth by Primary Adjustment Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Total Hours Procured	Primary Adjustment Disorder			All Other Primary Diagnoses		
	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth
Out-of-Home	169	989	91.9%	151	966	88.7%
Out-of-State	0	0	0.0%	195	2,120	95.1%
Hospital Residential	98	247	34.1%	121	362	59.3%
Community High Risk	0	0	0.0%	175	1,060	83.2%
Community Residential	169	546	82.8%	136	675	77.3%
Therapeutic Foster Home	176	1,224	92.2%	164	1,109	83.0%
<i>Multidimensional Treatment Foster Care</i>	156	624	100.0%	175	940	74.3%
<i>Transitional Family Home</i>	178	1,273	91.6%	163	1,089	81.2%
Intensive Home & Community	15	89	77.9%	18	99	78.5%
Partial Hospitalization	3	8	1.7%	3	8	7.3%
Multisystemic Therapy	39	145	83.2%	40	134	79.8%
Intensive In-Home	10	66	69.4%	13	85	74.4%
Outpatient	5	15	68.7%	4	9	48.4%
Treatment	4	24	60.2%	4	14	47.0%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	4	19	72.9%	3	13	48.9%
<i>Outpatient Therapy</i>	5	31	41.1%	5	19	40.5%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	5	5	78.5%	5	5	47.6%
Supportive Services**	-	-	-	-	-	-
Respite Home	11	16	7.5%	21	53	12.5%
Ancillary Service**	-	-	-	-	-	-
Crisis Stabilization	16	33	59.9%	29	41	48.4%
Unduplicated Total	38	326		40	370	

Service Changes	Primary Adjustment Disorder			All Other Primary Diagnoses		
	Monthly Average	Total N	Total per Youth	Monthly Average	Total N	Total per Youth
Placement Changes	2	27	0.2	43	514	0.3
Out-of-Home Changes	0	2	0.0	4	43	0.0
Provider Agency Changes	6	72	0.6	100	1,202	0.6
Care Coordinator Changes	4	48	0.4	69	833	0.4

*These services either were not procured or had no data available in FY 2013.

**Duration not available for these services.

Summary of Youth by Primary Adjustment Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Primary Adjustment Disorder			
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	107 (3.4)	82 (3.3)	77 (3.9)
Moods: Self-Harm	8 (1.2)	2 (0.6)	2 (0.6)
Moods: Emotions	21 (0.6)	16 (0.6)	15 (0.8)
Home Role Performance	25 (0.7)	19 (0.8)	17 (1.0)
School Role Performance	23 (0.8)	16 (1.0)	15 (1.1)
Community Role Performance	11 (1.1)	7 (1.0)	7 (1.0)
Behavior Towards Other	20 (0.7)	16 (0.7)	15 (0.8)
Substance Use	9 (1.3)	5 (0.9)	5 (1.0)
Thinking	5 (0.8)	2 (0.5)	1 (0.5)

Primary Adjustment Disorder			
Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	20 (0.4)	17 (0.3)	17 (0.3)
Level of Care	4 (0.1)	3 (0.1)	3 (0.1)

Child and Adolescent Functional Assessment Scale (CAFAS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total (8-scale)	30 (83)	47% (78)	47% (78)
Moods: Self-Harm	6 (83)	78% (23)	100% (23)
Moods: Emotions	5 (83)	36% (75)	95% (75)
Home Role Performance	9 (83)	54% (78)	77% (78)
School Role Performance	8 (83)	56% (71)	72% (71)
Community Role Performance	4 (83)	39% (33)	97% (33)
Behavior Towards Other	4 (83)	34% (68)	94% (68)
Substance Use	4 (83)	65% (31)	87% (31)
Thinking	3 (83)	75% (12)	100% (12)

Child and Adolescent Level of Care Utilization System (CALOCUS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total	3 (76)	49% (67)	46% (67)
Level of Care	1 (76)	55% (69)	80% (69)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	814	9	17.8%
Child Events	791	9	14.7%
Person-Directed	124	1	6.2%
Property-Directed	47	1	3.9%
Runaway or Elopement	186	2	6.2%
Self-Injury	217	2	7.0%
Substance Use	70	1	5.4%
Other	116	1	5.4%
Institutional Events	419	5	11.6%
Person-Directed (Client Victim)	70	1	4.7%
Seclusion or Restraint	39	0	2.3%
Medication Error	0	0	0.0%
Police Called	93	1	3.1%
Criminal Charges or Arrest	62	1	3.9%
Client Injury	62	1	4.7%
Staff Injury	0	0	0.0%
Other	93	1	4.7%

All Other Primary Diagnoses		
"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
119 (0.9)	90 (0.9)	86 (1.0)
9 (0.3)	3 (0.2)	3 (0.2)
21 (0.2)	16 (0.2)	15 (0.2)
26 (0.2)	19 (0.2)	18 (0.3)
26 (0.2)	19 (0.2)	18 (0.3)
14 (0.3)	9 (0.3)	9 (0.3)
21 (0.2)	16 (0.2)	15 (0.2)
10 (0.3)	5 (0.2)	5 (0.3)
6 (0.2)	3 (0.1)	2 (0.2)

All Other Primary Diagnoses		
"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
21 (0.1)	18 (0.1)	18 (0.1)
4 (0.0)	3 (0.0)	3 (0.0)

Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
33 (1338)	53% (1271)	33% (1271)
7 (1338)	79% (462)	96% (462)
6 (1338)	48% (1180)	95% (1180)
7 (1338)	50% (1198)	64% (1198)
8 (1337)	48% (1245)	62% (1245)
5 (1338)	47% (723)	89% (723)
6 (1338)	50% (1176)	95% (1176)
5 (1338)	61% (482)	83% (482)
4 (1338)	75% (269)	97% (269)

Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
3 (1208)	46% (1129)	42% (1129)
1 (1208)	55% (1132)	66% (1132)

Reports per 1,000 youth	Monthly Average	Any Report % of youth
864	143	23.9%
944	157	22.2%
186	31	9.4%
98	16	6.4%
250	41	10.2%
169	28	7.4%
98	16	5.1%
108	18	6.6%
552	92	15.5%
45	7	3.6%
61	10	2.8%
10	2	0.7%
157	26	8.5%
103	17	5.6%
39	6	3.4%
10	2	0.7%
115	19	7.0%

*Indicates average change from highest CAFAS or CALOCUS score to most recent.
(A positive number reflects improvement.)

Summary of Youth by Primary Adjustment Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Service Setting	Primary Adjustment Disorder		
	Any Use N	Any Use % Avail	Dosage % of Months
Clinic	34	46.6%	58.3%
Community	48	65.8%	67.8%
Home	66	90.4%	84.4%
Out-of-Home	24	32.9%	70.0%
Phone*	11	15.1%	55.6%
School	41	56.2%	50.7%
Unclear*	2	2.7%	58.3%
Not Available	56	43.4%	

Service Format	Primary Adjustment Disorder		
	Any Use N	Any Use % Avail	Dosage % of Months
Family	61	83.6%	78.0%
Group	12	16.4%	37.8%
Individual	53	72.6%	88.8%
Parent	51	69.9%	74.1%
Phone*	3	4.1%	40.8%
Professional Consult*	14	19.2%	39.4%
Teacher	21	28.8%	36.0%
Unclear*	6	8.2%	42.3%
Not Available	56	43.4%	

Discharge Living Situation	Youth		
	N	% Youth Discharged	% Discharges
Foster Home	5	12.5%	8.8%
Group Care	2	5.0%	3.5%
Home	31	77.5%	54.4%
Homeless/Shelter	0	0.0%	0.0%
Institution/Hospital	1	2.5%	1.8%
Jail/Correctional Facility	1	2.5%	1.8%
Other	2	5.0%	3.5%
Residential Treatment	3	7.5%	5.3%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	40		
Number of Discharges	57		

Reason for Discharge	Youth		
	N	% Youth Discharged	% Discharges
Eligibility Change	0	0.0%	0.0%
Family Relocation	0	0.0%	0.0%
Insufficient Progress	3	7.5%	5.3%
Other	12	30.0%	21.1%
Runaway/Elopement	3	7.5%	5.3%
Refuse/Withdraw	5	12.5%	8.8%
Success/Goals Met	26	65.0%	45.6%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	40		
Number of Discharges	57		

	All Other Primary Diagnoses		
	Any Use N	Any Use % Avail	Dosage % of Months
	527	45.2%	57.0%
	889	76.2%	73.4%
	1,020	87.4%	83.9%
	472	40.4%	60.9%
	128	11.0%	59.5%
	686	58.8%	56.1%
	46	3.9%	26.3%
	823	41.4%	

	All Other Primary Diagnoses		
	Any Use N	Any Use % Avail	Dosage % of Months
	906	77.6%	72.0%
	352	30.2%	49.3%
	1,005	86.1%	87.8%
	903	77.4%	75.2%
	32	2.7%	43.7%
	289	24.8%	42.8%
	445	38.1%	47.6%
	170	14.6%	49.0%
	823	41.4%	

	All Other Primary Diagnoses		
	Youth N	% Youth Discharged	% Discharges
	95	13.5%	9.0%
	6	0.9%	0.6%
	492	69.8%	46.8%
	18	2.6%	1.7%
	22	3.1%	2.1%
	52	7.4%	4.9%
	124	17.6%	11.8%
	50	7.1%	4.8%
	0	0.0%	0.0%
	705		
	1052		

	All Other Primary Diagnoses		
	Youth N	% Youth Discharged	% Discharges
	17	2.4%	1.6%
	22	3.1%	2.1%
	66	9.4%	6.3%
	219	31.1%	20.8%
	95	13.5%	9.0%
	72	10.2%	6.8%
	415	58.9%	39.4%
	0	0.0%	0.0%
	705		
	1052		

*Indicates written response to an open-ended question.

Summary of Youth by Primary Adjustment Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Treatment Target	Primary Adjustment Disorder			All Other Primary Diagnoses		
	Any Use N	Any Use % Avail	Dosage % of Months	Any Use N	Any Use % Avail	Dosage % of Months
Academic Achievement	20	27.4%	42.7%	428	36.7%	40.1%
Activity Involvement	35	47.9%	59.5%	631	54.1%	55.6%
Adaptive Behavior/Living Skills	9	12.3%	38.9%	150	12.9%	38.0%
Adjustment to Change	30	41.1%	53.3%	318	27.2%	36.9%
Adult Intercoordination	0	0.0%	0.0%	13	1.1%	22.0%
Aggression	24	32.9%	54.0%	505	43.3%	54.5%
Anger	31	42.5%	60.5%	585	50.1%	55.1%
Anxiety	26	35.6%	63.1%	428	36.7%	49.4%
Assertiveness	15	20.5%	47.7%	206	17.7%	37.1%
Attention Problems	10	13.7%	42.0%	209	17.9%	35.7%
Avoidance	19	26.0%	34.7%	270	23.1%	41.8%
Caregiver Self-Management/Coping	0	0.0%	0.0%	6	0.5%	22.1%
Cognitive-Intellectual Functioning	3	4.1%	20.6%	94	8.1%	39.2%
Community Involvement	11	15.1%	25.9%	217	18.6%	32.7%
Compulsive Behavior	0	0.0%	0.0%	3	0.3%	22.2%
Contentment/Enjoyment/Happiness	17	23.3%	59.0%	234	20.1%	39.2%
Depressed Mood	16	21.9%	69.7%	381	32.6%	48.7%
Eating/Feeding Problems	1	1.4%	14.3%	35	3.0%	32.8%
Empathy	9	12.3%	37.9%	140	12.0%	43.1%
Enuresis/Encopresis	1	1.4%	100.0%	40	3.4%	49.5%
Fire Setting	0	0.0%	0.0%	6	0.5%	39.0%
Fitness/Exercise	0	0.0%	0.0%	1	0.1%	20.0%
Gender Identity Problems	0	0.0%	0.0%	7	0.6%	26.3%
Goal Setting	0	0.0%	0.0%	4	0.3%	12.7%
Grief	2	2.7%	71.4%	69	5.9%	37.2%
Health Management	4	5.5%	47.0%	88	7.5%	30.9%
Housing/Living Situation	12	16.4%	32.0%	194	16.6%	32.7%
Hyperactivity	1	1.4%	88.9%	102	8.7%	38.8%
Information Gathering	0	0.0%	0.0%	11	0.9%	32.8%
Learning Disorder/Underachievement	2	2.7%	63.6%	36	3.1%	23.7%
Low Self-Esteem	8	11.0%	39.6%	305	26.1%	42.1%
Mania	1	1.4%	40.0%	10	0.9%	26.4%
Medical Regimen Adherence	2	2.7%	21.6%	126	10.8%	38.5%
Occupational Functioning/Stress	4	5.5%	11.9%	46	3.9%	30.8%
Oppositional/Non-Compliant Behavior	38	52.1%	60.2%	759	65.0%	64.7%
Pain Management	0	0.0%	0.0%	0	0.0%	0.0%
Parenting Skills	1	1.4%	30.0%	18	1.5%	32.5%
Peer Involvement	8	11.0%	28.0%	194	16.6%	34.2%
Peer/Sibling Conflict	24	32.9%	46.4%	289	24.8%	44.2%
Personal Hygiene	2	2.7%	57.8%	44	3.8%	27.9%
Phobia/Fears	19	26.0%	50.8%	398	34.1%	43.3%
Positive Family Functioning	1	1.4%	14.3%	85	7.3%	41.2%
Positive Peer Interaction	58	79.5%	72.1%	907	77.7%	72.1%
Positive Thinking/Attitude	23	31.5%	40.5%	353	30.2%	41.1%
Pregnancy Education/Adjustment	1	1.4%	41.7%	23	2.0%	41.2%
Psychosis	0	0.0%	0.0%	38	3.3%	51.6%
Runaway	9	12.3%	46.6%	222	19.0%	46.2%
Safe Environment	2	2.7%	44.4%	9	0.8%	25.3%
School Involvement	16	21.9%	29.1%	268	23.0%	37.5%
School Refusal/Truancy	9	12.3%	27.8%	218	18.7%	43.1%
Self-Control	5	6.8%	20.4%	154	13.2%	45.6%
Self-Injurious Behavior	19	26.0%	48.5%	296	25.4%	41.0%
Sexual Orientation	0	0.0%	0.0%	0	0.0%	0.0%
Sexual Misconduct	3	4.1%	13.1%	66	5.7%	53.5%
Shyness	3	4.1%	70.8%	22	1.9%	21.5%
Sleep Disturbance	0	0.0%	0.0%	24	2.1%	36.0%
Social Skills	17	23.3%	67.8%	346	29.6%	44.9%
Speech and Language	0	0.0%	0.0%	8	0.7%	25.6%
Substance Use	17	23.3%	59.3%	329	28.2%	64.9%
Suicidality	4	5.5%	44.2%	86	7.4%	36.1%
Traumatic Stress	17	23.3%	55.6%	173	14.8%	43.1%
Treatment Engagement	39	53.4%	58.8%	642	55.0%	52.4%
Treatment Planning/Framing	5	6.8%	83.3%	62	5.3%	42.4%
Willful Misconduct/Delinquency	10	13.7%	29.1%	224	19.2%	46.2%
Other	1	1.4%	36.4%	13	1.1%	14.0%
Unclear	4	5.5%	58.8%	97	8.3%	28.3%
Not Available	56	43.4%		823	41.4%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Primary Adjustment Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Primary Adjustment Disorder			All Other Primary Diagnoses		
	Any Use	Any Use	Dosage	Any Use	Any Use	Dosage
Practice Elements	N	% Avail	% of Months	N	% Avail	% of Months
Activity Scheduling	37	50.7%	59.3%	701	60.1%	56.8%
Anger Management	0	0.0%	0.0%	4	0.3%	16.8%
Animal or Plant Assisted Activities	0	0.0%	0.0%	0	0.0%	0.0%
Arousal Reconditioning	0	0.0%	0.0%	0	0.0%	0.0%
Art/Music Therapy	1	1.4%	11.1%	1	0.1%	33.3%
Assertiveness Training	24	32.9%	57.2%	385	33.0%	45.3%
Assessment	3	4.1%	100.0%	38	3.3%	65.1%
Attending	25	34.2%	51.8%	336	28.8%	44.5%
Behavior Management	0	0.0%	0.0%	5	0.4%	15.3%
Behavioral Contracting	35	47.9%	54.7%	678	58.1%	55.8%
Biofeedback/Neurofeedback	1	1.4%	50.0%	18	1.5%	28.3%
Care Coordination	35	47.9%	65.5%	732	62.7%	65.3%
Catharsis	4	5.5%	32.9%	70	6.0%	39.6%
Cognitive/Coping	44	60.3%	70.0%	698	59.8%	63.7%
Commands/Limit Setting	14	19.2%	46.1%	176	15.1%	39.5%
Communication Skills	55	75.3%	67.1%	906	77.6%	67.8%
Counseling	0	0.0%	0.0%	1	0.1%	27.3%
Crisis Management	26	35.6%	43.8%	517	44.3%	46.3%
Cultural Training	14	19.2%	35.1%	131	11.2%	42.1%
Discrete Trial Training	0	0.0%	0.0%	15	1.3%	19.6%
Educational Support	36	49.3%	64.7%	635	54.4%	54.8%
Emotional Processing	44	60.3%	70.6%	756	64.8%	62.5%
Exposure	13	17.8%	30.1%	240	20.6%	41.1%
Eye Movement/Body Tapping	2	2.7%	16.7%	16	1.4%	18.2%
Family Engagement	52	71.2%	72.1%	879	75.3%	63.8%
Family Therapy	52	71.2%	67.5%	813	69.7%	59.9%
Family Visit	0	0.0%	0.0%	0	0.0%	0.0%
Free Association	3	4.1%	34.6%	75	6.4%	36.3%
Functional Analysis	6	8.2%	60.6%	200	17.1%	48.8%
Goal Setting	50	68.5%	62.7%	832	71.3%	63.8%
Guided Imagery	13	17.8%	39.5%	197	16.9%	36.5%
Ho'Oponopono	0	0.0%	0.0%	0	0.0%	0.0%
Hypnosis	5	6.8%	33.2%	18	1.5%	23.8%
Ignoring or DRO	26	35.6%	50.1%	400	34.3%	46.7%
Individual Therapy for Caregiver	22	30.1%	35.9%	342	29.3%	42.0%
Informal Supports	0	0.0%	0.0%	6	0.5%	26.8%
Insight Building	49	67.1%	62.0%	736	63.1%	60.4%
Interpretation	12	16.4%	35.1%	204	17.5%	36.4%
Juvenile Sex Offender Treatment	0	0.0%	0.0%	23	2.0%	71.3%
Legal Assistance/Involvement	0	0.0%	0.0%	0	0.0%	0.0%
Line of Sight Supervision	19	26.0%	35.6%	386	33.1%	47.2%
Maintenance/Relapse Prevention	24	32.9%	41.2%	325	27.8%	44.1%
Marital Therapy	7	9.6%	28.6%	61	5.2%	29.7%
Medication/Pharmacotherapy	9	12.3%	38.6%	354	30.3%	52.5%
Mentoring	28	38.4%	45.8%	455	39.0%	49.8%
Milieu Therapy	11	15.1%	42.6%	296	25.4%	50.6%
Mindfulness	23	31.5%	64.6%	483	41.4%	48.2%
Modeling	39	53.4%	54.2%	746	63.9%	57.4%
Motivational Interviewing	35	47.9%	52.6%	599	51.3%	55.1%
Natural and Logical Consequences	50	68.5%	59.5%	798	68.4%	61.9%
Parent Coping	43	58.9%	71.6%	742	63.6%	57.2%
Parent or Teacher Monitoring	37	50.7%	56.2%	559	47.9%	51.1%
Parent Praise	41	56.2%	56.2%	574	49.2%	51.5%
Parenting	0	0.0%	0.0%	15	1.3%	21.0%
Peer Modeling/Pairing	12	16.4%	21.0%	200	17.1%	33.1%
Personal Safety Skills	32	43.8%	53.3%	536	45.9%	50.8%
Physical Exercise	0	0.0%	0.0%	0	0.0%	0.0%
Play Therapy	18	24.7%	60.0%	185	15.9%	47.1%
Problem Solving	54	74.0%	63.3%	896	76.8%	65.8%
Psychoeducation-Child	45	61.6%	63.3%	737	63.2%	59.7%
Psychoeducation-Parent	45	61.6%	66.5%	801	68.6%	62.0%
Relationship/Rapport Building	55	75.3%	61.7%	877	75.1%	60.6%
Relaxation	35	47.9%	46.4%	580	49.7%	50.3%
Response Cost	12	16.4%	32.0%	219	18.8%	43.0%
Response Prevention	11	15.1%	40.7%	258	22.1%	41.6%
Self-Monitoring	29	39.7%	53.6%	519	44.5%	49.3%
Self-Reward/Self-Praise	24	32.9%	49.1%	410	35.1%	49.5%
Skill Building	50	68.5%	60.7%	829	71.0%	61.2%
Social Skills Training	31	42.5%	64.0%	630	54.0%	53.5%
Stimulus Control/Antecedent Man.	14	19.2%	34.6%	276	23.7%	43.7%
Supportive Listening	58	79.5%	72.1%	936	80.2%	71.1%
Tangible Rewards	32	43.8%	48.1%	563	48.2%	52.2%
Therapist Praise/Rewards	46	63.0%	69.6%	764	65.5%	61.7%
Thought Field Therapy	0	0.0%	0.0%	32	2.7%	19.9%
Time Out	17	23.3%	52.0%	328	28.1%	44.8%
Twelve-step Programming	9	12.3%	37.8%	135	11.6%	50.6%
Other	2	2.7%	31.3%	33	2.8%	27.8%
Unclear	9	12.3%	30.5%	145	12.4%	39.4%
Not Available	56	43.4%		823	41.4%	


Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Primary Anxiety Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Primary Anxiety Disorder		
	N	%
Total Registered Youth	185	8.7%
with Services Procured	136	73.5%
Youth with New Admissions	79	42.7%
with Initial Admissions	50	27.0%
with Repeat Admissions	29	15.7%
Youth with Discharges	57	30.8%

	N	% of Available
Gender		
Females	91	49%
Males	94	51%

	Mean	SD
Age in Years	14.0	3.5




Primary Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	0	0.0%
Anxiety	185	100.0%
Attention	0	0.0%
Disruptive Behavior	0	0.0%
Mental Retardation	0	0.0%
Miscellaneous	0	0.0%
Mood	0	0.0%
Pervasive Developmental	0	0.0%
Psychotic Spectrum	0	0.0%
Substance-Related	0	0.0%
Not Available (% Total)	0	0.0%

Any Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	6	3.2%
Anxiety	185	100.0%
Attention	31	16.8%
Disruptive Behavior	45	24.3%
Mental Retardation	4	2.2%
Miscellaneous	47	25.4%
Mood	51	27.6%
Pervasive Developmental	1	0.5%
Psychotic Spectrum	0	0.0%
Substance-Related	15	8.1%
Multiple Diagnoses	135	73.0%
Avg. Number of Diagnoses	2.2	

All Other Primary Diagnoses		
	N	%
Total Registered Youth	1,934	91.3%
with Services Procured	1,177	60.9%
Youth with New Admissions	890	46.0%
with Initial Admissions	640	33.1%
with Repeat Admissions	250	12.9%
Youth with Discharges	799	41.3%

	N	% of Available
Gender		
Females	707	37%
Males	1,227	63%

	Mean	SD
Age in Years	14.0	3.8



Primary Diagnosis of	N	% Avail
None Recorded	6	0.4%
Adjustment	129	8.2%
Anxiety	0	0.0%
Attention	347	21.9%
Disruptive Behavior	570	36.0%
Mental Retardation	0	0.0%
Miscellaneous	74	4.7%
Mood	331	20.9%
Pervasive Developmental	25	1.6%
Psychotic Spectrum	38	2.4%
Substance-Related	62	3.9%
Not Available (% Total)	352	18.2%

Any Diagnosis of	N	% Avail
None Recorded	4	0.3%
Adjustment	199	12.5%
Anxiety	225	14.2%
Attention	598	37.7%
Disruptive Behavior	893	56.3%
Mental Retardation	30	1.9%
Miscellaneous	419	26.4%
Mood	473	29.8%
Pervasive Developmental	35	2.2%
Psychotic Spectrum	46	2.9%
Substance-Related	341	21.5%
Multiple Diagnoses	1,184	74.6%
Avg. Number of Diagnoses	1.8	

Summary of Youth by Primary Anxiety Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Primary Anxiety Disorder		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	87	70.2%
Hispanic or Latino/a	37	29.8%
Not Available (% Total)	61	33.0%

Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	0	0.0%
Asian	11	7.5%
Black or African-American	2	1.4%
Native Hawaiian or Pacific Islander	17	11.6%
White	26	17.8%
Other Race	0	0.0%
Multiracial	90	61.6%
Based on Observation	7	4.8%
Not Available (% Total)	39	21.1%

Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	14	11.6%
Alaska Native	0	0.0%
American Indian	14	11.6%
Asian	67	55.4%
Asian Indian	1	0.8%
Chinese	30	24.8%
Filipino	34	28.1%
Japanese	20	16.5%
Korean	4	3.3%
Vietnamese	1	0.8%
Other Asian	4	3.3%
Black or African-American	7	5.8%
Hispanic or Latina/o	35	28.9%
Cuban	0	0.0%
Mexican	6	5.0%
Puerto Rican	17	14.0%
Other Hispanic	17	14.0%
Native Hawaiian or Pacific Islander	71	58.7%
Guamanian or Chamorro	2	1.7%
Micronesian	1	0.8%
Native Hawaiian	64	52.9%
Samoan	8	6.6%
Other Pacific Islander	5	4.1%
White	77	63.6%
White or Caucasian	64	52.9%
Portuguese	29	24.0%
Other Race or Ethnicity	7	5.8%
Multiethnic	91	75.2%
Not Available (% Total)	64	34.6%

All Other Primary Diagnoses		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	813	71.7%
Hispanic or Latino/a	321	28.3%
Not Available (% Total)	800	41.4%

Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	7	0.5%
Asian	111	8.1%
Black or African-American	20	1.5%
Native Hawaiian or Pacific Islander	191	13.9%
White	186	13.5%
Other Race	8	0.6%
Multiracial	854	62.0%
Based on Observation	86	6.2%
Not Available (% Total)	557	28.8%

Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	116	10.3%
Alaska Native	0	0.0%
American Indian	116	10.3%
Asian	624	55.3%
Asian Indian	4	0.4%
Chinese	282	25.0%
Filipino	365	32.3%
Japanese	195	17.3%
Korean	41	3.6%
Vietnamese	8	0.7%
Other Asian	16	1.4%
Black or African-American	76	6.7%
Hispanic or Latina/o	315	27.9%
Cuban	6	0.5%
Mexican	59	5.2%
Puerto Rican	172	15.2%
Other Hispanic	119	10.5%
Native Hawaiian or Pacific Islander	688	60.9%
Guamanian or Chamorro	10	0.9%
Micronesian	57	5.0%
Native Hawaiian	577	51.1%
Samoan	74	6.6%
Other Pacific Islander	45	4.0%
White	710	62.9%
White or Caucasian	557	49.3%
Portuguese	279	24.7%
Other Race or Ethnicity	45	4.0%
Multiethnic	788	69.8%
Not Available (% Total)	805	41.6%

Summary of Youth by Primary Anxiety Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Primary Anxiety Disorder		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	30	16.2%
Leeward Oahu	29	15.7%
Honolulu Oahu	27	14.6%
Hawaii (Big Island)	60	32.4%
Maui	20	10.8%
Kauai	16	8.6%
Family Court Liaison Branch	3	1.6%

All Other Primary Diagnoses		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	266	13.8%
Leeward Oahu	274	14.2%
Honolulu Oahu	224	11.6%
Hawaii (Big Island)	710	36.7%
Maui	205	10.6%
Kauai	170	8.8%
Family Court Liaison Branch	85	4.4%

*Central Oahu FGC now includes both Central and Windward Oahu offices.

Summary of Youth by Primary Anxiety Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Services Procured	Primary Anxiety Disorder			All Other Primary Diagnoses		
	Monthly Average	Total N	% of Procured	Monthly Average	Total N	% of Procured
Out-of-Home	27	50	36.8%	155	342	29.1%
Out-of-State	3	3	2.2%	2	2	0.2%
Hospital Residential	3	13	9.6%	14	64	5.4%
Community High Risk	0	0	0.0%	7	14	1.2%
Community Residential	3	11	8.1%	51	144	12.2%
Therapeutic Foster Home	19	33	24.3%	84	166	14.1%
<i>Multidimensional Treatment Foster Care</i>	0	0	0.0%	5	12	1.0%
<i>Transitional Family Home</i>	19	33	24.3%	79	159	13.5%
Intensive Home & Community	47	100	73.5%	428	886	75.3%
Partial Hospitalization	1	3	2.2%	4	20	1.7%
Multisystemic Therapy	4	12	8.8%	64	201	17.1%
Intensive In-Home	43	92	67.6%	363	720	61.2%
Outpatient	6	28	20.6%	53	280	23.8%
Treatment	5	14	10.3%	38	119	10.1%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	4	10	7.4%	30	91	7.7%
<i>Outpatient Therapy</i>	2	4	2.9%	8	28	2.4%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	1	14	10.3%	15	167	14.2%
Supportive Services	3	16	11.8%	41	172	14.6%
Respite Home	0	1	0.7%	6	29	2.5%
Ancillary Service	3	16	11.8%	35	146	12.4%
Crisis Stabilization	0	3	2.2%	5	43	3.7%
Unduplicated Total (% of Registered)	76	136	74%	615	1,177	61%

*These services either were not procured or had no data available in FY 2013.

Summary of Youth by Primary Anxiety Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Total Hours Procured	Primary Anxiety Disorder			All Other Primary Diagnoses		
	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth
Out-of-Home	156	1,161	93.6%	151	938	88.2%
Out-of-State	194	1,952	92.8%	198	2,373	98.4%
Hospital Residential	125	330	58.7%	119	365	58.7%
Community High Risk	0	0	0.0%	175	1,060	83.2%
Community Residential	140	574	74.7%	137	676	77.9%
Therapeutic Foster Home	164	1,261	85.4%	165	1,088	83.3%
<i>Multidimensional Treatment Foster Care</i>	0	0	0.0%	173	913	76.5%
<i>Transitional Family Home</i>	164	1,261	85.4%	164	1,067	81.2%
Intensive Home & Community	15	91	72.7%	18	100	79.2%
Partial Hospitalization	3	9	2.5%	3	8	7.7%
Multisystemic Therapy	42	134	76.4%	39	135	80.2%
Intensive In-Home	12	81	69.0%	13	85	74.8%
Outpatient	5	12	48.0%	4	9	50.4%
Treatment	4	19	40.6%	4	15	49.5%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	4	18	31.7%	3	13	53.1%
<i>Outpatient Therapy</i>	5	23	63.0%	5	21	37.4%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	5	5	55.5%	5	5	49.3%
Supportive Services**	-	-	-	-	-	-
Respite Home	13	13	1.8%	20	52	12.5%
Ancillary Service**	-	-	-	-	-	-
Crisis Stabilization	12	15	34.9%	30	42	49.6%
Unduplicated Total	49	497		39	353	

Service Changes	Primary Anxiety Disorder			All Other Primary Diagnoses		
	Monthly Average	Total N	Total per Youth	Monthly Average	Total N	Total per Youth
Placement Changes	6	70	0.4	39	471	0.2
Out-of-Home Changes	1	7	0.0	3	38	0.0
Provider Agency Changes	11	136	0.7	95	1,138	0.6
Care Coordinator Changes	7	82	0.4	67	799	0.4

*These services either were not procured or had no data available in FY 2013.

**Duration not available for these services.

Summary of Youth by Primary Anxiety Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Primary Anxiety Disorder		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	119 (2.8)	91 (2.8)	86 (3.1)
Moods: Self-Harm	12 (0.9)	5 (0.6)	4 (0.6)
Moods: Emotions	23 (0.5)	18 (0.5)	18 (0.6)
Home Role Performance	25 (0.6)	19 (0.7)	18 (0.9)
School Role Performance	26 (0.6)	20 (0.8)	19 (0.9)
Community Role Performance	13 (0.9)	7 (0.7)	6 (0.8)
Behavior Towards Other	21 (0.6)	15 (0.6)	15 (0.7)
Substance Use	7 (1.0)	4 (0.7)	3 (0.7)
Thinking	8 (0.7)	4 (0.5)	4 (0.6)

	Primary Anxiety Disorder		
Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	21 (0.3)	18 (0.3)	18 (0.3)
Level of Care	4 (0.1)	3 (0.1)	3 (0.1)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Functional Assessment Scale (CAFAS)			
Total (8-scale)	33 (140)	56% (135)	33% (135)
Moods: Self-Harm	8 (140)	85% (65)	95% (65)
Moods: Emotions	5 (140)	46% (136)	90% (136)
Home Role Performance	8 (140)	53% (125)	64% (125)
School Role Performance	7 (140)	46% (130)	60% (130)
Community Role Performance	7 (140)	59% (68)	93% (68)
Behavior Towards Other	7 (140)	57% (120)	93% (120)
Substance Use	4 (140)	68% (34)	74% (34)
Thinking	5 (140)	68% (38)	97% (38)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Level of Care Utilization System (CALOCUS)			
Total	3 (133)	46% (125)	39% (125)
Level of Care	1 (133)	57% (125)	68% (125)

	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Sentinel Event Reports			
Total	1,297	20	32.4%
Child Events	1,497	23	30.3%
Person-Directed	330	5	14.1%
Property-Directed	92	1	7.0%
Runaway or Elopement	368	6	14.1%
Self-Injury	341	5	13.0%
Substance Use	130	2	6.5%
Other	162	3	8.6%
Institutional Events	681	11	21.6%
Person-Directed (Client Victim)	92	1	7.0%
Seclusion or Restraint	54	1	3.2%
Medication Error	11	0	1.1%
Police Called	189	3	10.3%
Criminal Charges or Arrest	97	2	7.0%
Client Injury	38	1	3.8%
Staff Injury	11	0	0.5%
Other	168	3	10.8%

	All Other Primary Diagnoses		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	119 (1.0)	90 (0.9)	86 (1.0)
Moods: Self-Harm	9 (0.3)	3 (0.2)	2 (0.2)
Moods: Emotions	20 (0.2)	16 (0.2)	15 (0.2)
Home Role Performance	26 (0.2)	19 (0.2)	18 (0.3)
School Role Performance	26 (0.2)	19 (0.3)	18 (0.3)
Community Role Performance	14 (0.3)	9 (0.3)	9 (0.3)
Behavior Towards Other	21 (0.2)	16 (0.2)	16 (0.2)
Substance Use	10 (0.3)	6 (0.2)	5 (0.3)
Thinking	6 (0.2)	2 (0.1)	2 (0.2)

	All Other Primary Diagnoses		
Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	21 (0.1)	18 (0.1)	18 (0.1)
Level of Care	4 (0.0)	3 (0.0)	3 (0.0)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Functional Assessment Scale (CAFAS)			
Total (8-scale)	33 (1281)	52% (1214)	34% (1214)
Moods: Self-Harm	7 (1281)	78% (420)	96% (420)
Moods: Emotions	6 (1281)	47% (1119)	95% (1119)
Home Role Performance	7 (1281)	50% (1151)	65% (1151)
School Role Performance	8 (1280)	49% (1186)	62% (1186)
Community Role Performance	5 (1281)	46% (688)	90% (688)
Behavior Towards Other	6 (1281)	48% (1124)	95% (1124)
Substance Use	5 (1281)	61% (479)	84% (479)
Thinking	4 (1281)	77% (243)	97% (243)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Level of Care Utilization System (CALOCUS)			
Total	3 (1151)	46% (1071)	42% (1071)
Level of Care	1 (1151)	55% (1076)	67% (1076)

	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Sentinel Event Reports			
Total	820	132	22.6%
Child Events	881	142	20.9%
Person-Directed	168	27	8.8%
Property-Directed	96	15	6.2%
Runaway or Elopement	234	38	9.6%
Self-Injury	156	25	6.8%
Substance Use	93	15	5.0%
Other	103	17	6.3%
Institutional Events	531	86	14.7%
Person-Directed (Client Victim)	42	7	3.4%
Seclusion or Restraint	60	10	2.7%
Medication Error	9	2	0.6%
Police Called	150	24	8.0%
Criminal Charges or Arrest	100	16	5.4%
Client Injury	40	6	3.5%
Staff Injury	9	1	0.6%
Other	108	17	6.5%

*Indicates average change from highest CAFAS or CALOCUS score to most recent.
(A positive number reflects improvement.)

Summary of Youth by Primary Anxiety Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Primary Anxiety Disorder			
Service Setting	Any Use N	Any Use % Avail	Dosage % of Months
Clinic	65	50.8%	56.1%
Community	97	75.8%	71.9%
Home	105	82.0%	80.4%
Out-of-Home	58	45.3%	62.3%
Phone*	11	8.6%	59.1%
School	75	58.6%	52.1%
Unclear*	6	4.7%	23.2%
Not Available	57	30.8%	

Service Format	Any Use N	Any Use % Avail	Dosage % of Months
Family	100	78.1%	65.0%
Group	34	26.6%	44.1%
Individual	115	89.8%	89.7%
Parent	92	71.9%	67.4%
Phone*	3	2.3%	39.4%
Professional Consult*	29	22.7%	44.4%
Teacher	50	39.1%	42.0%
Unclear*	17	13.3%	44.5%
Not Available	57	30.8%	

Discharge Living Situation	Youth N	% Youth Discharged	% Discharges
Foster Home	12	16.0%	10.2%
Group Care	1	1.3%	0.8%
Home	52	69.3%	44.1%
Homeless/Shelter	3	4.0%	2.5%
Institution/Hospital	1	1.3%	0.8%
Jail/Correctional Facility	3	4.0%	2.5%
Other	16	21.3%	13.6%
Residential Treatment	5	6.7%	4.2%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	75		
Number of Discharges	118		

Reason for Discharge	Youth N	% Youth Discharged	% Discharges
Eligibility Change	2	2.7%	1.7%
Family Relocation	4	5.3%	3.4%
Insufficient Progress	5	6.7%	4.2%
Other	27	36.0%	22.9%
Runaway/Elopement	8	10.7%	6.8%
Refuse/Withdraw	6	8.0%	5.1%
Success/Goals Met	44	58.7%	37.3%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	75		
Number of Discharges	118		

All Other Primary Diagnoses		
Any Use N	Any Use % Avail	Dosage % of Months
496	44.6%	57.2%
840	75.5%	73.2%
981	88.2%	84.3%
438	39.4%	61.2%
128	11.5%	59.2%
652	58.6%	56.2%
42	3.8%	28.3%
822	42.5%	

Any Use N	Any Use % Avail	Dosage % of Months
867	78.0%	73.3%
330	29.7%	49.4%
943	84.8%	87.6%
862	77.5%	76.0%
32	2.9%	43.8%
274	24.6%	42.4%
416	37.4%	47.7%
159	14.3%	49.2%
822	42.5%	

Youth N	% Youth Discharged	% Discharges
88	13.1%	8.9%
7	1.0%	0.7%
471	70.3%	47.5%
15	2.2%	1.5%
22	3.3%	2.2%
50	7.5%	5.0%
110	16.4%	11.1%
48	7.2%	4.8%
0	0.0%	0.0%
670		
991		

Youth N	% Youth Discharged	% Discharges
15	2.2%	1.5%
18	2.7%	1.8%
64	9.6%	6.5%
204	30.4%	20.6%
90	13.4%	9.1%
71	10.6%	7.2%
397	59.3%	40.1%
0	0.0%	0.0%
670		
991		

*Indicates written response to an open-ended question.

Summary of Youth by Primary Anxiety Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Treatment Target	Primary Anxiety Disorder			All Other Primary Diagnoses		
	Any Use N	Any Use % Avail	Dosage % of Months	Any Use N	Any Use % Avail	Dosage % of Months
Academic Achievement	46	35.9%	53.2%	402	36.2%	38.8%
Activity Involvement	61	47.7%	57.2%	605	54.4%	55.7%
Adaptive Behavior/Living Skills	17	13.3%	47.2%	142	12.8%	37.0%
Adjustment to Change	42	32.8%	42.2%	306	27.5%	37.8%
Adult Intercoordination	4	3.1%	24.0%	9	0.8%	21.1%
Aggression	53	41.4%	52.1%	476	42.8%	54.8%
Anger	62	48.4%	49.1%	554	49.8%	56.1%
Anxiety	69	53.9%	59.4%	385	34.6%	48.6%
Assertiveness	21	16.4%	53.5%	200	18.0%	36.2%
Attention Problems	15	11.7%	23.9%	204	18.3%	36.9%
Avoidance	30	23.4%	47.8%	259	23.3%	40.6%
Caregiver Self-Management/Coping	2	1.6%	22.5%	4	0.4%	21.9%
Cognitive-Intellectual Functioning	7	5.5%	50.9%	90	8.1%	37.7%
Community Involvement	23	18.0%	41.9%	205	18.4%	31.3%
Compulsive Behavior	2	1.6%	29.2%	1	0.1%	8.3%
Contentment/Enjoyment/Happiness	20	15.6%	42.9%	231	20.8%	40.3%
Depressed Mood	48	37.5%	49.4%	349	31.4%	49.5%
Eating/Feeding Problems	4	3.1%	45.7%	32	2.9%	30.6%
Empathy	7	5.5%	25.3%	142	12.8%	43.6%
Enuresis/Encopresis	8	6.3%	46.7%	33	3.0%	51.7%
Fire Setting	0	0.0%	0.0%	6	0.5%	39.0%
Fitness/Exercise	0	0.0%	0.0%	1	0.1%	20.0%
Gender Identity Problems	1	0.8%	8.3%	6	0.5%	29.4%
Goal Setting	1	0.8%	8.3%	3	0.3%	14.1%
Grief	8	6.3%	47.7%	63	5.7%	36.9%
Health Management	16	12.5%	32.3%	76	6.8%	31.4%
Housing/Living Situation	23	18.0%	21.5%	183	16.5%	34.0%
Hyperactivity	14	10.9%	32.6%	89	8.0%	40.3%
Information Gathering	2	1.6%	9.7%	9	0.8%	38.0%
Learning Disorder/Underachievement	5	3.9%	21.0%	33	3.0%	26.5%
Low Self-Esteem	35	27.3%	49.0%	278	25.0%	41.2%
Mania	2	1.6%	22.9%	9	0.8%	28.7%
Medical Regimen Adherence	11	8.6%	43.7%	117	10.5%	37.8%
Occupational Functioning/Stress	3	2.3%	16.0%	47	4.2%	30.2%
Oppositional/Non-Compliant Behavior	78	60.9%	63.1%	719	64.7%	64.6%
Pain Management	0	0.0%	0.0%	0	0.0%	0.0%
Parenting Skills	2	1.6%	54.2%	17	1.5%	29.8%
Peer Involvement	18	14.1%	35.9%	184	16.5%	33.8%
Peer/Sibling Conflict	31	24.2%	38.0%	282	25.4%	45.1%
Personal Hygiene	9	7.0%	19.6%	37	3.3%	31.6%
Phobia/Fears	38	29.7%	46.7%	379	34.1%	43.4%
Positive Family Functioning	9	7.0%	41.0%	77	6.9%	40.8%
Positive Peer Interaction	96	75.0%	65.3%	869	78.1%	67.7%
Positive Thinking/Attitude	38	29.7%	36.2%	338	30.4%	41.6%
Pregnancy Education/Adjustment	5	3.9%	37.5%	19	1.7%	42.2%
Psychosis	5	3.9%	48.0%	33	3.0%	52.2%
Runaway	19	14.8%	61.9%	212	19.1%	44.8%
Safe Environment	2	1.6%	26.7%	9	0.8%	29.2%
School Involvement	26	20.3%	34.5%	258	23.2%	37.3%
School Refusal/Truancy	19	14.8%	52.5%	208	18.7%	41.6%
Self-Control	20	15.6%	52.3%	139	12.5%	43.8%
Self-Injurious Behavior	36	28.1%	37.3%	279	25.1%	41.9%
Sexual Orientation	0	0.0%	0.0%	0	0.0%	0.0%
Sexual Misconduct	5	3.9%	46.9%	64	5.8%	52.1%
Shyness	2	1.6%	8.7%	23	2.1%	29.1%
Sleep Disturbance	4	3.1%	36.9%	20	1.8%	35.8%
Social Skills	50	39.1%	43.4%	313	28.1%	46.4%
Speech and Language	0	0.0%	0.0%	8	0.7%	25.6%
Substance Use	21	16.4%	54.9%	325	29.2%	65.3%
Suicidality	13	10.2%	45.8%	77	6.9%	34.9%
Traumatic Stress	37	28.9%	48.3%	153	13.8%	43.2%
Treatment Engagement	69	53.9%	50.2%	612	55.0%	53.0%
Treatment Planning/Framing	4	3.1%	41.3%	63	5.7%	45.7%
Willful Misconduct/Delinquency	16	12.5%	41.1%	218	19.6%	45.8%
Other	0	0.0%	0.0%	14	1.3%	15.6%
Unclear	17	13.3%	26.7%	84	7.6%	30.1%
Not Available	57	30.8%		822	42.5%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Primary Anxiety Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Primary Anxiety Disorder			All Other Primary Diagnoses		
	Any Use	Any Use	Dosage	Any Use	Any Use	Dosage
Practice Elements	N	% Avail	% of Months	N	% Avail	% of Months
Activity Scheduling	86	67.2%	58.3%	652	58.6%	56.8%
Anger Management	0	0.0%	0.0%	4	0.4%	16.8%
Animal or Plant Assisted Activities	0	0.0%	0.0%	0	0.0%	0.0%
Arousal Reconditioning	0	0.0%	0.0%	0	0.0%	0.0%
Art/Music Therapy	0	0.0%	0.0%	2	0.2%	22.2%
Assertiveness Training	50	39.1%	46.4%	359	32.3%	45.9%
Assessment	0	0.0%	0.0%	41	3.7%	67.7%
Attending	48	37.5%	41.5%	313	28.1%	45.5%
Behavior Management	1	0.8%	16.7%	4	0.4%	15.0%
Behavioral Contracting	75	58.6%	60.5%	638	57.4%	55.1%
Biofeedback/Neurofeedback	3	2.3%	22.8%	16	1.4%	30.7%
Care Coordination	87	68.0%	66.5%	680	61.2%	65.2%
Catharsis	13	10.2%	42.3%	61	5.5%	38.6%
Cognitive/Coping	88	68.8%	65.3%	654	58.8%	63.9%
Commands/Limit Setting	16	12.5%	48.5%	174	15.6%	39.2%
Communication Skills	103	80.5%	69.2%	858	77.2%	67.6%
Counseling	1	0.8%	27.3%	0	0.0%	0.0%
Crisis Management	64	50.0%	46.4%	479	43.1%	46.1%
Cultural Training	12	9.4%	43.7%	133	12.0%	41.2%
Discrete Trial Training	1	0.8%	8.3%	14	1.3%	20.4%
Educational Support	80	62.5%	55.7%	591	53.1%	55.3%
Emotional Processing	93	72.7%	63.6%	707	63.6%	62.8%
Exposure	40	31.3%	50.8%	213	19.2%	38.6%
Eye Movement/Body Tapping	2	1.6%	9.2%	16	1.4%	19.1%
Family Engagement	101	78.9%	60.6%	830	74.6%	64.7%
Family Therapy	90	70.3%	53.4%	775	69.7%	61.2%
Family Visit	0	0.0%	0.0%	0	0.0%	0.0%
Free Association	11	8.6%	39.0%	67	6.0%	35.8%
Functional Analysis	26	20.3%	47.4%	180	16.2%	49.4%
Goal Setting	97	75.8%	64.9%	785	70.6%	63.6%
Guided Imagery	26	20.3%	31.8%	184	16.5%	37.4%
Ho'Oponopono	0	0.0%	0.0%	0	0.0%	0.0%
Hypnosis	0	0.0%	0.0%	23	2.1%	25.8%
Ignoring or DRO	55	43.0%	48.2%	371	33.4%	46.7%
Individual Therapy for Caregiver	52	40.6%	40.5%	312	28.1%	41.9%
Informal Supports	1	0.8%	20.0%	5	0.4%	28.2%
Insight Building	87	68.0%	61.2%	698	62.8%	60.4%
Interpretation	30	23.4%	43.5%	186	16.7%	35.1%
Juvenile Sex Offender Treatment	0	0.0%	0.0%	23	2.1%	71.3%
Legal Assistance/Involvement	0	0.0%	0.0%	0	0.0%	0.0%
Line of Sight Supervision	41	32.0%	36.1%	364	32.7%	47.9%
Maintenance/Relapse Prevention	38	29.7%	46.4%	311	28.0%	43.6%
Marital Therapy	7	5.5%	22.0%	61	5.5%	30.5%
Medication/Pharmacotherapy	46	35.9%	53.9%	317	28.5%	51.9%
Mentoring	53	41.4%	43.1%	430	38.7%	50.4%
Milieu Therapy	37	28.9%	44.5%	270	24.3%	51.1%
Mindfulness	65	50.8%	53.9%	441	39.7%	48.2%
Modeling	92	71.9%	56.4%	693	62.3%	57.3%
Motivational Interviewing	72	56.3%	54.2%	562	50.5%	55.1%
Natural and Logical Consequences	90	70.3%	64.8%	758	68.2%	61.4%
Parent Coping	89	69.5%	54.5%	696	62.6%	58.4%
Parent or Teacher Monitoring	68	53.1%	48.8%	528	47.5%	51.8%
Parent Praise	66	51.6%	47.4%	549	49.4%	52.3%
Parenting	2	1.6%	16.7%	13	1.2%	21.7%
Peer Modeling/Pairing	21	16.4%	27.4%	191	17.2%	33.0%
Personal Safety Skills	67	52.3%	50.8%	501	45.1%	51.0%
Physical Exercise	0	0.0%	0.0%	0	0.0%	0.0%
Play Therapy	23	18.0%	49.8%	180	16.2%	48.0%
Problem Solving	106	82.8%	66.2%	844	75.9%	65.6%
Psychoeducation-Child	94	73.4%	63.3%	688	61.9%	59.5%
Psychoeducation-Parent	93	72.7%	61.0%	753	67.7%	62.4%
Relationship/Rapport Building	99	77.3%	56.2%	833	74.9%	61.2%
Relaxation	79	61.7%	50.0%	536	48.2%	50.1%
Response Cost	35	27.3%	42.3%	196	17.6%	42.4%
Response Prevention	39	30.5%	44.7%	230	20.7%	41.0%
Self-Monitoring	65	50.8%	53.1%	483	43.4%	49.0%
Self-Reward/Self-Praise	53	41.4%	47.9%	381	34.3%	49.7%
Skill Building	99	77.3%	63.3%	780	70.1%	60.9%
Social Skills Training	78	60.9%	52.6%	583	52.4%	54.2%
Stimulus Control/Antecedent Man.	37	28.9%	47.6%	253	22.8%	42.7%
Supportive Listening	107	83.6%	73.4%	887	79.8%	70.9%
Tangible Rewards	71	55.5%	48.1%	524	47.1%	52.5%
Therapist Praise/Rewards	93	72.7%	56.9%	717	64.5%	62.8%
Thought Field Therapy	8	6.3%	24.9%	24	2.2%	18.3%
Time Out	36	28.1%	45.2%	309	27.8%	45.2%
Twelve-step Programming	10	7.8%	52.1%	134	12.1%	49.7%
Other	2	1.6%	20.8%	33	3.0%	28.4%
Unclear	18	14.1%	35.2%	136	12.2%	39.4%
Not Available	57	30.8%		822	42.5%	


Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

**Summary of Youth by Primary Attention Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Primary Attention Disorder		
	N	%
Total Registered Youth	347	16.4%
with Services Procured	245	70.6%
Youth with New Admissions	135	38.9%
with Initial Admissions	86	24.8%
with Repeat Admissions	49	14.1%
Youth with Discharges	115	33.1%

	N	% of Available
Gender		
Females	62	18%
Males	285	82%

	Mean	SD
Age in Years	12.5	3.8




Primary Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	0	0.0%
Anxiety	0	0.0%
Attention	347	100.0%
Disruptive Behavior	0	0.0%
Mental Retardation	0	0.0%
Miscellaneous	0	0.0%
Mood	0	0.0%
Pervasive Developmental	0	0.0%
Psychotic Spectrum	0	0.0%
Substance-Related	0	0.0%
Not Available (% Total)	0	0.0%

Any Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	25	7.2%
Anxiety	51	14.7%
Attention	347	100.0%
Disruptive Behavior	177	51.0%
Mental Retardation	10	2.9%
Miscellaneous	90	25.9%
Mood	39	11.2%
Pervasive Developmental	3	0.9%
Psychotic Spectrum	0	0.0%
Substance-Related	17	4.9%
Multiple Diagnoses	286	82.4%
Avg. Number of Diagnoses	2.2	

All Other Primary Diagnoses		
	N	%
Total Registered Youth	1,772	83.6%
with Services Procured	1,068	60.3%
Youth with New Admissions	834	47.1%
with Initial Admissions	604	34.1%
with Repeat Admissions	230	13.0%
Youth with Discharges	741	41.8%

	N	% of Available
Gender		
Females	736	42%
Males	1,036	58%

	Mean	SD
Age in Years	14.3	3.7



Primary Diagnosis of	N	% Avail
None Recorded	6	0.4%
Adjustment	129	9.1%
Anxiety	185	13.0%
Attention	0	0.0%
Disruptive Behavior	570	40.1%
Mental Retardation	0	0.0%
Miscellaneous	74	5.2%
Mood	331	23.3%
Pervasive Developmental	25	1.8%
Psychotic Spectrum	38	2.7%
Substance-Related	62	4.4%
Not Available (% Total)	352	19.9%

Any Diagnosis of	N	% Avail
None Recorded	4	0.3%
Adjustment	180	12.6%
Anxiety	359	25.2%
Attention	282	19.8%
Disruptive Behavior	761	53.4%
Mental Retardation	24	1.7%
Miscellaneous	376	26.4%
Mood	485	34.0%
Pervasive Developmental	33	2.3%
Psychotic Spectrum	46	3.2%
Substance-Related	339	23.8%
Multiple Diagnoses	1,033	72.5%
Avg. Number of Diagnoses	1.7	

Summary of Youth by Primary Attention Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Primary Attention Disorder		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	167	69.9%
Hispanic or Latino/a	72	30.1%
Not Available (% Total)	108	31.1%
Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	3	1.0%
Asian	19	6.5%
Black or African-American	10	3.4%
Native Hawaiian or Pacific Islander	32	11.0%
White	49	16.8%
Other Race	3	1.0%
Multiracial	175	60.1%
Based on Observation	23	7.9%
Not Available (% Total)	56	16.1%
Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	26	11.0%
Alaska Native	0	0.0%
American Indian	26	11.0%
Asian	129	54.4%
Asian Indian	0	0.0%
Chinese	67	28.3%
Filipino	70	29.5%
Japanese	42	17.7%
Korean	9	3.8%
Vietnamese	0	0.0%
Other Asian	4	1.7%
Black or African-American	22	9.3%
Hispanic or Latina/o	71	30.0%
Cuban	4	1.7%
Mexican	10	4.2%
Puerto Rican	48	20.3%
Other Hispanic	20	8.4%
Native Hawaiian or Pacific Islander	140	59.1%
Guamanian or Chamorro	3	1.3%
Micronesian	5	2.1%
Native Hawaiian	124	52.3%
Samoan	17	7.2%
Other Pacific Islander	10	4.2%
White	156	65.8%
White or Caucasian	126	53.2%
Portuguese	55	23.2%
Other Race or Ethnicity	8	3.4%
Multiethnic	169	71.3%
Not Available (% Total)	110	31.7%

All Other Primary Diagnoses		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	733	71.9%
Hispanic or Latino/a	286	28.1%
Not Available (% Total)	753	42.5%
Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	4	0.3%
Asian	103	8.4%
Black or African-American	12	1.0%
Native Hawaiian or Pacific Islander	176	14.3%
White	163	13.2%
Other Race	5	0.4%
Multiracial	769	62.4%
Based on Observation	70	5.7%
Not Available (% Total)	540	30.5%
Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	104	10.3%
Alaska Native	0	0.0%
American Indian	104	10.3%
Asian	562	55.5%
Asian Indian	5	0.5%
Chinese	245	24.2%
Filipino	329	32.5%
Japanese	173	17.1%
Korean	36	3.6%
Vietnamese	9	0.9%
Other Asian	16	1.6%
Black or African-American	61	6.0%
Hispanic or Latina/o	279	27.5%
Cuban	2	0.2%
Mexican	55	5.4%
Puerto Rican	141	13.9%
Other Hispanic	116	11.5%
Native Hawaiian or Pacific Islander	619	61.1%
Guamanian or Chamorro	9	0.9%
Micronesian	53	5.2%
Native Hawaiian	517	51.0%
Samoan	65	6.4%
Other Pacific Islander	40	3.9%
White	631	62.3%
White or Caucasian	495	48.9%
Portuguese	253	25.0%
Other Race or Ethnicity	44	4.3%
Multiethnic	710	70.1%
Not Available (% Total)	759	42.8%

**Summary of Youth by Primary Attention Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Primary Attention Disorder		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	56	16.1%
Leeward Oahu	43	12.4%
Honolulu Oahu	44	12.7%
Hawaii (Big Island)	110	31.7%
Maui	40	11.5%
Kauai	49	14.1%
Family Court Liaison Branch	5	1.4%

All Other Primary Diagnoses		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	240	13.5%
Leeward Oahu	260	14.7%
Honolulu Oahu	207	11.7%
Hawaii (Big Island)	660	37.2%
Maui	185	10.4%
Kauai	137	7.7%
Family Court Liaison Branch	83	4.7%

*Central Oahu FGC now includes both Central and Windward Oahu offices.

Summary of Youth by Primary Attention Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Services Procured	Primary Attention Disorder			All Other Primary Diagnoses		
	Monthly Average	Total N	% of Procured	Monthly Average	Total N	% of Procured
Out-of-Home	27	54	22.0%	156	338	31.6%
Out-of-State	0	0	0.0%	5	5	0.5%
Hospital Residential	2	10	4.1%	16	67	6.3%
Community High Risk	0	0	0.0%	7	14	1.3%
Community Residential	5	14	5.7%	49	141	13.2%
Therapeutic Foster Home	20	31	12.7%	83	168	15.7%
<i>Multidimensional Treatment Foster Care</i>	1	2	0.8%	4	10	0.9%
<i>Transitional Family Home</i>	19	29	11.8%	79	163	15.3%
Intensive Home & Community	102	199	81.2%	373	787	73.7%
Partial Hospitalization	0	1	0.4%	5	22	2.1%
Multisystemic Therapy	15	44	18.0%	53	169	15.8%
Intensive In-Home	87	160	65.3%	320	652	61.0%
Outpatient	10	46	18.8%	49	262	24.5%
Treatment	8	23	9.4%	35	110	10.3%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	7	20	8.2%	26	81	7.6%
<i>Outpatient Therapy</i>	1	3	1.2%	9	29	2.7%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	2	23	9.4%	14	158	14.8%
Supportive Services	6	29	11.8%	37	159	14.9%
Respite Home	2	6	2.4%	4	24	2.2%
Ancillary Service	4	23	9.4%	33	139	13.0%
Crisis Stabilization	1	7	2.9%	4	39	3.7%
Unduplicated Total (% of Registered)	134	245	71%	558	1,068	60%

*These services either were not procured or had no data available in FY 2013.

Summary of Youth by Primary Attention Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Total Hours Procured	Primary Attention Disorder			All Other Primary Diagnoses		
	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth
Out-of-Home	158	1,056	85.5%	151	953	89.4%
Out-of-State	0	0	0.0%	195	2,120	95.1%
Hospital Residential	121	270	70.6%	120	372	56.9%
Community High Risk	0	0	0.0%	175	1,060	83.2%
Community Residential	136	693	78.3%	138	666	77.6%
Therapeutic Foster Home	179	1,440	90.9%	163	1,057	82.3%
<i>Multidimensional Treatment Foster Care</i>	176	1,154	93.6%	172	865	73.0%
<i>Transitional Family Home</i>	179	1,459	90.7%	161	1,037	80.3%
Intensive Home & Community	18	109	84.1%	17	96	77.1%
Partial Hospitalization	4	22	2.3%	3	7	7.2%
Multisystemic Therapy	40	146	81.3%	40	132	79.7%
Intensive In-Home	13	95	82.2%	12	82	72.2%
Outpatient	4	9	63.9%	4	9	47.8%
Treatment	3	14	76.4%	4	16	42.7%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	3	12	81.7%	3	14	43.5%
<i>Outpatient Therapy</i>	7	26	41.0%	5	21	40.6%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	4	4	51.5%	5	5	49.6%
Supportive Services**	-	-	-	-	-	-
Respite Home	23	64	12.1%	19	48	12.2%
Ancillary Service**	-	-	-	-	-	-
Crisis Stabilization	40	75	19.2%	27	35	53.9%
Unduplicated Total	35	327		41	377	

Service Changes	Primary Attention Disorder			All Other Primary Diagnoses		
	Monthly Average	Total N	Total per Youth	Monthly Average	Total N	Total per Youth
Placement Changes	5	59	0.2	40	482	0.3
Out-of-Home Changes	0	1	0.0	4	44	0.0
Provider Agency Changes	17	202	0.6	89	1,072	0.6
Care Coordinator Changes	10	125	0.4	63	756	0.4

*These services either were not procured or had no data available in FY 2013.

**Duration not available for these services.

Summary of Youth by Primary Attention Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Primary Attention Disorder			
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	111 (1.8)	83 (1.7)	80 (2.0)
Moods: Self-Harm	7 (0.6)	1 (0.2)	1 (0.3)
Moods: Emotions	19 (0.3)	15 (0.4)	14 (0.4)
Home Role Performance	26 (0.4)	19 (0.4)	18 (0.6)
School Role Performance	26 (0.3)	19 (0.5)	19 (0.6)
Community Role Performance	12 (0.7)	7 (0.5)	7 (0.6)
Behavior Towards Other	23 (0.3)	17 (0.3)	16 (0.4)
Substance Use	6 (0.6)	3 (0.4)	3 (0.4)
Thinking	6 (0.5)	2 (0.3)	2 (0.3)

Primary Attention Disorder			
Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	20 (0.2)	18 (0.2)	17 (0.2)
Level of Care	4 (0.1)	3 (0.1)	3 (0.1)

Child and Adolescent Functional Assessment Scale (CAFAS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total (8-scale)	31 (276)	50% (264)	38% (264)
Moods: Self-Harm	6 (276)	87% (63)	98% (63)
Moods: Emotions	6 (276)	48% (233)	98% (233)
Home Role Performance	7 (276)	50% (255)	69% (255)
School Role Performance	8 (276)	53% (265)	69% (265)
Community Role Performance	5 (276)	55% (123)	90% (123)
Behavior Towards Other	7 (276)	52% (259)	95% (259)
Substance Use	3 (276)	50% (52)	85% (52)
Thinking	5 (276)	83% (53)	100% (53)

Child and Adolescent Level of Care Utilization System (CALOCUS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total	3 (258)	46% (236)	50% (236)
Level of Care	1 (258)	55% (238)	74% (238)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	758	22	24.8%
Child Events	827	24	23.3%
Person-Directed	228	7	11.8%
Property-Directed	98	3	7.8%
Runaway or Elopement	176	5	7.2%
Self-Injury	69	2	4.6%
Substance Use	66	2	2.6%
Other	133	4	8.6%
Institutional Events	401	12	14.1%
Person-Directed (Client Victim)	29	1	2.9%
Seclusion or Restraint	40	1	1.7%
Medication Error	9	0	0.6%
Police Called	127	4	7.2%
Criminal Charges or Arrest	86	3	5.2%
Client Injury	40	1	3.5%
Staff Injury	6	0	0.3%
Other	55	2	4.0%

All Other Primary Diagnoses		
"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
120 (1.0)	91 (1.0)	87 (1.1)
10 (0.3)	3 (0.2)	3 (0.2)
21 (0.2)	16 (0.2)	16 (0.2)
25 (0.2)	19 (0.3)	18 (0.3)
26 (0.2)	19 (0.3)	18 (0.3)
14 (0.3)	9 (0.3)	9 (0.3)
21 (0.2)	16 (0.2)	15 (0.2)
11 (0.4)	6 (0.3)	6 (0.3)
6 (0.3)	3 (0.2)	2 (0.2)

All Other Primary Diagnoses		
"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
21 (0.1)	18 (0.1)	18 (0.1)
4 (0.0)	3 (0.0)	3 (0.0)

Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
33 (1145)	53% (1085)	33% (1085)
7 (1145)	77% (422)	96% (422)
6 (1145)	47% (1022)	94% (1022)
7 (1145)	50% (1021)	64% (1021)
8 (1144)	47% (1051)	60% (1051)
5 (1145)	45% (633)	90% (633)
6 (1145)	49% (985)	95% (985)
5 (1145)	63% (461)	83% (461)
4 (1145)	74% (228)	96% (228)

Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
3 (1026)	46% (960)	40% (960)
1 (1026)	55% (963)	65% (963)

Reports per 1,000 youth	Monthly Average	Any Report % of youth
881	130	23.3%
956	141	21.4%
173	26	8.7%
95	14	6.0%
260	38	10.5%
192	28	7.9%
102	15	5.6%
103	15	6.1%
572	84	15.5%
50	7	3.8%
63	9	2.9%
10	1	0.7%
159	23	8.4%
103	15	5.6%
40	6	3.5%
10	1	0.7%
125	18	7.4%

*Indicates average change from highest CAFAS or CALOCUS score to most recent.
 (A positive number reflects improvement.)

Summary of Youth by Primary Attention Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Primary Attention Disorder			
Service Setting	Any Use N	Any Use % Avail	Dosage % of Months
Clinic	89	37.9%	56.4%
Community	171	72.8%	72.8%
Home	217	92.3%	86.4%
Out-of-Home	71	30.2%	51.1%
Phone*	31	13.2%	56.0%
School	134	57.0%	59.2%
Unclear*	7	3.0%	40.3%
Not Available	112	32.3%	

Service Format	Any Use N	Any Use % Avail	Dosage % of Months
Family	184	78.3%	75.1%
Group	55	23.4%	44.8%
Individual	197	83.8%	83.7%
Parent	179	76.2%	74.8%
Phone*	5	2.1%	30.7%
Professional Consult*	62	26.4%	45.0%
Teacher	80	34.0%	46.9%
Unclear*	16	6.8%	42.9%
Not Available	112	32.3%	

Discharge Living Situation	Youth N	% Youth Discharged	% Discharges
Foster Home	18	13.3%	9.9%
Group Care	0	0.0%	0.0%
Home	102	75.6%	56.4%
Homeless/Shelter	3	2.2%	1.7%
Institution/Hospital	2	1.5%	1.1%
Jail/Correctional Facility	5	3.7%	2.8%
Other	19	14.1%	10.5%
Residential Treatment	6	4.4%	3.3%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	135		
Number of Discharges	181		

Reason for Discharge	Youth N	% Youth Discharged	% Discharges
Eligibility Change	2	1.5%	1.1%
Family Relocation	5	3.7%	2.8%
Insufficient Progress	13	9.6%	7.2%
Other	34	25.2%	18.8%
Runaway/Elopement	12	8.9%	6.6%
Refuse/Withdraw	9	6.7%	5.0%
Success/Goals Met	86	63.7%	47.5%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	135		
Number of Discharges	181		

All Other Primary Diagnoses		
Any Use N	Any Use % Avail	Dosage % of Months
472	47.0%	57.2%
766	76.2%	73.1%
869	86.5%	83.3%
425	42.3%	63.0%
108	10.7%	60.1%
593	59.0%	55.1%
41	4.1%	25.5%
767	43.3%	

Any Use N	Any Use % Avail	Dosage % of Months
783	77.9%	71.8%
309	30.7%	49.7%
861	85.7%	88.8%
775	77.1%	75.2%
30	3.0%	45.6%
241	24.0%	42.0%
386	38.4%	47.1%
160	15.9%	49.3%
767	43.3%	

Youth N	% Youth Discharged	% Discharges
82	13.4%	8.8%
8	1.3%	0.9%
421	69.0%	45.4%
15	2.5%	1.6%
21	3.4%	2.3%
48	7.9%	5.2%
107	17.5%	11.5%
47	7.7%	5.1%
0	0.0%	0.0%
610		
928		

Youth N	% Youth Discharged	% Discharges
15	2.5%	1.6%
17	2.8%	1.8%
56	9.2%	6.0%
197	32.3%	21.2%
86	14.1%	9.3%
68	11.1%	7.3%
355	58.2%	38.3%
0	0.0%	0.0%
610		
928		

*Indicates written response to an open-ended question.

Summary of Youth by Primary Attention Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Treatment Target	Primary Attention Disorder			All Other Primary Diagnoses		
	Any Use N	Any Use % Avail	Dosage % of Months	Any Use N	Any Use % Avail	Dosage % of Months
Academic Achievement	94	40.0%	39.7%	354	35.2%	40.4%
Activity Involvement	128	54.5%	53.2%	538	53.5%	56.5%
Adaptive Behavior/Living Skills	31	13.2%	44.5%	128	12.7%	36.5%
Adjustment to Change	57	24.3%	32.1%	291	29.0%	39.6%
Adult Intercoordination	1	0.4%	33.3%	12	1.2%	21.1%
Aggression	133	56.6%	57.2%	396	39.4%	53.6%
Anger	131	55.7%	53.2%	485	48.3%	56.0%
Anxiety	95	40.4%	41.1%	359	35.7%	52.6%
Assertiveness	48	20.4%	35.9%	173	17.2%	38.3%
Attention Problems	86	36.6%	42.0%	133	13.2%	32.1%
Avoidance	48	20.4%	39.3%	241	24.0%	41.8%
Caregiver Self-Management/Coping	1	0.4%	12.5%	5	0.5%	24.0%
Cognitive-Intellectual Functioning	24	10.2%	43.7%	73	7.3%	36.9%
Community Involvement	39	16.6%	33.5%	189	18.8%	32.1%
Compulsive Behavior	0	0.0%	0.0%	3	0.3%	22.2%
Contentment/Enjoyment/Happiness	48	20.4%	33.3%	203	20.2%	42.3%
Depressed Mood	43	18.3%	39.8%	354	35.2%	50.7%
Eating/Feeding Problems	6	2.6%	24.8%	30	3.0%	33.8%
Empathy	32	13.6%	36.0%	117	11.6%	44.6%
Enuresis/Encopresis	13	5.5%	49.8%	28	2.8%	51.1%
Fire Setting	1	0.4%	20.0%	5	0.5%	42.9%
Fitness/Exercise	0	0.0%	0.0%	1	0.1%	20.0%
Gender Identity Problems	0	0.0%	0.0%	7	0.7%	26.3%
Goal Setting	2	0.9%	8.7%	2	0.2%	16.7%
Grief	11	4.7%	33.0%	60	6.0%	39.1%
Health Management	18	7.7%	27.8%	74	7.4%	32.5%
Housing/Living Situation	41	17.4%	31.9%	165	16.4%	32.8%
Hyperactivity	44	18.7%	40.7%	59	5.9%	38.2%
Information Gathering	1	0.4%	25.0%	10	1.0%	33.6%
Learning Disorder/Underachievement	10	4.3%	25.2%	28	2.8%	26.0%
Low Self-Esteem	46	19.6%	38.1%	267	26.6%	42.7%
Mania	0	0.0%	0.0%	11	1.1%	27.6%
Medical Regimen Adherence	33	14.0%	38.0%	95	9.5%	38.3%
Occupational Functioning/Stress	6	2.6%	32.5%	44	4.4%	28.9%
Oppositional/Non-Compliant Behavior	165	70.2%	70.4%	632	62.9%	62.9%
Pain Management	0	0.0%	0.0%	0	0.0%	0.0%
Parenting Skills	7	3.0%	13.2%	12	1.2%	43.5%
Peer Involvement	45	19.1%	33.7%	157	15.6%	34.0%
Peer/Sibling Conflict	70	29.8%	46.0%	243	24.2%	43.9%
Personal Hygiene	3	1.3%	12.0%	43	4.3%	30.4%
Phobia/Fears	80	34.0%	36.6%	337	33.5%	45.4%
Positive Family Functioning	24	10.2%	47.0%	62	6.2%	38.5%
Positive Peer Interaction	186	79.1%	65.5%	779	77.5%	67.9%
Positive Thinking/Attitude	59	25.1%	35.5%	317	31.5%	42.1%
Pregnancy Education/Adjustment	2	0.9%	60.0%	22	2.2%	39.5%
Psychosis	0	0.0%	0.0%	38	3.8%	51.6%
Runaway	28	11.9%	43.1%	203	20.2%	46.7%
Safe Environment	2	0.9%	32.1%	9	0.9%	28.0%
School Involvement	55	23.4%	36.6%	229	22.8%	37.1%
School Refusal/Truancy	34	14.5%	39.9%	193	19.2%	43.0%
Self-Control	25	10.6%	37.4%	134	13.3%	46.2%
Self-Injurious Behavior	66	28.1%	40.1%	249	24.8%	41.8%
Sexual Orientation	0	0.0%	0.0%	0	0.0%	0.0%
Sexual Misconduct	13	5.5%	46.8%	56	5.6%	52.9%
Shyness	3	1.3%	35.8%	22	2.2%	26.3%
Sleep Disturbance	1	0.4%	25.0%	23	2.3%	36.5%
Social Skills	74	31.5%	48.3%	289	28.8%	45.4%
Speech and Language	2	0.9%	41.7%	6	0.6%	20.2%
Substance Use	31	13.2%	54.5%	315	31.3%	65.6%
Suicidality	8	3.4%	33.4%	82	8.2%	36.8%
Traumatic Stress	29	12.3%	40.6%	161	16.0%	44.9%
Treatment Engagement	121	51.5%	49.4%	560	55.7%	53.5%
Treatment Planning/Framing	10	4.3%	33.6%	57	5.7%	47.5%
Willful Misconduct/Delinquency	30	12.8%	38.8%	204	20.3%	46.4%
Other	3	1.3%	16.1%	11	1.1%	15.5%
Unclear	22	9.4%	25.5%	79	7.9%	30.6%
Not Available	112	32.3%		767	43.3%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Primary Attention Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Primary Attention Disorder			All Other Primary Diagnoses		
	Any Use	Any Use	Dosage	Any Use	Any Use	Dosage
Practice Elements	N	% Avail	% of Months	N	% Avail	% of Months
Activity Scheduling	145	61.7%	56.0%	593	59.0%	57.2%
Anger Management	1	0.4%	16.7%	3	0.3%	16.9%
Animal or Plant Assisted Activities	0	0.0%	0.0%	0	0.0%	0.0%
Arousal Reconditioning	0	0.0%	0.0%	0	0.0%	0.0%
Art/Music Therapy	1	0.4%	33.3%	1	0.1%	11.1%
Assertiveness Training	76	32.3%	42.8%	333	33.1%	46.7%
Assessment	3	1.3%	23.6%	38	3.8%	71.2%
Attending	57	24.3%	43.5%	304	30.2%	45.2%
Behavior Management	1	0.4%	10.0%	4	0.4%	16.7%
Behavioral Contracting	145	61.7%	56.1%	568	56.5%	55.6%
Biofeedback/Neurofeedback	5	2.1%	20.8%	14	1.4%	32.5%
Care Coordination	137	58.3%	62.3%	630	62.7%	65.9%
Catharsis	7	3.0%	37.0%	67	6.7%	39.5%
Cognitive/Coping	128	54.5%	63.5%	614	61.1%	64.2%
Commands/Limit Setting	40	17.0%	41.5%	150	14.9%	39.6%
Communication Skills	186	79.1%	65.0%	775	77.1%	68.5%
Counseling	0	0.0%	0.0%	1	0.1%	27.3%
Crisis Management	89	37.9%	41.9%	454	45.2%	47.0%
Cultural Training	17	7.2%	37.4%	128	12.7%	42.0%
Discrete Trial Training	3	1.3%	14.4%	12	1.2%	20.8%
Educational Support	127	54.0%	55.3%	544	54.1%	55.4%
Emotional Processing	138	58.7%	56.8%	662	65.9%	64.2%
Exposure	42	17.9%	39.9%	211	21.0%	40.6%
Eye Movement/Body Tapping	1	0.4%	25.0%	17	1.7%	17.6%
Family Engagement	167	71.1%	58.9%	764	76.0%	65.4%
Family Therapy	163	69.4%	58.5%	702	69.9%	60.8%
Family Visit	0	0.0%	0.0%	0	0.0%	0.0%
Free Association	12	5.1%	46.0%	66	6.6%	34.5%
Functional Analysis	33	14.0%	59.3%	173	17.2%	47.2%
Goal Setting	160	68.1%	62.1%	722	71.8%	64.1%
Guided Imagery	26	11.1%	37.0%	184	18.3%	36.7%
Ho'Oponopono	0	0.0%	0.0%	0	0.0%	0.0%
Hypnosis	3	1.3%	17.3%	20	2.0%	27.1%
Ignoring or DRO	94	40.0%	45.7%	332	33.0%	47.3%
Individual Therapy for Caregiver	84	35.7%	43.0%	280	27.9%	41.3%
Informal Supports	2	0.9%	29.2%	4	0.4%	25.6%
Insight Building	138	58.7%	56.4%	647	64.4%	61.4%
Interpretation	30	12.8%	35.7%	186	18.5%	36.4%
Juvenile Sex Offender Treatment	3	1.3%	51.7%	20	2.0%	74.3%
Legal Assistance/Involvement	0	0.0%	0.0%	0	0.0%	0.0%
Line of Sight Supervision	71	30.2%	48.6%	334	33.2%	46.3%
Maintenance/Relapse Prevention	48	20.4%	45.3%	301	30.0%	43.7%
Marital Therapy	15	6.4%	41.0%	53	5.3%	26.4%
Medication/Pharmacotherapy	84	35.7%	53.1%	279	27.8%	51.9%
Mentoring	88	37.4%	46.3%	395	39.3%	50.3%
Milieu Therapy	36	15.3%	38.8%	271	27.0%	51.9%
Mindfulness	74	31.5%	42.7%	432	43.0%	50.0%
Modeling	149	63.4%	54.6%	636	63.3%	57.8%
Motivational Interviewing	97	41.3%	53.3%	537	53.4%	55.3%
Natural and Logical Consequences	169	71.9%	63.5%	679	67.6%	61.4%
Parent Coping	156	66.4%	59.7%	629	62.6%	57.5%
Parent or Teacher Monitoring	111	47.2%	51.4%	485	48.3%	51.4%
Parent Praise	119	50.6%	51.3%	496	49.4%	51.9%
Parenting	8	3.4%	25.4%	7	0.7%	16.0%
Peer Modeling/Pairing	47	20.0%	31.2%	165	16.4%	32.8%
Personal Safety Skills	95	40.4%	49.6%	473	47.1%	51.2%
Physical Exercise	0	0.0%	0.0%	0	0.0%	0.0%
Play Therapy	50	21.3%	51.5%	153	15.2%	47.1%
Problem Solving	188	80.0%	62.8%	762	75.8%	66.4%
Psychoeducation-Child	133	56.6%	57.3%	649	64.6%	60.5%
Psychoeducation-Parent	166	70.6%	65.8%	680	67.7%	61.4%
Relationship/Rapport Building	169	71.9%	59.3%	763	75.9%	60.9%
Relaxation	114	48.5%	48.6%	501	49.9%	50.4%
Response Cost	51	21.7%	50.5%	180	17.9%	40.1%
Response Prevention	55	23.4%	44.0%	214	21.3%	40.9%
Self-Monitoring	97	41.3%	48.4%	451	44.9%	49.8%
Self-Reward/Self-Praise	78	33.2%	48.2%	356	35.4%	49.8%
Skill Building	166	70.6%	61.3%	713	70.9%	61.2%
Social Skills Training	138	58.7%	56.0%	523	52.0%	53.5%
Stimulus Control/Antecedent Man.	59	25.1%	39.7%	231	23.0%	44.2%
Supportive Listening	186	79.1%	67.5%	808	80.4%	72.0%
Tangible Rewards	127	54.0%	57.6%	468	46.6%	50.4%
Therapist Praise/Rewards	157	66.8%	65.9%	653	65.0%	61.2%
Thought Field Therapy	5	2.1%	29.2%	27	2.7%	18.2%
Time Out	66	28.1%	42.1%	279	27.8%	45.9%
Twelve-step Programming	13	5.5%	53.7%	131	13.0%	49.5%
Other	5	2.1%	43.4%	30	3.0%	25.4%
Unclear	26	11.1%	35.2%	128	12.7%	39.6%
Not Available	112	32.3%		767	43.3%	


Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Primary Disruptive Behavior Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Primary Disruptive Behavior Disorder		
	N	%
Total Registered Youth	570	26.9%
with Services Procured	415	72.8%
Youth with New Admissions	197	34.6%
with Initial Admissions	115	20.2%
with Repeat Admissions	82	14.4%
Youth with Discharges	232	40.7%

	N	% of Available
Gender		
Females	163	29%
Males	407	71%

	Mean	SD
Age in Years	14.7	3.3




Primary Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	0	0.0%
Anxiety	0	0.0%
Attention	0	0.0%
Disruptive Behavior	570	100.0%
Mental Retardation	0	0.0%
Miscellaneous	0	0.0%
Mood	0	0.0%
Pervasive Developmental	0	0.0%
Psychotic Spectrum	0	0.0%
Substance-Related	0	0.0%
Not Available (% Total)	0	0.0%

Any Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	21	3.7%
Anxiety	45	7.9%
Attention	159	27.9%
Disruptive Behavior	570	100.0%
Mental Retardation	8	1.4%
Miscellaneous	141	24.7%
Mood	71	12.5%
Pervasive Developmental	3	0.5%
Psychotic Spectrum	3	0.5%
Substance-Related	174	30.5%
Multiple Diagnoses	426	74.7%
Avg. Number of Diagnoses	2.2	

All Other Primary Diagnoses		
	N	%
Total Registered Youth	1,549	73.1%
with Services Procured	898	58.0%
Youth with New Admissions	772	49.8%
with Initial Admissions	575	37.1%
with Repeat Admissions	197	12.7%
Youth with Discharges	624	40.3%

	N	% of Available
Gender		
Females	635	41%
Males	914	59%

	Mean	SD
Age in Years	13.7	3.8



Primary Diagnosis of	N	% Avail
None Recorded	6	0.5%
Adjustment	129	10.8%
Anxiety	185	15.5%
Attention	347	29.0%
Disruptive Behavior	0	0.0%
Mental Retardation	0	0.0%
Miscellaneous	74	6.2%
Mood	331	27.7%
Pervasive Developmental	25	2.1%
Psychotic Spectrum	38	3.2%
Substance-Related	62	5.2%
Not Available (% Total)	352	22.7%

Any Diagnosis of	N	% Avail
None Recorded	4	0.3%
Adjustment	184	15.3%
Anxiety	365	30.4%
Attention	470	39.1%
Disruptive Behavior	368	30.6%
Mental Retardation	26	2.2%
Miscellaneous	325	27.0%
Mood	453	37.7%
Pervasive Developmental	33	2.7%
Psychotic Spectrum	43	3.6%
Substance-Related	182	15.1%
Multiple Diagnoses	893	74.3%
Avg. Number of Diagnoses	1.7	

Summary of Youth by Primary Disruptive Behavior Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Primary Disruptive Behavior Disorder		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	282	69.5%
Hispanic or Latino/a	124	30.5%
Not Available (% Total)	164	28.8%

Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	0	0.0%
Asian	25	5.3%
Black or African-American	7	1.5%
Native Hawaiian or Pacific Islander	82	17.4%
White	51	10.8%
Other Race	2	0.4%
Multiracial	304	64.5%
Based on Observation	28	5.9%
Not Available (% Total)	99	17.4%

Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	48	11.9%
Alaska Native	0	0.0%
American Indian	48	11.9%
Asian	229	56.5%
Asian Indian	3	0.7%
Chinese	107	26.4%
Filipino	140	34.6%
Japanese	74	18.3%
Korean	11	2.7%
Vietnamese	4	1.0%
Other Asian	4	1.0%
Black or African-American	30	7.4%
Hispanic or Latina/o	122	30.1%
Cuban	0	0.0%
Mexican	22	5.4%
Puerto Rican	66	16.3%
Other Hispanic	53	13.1%
Native Hawaiian or Pacific Islander	270	66.7%
Guamanian or Chamorro	5	1.2%
Micronesian	32	7.9%
Native Hawaiian	210	51.9%
Samoan	29	7.2%
Other Pacific Islander	18	4.4%
White	248	61.2%
White or Caucasian	184	45.4%
Portuguese	117	28.9%
Other Race or Ethnicity	23	5.7%
Multiethnic	291	71.9%
Not Available (% Total)	165	28.9%

All Other Primary Diagnoses		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	618	72.5%
Hispanic or Latino/a	234	27.5%
Not Available (% Total)	697	45.0%

Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	7	0.7%
Asian	97	9.2%
Black or African-American	15	1.4%
Native Hawaiian or Pacific Islander	126	12.0%
White	161	15.3%
Other Race	6	0.6%
Multiracial	640	60.8%
Based on Observation	65	6.2%
Not Available (% Total)	497	32.1%

Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	82	9.7%
Alaska Native	0	0.0%
American Indian	82	9.7%
Asian	462	54.7%
Asian Indian	2	0.2%
Chinese	205	24.3%
Filipino	259	30.7%
Japanese	141	16.7%
Korean	34	4.0%
Vietnamese	5	0.6%
Other Asian	16	1.9%
Black or African-American	53	6.3%
Hispanic or Latina/o	228	27.0%
Cuban	6	0.7%
Mexican	43	5.1%
Puerto Rican	123	14.6%
Other Hispanic	83	9.8%
Native Hawaiian or Pacific Islander	489	57.9%
Guamanian or Chamorro	7	0.8%
Micronesian	26	3.1%
Native Hawaiian	431	51.0%
Samoan	53	6.3%
Other Pacific Islander	32	3.8%
White	539	63.8%
White or Caucasian	437	51.7%
Portuguese	191	22.6%
Other Race or Ethnicity	29	3.4%
Multiethnic	588	69.6%
Not Available (% Total)	704	45.4%

**Summary of Youth by Primary Disruptive Behavior Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Primary Disruptive Behavior Disorder		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	88	15.4%
Leeward Oahu	89	15.6%
Honolulu Oahu	69	12.1%
Hawaii (Big Island)	211	37.0%
Maui	56	9.8%
Kauai	27	4.7%
Family Court Liaison Branch	30	5.3%

All Other Primary Diagnoses		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	208	13.4%
Leeward Oahu	214	13.8%
Honolulu Oahu	182	11.7%
Hawaii (Big Island)	559	36.1%
Maui	169	10.9%
Kauai	159	10.3%
Family Court Liaison Branch	58	3.7%

*Central Oahu FGC now includes both Central and Windward Oahu offices.

Summary of Youth by Primary Disruptive Behavior Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Services Procured	Primary Disruptive Behavior Disorder			All Other Primary Diagnoses		
	Monthly Average	Total N	% of Procured	Monthly Average	Total N	% of Procured
Out-of-Home	65	141	34.0%	117	251	28.0%
Out-of-State	0	0	0.0%	5	5	0.6%
Hospital Residential	4	14	3.4%	14	63	7.0%
Community High Risk	5	9	2.2%	2	5	0.6%
Community Residential	28	76	18.3%	27	79	8.8%
Therapeutic Foster Home	30	65	15.7%	73	134	14.9%
<i>Multidimensional Treatment Foster Care</i>	3	7	1.7%	3	5	0.6%
<i>Transitional Family Home</i>	27	62	14.9%	71	130	14.5%
Intensive Home & Community	146	315	75.9%	329	671	74.7%
Partial Hospitalization	1	2	0.5%	5	21	2.3%
Multisystemic Therapy	31	98	23.6%	36	115	12.8%
Intensive In-Home	115	238	57.3%	292	574	63.9%
Outpatient	18	115	27.7%	41	193	21.5%
Treatment	11	38	9.2%	32	95	10.6%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	9	27	6.5%	25	74	8.2%
<i>Outpatient Therapy</i>	3	11	2.7%	7	21	2.3%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	7	78	18.8%	9	103	11.5%
Supportive Services	19	73	17.6%	25	115	12.8%
Respite Home	2	10	2.4%	4	20	2.2%
Ancillary Service	17	65	15.7%	21	97	10.8%
Crisis Stabilization	1	4	1.0%	5	42	4.7%
Unduplicated Total (% of Registered)	220	415	73%	471	898	58%

*These services either were not procured or had no data available in FY 2013.

Summary of Youth by Primary Disruptive Behavior Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Total Hours Procured	Primary Disruptive Behavior Disorder			All Other Primary Diagnoses		
	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth
Out-of-Home	148	942	89.2%	153	981	88.7%
Out-of-State	0	0	0.0%	195	2,120	95.1%
Hospital Residential	116	420	43.8%	121	345	62.0%
Community High Risk	178	1,225	84.4%	169	763	81.0%
Community Residential	134	695	77.6%	141	643	77.6%
Therapeutic Foster Home	163	971	81.6%	166	1,188	84.6%
<i>Multidimensional Treatment Foster Care</i>	169	761	65.2%	178	1,126	92.3%
<i>Transitional Family Home</i>	161	932	78.1%	165	1,181	83.7%
Intensive Home & Community	20	103	76.0%	16	97	79.7%
Partial Hospitalization	3	11	2.1%	3	8	7.5%
Multisystemic Therapy	39	134	77.9%	40	135	81.8%
Intensive In-Home	13	81	68.6%	12	86	76.4%
Outpatient	4	8	39.5%	4	10	56.6%
Treatment	4	13	27.0%	4	16	57.1%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	3	11	24.3%	3	14	60.8%
<i>Outpatient Therapy</i>	5	19	33.4%	5	22	44.4%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	5	5	45.1%	5	5	53.4%
Supportive Services**	-	-	-	-	-	-
Respite Home	23	63	16.6%	19	45	10.0%
Ancillary Service**	-	-	-	-	-	-
Crisis Stabilization	33	37	17.1%	28	41	51.6%
Unduplicated Total	44	402		38	352	

Service Changes	Primary Disruptive Behavior Disorder			All Other Primary Diagnoses		
	Monthly Average	Total N	Total per Youth	Monthly Average	Total N	Total per Youth
Placement Changes	17	203	0.4	28	338	0.2
Out-of-Home Changes	1	16	0.0	2	29	0.0
Provider Agency Changes	35	423	0.7	71	851	0.5
Care Coordinator Changes	19	233	0.4	54	648	0.4

*These services either were not procured or had no data available in FY 2013.

**Duration not available for these services.

Summary of Youth by Primary Disruptive Behavior Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Primary Disruptive Behavior Disorder		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	125 (1.5)	96 (1.5)	91 (1.8)
Moods: Self-Harm	7 (0.5)	2 (0.2)	1 (0.2)
Moods: Emotions	19 (0.3)	14 (0.3)	14 (0.3)
Home Role Performance	27 (0.3)	21 (0.4)	19 (0.5)
School Role Performance	28 (0.2)	20 (0.4)	19 (0.5)
Community Role Performance	18 (0.5)	13 (0.5)	13 (0.5)
Behavior Towards Other	22 (0.3)	17 (0.3)	16 (0.3)
Substance Use	14 (0.6)	7 (0.5)	7 (0.5)
Thinking	5 (0.4)	2 (0.2)	2 (0.2)

	Primary Disruptive Behavior Disorder		
Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	21 (0.2)	19 (0.2)	18 (0.2)
Level of Care	4 (0.1)	3 (0.1)	3 (0.1)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Functional Assessment Scale (CAFAS)			
Total (8-scale)	34 (422)	54% (412)	31% (412)
Moods: Self-Harm	6 (422)	90% (104)	100% (104)
Moods: Emotions	6 (422)	50% (362)	99% (362)
Home Role Performance	7 (422)	50% (405)	61% (405)
School Role Performance	8 (422)	47% (408)	58% (408)
Community Role Performance	6 (422)	43% (302)	87% (302)
Behavior Towards Other	6 (422)	48% (398)	95% (398)
Substance Use	7 (422)	64% (222)	83% (222)
Thinking	3 (422)	82% (61)	100% (61)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Level of Care Utilization System (CALOCUS)			
Total	3 (401)	45% (380)	38% (380)
Level of Care	1 (401)	54% (380)	62% (380)

	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Sentinel Event Reports			
Total	1,170	56	28.8%
Child Events	1,226	58	27.0%
Person-Directed	212	10	10.9%
Property-Directed	146	7	8.1%
Runaway or Elopement	421	20	15.1%
Self-Injury	128	6	7.4%
Substance Use	165	8	8.4%
Other	125	6	7.5%
Institutional Events	851	40	18.9%
Person-Directed (Client Victim)	70	3	5.4%
Seclusion or Restraint	118	6	3.7%
Medication Error	4	0	0.4%
Police Called	249	12	11.9%
Criminal Charges or Arrest	172	8	7.7%
Client Injury	49	2	4.0%
Staff Injury	14	1	1.2%
Other	147	7	8.1%

All Other Primary Diagnoses		
"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
116 (1.1)	87 (1.0)	84 (1.2)
10 (0.3)	4 (0.2)	3 (0.2)
21 (0.2)	16 (0.2)	16 (0.2)
25 (0.2)	19 (0.3)	18 (0.3)
25 (0.2)	18 (0.3)	18 (0.3)
12 (0.3)	7 (0.3)	7 (0.3)
21 (0.2)	16 (0.2)	15 (0.2)
8 (0.4)	4 (0.3)	4 (0.3)
7 (0.3)	3 (0.2)	3 (0.2)

"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
21 (0.1)	18 (0.1)	18 (0.1)
4 (0.0)	3 (0.0)	3 (0.0)

Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
32 (999)	52% (937)	35% (937)
7 (999)	75% (381)	95% (381)
5 (999)	46% (893)	93% (893)
7 (999)	50% (871)	66% (871)
8 (998)	49% (908)	64% (908)
5 (999)	50% (454)	92% (454)
6 (999)	50% (846)	94% (846)
4 (999)	59% (291)	83% (291)
4 (999)	74% (220)	96% (220)

Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
3 (883)	46% (816)	44% (816)
1 (883)	55% (821)	69% (821)

Reports per 1,000 youth	Monthly Average	Any Report % of youth
748	96	21.6%
828	107	19.8%
171	22	8.7%
77	10	5.6%
181	23	8.1%
189	24	7.4%
71	9	3.9%
102	13	6.1%
431	56	13.9%
37	5	3.0%
38	5	2.4%
12	2	0.8%
118	15	6.8%
74	10	4.7%
37	5	3.3%
7	1	0.4%
101	13	6.4%

*Indicates average change from highest CAFAS or CALOCUS score to most recent.
 (A positive number reflects improvement.)

Summary of Youth by Primary Disruptive Behavior Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Primary Disruptive Behavior Disorder			
Service Setting	Any Use N	Any Use % Avail	Dosage % of Months
Clinic	188	48.6%	59.2%
Community	317	81.9%	73.3%
Home	343	88.6%	83.9%
Out-of-Home	174	45.0%	62.4%
Phone*	36	9.3%	63.9%
School	242	62.5%	58.2%
Unclear*	9	2.3%	24.0%
Not Available	183	32.1%	

Service Format	Any Use N	Any Use % Avail	Dosage % of Months
Family	316	81.7%	72.5%
Group	136	35.1%	51.9%
Individual	337	87.1%	87.6%
Parent	317	81.9%	78.0%
Phone*	11	2.8%	37.6%
Professional Consult*	100	25.8%	40.3%
Teacher	165	42.6%	50.1%
Unclear*	63	16.3%	43.4%
Not Available	183	32.1%	

Discharge Living Situation	Youth N	% Youth Discharged	% Discharges
Foster Home	31	12.1%	7.8%
Group Care	2	0.8%	0.5%
Home	172	67.2%	43.2%
Homeless/Shelter	5	2.0%	1.3%
Institution/Hospital	5	2.0%	1.3%
Jail/Correctional Facility	26	10.2%	6.5%
Other	49	19.1%	12.3%
Residential Treatment	23	9.0%	5.8%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	256		
Number of Discharges	398		

Reason for Discharge	Youth N	% Youth Discharged	% Discharges
Eligibility Change	8	3.1%	2.0%
Family Relocation	7	2.7%	1.8%
Insufficient Progress	30	11.7%	7.5%
Other	89	34.8%	22.4%
Runaway/Elopement	43	16.8%	10.8%
Refuse/Withdraw	28	10.9%	7.0%
Success/Goals Met	127	49.6%	31.9%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	256		
Number of Discharges	398		

All Other Primary Diagnoses		
Any Use N	Any Use % Avail	Dosage % of Months
373	43.7%	56.0%
620	72.7%	73.0%
743	87.1%	83.9%
322	37.7%	60.8%
103	12.1%	57.6%
485	56.9%	54.6%
39	4.6%	28.5%
696	44.9%	

Any Use N	Any Use % Avail	Dosage % of Months
651	76.3%	72.4%
228	26.7%	47.2%
721	84.5%	87.9%
637	74.7%	73.7%
24	2.8%	46.2%
203	23.8%	43.7%
301	35.3%	45.4%
113	13.2%	51.7%
696	44.9%	

Youth N	% Youth Discharged	% Discharges
69	14.1%	9.7%
6	1.2%	0.8%
351	71.8%	49.4%
13	2.7%	1.8%
18	3.7%	2.5%
27	5.5%	3.8%
77	15.7%	10.8%
30	6.1%	4.2%
0	0.0%	0.0%
489		
711		

Youth N	% Youth Discharged	% Discharges
9	1.8%	1.3%
15	3.1%	2.1%
39	8.0%	5.5%
142	29.0%	20.0%
55	11.2%	7.7%
49	10.0%	6.9%
314	64.2%	44.2%
0	0.0%	0.0%
489		
711		

*Indicates written response to an open-ended question.

Summary of Youth by Primary Disruptive Behavior Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Treatment Target	Primary Disruptive Behavior Disorder			All Other Primary Diagnoses		
	Any Use N	Any Use % Avail	Dosage % of Months	Any Use N	Any Use % Avail	Dosage % of Months
Academic Achievement	148	38.2%	37.7%	300	35.2%	41.5%
Activity Involvement	225	58.1%	56.3%	441	51.7%	55.6%
Adaptive Behavior/Living Skills	37	9.6%	31.5%	122	14.3%	40.0%
Adjustment to Change	99	25.6%	33.0%	249	29.2%	40.5%
Adult Intercoordination	3	0.8%	20.0%	10	1.2%	22.6%
Aggression	191	49.4%	55.3%	338	39.6%	54.1%
Anger	224	57.9%	60.0%	392	46.0%	52.7%
Anxiety	107	27.6%	41.9%	347	40.7%	52.8%
Assertiveness	71	18.3%	35.7%	150	17.6%	38.8%
Attention Problems	57	14.7%	33.3%	162	19.0%	36.9%
Avoidance	100	25.8%	41.5%	189	22.2%	41.3%
Caregiver Self-Management/Coping	1	0.3%	25.0%	5	0.6%	21.5%
Cognitive-Intellectual Functioning	23	5.9%	42.5%	74	8.7%	37.4%
Community Involvement	66	17.1%	33.0%	162	19.0%	32.1%
Compulsive Behavior	1	0.3%	8.3%	2	0.2%	29.2%
Contentment/Enjoyment/Happiness	72	18.6%	40.4%	179	21.0%	40.6%
Depressed Mood	99	25.6%	37.3%	298	34.9%	53.6%
Eating/Feeding Problems	3	0.8%	12.7%	33	3.9%	34.0%
Empathy	68	17.6%	46.9%	81	9.5%	39.4%
Enuresis/Encopresis	9	2.3%	57.2%	32	3.8%	48.8%
Fire Setting	4	1.0%	49.4%	2	0.2%	18.3%
Fitness/Exercise	0	0.0%	0.0%	1	0.1%	20.0%
Gender Identity Problems	5	1.3%	17.2%	2	0.2%	49.2%
Goal Setting	0	0.0%	0.0%	4	0.5%	12.7%
Grief	21	5.4%	36.8%	50	5.9%	38.7%
Health Management	17	4.4%	28.9%	75	8.8%	32.2%
Housing/Living Situation	68	17.6%	36.8%	138	16.2%	30.6%
Hyperactivity	25	6.5%	46.0%	78	9.1%	37.1%
Information Gathering	4	1.0%	43.8%	7	0.8%	26.6%
Learning Disorder/Underachievement	10	2.6%	24.4%	28	3.3%	26.3%
Low Self-Esteem	99	25.6%	37.5%	214	25.1%	44.1%
Mania	4	1.0%	29.7%	7	0.8%	26.4%
Medical Regimen Adherence	23	5.9%	31.3%	105	12.3%	39.8%
Occupational Functioning/Stress	17	4.4%	36.3%	33	3.9%	25.7%
Oppositional/Non-Compliant Behavior	299	77.3%	67.7%	498	58.4%	62.5%
Pain Management	0	0.0%	0.0%	0	0.0%	0.0%
Parenting Skills	2	0.5%	55.0%	17	2.0%	29.7%
Peer Involvement	69	17.8%	38.2%	133	15.6%	31.8%
Peer/Sibling Conflict	109	28.2%	47.2%	204	23.9%	42.8%
Personal Hygiene	5	1.3%	31.3%	41	4.8%	29.0%
Phobia/Fears	160	41.3%	48.0%	257	30.1%	41.0%
Positive Family Functioning	16	4.1%	38.8%	70	8.2%	41.3%
Positive Peer Interaction	317	81.9%	68.1%	648	76.0%	67.1%
Positive Thinking/Attitude	126	32.6%	44.6%	250	29.3%	39.3%
Pregnancy Education/Adjustment	5	1.3%	33.5%	19	2.2%	43.2%
Psychosis	2	0.5%	18.3%	36	4.2%	53.5%
Runaway	103	26.6%	45.1%	128	15.0%	47.2%
Safe Environment	3	0.8%	27.8%	8	0.9%	29.1%
School Involvement	96	24.8%	36.2%	188	22.0%	37.4%
School Refusal/Truancy	97	25.1%	41.7%	130	15.2%	43.1%
Self-Control	37	9.6%	36.0%	122	14.3%	47.5%
Self-Injurious Behavior	109	28.2%	41.6%	206	24.2%	41.3%
Sexual Orientation	0	0.0%	0.0%	0	0.0%	0.0%
Sexual Misconduct	27	7.0%	58.9%	42	4.9%	47.1%
Shyness	6	1.6%	16.2%	19	2.2%	31.0%
Sleep Disturbance	3	0.8%	10.3%	21	2.5%	39.7%
Social Skills	111	28.7%	43.1%	252	29.5%	47.3%
Speech and Language	1	0.3%	10.0%	7	0.8%	27.8%
Substance Use	152	39.3%	65.5%	194	22.7%	63.9%
Suicidality	12	3.1%	21.6%	78	9.1%	38.8%
Traumatic Stress	43	11.1%	43.4%	147	17.2%	44.4%
Treatment Engagement	226	58.4%	53.4%	455	53.3%	52.4%
Treatment Planning/Framing	25	6.5%	43.7%	42	4.9%	46.5%
Willful Misconduct/Delinquency	118	30.5%	50.4%	116	13.6%	40.4%
Other	5	1.3%	11.0%	9	1.1%	18.2%
Unclear	22	5.7%	23.8%	79	9.3%	31.1%
Not Available	183	32.1%		696	44.9%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Primary Disruptive Behavior Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Primary Disruptive Behavior Disorder			All Other Primary Diagnoses		
	Any Use	Any Use	Dosage	Any Use	Any Use	Dosage
Practice Elements	N	% Avail	% of Months	N	% Avail	% of Months
Activity Scheduling	232	59.9%	54.6%	506	59.3%	58.0%
Anger Management	1	0.3%	20.0%	3	0.4%	15.7%
Animal or Plant Assisted Activities	0	0.0%	0.0%	0	0.0%	0.0%
Arousal Reconditioning	0	0.0%	0.0%	0	0.0%	0.0%
Art/Music Therapy	0	0.0%	0.0%	2	0.2%	22.2%
Assertiveness Training	118	30.5%	43.8%	291	34.1%	46.9%
Assessment	15	3.9%	65.9%	26	3.0%	68.7%
Attending	105	27.1%	45.0%	256	30.0%	45.0%
Behavior Management	0	0.0%	0.0%	5	0.6%	15.3%
Behavioral Contracting	239	61.8%	54.9%	474	55.6%	56.1%
Biofeedback/Neurofeedback	2	0.5%	34.1%	17	2.0%	28.9%
Care Coordination	246	63.6%	67.9%	521	61.1%	64.1%
Catharsis	19	4.9%	31.1%	55	6.4%	42.0%
Cognitive/Coping	227	58.7%	63.0%	515	60.4%	64.6%
Commands/Limit Setting	67	17.3%	35.9%	123	14.4%	42.2%
Communication Skills	306	79.1%	68.4%	655	76.8%	67.5%
Counseling	0	0.0%	0.0%	1	0.1%	27.3%
Crisis Management	178	46.0%	43.9%	365	42.8%	47.2%
Cultural Training	50	12.9%	39.0%	95	11.1%	42.8%
Discrete Trial Training	7	1.8%	16.9%	8	0.9%	21.9%
Educational Support	214	55.3%	54.5%	457	53.6%	55.7%
Emotional Processing	244	63.0%	62.3%	556	65.2%	63.2%
Exposure	53	13.7%	31.7%	200	23.4%	42.8%
Eye Movement/Body Tapping	6	1.6%	14.9%	12	1.4%	19.6%
Family Engagement	294	76.0%	67.2%	637	74.7%	62.8%
Family Therapy	283	73.1%	62.1%	582	68.2%	59.5%
Family Visit	0	0.0%	0.0%	0	0.0%	0.0%
Free Association	15	3.9%	30.9%	63	7.4%	37.5%
Functional Analysis	72	18.6%	51.6%	134	15.7%	47.8%
Goal Setting	279	72.1%	63.0%	603	70.7%	64.0%
Guided Imagery	62	16.0%	32.1%	148	17.4%	38.6%
Ho'Oponopono	0	0.0%	0.0%	0	0.0%	0.0%
Hypnosis	7	1.8%	22.3%	16	1.9%	27.4%
Ignoring or DRO	121	31.3%	49.5%	305	35.8%	45.9%
Individual Therapy for Caregiver	106	27.4%	42.7%	258	30.2%	41.2%
Informal Supports	3	0.8%	27.5%	3	0.4%	26.1%
Insight Building	253	65.4%	60.4%	532	62.4%	60.5%
Interpretation	57	14.7%	28.3%	159	18.6%	39.1%
Juvenile Sex Offender Treatment	12	3.1%	77.9%	11	1.3%	64.1%
Legal Assistance/Involvement	0	0.0%	0.0%	0	0.0%	0.0%
Line of Sight Supervision	132	34.1%	49.4%	273	32.0%	45.4%
Maintenance/Relapse Prevention	124	32.0%	42.3%	225	26.4%	44.7%
Marital Therapy	15	3.9%	33.3%	53	6.2%	28.6%
Medication/Pharmacotherapy	77	19.9%	49.3%	286	33.5%	52.9%
Mentoring	160	41.3%	52.2%	323	37.9%	48.2%
Milieu Therapy	117	30.2%	52.8%	190	22.3%	48.8%
Mindfulness	161	41.6%	44.2%	345	40.4%	51.1%
Modeling	249	64.3%	56.8%	536	62.8%	57.4%
Motivational Interviewing	221	57.1%	53.2%	413	48.4%	55.9%
Natural and Logical Consequences	283	73.1%	61.2%	565	66.2%	62.1%
Parent Coping	240	62.0%	56.2%	545	63.9%	58.7%
Parent or Teacher Monitoring	197	50.9%	52.5%	399	46.8%	50.9%
Parent Praise	195	50.4%	52.3%	420	49.2%	51.6%
Parenting	3	0.8%	16.8%	12	1.4%	22.1%
Peer Modeling/Pairing	68	17.6%	36.0%	144	16.9%	30.7%
Personal Safety Skills	179	46.3%	51.1%	389	45.6%	50.9%
Physical Exercise	0	0.0%	0.0%	0	0.0%	0.0%
Play Therapy	56	14.5%	48.8%	147	17.2%	48.0%
Problem Solving	297	76.7%	66.1%	653	76.6%	65.5%
Psychoeducation-Child	239	61.8%	57.9%	543	63.7%	60.8%
Psychoeducation-Parent	263	68.0%	59.5%	583	68.3%	63.5%
Relationship/Rapport Building	295	76.2%	62.3%	637	74.7%	59.9%
Relaxation	176	45.5%	48.6%	439	51.5%	50.7%
Response Cost	53	13.7%	37.1%	178	20.9%	44.0%
Response Prevention	71	18.3%	38.7%	198	23.2%	42.6%
Self-Monitoring	153	39.5%	48.7%	395	46.3%	49.9%
Self-Reward/Self-Praise	119	30.7%	50.4%	315	36.9%	49.2%
Skill Building	279	72.1%	60.8%	600	70.3%	61.4%
Social Skills Training	200	51.7%	53.5%	461	54.0%	54.3%
Stimulus Control/Antecedent Man.	75	19.4%	41.6%	215	25.2%	43.9%
Supportive Listening	304	78.6%	71.9%	690	80.9%	70.9%
Tangible Rewards	183	47.3%	52.2%	412	48.3%	51.8%
Therapist Praise/Rewards	251	64.9%	60.3%	559	65.5%	62.9%
Thought Field Therapy	8	2.1%	17.0%	24	2.8%	20.9%
Time Out	115	29.7%	49.1%	230	27.0%	43.2%
Twelve-step Programming	66	17.1%	48.2%	78	9.1%	51.2%
Other	19	4.9%	28.5%	16	1.9%	27.4%
Unclear	57	14.7%	39.2%	97	11.4%	38.7%
Not Available	183	32.1%		696	44.9%	


Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Primary Mood Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Primary Mood Disorder		
	N	%
Total Registered Youth	331	15.6%
with Services Procured	229	69.2%
Youth with New Admissions	144	43.5%
with Initial Admissions	96	29.0%
with Repeat Admissions	48	14.5%
Youth with Discharges	133	40.2%

	N	% of Available
Gender		
Females	199	60%
Males	132	40%

	Mean	SD
Age in Years	15.5	2.7




Primary Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	0	0.0%
Anxiety	0	0.0%
Attention	0	0.0%
Disruptive Behavior	0	0.0%
Mental Retardation	0	0.0%
Miscellaneous	0	0.0%
Mood	331	100.0%
Pervasive Developmental	0	0.0%
Psychotic Spectrum	0	0.0%
Substance-Related	0	0.0%
Not Available (% Total)	0	0.0%

Any Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	8	2.4%
Anxiety	77	23.3%
Attention	49	14.8%
Disruptive Behavior	77	23.3%
Mental Retardation	4	1.2%
Miscellaneous	61	18.4%
Mood	331	100.0%
Pervasive Developmental	3	0.9%
Psychotic Spectrum	3	0.9%
Substance-Related	62	18.7%
Multiple Diagnoses	235	71.0%
Avg. Number of Diagnoses	2.1	

All Other Primary Diagnoses		
	N	%
Total Registered Youth	1,788	84.4%
with Services Procured	1,084	60.6%
Youth with New Admissions	825	46.1%
with Initial Admissions	594	33.2%
with Repeat Admissions	231	12.9%
Youth with Discharges	723	40.4%

	N	% of Available
Gender		
Females	599	34%
Males	1,189	66%

	Mean	SD
Age in Years	13.7	3.8



Primary Diagnosis of	N	% Avail
None Recorded	6	0.4%
Adjustment	129	9.0%
Anxiety	185	12.9%
Attention	347	24.2%
Disruptive Behavior	570	39.7%
Mental Retardation	0	0.0%
Miscellaneous	74	5.2%
Mood	0	0.0%
Pervasive Developmental	25	1.7%
Psychotic Spectrum	38	2.6%
Substance-Related	62	4.3%
Not Available (% Total)	352	19.7%

Any Diagnosis of	N	% Avail
None Recorded	4	0.3%
Adjustment	197	13.7%
Anxiety	333	23.1%
Attention	580	40.2%
Disruptive Behavior	861	59.8%
Mental Retardation	30	2.1%
Miscellaneous	405	28.1%
Mood	193	13.4%
Pervasive Developmental	33	2.3%
Psychotic Spectrum	43	3.0%
Substance-Related	294	20.4%
Multiple Diagnoses	1,084	75.2%
Avg. Number of Diagnoses	1.8	

Summary of Youth by Primary Mood Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Primary Mood Disorder		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	178	78.4%
Hispanic or Latino/a	49	21.6%
Not Available (% Total)	104	31.4%
Race (Unduplicated)		
N		% of Available
American Indian or Alaska Native	2	0.7%
Asian	36	13.1%
Black or African-American	3	1.1%
Native Hawaiian or Pacific Islander	27	9.9%
White	41	15.0%
Other Race	0	0.0%
Multiracial	165	60.2%
Based on Observation	15	5.5%
Not Available (% Total)	57	17.2%
Ethnicity (Duplicated)		
N		% of Available
American Indian or Alaska Native	19	8.4%
Alaska Native	0	0.0%
American Indian	19	8.4%
Asian	133	58.8%
Asian Indian	0	0.0%
Chinese	55	24.3%
Filipino	78	34.5%
Japanese	41	18.1%
Korean	9	4.0%
Vietnamese	2	0.9%
Other Asian	4	1.8%
Black or African-American	14	6.2%
Hispanic or Latina/o	49	21.7%
Cuban	1	0.4%
Mexican	11	4.9%
Puerto Rican	18	8.0%
Other Hispanic	20	8.8%
Native Hawaiian or Pacific Islander	116	51.3%
Guamanian or Chamorro	1	0.4%
Micronesian	7	3.1%
Native Hawaiian	104	46.0%
Samoan	12	5.3%
Other Pacific Islander	7	3.1%
White	145	64.2%
White or Caucasian	119	52.7%
Portuguese	44	19.5%
Other Race or Ethnicity	6	2.7%
Multiethnic	145	64.2%
Not Available (% Total)	105	31.7%

All Other Primary Diagnoses		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	722	70.0%
Hispanic or Latino/a	309	30.0%
Not Available (% Total)	757	42.3%
Race (Unduplicated)		
N		% of Available
American Indian or Alaska Native	5	0.4%
Asian	86	6.9%
Black or African-American	19	1.5%
Native Hawaiian or Pacific Islander	181	14.5%
White	171	13.7%
Other Race	8	0.6%
Multiracial	779	62.4%
Based on Observation	78	6.2%
Not Available (% Total)	539	30.1%
Ethnicity (Duplicated)		
N		% of Available
American Indian or Alaska Native	111	10.8%
Alaska Native	0	0.0%
American Indian	111	10.8%
Asian	558	54.5%
Asian Indian	5	0.5%
Chinese	257	25.1%
Filipino	321	31.3%
Japanese	174	17.0%
Korean	36	3.5%
Vietnamese	7	0.7%
Other Asian	16	1.6%
Black or African-American	69	6.7%
Hispanic or Latina/o	301	29.4%
Cuban	5	0.5%
Mexican	54	5.3%
Puerto Rican	171	16.7%
Other Hispanic	116	11.3%
Native Hawaiian or Pacific Islander	643	62.8%
Guamanian or Chamorro	11	1.1%
Micronesian	51	5.0%
Native Hawaiian	537	52.4%
Samoan	70	6.8%
Other Pacific Islander	43	4.2%
White	642	62.7%
White or Caucasian	502	49.0%
Portuguese	264	25.8%
Other Race or Ethnicity	46	4.5%
Multiethnic	734	71.7%
Not Available (% Total)	764	42.7%

Summary of Youth by Primary Mood Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Primary Mood Disorder		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	49	14.8%
Leeward Oahu	58	17.5%
Honolulu Oahu	40	12.1%
Hawaii (Big Island)	110	33.2%
Maui	47	14.2%
Kauai	26	7.9%
Family Court Liaison Branch	1	0.3%

All Other Primary Diagnoses		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	247	13.8%
Leeward Oahu	245	13.7%
Honolulu Oahu	211	11.8%
Hawaii (Big Island)	660	36.9%
Maui	178	10.0%
Kauai	160	8.9%
Family Court Liaison Branch	87	4.9%

*Central Oahu FGC now includes both Central and Windward Oahu offices.

Summary of Youth by Primary Mood Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Services Procured	Primary Mood Disorder			All Other Primary Diagnoses		
	Monthly Average	Total N	% of Procured	Monthly Average	Total N	% of Procured
Out-of-Home	29	68	29.7%	153	324	29.9%
Out-of-State	0	0	0.0%	5	5	0.5%
Hospital Residential	5	21	9.2%	12	56	5.2%
Community High Risk	0	0	0.0%	7	14	1.3%
Community Residential	7	22	9.6%	47	133	12.3%
Therapeutic Foster Home	17	38	16.6%	86	161	14.9%
<i>Multidimensional Treatment Foster Care</i>	1	2	0.9%	4	10	0.9%
<i>Transitional Family Home</i>	16	37	16.2%	82	155	14.3%
Intensive Home & Community	87	181	79.0%	388	805	74.3%
Partial Hospitalization	2	11	4.8%	3	12	1.1%
Multisystemic Therapy	6	23	10.0%	62	190	17.5%
Intensive In-Home	80	157	68.6%	327	655	60.4%
Outpatient	11	55	24.0%	48	253	23.3%
Treatment	9	33	14.4%	34	100	9.2%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	7	27	11.8%	26	74	6.8%
<i>Outpatient Therapy</i>	2	6	2.6%	8	26	2.4%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	2	24	10.5%	14	157	14.5%
Supportive Services	7	28	12.2%	36	160	14.8%
Respite Home	1	5	2.2%	5	25	2.3%
Ancillary Service	6	24	10.5%	32	138	12.7%
Crisis Stabilization	1	8	3.5%	4	38	3.5%
Unduplicated Total (% of Registered)	122	229	69%	570	1,084	61%

*These services either were not procured or had no data available in FY 2013.

Summary of Youth by Primary Mood Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Total Hours Procured	Primary Mood Disorder			All Other Primary Diagnoses		
	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth
Out-of-Home	145	868	87.4%	153	988	89.2%
Out-of-State	0	0	0.0%	195	2,120	95.1%
Hospital Residential	117	421	66.1%	122	336	55.9%
Community High Risk	0	0	0.0%	175	1,060	83.2%
Community Residential	134	623	73.9%	138	676	78.2%
Therapeutic Foster Home	154	960	77.0%	168	1,154	85.2%
<i>Multidimensional Treatment Foster Care</i>	192	1,349	87.1%	169	826	74.3%
<i>Transitional Family Home</i>	151	913	74.4%	167	1,145	83.7%
Intensive Home & Community	16	90	79.4%	18	101	78.3%
Partial Hospitalization	3	6	11.2%	3	9	3.2%
Multisystemic Therapy	42	122	92.6%	39	136	78.5%
Intensive In-Home	12	85	77.2%	13	84	73.4%
Outpatient	4	10	43.6%	4	9	51.7%
Treatment	3	13	50.9%	4	16	47.7%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	3	13	55.1%	3	14	49.5%
<i>Outpatient Therapy</i>	3	11	32.1%	5	23	42.6%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	5	5	30.0%	5	5	52.9%
Supportive Services**	-	-	-	-	-	-
Respite Home	25	57	7.7%	19	50	13.1%
Ancillary Service**	-	-	-	-	-	-
Crisis Stabilization	36	52	17.6%	27	38	55.1%
Unduplicated Total	37	334		41	375	

Service Changes	Primary Mood Disorder			All Other Primary Diagnoses		
	Monthly Average	Total N	Total per Youth	Monthly Average	Total N	Total per Youth
Placement Changes	8	100	0.3	37	441	0.2
Out-of-Home Changes	1	12	0.0	3	33	0.0
Provider Agency Changes	21	246	0.7	86	1,028	0.6
Care Coordinator Changes	12	145	0.4	61	736	0.4

*These services either were not procured or had no data available in FY 2013.

**Duration not available for these services.

Summary of Youth by Primary Mood Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Primary Mood Disorder			
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	122 (2.1)	88 (2.1)	83 (2.3)
Moods: Self-Harm	15 (0.7)	6 (0.5)	5 (0.5)
Moods: Emotions	23 (0.3)	18 (0.4)	17 (0.5)
Home Role Performance	25 (0.5)	18 (0.5)	17 (0.6)
School Role Performance	26 (0.4)	18 (0.6)	16 (0.7)
Community Role Performance	12 (0.7)	7 (0.6)	7 (0.6)
Behavior Towards Other	20 (0.4)	15 (0.4)	14 (0.4)
Substance Use	10 (0.7)	5 (0.5)	4 (0.5)
Thinking	7 (0.6)	2 (0.3)	2 (0.3)

Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	21 (0.3)	18 (0.2)	18 (0.3)
Level of Care	4 (0.1)	3 (0.1)	3 (0.1)

Child and Adolescent Functional Assessment Scale (CAFAS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total (8-scale)	39 (257)	61% (246)	37% (246)
Moods: Self-Harm	10 (257)	71% (148)	94% (148)
Moods: Emotions	6 (257)	49% (244)	91% (244)
Home Role Performance	8 (257)	56% (225)	68% (225)
School Role Performance	10 (256)	55% (234)	66% (234)
Community Role Performance	5 (257)	47% (116)	94% (116)
Behavior Towards Other	6 (257)	54% (211)	96% (211)
Substance Use	5 (257)	72% (90)	93% (90)
Thinking	4 (257)	80% (54)	98% (54)

Child and Adolescent Level of Care Utilization System (CALOCUS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total	3 (241)	45% (224)	42% (224)
Level of Care	1 (241)	56% (225)	68% (225)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	912	25	26.9%
Child Events	1,030	28	24.8%
Person-Directed	145	4	8.5%
Property-Directed	94	3	5.7%
Runaway or Elopement	242	7	11.5%
Self-Injury	311	9	11.8%
Substance Use	91	3	6.0%
Other	118	3	7.6%
Institutional Events	547	15	18.1%
Person-Directed (Client Victim)	36	1	3.0%
Seclusion or Restraint	30	1	2.4%
Medication Error	33	1	1.8%
Police Called	151	4	9.1%
Criminal Charges or Arrest	85	2	5.7%
Client Injury	36	1	3.6%
Staff Injury	0	0	0.0%
Other	169	5	10.3%

All Other Primary Diagnoses		
"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
118 (1.0)	90 (1.0)	87 (1.1)
8 (0.3)	2 (0.2)	2 (0.2)
20 (0.2)	15 (0.2)	15 (0.2)
26 (0.2)	19 (0.2)	19 (0.3)
26 (0.2)	19 (0.3)	19 (0.3)
14 (0.3)	9 (0.3)	9 (0.3)
21 (0.2)	16 (0.2)	16 (0.2)
10 (0.4)	5 (0.3)	5 (0.3)
6 (0.3)	3 (0.2)	2 (0.2)

"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
21 (0.1)	18 (0.1)	18 (0.1)
4 (0.0)	3 (0.0)	3 (0.0)

Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
31 (1164)	51% (1103)	33% (1103)
6 (1164)	82% (337)	97% (337)
5 (1164)	46% (1011)	96% (1011)
7 (1164)	49% (1051)	64% (1051)
8 (1164)	47% (1082)	61% (1082)
5 (1164)	47% (640)	89% (640)
6 (1164)	48% (1033)	94% (1033)
4 (1164)	59% (423)	81% (423)
4 (1164)	74% (227)	96% (227)

Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
3 (1043)	46% (972)	42% (972)
1 (1043)	55% (976)	66% (976)

Reports per 1,000 youth	Monthly Average	Any Report % of youth
852	127	22.9%
917	137	21.2%
189	28	9.4%
96	14	6.4%
247	37	9.7%
147	22	6.5%
97	15	4.9%
106	16	6.3%
543	81	14.8%
48	7	3.8%
65	10	2.8%
5	1	0.4%
154	23	8.0%
103	15	5.5%
41	6	3.5%
11	2	0.7%
103	15	6.2%

*Indicates average change from highest CAFAS or CALOCUS score to most recent.
 (A positive number reflects improvement.)

Summary of Youth by Primary Mood Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Primary Mood Disorder			
Service Setting	Any Use N	Any Use % Avail	Dosage % of Months
Clinic	103	45.8%	53.2%
Community	172	76.4%	71.9%
Home	201	89.3%	82.3%
Out-of-Home	83	36.9%	57.0%
Phone*	33	14.7%	61.7%
School	127	56.4%	51.8%
Unclear*	15	6.7%	23.2%
Not Available	106	32.0%	

Service Format	Any Use N	Any Use % Avail	Dosage % of Months
Family	175	77.8%	69.2%
Group	67	29.8%	45.5%
Individual	190	84.4%	90.3%
Parent	170	75.6%	69.9%
Phone*	9	4.0%	62.6%
Professional Consult*	59	26.2%	45.5%
Teacher	83	36.9%	44.9%
Unclear*	30	13.3%	45.6%
Not Available	106	32.0%	

Discharge Living Situation	Youth N	% Youth Discharged	% Discharges
Foster Home	24	18.5%	12.2%
Group Care	2	1.5%	1.0%
Home	94	72.3%	47.7%
Homeless/Shelter	4	3.1%	2.0%
Institution/Hospital	9	6.9%	4.6%
Jail/Correctional Facility	5	3.8%	2.5%
Other	24	18.5%	12.2%
Residential Treatment	8	6.2%	4.1%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	130		
Number of Discharges	197		

Reason for Discharge	Youth N	% Youth Discharged	% Discharges
Eligibility Change	2	1.5%	1.0%
Family Relocation	5	3.8%	2.5%
Insufficient Progress	9	6.9%	4.6%
Other	37	28.5%	18.8%
Runaway/Elopement	20	15.4%	10.2%
Refuse/Withdraw	19	14.6%	9.6%
Success/Goals Met	89	68.5%	45.2%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	130		
Number of Discharges	197		

All Other Primary Diagnoses		
Any Use N	Any Use % Avail	Dosage % of Months
458	45.1%	57.9%
765	75.4%	73.4%
885	87.2%	84.3%
413	40.7%	62.2%
106	10.4%	58.4%
600	59.1%	56.7%
33	3.3%	29.6%
773	43.2%	

Any Use N	Any Use % Avail	Dosage % of Months
792	78.0%	73.1%
297	29.3%	49.7%
868	85.5%	87.3%
784	77.2%	76.3%
26	2.6%	36.8%
244	24.0%	41.9%
383	37.7%	47.5%
146	14.4%	49.4%
773	43.2%	

Youth N	% Youth Discharged	% Discharges
76	12.4%	8.3%
6	1.0%	0.7%
429	69.8%	47.0%
14	2.3%	1.5%
14	2.3%	1.5%
48	7.8%	5.3%
102	16.6%	11.2%
45	7.3%	4.9%
0	0.0%	0.0%
615		
912		

Youth N	% Youth Discharged	% Discharges
15	2.4%	1.6%
17	2.8%	1.9%
60	9.8%	6.6%
194	31.5%	21.3%
78	12.7%	8.6%
58	9.4%	6.4%
352	57.2%	38.6%
0	0.0%	0.0%
615		
912		

*Indicates written response to an open-ended question.

Summary of Youth by Primary Mood Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Treatment Target	Primary Mood Disorder			All Other Primary Diagnoses		
	Any Use N	Any Use % Avail	Dosage % of Months	Any Use N	Any Use % Avail	Dosage % of Months
Academic Achievement	73	32.4%	37.0%	375	36.9%	40.9%
Activity Involvement	129	57.3%	55.8%	537	52.9%	55.8%
Adaptive Behavior/Living Skills	38	16.9%	37.6%	121	11.9%	38.2%
Adjustment to Change	70	31.1%	36.5%	278	27.4%	38.8%
Adult Intercoordination	4	1.8%	15.8%	9	0.9%	24.8%
Aggression	71	31.6%	46.2%	458	45.1%	55.8%
Anger	96	42.7%	48.7%	520	51.2%	56.6%
Anxiety	84	37.3%	47.9%	370	36.5%	50.7%
Assertiveness	42	18.7%	35.2%	179	17.6%	38.4%
Attention Problems	22	9.8%	18.7%	197	19.4%	37.9%
Avoidance	54	24.0%	39.0%	235	23.2%	41.9%
Caregiver Self-Management/Coping	2	0.9%	25.0%	4	0.4%	20.6%
Cognitive-Intellectual Functioning	24	10.7%	26.9%	73	7.2%	42.5%
Community Involvement	54	24.0%	28.3%	174	17.1%	33.6%
Compulsive Behavior	0	0.0%	0.0%	3	0.3%	22.2%
Contentment/Enjoyment/Happiness	53	23.6%	41.8%	198	19.5%	40.2%
Depressed Mood	133	59.1%	57.5%	264	26.0%	45.5%
Eating/Feeding Problems	10	4.4%	33.6%	26	2.6%	31.8%
Empathy	9	4.0%	41.6%	140	13.8%	42.8%
Enuresis/Encopresis	5	2.2%	47.3%	36	3.5%	51.1%
Fire Setting	0	0.0%	0.0%	6	0.6%	39.0%
Fitness/Exercise	1	0.4%	20.0%	0	0.0%	0.0%
Gender Identity Problems	1	0.4%	90.0%	6	0.6%	15.7%
Goal Setting	0	0.0%	0.0%	4	0.4%	12.7%
Grief	19	8.4%	35.7%	52	5.1%	39.0%
Health Management	20	8.9%	33.7%	72	7.1%	31.0%
Housing/Living Situation	31	13.8%	29.1%	175	17.2%	33.3%
Hyperactivity	6	2.7%	23.1%	97	9.6%	40.3%
Information Gathering	3	1.3%	38.9%	8	0.8%	30.6%
Learning Disorder/Underachievement	5	2.2%	31.8%	33	3.3%	24.9%
Low Self-Esteem	82	36.4%	45.8%	231	22.8%	40.7%
Mania	4	1.8%	24.8%	7	0.7%	29.3%
Medical Regimen Adherence	33	14.7%	37.3%	95	9.4%	38.6%
Occupational Functioning/Stress	14	6.2%	17.3%	36	3.5%	34.0%
Oppositional/Non-Compliant Behavior	115	51.1%	54.1%	682	67.2%	66.2%
Pain Management	0	0.0%	0.0%	0	0.0%	0.0%
Parenting Skills	4	1.8%	41.5%	15	1.5%	29.9%
Peer Involvement	32	14.2%	27.1%	170	16.7%	35.3%
Peer/Sibling Conflict	42	18.7%	45.3%	271	26.7%	44.2%
Personal Hygiene	13	5.8%	35.0%	33	3.3%	27.0%
Phobia/Fears	57	25.3%	41.5%	360	35.5%	44.0%
Positive Family Functioning	16	7.1%	41.0%	70	6.9%	40.8%
Positive Peer Interaction	172	76.4%	65.1%	793	78.1%	67.9%
Positive Thinking/Attitude	80	35.6%	38.7%	296	29.2%	41.7%
Pregnancy Education/Adjustment	7	3.1%	46.9%	17	1.7%	38.9%
Psychosis	8	3.6%	32.3%	30	3.0%	56.8%
Runaway	36	16.0%	43.2%	195	19.2%	46.8%
Safe Environment	1	0.4%	18.2%	10	1.0%	29.8%
School Involvement	47	20.9%	38.4%	237	23.3%	36.7%
School Refusal/Truancy	35	15.6%	45.9%	192	18.9%	41.9%
Self-Control	45	20.0%	49.2%	114	11.2%	43.1%
Self-Injurious Behavior	39	17.3%	33.9%	276	27.2%	42.5%
Sexual Orientation	0	0.0%	0.0%	0	0.0%	0.0%
Sexual Misconduct	6	2.7%	33.6%	63	6.2%	53.4%
Shyness	8	3.6%	17.5%	17	1.7%	32.1%
Sleep Disturbance	10	4.4%	41.8%	14	1.4%	31.9%
Social Skills	51	22.7%	41.9%	312	30.7%	46.7%
Speech and Language	1	0.4%	33.3%	7	0.7%	24.4%
Substance Use	61	27.1%	65.1%	285	28.1%	64.5%
Suicidality	33	14.7%	33.2%	57	5.6%	38.4%
Traumatic Stress	32	14.2%	47.3%	158	15.6%	43.6%
Treatment Engagement	131	58.2%	49.0%	550	54.2%	53.6%
Treatment Planning/Framing	13	5.8%	33.4%	54	5.3%	48.3%
Willful Misconduct/Delinquency	20	8.9%	31.5%	214	21.1%	46.8%
Other	3	1.3%	15.3%	11	1.1%	15.7%
Unclear	17	7.6%	36.1%	84	8.3%	28.2%
Not Available	106	32.0%		773	43.2%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Primary Mood Disorder
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Primary Mood Disorder			All Other Primary Diagnoses		
	Any Use	Any Use	Dosage	Any Use	Any Use	Dosage
Practice Elements	N	% Avail	% of Months	N	% Avail	% of Months
Activity Scheduling	137	60.9%	55.6%	601	59.2%	57.3%
Anger Management	1	0.4%	8.3%	3	0.3%	19.6%
Animal or Plant Assisted Activities	0	0.0%	0.0%	0	0.0%	0.0%
Arousal Reconditioning	0	0.0%	0.0%	0	0.0%	0.0%
Art/Music Therapy	0	0.0%	0.0%	2	0.2%	22.2%
Assertiveness Training	84	37.3%	47.4%	325	32.0%	45.6%
Assessment	5	2.2%	32.9%	36	3.5%	72.5%
Attending	71	31.6%	47.1%	290	28.6%	44.4%
Behavior Management	2	0.9%	20.8%	3	0.3%	11.7%
Behavioral Contracting	122	54.2%	55.0%	591	58.2%	55.8%
Biofeedback/Neurofeedback	3	1.3%	28.7%	16	1.6%	29.6%
Care Coordination	143	63.6%	60.2%	624	61.5%	66.5%
Catharsis	22	9.8%	47.5%	52	5.1%	35.7%
Cognitive/Coping	146	64.9%	63.1%	596	58.7%	64.3%
Commands/Limit Setting	27	12.0%	33.5%	163	16.1%	41.1%
Communication Skills	177	78.7%	67.4%	784	77.2%	67.9%
Counseling	0	0.0%	0.0%	1	0.1%	27.3%
Crisis Management	112	49.8%	47.1%	431	42.5%	45.9%
Cultural Training	28	12.4%	45.9%	117	11.5%	40.4%
Discrete Trial Training	2	0.9%	20.0%	13	1.3%	19.5%
Educational Support	116	51.6%	53.5%	555	54.7%	55.7%
Emotional Processing	163	72.4%	64.8%	637	62.8%	62.4%
Exposure	55	24.4%	43.2%	198	19.5%	39.7%
Eye Movement/Body Tapping	5	2.2%	23.3%	13	1.3%	16.0%
Family Engagement	176	78.2%	61.4%	755	74.4%	64.9%
Family Therapy	157	69.8%	58.5%	708	69.8%	60.8%
Family Visit	0	0.0%	0.0%	0	0.0%	0.0%
Free Association	22	9.8%	36.7%	56	5.5%	36.1%
Functional Analysis	37	16.4%	40.9%	169	16.7%	51.0%
Goal Setting	172	76.4%	65.2%	710	70.0%	63.3%
Guided Imagery	50	22.2%	37.1%	160	15.8%	36.6%
Ho'Oponopono	0	0.0%	0.0%	0	0.0%	0.0%
Hypnosis	4	1.8%	44.6%	19	1.9%	21.9%
Ignoring or DRO	76	33.8%	43.0%	350	34.5%	47.8%
Individual Therapy for Caregiver	57	25.3%	41.0%	307	30.2%	41.8%
Informal Supports	0	0.0%	0.0%	6	0.6%	26.8%
Insight Building	150	66.7%	64.0%	635	62.6%	59.7%
Interpretation	58	25.8%	39.8%	158	15.6%	35.0%
Juvenile Sex Offender Treatment	1	0.4%	33.3%	22	2.2%	73.0%
Legal Assistance/Involvement	0	0.0%	0.0%	0	0.0%	0.0%
Line of Sight Supervision	74	32.9%	42.3%	331	32.6%	47.7%
Maintenance/Relapse Prevention	64	28.4%	45.3%	285	28.1%	43.6%
Marital Therapy	12	5.3%	20.2%	56	5.5%	31.6%
Medication/Pharmacotherapy	87	38.7%	52.6%	276	27.2%	52.0%
Mentoring	90	40.0%	50.4%	393	38.7%	49.4%
Milieu Therapy	54	24.0%	52.2%	253	24.9%	49.9%
Mindfulness	113	50.2%	48.7%	393	38.7%	49.0%
Modeling	140	62.2%	58.4%	645	63.5%	57.0%
Motivational Interviewing	123	54.7%	57.7%	511	50.3%	54.3%
Natural and Logical Consequences	143	63.6%	58.9%	705	69.5%	62.4%
Parent Coping	142	63.1%	54.4%	643	63.3%	58.7%
Parent or Teacher Monitoring	101	44.9%	48.9%	495	48.8%	52.0%
Parent Praise	108	48.0%	51.6%	507	50.0%	51.9%
Parenting	2	0.9%	14.2%	13	1.3%	22.1%
Peer Modeling/Pairing	38	16.9%	32.6%	174	17.1%	32.4%
Personal Safety Skills	106	47.1%	48.7%	462	45.5%	51.5%
Physical Exercise	0	0.0%	0.0%	0	0.0%	0.0%
Play Therapy	27	12.0%	32.6%	176	17.3%	50.6%
Problem Solving	172	76.4%	63.7%	778	76.7%	66.1%
Psychoeducation-Child	150	66.7%	60.2%	632	62.3%	59.8%
Psychoeducation-Parent	150	66.7%	58.6%	696	68.6%	63.1%
Relationship/Rapport Building	173	76.9%	57.6%	759	74.8%	61.3%
Relaxation	114	50.7%	50.9%	501	49.4%	49.9%
Response Cost	50	22.2%	45.1%	181	17.8%	41.7%
Response Prevention	57	25.3%	40.0%	212	20.9%	42.0%
Self-Monitoring	121	53.8%	48.7%	427	42.1%	49.8%
Self-Reward/Self-Praise	97	43.1%	49.3%	337	33.2%	49.6%
Skill Building	159	70.7%	60.2%	720	70.9%	61.4%
Social Skills Training	114	50.7%	49.1%	547	53.9%	55.1%
Stimulus Control/Antecedent Man.	61	27.1%	46.0%	229	22.6%	42.6%
Supportive Listening	194	86.2%	71.0%	800	78.8%	71.3%
Tangible Rewards	104	46.2%	50.5%	491	48.4%	52.2%
Therapist Praise/Rewards	145	64.4%	60.2%	665	65.5%	62.5%
Thought Field Therapy	8	3.6%	13.7%	24	2.4%	22.0%
Time Out	64	28.4%	40.8%	281	27.7%	46.2%
Twelve-step Programming	24	10.7%	47.8%	120	11.8%	50.3%
Other	3	1.3%	24.1%	32	3.2%	28.4%
Unclear	21	9.3%	45.3%	133	13.1%	37.9%
Not Available	106	32.0%		773	43.2%	


Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Family Court Liaison Branch
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Family Court Liaison Branch		
	N	%
Total Registered Youth	88	4.2%
with Services Procured	25	28.4%
Youth with New Admissions	43	48.9%
with Initial Admissions	18	20.5%
with Repeat Admissions	25	28.4%
Youth with Discharges	64	72.7%

	N	% of Available
Gender		
Females	16	18%
Males	72	82%

	Mean	SD
Age in Years	17.6	2.2




Primary Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	1	2.3%
Anxiety	3	6.8%
Attention	5	11.4%
Disruptive Behavior	30	68.2%
Mental Retardation	0	0.0%
Miscellaneous	1	2.3%
Mood	1	2.3%
Pervasive Developmental	0	0.0%
Psychotic Spectrum	0	0.0%
Substance-Related	3	6.8%
Not Available (% Total)	44	50.0%

Any Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	1	2.3%
Anxiety	4	9.1%
Attention	14	31.8%
Disruptive Behavior	35	79.5%
Mental Retardation	0	0.0%
Miscellaneous	9	20.5%
Mood	8	18.2%
Pervasive Developmental	0	0.0%
Psychotic Spectrum	0	0.0%
Substance-Related	27	61.4%
Multiple Diagnoses	38	86.4%
Avg. Number of Diagnoses	1.3	

All Other Family Guidance Centers		
	N	%
Total Registered Youth	2,031	95.8%
with Services Procured	1,288	63.4%
Youth with New Admissions	926	45.6%
with Initial Admissions	672	33.1%
with Repeat Admissions	254	12.5%
Youth with Discharges	792	39.0%

	N	% of Available
Gender		
Females	782	39%
Males	1,249	61%

	Mean	SD
Age in Years	13.8	3.7



Primary Diagnosis of	N	% Avail
None Recorded	6	0.3%
Adjustment	128	7.4%
Anxiety	182	10.6%
Attention	342	19.8%
Disruptive Behavior	540	31.3%
Mental Retardation	0	0.0%
Miscellaneous	73	4.2%
Mood	330	19.2%
Pervasive Developmental	25	1.5%
Psychotic Spectrum	38	2.2%
Substance-Related	59	3.4%
Not Available (% Total)	308	15.2%

Any Diagnosis of	N	% Avail
None Recorded	4	0.2%
Adjustment	204	11.8%
Anxiety	406	23.5%
Attention	615	35.6%
Disruptive Behavior	903	52.3%
Mental Retardation	34	2.0%
Miscellaneous	457	26.4%
Mood	516	29.9%
Pervasive Developmental	36	2.1%
Psychotic Spectrum	46	2.7%
Substance-Related	329	19.0%
Multiple Diagnoses	1,281	74.1%
Avg. Number of Diagnoses	1.9	

Summary of Youth by Family Court Liaison Branch
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Family Court Liaison Branch		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	25	78.1%
Hispanic or Latino/a	7	21.9%
Not Available (% Total)	56	63.6%
Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	0	0.0%
Asian	0	0.0%
Black or African-American	0	0.0%
Native Hawaiian or Pacific Islander	9	24.3%
White	5	13.5%
Other Race	0	0.0%
Multiracial	23	62.2%
Based on Observation	1	2.7%
Not Available (% Total)	51	58.0%
Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	4	12.5%
Alaska Native	0	0.0%
American Indian	4	12.5%
Asian	14	43.8%
Asian Indian	0	0.0%
Chinese	8	25.0%
Filipino	8	25.0%
Japanese	3	9.4%
Korean	0	0.0%
Vietnamese	0	0.0%
Other Asian	0	0.0%
Black or African-American	3	9.4%
Hispanic or Latina/o	5	15.6%
Cuban	0	0.0%
Mexican	1	3.1%
Puerto Rican	1	3.1%
Other Hispanic	3	9.4%
Native Hawaiian or Pacific Islander	25	78.1%
Guamanian or Chamorro	2	6.3%
Micronesian	4	12.5%
Native Hawaiian	13	40.6%
Samoan	5	15.6%
Other Pacific Islander	3	9.4%
White	19	59.4%
White or Caucasian	17	53.1%
Portuguese	8	25.0%
Other Race or Ethnicity	2	6.3%
Multiethnic	19	59.4%
Not Available (% Total)	56	63.6%

All Other Family Guidance Centers		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	875	71.4%
Hispanic or Latino/a	351	28.6%
Not Available (% Total)	805	39.6%
Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	7	0.5%
Asian	122	8.2%
Black or African-American	22	1.5%
Native Hawaiian or Pacific Islander	199	13.4%
White	207	13.9%
Other Race	8	0.5%
Multiracial	921	62.0%
Based on Observation	92	6.2%
Not Available (% Total)	545	26.8%
Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	126	10.3%
Alaska Native	0	0.0%
American Indian	126	10.3%
Asian	677	55.6%
Asian Indian	5	0.4%
Chinese	304	25.0%
Filipino	391	32.1%
Japanese	212	17.4%
Korean	45	3.7%
Vietnamese	9	0.7%
Other Asian	20	1.6%
Black or African-American	80	6.6%
Hispanic or Latina/o	345	28.3%
Cuban	6	0.5%
Mexican	64	5.3%
Puerto Rican	188	15.4%
Other Hispanic	133	10.9%
Native Hawaiian or Pacific Islander	734	60.3%
Guamanian or Chamorro	10	0.8%
Micronesian	54	4.4%
Native Hawaiian	628	51.6%
Samoan	77	6.3%
Other Pacific Islander	47	3.9%
White	768	63.1%
White or Caucasian	604	49.6%
Portuguese	300	24.6%
Other Race or Ethnicity	50	4.1%
Multiethnic	860	70.6%
Not Available (% Total)	813	40.0%

**Summary of Youth by Family Court Liaison Branch
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Family Court Liaison Branch		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	0	0.0%
Leeward Oahu	0	0.0%
Honolulu Oahu	0	0.0%
Hawaii (Big Island)	0	0.0%
Maui	0	0.0%
Kauai	0	0.0%
Family Court Liaison Branch	88	100.0%

All Other Family Guidance Centers		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	296	14.6%
Leeward Oahu	303	14.9%
Honolulu Oahu	251	12.4%
Hawaii (Big Island)	770	37.9%
Maui	225	11.1%
Kauai	186	9.2%
Family Court Liaison Branch	0	0.0%

*Central Oahu FGC now includes both Central and Windward Oahu offices.

Summary of Youth by Family Court Liaison Branch
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Services Procured	Family Court Liaison Branch			All Other Family Guidance Centers		
	Monthly Average	Total N	% of Procured	Monthly Average	Total N	% of Procured
Out-of-Home	0	4	16.0%	182	388	30.1%
Out-of-State	0	0	0.0%	5	5	0.4%
Hospital Residential	0	0	0.0%	17	77	6.0%
Community High Risk	0	0	0.0%	7	14	1.1%
Community Residential	0	3	12.0%	54	152	11.8%
Therapeutic Foster Home	0	1	4.0%	103	198	15.4%
<i>Multidimensional Treatment Foster Care</i>	0	0	0.0%	5	12	0.9%
<i>Transitional Family Home</i>	0	1	4.0%	98	191	14.8%
Intensive Home & Community	1	4	16.0%	474	982	76.2%
Partial Hospitalization	0	0	0.0%	5	23	1.8%
Multisystemic Therapy	0	1	4.0%	68	212	16.5%
Intensive In-Home	1	3	12.0%	406	809	62.8%
Outpatient	2	16	64.0%	58	292	22.7%
Treatment	0	0	0.0%	43	133	10.3%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	0	0	0.0%	33	101	7.8%
<i>Outpatient Therapy</i>	0	0	0.0%	10	32	2.5%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	2	16	64.0%	14	165	12.8%
Supportive Services	0	2	8.0%	43	186	14.4%
Respite Home	0	0	0.0%	6	30	2.3%
Ancillary Service	0	2	8.0%	37	160	12.4%
Crisis Stabilization	0	0	0.0%	5	46	3.6%
Unduplicated Total (% of Registered)	3	25	28%	688	1,288	63%

*These services either were not procured or had no data available in FY 2013.

Summary of Youth by Family Court Liaison Branch
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Family Court Liaison Branch			All Other Family Guidance Centers		
Total Hours Procured	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth
Out-of-Home	67	106	100.0%	152	976	88.7%
Out-of-State	0	0	0.0%	195	2,120	95.1%
Hospital Residential	0	0	0.0%	120	359	58.7%
Community High Risk	0	0	0.0%	175	1,060	83.2%
Community Residential	39	39	100.0%	139	681	77.2%
Therapeutic Foster Home	153	306	100.0%	165	1,121	83.5%
<i>Multidimensional Treatment Foster Care</i>	0	0	0.0%	173	913	76.5%
<i>Transitional Family Home</i>	153	306	100.0%	164	1,105	81.8%
Intensive Home & Community	17	57	98.6%	18	99	78.4%
Partial Hospitalization	0	0	0.0%	3	8	7.0%
Multisystemic Therapy	47	140	100.0%	40	135	79.9%
Intensive In-Home	7	30	98.1%	13	85	74.0%
Outpatient	4	4	94.1%	4	10	47.8%
Treatment	0	0	0.0%	4	15	48.5%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	0	0	0.0%	3	13	51.0%
<i>Outpatient Therapy</i>	0	0	0.0%	5	21	40.6%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	4	4	94.1%	5	5	45.5%
Supportive Services**	-	-	-	-	-	-
Respite Home	0	0	0.0%	20	51	12.2%
Ancillary Service**	-	-	-	-	-	-
Crisis Stabilization	0	0	0.0%	29	41	48.6%
Unduplicated Total	16	29		41	374	

	Monthly Average	Total N	Total per Youth	Monthly Average	Total N	Total per Youth
Service Changes						
Placement Changes	0	5	0.1	45	536	0.3
Out-of-Home Changes	0	0	0.0	4	45	0.0
Provider Agency Changes	0	5	0.1	106	1,269	0.6
Care Coordinator Changes	4	48	0.5	69	833	0.4

*These services either were not procured or had no data available in FY 2013.

**Duration not available for these services.

Summary of Youth by Family Court Liaison Branch
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Family Court Liaison Branch			
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	160 (6.7)	136 (7.2)	137 (8.7)
Moods: Self-Harm	7 (3.0)	2 (1.3)	3 (2.1)
Moods: Emotions	21 (2.8)	16 (2.1)	16 (2.2)
Home Role Performance	30 (0.0)	27 (1.3)	27 (2.1)
School Role Performance	28 (2.0)	23 (3.3)	22 (3.6)
Community Role Performance	27 (1.5)	26 (1.5)	27 (1.5)
Behavior Towards Other	25 (1.7)	22 (1.8)	22 (2.0)
Substance Use	27 (1.5)	19 (3.1)	18 (4.2)
Thinking	8 (3.3)	2 (1.1)	2 (1.3)

Family Court Liaison Branch			
Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	26 (0.6)	23 (1.1)	24 (1.1)
Level of Care	5 (0.2)	5 (0.3)	5 (0.3)

Child and Adolescent Functional Assessment Scale (CAFAS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total (8-scale)	23 (10)	40% (10)	0% (10)
Moods: Self-Harm	4 (10)	67% (3)	100% (3)
Moods: Emotions	5 (10)	56% (9)	100% (9)
Home Role Performance	3 (10)	20% (10)	20% (10)
School Role Performance	6 (10)	33% (9)	33% (9)
Community Role Performance	0 (10)	0% (10)	30% (10)
Behavior Towards Other	3 (10)	30% (10)	70% (10)
Substance Use	9 (10)	40% (10)	60% (10)
Thinking	6 (10)	100% (2)	100% (2)

Child and Adolescent Level of Care Utilization System (CALOCUS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total	3 (9)	44% (9)	11% (9)
Level of Care	1 (9)	33% (9)	11% (9)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	148	1	6.8%
Child Events	205	2	5.7%
Person-Directed	45	0	2.3%
Property-Directed	0	0	0.0%
Runaway or Elopement	68	1	4.5%
Self-Injury	0	0	0.0%
Substance Use	57	0	1.1%
Other	34	0	1.1%
Institutional Events	193	1	5.7%
Person-Directed (Client Victim)	0	0	0.0%
Seclusion or Restraint	0	0	0.0%
Medication Error	0	0	0.0%
Police Called	114	1	3.4%
Criminal Charges or Arrest	45	0	1.1%
Client Injury	11	0	1.1%
Staff Injury	0	0	0.0%
Other	23	0	2.3%

All Other Family Guidance Centers		
"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
118 (0.9)	89 (0.9)	85 (1.0)
9 (0.3)	3 (0.2)	3 (0.2)
21 (0.2)	16 (0.2)	15 (0.2)
25 (0.2)	19 (0.2)	18 (0.3)
26 (0.2)	19 (0.2)	18 (0.3)
14 (0.3)	9 (0.3)	9 (0.3)
21 (0.2)	16 (0.2)	15 (0.2)
10 (0.3)	5 (0.2)	5 (0.2)
6 (0.2)	3 (0.1)	2 (0.2)

All Other Family Guidance Centers		
"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
21 (0.1)	18 (0.1)	18 (0.1)
4 (0.0)	3 (0.0)	3 (0.0)

Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
33 (1411)	53% (1339)	34% (1339)
7 (1411)	79% (482)	96% (482)
6 (1411)	47% (1246)	95% (1246)
7 (1411)	50% (1266)	65% (1266)
8 (1410)	49% (1307)	62% (1307)
5 (1411)	48% (746)	91% (746)
6 (1411)	49% (1234)	95% (1234)
5 (1411)	62% (503)	83% (503)
4 (1411)	75% (279)	97% (279)

Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
3 (1275)	46% (1187)	42% (1187)
1 (1275)	55% (1192)	67% (1192)

Reports per 1,000 youth	Monthly Average	Any Report % of youth
892	151	24.2%
967	164	22.5%
188	32	9.6%
99	17	6.5%
254	43	10.2%
180	30	7.7%
98	17	5.3%
111	19	6.7%
559	95	15.7%
48	8	3.8%
62	11	2.9%
10	2	0.7%
155	26	8.4%
102	17	5.7%
41	7	3.6%
9	2	0.6%
117	20	7.0%

*Indicates average change from highest CAFAS or CALOCUS score to most recent.
 (A positive number reflects improvement.)

Summary of Youth by Family Court Liaison Branch
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Family Court Liaison Branch			
Service Setting	Any Use N	Any Use % Avail	Dosage % of Months
Clinic	4	18.2%	87.5%
Community	8	36.4%	82.4%
Home	7	31.8%	84.7%
Out-of-Home	20	90.9%	95.4%
Phone*	0	0.0%	0.0%
School	7	31.8%	75.5%
Unclear*	1	4.5%	50.0%
Not Available	66	75.0%	

Service Format	Any Use N	Any Use % Avail	Dosage % of Months
Family	4	18.2%	100.0%
Group	3	13.6%	100.0%
Individual	16	72.7%	96.9%
Parent	5	22.7%	100.0%
Phone*	0	0.0%	0.0%
Professional Consult*	2	9.1%	75.0%
Teacher	3	13.6%	100.0%
Unclear*	15	68.2%	94.3%
Not Available	66	75.0%	

Discharge Living Situation	Youth N	% Youth Discharged	% Discharges
Foster Home	0	0.0%	0.0%
Group Care	0	0.0%	0.0%
Home	2	12.5%	12.5%
Homeless/Shelter	0	0.0%	0.0%
Institution/Hospital	0	0.0%	0.0%
Jail/Correctional Facility	12	75.0%	75.0%
Other	3	18.8%	18.8%
Residential Treatment	0	0.0%	0.0%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	16		
Number of Discharges	16		

Reason for Discharge	Youth N	% Youth Discharged	% Discharges
Eligibility Change	0	0.0%	0.0%
Family Relocation	0	0.0%	0.0%
Insufficient Progress	0	0.0%	0.0%
Other	12	75.0%	75.0%
Runaway/Elopement	4	25.0%	25.0%
Refuse/Withdraw	0	0.0%	0.0%
Success/Goals Met	1	6.3%	6.3%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	16		
Number of Discharges	16		

All Other Family Guidance Centers		
Any Use N	Any Use % Avail	Dosage % of Months
557	45.7%	56.8%
929	76.3%	73.0%
1,079	88.6%	83.9%
476	39.1%	59.9%
139	11.4%	59.2%
720	59.1%	55.6%
47	3.9%	27.2%
813	40.0%	

Any Use N	Any Use % Avail	Dosage % of Months
963	79.1%	72.3%
361	29.6%	48.5%
1,042	85.6%	87.7%
949	77.9%	75.0%
35	2.9%	43.5%
301	24.7%	42.4%
463	38.0%	46.7%
161	13.2%	44.5%
813	40.0%	

Youth N	% Youth Discharged	% Discharges
100	13.7%	9.1%
8	1.1%	0.7%
521	71.5%	47.7%
18	2.5%	1.6%
23	3.2%	2.1%
41	5.6%	3.8%
123	16.9%	11.3%
53	7.3%	4.8%
0	0.0%	0.0%
729		
1093		

Youth N	% Youth Discharged	% Discharges
17	2.3%	1.6%
22	3.0%	2.0%
69	9.5%	6.3%
219	30.0%	20.0%
94	12.9%	8.6%
77	10.6%	7.0%
440	60.4%	40.3%
0	0.0%	0.0%
729		
1093		

*Indicates written response to an open-ended question.

Summary of Youth by Family Court Liaison Branch
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Treatment Target	Family Court Liaison Branch			All Other Family Guidance Centers		
	Any Use N	Any Use % Avail	Dosage % of Months	Any Use N	Any Use % Avail	Dosage % of Months
Academic Achievement	1	4.5%	66.7%	447	36.7%	40.2%
Activity Involvement	3	13.6%	83.3%	663	54.4%	55.7%
Adaptive Behavior/Living Skills	2	9.1%	75.0%	157	12.9%	37.6%
Adjustment to Change	1	4.5%	100.0%	347	28.5%	38.2%
Adult Intercoordination	0	0.0%	0.0%	13	1.1%	22.0%
Aggression	2	9.1%	83.3%	527	43.3%	54.4%
Anger	5	22.7%	100.0%	611	50.2%	55.0%
Anxiety	0	0.0%	0.0%	454	37.3%	50.2%
Assertiveness	1	4.5%	100.0%	220	18.1%	37.5%
Attention Problems	0	0.0%	0.0%	219	18.0%	36.0%
Avoidance	3	13.6%	83.3%	286	23.5%	40.9%
Caregiver Self-Management/Coping	0	0.0%	0.0%	6	0.5%	22.1%
Cognitive-Intellectual Functioning	0	0.0%	0.0%	97	8.0%	38.6%
Community Involvement	1	4.5%	100.0%	227	18.6%	32.0%
Compulsive Behavior	0	0.0%	0.0%	3	0.2%	22.2%
Contentment/Enjoyment/Happiness	0	0.0%	0.0%	251	20.6%	40.6%
Depressed Mood	0	0.0%	0.0%	397	32.6%	49.5%
Eating/Feeding Problems	0	0.0%	0.0%	36	3.0%	32.3%
Empathy	1	4.5%	100.0%	148	12.2%	42.4%
Enuresis/Encopresis	0	0.0%	0.0%	41	3.4%	50.7%
Fire Setting	0	0.0%	0.0%	6	0.5%	39.0%
Fitness/Exercise	0	0.0%	0.0%	1	0.1%	20.0%
Gender Identity Problems	0	0.0%	0.0%	7	0.6%	26.3%
Goal Setting	0	0.0%	0.0%	4	0.3%	12.7%
Grief	0	0.0%	0.0%	71	5.8%	38.2%
Health Management	0	0.0%	0.0%	92	7.6%	31.6%
Housing/Living Situation	1	4.5%	33.3%	205	16.8%	32.6%
Hyperactivity	0	0.0%	0.0%	103	8.5%	39.3%
Information Gathering	0	0.0%	0.0%	11	0.9%	32.8%
Learning Disorder/Underachievement	0	0.0%	0.0%	38	3.1%	25.8%
Low Self-Esteem	0	0.0%	0.0%	313	25.7%	42.0%
Mania	0	0.0%	0.0%	11	0.9%	27.6%
Medical Regimen Adherence	0	0.0%	0.0%	128	10.5%	38.3%
Occupational Functioning/Stress	1	4.5%	100.0%	49	4.0%	27.9%
Oppositional/Non-Compliant Behavior	5	22.7%	100.0%	792	65.0%	64.2%
Pain Management	0	0.0%	0.0%	0	0.0%	0.0%
Parenting Skills	0	0.0%	0.0%	19	1.6%	32.3%
Peer Involvement	2	9.1%	83.3%	200	16.4%	33.5%
Peer/Sibling Conflict	1	4.5%	100.0%	312	25.6%	44.2%
Personal Hygiene	0	0.0%	0.0%	46	3.8%	29.2%
Phobia/Fears	4	18.2%	83.3%	413	33.9%	43.3%
Positive Family Functioning	0	0.0%	0.0%	86	7.1%	40.8%
Positive Peer Interaction	3	13.6%	100.0%	962	79.0%	67.3%
Positive Thinking/Attitude	1	4.5%	100.0%	375	30.8%	40.9%
Pregnancy Education/Adjustment	0	0.0%	0.0%	24	2.0%	41.2%
Psychosis	0	0.0%	0.0%	38	3.1%	51.6%
Runaway	2	9.1%	100.0%	229	18.8%	45.8%
Safe Environment	0	0.0%	0.0%	11	0.9%	28.8%
School Involvement	3	13.6%	72.2%	281	23.1%	36.6%
School Refusal/Truancy	2	9.1%	75.0%	225	18.5%	42.2%
Self-Control	0	0.0%	0.0%	159	13.1%	44.8%
Self-Injurious Behavior	1	4.5%	100.0%	314	25.8%	41.2%
Sexual Orientation	0	0.0%	0.0%	0	0.0%	0.0%
Sexual Misconduct	0	0.0%	0.0%	69	5.7%	51.7%
Shyness	0	0.0%	0.0%	25	2.1%	27.4%
Sleep Disturbance	0	0.0%	0.0%	24	2.0%	36.0%
Social Skills	2	9.1%	100.0%	361	29.6%	45.7%
Speech and Language	0	0.0%	0.0%	8	0.7%	25.6%
Substance Use	4	18.2%	100.0%	342	28.1%	64.2%
Suicidality	0	0.0%	0.0%	90	7.4%	36.5%
Traumatic Stress	0	0.0%	0.0%	190	15.6%	44.2%
Treatment Engagement	5	22.7%	100.0%	676	55.5%	52.4%
Treatment Planning/Framing	5	22.7%	100.0%	62	5.1%	41.0%
Willful Misconduct/Delinquency	17	77.3%	83.2%	217	17.8%	42.5%
Other	0	0.0%	0.0%	14	1.1%	15.6%
Unclear	0	0.0%	0.0%	101	8.3%	29.5%
Not Available	66	75.0%		813	40.0%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Family Court Liaison Branch
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Family Court Liaison Branch			All Other Family Guidance Centers		
	Any Use	Any Use	Dosage	Any Use	Any Use	Dosage
Practice Elements	N	% Avail	% of Months	N	% Avail	% of Months
Activity Scheduling	4	18.2%	49.4%	734	60.3%	57.0%
Anger Management	0	0.0%	0.0%	4	0.3%	16.8%
Animal or Plant Assisted Activities	0	0.0%	0.0%	0	0.0%	0.0%
Arousal Reconditioning	0	0.0%	0.0%	0	0.0%	0.0%
Art/Music Therapy	0	0.0%	0.0%	2	0.2%	22.2%
Assertiveness Training	1	4.5%	57.1%	408	33.5%	46.0%
Assessment	15	68.2%	94.3%	26	2.1%	52.3%
Attending	0	0.0%	0.0%	361	29.6%	45.0%
Behavior Management	0	0.0%	0.0%	5	0.4%	15.3%
Behavioral Contracting	2	9.1%	100.0%	711	58.4%	55.6%
Biofeedback/Neurofeedback	0	0.0%	0.0%	19	1.6%	29.4%
Care Coordination	4	18.2%	85.7%	763	62.6%	65.2%
Catharsis	0	0.0%	0.0%	74	6.1%	39.2%
Cognitive/Coping	3	13.6%	49.2%	739	60.7%	64.1%
Commands/Limit Setting	0	0.0%	0.0%	190	15.6%	40.0%
Communication Skills	5	22.7%	83.3%	956	78.5%	67.7%
Counseling	0	0.0%	0.0%	1	0.1%	27.3%
Crisis Management	2	9.1%	58.3%	541	44.4%	46.1%
Cultural Training	0	0.0%	0.0%	145	11.9%	41.4%
Discrete Trial Training	0	0.0%	0.0%	15	1.2%	19.6%
Educational Support	2	9.1%	32.1%	669	54.9%	55.4%
Emotional Processing	3	13.6%	77.8%	797	65.4%	62.8%
Exposure	0	0.0%	0.0%	253	20.8%	40.5%
Eye Movement/Body Tapping	0	0.0%	0.0%	18	1.5%	18.0%
Family Engagement	4	18.2%	70.8%	927	76.1%	64.2%
Family Therapy	0	0.0%	0.0%	865	71.0%	60.4%
Family Visit	0	0.0%	0.0%	0	0.0%	0.0%
Free Association	0	0.0%	0.0%	78	6.4%	36.3%
Functional Analysis	1	4.5%	100.0%	205	16.8%	48.9%
Goal Setting	6	27.3%	73.0%	876	71.9%	63.6%
Guided Imagery	0	0.0%	0.0%	210	17.2%	36.7%
Ho'Oponopono	0	0.0%	0.0%	0	0.0%	0.0%
Hypnosis	0	0.0%	0.0%	23	1.9%	25.8%
Ignoring or DRO	2	9.1%	57.1%	424	34.8%	46.9%
Individual Therapy for Caregiver	1	4.5%	14.3%	363	29.8%	41.7%
Informal Supports	0	0.0%	0.0%	6	0.5%	26.8%
Insight Building	4	18.2%	78.6%	781	64.1%	60.4%
Interpretation	1	4.5%	50.0%	215	17.7%	36.2%
Juvenile Sex Offender Treatment	0	0.0%	0.0%	23	1.9%	71.3%
Legal Assistance/Involvement	0	0.0%	0.0%	0	0.0%	0.0%
Line of Sight Supervision	1	4.5%	100.0%	404	33.2%	46.5%
Maintenance/Relapse Prevention	2	9.1%	100.0%	347	28.5%	43.6%
Marital Therapy	1	4.5%	14.3%	67	5.5%	29.9%
Medication/Pharmacotherapy	1	4.5%	100.0%	362	29.7%	52.0%
Mentoring	4	18.2%	66.1%	479	39.3%	49.4%
Milieu Therapy	3	13.6%	100.0%	304	25.0%	49.9%
Mindfulness	3	13.6%	54.8%	503	41.3%	48.9%
Modeling	4	18.2%	73.8%	781	64.1%	57.1%
Motivational Interviewing	5	22.7%	69.5%	629	51.6%	54.9%
Natural and Logical Consequences	4	18.2%	69.6%	844	69.3%	61.8%
Parent Coping	1	4.5%	33.3%	784	64.4%	58.0%
Parent or Teacher Monitoring	2	9.1%	41.7%	594	48.8%	51.5%
Parent Praise	1	4.5%	50.0%	614	50.4%	51.8%
Parenting	0	0.0%	0.0%	15	1.2%	21.0%
Peer Modeling/Pairing	1	4.5%	100.0%	211	17.3%	32.1%
Personal Safety Skills	2	9.1%	64.3%	566	46.5%	50.9%
Physical Exercise	0	0.0%	0.0%	0	0.0%	0.0%
Play Therapy	0	0.0%	0.0%	203	16.7%	48.2%
Problem Solving	4	18.2%	69.0%	946	77.7%	65.7%
Psychoeducation-Child	2	9.1%	71.4%	780	64.0%	59.9%
Psychoeducation-Parent	1	4.5%	100.0%	845	69.4%	62.2%
Relationship/Rapport Building	5	22.7%	90.0%	927	76.1%	60.5%
Relaxation	0	0.0%	0.0%	615	50.5%	50.1%
Response Cost	0	0.0%	0.0%	231	19.0%	42.4%
Response Prevention	0	0.0%	0.0%	269	22.1%	41.6%
Self-Monitoring	2	9.1%	75.0%	546	44.8%	49.4%
Self-Reward/Self-Praise	1	4.5%	100.0%	433	35.6%	49.4%
Skill Building	4	18.2%	64.9%	875	71.8%	61.2%
Social Skills Training	2	9.1%	85.7%	659	54.1%	53.9%
Stimulus Control/Antecedent Man.	1	4.5%	14.3%	289	23.7%	43.4%
Supportive Listening	6	27.3%	84.1%	988	81.1%	71.1%
Tangible Rewards	2	9.1%	100.0%	593	48.7%	51.8%
Therapist Praise/Rewards	4	18.2%	85.7%	806	66.2%	62.0%
Thought Field Therapy	0	0.0%	0.0%	32	2.6%	19.9%
Time Out	2	9.1%	57.1%	343	28.2%	45.1%
Twelve-step Programming	2	9.1%	100.0%	142	11.7%	49.1%
Other	0	0.0%	0.0%	35	2.9%	28.0%
Unclear	0	0.0%	0.0%	154	12.6%	38.9%
Not Available	66	75.0%		813	40.0%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.


**Summary of Youth by Hawaii (Big Island) Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Hawaii Family Guidance Center

	N	%
Total Registered Youth	770	36.3%
with Services Procured	452	58.7%
Youth with New Admissions	347	45.1%
with Initial Admissions	242	31.4%
with Repeat Admissions	105	13.6%
Youth with Discharges	316	41.0%

	N	% of Available
Gender		
Females	292	38%
Males	478	62%

	Mean	SD
Age in Years	13.1	4.1



Primary Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	46	7.7%
Anxiety	60	10.1%
Attention	110	18.5%
Disruptive Behavior	211	35.4%
Mental Retardation	0	0.0%
Miscellaneous	27	4.5%
Mood	110	18.5%
Pervasive Developmental	9	1.5%
Psychotic Spectrum	9	1.5%
Substance-Related	14	2.3%
Not Available (% Total)	174	22.6%


Any Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	72	12.1%
Anxiety	148	24.8%
Attention	209	35.1%
Disruptive Behavior	327	54.9%
Mental Retardation	9	1.5%
Miscellaneous	201	33.7%
Mood	163	27.3%
Pervasive Developmental	14	2.3%
Psychotic Spectrum	12	2.0%
Substance-Related	105	17.6%
Multiple Diagnoses	470	78.9%
Avg. Number of Diagnoses	1.7	

All Other Family Guidance Centers

	N	%
Total Registered Youth	1,349	63.7%
with Services Procured	861	63.8%
Youth with New Admissions	622	46.1%
with Initial Admissions	448	33.2%
with Repeat Admissions	174	12.9%
Youth with Discharges	540	40.0%

	N	% of Available
Gender		
Females	506	38%
Males	843	62%

	Mean	SD
Age in Years	14.5	3.5



Primary Diagnosis of	N	% Avail
None Recorded	6	0.5%
Adjustment	83	7.1%
Anxiety	125	10.7%
Attention	237	20.2%
Disruptive Behavior	359	30.7%
Mental Retardation	0	0.0%
Miscellaneous	47	4.0%
Mood	221	18.9%
Pervasive Developmental	16	1.4%
Psychotic Spectrum	29	2.5%
Substance-Related	48	4.1%
Not Available (% Total)	178	13.2%

Any Diagnosis of	N	% Avail
None Recorded	4	0.3%
Adjustment	133	11.3%
Anxiety	262	22.3%
Attention	420	35.7%
Disruptive Behavior	611	52.0%
Mental Retardation	25	2.1%
Miscellaneous	265	22.5%
Mood	361	30.7%
Pervasive Developmental	22	1.9%
Psychotic Spectrum	34	2.9%
Substance-Related	251	21.3%
Multiple Diagnoses	849	72.2%
Avg. Number of Diagnoses	1.9	

**Summary of Youth by Hawaii (Big Island) Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Hawaii Family Guidance Center		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	224	60.5%
Hispanic or Latino/a	146	39.5%
Not Available (% Total)	400	51.9%
Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	3	0.7%
Asian	13	3.0%
Black or African-American	5	1.2%
Native Hawaiian or Pacific Islander	32	7.4%
White	70	16.1%
Other Race	3	0.7%
Multiracial	308	71.0%
Based on Observation	26	6.0%
Not Available (% Total)	336	43.6%
Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	54	14.7%
Alaska Native	0	0.0%
American Indian	54	14.7%
Asian	194	52.7%
Asian Indian	1	0.3%
Chinese	92	25.0%
Filipino	102	27.7%
Japanese	55	14.9%
Korean	12	3.3%
Vietnamese	0	0.0%
Other Asian	6	1.6%
Black or African-American	18	4.9%
Hispanic or Latina/o	144	39.1%
Cuban	0	0.0%
Mexican	33	9.0%
Puerto Rican	89	24.2%
Other Hispanic	46	12.5%
Native Hawaiian or Pacific Islander	219	59.5%
Guamanian or Chamorro	1	0.3%
Micronesian	6	1.6%
Native Hawaiian	209	56.8%
Samoan	15	4.1%
Other Pacific Islander	12	3.3%
White	282	76.6%
White or Caucasian	217	59.0%
Portuguese	128	34.8%
Other Race or Ethnicity	20	5.4%
Multiethnic	296	80.4%
Not Available (% Total)	402	52.2%

All Other Family Guidance Centers		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	676	76.1%
Hispanic or Latino/a	212	23.9%
Not Available (% Total)	461	34.2%
Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	4	0.4%
Asian	109	10.0%
Black or African-American	17	1.6%
Native Hawaiian or Pacific Islander	176	16.2%
White	142	13.0%
Other Race	5	0.5%
Multiracial	636	58.4%
Based on Observation	67	6.2%
Not Available (% Total)	260	19.3%
Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	76	8.6%
Alaska Native	0	0.0%
American Indian	76	8.6%
Asian	497	56.3%
Asian Indian	4	0.5%
Chinese	220	24.9%
Filipino	297	33.7%
Japanese	160	18.1%
Korean	33	3.7%
Vietnamese	9	1.0%
Other Asian	14	1.6%
Black or African-American	65	7.4%
Hispanic or Latina/o	206	23.4%
Cuban	6	0.7%
Mexican	32	3.6%
Puerto Rican	100	11.3%
Other Hispanic	90	10.2%
Native Hawaiian or Pacific Islander	540	61.2%
Guamanian or Chamorro	11	1.2%
Micronesian	52	5.9%
Native Hawaiian	432	49.0%
Samoan	67	7.6%
Other Pacific Islander	38	4.3%
White	505	57.3%
White or Caucasian	404	45.8%
Portuguese	180	20.4%
Other Race or Ethnicity	32	3.6%
Multiethnic	583	66.1%
Not Available (% Total)	467	34.6%

**Summary of Youth by Hawaii (Big Island) Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Hawaii Family Guidance Center		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	0	0.0%
Leeward Oahu	0	0.0%
Honolulu Oahu	0	0.0%
Hawaii (Big Island)	770	100.0%
Maui	0	0.0%
Kauai	0	0.0%
Family Court Liaison Branch	0	0.0%

All Other Family Guidance Centers		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	296	21.9%
Leeward Oahu	303	22.5%
Honolulu Oahu	251	18.6%
Hawaii (Big Island)	0	0.0%
Maui	225	16.7%
Kauai	186	13.8%
Family Court Liaison Branch	88	6.5%

*Central Oahu FGC now includes both Central and Windward Oahu offices.

Summary of Youth by Hawaii (Big Island) Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Services Procured	Hawaii Family Guidance Center			All Other Family Guidance Centers		
	Monthly Average	Total N	% of Procured	Monthly Average	Total N	% of Procured
Out-of-Home	81	155	34.3%	101	237	27.5%
Out-of-State	0	0	0.0%	5	5	0.6%
Hospital Residential	7	24	5.3%	11	53	6.2%
Community High Risk	2	2	0.4%	5	12	1.4%
Community Residential	15	43	9.5%	39	112	13.0%
Therapeutic Foster Home	60	113	25.0%	43	86	10.0%
<i>Multidimensional Treatment Foster Care</i>	5	12	2.7%	0	0	0.0%
<i>Transitional Family Home</i>	55	106	23.5%	43	86	10.0%
Intensive Home & Community	155	305	67.5%	320	681	79.1%
Partial Hospitalization	1	3	0.7%	5	20	2.3%
Multisystemic Therapy	14	41	9.1%	54	172	20.0%
Intensive In-Home	141	276	61.1%	266	536	62.3%
Outpatient	16	149	33.0%	43	159	18.5%
Treatment	5	22	4.9%	39	111	12.9%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	4	19	4.2%	29	82	9.5%
<i>Outpatient Therapy</i>	1	3	0.7%	9	29	3.4%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	11	132	29.2%	5	49	5.7%
Supportive Services	19	84	18.6%	24	104	12.1%
Respite Home	4	21	4.6%	2	9	1.0%
Ancillary Service	15	65	14.4%	22	97	11.3%
Crisis Stabilization	2	18	4.0%	3	28	3.3%
Unduplicated Total (% of Registered)	242	452	59%	449	861	64%

*These services either were not procured or had no data available in FY 2013.

Summary of Youth by Hawaii (Big Island) Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Hawaii Family Guidance Center			All Other Family Guidance Centers		
Total Hours Procured	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth
Out-of-Home	160	1,115	91.3%	146	870	87.3%
Out-of-State	0	0	0.0%	195	2,120	95.1%
Hospital Residential	117	451	56.1%	122	317	59.8%
Community High Risk	188	1,814	100.0%	173	934	80.4%
Community Residential	138	677	68.3%	137	665	81.2%
Therapeutic Foster Home	167	1,143	85.6%	163	1,082	81.1%
<i>Multidimensional Treatment Foster Care</i>	173	913	76.5%	0	0	0.0%
<i>Transitional Family Home</i>	165	1,115	82.5%	163	1,082	81.1%
Intensive Home & Community	17	103	74.9%	18	97	80.1%
Partial Hospitalization	4	11	1.4%	3	8	7.9%
Multisystemic Therapy	43	145	73.7%	39	132	81.5%
Intensive In-Home	14	92	71.8%	12	80	75.3%
Outpatient	5	6	45.1%	4	13	55.0%
Treatment	3	8	38.5%	4	17	50.5%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	3	8	36.6%	3	15	54.4%
<i>Outpatient Therapy</i>	4	6	50.5%	5	23	39.6%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	5	5	44.5%	4	4	64.2%
Supportive Services**	-	-	-	-	-	-
Respite Home	22	52	12.1%	15	49	12.4%
Ancillary Service**	-	-	-	-	-	-
Crisis Stabilization	21	25	57.3%	33	51	43.1%
Unduplicated Total	47	457		36	321	

	Monthly Average	Total N	Total per Youth	Monthly Average	Total N	Total per Youth
Service Changes						
Placement Changes	17	201	0.3	28	340	0.3
Out-of-Home Changes	2	23	0.0	2	22	0.0
Provider Agency Changes	40	475	0.6	67	799	0.6
Care Coordinator Changes	40	483	0.6	33	398	0.3

*These services either were not procured or had no data available in FY 2013.

**Duration not available for these services.

**Summary of Youth by Hawaii (Big Island) Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

	Hawaii Family Guidance Center		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	117 (1.4)	87 (1.3)	83 (1.5)
Moods: Self-Harm	9 (0.4)	2 (0.2)	2 (0.2)
Moods: Emotions	21 (0.2)	16 (0.3)	15 (0.3)
Home Role Performance	26 (0.3)	19 (0.3)	18 (0.4)
School Role Performance	26 (0.3)	18 (0.4)	18 (0.4)
Community Role Performance	14 (0.5)	8 (0.4)	8 (0.4)
Behavior Towards Other	22 (0.3)	16 (0.2)	16 (0.3)
Substance Use	9 (0.5)	4 (0.3)	4 (0.4)
Thinking	7 (0.4)	3 (0.2)	2 (0.2)

	Hawaii Family Guidance Center		
Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	21 (0.2)	18 (0.1)	18 (0.2)
Level of Care	4 (0.1)	3 (0.0)	3 (0.1)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Functional Assessment Scale (CAFAS)			
Total (8-scale)	33 (574)	53% (548)	35% (548)
Moods: Self-Harm	7 (574)	83% (191)	97% (191)
Moods: Emotions	6 (574)	49% (516)	95% (516)
Home Role Performance	8 (574)	53% (522)	67% (522)
School Role Performance	8 (574)	51% (536)	66% (536)
Community Role Performance	6 (574)	51% (293)	92% (293)
Behavior Towards Other	6 (574)	49% (514)	95% (514)
Substance Use	5 (574)	67% (187)	86% (187)
Thinking	4 (574)	78% (123)	98% (123)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Level of Care Utilization System (CALOCUS)			
Total	3 (488)	42% (466)	40% (466)
Level of Care	1 (488)	53% (466)	68% (466)

	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Sentinel Event Reports			
Total	703	45	20.6%
Child Events	760	49	19.1%
Person-Directed	123	8	6.6%
Property-Directed	55	4	4.7%
Runaway or Elopement	183	12	8.3%
Self-Injury	145	9	6.8%
Substance Use	114	7	6.4%
Other	97	6	5.6%
Institutional Events	408	26	12.6%
Person-Directed (Client Victim)	44	3	3.4%
Seclusion or Restraint	16	1	1.4%
Medication Error	13	1	0.8%
Police Called	123	8	6.8%
Criminal Charges or Arrest	71	5	4.0%
Client Injury	48	3	3.8%
Staff Injury	3	0	0.3%
Other	86	6	4.8%

	All Other Family Guidance Centers		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	120 (1.2)	91 (1.2)	88 (1.3)
Moods: Self-Harm	9 (0.4)	3 (0.2)	3 (0.2)
Moods: Emotions	21 (0.2)	16 (0.2)	15 (0.3)
Home Role Performance	25 (0.3)	19 (0.3)	18 (0.3)
School Role Performance	26 (0.2)	19 (0.3)	19 (0.4)
Community Role Performance	14 (0.4)	9 (0.3)	9 (0.4)
Behavior Towards Other	21 (0.2)	16 (0.2)	15 (0.3)
Substance Use	10 (0.4)	6 (0.3)	6 (0.3)
Thinking	6 (0.3)	2 (0.2)	2 (0.2)

	All Other Family Guidance Centers		
Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	21 (0.1)	18 (0.1)	18 (0.1)
Level of Care	4 (0.0)	3 (0.0)	3 (0.1)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Functional Assessment Scale (CAFAS)			
Total (8-scale)	32 (847)	53% (801)	33% (801)
Moods: Self-Harm	6 (847)	76% (294)	96% (294)
Moods: Emotions	5 (847)	45% (739)	95% (739)
Home Role Performance	7 (847)	48% (754)	63% (754)
School Role Performance	8 (846)	47% (780)	59% (780)
Community Role Performance	5 (847)	44% (463)	89% (463)
Behavior Towards Other	6 (847)	50% (730)	94% (730)
Substance Use	5 (847)	58% (326)	82% (326)
Thinking	4 (847)	73% (158)	96% (158)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Level of Care Utilization System (CALOCUS)			
Total	3 (796)	48% (730)	43% (730)
Level of Care	1 (796)	56% (735)	66% (735)

	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Sentinel Event Reports			
Total	952	107	25.1%
Child Events	1,035	116	23.3%
Person-Directed	216	24	10.7%
Property-Directed	119	13	7.2%
Runaway or Elopement	282	32	10.9%
Self-Injury	188	21	7.7%
Substance Use	86	10	4.4%
Other	114	13	7.0%
Institutional Events	621	70	16.8%
Person-Directed (Client Victim)	47	5	3.9%
Seclusion or Restraint	85	10	3.5%
Medication Error	7	1	0.6%
Police Called	170	19	9.0%
Criminal Charges or Arrest	116	13	6.4%
Client Injury	36	4	3.3%
Staff Injury	13	1	0.8%
Other	129	15	8.0%

*Indicates average change from highest CAFAS or CALOCUS score to most recent.
(A positive number reflects improvement.)

**Summary of Youth by Hawaii (Big Island) Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Hawaii Family Guidance Center			
Service Setting	Any Use N	Any Use % Avail	Dosage % of Months
Clinic	228	56.9%	62.3%
Community	343	85.5%	77.8%
Home	335	83.5%	78.4%
Out-of-Home	171	42.6%	69.6%
Phone*	37	9.2%	66.8%
School	228	56.9%	54.5%
Unclear*	5	1.2%	25.3%
Not Available	369	47.9%	

Service Format	Any Use N	Any Use % Avail	Dosage % of Months
Family	308	76.8%	70.8%
Group	87	21.7%	49.0%
Individual	371	92.5%	89.1%
Parent	296	73.8%	70.7%
Phone*	0	0.0%	0.0%
Professional Consult*	99	24.7%	45.3%
Teacher	154	38.4%	45.4%
Unclear*	44	11.0%	49.3%
Not Available	369	47.9%	

Discharge Living Situation	Youth N	% Youth Discharged	% Discharges
Foster Home	43	18.5%	13.0%
Group Care	4	1.7%	1.2%
Home	157	67.4%	47.4%
Homeless/Shelter	6	2.6%	1.8%
Institution/Hospital	9	3.9%	2.7%
Jail/Correctional Facility	15	6.4%	4.5%
Other	39	16.7%	11.8%
Residential Treatment	12	5.2%	3.6%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	233		
Number of Discharges	331		

Reason for Discharge	Youth N	% Youth Discharged	% Discharges
Eligibility Change	1	0.4%	0.3%
Family Relocation	6	2.6%	1.8%
Insufficient Progress	29	12.4%	8.8%
Other	65	27.9%	19.6%
Runaway/Elopement	32	13.7%	9.7%
Refuse/Withdraw	20	8.6%	6.0%
Success/Goals Met	148	63.5%	44.7%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	233		
Number of Discharges	331		

All Other Family Guidance Centers		
Any Use N	Any Use % Avail	Dosage % of Months
333	39.7%	53.4%
594	70.8%	70.4%
751	89.5%	86.4%
325	38.7%	57.0%
102	12.2%	56.5%
499	59.5%	56.4%
43	5.1%	27.9%
510	37.8%	

Any Use N	Any Use % Avail	Dosage % of Months
659	78.5%	73.2%
277	33.0%	48.9%
687	81.9%	87.2%
658	78.4%	77.1%
35	4.2%	43.5%
204	24.3%	41.3%
312	37.2%	47.9%
132	15.7%	48.5%
510	37.8%	

Youth N	% Youth Discharged	% Discharges
57	11.1%	7.3%
4	0.8%	0.5%
366	71.5%	47.0%
12	2.3%	1.5%
14	2.7%	1.8%
38	7.4%	4.9%
87	17.0%	11.2%
41	8.0%	5.3%
0	0.0%	0.0%
512		
778		

Youth N	% Youth Discharged	% Discharges
16	3.1%	2.1%
16	3.1%	2.1%
40	7.8%	5.1%
166	32.4%	21.3%
66	12.9%	8.5%
57	11.1%	7.3%
293	57.2%	37.7%
0	0.0%	0.0%
512		
778		

*Indicates written response to an open-ended question.

**Summary of Youth by Hawaii (Big Island) Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Treatment Target	Hawaii Family Guidance Center			All Other Family Guidance Centers		
	Any Use N	Any Use % Avail	Dosage % of Months	Any Use N	Any Use % Avail	Dosage % of Months
Academic Achievement	181	45.1%	41.0%	267	31.8%	39.8%
Activity Involvement	222	55.4%	53.2%	444	52.9%	57.2%
Adaptive Behavior/Living Skills	52	13.0%	27.5%	107	12.8%	43.2%
Adjustment to Change	131	32.7%	35.7%	217	25.9%	40.0%
Adult Intercoordination	3	0.7%	9.8%	10	1.2%	25.7%
Aggression	168	41.9%	55.6%	361	43.0%	54.0%
Anger	222	55.4%	56.6%	394	47.0%	54.7%
Anxiety	189	47.1%	49.3%	265	31.6%	50.9%
Assertiveness	76	19.0%	37.3%	145	17.3%	38.1%
Attention Problems	64	16.0%	34.3%	155	18.5%	36.7%
Avoidance	99	24.7%	37.0%	190	22.6%	43.6%
Caregiver Self-Management/Coping	4	1.0%	21.9%	2	0.2%	22.5%
Cognitive-Intellectual Functioning	28	7.0%	24.5%	69	8.2%	44.3%
Community Involvement	105	26.2%	32.4%	123	14.7%	32.2%
Compulsive Behavior	0	0.0%	0.0%	3	0.4%	22.2%
Contentment/Enjoyment/Happiness	127	31.7%	40.8%	124	14.8%	40.3%
Depressed Mood	146	36.4%	48.6%	251	29.9%	50.1%
Eating/Feeding Problems	13	3.2%	29.7%	23	2.7%	33.7%
Empathy	52	13.0%	42.4%	97	11.6%	43.0%
Enuresis/Encopresis	15	3.7%	53.3%	26	3.1%	49.2%
Fire Setting	4	1.0%	16.9%	2	0.2%	83.3%
Fitness/Exercise	1	0.2%	20.0%	0	0.0%	0.0%
Gender Identity Problems	3	0.7%	16.7%	4	0.5%	33.6%
Goal Setting	0	0.0%	0.0%	4	0.5%	12.7%
Grief	21	5.2%	36.5%	50	6.0%	38.9%
Health Management	33	8.2%	34.8%	59	7.0%	29.8%
Housing/Living Situation	67	16.7%	26.9%	139	16.6%	35.4%
Hyperactivity	35	8.7%	39.5%	68	8.1%	39.1%
Information Gathering	3	0.7%	20.4%	8	1.0%	37.5%
Learning Disorder/Underachievement	12	3.0%	18.1%	26	3.1%	29.3%
Low Self-Esteem	104	25.9%	39.6%	209	24.9%	43.2%
Mania	2	0.5%	33.3%	9	1.1%	26.4%
Medical Regimen Adherence	48	12.0%	38.2%	80	9.5%	38.3%
Occupational Functioning/Stress	15	3.7%	26.7%	35	4.2%	30.5%
Oppositional/Non-Compliant Behavior	248	61.8%	62.2%	549	65.4%	65.5%
Pain Management	0	0.0%	0.0%	0	0.0%	0.0%
Parenting Skills	6	1.5%	26.0%	13	1.5%	35.3%
Peer Involvement	65	16.2%	32.1%	137	16.3%	34.9%
Peer/Sibling Conflict	126	31.4%	44.9%	187	22.3%	44.0%
Personal Hygiene	14	3.5%	28.3%	32	3.8%	29.7%
Phobia/Fears	147	36.7%	46.7%	270	32.2%	42.0%
Positive Family Functioning	29	7.2%	47.2%	57	6.8%	37.6%
Positive Peer Interaction	320	79.8%	66.4%	645	76.9%	67.9%
Positive Thinking/Attitude	162	40.4%	43.7%	214	25.5%	39.0%
Pregnancy Education/Adjustment	14	3.5%	31.3%	10	1.2%	55.1%
Psychosis	12	3.0%	51.2%	26	3.1%	51.8%
Runaway	64	16.0%	43.4%	167	19.9%	47.3%
Safe Environment	3	0.7%	19.9%	8	1.0%	32.1%
School Involvement	103	25.7%	36.3%	181	21.6%	37.4%
School Refusal/Truancy	36	9.0%	27.3%	191	22.8%	45.4%
Self-Control	59	14.7%	44.1%	100	11.9%	45.3%
Self-Injurious Behavior	131	32.7%	45.5%	184	21.9%	38.5%
Sexual Orientation	0	0.0%	0.0%	0	0.0%	0.0%
Sexual Misconduct	22	5.5%	49.9%	47	5.6%	52.5%
Shyness	9	2.2%	31.2%	16	1.9%	25.3%
Sleep Disturbance	9	2.2%	31.7%	15	1.8%	38.6%
Social Skills	138	34.4%	49.2%	225	26.8%	44.1%
Speech and Language	3	0.7%	15.4%	5	0.6%	31.7%
Substance Use	102	25.4%	63.1%	244	29.1%	65.2%
Suicidality	26	6.5%	29.4%	64	7.6%	39.4%
Traumatic Stress	79	19.7%	51.4%	111	13.2%	39.1%
Treatment Engagement	209	52.1%	46.5%	472	56.3%	55.5%
Treatment Planning/Framing	23	5.7%	29.6%	44	5.2%	53.7%
Willful Misconduct/Delinquency	41	10.2%	38.5%	193	23.0%	46.9%
Other	3	0.7%	18.1%	11	1.3%	15.0%
Unclear	37	9.2%	32.0%	64	7.6%	28.1%
Not Available	369	47.9%		510	37.8%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Hawaii (Big Island) Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Hawaii Family Guidance Center			All Other Family Guidance Centers		
	Any Use	Any Use	Dosage	Any Use	Any Use	Dosage
Practice Elements	N	% Avail	% of Months	N	% Avail	% of Months
Activity Scheduling	264	65.8%	60.4%	474	56.5%	55.0%
Anger Management	1	0.2%	8.3%	3	0.4%	19.6%
Animal or Plant Assisted Activities	0	0.0%	0.0%	0	0.0%	0.0%
Arousal Reconditioning	0	0.0%	0.0%	0	0.0%	0.0%
Art/Music Therapy	0	0.0%	0.0%	2	0.2%	22.2%
Assertiveness Training	137	34.2%	46.3%	272	32.4%	45.8%
Assessment	9	2.2%	48.3%	32	3.8%	73.1%
Attending	99	24.7%	37.6%	262	31.2%	47.7%
Behavior Management	1	0.2%	16.7%	4	0.5%	15.0%
Behavioral Contracting	214	53.4%	57.8%	499	59.5%	54.8%
Biofeedback/Neurofeedback	6	1.5%	32.4%	13	1.5%	28.0%
Care Coordination	257	64.1%	64.9%	510	60.8%	65.5%
Catharsis	32	8.0%	28.5%	42	5.0%	47.4%
Cognitive/Coping	273	68.1%	65.1%	469	55.9%	63.5%
Commands/Limit Setting	61	15.2%	33.5%	129	15.4%	43.1%
Communication Skills	322	80.3%	69.3%	639	76.2%	67.1%
Counseling	1	0.2%	27.3%	0	0.0%	0.0%
Crisis Management	166	41.4%	43.7%	377	44.9%	47.2%
Cultural Training	30	7.5%	36.2%	115	13.7%	42.8%
Discrete Trial Training	2	0.5%	17.5%	13	1.5%	19.9%
Educational Support	224	55.9%	54.7%	447	53.3%	55.7%
Emotional Processing	285	71.1%	63.3%	515	61.4%	62.7%
Exposure	72	18.0%	35.4%	181	21.6%	42.5%
Eye Movement/Body Tapping	5	1.2%	14.6%	13	1.5%	19.3%
Family Engagement	292	72.8%	64.6%	639	76.2%	64.0%
Family Therapy	292	72.8%	61.3%	573	68.3%	59.9%
Family Visit	0	0.0%	0.0%	0	0.0%	0.0%
Free Association	23	5.7%	36.6%	55	6.6%	36.1%
Functional Analysis	55	13.7%	42.7%	151	18.0%	51.5%
Goal Setting	282	70.3%	67.2%	600	71.5%	62.1%
Guided Imagery	50	12.5%	32.3%	160	19.1%	38.1%
Ho'Oponopono	0	0.0%	0.0%	0	0.0%	0.0%
Hypnosis	5	1.2%	66.2%	18	2.1%	14.6%
Ignoring or DRO	153	38.2%	45.7%	273	32.5%	47.6%
Individual Therapy for Caregiver	134	33.4%	43.3%	230	27.4%	40.7%
Informal Supports	0	0.0%	0.0%	6	0.7%	26.8%
Insight Building	273	68.1%	63.3%	512	61.0%	59.0%
Interpretation	79	19.7%	33.1%	137	16.3%	38.1%
Juvenile Sex Offender Treatment	4	1.0%	83.9%	19	2.3%	68.7%
Legal Assistance/Involvement	0	0.0%	0.0%	0	0.0%	0.0%
Line of Sight Supervision	154	38.4%	48.2%	251	29.9%	45.7%
Maintenance/Relapse Prevention	107	26.7%	44.0%	242	28.8%	43.8%
Marital Therapy	14	3.5%	27.3%	54	6.4%	30.2%
Medication/Pharmacotherapy	101	25.2%	52.4%	262	31.2%	52.0%
Mentoring	161	40.1%	50.1%	322	38.4%	49.3%
Milieu Therapy	89	22.2%	53.1%	218	26.0%	49.2%
Mindfulness	178	44.4%	41.7%	328	39.1%	52.8%
Modeling	242	60.3%	60.2%	543	64.7%	55.9%
Motivational Interviewing	209	52.1%	54.6%	425	50.7%	55.2%
Natural and Logical Consequences	279	69.6%	59.5%	569	67.8%	62.9%
Parent Coping	240	59.9%	56.5%	545	65.0%	58.6%
Parent or Teacher Monitoring	197	49.1%	50.6%	399	47.6%	51.9%
Parent Praise	213	53.1%	50.7%	402	47.9%	52.4%
Parenting	3	0.7%	13.9%	12	1.4%	22.8%
Peer Modeling/Pairing	60	15.0%	31.8%	152	18.1%	32.7%
Personal Safety Skills	205	51.1%	49.9%	363	43.3%	51.5%
Physical Exercise	0	0.0%	0.0%	0	0.0%	0.0%
Play Therapy	92	22.9%	51.0%	111	13.2%	45.9%
Problem Solving	299	74.6%	64.5%	651	77.6%	66.2%
Psychoeducation-Child	252	62.8%	60.4%	530	63.2%	59.7%
Psychoeducation-Parent	259	64.6%	57.0%	587	70.0%	64.6%
Relationship/Rapport Building	287	71.6%	58.1%	645	76.9%	61.8%
Relaxation	205	51.1%	51.1%	410	48.9%	49.6%
Response Cost	50	12.5%	43.7%	181	21.6%	42.0%
Response Prevention	50	12.5%	44.2%	219	26.1%	40.9%
Self-Monitoring	187	46.6%	44.5%	361	43.0%	52.2%
Self-Reward/Self-Praise	145	36.2%	45.4%	289	34.4%	51.6%
Skill Building	269	67.1%	61.1%	610	72.7%	61.2%
Social Skills Training	246	61.3%	55.1%	415	49.5%	53.4%
Stimulus Control/Antecedent Man.	100	24.9%	38.5%	190	22.6%	45.8%
Supportive Listening	331	82.5%	70.3%	663	79.0%	71.7%
Tangible Rewards	194	48.4%	53.7%	401	47.8%	51.1%
Therapist Praise/Rewards	244	60.8%	61.1%	566	67.5%	62.6%
Thought Field Therapy	8	2.0%	14.6%	24	2.9%	21.7%
Time Out	98	24.4%	40.8%	247	29.4%	46.9%
Twelve-step Programming	38	9.5%	47.3%	106	12.6%	50.8%
Other	7	1.7%	27.7%	28	3.3%	28.1%
Unclear	55	13.7%	50.4%	99	11.8%	32.5%
Not Available	369	47.9%		510	37.8%	


Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

**Summary of Youth by Kauai Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Kauai Family Guidance Center		
	N	%
Total Registered Youth	186	8.8%
with Services Procured	97	52.2%
Youth with New Admissions	89	47.8%
with Initial Admissions	53	28.5%
with Repeat Admissions	36	19.4%
Youth with Discharges	41	22.0%

	N	% of Available
Gender		
Females	73	39%
Males	113	61%

	Mean	SD
Age in Years	14.1	3.6




Primary Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	11	7.8%
Anxiety	16	11.3%
Attention	49	34.8%
Disruptive Behavior	27	19.1%
Mental Retardation	0	0.0%
Miscellaneous	5	3.5%
Mood	26	18.4%
Pervasive Developmental	3	2.1%
Psychotic Spectrum	2	1.4%
Substance-Related	2	1.4%
Not Available (% Total)	45	24.2%

Any Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	18	12.7%
Anxiety	30	21.1%
Attention	66	46.5%
Disruptive Behavior	52	36.6%
Mental Retardation	4	2.8%
Miscellaneous	25	17.6%
Mood	38	26.8%
Pervasive Developmental	3	2.1%
Psychotic Spectrum	2	1.4%
Substance-Related	11	7.7%
Multiple Diagnoses	79	55.6%
Avg. Number of Diagnoses	1.4	

All Other Family Guidance Centers		
	N	%
Total Registered Youth	1,933	91.2%
with Services Procured	1,216	62.9%
Youth with New Admissions	880	45.5%
with Initial Admissions	637	33.0%
with Repeat Admissions	243	12.6%
Youth with Discharges	815	42.2%

	N	% of Available
Gender		
Females	725	38%
Males	1,208	62%

	Mean	SD
Age in Years	14.0	3.7



Primary Diagnosis of	N	% Avail
None Recorded	6	0.4%
Adjustment	118	7.3%
Anxiety	169	10.4%
Attention	298	18.3%
Disruptive Behavior	543	33.4%
Mental Retardation	0	0.0%
Miscellaneous	69	4.2%
Mood	305	18.8%
Pervasive Developmental	22	1.4%
Psychotic Spectrum	36	2.2%
Substance-Related	60	3.7%
Not Available (% Total)	307	15.9%

Any Diagnosis of	N	% Avail
None Recorded	4	0.2%
Adjustment	187	11.5%
Anxiety	380	23.3%
Attention	563	34.5%
Disruptive Behavior	886	54.4%
Mental Retardation	30	1.8%
Miscellaneous	441	27.1%
Mood	486	29.8%
Pervasive Developmental	33	2.0%
Psychotic Spectrum	44	2.7%
Substance-Related	345	21.2%
Multiple Diagnoses	1,240	76.1%
Avg. Number of Diagnoses	1.9	

**Summary of Youth by Kauai Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Kauai Family Guidance Center		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	81	77.9%
Hispanic or Latino/a	23	22.1%
Not Available (% Total)	82	44.1%
Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	0	0.0%
Asian	18	10.7%
Black or African-American	0	0.0%
Native Hawaiian or Pacific Islander	39	23.2%
White	37	22.0%
Other Race	2	1.2%
Multiracial	72	42.9%
Based on Observation	14	8.3%
Not Available (% Total)	18	9.7%
Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	2	2.0%
Alaska Native	0	0.0%
American Indian	2	2.0%
Asian	50	49.0%
Asian Indian	1	1.0%
Chinese	22	21.6%
Filipino	29	28.4%
Japanese	22	21.6%
Korean	3	2.9%
Vietnamese	0	0.0%
Other Asian	0	0.0%
Black or African-American	1	1.0%
Hispanic or Latina/o	22	21.6%
Cuban	1	1.0%
Mexican	2	2.0%
Puerto Rican	9	8.8%
Other Hispanic	14	13.7%
Native Hawaiian or Pacific Islander	56	54.9%
Guamanian or Chamorro	1	1.0%
Micronesian	2	2.0%
Native Hawaiian	53	52.0%
Samoan	1	1.0%
Other Pacific Islander	4	3.9%
White	56	54.9%
White or Caucasian	46	45.1%
Portuguese	14	13.7%
Other Race or Ethnicity	7	6.9%
Multiethnic	57	55.9%
Not Available (% Total)	84	45.2%

All Other Family Guidance Centers		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	819	71.0%
Hispanic or Latino/a	335	29.0%
Not Available (% Total)	779	40.3%
Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	7	0.5%
Asian	104	7.7%
Black or African-American	22	1.6%
Native Hawaiian or Pacific Islander	169	12.5%
White	175	12.9%
Other Race	6	0.4%
Multiracial	872	64.4%
Based on Observation	79	5.8%
Not Available (% Total)	578	29.9%
Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	128	11.1%
Alaska Native	0	0.0%
American Indian	128	11.1%
Asian	641	55.8%
Asian Indian	4	0.3%
Chinese	290	25.3%
Filipino	370	32.2%
Japanese	193	16.8%
Korean	42	3.7%
Vietnamese	9	0.8%
Other Asian	20	1.7%
Black or African-American	82	7.1%
Hispanic or Latina/o	328	28.6%
Cuban	5	0.4%
Mexican	63	5.5%
Puerto Rican	180	15.7%
Other Hispanic	122	10.6%
Native Hawaiian or Pacific Islander	703	61.2%
Guamanian or Chamorro	11	1.0%
Micronesian	56	4.9%
Native Hawaiian	588	51.2%
Samoan	81	7.1%
Other Pacific Islander	46	4.0%
White	731	63.7%
White or Caucasian	575	50.1%
Portuguese	294	25.6%
Other Race or Ethnicity	45	3.9%
Multiethnic	822	71.6%
Not Available (% Total)	785	40.6%

**Summary of Youth by Kauai Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Kauai Family Guidance Center		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	0	0.0%
Leeward Oahu	0	0.0%
Honolulu Oahu	0	0.0%
Hawaii (Big Island)	0	0.0%
Maui	0	0.0%
Kauai	186	100.0%
Family Court Liaison Branch	0	0.0%

All Other Family Guidance Centers		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	296	15.3%
Leeward Oahu	303	15.7%
Honolulu Oahu	251	13.0%
Hawaii (Big Island)	770	39.8%
Maui	225	11.6%
Kauai	0	0.0%
Family Court Liaison Branch	88	4.6%

*Central Oahu FGC now includes both Central and Windward Oahu offices.

Summary of Youth by Kauai Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Services Procured	Kauai Family Guidance Center			All Other Family Guidance Centers		
	Monthly Average	Total N	% of Procured	Monthly Average	Total N	% of Procured
Out-of-Home	20	34	35.1%	163	358	29.4%
Out-of-State	1	1	1.0%	4	4	0.3%
Hospital Residential	1	6	6.2%	16	71	5.8%
Community High Risk	0	0	0.0%	7	14	1.2%
Community Residential	6	14	14.4%	48	141	11.6%
Therapeutic Foster Home	11	19	19.6%	92	180	14.8%
<i>Multidimensional Treatment Foster Care</i>	0	0	0.0%	5	12	1.0%
<i>Transitional Family Home</i>	11	19	19.6%	87	173	14.2%
Intensive Home & Community	16	44	45.4%	459	942	77.5%
Partial Hospitalization	0	1	1.0%	5	22	1.8%
Multisystemic Therapy	8	24	24.7%	60	189	15.5%
Intensive In-Home	7	20	20.6%	400	792	65.1%
Outpatient	9	27	27.8%	50	281	23.1%
Treatment	9	26	26.8%	34	107	8.8%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	9	26	26.8%	24	75	6.2%
<i>Outpatient Therapy</i>	0	0	0.0%	10	32	2.6%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	0	1	1.0%	16	180	14.8%
Supportive Services	4	20	20.6%	39	168	13.8%
Respite Home	0	1	1.0%	6	29	2.4%
Ancillary Service	4	20	20.6%	34	142	11.7%
Crisis Stabilization	1	14	14.4%	4	32	2.6%
Unduplicated Total (% of Registered)	44	97	52%	647	1,216	63%

*These services either were not procured or had no data available in FY 2013.

Summary of Youth by Kauai Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Total Hours Procured	Kauai Family Guidance Center			All Other Family Guidance Centers		
	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth
Out-of-Home	164	1,249	94.3%	150	940	88.3%
Out-of-State	198	2,373	100.0%	195	2,057	93.8%
Hospital Residential	146	408	60.9%	118	355	58.5%
Community High Risk	0	0	0.0%	175	1,060	83.2%
Community Residential	157	941	83.5%	136	642	77.1%
Therapeutic Foster Home	170	1,288	82.8%	165	1,099	83.7%
<i>Multidimensional Treatment Foster Care</i>	0	0	0.0%	173	913	76.5%
<i>Transitional Family Home</i>	170	1,288	82.8%	163	1,080	81.8%
Intensive Home & Community	23	97	78.9%	17	99	78.5%
Partial Hospitalization	3	17	0.8%	3	8	7.3%
Multisystemic Therapy	34	135	86.8%	40	135	79.1%
Intensive In-Home	10	49	69.2%	13	85	74.3%
Outpatient	3	13	77.0%	4	9	47.7%
Treatment	3	13	80.0%	4	16	40.9%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	3	13	80.0%	3	13	41.0%
<i>Outpatient Therapy</i>	0	0	0.0%	5	21	40.6%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	5	5	0.3%	5	5	50.1%
Supportive Services**	-	-	-	-	-	-
Respite Home	13	13	1.8%	20	52	12.5%
Ancillary Service**	-	-	-	-	-	-
Crisis Stabilization	19	24	60.1%	33	48	43.6%
Unduplicated Total	52	489		39	358	

Service Changes	Kauai Family Guidance Center			All Other Family Guidance Centers		
	Monthly Average	Total N	Total per Youth	Monthly Average	Total N	Total per Youth
Placement Changes	4	45	0.2	41	496	0.3
Out-of-Home Changes	0	3	0.0	4	42	0.0
Provider Agency Changes	7	86	0.5	99	1,188	0.6
Care Coordinator Changes	7	86	0.5	66	795	0.4

*These services either were not procured or had no data available in FY 2013.

**Duration not available for these services.

Summary of Youth by Kauai Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Kauai Family Guidance Center			
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	120 (2.9)	93 (3.0)	91 (3.5)
Moods: Self-Harm	10 (1.0)	4 (0.7)	4 (0.7)
Moods: Emotions	21 (0.5)	17 (0.6)	16 (0.7)
Home Role Performance	26 (0.6)	19 (0.8)	19 (0.9)
School Role Performance	25 (0.7)	19 (0.8)	19 (1.0)
Community Role Performance	14 (1.0)	9 (0.9)	9 (0.9)
Behavior Towards Other	19 (0.6)	15 (0.6)	15 (0.7)
Substance Use	11 (1.1)	6 (0.8)	6 (0.9)
Thinking	6 (0.8)	3 (0.6)	3 (0.6)

Kauai Family Guidance Center			
Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	21 (0.4)	18 (0.3)	18 (0.4)
Level of Care	4 (0.1)	3 (0.1)	3 (0.1)

Child and Adolescent Functional Assessment Scale (CAFAS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total (8-scale)	29 (126)	44% (121)	27% (121)
Moods: Self-Harm	6 (126)	61% (46)	89% (46)
Moods: Emotions	5 (126)	39% (110)	90% (110)
Home Role Performance	7 (126)	39% (114)	58% (114)
School Role Performance	6 (125)	39% (109)	58% (109)
Community Role Performance	4 (126)	42% (69)	87% (69)
Behavior Towards Other	5 (126)	40% (103)	94% (103)
Substance Use	4 (126)	51% (47)	74% (47)
Thinking	3 (126)	59% (27)	93% (27)

Child and Adolescent Level of Care Utilization System (CALOCUS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total	3 (116)	49% (99)	42% (99)
Level of Care	1 (116)	55% (100)	57% (100)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	683	11	17.7%
Child Events	683	11	16.1%
Person-Directed	124	2	7.5%
Property-Directed	81	1	3.8%
Runaway or Elopement	231	4	8.6%
Self-Injury	118	2	4.8%
Substance Use	91	1	2.7%
Other	38	1	3.8%
Institutional Events	419	7	14.0%
Person-Directed (Client Victim)	38	1	3.8%
Seclusion or Restraint	48	1	2.2%
Medication Error	5	0	0.5%
Police Called	102	2	7.0%
Criminal Charges or Arrest	75	1	5.4%
Client Injury	48	1	4.3%
Staff Injury	5	0	0.5%
Other	86	1	5.4%

All Other Family Guidance Centers		
"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
118 (1.0)	89 (0.9)	85 (1.0)
9 (0.3)	3 (0.2)	2 (0.2)
21 (0.2)	16 (0.2)	15 (0.2)
25 (0.2)	19 (0.2)	18 (0.3)
26 (0.2)	19 (0.3)	18 (0.3)
14 (0.3)	9 (0.3)	9 (0.3)
21 (0.2)	16 (0.2)	16 (0.2)
10 (0.3)	5 (0.2)	5 (0.3)
6 (0.2)	2 (0.1)	2 (0.2)

All Other Family Guidance Centers		
"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
21 (0.1)	18 (0.1)	18 (0.1)
4 (0.0)	3 (0.0)	3 (0.0)

Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
33 (1295)	54% (1228)	35% (1228)
7 (1295)	80% (439)	97% (439)
6 (1295)	48% (1145)	95% (1145)
7 (1295)	51% (1162)	65% (1162)
8 (1295)	49% (1207)	62% (1207)
5 (1295)	47% (687)	90% (687)
6 (1295)	50% (1141)	95% (1141)
5 (1295)	62% (466)	84% (466)
4 (1295)	77% (254)	97% (254)

Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
3 (1168)	45% (1097)	42% (1097)
1 (1168)	55% (1101)	68% (1101)

Reports per 1,000 youth	Monthly Average	Any Report % of youth
878	142	24.1%
959	155	22.3%
188	30	9.4%
97	16	6.5%
247	40	10.1%
177	29	7.6%
97	16	5.3%
115	19	6.8%
556	90	15.4%
47	8	3.7%
61	10	2.8%
10	2	0.7%
158	26	8.3%
102	17	5.5%
39	6	3.4%
9	2	0.6%
116	19	7.0%

*Indicates average change from highest CAFAS or CALOCUS score to most recent.
 (A positive number reflects improvement.)

Summary of Youth by Kauai Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Kauai Family Guidance Center			
Service Setting	Any Use N	Any Use % Avail	Dosage % of Months
Clinic	36	41.4%	61.5%
Community	46	52.9%	65.4%
Home	73	83.9%	80.9%
Out-of-Home	33	37.9%	59.2%
Phone*	26	29.9%	71.5%
School	52	59.8%	60.1%
Unclear*	1	1.1%	14.3%
Not Available	99	53.2%	

Service Format	Any Use N	Any Use % Avail	Dosage % of Months
Family	80	92.0%	81.1%
Group	44	50.6%	60.4%
Individual	48	55.2%	81.4%
Parent	63	72.4%	72.8%
Phone*	0	0.0%	0.0%
Professional Consult*	31	35.6%	64.9%
Teacher	33	37.9%	46.7%
Unclear*	8	9.2%	39.1%
Not Available	99	53.2%	

Discharge Living Situation	Youth N	% Youth Discharged	% Discharges
Foster Home	8	15.1%	11.9%
Group Care	0	0.0%	0.0%
Home	42	79.2%	62.7%
Homeless/Shelter	2	3.8%	3.0%
Institution/Hospital	0	0.0%	0.0%
Jail/Correctional Facility	3	5.7%	4.5%
Other	7	13.2%	10.4%
Residential Treatment	2	3.8%	3.0%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	53		
Number of Discharges	67		

Reason for Discharge	Youth N	% Youth Discharged	% Discharges
Eligibility Change	1	1.9%	1.5%
Family Relocation	1	1.9%	1.5%
Insufficient Progress	4	7.5%	6.0%
Other	8	15.1%	11.9%
Runaway/Elopement	6	11.3%	9.0%
Refuse/Withdraw	4	7.5%	6.0%
Success/Goals Met	41	77.4%	61.2%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	53		
Number of Discharges	67		

All Other Family Guidance Centers		
Any Use N	Any Use % Avail	Dosage % of Months
525	45.5%	56.7%
891	77.3%	73.5%
1,013	87.9%	84.1%
463	40.2%	61.5%
113	9.8%	56.4%
675	58.5%	55.5%
47	4.1%	27.9%
780	40.4%	

Any Use N	Any Use % Avail	Dosage % of Months
887	76.9%	71.6%
320	27.8%	47.3%
1,010	87.6%	88.1%
891	77.3%	75.3%
35	3.0%	43.5%
272	23.6%	40.1%
433	37.6%	47.1%
168	14.6%	49.2%
780	40.4%	

Youth N	% Youth Discharged	% Discharges
92	13.3%	8.8%
8	1.2%	0.8%
481	69.5%	46.2%
16	2.3%	1.5%
23	3.3%	2.2%
50	7.2%	4.8%
119	17.2%	11.4%
51	7.4%	4.9%
0	0.0%	0.0%
692		
1042		

Youth N	% Youth Discharged	% Discharges
16	2.3%	1.5%
21	3.0%	2.0%
65	9.4%	6.2%
223	32.2%	21.4%
92	13.3%	8.8%
73	10.5%	7.0%
400	57.8%	38.4%
0	0.0%	0.0%
692		
1042		

*Indicates written response to an open-ended question.

Summary of Youth by Kauai Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Treatment Target	Kauai Family Guidance Center			All Other Family Guidance Centers		
	Any Use N	Any Use % Avail	Dosage % of Months	Any Use N	Any Use % Avail	Dosage % of Months
Academic Achievement	25	28.7%	55.0%	423	36.7%	39.4%
Activity Involvement	35	40.2%	63.9%	631	54.7%	55.4%
Adaptive Behavior/Living Skills	20	23.0%	65.1%	139	12.1%	34.2%
Adjustment to Change	26	29.9%	44.6%	322	27.9%	37.8%
Adult Intercoordination	0	0.0%	0.0%	13	1.1%	22.0%
Aggression	32	36.8%	61.6%	497	43.1%	54.0%
Anger	26	29.9%	56.5%	590	51.2%	55.3%
Anxiety	28	32.2%	51.4%	426	36.9%	50.1%
Assertiveness	12	13.8%	50.4%	209	18.1%	37.1%
Attention Problems	18	20.7%	29.6%	201	17.4%	36.6%
Avoidance	15	17.2%	51.9%	274	23.8%	40.8%
Caregiver Self-Management/Coping	0	0.0%	0.0%	6	0.5%	22.1%
Cognitive-Intellectual Functioning	6	6.9%	52.3%	91	7.9%	37.7%
Community Involvement	10	11.5%	37.5%	218	18.9%	32.1%
Compulsive Behavior	0	0.0%	0.0%	3	0.3%	22.2%
Contentment/Enjoyment/Happiness	10	11.5%	32.1%	241	20.9%	40.9%
Depressed Mood	19	21.8%	58.1%	378	32.8%	49.1%
Eating/Feeding Problems	6	6.9%	37.5%	30	2.6%	31.2%
Empathy	5	5.7%	35.9%	144	12.5%	43.0%
Enuresis/Encopresis	3	3.4%	80.0%	38	3.3%	48.4%
Fire Setting	0	0.0%	0.0%	6	0.5%	39.0%
Fitness/Exercise	0	0.0%	0.0%	1	0.1%	20.0%
Gender Identity Problems	0	0.0%	0.0%	7	0.6%	26.3%
Goal Setting	0	0.0%	0.0%	4	0.3%	12.7%
Grief	7	8.0%	43.0%	64	5.6%	37.6%
Health Management	3	3.4%	24.4%	89	7.7%	31.8%
Housing/Living Situation	17	19.5%	51.6%	189	16.4%	30.9%
Hyperactivity	6	6.9%	34.3%	97	8.4%	39.6%
Information Gathering	0	0.0%	0.0%	11	1.0%	32.8%
Learning Disorder/Underachievement	5	5.7%	24.8%	33	2.9%	25.9%
Low Self-Esteem	19	21.8%	36.4%	294	25.5%	42.4%
Mania	0	0.0%	0.0%	11	1.0%	27.6%
Medical Regimen Adherence	7	8.0%	50.2%	121	10.5%	37.6%
Occupational Functioning/Stress	2	2.3%	8.7%	48	4.2%	30.2%
Oppositional/Non-Compliant Behavior	60	69.0%	69.6%	737	63.9%	64.1%
Pain Management	0	0.0%	0.0%	0	0.0%	0.0%
Parenting Skills	0	0.0%	0.0%	19	1.6%	32.3%
Peer Involvement	20	23.0%	47.1%	182	15.8%	32.5%
Peer/Sibling Conflict	15	17.2%	33.2%	298	25.8%	44.9%
Personal Hygiene	6	6.9%	41.5%	40	3.5%	27.4%
Phobia/Fears	26	29.9%	50.9%	391	33.9%	43.2%
Positive Family Functioning	5	5.7%	37.3%	81	7.0%	41.1%
Positive Peer Interaction	76	87.4%	74.1%	889	77.1%	66.8%
Positive Thinking/Attitude	12	13.8%	36.0%	364	31.6%	41.2%
Pregnancy Education/Adjustment	1	1.1%	66.7%	23	2.0%	40.1%
Psychosis	2	2.3%	55.6%	36	3.1%	51.4%
Runaway	15	17.2%	44.0%	216	18.7%	46.4%
Safe Environment	1	1.1%	8.3%	10	0.9%	30.8%
School Involvement	18	20.7%	41.0%	266	23.1%	36.7%
School Refusal/Truancy	18	20.7%	38.0%	209	18.1%	42.9%
Self-Control	8	9.2%	40.8%	151	13.1%	45.1%
Self-Injurious Behavior	16	18.4%	42.3%	299	25.9%	41.4%
Sexual Orientation	0	0.0%	0.0%	0	0.0%	0.0%
Sexual Misconduct	6	6.9%	33.2%	63	5.5%	53.5%
Shyness	0	0.0%	0.0%	25	2.2%	27.4%
Sleep Disturbance	0	0.0%	0.0%	24	2.1%	36.0%
Social Skills	19	21.8%	52.5%	344	29.8%	45.6%
Speech and Language	0	0.0%	0.0%	8	0.7%	25.6%
Substance Use	20	23.0%	63.7%	326	28.3%	64.7%
Suicidality	11	12.6%	69.6%	79	6.9%	31.9%
Traumatic Stress	16	18.4%	50.0%	174	15.1%	43.7%
Treatment Engagement	50	57.5%	76.8%	631	54.7%	50.8%
Treatment Planning/Framing	0	0.0%	0.0%	67	5.8%	45.4%
Willful Misconduct/Delinquency	11	12.6%	43.6%	223	19.3%	45.6%
Other	1	1.1%	9.1%	13	1.1%	16.1%
Unclear	6	6.9%	13.2%	95	8.2%	30.5%
Not Available	99	53.2%		780	40.4%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Kauai Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Kauai Family Guidance Center			All Other Family Guidance Centers		
	Any Use	Any Use	Dosage	Any Use	Any Use	Dosage
Practice Elements	N	% Avail	% of Months	N	% Avail	% of Months
Activity Scheduling	42	48.3%	57.6%	696	60.4%	56.9%
Anger Management	0	0.0%	0.0%	4	0.3%	16.8%
Animal or Plant Assisted Activities	0	0.0%	0.0%	0	0.0%	0.0%
Arousal Reconditioning	0	0.0%	0.0%	0	0.0%	0.0%
Art/Music Therapy	0	0.0%	0.0%	2	0.2%	22.2%
Assertiveness Training	20	23.0%	42.3%	389	33.7%	46.2%
Assessment	0	0.0%	0.0%	41	3.6%	67.7%
Attending	17	19.5%	34.7%	344	29.8%	45.5%
Behavior Management	0	0.0%	0.0%	5	0.4%	15.3%
Behavioral Contracting	62	71.3%	53.0%	651	56.5%	56.0%
Biofeedback/Neurofeedback	0	0.0%	0.0%	19	1.6%	29.4%
Care Coordination	69	79.3%	80.0%	698	60.5%	63.8%
Catharsis	2	2.3%	13.3%	72	6.2%	40.0%
Cognitive/Coping	39	44.8%	61.4%	703	61.0%	64.2%
Commands/Limit Setting	10	11.5%	31.7%	180	15.6%	40.4%
Communication Skills	74	85.1%	64.0%	887	76.9%	68.1%
Counseling	0	0.0%	0.0%	1	0.1%	27.3%
Crisis Management	42	48.3%	47.4%	501	43.5%	46.0%
Cultural Training	4	4.6%	55.2%	141	12.2%	41.1%
Discrete Trial Training	0	0.0%	0.0%	15	1.3%	19.6%
Educational Support	44	50.6%	62.0%	627	54.4%	54.9%
Emotional Processing	52	59.8%	57.7%	748	64.9%	63.3%
Exposure	13	14.9%	42.1%	240	20.8%	40.4%
Eye Movement/Body Tapping	2	2.3%	8.7%	16	1.4%	19.2%
Family Engagement	71	81.6%	66.9%	860	74.6%	64.0%
Family Therapy	64	73.6%	67.9%	801	69.5%	59.8%
Family Visit	0	0.0%	0.0%	0	0.0%	0.0%
Free Association	1	1.1%	45.5%	77	6.7%	36.1%
Functional Analysis	19	21.8%	59.5%	187	16.2%	48.1%
Goal Setting	62	71.3%	57.0%	820	71.1%	64.2%
Guided Imagery	9	10.3%	21.3%	201	17.4%	37.4%
Ho'Oponopono	0	0.0%	0.0%	0	0.0%	0.0%
Hypnosis	3	3.4%	17.4%	20	1.7%	27.1%
Ignoring or DRO	24	27.6%	42.2%	402	34.9%	47.2%
Individual Therapy for Caregiver	25	28.7%	42.0%	339	29.4%	41.6%
Informal Supports	0	0.0%	0.0%	6	0.5%	26.8%
Insight Building	51	58.6%	46.0%	734	63.7%	61.5%
Interpretation	9	10.3%	41.5%	207	18.0%	36.1%
Juvenile Sex Offender Treatment	2	2.3%	40.0%	21	1.8%	74.3%
Legal Assistance/Involvement	0	0.0%	0.0%	0	0.0%	0.0%
Line of Sight Supervision	25	28.7%	46.1%	380	33.0%	46.7%
Maintenance/Relapse Prevention	32	36.8%	43.5%	317	27.5%	43.9%
Marital Therapy	4	4.6%	37.7%	64	5.6%	29.1%
Medication/Pharmacotherapy	45	51.7%	61.8%	318	27.6%	50.8%
Mentoring	30	34.5%	51.1%	453	39.3%	49.5%
Milieu Therapy	23	26.4%	53.4%	284	24.6%	50.1%
Mindfulness	31	35.6%	44.9%	475	41.2%	49.2%
Modeling	65	74.7%	53.4%	720	62.4%	57.6%
Motivational Interviewing	25	28.7%	54.7%	609	52.8%	55.0%
Natural and Logical Consequences	48	55.2%	58.9%	800	69.4%	62.0%
Parent Coping	63	72.4%	61.0%	722	62.6%	57.7%
Parent or Teacher Monitoring	25	28.7%	47.8%	571	49.5%	51.6%
Parent Praise	28	32.2%	47.0%	587	50.9%	52.1%
Parenting	0	0.0%	0.0%	15	1.3%	21.0%
Peer Modeling/Pairing	17	19.5%	41.4%	195	16.9%	31.6%
Personal Safety Skills	38	43.7%	45.6%	530	46.0%	51.3%
Physical Exercise	0	0.0%	0.0%	0	0.0%	0.0%
Play Therapy	9	10.3%	26.5%	194	16.8%	49.2%
Problem Solving	53	60.9%	56.5%	897	77.8%	66.2%
Psychoeducation-Child	28	32.2%	57.8%	754	65.4%	60.0%
Psychoeducation-Parent	47	54.0%	59.2%	799	69.3%	62.5%
Relationship/Rapport Building	66	75.9%	60.3%	866	75.1%	60.7%
Relaxation	32	36.8%	57.2%	583	50.6%	49.7%
Response Cost	24	27.6%	44.1%	207	18.0%	42.2%
Response Prevention	36	41.4%	48.8%	233	20.2%	40.4%
Self-Monitoring	42	48.3%	50.0%	506	43.9%	49.5%
Self-Reward/Self-Praise	32	36.8%	46.0%	402	34.9%	49.8%
Skill Building	65	74.7%	61.8%	814	70.6%	61.2%
Social Skills Training	42	48.3%	49.4%	619	53.7%	54.3%
Stimulus Control/Antecedent Man.	14	16.1%	48.6%	276	23.9%	43.0%
Supportive Listening	71	81.6%	78.2%	923	80.1%	70.7%
Tangible Rewards	43	49.4%	50.9%	552	47.9%	52.0%
Therapist Praise/Rewards	64	73.6%	66.2%	746	64.7%	61.8%
Thought Field Therapy	7	8.0%	19.8%	25	2.2%	20.0%
Time Out	33	37.9%	46.8%	312	27.1%	45.0%
Twelve-step Programming	11	12.6%	48.1%	133	11.5%	50.0%
Other	2	2.3%	61.4%	33	2.9%	26.0%
Unclear	6	6.9%	37.6%	148	12.8%	38.9%
Not Available	99	53.2%		780	40.4%	


Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

**Summary of Youth by Maui Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Maui Family Guidance Center		
	N	%
Total Registered Youth	225	10.6%
with Services Procured	155	68.9%
Youth with New Admissions	122	54.2%
with Initial Admissions	106	47.1%
with Repeat Admissions	16	7.1%
Youth with Discharges	88	39.1%

	N	% of Available
Gender		
Females	84	37%
Males	141	63%

	Mean	SD
Age in Years	13.4	3.7




Primary Diagnosis of	N	% Avail
None Recorded	2	0.9%
Adjustment	23	10.8%
Anxiety	20	9.4%
Attention	40	18.9%
Disruptive Behavior	56	26.4%
Mental Retardation	0	0.0%
Miscellaneous	8	3.8%
Mood	47	22.2%
Pervasive Developmental	2	0.9%
Psychotic Spectrum	5	2.4%
Substance-Related	9	4.2%
Not Available (% Total)	13	5.8%

Any Diagnosis of	N	% Avail
None Recorded	2	0.9%
Adjustment	38	17.8%
Anxiety	44	20.7%
Attention	65	30.5%
Disruptive Behavior	96	45.1%
Mental Retardation	1	0.5%
Miscellaneous	51	23.9%
Mood	72	33.8%
Pervasive Developmental	3	1.4%
Psychotic Spectrum	7	3.3%
Substance-Related	52	24.4%
Multiple Diagnoses	153	71.8%
Avg. Number of Diagnoses	2.0	

All Other Family Guidance Centers		
	N	%
Total Registered Youth	1,894	89.4%
with Services Procured	1,158	61.1%
Youth with New Admissions	847	44.7%
with Initial Admissions	584	30.8%
with Repeat Admissions	263	13.9%
Youth with Discharges	768	40.5%

	N	% of Available
Gender		
Females	714	38%
Males	1,180	62%

	Mean	SD
Age in Years	14.1	3.7



Primary Diagnosis of	N	% Avail
None Recorded	4	0.3%
Adjustment	106	6.8%
Anxiety	165	10.6%
Attention	307	19.7%
Disruptive Behavior	514	33.1%
Mental Retardation	0	0.0%
Miscellaneous	66	4.2%
Mood	284	18.3%
Pervasive Developmental	23	1.5%
Psychotic Spectrum	33	2.1%
Substance-Related	53	3.4%
Not Available (% Total)	339	17.9%

Any Diagnosis of	N	% Avail
None Recorded	2	0.1%
Adjustment	167	10.7%
Anxiety	366	23.5%
Attention	564	36.2%
Disruptive Behavior	842	54.0%
Mental Retardation	33	2.1%
Miscellaneous	415	26.6%
Mood	452	29.0%
Pervasive Developmental	33	2.1%
Psychotic Spectrum	39	2.5%
Substance-Related	304	19.5%
Multiple Diagnoses	1,166	74.8%
Avg. Number of Diagnoses	1.8	

**Summary of Youth by Maui Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Maui Family Guidance Center		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	108	83.1%
Hispanic or Latino/a	22	16.9%
Not Available (% Total)	95	42.2%
Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	1	0.7%
Asian	15	10.6%
Black or African-American	0	0.0%
Native Hawaiian or Pacific Islander	13	9.2%
White	26	18.4%
Other Race	1	0.7%
Multiracial	85	60.3%
Based on Observation	2	1.4%
Not Available (% Total)	84	37.3%
Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	10	7.8%
Alaska Native	0	0.0%
American Indian	10	7.8%
Asian	77	59.7%
Asian Indian	0	0.0%
Chinese	34	26.4%
Filipino	53	41.1%
Japanese	20	15.5%
Korean	5	3.9%
Vietnamese	0	0.0%
Other Asian	1	0.8%
Black or African-American	3	2.3%
Hispanic or Latina/o	22	17.1%
Cuban	1	0.8%
Mexican	3	2.3%
Puerto Rican	13	10.1%
Other Hispanic	5	3.9%
Native Hawaiian or Pacific Islander	76	58.9%
Guamanian or Chamorro	0	0.0%
Micronesian	1	0.8%
Native Hawaiian	71	55.0%
Samoan	0	0.0%
Other Pacific Islander	4	3.1%
White	82	63.6%
White or Caucasian	58	45.0%
Portuguese	33	25.6%
Other Race or Ethnicity	7	5.4%
Multiethnic	85	65.9%
Not Available (% Total)	96	42.7%

All Other Family Guidance Centers		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	792	70.2%
Hispanic or Latino/a	336	29.8%
Not Available (% Total)	766	40.4%
Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	6	0.4%
Asian	107	7.7%
Black or African-American	22	1.6%
Native Hawaiian or Pacific Islander	195	14.1%
White	186	13.5%
Other Race	7	0.5%
Multiracial	859	62.2%
Based on Observation	91	6.6%
Not Available (% Total)	512	27.0%
Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	120	10.7%
Alaska Native	0	0.0%
American Indian	120	10.7%
Asian	614	54.8%
Asian Indian	5	0.4%
Chinese	278	24.8%
Filipino	346	30.9%
Japanese	195	17.4%
Korean	40	3.6%
Vietnamese	9	0.8%
Other Asian	19	1.7%
Black or African-American	80	7.1%
Hispanic or Latina/o	328	29.3%
Cuban	5	0.4%
Mexican	62	5.5%
Puerto Rican	176	15.7%
Other Hispanic	131	11.7%
Native Hawaiian or Pacific Islander	683	60.9%
Guamanian or Chamorro	12	1.1%
Micronesian	57	5.1%
Native Hawaiian	570	50.8%
Samoan	82	7.3%
Other Pacific Islander	46	4.1%
White	705	62.9%
White or Caucasian	563	50.2%
Portuguese	275	24.5%
Other Race or Ethnicity	45	4.0%
Multiethnic	794	70.8%
Not Available (% Total)	773	40.8%

**Summary of Youth by Maui Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Maui Family Guidance Center		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	0	0.0%
Leeward Oahu	0	0.0%
Honolulu Oahu	0	0.0%
Hawaii (Big Island)	0	0.0%
Maui	225	100.0%
Kauai	0	0.0%
Family Court Liaison Branch	0	0.0%

All Other Family Guidance Centers		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	296	15.6%
Leeward Oahu	303	16.0%
Honolulu Oahu	251	13.3%
Hawaii (Big Island)	770	40.7%
Maui	0	0.0%
Kauai	186	9.8%
Family Court Liaison Branch	88	4.6%

*Central Oahu FGC now includes both Central and Windward Oahu offices.

Summary of Youth by Maui Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Services Procured	Maui Family Guidance Center			All Other Family Guidance Centers		
	Monthly Average	Total N	% of Procured	Monthly Average	Total N	% of Procured
Out-of-Home	17	44	28.4%	165	348	30.1%
Out-of-State	1	1	0.6%	4	4	0.3%
Hospital Residential	2	10	6.5%	15	67	5.8%
Community High Risk	0	0	0.0%	7	14	1.2%
Community Residential	9	21	13.5%	46	134	11.6%
Therapeutic Foster Home	6	17	11.0%	97	182	15.7%
<i>Multidimensional Treatment Foster Care</i>	0	0	0.0%	5	12	1.0%
<i>Transitional Family Home</i>	6	17	11.0%	92	175	15.1%
Intensive Home & Community	44	122	78.7%	431	864	74.6%
Partial Hospitalization	0	0	0.0%	5	23	2.0%
Multisystemic Therapy	10	32	20.6%	58	181	15.6%
Intensive In-Home	35	92	59.4%	372	720	62.2%
Outpatient	8	40	25.8%	51	268	23.1%
Treatment	6	22	14.2%	37	111	9.6%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	0	0	0.0%	33	101	8.7%
<i>Outpatient Therapy</i>	6	22	14.2%	4	10	0.9%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	2	19	12.3%	14	162	14.0%
Supportive Services	12	45	29.0%	32	143	12.3%
Respite Home	0	1	0.6%	6	29	2.5%
Ancillary Service	12	44	28.4%	26	118	10.2%
Crisis Stabilization	2	12	7.7%	4	34	2.9%
Unduplicated Total (% of Registered)	67	155	69%	624	1,158	61%

*These services either were not procured or had no data available in FY 2013.

Summary of Youth by Maui Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Total Hours Procured	Maui Family Guidance Center			All Other Family Guidance Centers		
	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth
Out-of-Home	148	764	89.4%	152	992	88.8%
Out-of-State	185	1,112	92.9%	198	2,373	95.6%
Hospital Residential	122	312	63.7%	120	366	57.9%
Community High Risk	0	0	0.0%	175	1,060	83.2%
Community Residential	163	878	92.7%	134	636	75.3%
Therapeutic Foster Home	134	644	74.0%	168	1,161	84.5%
<i>Multidimensional Treatment Foster Care</i>	0	0	0.0%	173	913	76.5%
<i>Transitional Family Home</i>	134	644	74.0%	167	1,145	82.7%
Intensive Home & Community	17	68	73.6%	18	103	79.2%
Partial Hospitalization	0	0	0.0%	3	8	7.0%
Multisystemic Therapy	41	136	81.2%	39	135	79.8%
Intensive In-Home	9	43	69.4%	13	90	74.7%
Outpatient	4	11	50.3%	4	9	50.2%
Treatment	4	15	40.3%	4	15	50.2%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	0	0	0.0%	3	13	51.0%
<i>Outpatient Therapy</i>	4	15	40.3%	6	34	41.5%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	5	5	59.3%	5	5	48.7%
Supportive Services**	-	-	-	-	-	-
Respite Home	13	13	12.1%	20	52	12.2%
Ancillary Service**	-	-	-	-	-	-
Crisis Stabilization	47	83	29.9%	22	26	55.2%
Unduplicated Total	31	280		41	379	

Service Changes	Maui Family Guidance Center			All Other Family Guidance Centers		
	Monthly Average	Total N	Total per Youth	Monthly Average	Total N	Total per Youth
Placement Changes	5	65	0.3	40	476	0.3
Out-of-Home Changes	0	3	0.0	4	42	0.0
Provider Agency Changes	15	176	0.8	91	1,098	0.6
Care Coordinator Changes	3	31	0.1	71	850	0.4

*These services either were not procured or had no data available in FY 2013.

**Duration not available for these services.

**Summary of Youth by Maui Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

	Maui Family Guidance Center		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	106 (3.1)	88 (2.9)	84 (3.3)
Moods: Self-Harm	8 (1.1)	4 (0.7)	3 (0.7)
Moods: Emotions	18 (0.7)	16 (0.7)	16 (0.7)
Home Role Performance	22 (0.9)	18 (0.9)	18 (1.0)
School Role Performance	24 (0.8)	19 (1.0)	19 (1.1)
Community Role Performance	10 (1.0)	7 (0.9)	7 (0.9)
Behavior Towards Other	20 (0.7)	16 (0.6)	15 (0.7)
Substance Use	8 (1.1)	6 (0.9)	5 (0.9)
Thinking	3 (0.6)	1 (0.4)	1 (0.4)

	Maui Family Guidance Center		
Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	19 (0.3)	17 (0.3)	17 (0.4)
Level of Care	4 (0.1)	3 (0.1)	3 (0.2)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Functional Assessment Scale (CAFAS)			
Total (8-scale)	21 (110)	35% (98)	28% (98)
Moods: Self-Harm	5 (110)	70% (33)	91% (33)
Moods: Emotions	3 (110)	27% (84)	92% (84)
Home Role Performance	4 (110)	30% (86)	63% (86)
School Role Performance	5 (110)	33% (95)	51% (95)
Community Role Performance	3 (110)	22% (45)	93% (45)
Behavior Towards Other	4 (110)	36% (86)	90% (86)
Substance Use	4 (110)	41% (37)	86% (37)
Thinking	2 (110)	64% (11)	100% (11)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Level of Care Utilization System (CALOCUS)			
Total	2 (89)	37% (70)	41% (70)
Level of Care	1 (89)	40% (73)	66% (73)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	738	14	20.0%
Child Events	751	14	16.9%
Person-Directed	151	3	7.6%
Property-Directed	62	1	4.9%
Runaway or Elopement	191	4	8.9%
Self-Injury	187	4	5.8%
Substance Use	71	1	4.9%
Other	62	1	5.3%
Institutional Events	591	11	12.9%
Person-Directed (Client Victim)	40	1	2.7%
Seclusion or Restraint	116	2	3.6%
Medication Error	9	0	0.4%
Police Called	107	2	4.4%
Criminal Charges or Arrest	76	1	3.6%
Client Injury	40	1	4.0%
Staff Injury	31	1	1.3%
Other	133	3	7.1%

	All Other Family Guidance Centers		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	120 (0.9)	90 (0.9)	86 (1.0)
Moods: Self-Harm	9 (0.3)	3 (0.2)	2 (0.2)
Moods: Emotions	21 (0.2)	16 (0.2)	15 (0.2)
Home Role Performance	26 (0.2)	19 (0.2)	18 (0.3)
School Role Performance	26 (0.2)	19 (0.2)	18 (0.3)
Community Role Performance	14 (0.3)	9 (0.3)	9 (0.3)
Behavior Towards Other	21 (0.2)	16 (0.2)	15 (0.2)
Substance Use	10 (0.3)	5 (0.2)	5 (0.3)
Thinking	7 (0.2)	3 (0.2)	2 (0.2)

	All Other Family Guidance Centers		
Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	21 (0.1)	18 (0.1)	18 (0.1)
Level of Care	4 (0.0)	3 (0.0)	3 (0.0)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Functional Assessment Scale (CAFAS)			
Total (8-scale)	34 (1311)	54% (1251)	34% (1251)
Moods: Self-Harm	7 (1311)	79% (452)	97% (452)
Moods: Emotions	6 (1311)	48% (1171)	95% (1171)
Home Role Performance	7 (1311)	51% (1190)	65% (1190)
School Role Performance	8 (1310)	50% (1221)	63% (1221)
Community Role Performance	5 (1311)	49% (711)	90% (711)
Behavior Towards Other	6 (1311)	50% (1158)	95% (1158)
Substance Use	5 (1311)	63% (476)	83% (476)
Thinking	4 (1311)	76% (270)	97% (270)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Level of Care Utilization System (CALOCUS)			
Total	3 (1195)	46% (1126)	42% (1126)
Level of Care	1 (1195)	56% (1128)	67% (1128)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	876	138	23.9%
Child Events	957	151	22.3%
Person-Directed	186	29	9.5%
Property-Directed	99	16	6.4%
Runaway or Elopement	252	40	10.1%
Self-Injury	171	27	7.6%
Substance Use	99	16	5.1%
Other	114	18	6.7%
Institutional Events	538	85	15.6%
Person-Directed (Client Victim)	47	7	3.8%
Seclusion or Restraint	53	8	2.6%
Medication Error	10	2	0.7%
Police Called	159	25	8.6%
Criminal Charges or Arrest	103	16	5.8%
Client Injury	40	6	3.4%
Staff Injury	6	1	0.5%
Other	111	18	6.8%

*Indicates average change from highest CAFAS or CALOCUS score to most recent.
(A positive number reflects improvement.)

Summary of Youth by Maui Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Maui Family Guidance Center			
Service Setting	Any Use N	Any Use % Avail	Dosage % of Months
Clinic	96	64.4%	60.4%
Community	101	67.8%	64.0%
Home	133	89.3%	89.1%
Out-of-Home	65	43.6%	58.8%
Phone*	15	10.1%	44.3%
School	78	52.3%	52.4%
Unclear*	9	6.0%	45.9%
Not Available	76	33.8%	

Service Format	Any Use N	Any Use % Avail	Dosage % of Months
Family	124	83.2%	77.0%
Group	58	38.9%	52.7%
Individual	117	78.5%	87.2%
Parent	129	86.6%	81.3%
Phone*	10	6.7%	27.9%
Professional Consult*	41	27.5%	36.2%
Teacher	55	36.9%	50.4%
Unclear*	23	15.4%	54.7%
Not Available	76	33.8%	

Discharge Living Situation	Youth N	% Youth Discharged	% Discharges
Foster Home	15	16.3%	11.2%
Group Care	0	0.0%	0.0%
Home	69	75.0%	51.5%
Homeless/Shelter	1	1.1%	0.7%
Institution/Hospital	3	3.3%	2.2%
Jail/Correctional Facility	7	7.6%	5.2%
Other	17	18.5%	12.7%
Residential Treatment	5	5.4%	3.7%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	92		
Number of Discharges	134		

Reason for Discharge	Youth N	% Youth Discharged	% Discharges
Eligibility Change	1	1.1%	0.7%
Family Relocation	4	4.3%	3.0%
Insufficient Progress	10	10.9%	7.5%
Other	23	25.0%	17.2%
Runaway/Elopement	11	12.0%	8.2%
Refuse/Withdraw	10	10.9%	7.5%
Success/Goals Met	56	60.9%	41.8%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	92		
Number of Discharges	134		

All Other Family Guidance Centers		
Any Use N	Any Use % Avail	Dosage % of Months
465	42.6%	56.3%
836	76.6%	74.2%
953	87.4%	83.2%
431	39.5%	61.7%
124	11.4%	61.0%
649	59.5%	56.2%
39	3.6%	23.4%
803	42.4%	

Any Use N	Any Use % Avail	Dosage % of Months
843	77.3%	71.7%
306	28.0%	48.2%
941	86.3%	87.9%
825	75.6%	74.2%
25	2.3%	49.7%
262	24.0%	43.6%
411	37.7%	46.6%
153	14.0%	47.8%
803	42.4%	

Youth N	% Youth Discharged	% Discharges
85	13.0%	8.7%
8	1.2%	0.8%
454	69.5%	46.6%
17	2.6%	1.7%
20	3.1%	2.1%
46	7.0%	4.7%
109	16.7%	11.2%
48	7.4%	4.9%
0	0.0%	0.0%
653		
975		

Youth N	% Youth Discharged	% Discharges
16	2.5%	1.6%
18	2.8%	1.8%
59	9.0%	6.1%
208	31.9%	21.3%
87	13.3%	8.9%
67	10.3%	6.9%
385	59.0%	39.5%
0	0.0%	0.0%
653		
975		

*Indicates written response to an open-ended question.

Summary of Youth by Maui Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Treatment Target	Maui Family Guidance Center			All Other Family Guidance Centers		
	Any Use N	Any Use % Avail	Dosage % of Months	Any Use N	Any Use % Avail	Dosage % of Months
Academic Achievement	49	32.9%	34.6%	399	36.6%	41.0%
Activity Involvement	81	54.4%	54.9%	585	53.6%	56.0%
Adaptive Behavior/Living Skills	11	7.4%	50.8%	148	13.6%	37.1%
Adjustment to Change	51	34.2%	41.2%	297	27.2%	37.9%
Adult Intercoordination	4	2.7%	21.3%	9	0.8%	22.3%
Aggression	63	42.3%	51.0%	466	42.7%	55.0%
Anger	57	38.3%	38.7%	559	51.2%	57.1%
Anxiety	33	22.1%	39.7%	421	38.6%	51.0%
Assertiveness	26	17.4%	25.9%	195	17.9%	39.4%
Attention Problems	29	19.5%	32.5%	190	17.4%	36.5%
Avoidance	25	16.8%	46.8%	264	24.2%	40.9%
Caregiver Self-Management/Coping	0	0.0%	0.0%	6	0.5%	22.1%
Cognitive-Intellectual Functioning	16	10.7%	36.8%	81	7.4%	39.0%
Community Involvement	26	17.4%	33.2%	202	18.5%	32.2%
Compulsive Behavior	0	0.0%	0.0%	3	0.3%	22.2%
Contentment/Enjoyment/Happiness	19	12.8%	38.9%	232	21.3%	40.7%
Depressed Mood	41	27.5%	37.2%	356	32.6%	51.0%
Eating/Feeding Problems	4	2.7%	36.7%	32	2.9%	31.7%
Empathy	22	14.8%	31.4%	127	11.6%	44.8%
Enuresis/Encopresis	6	4.0%	59.9%	35	3.2%	49.1%
Fire Setting	1	0.7%	66.7%	5	0.5%	33.5%
Fitness/Exercise	0	0.0%	0.0%	1	0.1%	20.0%
Gender Identity Problems	0	0.0%	0.0%	7	0.6%	26.3%
Goal Setting	2	1.3%	16.7%	2	0.2%	8.7%
Grief	12	8.1%	42.5%	59	5.4%	37.3%
Health Management	11	7.4%	20.4%	81	7.4%	33.1%
Housing/Living Situation	19	12.8%	27.6%	187	17.1%	33.1%
Hyperactivity	12	8.1%	21.9%	91	8.3%	41.6%
Information Gathering	3	2.0%	33.3%	8	0.7%	32.6%
Learning Disorder/Underachievement	10	6.7%	45.5%	28	2.6%	18.8%
Low Self-Esteem	29	19.5%	32.2%	284	26.0%	43.1%
Mania	2	1.3%	24.5%	9	0.8%	28.3%
Medical Regimen Adherence	11	7.4%	32.1%	117	10.7%	38.8%
Occupational Functioning/Stress	5	3.4%	16.4%	45	4.1%	30.8%
Oppositional/Non-Compliant Behavior	91	61.1%	66.2%	706	64.7%	64.3%
Pain Management	0	0.0%	0.0%	0	0.0%	0.0%
Parenting Skills	3	2.0%	61.1%	16	1.5%	27.0%
Peer Involvement	29	19.5%	38.4%	173	15.9%	33.2%
Peer/Sibling Conflict	36	24.2%	41.1%	277	25.4%	44.8%
Personal Hygiene	6	4.0%	27.8%	40	3.7%	29.5%
Phobia/Fears	40	26.8%	42.3%	377	34.6%	43.8%
Positive Family Functioning	6	4.0%	49.5%	80	7.3%	40.2%
Positive Peer Interaction	116	77.9%	67.8%	849	77.8%	67.4%
Positive Thinking/Attitude	37	24.8%	38.9%	339	31.1%	41.3%
Pregnancy Education/Adjustment	1	0.7%	100.0%	23	2.1%	38.6%
Psychosis	2	1.3%	58.3%	36	3.3%	51.3%
Runaway	21	14.1%	44.0%	210	19.2%	46.5%
Safe Environment	2	1.3%	44.4%	9	0.8%	25.3%
School Involvement	37	24.8%	34.9%	247	22.6%	37.3%
School Refusal/Truancy	27	18.1%	41.9%	200	18.3%	42.6%
Self-Control	15	10.1%	62.7%	144	13.2%	43.0%
Self-Injurious Behavior	21	14.1%	25.2%	294	26.9%	42.6%
Sexual Orientation	0	0.0%	0.0%	0	0.0%	0.0%
Sexual Misconduct	5	3.4%	69.6%	64	5.9%	50.3%
Shyness	3	2.0%	9.7%	22	2.0%	29.8%
Sleep Disturbance	2	1.3%	41.7%	22	2.0%	35.5%
Social Skills	29	19.5%	37.2%	334	30.6%	46.8%
Speech and Language	0	0.0%	0.0%	8	0.7%	25.6%
Substance Use	45	30.2%	63.6%	301	27.6%	64.8%
Suicidality	15	10.1%	30.2%	75	6.9%	37.8%
Traumatic Stress	28	18.8%	47.2%	162	14.8%	43.7%
Treatment Engagement	70	47.0%	44.3%	611	56.0%	53.7%
Treatment Planning/Framing	11	7.4%	34.1%	56	5.1%	47.7%
Willful Misconduct/Delinquency	35	23.5%	37.5%	199	18.2%	46.9%
Other	1	0.7%	36.4%	13	1.2%	14.0%
Unclear	10	6.7%	34.3%	91	8.3%	29.0%
Not Available	76	33.8%		803	42.4%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Maui Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Maui Family Guidance Center			All Other Family Guidance Centers		
	Any Use	Any Use	Dosage	Any Use	Any Use	Dosage
Practice Elements	N	% Avail	% of Months	N	% Avail	% of Months
Activity Scheduling	94	63.1%	60.6%	644	59.0%	56.4%
Anger Management	1	0.7%	22.2%	3	0.3%	15.0%
Animal or Plant Assisted Activities	0	0.0%	0.0%	0	0.0%	0.0%
Arousal Reconditioning	0	0.0%	0.0%	0	0.0%	0.0%
Art/Music Therapy	2	1.3%	22.2%	0	0.0%	0.0%
Assertiveness Training	59	39.6%	51.9%	350	32.1%	45.0%
Assessment	3	2.0%	73.3%	38	3.5%	67.2%
Attending	74	49.7%	55.3%	287	26.3%	42.3%
Behavior Management	0	0.0%	0.0%	5	0.5%	15.3%
Behavioral Contracting	89	59.7%	56.3%	624	57.2%	55.6%
Biofeedback/Neurofeedback	1	0.7%	9.1%	18	1.6%	30.6%
Care Coordination	81	54.4%	59.2%	686	62.9%	66.0%
Catharsis	6	4.0%	30.0%	68	6.2%	40.1%
Cognitive/Coping	98	65.8%	65.2%	644	59.0%	63.9%
Commands/Limit Setting	27	18.1%	47.5%	163	14.9%	38.7%
Communication Skills	110	73.8%	71.0%	851	78.0%	67.4%
Counseling	0	0.0%	0.0%	1	0.1%	27.3%
Crisis Management	70	47.0%	53.4%	473	43.4%	45.1%
Cultural Training	24	16.1%	43.3%	121	11.1%	41.1%
Discrete Trial Training	2	1.3%	20.0%	13	1.2%	19.5%
Educational Support	83	55.7%	54.2%	588	53.9%	55.5%
Emotional Processing	93	62.4%	64.3%	707	64.8%	62.7%
Exposure	27	18.1%	32.4%	226	20.7%	41.5%
Eye Movement/Body Tapping	5	3.4%	32.3%	13	1.2%	12.5%
Family Engagement	116	77.9%	69.7%	815	74.7%	63.4%
Family Therapy	110	73.8%	71.5%	755	69.2%	58.7%
Family Visit	0	0.0%	0.0%	0	0.0%	0.0%
Free Association	7	4.7%	50.2%	71	6.5%	34.9%
Functional Analysis	22	14.8%	26.7%	184	16.9%	51.8%
Goal Setting	115	77.2%	66.1%	767	70.3%	63.3%
Guided Imagery	27	18.1%	35.8%	183	16.8%	36.8%
Ho'Oponopono	0	0.0%	0.0%	0	0.0%	0.0%
Hypnosis	5	3.4%	16.1%	18	1.6%	28.5%
Ignoring or DRO	77	51.7%	50.0%	349	32.0%	46.3%
Individual Therapy for Caregiver	56	37.6%	41.5%	308	28.2%	41.7%
Informal Supports	1	0.7%	50.0%	5	0.5%	22.2%
Insight Building	85	57.0%	62.9%	700	64.2%	60.2%
Interpretation	36	24.2%	31.6%	180	16.5%	37.2%
Juvenile Sex Offender Treatment	2	1.3%	87.5%	21	1.9%	69.8%
Legal Assistance/Involvement	0	0.0%	0.0%	0	0.0%	0.0%
Line of Sight Supervision	48	32.2%	47.1%	357	32.7%	46.6%
Maintenance/Relapse Prevention	42	28.2%	46.0%	307	28.1%	43.6%
Marital Therapy	19	12.8%	42.3%	49	4.5%	24.7%
Medication/Pharmacotherapy	40	26.8%	44.5%	323	29.6%	53.1%
Mentoring	60	40.3%	51.6%	423	38.8%	49.3%
Milieu Therapy	40	26.8%	54.4%	267	24.5%	49.7%
Mindfulness	73	49.0%	59.4%	433	39.7%	47.2%
Modeling	107	71.8%	60.6%	678	62.1%	56.7%
Motivational Interviewing	77	51.7%	56.3%	557	51.1%	54.8%
Natural and Logical Consequences	96	64.4%	61.1%	752	68.9%	61.9%
Parent Coping	105	70.5%	60.2%	680	62.3%	57.6%
Parent or Teacher Monitoring	82	55.0%	48.5%	514	47.1%	51.9%
Parent Praise	78	52.3%	56.0%	537	49.2%	51.2%
Parenting	0	0.0%	0.0%	15	1.4%	21.0%
Peer Modeling/Pairing	32	21.5%	34.6%	180	16.5%	32.0%
Personal Safety Skills	66	44.3%	50.4%	502	46.0%	51.0%
Physical Exercise	0	0.0%	0.0%	0	0.0%	0.0%
Play Therapy	25	16.8%	51.2%	178	16.3%	47.8%
Problem Solving	113	75.8%	65.7%	837	76.7%	65.7%
Psychoeducation-Child	97	65.1%	69.8%	685	62.8%	58.5%
Psychoeducation-Parent	111	74.5%	70.8%	735	67.4%	61.0%
Relationship/Rapport Building	116	77.9%	64.9%	816	74.8%	60.0%
Relaxation	73	49.0%	49.6%	542	49.7%	50.2%
Response Cost	27	18.1%	39.1%	204	18.7%	42.8%
Response Prevention	39	26.2%	40.1%	230	21.1%	41.8%
Self-Monitoring	75	50.3%	61.6%	473	43.4%	47.6%
Self-Reward/Self-Praise	63	42.3%	67.4%	371	34.0%	46.5%
Skill Building	111	74.5%	66.8%	768	70.4%	60.4%
Social Skills Training	74	49.7%	60.9%	587	53.8%	53.2%
Stimulus Control/Antecedent Man.	44	29.5%	50.3%	246	22.5%	42.0%
Supportive Listening	120	80.5%	70.1%	874	80.1%	71.4%
Tangible Rewards	73	49.0%	60.3%	522	47.8%	50.8%
Therapist Praise/Rewards	97	65.1%	68.7%	713	65.4%	61.2%
Thought Field Therapy	9	6.0%	29.0%	23	2.1%	16.4%
Time Out	59	39.6%	54.9%	286	26.2%	43.2%
Twelve-step Programming	27	18.1%	55.3%	117	10.7%	48.6%
Other	8	5.4%	22.0%	27	2.5%	29.8%
Unclear	17	11.4%	40.3%	137	12.6%	38.7%
Not Available	76	33.8%		803	42.4%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.


**Summary of Youth by Central Oahu Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Central Oahu Family Guidance Center

	N	%
Total Registered Youth	296	14.0%
with Services Procured	201	67.9%
Youth with New Admissions	122	41.2%
with Initial Admissions	89	30.1%
with Repeat Admissions	33	11.1%
Youth with Discharges	109	36.8%

	N	% of Available
Gender		
Females	115	39%
Males	181	61%

	Mean	SD
Age in Years	14.4	3.5



Primary Diagnosis of	N	% Avail
None Recorded	2	0.7%
Adjustment	16	5.7%
Anxiety	30	10.8%
Attention	56	20.1%
Disruptive Behavior	88	31.5%
Mental Retardation	0	0.0%
Miscellaneous	10	3.6%
Mood	49	17.6%
Pervasive Developmental	4	1.4%
Psychotic Spectrum	6	2.2%
Substance-Related	18	6.5%
Not Available (% Total)	17	5.7%


Any Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	27	9.6%
Anxiety	68	24.1%
Attention	118	41.8%
Disruptive Behavior	162	57.4%
Mental Retardation	2	0.7%
Miscellaneous	70	24.8%
Mood	83	29.4%
Pervasive Developmental	5	1.8%
Psychotic Spectrum	6	2.1%
Substance-Related	69	24.5%
Multiple Diagnoses	224	79.4%
Avg. Number of Diagnoses	2.2	

All Other Family Guidance Centers

	N	%
Total Registered Youth	1,823	86.0%
with Services Procured	1,112	61.0%
Youth with New Admissions	847	46.5%
with Initial Admissions	601	33.0%
with Repeat Admissions	246	13.5%
Youth with Discharges	747	41.0%

	N	% of Available
Gender		
Females	683	37%
Males	1,140	63%

	Mean	SD
Age in Years	13.9	3.8



Primary Diagnosis of	N	% Avail
None Recorded	4	0.3%
Adjustment	113	7.6%
Anxiety	155	10.4%
Attention	291	19.6%
Disruptive Behavior	482	32.4%
Mental Retardation	0	0.0%
Miscellaneous	64	4.3%
Mood	282	19.0%
Pervasive Developmental	21	1.4%
Psychotic Spectrum	32	2.2%
Substance-Related	44	3.0%
Not Available (% Total)	335	18.4%

Any Diagnosis of	N	% Avail
None Recorded	4	0.3%
Adjustment	178	11.9%
Anxiety	342	23.0%
Attention	511	34.3%
Disruptive Behavior	776	52.1%
Mental Retardation	32	2.1%
Miscellaneous	396	26.6%
Mood	441	29.6%
Pervasive Developmental	31	2.1%
Psychotic Spectrum	40	2.7%
Substance-Related	287	19.3%
Multiple Diagnoses	1,095	73.5%
Avg. Number of Diagnoses	1.8	

**Summary of Youth by Central Oahu Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Central Oahu Family Guidance Center		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	146	71.9%
Hispanic or Latino/a	57	28.1%
Not Available (% Total)	93	31.4%
Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	2	0.7%
Asian	10	3.7%
Black or African-American	6	2.2%
Native Hawaiian or Pacific Islander	24	8.9%
White	36	13.3%
Other Race	1	0.4%
Multiracial	191	70.7%
Based on Observation	4	1.5%
Not Available (% Total)	26	8.8%
Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	21	10.5%
Alaska Native	0	0.0%
American Indian	21	10.5%
Asian	119	59.5%
Asian Indian	1	0.5%
Chinese	58	29.0%
Filipino	79	39.5%
Japanese	37	18.5%
Korean	10	5.0%
Vietnamese	0	0.0%
Other Asian	3	1.5%
Black or African-American	17	8.5%
Hispanic or Latina/o	55	27.5%
Cuban	2	1.0%
Mexican	6	3.0%
Puerto Rican	28	14.0%
Other Hispanic	23	11.5%
Native Hawaiian or Pacific Islander	129	64.5%
Guamanian or Chamorro	3	1.5%
Micronesian	1	0.5%
Native Hawaiian	117	58.5%
Samoan	17	8.5%
Other Pacific Islander	6	3.0%
White	138	69.0%
White or Caucasian	113	56.5%
Portuguese	50	25.0%
Other Race or Ethnicity	4	2.0%
Multiethnic	156	78.0%
Not Available (% Total)	96	32.4%

All Other Family Guidance Centers		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	754	71.5%
Hispanic or Latino/a	301	28.5%
Not Available (% Total)	768	42.1%
Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	5	0.4%
Asian	112	8.9%
Black or African-American	16	1.3%
Native Hawaiian or Pacific Islander	184	14.7%
White	176	14.0%
Other Race	7	0.6%
Multiracial	753	60.1%
Based on Observation	89	7.1%
Not Available (% Total)	570	31.3%
Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	109	10.4%
Alaska Native	0	0.0%
American Indian	109	10.4%
Asian	572	54.5%
Asian Indian	4	0.4%
Chinese	254	24.2%
Filipino	320	30.5%
Japanese	178	17.0%
Korean	35	3.3%
Vietnamese	9	0.9%
Other Asian	17	1.6%
Black or African-American	66	6.3%
Hispanic or Latina/o	295	28.1%
Cuban	4	0.4%
Mexican	59	5.6%
Puerto Rican	161	15.3%
Other Hispanic	113	10.8%
Native Hawaiian or Pacific Islander	630	60.0%
Guamanian or Chamorro	9	0.9%
Micronesian	57	5.4%
Native Hawaiian	524	49.9%
Samoan	65	6.2%
Other Pacific Islander	44	4.2%
White	649	61.8%
White or Caucasian	508	48.4%
Portuguese	258	24.6%
Other Race or Ethnicity	48	4.6%
Multiethnic	723	68.9%
Not Available (% Total)	773	42.4%

**Summary of Youth by Central Oahu Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Central Oahu Family Guidance Center		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	296	100.0%
Leeward Oahu	0	0.0%
Honolulu Oahu	0	0.0%
Hawaii (Big Island)	0	0.0%
Maui	0	0.0%
Kauai	0	0.0%
Family Court Liaison Branch	0	0.0%

All Other Family Guidance Centers		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	0	0.0%
Leeward Oahu	303	16.6%
Honolulu Oahu	251	13.8%
Hawaii (Big Island)	770	42.2%
Maui	225	12.3%
Kauai	186	10.2%
Family Court Liaison Branch	88	4.8%

*Central Oahu FGC now includes both Central and Windward Oahu offices.

**Summary of Youth by Central Oahu Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Any Services Procured	Central Oahu Family Guidance Center			All Other Family Guidance Centers		
	Monthly Average	Total N	% of Procured	Monthly Average	Total N	% of Procured
Out-of-Home	17	48	23.9%	165	344	30.9%
Out-of-State	0	0	0.0%	5	5	0.4%
Hospital Residential	2	13	6.5%	15	64	5.8%
Community High Risk	2	5	2.5%	5	9	0.8%
Community Residential	9	27	13.4%	46	128	11.5%
Therapeutic Foster Home	4	9	4.5%	99	190	17.1%
<i>Multidimensional Treatment Foster Care</i>	0	0	0.0%	5	12	1.1%
<i>Transitional Family Home</i>	4	9	4.5%	94	183	16.5%
Intensive Home & Community	98	180	89.6%	377	806	72.5%
Partial Hospitalization	0	2	1.0%	5	21	1.9%
Multisystemic Therapy	10	28	13.9%	58	185	16.6%
Intensive In-Home	88	159	79.1%	319	653	58.7%
Outpatient	8	21	10.4%	52	287	25.8%
Treatment	8	21	10.4%	36	112	10.1%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	7	20	10.0%	26	81	7.3%
<i>Outpatient Therapy</i>	0	1	0.5%	10	31	2.8%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	0	0	0.0%	16	181	16.3%
Supportive Services	1	4	2.0%	42	184	16.5%
Respite Home	1	1	0.5%	5	29	2.6%
Ancillary Service	1	3	1.5%	37	159	14.3%
Crisis Stabilization	0	1	0.5%	5	45	4.0%
Unduplicated Total (% of Registered)	119	201	68%	573	1,112	61%

*These services either were not procured or had no data available in FY 2013.

Summary of Youth by Central Oahu Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Total Hours Procured	Central Oahu Family Guidance Center			All Other Family Guidance Centers		
	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth
Out-of-Home	143	692	84.4%	153	1,005	89.5%
Out-of-State	0	0	0.0%	195	2,120	95.1%
Hospital Residential	132	301	59.0%	118	371	58.6%
Community High Risk	167	867	80.5%	179	1,167	84.7%
Community Residential	136	589	83.8%	138	685	76.3%
Therapeutic Foster Home	175	1,007	68.7%	165	1,122	84.3%
<i>Multidimensional Treatment Foster Care</i>	0	0	0.0%	173	913	76.5%
<i>Transitional Family Home</i>	175	1,007	68.7%	163	1,105	82.5%
Intensive Home & Community	15	99	82.8%	18	99	77.5%
Partial Hospitalization	3	6	1.2%	3	8	7.6%
Multisystemic Therapy	40	153	86.1%	40	132	79.1%
Intensive In-Home	11	85	78.5%	13	84	73.1%
Outpatient	4	16	53.1%	4	9	50.0%
Treatment	4	16	53.1%	4	15	47.7%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	4	17	55.8%	3	12	49.8%
<i>Outpatient Therapy</i>	1	1	0.1%	5	22	41.9%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	0	0	0.0%	5	5	49.8%
Supportive Services**	-	-	-	-	-	-
Respite Home	37	260	28.0%	20	44	11.6%
Ancillary Service**	-	-	-	-	-	-
Crisis Stabilization	85	85	4.9%	27	40	49.6%
Unduplicated Total	31	257		42	388	

Service Changes	Central Oahu Family Guidance Center			All Other Family Guidance Centers		
	Monthly Average	Total N	Total per Youth	Monthly Average	Total N	Total per Youth
Placement Changes	6	71	0.2	39	470	0.3
Out-of-Home Changes	0	4	0.0	3	41	0.0
Provider Agency Changes	15	185	0.6	91	1,089	0.6
Care Coordinator Changes	3	37	0.1	70	844	0.5

*These services either were not procured or had no data available in FY 2013.

**Duration not available for these services.

**Summary of Youth by Central Oahu Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

	Central Oahu Family Guidance Center		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	120 (2.2)	86 (2.2)	80 (2.4)
Moods: Self-Harm	9 (0.7)	3 (0.4)	2 (0.4)
Moods: Emotions	21 (0.4)	15 (0.4)	14 (0.5)
Home Role Performance	26 (0.4)	19 (0.6)	18 (0.7)
School Role Performance	26 (0.4)	18 (0.6)	17 (0.7)
Community Role Performance	14 (0.7)	9 (0.6)	9 (0.7)
Behavior Towards Other	22 (0.4)	14 (0.4)	13 (0.5)
Substance Use	11 (0.8)	6 (0.6)	6 (0.7)
Thinking	6 (0.6)	2 (0.3)	1 (0.3)

	Central Oahu Family Guidance Center		
Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	20 (0.2)	18 (0.2)	17 (0.2)
Level of Care	4 (0.1)	3 (0.1)	3 (0.1)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Functional Assessment Scale (CAFAS)			
Total (8-scale)	39 (230)	61% (218)	44% (218)
Moods: Self-Harm	7 (230)	84% (79)	99% (79)
Moods: Emotions	6 (230)	51% (203)	98% (203)
Home Role Performance	8 (230)	54% (209)	65% (209)
School Role Performance	10 (230)	56% (216)	64% (216)
Community Role Performance	6 (230)	48% (128)	91% (128)
Behavior Towards Other	8 (230)	62% (199)	97% (199)
Substance Use	5 (230)	60% (97)	81% (97)
Thinking	4 (230)	84% (38)	97% (38)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Level of Care Utilization System (CALOCUS)			
Total	3 (228)	44% (210)	46% (210)
Level of Care	1 (228)	54% (211)	66% (211)

	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Sentinel Event Reports			
Total	1,139	28	31.4%
Child Events	1,301	32	29.1%
Person-Directed	304	8	12.8%
Property-Directed	162	4	9.1%
Runaway or Elopement	328	8	11.8%
Self-Injury	267	7	10.1%
Substance Use	81	2	3.7%
Other	125	3	8.4%
Institutional Events	791	20	21.3%
Person-Directed (Client Victim)	71	2	6.1%
Seclusion or Restraint	88	2	4.1%
Medication Error	3	0	0.3%
Police Called	220	5	10.8%
Criminal Charges or Arrest	142	4	7.1%
Client Injury	34	1	3.4%
Staff Injury	10	0	0.7%
Other	196	5	12.2%

	All Other Family Guidance Centers		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	118 (1.0)	90 (0.9)	87 (1.1)
Moods: Self-Harm	9 (0.3)	3 (0.2)	3 (0.2)
Moods: Emotions	21 (0.2)	16 (0.2)	15 (0.2)
Home Role Performance	25 (0.2)	19 (0.2)	18 (0.3)
School Role Performance	26 (0.2)	19 (0.3)	18 (0.3)
Community Role Performance	14 (0.3)	9 (0.3)	9 (0.3)
Behavior Towards Other	21 (0.2)	16 (0.2)	16 (0.2)
Substance Use	10 (0.3)	5 (0.2)	5 (0.3)
Thinking	6 (0.3)	3 (0.2)	3 (0.2)

	All Other Family Guidance Centers		
Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	21 (0.1)	18 (0.1)	18 (0.1)
Level of Care	4 (0.0)	3 (0.0)	3 (0.0)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Functional Assessment Scale (CAFAS)			
Total (8-scale)	32 (1191)	51% (1131)	32% (1131)
Moods: Self-Harm	7 (1191)	78% (406)	96% (406)
Moods: Emotions	5 (1191)	46% (1052)	94% (1052)
Home Role Performance	7 (1191)	49% (1067)	65% (1067)
School Role Performance	8 (1190)	47% (1100)	62% (1100)
Community Role Performance	5 (1191)	47% (628)	89% (628)
Behavior Towards Other	5 (1191)	47% (1045)	94% (1045)
Substance Use	5 (1191)	62% (416)	83% (416)
Thinking	4 (1191)	74% (243)	97% (243)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Level of Care Utilization System (CALOCUS)			
Total	3 (1056)	46% (986)	41% (986)
Level of Care	1 (1056)	55% (990)	67% (990)

	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Sentinel Event Reports			
Total	816	124	22.2%
Child Events	875	133	20.6%
Person-Directed	162	25	8.7%
Property-Directed	84	13	5.8%
Runaway or Elopement	233	35	9.7%
Self-Injury	157	24	6.9%
Substance Use	99	15	5.3%
Other	105	16	6.2%
Institutional Events	504	77	14.3%
Person-Directed (Client Victim)	42	6	3.3%
Seclusion or Restraint	55	8	2.5%
Medication Error	10	2	0.7%
Police Called	143	22	7.7%
Criminal Charges or Arrest	93	14	5.3%
Client Injury	41	6	3.5%
Staff Injury	9	1	0.6%
Other	100	15	6.0%

*Indicates average change from highest CAFAS or CALOCUS score to most recent.
(A positive number reflects improvement.)

**Summary of Youth by Central Oahu Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Central Oahu Family Guidance Center			
Service Setting	Any Use N	Any Use % Avail	Dosage % of Months
Clinic	57	27.4%	41.9%
Community	159	76.4%	68.5%
Home	195	93.8%	87.4%
Out-of-Home	67	32.2%	49.8%
Phone*	20	9.6%	62.2%
School	124	59.6%	55.0%
Unclear*	6	2.9%	10.0%
Not Available	88	29.7%	

Service Format	Any Use N	Any Use % Avail	Dosage % of Months
Family	167	80.3%	72.4%
Group	53	25.5%	45.7%
Individual	180	86.5%	88.5%
Parent	165	79.3%	71.0%
Phone*	7	3.4%	69.3%
Professional Consult*	31	14.9%	31.6%
Teacher	78	37.5%	49.2%
Unclear*	29	13.9%	44.6%
Not Available	88	29.7%	

Discharge Living Situation	Youth N	% Youth Discharged	% Discharges
Foster Home	13	10.7%	6.3%
Group Care	1	0.8%	0.5%
Home	89	73.0%	43.4%
Homeless/Shelter	4	3.3%	2.0%
Institution/Hospital	4	3.3%	2.0%
Jail/Correctional Facility	5	4.1%	2.4%
Other	20	16.4%	9.8%
Residential Treatment	15	12.3%	7.3%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	122		
Number of Discharges	205		

Reason for Discharge	Youth N	% Youth Discharged	% Discharges
Eligibility Change	4	3.3%	2.0%
Family Relocation	5	4.1%	2.4%
Insufficient Progress	6	4.9%	2.9%
Other	40	32.8%	19.5%
Runaway/Elopement	12	9.8%	5.9%
Refuse/Withdraw	16	13.1%	7.8%
Success/Goals Met	74	60.7%	36.1%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	122		
Number of Discharges	205		

All Other Family Guidance Centers		
Any Use N	Any Use % Avail	Dosage % of Months
504	48.8%	58.8%
778	75.4%	74.0%
891	86.3%	83.2%
429	41.6%	63.1%
119	11.5%	58.7%
603	58.4%	56.0%
42	4.1%	30.2%
791	43.4%	

Any Use N	Any Use % Avail	Dosage % of Months
800	77.5%	72.4%
311	30.1%	49.5%
878	85.1%	87.7%
789	76.5%	76.0%
28	2.7%	37.0%
272	26.4%	43.9%
388	37.6%	46.6%
147	14.2%	49.6%
791	43.4%	

Youth N	% Youth Discharged	% Discharges
87	14.0%	9.6%
7	1.1%	0.8%
434	69.7%	48.0%
14	2.2%	1.5%
19	3.0%	2.1%
48	7.7%	5.3%
106	17.0%	11.7%
38	6.1%	4.2%
0	0.0%	0.0%
623		
904		

Youth N	% Youth Discharged	% Discharges
13	2.1%	1.4%
17	2.7%	1.9%
63	10.1%	7.0%
191	30.7%	21.1%
86	13.8%	9.5%
61	9.8%	6.7%
367	58.9%	40.6%
0	0.0%	0.0%
623		
904		

*Indicates written response to an open-ended question.

**Summary of Youth by Central Oahu Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Treatment Target	Central Oahu Family Guidance Center			All Other Family Guidance Centers		
	Any Use N	Any Use % Avail	Dosage % of Months	Any Use N	Any Use % Avail	Dosage % of Months
Academic Achievement	57	27.4%	35.5%	391	37.9%	40.9%
Activity Involvement	110	52.9%	57.5%	556	53.9%	55.5%
Adaptive Behavior/Living Skills	19	9.1%	36.3%	140	13.6%	38.3%
Adjustment to Change	55	26.4%	38.3%	293	28.4%	38.3%
Adult Intercoordination	2	1.0%	29.5%	11	1.1%	20.6%
Aggression	95	45.7%	55.5%	434	42.1%	54.3%
Anger	113	54.3%	57.5%	503	48.7%	54.9%
Anxiety	68	32.7%	46.5%	386	37.4%	50.9%
Assertiveness	35	16.8%	52.3%	186	18.0%	35.1%
Attention Problems	44	21.2%	46.3%	175	17.0%	33.4%
Avoidance	49	23.6%	38.9%	240	23.3%	41.9%
Caregiver Self-Management/Coping	1	0.5%	20.0%	5	0.5%	22.5%
Cognitive-Intellectual Functioning	11	5.3%	49.5%	86	8.3%	37.2%
Community Involvement	25	12.0%	27.9%	203	19.7%	32.9%
Compulsive Behavior	0	0.0%	0.0%	3	0.3%	22.2%
Contentment/Enjoyment/Happiness	35	16.8%	44.0%	216	20.9%	40.0%
Depressed Mood	66	31.7%	48.6%	331	32.1%	49.7%
Eating/Feeding Problems	3	1.4%	21.7%	33	3.2%	33.2%
Empathy	22	10.6%	46.2%	127	12.3%	42.2%
Enuresis/Encopresis	4	1.9%	37.7%	37	3.6%	52.1%
Fire Setting	0	0.0%	0.0%	6	0.6%	39.0%
Fitness/Exercise	0	0.0%	0.0%	1	0.1%	20.0%
Gender Identity Problems	0	0.0%	0.0%	7	0.7%	26.3%
Goal Setting	1	0.5%	9.1%	3	0.3%	13.9%
Grief	12	5.8%	34.7%	59	5.7%	38.9%
Health Management	11	5.3%	29.8%	81	7.8%	31.8%
Housing/Living Situation	38	18.3%	33.7%	168	16.3%	32.4%
Hyperactivity	19	9.1%	46.5%	84	8.1%	37.6%
Information Gathering	3	1.4%	47.2%	8	0.8%	27.4%
Learning Disorder/Underachievement	5	2.4%	11.2%	33	3.2%	28.0%
Low Self-Esteem	64	30.8%	41.2%	249	24.1%	42.3%
Mania	2	1.0%	32.4%	9	0.9%	26.6%
Medical Regimen Adherence	28	13.5%	38.7%	100	9.7%	38.1%
Occupational Functioning/Stress	4	1.9%	26.5%	46	4.5%	29.6%
Oppositional/Non-Compliant Behavior	131	63.0%	60.0%	666	64.5%	65.3%
Pain Management	0	0.0%	0.0%	0	0.0%	0.0%
Parenting Skills	4	1.9%	16.1%	15	1.5%	36.7%
Peer Involvement	28	13.5%	22.3%	174	16.9%	35.9%
Peer/Sibling Conflict	57	27.4%	49.0%	256	24.8%	43.3%
Personal Hygiene	4	1.9%	18.7%	42	4.1%	30.2%
Phobia/Fears	70	33.7%	37.5%	347	33.6%	44.9%
Positive Family Functioning	14	6.7%	36.7%	72	7.0%	41.6%
Positive Peer Interaction	156	75.0%	67.0%	809	78.4%	67.5%
Positive Thinking/Attitude	49	23.6%	41.8%	327	31.7%	40.9%
Pregnancy Education/Adjustment	2	1.0%	18.8%	22	2.1%	43.2%
Psychosis	6	2.9%	63.9%	32	3.1%	49.3%
Runaway	35	16.8%	43.7%	196	19.0%	46.7%
Safe Environment	3	1.4%	40.0%	8	0.8%	24.5%
School Involvement	42	20.2%	31.9%	242	23.4%	37.9%
School Refusal/Truancy	45	21.6%	41.6%	182	17.6%	42.7%
Self-Control	31	14.9%	37.2%	128	12.4%	46.7%
Self-Injurious Behavior	51	24.5%	41.6%	264	25.6%	41.4%
Sexual Orientation	0	0.0%	0.0%	0	0.0%	0.0%
Sexual Misconduct	15	7.2%	46.0%	54	5.2%	53.3%
Shyness	4	1.9%	21.7%	21	2.0%	28.5%
Sleep Disturbance	4	1.9%	74.0%	20	1.9%	28.4%
Social Skills	49	23.6%	45.2%	314	30.4%	46.1%
Speech and Language	0	0.0%	0.0%	8	0.8%	25.6%
Substance Use	64	30.8%	67.6%	282	27.3%	64.0%
Suicidality	13	6.3%	34.0%	77	7.5%	36.9%
Traumatic Stress	25	12.0%	33.4%	165	16.0%	45.8%
Treatment Engagement	145	69.7%	52.0%	536	51.9%	52.9%
Treatment Planning/Framing	4	1.9%	19.0%	63	6.1%	47.1%
Willful Misconduct/Delinquency	37	17.8%	33.2%	197	19.1%	47.8%
Other	1	0.5%	8.3%	13	1.3%	16.2%
Unclear	18	8.7%	22.0%	83	8.0%	31.1%
Not Available	88	29.7%		791	43.4%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Central Oahu Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Central Oahu Family Guidance Center			All Other Family Guidance Centers		
	Any Use	Any Use	Dosage	Any Use	Any Use	Dosage
Practice Elements	N	% Avail	% of Months	N	% Avail	% of Months
Activity Scheduling	111	53.4%	51.5%	627	60.8%	57.9%
Anger Management	0	0.0%	0.0%	4	0.4%	16.8%
Animal or Plant Assisted Activities	0	0.0%	0.0%	0	0.0%	0.0%
Arousal Reconditioning	0	0.0%	0.0%	0	0.0%	0.0%
Art/Music Therapy	0	0.0%	0.0%	2	0.2%	22.2%
Assertiveness Training	71	34.1%	46.2%	338	32.8%	45.9%
Assessment	0	0.0%	0.0%	41	4.0%	67.7%
Attending	53	25.5%	43.7%	308	29.8%	45.2%
Behavior Management	2	1.0%	12.5%	3	0.3%	17.2%
Behavioral Contracting	111	53.4%	49.4%	602	58.3%	56.9%
Biofeedback/Neurofeedback	2	1.0%	29.5%	17	1.6%	29.4%
Care Coordination	123	59.1%	63.4%	644	62.4%	65.7%
Catharsis	6	2.9%	25.2%	68	6.6%	40.5%
Cognitive/Coping	109	52.4%	59.7%	633	61.3%	64.8%
Commands/Limit Setting	24	11.5%	27.3%	166	16.1%	41.8%
Communication Skills	152	73.1%	65.2%	809	78.4%	68.3%
Counseling	0	0.0%	0.0%	1	0.1%	27.3%
Crisis Management	91	43.8%	44.7%	452	43.8%	46.4%
Cultural Training	21	10.1%	32.7%	124	12.0%	42.9%
Discrete Trial Training	2	1.0%	8.3%	13	1.3%	21.3%
Educational Support	117	56.3%	54.6%	554	53.7%	55.5%
Emotional Processing	145	69.7%	60.0%	655	63.5%	63.5%
Exposure	46	22.1%	38.3%	207	20.1%	41.0%
Eye Movement/Body Tapping	4	1.9%	13.9%	14	1.4%	19.2%
Family Engagement	170	81.7%	57.6%	761	73.7%	65.7%
Family Therapy	155	74.5%	54.2%	710	68.8%	61.7%
Family Visit	0	0.0%	0.0%	0	0.0%	0.0%
Free Association	10	4.8%	17.7%	68	6.6%	39.0%
Functional Analysis	17	8.2%	56.7%	189	18.3%	48.5%
Goal Setting	142	68.3%	61.6%	740	71.7%	64.1%
Guided Imagery	41	19.7%	41.4%	169	16.4%	35.6%
Ho'Oponopono	0	0.0%	0.0%	0	0.0%	0.0%
Hypnosis	3	1.4%	20.8%	20	1.9%	26.6%
Ignoring or DRO	62	29.8%	48.0%	364	35.3%	46.7%
Individual Therapy for Caregiver	68	32.7%	38.7%	296	28.7%	42.3%
Informal Supports	0	0.0%	0.0%	6	0.6%	26.8%
Insight Building	139	66.8%	56.4%	646	62.6%	61.4%
Interpretation	24	11.5%	32.6%	192	18.6%	36.7%
Juvenile Sex Offender Treatment	6	2.9%	62.8%	17	1.6%	74.3%
Legal Assistance/Involvement	0	0.0%	0.0%	0	0.0%	0.0%
Line of Sight Supervision	71	34.1%	45.1%	334	32.4%	47.0%
Maintenance/Relapse Prevention	52	25.0%	47.0%	297	28.8%	43.3%
Marital Therapy	11	5.3%	22.6%	57	5.5%	31.0%
Medication/Pharmacotherapy	68	32.7%	53.2%	295	28.6%	51.9%
Mentoring	85	40.9%	45.9%	398	38.6%	50.3%
Milieu Therapy	47	22.6%	48.2%	260	25.2%	50.7%
Mindfulness	82	39.4%	52.4%	424	41.1%	48.2%
Modeling	131	63.0%	54.2%	654	63.4%	57.8%
Motivational Interviewing	111	53.4%	61.3%	523	50.7%	53.7%
Natural and Logical Consequences	155	74.5%	62.3%	693	67.2%	61.7%
Parent Coping	150	72.1%	56.4%	635	61.5%	58.3%
Parent or Teacher Monitoring	104	50.0%	50.6%	492	47.7%	51.6%
Parent Praise	108	51.9%	50.7%	507	49.1%	52.0%
Parenting	7	3.4%	29.8%	8	0.8%	13.3%
Peer Modeling/Pairing	30	14.4%	27.3%	182	17.6%	33.3%
Personal Safety Skills	101	48.6%	56.1%	467	45.3%	49.9%
Physical Exercise	0	0.0%	0.0%	0	0.0%	0.0%
Play Therapy	40	19.2%	49.9%	163	15.8%	47.8%
Problem Solving	169	81.3%	65.2%	781	75.7%	65.8%
Psychoeducation-Child	151	72.6%	58.3%	631	61.1%	60.3%
Psychoeducation-Parent	170	81.7%	62.2%	676	65.5%	62.3%
Relationship/Rapport Building	177	85.1%	58.4%	755	73.2%	61.2%
Relaxation	105	50.5%	47.6%	510	49.4%	50.6%
Response Cost	40	19.2%	25.6%	191	18.5%	45.9%
Response Prevention	50	24.0%	31.8%	219	21.2%	43.8%
Self-Monitoring	88	42.3%	52.5%	460	44.6%	49.0%
Self-Reward/Self-Praise	71	34.1%	47.3%	363	35.2%	49.9%
Skill Building	156	75.0%	55.7%	723	70.1%	62.4%
Social Skills Training	99	47.6%	48.9%	562	54.5%	54.9%
Stimulus Control/Antecedent Man.	44	21.2%	35.7%	246	23.8%	44.6%
Supportive Listening	174	83.7%	72.0%	820	79.5%	71.0%
Tangible Rewards	111	53.4%	43.6%	484	46.9%	53.9%
Therapist Praise/Rewards	153	73.6%	60.0%	657	63.7%	62.6%
Thought Field Therapy	6	2.9%	10.5%	26	2.5%	22.1%
Time Out	61	29.3%	44.6%	284	27.5%	45.3%
Twelve-step Programming	24	11.5%	46.5%	120	11.6%	50.5%
Other	7	3.4%	26.1%	28	2.7%	28.5%
Unclear	29	13.9%	32.2%	125	12.1%	40.4%
Not Available	88	29.7%		791	43.4%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.


**Summary of Youth by Honolulu Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Honolulu Family Guidance Center

	N	%
Total Registered Youth	251	11.8%
with Services Procured	164	65.3%
Youth with New Admissions	120	47.8%
with Initial Admissions	100	39.8%
with Repeat Admissions	20	8.0%
Youth with Discharges	98	39.0%

	N	% of Available
Gender		
Females	98	39%
Males	153	61%

	Mean	SD
Age in Years	14.1	3.3



Primary Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	15	6.8%
Anxiety	27	12.3%
Attention	44	20.0%
Disruptive Behavior	69	31.4%
Mental Retardation	0	0.0%
Miscellaneous	6	2.7%
Mood	40	18.2%
Pervasive Developmental	4	1.8%
Psychotic Spectrum	6	2.7%
Substance-Related	9	4.1%
Not Available (% Total)	31	12.4%


Any Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	26	11.8%
Anxiety	56	25.5%
Attention	82	37.3%
Disruptive Behavior	117	53.2%
Mental Retardation	5	2.3%
Miscellaneous	49	22.3%
Mood	68	30.9%
Pervasive Developmental	6	2.7%
Psychotic Spectrum	9	4.1%
Substance-Related	51	23.2%
Multiple Diagnoses	177	80.5%
Avg. Number of Diagnoses	2.0	

All Other Family Guidance Centers

	N	%
Total Registered Youth	1,868	88.2%
with Services Procured	1,149	61.5%
Youth with New Admissions	849	45.4%
with Initial Admissions	590	31.6%
with Repeat Admissions	259	13.9%
Youth with Discharges	758	40.6%

	N	% of Available
Gender		
Females	700	37%
Males	1,168	63%

	Mean	SD
Age in Years	14.0	3.8



Primary Diagnosis of	N	% Avail
None Recorded	6	0.4%
Adjustment	114	7.4%
Anxiety	158	10.2%
Attention	303	19.6%
Disruptive Behavior	501	32.4%
Mental Retardation	0	0.0%
Miscellaneous	68	4.4%
Mood	291	18.8%
Pervasive Developmental	21	1.4%
Psychotic Spectrum	32	2.1%
Substance-Related	53	3.4%
Not Available (% Total)	321	17.2%

Any Diagnosis of	N	% Avail
None Recorded	4	0.3%
Adjustment	179	11.5%
Anxiety	354	22.8%
Attention	547	35.2%
Disruptive Behavior	821	52.9%
Mental Retardation	29	1.9%
Miscellaneous	417	26.9%
Mood	456	29.4%
Pervasive Developmental	30	1.9%
Psychotic Spectrum	37	2.4%
Substance-Related	305	19.7%
Multiple Diagnoses	1,142	73.6%
Avg. Number of Diagnoses	1.8	

**Summary of Youth by Honolulu Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Honolulu Family Guidance Center		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	165	82.9%
Hispanic or Latino/a	34	17.1%
Not Available (% Total)	52	20.7%

Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	1	0.5%
Asian	34	15.5%
Black or African-American	6	2.7%
Native Hawaiian or Pacific Islander	64	29.2%
White	21	9.6%
Other Race	1	0.5%
Multiracial	92	42.0%
Based on Observation	23	10.5%
Not Available (% Total)	32	12.7%

Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	14	7.1%
Alaska Native	0	0.0%
American Indian	14	7.1%
Asian	98	49.5%
Asian Indian	2	1.0%
Chinese	46	23.2%
Filipino	37	18.7%
Japanese	38	19.2%
Korean	8	4.0%
Vietnamese	7	3.5%
Other Asian	6	3.0%
Black or African-American	18	9.1%
Hispanic or Latina/o	34	17.2%
Cuban	1	0.5%
Mexican	6	3.0%
Puerto Rican	9	4.5%
Other Hispanic	19	9.6%
Native Hawaiian or Pacific Islander	107	54.0%
Guamanian or Chamorro	2	1.0%
Micronesian	37	18.7%
Native Hawaiian	57	28.8%
Samoan	15	7.6%
Other Pacific Islander	6	3.0%
White	83	41.9%
White or Caucasian	74	37.4%
Portuguese	22	11.1%
Other Race or Ethnicity	4	2.0%
Multiethnic	98	49.5%
Not Available (% Total)	53	21.1%

All Other Family Guidance Centers		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	735	69.4%
Hispanic or Latino/a	324	30.6%
Not Available (% Total)	809	43.3%

Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	6	0.5%
Asian	88	6.7%
Black or African-American	16	1.2%
Native Hawaiian or Pacific Islander	144	11.0%
White	191	14.6%
Other Race	7	0.5%
Multiracial	852	65.3%
Based on Observation	70	5.4%
Not Available (% Total)	564	30.2%

Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	116	11.0%
Alaska Native	0	0.0%
American Indian	116	11.0%
Asian	593	56.4%
Asian Indian	3	0.3%
Chinese	266	25.3%
Filipino	362	34.4%
Japanese	177	16.8%
Korean	37	3.5%
Vietnamese	2	0.2%
Other Asian	14	1.3%
Black or African-American	65	6.2%
Hispanic or Latina/o	316	30.0%
Cuban	5	0.5%
Mexican	59	5.6%
Puerto Rican	180	17.1%
Other Hispanic	117	11.1%
Native Hawaiian or Pacific Islander	652	62.0%
Guamanian or Chamorro	10	1.0%
Micronesian	21	2.0%
Native Hawaiian	584	55.5%
Samoan	67	6.4%
Other Pacific Islander	44	4.2%
White	704	66.9%
White or Caucasian	547	52.0%
Portuguese	286	27.2%
Other Race or Ethnicity	48	4.6%
Multiethnic	781	74.2%
Not Available (% Total)	816	43.7%

**Summary of Youth by Honolulu Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Honolulu Family Guidance Center		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	0	0.0%
Leeward Oahu	0	0.0%
Honolulu Oahu	251	100.0%
Hawaii (Big Island)	0	0.0%
Maui	0	0.0%
Kauai	0	0.0%
Family Court Liaison Branch	0	0.0%

All Other Family Guidance Centers		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	296	15.8%
Leeward Oahu	303	16.2%
Honolulu Oahu	0	0.0%
Hawaii (Big Island)	770	41.2%
Maui	225	12.0%
Kauai	186	10.0%
Family Court Liaison Branch	88	4.7%

*Central Oahu FGC now includes both Central and Windward Oahu offices.

Summary of Youth by Honolulu Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Services Procured	Honolulu Family Guidance Center			All Other Family Guidance Centers		
	Monthly Average	Total N	% of Procured	Monthly Average	Total N	% of Procured
Out-of-Home	17	36	22.0%	166	356	31.0%
Out-of-State	0	0	0.0%	5	5	0.4%
Hospital Residential	1	5	3.0%	16	72	6.3%
Community High Risk	1	4	2.4%	6	10	0.9%
Community Residential	7	19	11.6%	47	136	11.8%
Therapeutic Foster Home	7	13	7.9%	96	186	16.2%
<i>Multidimensional Treatment Foster Care</i>	0	0	0.0%	5	12	1.0%
<i>Transitional Family Home</i>	7	13	7.9%	91	179	15.6%
Intensive Home & Community	70	144	87.8%	405	842	73.3%
Partial Hospitalization	2	6	3.7%	4	17	1.5%
Multisystemic Therapy	12	36	22.0%	56	177	15.4%
Intensive In-Home	58	113	68.9%	349	699	60.8%
Outpatient	8	24	14.6%	51	284	24.7%
Treatment	8	20	12.2%	36	113	9.8%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	5	15	9.1%	28	86	7.5%
<i>Outpatient Therapy</i>	2	5	3.0%	8	27	2.3%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	0	4	2.4%	16	177	15.4%
Supportive Services	5	25	15.2%	38	163	14.2%
Respite Home	1	6	3.7%	5	24	2.1%
Ancillary Service	4	20	12.2%	33	142	12.4%
Crisis Stabilization	0	0	0.0%	5	46	4.0%
Unduplicated Total (% of Registered)	93	164	65%	599	1,149	62%

*These services either were not procured or had no data available in FY 2013.

Summary of Youth by Honolulu Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Total Hours Procured	Honolulu Family Guidance Center			All Other Family Guidance Centers		
	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth
Out-of-Home	148	951	85.9%	152	968	89.1%
Out-of-State	0	0	0.0%	195	2,120	95.1%
Hospital Residential	125	355	60.3%	120	359	58.6%
Community High Risk	164	559	66.1%	179	1,260	90.0%
Community Residential	140	760	73.6%	137	656	78.2%
Therapeutic Foster Home	166	1,215	86.9%	165	1,110	83.4%
<i>Multidimensional Treatment Foster Care</i>	0	0	0.0%	173	913	76.5%
<i>Transitional Family Home</i>	166	1,215	86.9%	164	1,092	81.5%
Intensive Home & Community	18	110	83.9%	18	97	77.6%
Partial Hospitalization	3	10	20.1%	3	7	2.4%
Multisystemic Therapy	33	128	83.6%	41	136	79.3%
Intensive In-Home	14	99	79.2%	12	82	73.3%
Outpatient	4	18	35.5%	4	9	51.5%
Treatment	4	21	27.6%	4	14	52.2%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	3	14	25.9%	3	13	55.4%
<i>Outpatient Therapy</i>	8	41	32.6%	4	17	42.1%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	3	3	75.1%	5	5	49.2%
Supportive Services**	-	-	-	-	-	-
Respite Home	12	26	11.6%	22	57	12.3%
Ancillary Service**	-	-	-	-	-	-
Crisis Stabilization	0	0	0.0%	29	41	48.6%
Unduplicated Total	34	309		41	376	

Service Changes	Honolulu Family Guidance Center			All Other Family Guidance Centers		
	Monthly Average	Total N	Total per Youth	Monthly Average	Total N	Total per Youth
Placement Changes	4	49	0.2	41	492	0.3
Out-of-Home Changes	0	3	0.0	4	42	0.0
Provider Agency Changes	12	142	0.6	94	1,132	0.6
Care Coordinator Changes	2	24	0.1	71	857	0.5

*These services either were not procured or had no data available in FY 2013.

**Duration not available for these services.

**Summary of Youth by Honolulu Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

	Honolulu Family Guidance Center		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	121 (2.6)	93 (2.5)	90 (2.8)
Moods: Self-Harm	8 (0.8)	3 (0.5)	3 (0.4)
Moods: Emotions	21 (0.5)	15 (0.5)	14 (0.6)
Home Role Performance	25 (0.5)	19 (0.6)	19 (0.6)
School Role Performance	27 (0.5)	20 (0.6)	19 (0.7)
Community Role Performance	14 (0.8)	9 (0.7)	9 (0.7)
Behavior Towards Other	22 (0.5)	17 (0.4)	16 (0.5)
Substance Use	10 (0.9)	6 (0.6)	6 (0.7)
Thinking	8 (0.7)	5 (0.5)	4 (0.5)

	Honolulu Family Guidance Center		
Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	21 (0.3)	18 (0.2)	18 (0.3)
Level of Care	4 (0.1)	3 (0.1)	3 (0.1)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Functional Assessment Scale (CAFAS)			
Total (8-scale)	31 (185)	53% (175)	31% (175)
Moods: Self-Harm	5 (185)	82% (51)	96% (51)
Moods: Emotions	6 (185)	52% (157)	93% (157)
Home Role Performance	6 (185)	52% (166)	69% (166)
School Role Performance	7 (185)	49% (174)	64% (174)
Community Role Performance	5 (185)	49% (95)	93% (95)
Behavior Towards Other	5 (185)	48% (163)	91% (163)
Substance Use	5 (185)	70% (70)	86% (70)
Thinking	4 (185)	68% (50)	96% (50)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Level of Care Utilization System (CALOCUS)			
Total	3 (167)	50% (159)	50% (159)
Level of Care	1 (167)	58% (159)	71% (159)

	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Sentinel Event Reports			
Total	1,068	22	27.1%
Child Events	1,231	26	26.7%
Person-Directed	231	5	12.0%
Property-Directed	155	3	9.2%
Runaway or Elopement	371	8	12.0%
Self-Injury	183	4	8.4%
Substance Use	88	2	6.0%
Other	139	3	8.8%
Institutional Events	681	14	18.3%
Person-Directed (Client Victim)	44	1	4.0%
Seclusion or Restraint	44	1	2.4%
Medication Error	8	0	0.8%
Police Called	247	5	13.5%
Criminal Charges or Arrest	199	4	10.4%
Client Injury	20	0	2.0%
Staff Injury	8	0	0.8%
Other	112	2	8.0%

	All Other Family Guidance Centers		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	118 (1.0)	89 (0.9)	85 (1.0)
Moods: Self-Harm	10 (0.3)	3 (0.2)	3 (0.2)
Moods: Emotions	21 (0.2)	16 (0.2)	15 (0.2)
Home Role Performance	26 (0.2)	19 (0.2)	18 (0.3)
School Role Performance	26 (0.2)	19 (0.3)	18 (0.3)
Community Role Performance	14 (0.3)	9 (0.3)	9 (0.3)
Behavior Towards Other	21 (0.2)	16 (0.2)	15 (0.2)
Substance Use	10 (0.3)	5 (0.2)	5 (0.3)
Thinking	6 (0.2)	2 (0.1)	2 (0.2)

	All Other Family Guidance Centers		
Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	21 (0.1)	18 (0.1)	18 (0.1)
Level of Care	4 (0.0)	3 (0.0)	3 (0.0)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Functional Assessment Scale (CAFAS)			
Total (8-scale)	33 (1236)	53% (1174)	34% (1174)
Moods: Self-Harm	7 (1236)	78% (434)	96% (434)
Moods: Emotions	5 (1236)	46% (1098)	95% (1098)
Home Role Performance	7 (1236)	50% (1110)	64% (1110)
School Role Performance	8 (1235)	48% (1142)	62% (1142)
Community Role Performance	5 (1236)	47% (661)	89% (661)
Behavior Towards Other	6 (1236)	49% (1081)	95% (1081)
Substance Use	5 (1236)	60% (443)	83% (443)
Thinking	4 (1236)	77% (231)	97% (231)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Level of Care Utilization System (CALOCUS)			
Total	3 (1117)	45% (1037)	41% (1037)
Level of Care	1 (1117)	54% (1042)	66% (1042)

	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Sentinel Event Reports			
Total	834	130	23.0%
Child Events	895	139	21.1%
Person-Directed	176	27	8.9%
Property-Directed	87	14	5.9%
Runaway or Elopement	229	36	9.7%
Self-Injury	171	27	7.2%
Substance Use	97	15	5.0%
Other	104	16	6.2%
Institutional Events	525	82	14.9%
Person-Directed (Client Victim)	47	7	3.6%
Seclusion or Restraint	62	10	2.8%
Medication Error	10	2	0.6%
Police Called	141	22	7.4%
Criminal Charges or Arrest	87	14	4.9%
Client Injury	43	7	3.7%
Staff Injury	9	1	0.6%
Other	113	18	6.7%

*Indicates average change from highest CAFAS or CALOCUS score to most recent.
(A positive number reflects improvement.)

Summary of Youth by Honolulu Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Honolulu Family Guidance Center			
Service Setting	Any Use N	Any Use % Avail	Dosage % of Months
Clinic	56	34.8%	57.8%
Community	127	78.9%	79.6%
Home	147	91.3%	84.1%
Out-of-Home	59	36.6%	51.3%
Phone*	16	9.9%	39.6%
School	107	66.5%	63.4%
Unclear*	9	5.6%	23.0%
Not Available	90	35.9%	

Service Format	Any Use N	Any Use % Avail	Dosage % of Months
Family	128	79.5%	68.5%
Group	45	28.0%	44.8%
Individual	142	88.2%	85.4%
Parent	133	82.6%	82.0%
Phone*	10	6.2%	38.4%
Professional Consult*	50	31.1%	39.4%
Teacher	63	39.1%	44.7%
Unclear*	21	13.0%	29.3%
Not Available	90	35.9%	

Discharge Living Situation	Youth N	% Youth Discharged	% Discharges
Foster Home	8	8.9%	6.4%
Group Care	0	0.0%	0.0%
Home	73	81.1%	58.4%
Homeless/Shelter	1	1.1%	0.8%
Institution/Hospital	2	2.2%	1.6%
Jail/Correctional Facility	4	4.4%	3.2%
Other	11	12.2%	8.8%
Residential Treatment	8	8.9%	6.4%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	90		
Number of Discharges	125		

Reason for Discharge	Youth N	% Youth Discharged	% Discharges
Eligibility Change	7	7.8%	5.6%
Family Relocation	3	3.3%	2.4%
Insufficient Progress	10	11.1%	8.0%
Other	27	30.0%	21.6%
Runaway/Elopement	9	10.0%	7.2%
Refuse/Withdraw	12	13.3%	9.6%
Success/Goals Met	51	56.7%	40.8%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	90		
Number of Discharges	125		

All Other Family Guidance Centers		
Any Use N	Any Use % Avail	Dosage % of Months
505	46.8%	57.0%
810	75.1%	72.1%
939	87.0%	83.9%
437	40.5%	62.7%
123	11.4%	61.8%
620	57.5%	54.5%
39	3.6%	28.7%
789	42.2%	

Any Use N	Any Use % Avail	Dosage % of Months
839	77.8%	73.0%
319	29.6%	49.5%
916	84.9%	88.2%
821	76.1%	74.0%
25	2.3%	45.5%
253	23.4%	43.2%
403	37.3%	47.4%
155	14.4%	51.4%
789	42.2%	

Youth N	% Youth Discharged	% Discharges
92	14.0%	9.3%
8	1.2%	0.8%
450	68.7%	45.7%
17	2.6%	1.7%
21	3.2%	2.1%
49	7.5%	5.0%
115	17.6%	11.7%
45	6.9%	4.6%
0	0.0%	0.0%
655		
984		

Youth N	% Youth Discharged	% Discharges
10	1.5%	1.0%
19	2.9%	1.9%
59	9.0%	6.0%
204	31.1%	20.7%
89	13.6%	9.0%
65	9.9%	6.6%
390	59.5%	39.6%
0	0.0%	0.0%
655		
984		

*Indicates written response to an open-ended question.

Summary of Youth by Honolulu Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Treatment Target	Honolulu Family Guidance Center			All Other Family Guidance Centers		
	Any Use N	Any Use % Avail	Dosage % of Months	Any Use N	Any Use % Avail	Dosage % of Months
Academic Achievement	73	45.3%	42.4%	375	34.8%	39.8%
Activity Involvement	97	60.2%	57.4%	569	52.7%	55.6%
Adaptive Behavior/Living Skills	25	15.5%	38.9%	134	12.4%	37.9%
Adjustment to Change	34	21.1%	44.2%	314	29.1%	37.7%
Adult Intercoordination	2	1.2%	33.3%	11	1.0%	19.9%
Aggression	77	47.8%	53.3%	452	41.9%	54.7%
Anger	74	46.0%	51.5%	542	50.2%	55.9%
Anxiety	59	36.6%	50.9%	395	36.6%	50.1%
Assertiveness	37	23.0%	36.2%	184	17.1%	38.1%
Attention Problems	33	20.5%	36.9%	186	17.2%	35.8%
Avoidance	44	27.3%	51.0%	245	22.7%	39.6%
Caregiver Self-Management/Coping	0	0.0%	0.0%	6	0.6%	22.1%
Cognitive-Intellectual Functioning	14	8.7%	50.5%	83	7.7%	36.6%
Community Involvement	32	19.9%	32.9%	196	18.2%	32.2%
Compulsive Behavior	1	0.6%	8.3%	2	0.2%	29.2%
Contentment/Enjoyment/Happiness	25	15.5%	42.3%	226	20.9%	40.4%
Depressed Mood	52	32.3%	48.4%	345	32.0%	49.7%
Eating/Feeding Problems	4	2.5%	36.1%	32	3.0%	31.8%
Empathy	23	14.3%	54.3%	126	11.7%	40.7%
Enuresis/Encopresis	6	3.7%	40.9%	35	3.2%	52.4%
Fire Setting	1	0.6%	100.0%	5	0.5%	26.9%
Fitness/Exercise	0	0.0%	0.0%	1	0.1%	20.0%
Gender Identity Problems	1	0.6%	11.1%	6	0.6%	28.9%
Goal Setting	1	0.6%	8.3%	3	0.3%	14.1%
Grief	5	3.1%	34.1%	66	6.1%	38.5%
Health Management	20	12.4%	37.3%	72	6.7%	30.0%
Housing/Living Situation	19	11.8%	36.6%	187	17.3%	32.2%
Hyperactivity	17	10.6%	41.0%	86	8.0%	38.9%
Information Gathering	1	0.6%	25.0%	10	0.9%	33.6%
Learning Disorder/Underachievement	2	1.2%	30.3%	36	3.3%	25.5%
Low Self-Esteem	35	21.7%	53.7%	278	25.8%	40.6%
Mania	3	1.9%	24.4%	8	0.7%	28.8%
Medical Regimen Adherence	17	10.6%	45.4%	111	10.3%	37.2%
Occupational Functioning/Stress	10	6.2%	27.4%	40	3.7%	29.8%
Oppositional/Non-Compliant Behavior	112	69.6%	67.9%	685	63.5%	63.9%
Pain Management	0	0.0%	0.0%	0	0.0%	0.0%
Parenting Skills	2	1.2%	25.0%	17	1.6%	33.2%
Peer Involvement	33	20.5%	38.3%	169	15.7%	33.1%
Peer/Sibling Conflict	36	22.4%	44.8%	277	25.7%	44.3%
Personal Hygiene	8	5.0%	35.2%	38	3.5%	28.0%
Phobia/Fears	59	36.6%	39.5%	358	33.2%	44.4%
Positive Family Functioning	13	8.1%	30.7%	73	6.8%	42.6%
Positive Peer Interaction	127	78.9%	67.9%	838	77.7%	67.3%
Positive Thinking/Attitude	53	32.9%	38.6%	323	29.9%	41.4%
Pregnancy Education/Adjustment	3	1.9%	68.4%	21	1.9%	37.3%
Psychosis	8	5.0%	40.4%	30	2.8%	54.6%
Runaway	37	23.0%	46.4%	194	18.0%	46.2%
Safe Environment	1	0.6%	25.0%	10	0.9%	29.1%
School Involvement	41	25.5%	42.8%	243	22.5%	36.0%
School Refusal/Truancy	50	31.1%	53.3%	177	16.4%	39.4%
Self-Control	19	11.8%	39.7%	140	13.0%	45.5%
Self-Injurious Behavior	42	26.1%	38.6%	273	25.3%	41.8%
Sexual Orientation	0	0.0%	0.0%	0	0.0%	0.0%
Sexual Misconduct	8	5.0%	52.1%	61	5.7%	51.7%
Shyness	6	3.7%	27.9%	19	1.8%	27.3%
Sleep Disturbance	5	3.1%	22.2%	19	1.8%	39.6%
Social Skills	55	34.2%	37.2%	308	28.5%	47.6%
Speech and Language	1	0.6%	8.3%	7	0.6%	28.0%
Substance Use	50	31.1%	64.1%	296	27.4%	64.7%
Suicidality	13	8.1%	37.0%	77	7.1%	36.4%
Traumatic Stress	18	11.2%	31.0%	172	15.9%	45.6%
Treatment Engagement	94	58.4%	53.6%	587	54.4%	52.6%
Treatment Planning/Framing	15	9.3%	66.6%	52	4.8%	39.3%
Willful Misconduct/Delinquency	46	28.6%	60.0%	188	17.4%	41.9%
Other	5	3.1%	14.7%	9	0.8%	16.2%
Unclear	11	6.8%	38.4%	90	8.3%	28.4%
Not Available	90	35.9%		789	42.2%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Honolulu Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Honolulu Family Guidance Center			All Other Family Guidance Centers		
	Any Use	Any Use	Dosage	Any Use	Any Use	Dosage
Practice Elements	N	% Avail	% of Months	N	% Avail	% of Months
Activity Scheduling	110	68.3%	56.7%	628	58.2%	57.0%
Anger Management	2	1.2%	18.3%	2	0.2%	15.3%
Animal or Plant Assisted Activities	0	0.0%	0.0%	0	0.0%	0.0%
Arousal Reconditioning	0	0.0%	0.0%	0	0.0%	0.0%
Art/Music Therapy	0	0.0%	0.0%	2	0.2%	22.2%
Assertiveness Training	60	37.3%	47.5%	349	32.3%	45.7%
Assessment	5	3.1%	53.9%	36	3.3%	69.6%
Attending	43	26.7%	48.0%	318	29.5%	44.5%
Behavior Management	1	0.6%	10.0%	4	0.4%	16.7%
Behavioral Contracting	109	67.7%	60.3%	604	56.0%	54.9%
Biofeedback/Neurofeedback	3	1.9%	25.4%	16	1.5%	30.2%
Care Coordination	103	64.0%	69.8%	664	61.5%	64.6%
Catharsis	20	12.4%	64.1%	54	5.0%	30.0%
Cognitive/Coping	86	53.4%	68.1%	656	60.8%	63.5%
Commands/Limit Setting	22	13.7%	42.7%	168	15.6%	39.6%
Communication Skills	130	80.7%	66.3%	831	77.0%	68.0%
Counseling	0	0.0%	0.0%	1	0.1%	27.3%
Crisis Management	74	46.0%	45.0%	469	43.5%	46.3%
Cultural Training	32	19.9%	58.7%	113	10.5%	36.6%
Discrete Trial Training	4	2.5%	27.1%	11	1.0%	16.8%
Educational Support	80	49.7%	55.5%	591	54.8%	55.3%
Emotional Processing	93	57.8%	64.4%	707	65.5%	62.7%
Exposure	53	32.9%	55.2%	200	18.5%	36.6%
Eye Movement/Body Tapping	0	0.0%	0.0%	18	1.7%	18.0%
Family Engagement	120	74.5%	58.4%	811	75.2%	65.1%
Family Therapy	108	67.1%	52.8%	757	70.2%	61.4%
Family Visit	0	0.0%	0.0%	0	0.0%	0.0%
Free Association	19	11.8%	43.6%	59	5.5%	33.9%
Functional Analysis	53	32.9%	64.0%	153	14.2%	44.0%
Goal Setting	126	78.3%	61.1%	756	70.1%	64.1%
Guided Imagery	50	31.1%	40.7%	160	14.8%	35.5%
Ho'Oponopono	0	0.0%	0.0%	0	0.0%	0.0%
Hypnosis	4	2.5%	9.6%	19	1.8%	29.3%
Ignoring or DRO	53	32.9%	52.0%	373	34.6%	46.2%
Individual Therapy for Caregiver	43	26.7%	46.3%	321	29.7%	41.0%
Informal Supports	4	2.5%	22.7%	2	0.2%	35.0%
Insight Building	99	61.5%	64.9%	686	63.6%	59.9%
Interpretation	32	19.9%	46.2%	184	17.1%	34.6%
Juvenile Sex Offender Treatment	4	2.5%	66.7%	19	1.8%	72.3%
Legal Assistance/Involvement	0	0.0%	0.0%	0	0.0%	0.0%
Line of Sight Supervision	46	28.6%	52.1%	359	33.3%	46.0%
Maintenance/Relapse Prevention	47	29.2%	44.2%	302	28.0%	43.8%
Marital Therapy	5	3.1%	21.7%	63	5.8%	30.3%
Medication/Pharmacotherapy	44	27.3%	50.2%	319	29.6%	52.4%
Mentoring	69	42.9%	50.4%	414	38.4%	49.4%
Milieu Therapy	42	26.1%	43.6%	265	24.6%	51.4%
Mindfulness	59	36.6%	53.1%	447	41.4%	48.4%
Modeling	107	66.5%	59.2%	678	62.8%	56.9%
Motivational Interviewing	101	62.7%	48.2%	533	49.4%	56.3%
Natural and Logical Consequences	118	73.3%	65.5%	730	67.7%	61.2%
Parent Coping	102	63.4%	54.7%	683	63.3%	58.4%
Parent or Teacher Monitoring	78	48.4%	54.4%	518	48.0%	51.0%
Parent Praise	79	49.1%	50.8%	536	49.7%	52.0%
Parenting	4	2.5%	14.1%	11	1.0%	23.5%
Peer Modeling/Pairing	26	16.1%	28.9%	186	17.2%	32.9%
Personal Safety Skills	68	42.2%	55.4%	500	46.3%	50.4%
Physical Exercise	0	0.0%	0.0%	0	0.0%	0.0%
Play Therapy	13	8.1%	36.4%	190	17.6%	49.0%
Problem Solving	137	85.1%	70.0%	813	75.3%	64.9%
Psychoeducation-Child	102	63.4%	59.9%	680	63.0%	59.9%
Psychoeducation-Parent	108	67.1%	67.0%	738	68.4%	61.6%
Relationship/Rapport Building	123	76.4%	64.1%	809	75.0%	60.1%
Relaxation	89	55.3%	54.9%	526	48.7%	49.3%
Response Cost	48	29.8%	55.3%	183	17.0%	39.0%
Response Prevention	45	28.0%	44.4%	224	20.8%	41.0%
Self-Monitoring	72	44.7%	48.4%	476	44.1%	49.7%
Self-Reward/Self-Praise	53	32.9%	51.7%	381	35.3%	49.2%
Skill Building	123	76.4%	65.2%	756	70.1%	60.6%
Social Skills Training	83	51.6%	49.9%	578	53.6%	54.6%
Stimulus Control/Antecedent Man.	43	26.7%	52.4%	247	22.9%	41.7%
Supportive Listening	121	75.2%	67.7%	873	80.9%	71.7%
Tangible Rewards	73	45.3%	53.6%	522	48.4%	51.7%
Therapist Praise/Rewards	105	65.2%	60.8%	705	65.3%	62.3%
Thought Field Therapy	0	0.0%	0.0%	32	3.0%	19.9%
Time Out	31	19.3%	38.0%	314	29.1%	45.9%
Twelve-step Programming	11	6.8%	55.6%	133	12.3%	49.4%
Other	9	5.6%	29.2%	26	2.4%	27.6%
Unclear	21	13.0%	32.5%	133	12.3%	39.9%
Not Available	90	35.9%		789	42.2%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.


**Summary of Youth by Leeward Oahu Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Leeward Oahu Family Guidance Center

	N	%
Total Registered Youth	303	14.3%
with Services Procured	219	72.3%
Youth with New Admissions	126	41.6%
with Initial Admissions	82	27.1%
with Repeat Admissions	44	14.5%
Youth with Discharges	140	46.2%

	N	% of Available
Gender		
Females	120	40%
Males	183	60%

	Mean	SD
Age in Years	14.9	2.9



Primary Diagnosis of	N	% Avail
None Recorded	2	0.7%
Adjustment	17	6.2%
Anxiety	29	10.5%
Attention	43	15.6%
Disruptive Behavior	89	32.4%
Mental Retardation	0	0.0%
Miscellaneous	17	6.2%
Mood	58	21.1%
Pervasive Developmental	3	1.1%
Psychotic Spectrum	10	3.6%
Substance-Related	7	2.5%
Not Available (% Total)	28	9.2%


Any Diagnosis of	N	% Avail
None Recorded	2	0.7%
Adjustment	23	8.4%
Anxiety	60	21.8%
Attention	75	27.3%
Disruptive Behavior	149	54.2%
Mental Retardation	13	4.7%
Miscellaneous	61	22.2%
Mood	92	33.5%
Pervasive Developmental	5	1.8%
Psychotic Spectrum	10	3.6%
Substance-Related	41	14.9%
Multiple Diagnoses	178	64.7%
Avg. Number of Diagnoses	1.8	

All Other Family Guidance Centers

	N	%
Total Registered Youth	1,816	85.7%
with Services Procured	1,094	60.2%
Youth with New Admissions	843	46.4%
with Initial Admissions	608	33.5%
with Repeat Admissions	235	12.9%
Youth with Discharges	716	39.4%

	N	% of Available
Gender		
Females	678	37%
Males	1,138	63%

	Mean	SD
Age in Years	13.8	3.8



Primary Diagnosis of	N	% Avail
None Recorded	4	0.3%
Adjustment	112	7.5%
Anxiety	156	10.5%
Attention	304	20.4%
Disruptive Behavior	481	32.2%
Mental Retardation	0	0.0%
Miscellaneous	57	3.8%
Mood	273	18.3%
Pervasive Developmental	22	1.5%
Psychotic Spectrum	28	1.9%
Substance-Related	55	3.7%
Not Available (% Total)	324	17.8%

Any Diagnosis of	N	% Avail
None Recorded	2	0.1%
Adjustment	182	12.2%
Anxiety	350	23.4%
Attention	554	37.0%
Disruptive Behavior	789	52.7%
Mental Retardation	21	1.4%
Miscellaneous	405	27.1%
Mood	432	28.9%
Pervasive Developmental	31	2.1%
Psychotic Spectrum	36	2.4%
Substance-Related	315	21.0%
Multiple Diagnoses	1,141	76.2%
Avg. Number of Diagnoses	1.8	

**Summary of Youth by Leeward Oahu Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Leeward Oahu Family Guidance Center		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	151	68.6%
Hispanic or Latino/a	69	31.4%
Not Available (% Total)	83	27.4%

Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	0	0.0%
Asian	32	12.6%
Black or African-American	5	2.0%
Native Hawaiian or Pacific Islander	27	10.6%
White	17	6.7%
Other Race	0	0.0%
Multiracial	173	68.1%
Based on Observation	23	9.1%
Not Available (% Total)	49	16.2%

Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	25	11.3%
Alaska Native	0	0.0%
American Indian	25	11.3%
Asian	139	62.9%
Asian Indian	0	0.0%
Chinese	52	23.5%
Filipino	91	41.2%
Japanese	40	18.1%
Korean	7	3.2%
Vietnamese	2	0.9%
Other Asian	4	1.8%
Black or African-American	23	10.4%
Hispanic or Latina/o	68	30.8%
Cuban	1	0.5%
Mexican	14	6.3%
Puerto Rican	40	18.1%
Other Hispanic	26	11.8%
Native Hawaiian or Pacific Islander	147	66.5%
Guamanian or Chamorro	3	1.4%
Micronesian	7	3.2%
Native Hawaiian	121	54.8%
Samoan	29	13.1%
Other Pacific Islander	15	6.8%
White	127	57.5%
White or Caucasian	96	43.4%
Portuguese	53	24.0%
Other Race or Ethnicity	8	3.6%
Multiethnic	168	76.0%
Not Available (% Total)	82	27.1%

All Other Family Guidance Centers		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	749	72.2%
Hispanic or Latino/a	289	27.8%
Not Available (% Total)	778	42.8%

Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	7	0.6%
Asian	90	7.1%
Black or African-American	17	1.3%
Native Hawaiian or Pacific Islander	181	14.3%
White	195	15.4%
Other Race	8	0.6%
Multiracial	771	60.8%
Based on Observation	70	5.5%
Not Available (% Total)	547	30.1%

Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	105	10.2%
Alaska Native	0	0.0%
American Indian	105	10.2%
Asian	552	53.6%
Asian Indian	5	0.5%
Chinese	260	25.3%
Filipino	308	29.9%
Japanese	175	17.0%
Korean	38	3.7%
Vietnamese	7	0.7%
Other Asian	16	1.6%
Black or African-American	60	5.8%
Hispanic or Latina/o	282	27.4%
Cuban	5	0.5%
Mexican	51	5.0%
Puerto Rican	149	14.5%
Other Hispanic	110	10.7%
Native Hawaiian or Pacific Islander	612	59.5%
Guamanian or Chamorro	9	0.9%
Micronesian	51	5.0%
Native Hawaiian	520	50.5%
Samoan	53	5.2%
Other Pacific Islander	35	3.4%
White	660	64.1%
White or Caucasian	525	51.0%
Portuguese	255	24.8%
Other Race or Ethnicity	44	4.3%
Multiethnic	711	69.1%
Not Available (% Total)	787	43.3%

**Summary of Youth by Leeward Oahu Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Leeward Oahu Family Guidance Center		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	0	0.0%
Leeward Oahu	303	100.0%
Honolulu Oahu	0	0.0%
Hawaii (Big Island)	0	0.0%
Maui	0	0.0%
Kauai	0	0.0%
Family Court Liaison Branch	0	0.0%

All Other Family Guidance Centers		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	296	16.3%
Leeward Oahu	0	0.0%
Honolulu Oahu	251	13.8%
Hawaii (Big Island)	770	42.4%
Maui	225	12.4%
Kauai	186	10.2%
Family Court Liaison Branch	88	4.8%

*Central Oahu FGC now includes both Central and Windward Oahu offices.

**Summary of Youth by Leeward Oahu Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Any Services Procured	Leeward Oahu Family Guidance Center			All Other Family Guidance Centers		
	Monthly Average	Total N	% of Procured	Monthly Average	Total N	% of Procured
Out-of-Home	30	71	32.4%	152	321	29.3%
Out-of-State	3	3	1.4%	2	2	0.2%
Hospital Residential	4	19	8.7%	13	58	5.3%
Community High Risk	2	3	1.4%	5	11	1.0%
Community Residential	7	28	12.8%	47	127	11.6%
Therapeutic Foster Home	15	27	12.3%	88	172	15.7%
<i>Multidimensional Treatment Foster Care</i>	0	0	0.0%	5	12	1.1%
<i>Transitional Family Home</i>	15	27	12.3%	83	165	15.1%
Intensive Home & Community	92	187	85.4%	383	799	73.0%
Partial Hospitalization	2	11	5.0%	3	12	1.1%
Multisystemic Therapy	14	51	23.3%	54	162	14.8%
Intensive In-Home	78	149	68.0%	329	663	60.6%
Outpatient	9	31	14.2%	50	277	25.3%
Treatment	8	22	10.0%	35	111	10.1%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	7	21	9.6%	26	80	7.3%
<i>Outpatient Therapy</i>	1	1	0.5%	9	31	2.8%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	1	9	4.1%	15	172	15.7%
Supportive Services	1	8	3.7%	42	180	16.5%
Respite Home	0	0	0.0%	6	30	2.7%
Ancillary Service	1	8	3.7%	36	154	14.1%
Crisis Stabilization	0	1	0.5%	5	45	4.1%
Unduplicated Total (% of Registered)	123	219	72%	569	1,094	60%

*These services either were not procured or had no data available in FY 2013.

Summary of Youth by Leeward Oahu Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Leeward Oahu Family Guidance Center			All Other Family Guidance Centers		
Total Hours Procured	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth
Out-of-Home	141	877	84.4%	154	987	89.8%
Out-of-State	198	2,373	94.1%	191	1,742	96.4%
Hospital Residential	107	293	57.9%	125	381	58.9%
Community High Risk	194	1,547	99.3%	170	927	78.8%
Community Residential	119	444	72.1%	142	718	78.8%
Therapeutic Foster Home	170	1,204	84.9%	164	1,103	83.4%
<i>Multidimensional Treatment Foster Care</i>	0	0	0.0%	173	913	76.5%
<i>Transitional Family Home</i>	170	1,204	84.9%	163	1,084	81.4%
Intensive Home & Community	20	105	78.7%	17	97	78.4%
Partial Hospitalization	2	6	3.0%	3	10	10.7%
Multisystemic Therapy	44	120	74.7%	38	139	81.6%
Intensive In-Home	13	90	73.0%	12	83	74.4%
Outpatient	4	14	38.3%	4	9	51.6%
Treatment	4	19	44.3%	4	15	49.4%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	3	14	41.6%	3	13	53.5%
<i>Outpatient Therapy</i>	10	115	100.0%	5	18	38.7%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	3	4	23.6%	5	5	51.2%
Supportive Services**	-	-	-	-	-	-
Respite Home	0	0	0.0%	20	51	12.2%
Ancillary Service**	-	-	-	-	-	-
Crisis Stabilization	20	20	0.7%	29	41	49.7%
Unduplicated Total	43	376		40	366	

	Monthly Average	Total N	Total per Youth	Monthly Average	Total N	Total per Youth
Service Changes						
Placement Changes	9	105	0.3	36	436	0.2
Out-of-Home Changes	1	9	0.0	3	36	0.0
Provider Agency Changes	17	205	0.7	89	1,069	0.6
Care Coordinator Changes	14	172	0.6	59	709	0.4

*These services either were not procured or had no data available in FY 2013.

**Duration not available for these services.

**Summary of Youth by Leeward Oahu Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

	Leeward Oahu Family Guidance Center		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	126 (2.3)	95 (2.6)	91 (2.8)
Moods: Self-Harm	12 (0.8)	4 (0.5)	4 (0.5)
Moods: Emotions	22 (0.4)	17 (0.4)	16 (0.5)
Home Role Performance	26 (0.5)	19 (0.6)	18 (0.8)
School Role Performance	27 (0.4)	20 (0.7)	19 (0.8)
Community Role Performance	16 (0.9)	10 (0.8)	10 (0.8)
Behavior Towards Other	22 (0.5)	17 (0.4)	16 (0.5)
Substance Use	10 (0.9)	6 (0.7)	6 (0.7)
Thinking	5 (0.6)	2 (0.3)	1 (0.3)

	Leeward Oahu Family Guidance Center		
Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	22 (0.3)	19 (0.2)	18 (0.3)
Level of Care	4 (0.1)	3 (0.1)	3 (0.1)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Functional Assessment Scale (CAFAS)			
Total (8-scale)	35 (186)	59% (179)	31% (179)
Moods: Self-Harm	8 (186)	76% (82)	99% (82)
Moods: Emotions	5 (186)	44% (176)	97% (176)
Home Role Performance	8 (186)	54% (169)	62% (169)
School Role Performance	8 (186)	46% (177)	55% (177)
Community Role Performance	6 (186)	50% (116)	86% (116)
Behavior Towards Other	6 (186)	50% (169)	98% (169)
Substance Use	4 (186)	60% (65)	83% (65)
Thinking	4 (186)	83% (30)	93% (30)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Level of Care Utilization System (CALOCUS)			
Total	4 (187)	55% (183)	37% (183)
Level of Care	1 (187)	66% (183)	68% (183)

	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Sentinel Event Reports			
Total	1,231	31	31.0%
Child Events	1,281	32	29.0%
Person-Directed	271	7	14.5%
Property-Directed	145	4	9.6%
Runaway or Elopement	323	8	13.9%
Self-Injury	211	5	10.2%
Substance Use	106	3	5.3%
Other	191	5	9.2%
Institutional Events	677	17	19.1%
Person-Directed (Client Victim)	53	1	3.6%
Seclusion or Restraint	139	4	5.6%
Medication Error	13	0	1.0%
Police Called	165	4	9.6%
Criminal Charges or Arrest	99	3	6.6%
Client Injury	46	1	4.0%
Staff Injury	13	0	1.0%
Other	132	3	7.9%

	All Other Family Guidance Centers		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	118 (1.0)	89 (0.9)	85 (1.0)
Moods: Self-Harm	9 (0.3)	3 (0.2)	2 (0.2)
Moods: Emotions	21 (0.2)	16 (0.2)	15 (0.2)
Home Role Performance	25 (0.2)	19 (0.2)	18 (0.3)
School Role Performance	26 (0.2)	19 (0.3)	18 (0.3)
Community Role Performance	14 (0.3)	9 (0.3)	8 (0.3)
Behavior Towards Other	21 (0.2)	16 (0.2)	15 (0.2)
Substance Use	10 (0.3)	5 (0.2)	5 (0.3)
Thinking	6 (0.2)	3 (0.2)	2 (0.2)

	All Other Family Guidance Centers		
Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	21 (0.1)	18 (0.1)	18 (0.1)
Level of Care	4 (0.0)	3 (0.0)	3 (0.0)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Functional Assessment Scale (CAFAS)			
Total (1235)	32 (1235)	52% (1170)	34% (1170)
Moods: Self-Harm	7 (1235)	79% (403)	96% (403)
Moods: Emotions	6 (1235)	47% (1079)	94% (1079)
Home Role Performance	7 (1235)	49% (1107)	65% (1107)
School Role Performance	8 (1234)	49% (1139)	63% (1139)
Community Role Performance	5 (1235)	46% (640)	90% (640)
Behavior Towards Other	6 (1235)	49% (1075)	94% (1075)
Substance Use	5 (1235)	62% (448)	83% (448)
Thinking	4 (1235)	75% (251)	97% (251)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Level of Care Utilization System (CALOCUS)			
Total	3 (1097)	44% (1013)	43% (1013)
Level of Care	1 (1097)	53% (1018)	66% (1018)

	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Sentinel Event Reports			
Total	800	121	22.2%
Child Events	877	133	20.5%
Person-Directed	167	25	8.4%
Property-Directed	87	13	5.7%
Runaway or Elopement	233	35	9.3%
Self-Injury	166	25	6.9%
Substance Use	95	14	5.1%
Other	94	14	6.1%
Institutional Events	521	79	14.6%
Person-Directed (Client Victim)	45	7	3.7%
Seclusion or Restraint	46	7	2.3%
Medication Error	9	1	0.6%
Police Called	151	23	7.9%
Criminal Charges or Arrest	100	15	5.3%
Client Injury	39	6	3.4%
Staff Injury	8	1	0.6%
Other	110	17	6.7%

*Indicates average change from highest CAFAS or CALOCUS score to most recent.
(A positive number reflects improvement.)

**Summary of Youth by Leeward Oahu Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Leeward Oahu Family Guidance Center			
Service Setting	Any Use N	Any Use % Avail	Dosage % of Months
Clinic	84	39.6%	45.2%
Community	153	72.2%	69.8%
Home	196	92.5%	87.3%
Out-of-Home	81	38.2%	55.2%
Phone*	25	11.8%	54.3%
School	131	61.8%	51.9%
Unclear*	17	8.0%	26.8%
Not Available	91	30.0%	

Service Format	Any Use N	Any Use % Avail	Dosage % of Months
Family	156	73.6%	69.9%
Group	74	34.9%	41.7%
Individual	184	86.8%	87.9%
Parent	163	76.9%	76.9%
Phone*	8	3.8%	46.6%
Professional Consult*	49	23.1%	37.4%
Teacher	80	37.7%	45.8%
Unclear*	36	17.0%	42.0%
Not Available	91	30.0%	

Discharge Living Situation	Youth N	% Youth Discharged	% Discharges
Foster Home	13	9.4%	5.6%
Group Care	3	2.2%	1.3%
Home	91	65.5%	39.4%
Homeless/Shelter	4	2.9%	1.7%
Institution/Hospital	5	3.6%	2.2%
Jail/Correctional Facility	7	5.0%	3.0%
Other	29	20.9%	12.6%
Residential Treatment	11	7.9%	4.8%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	139		
Number of Discharges	231		

Reason for Discharge	Youth N	% Youth Discharged	% Discharges
Eligibility Change	3	2.2%	1.3%
Family Relocation	3	2.2%	1.3%
Insufficient Progress	10	7.2%	4.3%
Other	56	40.3%	24.2%
Runaway/Elopement	24	17.3%	10.4%
Refuse/Withdraw	15	10.8%	6.5%
Success/Goals Met	70	50.4%	30.3%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	139		
Number of Discharges	231		

All Other Family Guidance Centers		
Any Use N	Any Use % Avail	Dosage % of Months
477	46.4%	59.1%
784	76.3%	73.7%
890	86.6%	83.2%
415	40.4%	62.5%
114	11.1%	60.3%
596	58.0%	56.7%
31	3.0%	28.1%
788	43.4%	

Any Use N	Any Use % Avail	Dosage % of Months
811	78.9%	72.9%
290	28.2%	50.8%
874	85.0%	87.8%
791	76.9%	74.8%
27	2.6%	42.5%
254	24.7%	43.6%
386	37.5%	47.3%
140	13.6%	50.5%
788	43.4%	

Youth N	% Youth Discharged	% Discharges
87	14.4%	9.9%
5	0.8%	0.6%
432	71.3%	49.2%
14	2.3%	1.6%
18	3.0%	2.1%
46	7.6%	5.2%
97	16.0%	11.0%
42	6.9%	4.8%
0	0.0%	0.0%
606		
878		

Youth N	% Youth Discharged	% Discharges
14	2.3%	1.6%
19	3.1%	2.2%
59	9.7%	6.7%
175	28.9%	19.9%
74	12.2%	8.4%
62	10.2%	7.1%
371	61.2%	42.3%
0	0.0%	0.0%
606		
878		

*Indicates written response to an open-ended question.

Summary of Youth by Leeward Oahu Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Treatment Target	Leeward Oahu Family Guidance Center			All Other Family Guidance Centers		
	Any Use N	Any Use % Avail	Dosage % of Months	Any Use N	Any Use % Avail	Dosage % of Months
Academic Achievement	62	29.2%	38.2%	386	37.5%	40.6%
Activity Involvement	118	55.7%	55.5%	548	53.3%	55.9%
Adaptive Behavior/Living Skills	30	14.2%	31.7%	129	12.5%	39.5%
Adjustment to Change	50	23.6%	34.1%	298	29.0%	39.1%
Adult Intercoordination	2	0.9%	22.9%	11	1.1%	21.8%
Aggression	92	43.4%	51.9%	437	42.5%	55.0%
Anger	119	56.1%	59.3%	497	48.3%	54.4%
Anxiety	77	36.3%	59.3%	377	36.7%	48.4%
Assertiveness	34	16.0%	28.5%	187	18.2%	39.5%
Attention Problems	31	14.6%	30.7%	188	18.3%	36.9%
Avoidance	54	25.5%	35.9%	235	22.9%	42.6%
Caregiver Self-Management/Coping	1	0.5%	25.0%	5	0.5%	21.5%
Cognitive-Intellectual Functioning	22	10.4%	41.2%	75	7.3%	37.9%
Community Involvement	29	13.7%	30.2%	199	19.4%	32.6%
Compulsive Behavior	2	0.9%	29.2%	1	0.1%	8.3%
Contentment/Enjoyment/Happiness	35	16.5%	38.2%	216	21.0%	40.9%
Depressed Mood	73	34.4%	57.7%	324	31.5%	47.7%
Eating/Feeding Problems	6	2.8%	32.4%	30	2.9%	32.3%
Empathy	24	11.3%	39.0%	125	12.2%	43.5%
Enuresis/Encopresis	7	3.3%	40.6%	34	3.3%	52.8%
Fire Setting	0	0.0%	0.0%	6	0.6%	39.0%
Fitness/Exercise	0	0.0%	0.0%	1	0.1%	20.0%
Gender Identity Problems	3	1.4%	41.1%	4	0.4%	15.3%
Goal Setting	0	0.0%	0.0%	4	0.4%	12.7%
Grief	14	6.6%	38.9%	57	5.5%	38.0%
Health Management	14	6.6%	27.6%	78	7.6%	32.3%
Housing/Living Situation	45	21.2%	33.5%	161	15.7%	32.4%
Hyperactivity	14	6.6%	43.9%	89	8.7%	38.5%
Information Gathering	1	0.5%	33.3%	10	1.0%	32.8%
Learning Disorder/Underachievement	4	1.9%	16.9%	34	3.3%	26.8%
Low Self-Esteem	62	29.2%	46.7%	251	24.4%	40.9%
Mania	2	0.9%	25.0%	9	0.9%	28.2%
Medical Regimen Adherence	17	8.0%	29.8%	111	10.8%	39.6%
Occupational Functioning/Stress	13	6.1%	37.4%	37	3.6%	26.5%
Oppositional/Non-Compliant Behavior	150	70.8%	65.3%	647	62.9%	64.3%
Pain Management	0	0.0%	0.0%	0	0.0%	0.0%
Parenting Skills	4	1.9%	40.2%	15	1.5%	30.2%
Peer Involvement	25	11.8%	26.6%	177	17.2%	35.0%
Peer/Sibling Conflict	42	19.8%	41.5%	271	26.4%	44.8%
Personal Hygiene	8	3.8%	22.1%	38	3.7%	30.7%
Phobia/Fears	71	33.5%	42.9%	346	33.7%	43.8%
Positive Family Functioning	19	9.0%	39.3%	67	6.5%	41.3%
Positive Peer Interaction	167	78.8%	65.6%	798	77.6%	67.8%
Positive Thinking/Attitude	62	29.2%	37.0%	314	30.5%	41.9%
Pregnancy Education/Adjustment	3	1.4%	47.2%	21	2.0%	40.3%
Psychosis	8	3.8%	51.7%	30	2.9%	51.6%
Runaway	57	26.9%	50.4%	174	16.9%	44.9%
Safe Environment	1	0.5%	14.3%	10	1.0%	30.2%
School Involvement	40	18.9%	35.6%	244	23.7%	37.2%
School Refusal/Truancy	49	23.1%	44.1%	178	17.3%	42.1%
Self-Control	27	12.7%	50.1%	132	12.8%	43.8%
Self-Injurious Behavior	53	25.0%	38.6%	262	25.5%	42.0%
Sexual Orientation	0	0.0%	0.0%	0	0.0%	0.0%
Sexual Misconduct	13	6.1%	62.8%	56	5.4%	49.1%
Shyness	3	1.4%	40.5%	22	2.1%	25.6%
Sleep Disturbance	4	1.9%	22.2%	20	1.9%	38.8%
Social Skills	71	33.5%	47.6%	292	28.4%	45.6%
Speech and Language	4	1.9%	37.5%	4	0.4%	13.6%
Substance Use	61	28.8%	63.1%	285	27.7%	64.9%
Suicidality	12	5.7%	31.6%	78	7.6%	37.2%
Traumatic Stress	24	11.3%	34.4%	166	16.1%	45.6%
Treatment Engagement	108	50.9%	57.1%	573	55.7%	51.9%
Treatment Planning/Framing	9	4.2%	45.9%	58	5.6%	45.4%
Willful Misconduct/Delinquency	47	22.2%	39.6%	187	18.2%	46.9%
Other	3	1.4%	12.5%	11	1.1%	16.5%
Unclear	19	9.0%	29.2%	82	8.0%	29.6%
Not Available	91	30.0%		788	43.4%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

**Summary of Youth by Leeward Oahu Family Guidance Center
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

	Leeward Oahu Family Guidance Center			All Other Family Guidance Centers		
	Any Use	Any Use	Dosage	Any Use	Any Use	Dosage
Practice Elements	N	% Avail	% of Months	N	% Avail	% of Months
Activity Scheduling	113	53.3%	51.3%	625	60.8%	58.0%
Anger Management	0	0.0%	0.0%	4	0.4%	16.8%
Animal or Plant Assisted Activities	0	0.0%	0.0%	0	0.0%	0.0%
Arousal Reconditioning	0	0.0%	0.0%	0	0.0%	0.0%
Art/Music Therapy	0	0.0%	0.0%	2	0.2%	22.2%
Assertiveness Training	61	28.8%	38.8%	348	33.9%	47.2%
Assessment	9	4.2%	48.5%	32	3.1%	73.1%
Attending	75	35.4%	46.0%	286	27.8%	44.7%
Behavior Management	1	0.5%	25.0%	4	0.4%	12.9%
Behavioral Contracting	126	59.4%	53.9%	587	57.1%	56.1%
Biofeedback/Neurofeedback	7	3.3%	31.4%	12	1.2%	28.3%
Care Coordination	130	61.3%	59.6%	637	62.0%	66.5%
Catharsis	8	3.8%	44.0%	66	6.4%	38.7%
Cognitive/Coping	134	63.2%	63.3%	608	59.1%	64.3%
Commands/Limit Setting	46	21.7%	51.4%	144	14.0%	36.3%
Communication Skills	168	79.2%	67.6%	793	77.1%	67.9%
Counseling	0	0.0%	0.0%	1	0.1%	27.3%
Crisis Management	98	46.2%	46.5%	445	43.3%	46.1%
Cultural Training	34	16.0%	32.4%	111	10.8%	44.2%
Discrete Trial Training	5	2.4%	18.7%	10	1.0%	20.0%
Educational Support	121	57.1%	56.0%	550	53.5%	55.2%
Emotional Processing	129	60.8%	65.0%	671	65.3%	62.5%
Exposure	42	19.8%	37.7%	211	20.5%	41.1%
Eye Movement/Body Tapping	2	0.9%	8.3%	16	1.6%	19.2%
Family Engagement	158	74.5%	69.6%	773	75.2%	63.1%
Family Therapy	136	64.2%	58.8%	729	70.9%	60.7%
Family Visit	0	0.0%	0.0%	0	0.0%	0.0%
Free Association	18	8.5%	32.4%	60	5.8%	37.4%
Functional Analysis	39	18.4%	41.2%	167	16.2%	51.0%
Goal Setting	149	70.3%	61.8%	733	71.3%	64.1%
Guided Imagery	33	15.6%	36.6%	177	17.2%	36.7%
Ho'Oponopono	0	0.0%	0.0%	0	0.0%	0.0%
Hypnosis	3	1.4%	10.0%	20	1.9%	28.2%
Ignoring or DRO	55	25.9%	41.4%	371	36.1%	47.7%
Individual Therapy for Caregiver	37	17.5%	36.3%	327	31.8%	42.3%
Informal Supports	1	0.5%	20.0%	5	0.5%	28.2%
Insight Building	134	63.2%	59.1%	651	63.3%	60.8%
Interpretation	35	16.5%	40.0%	181	17.6%	35.6%
Juvenile Sex Offender Treatment	5	2.4%	81.2%	18	1.8%	68.6%
Legal Assistance/Involvement	0	0.0%	0.0%	0	0.0%	0.0%
Line of Sight Supervision	60	28.3%	39.4%	345	33.6%	47.9%
Maintenance/Relapse Prevention	67	31.6%	38.2%	282	27.4%	45.2%
Marital Therapy	14	6.6%	21.9%	54	5.3%	31.6%
Medication/Pharmacotherapy	64	30.2%	49.1%	299	29.1%	52.8%
Mentoring	74	34.9%	48.7%	409	39.8%	49.7%
Milieu Therapy	63	29.7%	46.6%	244	23.7%	51.3%
Mindfulness	80	37.7%	50.1%	426	41.4%	48.7%
Modeling	129	60.8%	51.6%	656	63.8%	58.3%
Motivational Interviewing	106	50.0%	54.0%	528	51.4%	55.2%
Natural and Logical Consequences	148	69.8%	63.9%	700	68.1%	61.4%
Parent Coping	124	58.5%	62.1%	661	64.3%	57.2%
Parent or Teacher Monitoring	108	50.9%	55.0%	488	47.5%	50.7%
Parent Praise	108	50.9%	54.1%	507	49.3%	51.3%
Parenting	1	0.5%	8.3%	14	1.4%	21.9%
Peer Modeling/Pairing	46	21.7%	32.2%	166	16.1%	32.5%
Personal Safety Skills	88	41.5%	46.5%	480	46.7%	51.8%
Physical Exercise	0	0.0%	0.0%	0	0.0%	0.0%
Play Therapy	24	11.3%	46.0%	179	17.4%	48.5%
Problem Solving	175	82.5%	67.4%	775	75.4%	65.3%
Psychoeducation-Child	150	70.8%	54.6%	632	61.5%	61.2%
Psychoeducation-Parent	150	70.8%	62.5%	696	67.7%	62.2%
Relationship/Rapport Building	158	74.5%	61.2%	774	75.3%	60.5%
Relaxation	111	52.4%	45.0%	504	49.0%	51.2%
Response Cost	42	19.8%	43.2%	189	18.4%	42.2%
Response Prevention	49	23.1%	42.0%	220	21.4%	41.5%
Self-Monitoring	82	38.7%	46.9%	466	45.3%	50.0%
Self-Reward/Self-Praise	69	32.5%	43.5%	365	35.5%	50.7%
Skill Building	151	71.2%	59.3%	728	70.8%	61.6%
Social Skills Training	115	54.2%	55.9%	546	53.1%	53.6%
Stimulus Control/Antecedent Man.	44	20.8%	44.8%	246	23.9%	43.0%
Supportive Listening	171	80.7%	72.0%	823	80.1%	71.0%
Tangible Rewards	99	46.7%	49.9%	496	48.2%	52.3%
Therapist Praise/Rewards	143	67.5%	60.2%	667	64.9%	62.5%
Thought Field Therapy	2	0.9%	29.2%	30	2.9%	19.3%
Time Out	61	28.8%	45.7%	284	27.6%	45.1%
Twelve-step Programming	31	14.6%	46.2%	113	11.0%	50.8%
Other	2	0.9%	20.8%	33	3.2%	28.4%
Unclear	26	12.3%	26.3%	128	12.5%	41.4%
Not Available	91	30.0%		788	43.4%	


Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Out-of-Home Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Out-of-Home Service		
	N	%
Total Registered Youth	392	18.5%
with Services Procured	392	100.0%
Youth with New Admissions	93	23.7%
with Initial Admissions	59	15.1%
with Repeat Admissions	34	8.7%
Youth with Discharges	54	13.8%

	N	% of Available
Gender		
Females	150	38%
Males	242	62%

	Mean	SD
Age in Years	15.2	2.6




Primary Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	21	5.4%
Anxiety	50	12.9%
Attention	54	14.0%
Disruptive Behavior	141	36.4%
Mental Retardation	0	0.0%
Miscellaneous	20	5.2%
Mood	68	17.6%
Pervasive Developmental	4	1.0%
Psychotic Spectrum	7	1.8%
Substance-Related	22	5.7%
Not Available (% Total)	5	1.3%

Any Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	31	8.0%
Anxiety	106	27.4%
Attention	124	32.0%
Disruptive Behavior	234	60.5%
Mental Retardation	9	2.3%
Miscellaneous	124	32.0%
Mood	113	29.2%
Pervasive Developmental	4	1.0%
Psychotic Spectrum	12	3.1%
Substance-Related	118	30.5%
Multiple Diagnoses	326	84.2%
Avg. Number of Diagnoses	2.4	

All Other Services		
	N	%
Total Registered Youth	1,727	81.5%
with Services Procured	921	53.3%
Youth with New Admissions	876	50.7%
with Initial Admissions	631	36.5%
with Repeat Admissions	245	14.2%
Youth with Discharges	802	46.4%

	N	% of Available
Gender		
Females	648	38%
Males	1,079	62%

	Mean	SD
Age in Years	13.7	3.9



Primary Diagnosis of	N	% Avail
None Recorded	6	0.4%
Adjustment	108	7.8%
Anxiety	135	9.8%
Attention	293	21.2%
Disruptive Behavior	429	31.1%
Mental Retardation	0	0.0%
Miscellaneous	54	3.9%
Mood	263	19.1%
Pervasive Developmental	21	1.5%
Psychotic Spectrum	31	2.2%
Substance-Related	40	2.9%
Not Available (% Total)	347	20.1%

Any Diagnosis of	N	% Avail
None Recorded	4	0.3%
Adjustment	174	12.6%
Anxiety	304	21.9%
Attention	505	36.5%
Disruptive Behavior	704	50.8%
Mental Retardation	25	1.8%
Miscellaneous	342	24.7%
Mood	411	29.7%
Pervasive Developmental	32	2.3%
Psychotic Spectrum	34	2.5%
Substance-Related	238	17.2%
Multiple Diagnoses	993	71.7%
Avg. Number of Diagnoses	1.7	

Summary of Youth by Out-of-Home Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Out-of-Home Service		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	202	73.2%
Hispanic or Latino/a	74	26.8%
Not Available (% Total)	116	29.6%
Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	1	0.3%
Asian	19	5.6%
Black or African-American	3	0.9%
Native Hawaiian or Pacific Islander	59	17.5%
White	45	13.4%
Other Race	2	0.6%
Multiracial	208	61.7%
Based on Observation	33	9.8%
Not Available (% Total)	55	14.0%
Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	33	11.9%
Alaska Native	0	0.0%
American Indian	33	11.9%
Asian	138	49.8%
Asian Indian	1	0.4%
Chinese	68	24.5%
Filipino	82	29.6%
Japanese	40	14.4%
Korean	9	3.2%
Vietnamese	2	0.7%
Other Asian	2	0.7%
Black or African-American	13	4.7%
Hispanic or Latina/o	73	26.4%
Cuban	1	0.4%
Mexican	14	5.1%
Puerto Rican	35	12.6%
Other Hispanic	31	11.2%
Native Hawaiian or Pacific Islander	180	65.0%
Guamanian or Chamorro	3	1.1%
Micronesian	13	4.7%
Native Hawaiian	150	54.2%
Samoan	27	9.7%
Other Pacific Islander	19	6.9%
White	170	61.4%
White or Caucasian	123	44.4%
Portuguese	69	24.9%
Other Race or Ethnicity	12	4.3%
Multiethnic	195	70.4%
Not Available (% Total)	115	29.3%

All Other Services		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	698	71.1%
Hispanic or Latino/a	284	28.9%
Not Available (% Total)	745	43.1%
Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	6	0.5%
Asian	103	8.7%
Black or African-American	19	1.6%
Native Hawaiian or Pacific Islander	149	12.6%
White	167	14.1%
Other Race	6	0.5%
Multiracial	736	62.1%
Based on Observation	60	5.1%
Not Available (% Total)	541	31.3%
Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	97	10.0%
Alaska Native	0	0.0%
American Indian	97	10.0%
Asian	553	56.8%
Asian Indian	4	0.4%
Chinese	244	25.1%
Filipino	317	32.6%
Japanese	175	18.0%
Korean	36	3.7%
Vietnamese	7	0.7%
Other Asian	18	1.8%
Black or African-American	70	7.2%
Hispanic or Latina/o	277	28.5%
Cuban	5	0.5%
Mexican	51	5.2%
Puerto Rican	154	15.8%
Other Hispanic	105	10.8%
Native Hawaiian or Pacific Islander	579	59.5%
Guamanian or Chamorro	9	0.9%
Micronesian	45	4.6%
Native Hawaiian	491	50.5%
Samoan	55	5.7%
Other Pacific Islander	31	3.2%
White	617	63.4%
White or Caucasian	498	51.2%
Portuguese	239	24.6%
Other Race or Ethnicity	40	4.1%
Multiethnic	684	70.3%
Not Available (% Total)	754	43.7%

Summary of Youth by Out-of-Home Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Out-of-Home Service		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	48	12.2%
Leeward Oahu	71	18.1%
Honolulu Oahu	36	9.2%
Hawaii (Big Island)	155	39.5%
Maui	44	11.2%
Kauai	34	8.7%
Family Court Liaison Branch	4	1.0%

All Other Services		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	248	14.4%
Leeward Oahu	232	13.4%
Honolulu Oahu	215	12.4%
Hawaii (Big Island)	615	35.6%
Maui	181	10.5%
Kauai	152	8.8%
Family Court Liaison Branch	84	4.9%

*Central Oahu FGC now includes both Central and Windward Oahu offices.

Summary of Youth by Out-of-Home Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Services Procured	Any Out-of-Home Service			All Other Services		
	Monthly Average	Total N	% of Procured	Monthly Average	Total N	% of Procured
Out-of-Home	182	392	100.0%	0	0	0.0%
Out-of-State	5	5	1.3%	0	0	0.0%
Hospital Residential	17	77	19.6%	0	0	0.0%
Community High Risk	7	14	3.6%	0	0	0.0%
Community Residential	54	155	39.5%	0	0	0.0%
Therapeutic Foster Home	103	199	50.8%	0	0	0.0%
<i>Multidimensional Treatment Foster Care</i>	5	12	3.1%	0	0	0.0%
<i>Transitional Family Home</i>	98	192	49.0%	0	0	0.0%
Intensive Home & Community	103	227	57.9%	372	759	82.4%
Partial Hospitalization	4	16	4.1%	2	7	0.8%
Multisystemic Therapy	13	44	11.2%	54	169	18.3%
Intensive In-Home	89	194	49.5%	318	618	67.1%
Outpatient	13	56	14.3%	46	252	27.4%
Treatment	11	34	8.7%	32	99	10.7%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	10	29	7.4%	23	72	7.8%
<i>Outpatient Therapy</i>	1	5	1.3%	9	27	2.9%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	2	23	5.9%	14	158	17.2%
Supportive Services	34	135	34.4%	10	53	5.8%
Respite Home	3	17	4.3%	3	13	1.4%
Ancillary Service	31	122	31.1%	7	40	4.3%
Crisis Stabilization	2	19	4.8%	3	27	2.9%
Unduplicated Total (% of Registered)	270	392	100%	421	921	53%

*These services either were not procured or had no data available in FY 2013.

Summary of Youth by Out-of-Home Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Total Hours Procured	Any Out-of-Home Service			All Other Services		
	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth
Out-of-Home	152	967	88.9%	0	0	0.0%
Out-of-State	195	2,120	95.1%	0	0	0.0%
Hospital Residential	120	359	58.7%	0	0	0.0%
Community High Risk	175	1,060	83.2%	0	0	0.0%
Community Residential	138	669	77.6%	0	0	0.0%
Therapeutic Foster Home	165	1,117	83.6%	0	0	0.0%
<i>Multidimensional Treatment Foster Care</i>	173	913	76.5%	0	0	0.0%
<i>Transitional Family Home</i>	164	1,101	81.9%	0	0	0.0%
Intensive Home & Community	17	96	17.2%	18	100	96.8%
Partial Hospitalization	3	8	2.3%	2	7	17.8%
Multisystemic Therapy	43	137	24.8%	39	134	94.4%
Intensive In-Home	13	80	14.4%	12	86	92.9%
Outpatient	4	11	3.9%	4	9	60.5%
Treatment	4	15	5.6%	4	15	63.3%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	4	15	5.9%	3	13	69.2%
<i>Outpatient Therapy</i>	5	17	3.9%	5	22	47.4%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	5	5	1.3%	5	5	56.9%
Supportive Services**	-	-	-	-	-	-
Respite Home	23	61	5.7%	16	38	20.7%
Ancillary Service**	-	-	-	-	-	-
Crisis Stabilization	39	60	7.4%	21	27	77.6%
Unduplicated Total	99	1,029		15	86	

Service Changes	Any Out-of-Home Service			All Other Services		
	Monthly Average	Total N	Total per Youth	Monthly Average	Total N	Total per Youth
Placement Changes	45	541	1.4	0	0	0.0
Out-of-Home Changes	4	45	0.1	0	0	0.0
Provider Agency Changes	47	562	1.4	59	712	0.4
Care Coordinator Changes	15	177	0.5	59	704	0.4

*These services either were not procured or had no data available in FY 2013.

**Duration not available for these services.

Summary of Youth by Out-of-Home Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Any Out-of-Home Service		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	140 (1.5)	106 (1.6)	102 (1.9)
Moods: Self-Harm	13 (0.6)	4 (0.4)	3 (0.4)
Moods: Emotions	22 (0.3)	17 (0.3)	16 (0.4)
Home Role Performance	29 (0.2)	23 (0.4)	22 (0.5)
School Role Performance	28 (0.2)	20 (0.5)	19 (0.6)
Community Role Performance	20 (0.5)	14 (0.5)	14 (0.6)
Behavior Towards Other	24 (0.3)	18 (0.3)	17 (0.4)
Substance Use	15 (0.7)	8 (0.5)	8 (0.6)
Thinking	8 (0.5)	2 (0.3)	2 (0.3)

Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	23 (0.2)	20 (0.2)	20 (0.2)
Level of Care	5 (0.0)	4 (0.1)	4 (0.1)

Child and Adolescent Functional Assessment Scale (CAFAS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total (8-scale)	38 (358)	57% (356)	19% (356)
Moods: Self-Harm	10 (358)	83% (169)	95% (169)
Moods: Emotions	6 (358)	49% (347)	95% (347)
Home Role Performance	6 (358)	39% (352)	44% (352)
School Role Performance	9 (358)	50% (346)	56% (346)
Community Role Performance	6 (358)	47% (278)	86% (278)
Behavior Towards Other	6 (358)	52% (348)	93% (348)
Substance Use	7 (358)	65% (195)	81% (195)
Thinking	5 (358)	83% (89)	98% (89)

Child and Adolescent Level of Care Utilization System (CALOCUS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total	4 (345)	52% (343)	25% (343)
Level of Care	1 (345)	57% (343)	43% (343)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	3,469	113	74.7%
Child Events	3,658	120	70.7%
Person-Directed	625	20	31.9%
Property-Directed	344	11	20.9%
Runaway or Elopement	1,128	37	43.4%
Self-Injury	676	22	25.8%
Substance Use	429	14	21.7%
Other	349	11	19.6%
Institutional Events	2,288	75	53.8%
Person-Directed (Client Victim)	171	6	13.5%
Seclusion or Restraint	306	10	13.8%
Medication Error	51	2	3.6%
Police Called	640	21	30.6%
Criminal Charges or Arrest	426	14	20.9%
Client Injury	168	6	14.5%
Staff Injury	46	2	3.1%
Other	423	14	23.5%

	All Other Services		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	112 (1.0)	84 (1.0)	80 (1.1)
Moods: Self-Harm	8 (0.3)	3 (0.2)	2 (0.2)
Moods: Emotions	20 (0.2)	16 (0.2)	15 (0.2)
Home Role Performance	24 (0.2)	18 (0.3)	17 (0.3)
School Role Performance	25 (0.2)	19 (0.3)	18 (0.3)
Community Role Performance	12 (0.3)	7 (0.3)	7 (0.3)
Behavior Towards Other	20 (0.2)	15 (0.2)	15 (0.2)
Substance Use	8 (0.3)	4 (0.2)	4 (0.3)
Thinking	6 (0.3)	3 (0.2)	2 (0.2)

Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	20 (0.1)	18 (0.1)	17 (0.1)
Level of Care	4 (0.0)	3 (0.0)	3 (0.0)

Child and Adolescent Functional Assessment Scale (CAFAS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total (8-scale)	31 (1063)	51% (993)	39% (993)
Moods: Self-Harm	6 (1063)	76% (316)	97% (316)
Moods: Emotions	5 (1063)	46% (908)	95% (908)
Home Role Performance	7 (1063)	54% (924)	73% (924)
School Role Performance	7 (1062)	48% (970)	64% (970)
Community Role Performance	5 (1063)	47% (478)	92% (478)
Behavior Towards Other	6 (1063)	48% (896)	95% (896)
Substance Use	4 (1063)	59% (318)	85% (318)
Thinking	4 (1063)	72% (192)	96% (192)

Child and Adolescent Level of Care Utilization System (CALOCUS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total	3 (939)	43% (853)	49% (853)
Level of Care	1 (939)	54% (858)	76% (858)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	269	39	11.9%
Child Events	317	46	10.7%
Person-Directed	82	12	4.1%
Property-Directed	39	6	3.0%
Runaway or Elopement	46	7	2.4%
Self-Injury	58	8	3.2%
Substance Use	21	3	1.3%
Other	53	8	3.5%
Institutional Events	148	21	6.5%
Person-Directed (Client Victim)	18	3	1.4%
Seclusion or Restraint	3	1	0.2%
Medication Error	0	0	0.0%
Police Called	43	6	3.1%
Criminal Charges or Arrest	26	4	2.0%
Client Injury	11	2	1.0%
Staff Injury	1	0	0.1%
Other	43	6	3.1%

*Indicates average change from highest CAFAS or CALOCUS score to most recent.
 (A positive number reflects improvement.)

Summary of Youth by Out-of-Home Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Service Setting	Any Out-of-Home Service		
	Any Use N	Any Use % Avail	Dosage % of Months
Clinic	309	79.4%	67.3%
Community	338	86.9%	74.2%
Home	313	80.5%	73.1%
Out-of-Home	342	87.9%	66.0%
Phone*	40	10.3%	42.6%
School	294	75.6%	62.0%
Unclear*	15	3.9%	23.7%
Not Available	3	0.8%	

Service Format	Any Out-of-Home Service		
	Any Use N	Any Use % Avail	Dosage % of Months
Family	341	87.7%	72.2%
Group	246	63.2%	53.7%
Individual	386	99.2%	89.1%
Parent	324	83.3%	72.0%
Phone*	13	3.3%	32.6%
Professional Consult*	79	20.3%	31.0%
Teacher	258	66.3%	54.0%
Unclear*	125	32.1%	45.6%
Not Available	3	0.8%	

Discharge Living Situation	Youth		
	N	% Youth Discharged	% Discharges
Foster Home	78	24.7%	14.1%
Group Care	7	2.2%	1.3%
Home	174	55.1%	31.5%
Homeless/Shelter	13	4.1%	2.4%
Institution/Hospital	21	6.6%	3.8%
Jail/Correctional Facility	30	9.5%	5.4%
Other	95	30.1%	17.2%
Residential Treatment	41	13.0%	7.4%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	316		
Number of Discharges	552		

Reason for Discharge	Youth		
	N	% Youth Discharged	% Discharges
Eligibility Change	11	3.5%	2.0%
Family Relocation	5	1.6%	0.9%
Insufficient Progress	53	16.8%	9.6%
Other	120	38.0%	21.7%
Runaway/Elopement	88	27.8%	15.9%
Refuse/Withdraw	31	9.8%	5.6%
Success/Goals Met	164	51.9%	29.7%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	316		
Number of Discharges	552		

	All Other Services		
	Any Use N	Any Use % Avail	Dosage % of Months
	252	29.6%	44.5%
	599	70.4%	72.4%
	773	90.8%	88.3%
	154	18.1%	51.0%
	99	11.6%	65.9%
	433	50.9%	51.6%
	33	3.9%	29.4%
	876	50.7%	

	All Other Services		
	Any Use N	Any Use % Avail	Dosage % of Months
	626	73.6%	72.5%
	118	13.9%	39.0%
	672	79.0%	87.1%
	630	74.0%	76.7%
	22	2.6%	49.9%
	224	26.3%	46.7%
	208	24.4%	38.5%
	51	6.0%	56.5%
	876	50.7%	

	All Other Services		
	Youth N	% Youth Discharged	% Discharges
	22	5.1%	3.9%
	1	0.2%	0.2%
	349	81.4%	62.7%
	5	1.2%	0.9%
	2	0.5%	0.4%
	23	5.4%	4.1%
	31	7.2%	5.6%
	12	2.8%	2.2%
	0	0.0%	0.0%
	429		
	557		

	All Other Services		
	Youth N	% Youth Discharged	% Discharges
	6	1.4%	1.1%
	17	4.0%	3.1%
	16	3.7%	2.9%
	111	25.9%	19.9%
	10	2.3%	1.8%
	46	10.7%	8.3%
	277	64.6%	49.7%
	0	0.0%	0.0%
	429		
	557		

*Indicates written response to an open-ended question.

Summary of Youth by Out-of-Home Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Treatment Target	Any Out-of-Home Service			All Other Services		
	Any Use N	Any Use % Avail	Dosage % of Months	Any Use N	Any Use % Avail	Dosage % of Months
Academic Achievement	170	43.7%	39.2%	278	32.7%	40.9%
Activity Involvement	286	73.5%	57.9%	380	44.7%	54.3%
Adaptive Behavior/Living Skills	63	16.2%	33.9%	96	11.3%	40.8%
Adjustment to Change	179	46.0%	35.8%	169	19.9%	41.0%
Adult Intercoordination	3	0.8%	14.8%	10	1.2%	24.2%
Aggression	187	48.1%	51.5%	342	40.2%	56.1%
Anger	260	66.8%	58.5%	356	41.8%	53.1%
Anxiety	174	44.7%	48.2%	280	32.9%	51.5%
Assertiveness	92	23.7%	35.6%	129	15.2%	39.4%
Attention Problems	74	19.0%	33.5%	145	17.0%	37.3%
Avoidance	145	37.3%	42.9%	144	16.9%	39.8%
Caregiver Self-Management/Coping	2	0.5%	22.5%	4	0.5%	21.9%
Cognitive-Intellectual Functioning	36	9.3%	35.0%	61	7.2%	40.7%
Community Involvement	93	23.9%	37.5%	135	15.9%	28.8%
Compulsive Behavior	0	0.0%	0.0%	3	0.4%	22.2%
Contentment/Enjoyment/Happiness	94	24.2%	35.8%	157	18.4%	43.4%
Depressed Mood	157	40.4%	44.8%	240	28.2%	52.6%
Eating/Feeding Problems	17	4.4%	30.5%	19	2.2%	33.8%
Empathy	90	23.1%	48.2%	59	6.9%	34.5%
Enuresis/Encopresis	18	4.6%	43.5%	23	2.7%	56.3%
Fire Setting	2	0.5%	41.7%	4	0.5%	37.7%
Fitness/Exercise	0	0.0%	0.0%	1	0.1%	20.0%
Gender Identity Problems	5	1.3%	17.2%	2	0.2%	49.2%
Goal Setting	1	0.3%	8.3%	3	0.4%	14.1%
Grief	25	6.4%	41.5%	46	5.4%	36.4%
Health Management	40	10.3%	29.4%	52	6.1%	33.3%
Housing/Living Situation	83	21.3%	24.2%	123	14.5%	38.3%
Hyperactivity	33	8.5%	40.9%	70	8.2%	38.5%
Information Gathering	1	0.3%	8.3%	10	1.2%	35.3%
Learning Disorder/Underachievement	16	4.1%	20.7%	22	2.6%	29.5%
Low Self-Esteem	155	39.8%	42.5%	158	18.6%	41.6%
Mania	4	1.0%	25.8%	7	0.8%	28.7%
Medical Regimen Adherence	45	11.6%	37.4%	83	9.8%	38.7%
Occupational Functioning/Stress	25	6.4%	23.6%	25	2.9%	35.1%
Oppositional/Non-Compliant Behavior	290	74.6%	66.0%	507	59.6%	63.6%
Pain Management	0	0.0%	0.0%	0	0.0%	0.0%
Parenting Skills	3	0.8%	20.3%	16	1.9%	34.6%
Peer Involvement	87	22.4%	37.1%	115	13.5%	31.6%
Peer/Sibling Conflict	111	28.5%	41.4%	202	23.7%	46.0%
Personal Hygiene	15	3.9%	27.2%	31	3.6%	30.2%
Phobia/Fears	246	63.2%	51.5%	171	20.1%	32.4%
Positive Family Functioning	35	9.0%	39.6%	51	6.0%	41.7%
Positive Peer Interaction	348	89.5%	70.9%	617	72.5%	65.4%
Positive Thinking/Attitude	165	42.4%	38.2%	211	24.8%	43.3%
Pregnancy Education/Adjustment	7	1.8%	30.8%	17	2.0%	45.5%
Psychosis	17	4.4%	41.4%	21	2.5%	59.9%
Runaway	148	38.0%	46.4%	83	9.8%	46.0%
Safe Environment	3	0.8%	17.5%	8	0.9%	33.0%
School Involvement	99	25.4%	35.6%	185	21.7%	37.7%
School Refusal/Truancy	69	17.7%	30.3%	158	18.6%	47.8%
Self-Control	90	23.1%	46.1%	69	8.1%	43.2%
Self-Injurious Behavior	159	40.9%	45.3%	156	18.3%	37.5%
Sexual Orientation	0	0.0%	0.0%	0	0.0%	0.0%
Sexual Misconduct	47	12.1%	58.3%	22	2.6%	37.6%
Shyness	11	2.8%	22.7%	14	1.6%	31.2%
Sleep Disturbance	10	2.6%	30.5%	14	1.6%	39.9%
Social Skills	163	41.9%	44.7%	200	23.5%	47.1%
Speech and Language	0	0.0%	0.0%	8	0.9%	25.6%
Substance Use	201	51.7%	65.9%	145	17.0%	62.8%
Suicidality	45	11.6%	31.8%	45	5.3%	41.2%
Traumatic Stress	121	31.1%	49.6%	69	8.1%	34.8%
Treatment Engagement	267	68.6%	51.4%	414	48.6%	53.6%
Treatment Planning/Framing	14	3.6%	16.3%	53	6.2%	53.1%
Willful Misconduct/Delinquency	104	26.7%	38.3%	130	15.3%	51.2%
Other	5	1.3%	15.8%	9	1.1%	15.6%
Unclear	25	6.4%	16.1%	76	8.9%	33.9%
Not Available	3	0.8%		876	50.7%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Out-of-Home Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Any Out-of-Home Service			All Other Services		
	Any Use	Any Use	Dosage	Any Use	Any Use	Dosage
Practice Elements	N	% Avail	% of Months	N	% Avail	% of Months
Activity Scheduling	326	83.8%	60.7%	412	48.4%	53.9%
Anger Management	2	0.5%	21.1%	2	0.2%	12.5%
Animal or Plant Assisted Activities	0	0.0%	0.0%	0	0.0%	0.0%
Arousal Reconditioning	0	0.0%	0.0%	0	0.0%	0.0%
Art/Music Therapy	1	0.3%	33.3%	1	0.1%	11.1%
Assertiveness Training	209	53.7%	47.7%	200	23.5%	44.2%
Assessment	5	1.3%	19.6%	36	4.2%	74.4%
Attending	191	49.1%	43.0%	170	20.0%	47.2%
Behavior Management	1	0.3%	16.7%	4	0.5%	15.0%
Behavioral Contracting	284	73.0%	57.8%	429	50.4%	54.3%
Biofeedback/Neurofeedback	8	2.1%	30.3%	11	1.3%	28.8%
Care Coordination	367	94.3%	69.9%	400	47.0%	61.1%
Catharsis	35	9.0%	29.4%	39	4.6%	48.1%
Cognitive/Coping	323	83.0%	64.2%	419	49.2%	64.0%
Commands/Limit Setting	96	24.7%	34.7%	94	11.0%	45.4%
Communication Skills	356	91.5%	71.3%	605	71.1%	65.8%
Counseling	1	0.3%	27.3%	0	0.0%	0.0%
Crisis Management	264	67.9%	49.2%	279	32.8%	43.2%
Cultural Training	98	25.2%	38.2%	47	5.5%	48.2%
Discrete Trial Training	9	2.3%	16.1%	6	0.7%	24.7%
Educational Support	321	82.5%	59.7%	350	41.1%	51.3%
Emotional Processing	347	89.2%	65.6%	453	53.2%	60.8%
Exposure	110	28.3%	36.4%	143	16.8%	43.7%
Eye Movement/Body Tapping	13	3.3%	16.9%	5	0.6%	21.0%
Family Engagement	353	90.7%	67.2%	578	67.9%	62.4%
Family Therapy	329	84.6%	60.7%	536	63.0%	60.2%
Family Visit	0	0.0%	0.0%	0	0.0%	0.0%
Free Association	44	11.3%	39.8%	34	4.0%	31.6%
Functional Analysis	72	18.5%	37.8%	134	15.7%	55.2%
Goal Setting	350	90.0%	69.3%	532	62.5%	60.0%
Guided Imagery	116	29.8%	32.1%	94	11.0%	42.4%
Ho'Oponopono	0	0.0%	0.0%	0	0.0%	0.0%
Hypnosis	10	2.6%	39.4%	13	1.5%	15.4%
Ignoring or DRO	213	54.8%	46.6%	213	25.0%	47.3%
Individual Therapy for Caregiver	116	29.8%	33.3%	248	29.1%	45.5%
Informal Supports	0	0.0%	0.0%	6	0.7%	26.8%
Insight Building	336	86.4%	61.8%	449	52.8%	59.5%
Interpretation	124	31.9%	32.5%	92	10.8%	41.4%
Juvenile Sex Offender Treatment	23	5.9%	71.3%	0	0.0%	0.0%
Legal Assistance/Involvement	0	0.0%	0.0%	0	0.0%	0.0%
Line of Sight Supervision	249	64.0%	48.1%	156	18.3%	44.4%
Maintenance/Relapse Prevention	207	53.2%	46.6%	142	16.7%	40.0%
Marital Therapy	22	5.7%	22.6%	46	5.4%	33.0%
Medication/Pharmacotherapy	211	54.2%	51.1%	152	17.9%	53.6%
Mentoring	255	65.6%	51.1%	228	26.8%	47.8%
Milieu Therapy	257	66.1%	52.9%	50	5.9%	37.2%
Mindfulness	273	70.2%	49.7%	233	27.4%	48.0%
Modeling	302	77.6%	59.6%	483	56.8%	55.7%
Motivational Interviewing	275	70.7%	56.3%	359	42.2%	54.0%
Natural and Logical Consequences	336	86.4%	68.2%	512	60.2%	57.6%
Parent Coping	248	63.8%	50.1%	537	63.1%	61.6%
Parent or Teacher Monitoring	255	65.6%	47.9%	341	40.1%	54.1%
Parent Praise	264	67.9%	50.1%	351	41.2%	53.1%
Parenting	3	0.8%	14.8%	12	1.4%	22.5%
Peer Modeling/Pairing	153	39.3%	35.7%	59	6.9%	23.8%
Personal Safety Skills	301	77.4%	55.8%	267	31.4%	45.5%
Physical Exercise	0	0.0%	0.0%	0	0.0%	0.0%
Play Therapy	74	19.0%	42.4%	129	15.2%	51.5%
Problem Solving	347	89.2%	69.6%	603	70.9%	63.4%
Psychoeducation-Child	326	83.8%	60.9%	456	53.6%	59.2%
Psychoeducation-Parent	285	73.3%	54.1%	561	65.9%	66.4%
Relationship/Rapport Building	368	94.6%	66.6%	564	66.3%	56.7%
Relaxation	317	81.5%	53.3%	298	35.0%	46.7%
Response Cost	123	31.6%	40.1%	108	12.7%	45.0%
Response Prevention	138	35.5%	42.6%	131	15.4%	40.4%
Self-Monitoring	269	69.2%	50.3%	279	32.8%	48.8%
Self-Reward/Self-Praise	243	62.5%	48.9%	191	22.4%	50.3%
Skill Building	344	88.4%	64.2%	535	62.9%	59.3%
Social Skills Training	307	78.9%	56.4%	354	41.6%	52.0%
Stimulus Control/Antecedent Man.	159	40.9%	40.8%	131	15.4%	46.3%
Supportive Listening	373	95.9%	77.2%	621	73.0%	67.6%
Tangible Rewards	278	71.5%	52.9%	317	37.3%	51.1%
Therapist Praise/Rewards	305	78.4%	61.6%	505	59.3%	62.4%
Thought Field Therapy	20	5.1%	19.5%	12	1.4%	20.6%
Time Out	219	56.3%	47.4%	126	14.8%	41.2%
Twelve-step Programming	127	32.6%	50.7%	17	2.0%	43.6%
Other	25	6.4%	31.4%	10	1.2%	19.4%
Unclear	95	24.4%	35.2%	59	6.9%	44.8%
Not Available	3	0.8%		876	50.7%	


Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Hospital Residential Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Hospital Residential Service		
	N	%
Total Registered Youth	77	3.6%
with Services Procured	77	100.0%
Youth with New Admissions	32	41.6%
with Initial Admissions	26	33.8%
with Repeat Admissions	6	7.8%
Youth with Discharges	3	3.9%

	N	% of Available
Gender		
Females	39	51%
Males	38	49%

	Mean	SD
Age in Years	14.3	3.0




Primary Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	2	2.7%
Anxiety	13	17.6%
Attention	10	13.5%
Disruptive Behavior	14	18.9%
Mental Retardation	0	0.0%
Miscellaneous	3	4.1%
Mood	21	28.4%
Pervasive Developmental	2	2.7%
Psychotic Spectrum	6	8.1%
Substance-Related	3	4.1%
Not Available (% Total)	3	3.9%

Any Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	2	2.7%
Anxiety	29	39.2%
Attention	29	39.2%
Disruptive Behavior	34	45.9%
Mental Retardation	4	5.4%
Miscellaneous	20	27.0%
Mood	29	39.2%
Pervasive Developmental	2	2.7%
Psychotic Spectrum	8	10.8%
Substance-Related	15	20.3%
Multiple Diagnoses	64	86.5%
Avg. Number of Diagnoses	2.4	

All Other Services		
	N	%
Total Registered Youth	2,042	96.4%
with Services Procured	1,236	60.5%
Youth with New Admissions	937	45.9%
with Initial Admissions	664	32.5%
with Repeat Admissions	273	13.4%
Youth with Discharges	853	41.8%

	N	% of Available
Gender		
Females	759	37%
Males	1,283	63%

	Mean	SD
Age in Years	14.0	3.8



Primary Diagnosis of	N	% Avail
None Recorded	6	0.4%
Adjustment	127	7.5%
Anxiety	172	10.2%
Attention	337	19.9%
Disruptive Behavior	556	32.8%
Mental Retardation	0	0.0%
Miscellaneous	71	4.2%
Mood	310	18.3%
Pervasive Developmental	23	1.4%
Psychotic Spectrum	32	1.9%
Substance-Related	59	3.5%
Not Available (% Total)	349	17.1%

Any Diagnosis of	N	% Avail
None Recorded	4	0.2%
Adjustment	203	12.0%
Anxiety	381	22.4%
Attention	600	35.3%
Disruptive Behavior	904	53.2%
Mental Retardation	30	1.8%
Miscellaneous	446	26.3%
Mood	495	29.2%
Pervasive Developmental	34	2.0%
Psychotic Spectrum	38	2.2%
Substance-Related	341	20.1%
Multiple Diagnoses	1,255	73.9%
Avg. Number of Diagnoses	1.8	

Summary of Youth by Hospital Residential Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Hospital Residential Service		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	41	73.2%
Hispanic or Latino/a	15	26.8%
Not Available (% Total)	21	27.3%
<hr/>		
Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	0	0.0%
Asian	5	7.7%
Black or African-American	0	0.0%
Native Hawaiian or Pacific Islander	8	12.3%
White	11	16.9%
Other Race	1	1.5%
Multiracial	40	61.5%
Based on Observation	3	4.6%
Not Available (% Total)	12	15.6%
<hr/>		
Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	10	18.2%
Alaska Native	0	0.0%
American Indian	10	18.2%
Asian	30	54.5%
Asian Indian	1	1.8%
Chinese	14	25.5%
Filipino	22	40.0%
Japanese	9	16.4%
Korean	2	3.6%
Vietnamese	0	0.0%
Other Asian	1	1.8%
Black or African-American	4	7.3%
Hispanic or Latina/o	14	25.5%
Cuban	0	0.0%
Mexican	1	1.8%
Puerto Rican	11	20.0%
Other Hispanic	5	9.1%
Native Hawaiian or Pacific Islander	31	56.4%
Guamanian or Chamorro	1	1.8%
Micronesia	2	3.6%
Native Hawaiian	29	52.7%
Samoan	5	9.1%
Other Pacific Islander	4	7.3%
White	35	63.6%
White or Caucasian	29	52.7%
Portuguese	9	16.4%
Other Race or Ethnicity	2	3.6%
Multiethnic	39	70.9%
Not Available (% Total)	22	28.6%

All Other Services		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	859	71.5%
Hispanic or Latino/a	343	28.5%
Not Available (% Total)	840	41.1%
<hr/>		
Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	7	0.5%
Asian	117	8.0%
Black or African-American	22	1.5%
Native Hawaiian or Pacific Islander	200	13.7%
White	201	13.8%
Other Race	7	0.5%
Multiracial	904	62.0%
Based on Observation	90	6.2%
Not Available (% Total)	584	28.6%
<hr/>		
Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	120	10.0%
Alaska Native	0	0.0%
American Indian	120	10.0%
Asian	661	55.3%
Asian Indian	4	0.3%
Chinese	298	24.9%
Filipino	377	31.5%
Japanese	206	17.2%
Korean	43	3.6%
Vietnamese	9	0.8%
Other Asian	19	1.6%
Black or African-American	79	6.6%
Hispanic or Latina/o	336	28.1%
Cuban	6	0.5%
Mexican	64	5.4%
Puerto Rican	178	14.9%
Other Hispanic	131	11.0%
Native Hawaiian or Pacific Islander	728	60.9%
Guamanian or Chamorro	11	0.9%
Micronesia	56	4.7%
Native Hawaiian	612	51.2%
Samoan	77	6.4%
Other Pacific Islander	46	3.8%
White	752	62.9%
White or Caucasian	592	49.5%
Portuguese	299	25.0%
Other Race or Ethnicity	50	4.2%
Multiethnic	840	70.3%
Not Available (% Total)	847	41.5%

Summary of Youth by Hospital Residential Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Hospital Residential Service		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	13	16.9%
Leeward Oahu	19	24.7%
Honolulu Oahu	5	6.5%
Hawaii (Big Island)	24	31.2%
Maui	10	13.0%
Kauai	6	7.8%
Family Court Liaison Branch	0	0.0%

All Other Services		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	283	13.9%
Leeward Oahu	284	13.9%
Honolulu Oahu	246	12.0%
Hawaii (Big Island)	746	36.5%
Maui	215	10.5%
Kauai	180	8.8%
Family Court Liaison Branch	88	4.3%

*Central Oahu FGC now includes both Central and Windward Oahu offices.

Summary of Youth by Hospital Residential Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Services Procured	Hospital Residential Service			All Other Services		
	Monthly Average	Total N	% of Procured	Monthly Average	Total N	% of Procured
Out-of-Home	27	77	100.0%	155	315	25.5%
Out-of-State	0	0	0.0%	5	5	0.4%
Hospital Residential	17	77	100.0%	0	0	0.0%
Community High Risk	0	0	0.0%	7	14	1.1%
Community Residential	5	13	16.9%	50	142	11.5%
Therapeutic Foster Home	7	17	22.1%	96	182	14.7%
<i>Multidimensional Treatment Foster Care</i>	0	0	0.0%	5	12	1.0%
<i>Transitional Family Home</i>	7	17	22.1%	91	175	14.2%
Intensive Home & Community	32	63	81.8%	443	923	74.7%
Partial Hospitalization	3	13	16.9%	2	10	0.8%
Multisystemic Therapy	3	6	7.8%	65	207	16.7%
Intensive In-Home	29	59	76.6%	378	753	60.9%
Outpatient	1	8	10.4%	58	300	24.3%
Treatment	1	6	7.8%	42	127	10.3%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	1	6	7.8%	32	95	7.7%
<i>Outpatient Therapy</i>	0	0	0.0%	10	32	2.6%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	0	3	3.9%	16	178	14.4%
Supportive Services	8	36	46.8%	35	152	12.3%
Respite Home	1	2	2.6%	5	28	2.3%
Ancillary Service	7	35	45.5%	30	127	10.3%
Crisis Stabilization	1	7	9.1%	4	39	3.2%
Unduplicated Total (% of Registered)	50	77	100%	641	1,236	61%

*These services either were not procured or had no data available in FY 2013.

Summary of Youth by Hospital Residential Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Total Hours Procured	Hospital Residential Service			All Other Services		
	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth
Out-of-Home	128	652	79.9%	157	1,044	91.0%
Out-of-State	0	0	0.0%	195	2,120	95.1%
Hospital Residential	120	359	58.7%	0	0	0.0%
Community High Risk	0	0	0.0%	175	1,060	83.2%
Community Residential	126	700	55.9%	139	666	79.6%
Therapeutic Foster Home	164	794	53.7%	165	1,147	86.4%
<i>Multidimensional Treatment Foster Care</i>	0	0	0.0%	173	913	76.5%
<i>Transitional Family Home</i>	164	794	53.7%	164	1,130	84.6%
Intensive Home & Community	15	107	22.5%	18	98	82.3%
Partial Hospitalization	3	8	2.4%	3	8	13.0%
Multisystemic Therapy	37	185	31.9%	40	133	81.4%
Intensive In-Home	14	94	20.3%	12	84	78.4%
Outpatient	3	6	3.0%	4	10	51.5%
Treatment	2	6	1.9%	4	16	50.7%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	2	6	1.9%	3	14	54.1%
<i>Outpatient Therapy</i>	0	0	0.0%	5	21	40.6%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	5	5	4.1%	5	5	50.6%
Supportive Services**	-	-	-	-	-	-
Respite Home	38	169	16.3%	19	42	11.9%
Ancillary Service**	-	-	-	-	-	-
Crisis Stabilization	29	49	9.7%	29	39	55.6%
Unduplicated Total	66	750		38	344	

Service Changes	Hospital Residential Service			All Other Services		
	Monthly Average	Total N	Total per Youth	Monthly Average	Total N	Total per Youth
Placement Changes	13	152	2.0	32	389	0.2
Out-of-Home Changes	2	23	0.3	2	22	0.0
Provider Agency Changes	15	176	2.3	91	1,098	0.5
Care Coordinator Changes	5	54	0.7	69	827	0.4

*These services either were not procured or had no data available in FY 2013.

**Duration not available for these services.

Summary of Youth by Hospital Residential Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Hospital Residential Service		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	151 (3.9)	119 (3.7)	112 (4.4)
Moods: Self-Harm	21 (1.1)	11 (1.0)	8 (1.2)
Moods: Emotions	26 (0.6)	21 (0.6)	20 (0.7)
Home Role Performance	28 (0.6)	25 (0.8)	22 (1.2)
School Role Performance	29 (0.5)	23 (0.9)	22 (1.2)
Community Role Performance	16 (1.3)	11 (1.0)	10 (1.2)
Behavior Towards Other	25 (0.6)	19 (0.5)	19 (0.7)
Substance Use	10 (1.4)	5 (1.0)	5 (1.0)
Thinking	12 (1.3)	5 (0.9)	5 (1.0)

	Hospital Residential Service		
Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	24 (0.4)	21 (0.4)	21 (0.5)
Level of Care	5 (0.1)	4 (0.1)	4 (0.2)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Functional Assessment Scale (CAFAS)			
Total (8-scale)	38 (72)	57% (72)	17% (72)
Moods: Self-Harm	13 (72)	75% (60)	92% (60)
Moods: Emotions	5 (72)	47% (72)	83% (72)
Home Role Performance	6 (72)	35% (68)	37% (68)
School Role Performance	7 (72)	39% (70)	44% (70)
Community Role Performance	7 (72)	57% (46)	93% (46)
Behavior Towards Other	6 (72)	54% (71)	86% (71)
Substance Use	5 (72)	71% (24)	88% (24)
Thinking	7 (72)	72% (32)	94% (32)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Level of Care Utilization System (CALOCUS)			
Total	3 (71)	51% (70)	19% (70)
Level of Care	1 (71)	51% (70)	34% (70)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	4,558	29	75.3%
Child Events	5,091	33	72.7%
Person-Directed	1,091	7	40.3%
Property-Directed	390	3	22.1%
Runaway or Elopement	857	6	29.9%
Self-Injury	1,571	10	44.2%
Substance Use	312	2	16.9%
Other	701	5	33.8%
Institutional Events	3,312	21	59.7%
Person-Directed (Client Victim)	234	2	16.9%
Seclusion or Restraint	818	5	28.6%
Medication Error	104	1	5.2%
Police Called	519	3	31.2%
Criminal Charges or Arrest	234	2	14.3%
Client Injury	130	1	13.0%
Staff Injury	130	1	5.2%
Other	896	6	36.4%

	All Other Services		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	117 (0.9)	88 (0.9)	84 (1.0)
Moods: Self-Harm	9 (0.3)	3 (0.2)	2 (0.2)
Moods: Emotions	20 (0.2)	16 (0.2)	15 (0.2)
Home Role Performance	25 (0.2)	19 (0.2)	18 (0.3)
School Role Performance	26 (0.2)	19 (0.2)	18 (0.3)
Community Role Performance	14 (0.3)	9 (0.3)	9 (0.3)
Behavior Towards Other	21 (0.2)	16 (0.2)	15 (0.2)
Substance Use	10 (0.3)	5 (0.2)	5 (0.3)
Thinking	6 (0.2)	2 (0.1)	2 (0.1)

	All Other Services		
Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	21 (0.1)	18 (0.1)	18 (0.1)
Level of Care	4 (0.0)	3 (0.0)	3 (0.0)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Functional Assessment Scale (CAFAS)			
Total (8-scale)	33 (1349)	53% (1277)	35% (1277)
Moods: Self-Harm	6 (1349)	79% (425)	97% (425)
Moods: Emotions	6 (1349)	47% (1183)	95% (1183)
Home Role Performance	7 (1349)	51% (1208)	66% (1208)
School Role Performance	8 (1348)	49% (1246)	63% (1246)
Community Role Performance	5 (1349)	46% (710)	90% (710)
Behavior Towards Other	6 (1349)	49% (1173)	95% (1173)
Substance Use	5 (1349)	61% (489)	83% (489)
Thinking	4 (1349)	76% (249)	97% (249)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Level of Care Utilization System (CALOCUS)			
Total	3 (1213)	45% (1126)	43% (1126)
Level of Care	1 (1213)	55% (1131)	69% (1131)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	722	123	21.5%
Child Events	778	132	19.8%
Person-Directed	148	25	8.1%
Property-Directed	84	14	5.7%
Runaway or Elopement	223	38	9.2%
Self-Injury	119	20	6.0%
Substance Use	88	15	4.7%
Other	86	15	5.5%
Institutional Events	439	75	13.6%
Person-Directed (Client Victim)	39	7	3.2%
Seclusion or Restraint	31	5	1.8%
Medication Error	6	1	0.5%
Police Called	140	24	7.3%
Criminal Charges or Arrest	95	16	5.2%
Client Injury	37	6	3.1%
Staff Injury	4	1	0.4%
Other	84	14	5.7%

*Indicates average change from highest CAFAS or CALOCUS score to most recent.
 (A positive number reflects improvement.)

Summary of Youth by Hospital Residential Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Hospital Residential Service			
Service Setting	Any Use N	Any Use % Avail	Dosage % of Months
Clinic	41	53.2%	48.9%
Community	58	75.3%	56.5%
Home	64	83.1%	67.4%
Out-of-Home	77	100.0%	60.3%
Phone*	8	10.4%	26.3%
School	44	57.1%	45.7%
Unclear*	10	13.0%	22.1%
Not Available	0	0.0%	

Service Format	Any Use N	Any Use % Avail	Dosage % of Months
Family	67	87.0%	68.2%
Group	55	71.4%	49.9%
Individual	74	96.1%	82.1%
Parent	69	89.6%	72.5%
Phone*	1	1.3%	16.7%
Professional Consult*	18	23.4%	31.5%
Teacher	61	79.2%	43.5%
Unclear*	43	55.8%	42.5%
Not Available	0	0.0%	

Discharge Living Situation	Youth N	% Youth Discharged	% Discharges
Foster Home	19	27.9%	14.7%
Group Care	4	5.9%	3.1%
Home	40	58.8%	31.0%
Homeless/Shelter	5	7.4%	3.9%
Institution/Hospital	17	25.0%	13.2%
Jail/Correctional Facility	2	2.9%	1.6%
Other	16	23.5%	12.4%
Residential Treatment	7	10.3%	5.4%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	68		
Number of Discharges	129		

Reason for Discharge	Youth N	% Youth Discharged	% Discharges
Eligibility Change	1	1.5%	0.8%
Family Relocation	1	1.5%	0.8%
Insufficient Progress	11	16.2%	8.5%
Other	28	41.2%	21.7%
Runaway/Elopement	11	16.2%	8.5%
Refuse/Withdraw	8	11.8%	6.2%
Success/Goals Met	52	76.5%	40.3%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	68		
Number of Discharges	129		

All Other Services		
Any Use N	Any Use % Avail	Dosage % of Months
520	44.7%	57.7%
879	75.6%	74.2%
1,022	87.9%	85.0%
419	36.0%	61.5%
131	11.3%	61.2%
683	58.7%	56.5%
38	3.3%	29.1%
879	43.0%	

Any Use N	Any Use % Avail	Dosage % of Months
900	77.4%	72.7%
309	26.6%	48.7%
984	84.6%	88.3%
885	76.1%	75.3%
34	2.9%	44.2%
285	24.5%	43.3%
405	34.8%	47.6%
133	11.4%	50.7%
879	43.0%	

Youth N	% Youth Discharged	% Discharges
81	12.0%	8.3%
4	0.6%	0.4%
483	71.3%	49.3%
13	1.9%	1.3%
6	0.9%	0.6%
51	7.5%	5.2%
110	16.2%	11.2%
46	6.8%	4.7%
0	0.0%	0.0%
677		
980		

Youth N	% Youth Discharged	% Discharges
16	2.4%	1.6%
21	3.1%	2.1%
58	8.6%	5.9%
203	30.0%	20.7%
87	12.9%	8.9%
69	10.2%	7.0%
389	57.5%	39.7%
0	0.0%	0.0%
677		
980		

*Indicates written response to an open-ended question.

Summary of Youth by Hospital Residential Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Treatment Target	Hospital Residential Service			All Other Services		
	Any Use N	Any Use % Avail	Dosage % of Months	Any Use N	Any Use % Avail	Dosage % of Months
Academic Achievement	35	45.5%	31.6%	413	35.5%	41.0%
Activity Involvement	54	70.1%	39.4%	612	52.6%	57.3%
Adaptive Behavior/Living Skills	11	14.3%	37.8%	148	12.7%	38.1%
Adjustment to Change	31	40.3%	26.2%	317	27.3%	39.5%
Adult Intercoordination	2	2.6%	9.7%	11	0.9%	24.2%
Aggression	41	53.2%	48.8%	488	42.0%	55.0%
Anger	49	63.6%	50.9%	567	48.8%	55.8%
Anxiety	41	53.2%	49.3%	413	35.5%	50.3%
Assertiveness	14	18.2%	33.0%	207	17.8%	38.1%
Attention Problems	22	28.6%	38.3%	197	16.9%	35.7%
Avoidance	26	33.8%	33.6%	263	22.6%	42.1%
Caregiver Self-Management/Coping	2	2.6%	22.5%	4	0.3%	21.9%
Cognitive-Intellectual Functioning	12	15.6%	32.5%	85	7.3%	39.5%
Community Involvement	18	23.4%	23.7%	210	18.1%	33.1%
Compulsive Behavior	0	0.0%	0.0%	3	0.3%	22.2%
Contentment/Enjoyment/Happiness	17	22.1%	29.6%	234	20.1%	41.3%
Depressed Mood	50	64.9%	46.4%	347	29.8%	50.0%
Eating/Feeding Problems	6	7.8%	24.0%	30	2.6%	33.9%
Empathy	8	10.4%	41.9%	141	12.1%	42.8%
Enuresis/Encopresis	6	7.8%	24.3%	35	3.0%	55.2%
Fire Setting	0	0.0%	0.0%	6	0.5%	39.0%
Fitness/Exercise	0	0.0%	0.0%	1	0.1%	20.0%
Gender Identity Problems	1	1.3%	8.3%	6	0.5%	29.4%
Goal Setting	0	0.0%	0.0%	4	0.3%	12.7%
Grief	3	3.9%	25.2%	68	5.8%	38.7%
Health Management	14	18.2%	18.4%	78	6.7%	34.0%
Housing/Living Situation	25	32.5%	21.3%	181	15.6%	34.2%
Hyperactivity	13	16.9%	29.7%	90	7.7%	40.6%
Information Gathering	0	0.0%	0.0%	11	0.9%	32.8%
Learning Disorder/Underachievement	3	3.9%	17.6%	35	3.0%	26.5%
Low Self-Esteem	36	46.8%	36.5%	277	23.8%	42.8%
Mania	3	3.9%	26.0%	8	0.7%	28.2%
Medical Regimen Adherence	18	23.4%	35.3%	110	9.5%	38.7%
Occupational Functioning/Stress	5	6.5%	11.1%	45	3.9%	31.3%
Oppositional/Non-Compliant Behavior	60	77.9%	61.2%	737	63.4%	64.7%
Pain Management	0	0.0%	0.0%	0	0.0%	0.0%
Parenting Skills	1	1.3%	14.3%	18	1.5%	33.3%
Peer Involvement	12	15.6%	15.7%	190	16.3%	35.1%
Peer/Sibling Conflict	22	28.6%	31.2%	291	25.0%	45.4%
Personal Hygiene	7	9.1%	33.1%	39	3.4%	28.5%
Phobia/Fears	42	54.5%	40.0%	375	32.2%	44.1%
Positive Family Functioning	13	16.9%	40.3%	73	6.3%	40.9%
Positive Peer Interaction	70	90.9%	67.3%	895	77.0%	67.4%
Positive Thinking/Attitude	31	40.3%	27.8%	345	29.7%	42.2%
Pregnancy Education/Adjustment	3	3.9%	33.1%	21	1.8%	42.4%
Psychosis	15	19.5%	45.0%	23	2.0%	56.0%
Runaway	23	29.9%	44.2%	208	17.9%	46.5%
Safe Environment	2	2.6%	17.1%	9	0.8%	31.3%
School Involvement	24	31.2%	37.1%	260	22.4%	37.0%
School Refusal/Truancy	13	16.9%	22.9%	214	18.4%	43.7%
Self-Control	41	53.2%	44.1%	118	10.1%	45.1%
Self-Injurious Behavior	33	42.9%	30.0%	282	24.2%	42.7%
Sexual Orientation	0	0.0%	0.0%	0	0.0%	0.0%
Sexual Misconduct	7	9.1%	31.1%	62	5.3%	54.0%
Shyness	1	1.3%	9.1%	24	2.1%	28.2%
Sleep Disturbance	6	7.8%	22.4%	18	1.5%	40.6%
Social Skills	36	46.8%	37.7%	327	28.1%	46.9%
Speech and Language	0	0.0%	0.0%	8	0.7%	25.6%
Substance Use	28	36.4%	55.8%	318	27.3%	65.4%
Suicidality	23	29.9%	39.2%	67	5.8%	35.5%
Traumatic Stress	43	55.8%	35.3%	147	12.6%	46.8%
Treatment Engagement	56	72.7%	43.4%	625	53.7%	53.6%
Treatment Planning/Framing	5	6.5%	11.2%	62	5.3%	48.2%
Willful Misconduct/Delinquency	16	20.8%	23.0%	218	18.7%	47.1%
Other	1	1.3%	9.1%	13	1.1%	16.1%
Unclear	11	14.3%	21.3%	90	7.7%	30.5%
Not Available	0	0.0%		879	43.0%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Hospital Residential Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Hospital Residential Service			All Other Services		
	Any Use	Any Use	Dosage	Any Use	Any Use	Dosage
Practice Elements	N	% Avail	% of Months	N	% Avail	% of Months
Activity Scheduling	70	90.9%	59.9%	668	57.4%	56.6%
Anger Management	0	0.0%	0.0%	4	0.3%	16.8%
Animal or Plant Assisted Activities	0	0.0%	0.0%	0	0.0%	0.0%
Arousal Reconditioning	0	0.0%	0.0%	0	0.0%	0.0%
Art/Music Therapy	0	0.0%	0.0%	2	0.2%	22.2%
Assertiveness Training	51	66.2%	42.6%	358	30.8%	46.5%
Assessment	0	0.0%	0.0%	41	3.5%	67.7%
Attending	46	59.7%	39.1%	315	27.1%	45.8%
Behavior Management	0	0.0%	0.0%	5	0.4%	15.3%
Behavioral Contracting	61	79.2%	57.1%	652	56.1%	55.6%
Biofeedback/Neurofeedback	2	2.6%	8.7%	17	1.5%	31.9%
Care Coordination	77	100.0%	64.6%	690	59.3%	65.4%
Catharsis	7	9.1%	18.3%	67	5.8%	41.4%
Cognitive/Coping	68	88.3%	60.8%	674	58.0%	64.4%
Commands/Limit Setting	25	32.5%	30.4%	165	14.2%	41.4%
Communication Skills	76	98.7%	71.6%	885	76.1%	67.5%
Counseling	0	0.0%	0.0%	1	0.1%	27.3%
Crisis Management	61	79.2%	51.5%	482	41.4%	45.5%
Cultural Training	14	18.2%	26.3%	131	11.3%	43.1%
Discrete Trial Training	0	0.0%	0.0%	15	1.3%	19.6%
Educational Support	70	90.9%	60.5%	601	51.7%	54.8%
Emotional Processing	71	92.2%	68.9%	729	62.7%	62.3%
Exposure	37	48.1%	40.7%	216	18.6%	40.5%
Eye Movement/Body Tapping	2	2.6%	17.5%	16	1.4%	18.1%
Family Engagement	73	94.8%	64.1%	858	73.8%	64.2%
Family Therapy	72	93.5%	61.5%	793	68.2%	60.3%
Family Visit	0	0.0%	0.0%	0	0.0%	0.0%
Free Association	10	13.0%	29.0%	68	5.8%	37.3%
Functional Analysis	20	26.0%	29.7%	186	16.0%	51.2%
Goal Setting	74	96.1%	61.2%	808	69.5%	63.9%
Guided Imagery	33	42.9%	29.4%	177	15.2%	38.1%
Ho'Oponopono	0	0.0%	0.0%	0	0.0%	0.0%
Hypnosis	2	2.6%	16.7%	21	1.8%	26.7%
Ignoring or DRO	58	75.3%	42.8%	368	31.6%	47.6%
Individual Therapy for Caregiver	37	48.1%	35.9%	327	28.1%	42.3%
Informal Supports	0	0.0%	0.0%	6	0.5%	26.8%
Insight Building	73	94.8%	62.2%	712	61.2%	60.3%
Interpretation	30	39.0%	31.6%	186	16.0%	37.0%
Juvenile Sex Offender Treatment	1	1.3%	33.3%	22	1.9%	73.0%
Legal Assistance/Involvement	0	0.0%	0.0%	0	0.0%	0.0%
Line of Sight Supervision	58	75.3%	44.8%	347	29.8%	47.0%
Maintenance/Relapse Prevention	32	41.6%	40.6%	317	27.3%	44.2%
Marital Therapy	3	3.9%	16.9%	65	5.6%	30.2%
Medication/Pharmacotherapy	74	96.1%	55.8%	289	24.8%	51.2%
Mentoring	41	53.2%	42.7%	442	38.0%	50.2%
Milieu Therapy	76	98.7%	52.2%	231	19.9%	49.8%
Mindfulness	58	75.3%	51.6%	448	38.5%	48.6%
Modeling	64	83.1%	57.9%	721	62.0%	57.2%
Motivational Interviewing	54	70.1%	56.1%	580	49.9%	54.9%
Natural and Logical Consequences	72	93.5%	67.1%	776	66.7%	61.3%
Parent Coping	65	84.4%	60.7%	720	61.9%	57.7%
Parent or Teacher Monitoring	66	85.7%	52.1%	530	45.6%	51.4%
Parent Praise	71	92.2%	50.3%	544	46.8%	52.0%
Parenting	0	0.0%	0.0%	15	1.3%	21.0%
Peer Modeling/Pairing	34	44.2%	28.2%	178	15.3%	33.2%
Personal Safety Skills	69	89.6%	53.7%	499	42.9%	50.6%
Physical Exercise	0	0.0%	0.0%	0	0.0%	0.0%
Play Therapy	23	29.9%	41.9%	180	15.5%	49.0%
Problem Solving	76	98.7%	71.0%	874	75.2%	65.2%
Psychoeducation-Child	75	97.4%	66.4%	707	60.8%	59.2%
Psychoeducation-Parent	70	90.9%	68.7%	776	66.7%	61.7%
Relationship/Rapport Building	73	94.8%	60.2%	859	73.9%	60.7%
Relaxation	70	90.9%	53.9%	545	46.9%	49.6%
Response Cost	53	68.8%	39.8%	178	15.3%	43.2%
Response Prevention	48	62.3%	39.1%	221	19.0%	42.1%
Self-Monitoring	56	72.7%	45.6%	492	42.3%	50.0%
Self-Reward/Self-Praise	48	62.3%	43.3%	386	33.2%	50.3%
Skill Building	75	97.4%	65.7%	804	69.1%	60.8%
Social Skills Training	67	87.0%	58.0%	594	51.1%	53.6%
Stimulus Control/Antecedent Man.	42	54.5%	35.9%	248	21.3%	44.5%
Supportive Listening	75	97.4%	77.0%	919	79.0%	70.7%
Tangible Rewards	67	87.0%	48.0%	528	45.4%	52.4%
Therapist Praise/Rewards	65	84.4%	60.8%	745	64.1%	62.2%
Thought Field Therapy	3	3.9%	28.2%	29	2.5%	19.1%
Time Out	58	75.3%	43.9%	287	24.7%	45.4%
Twelve-step Programming	17	22.1%	43.7%	127	10.9%	50.7%
Other	1	1.3%	33.3%	34	2.9%	27.8%
Unclear	8	10.4%	38.6%	146	12.6%	38.9%
Not Available	0	0.0%		879	43.0%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.


Summary of Youth by Community Residential Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Community Residential Service

	N	%
Total Registered Youth	155	7.3%
with Services Procured	155	100.0%
Youth with New Admissions	32	20.6%
with Initial Admissions	21	13.5%
with Repeat Admissions	11	7.1%
Youth with Discharges	18	11.6%

	N	% of Available
Gender		
Females	55	35%
Males	100	65%

	Mean	SD
Age in Years	16.2	1.2




All Other Services

	N	%
Total Registered Youth	1,964	92.7%
with Services Procured	1,158	59.0%
Youth with New Admissions	937	47.7%
with Initial Admissions	669	34.1%
with Repeat Admissions	268	13.6%
Youth with Discharges	838	42.7%

	N	% of Available
Gender		
Females	743	38%
Males	1,221	62%

	Mean	SD
Age in Years	13.8	3.8



Primary Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	8	5.2%
Anxiety	11	7.1%
Attention	14	9.1%
Disruptive Behavior	76	49.4%
Mental Retardation	0	0.0%
Miscellaneous	4	2.6%
Mood	22	14.3%
Pervasive Developmental	1	0.6%
Psychotic Spectrum	2	1.3%
Substance-Related	16	10.4%
Not Available (% Total)	1	0.6%

Any Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	13	8.4%
Anxiety	27	17.5%
Attention	40	26.0%
Disruptive Behavior	110	71.4%
Mental Retardation	1	0.6%
Miscellaneous	42	27.3%
Mood	38	24.7%
Pervasive Developmental	1	0.6%
Psychotic Spectrum	4	2.6%
Substance-Related	81	52.6%
Multiple Diagnoses	133	86.4%
Avg. Number of Diagnoses	2.5	

Primary Diagnosis of	N	% Avail
None Recorded	6	0.4%
Adjustment	121	7.5%
Anxiety	174	10.8%
Attention	333	20.6%
Disruptive Behavior	494	30.6%
Mental Retardation	0	0.0%
Miscellaneous	70	4.3%
Mood	309	19.2%
Pervasive Developmental	24	1.5%
Psychotic Spectrum	36	2.2%
Substance-Related	46	2.9%
Not Available (% Total)	351	17.9%

Any Diagnosis of	N	% Avail
None Recorded	4	0.2%
Adjustment	192	11.9%
Anxiety	383	23.7%
Attention	589	36.4%
Disruptive Behavior	828	51.2%
Mental Retardation	33	2.0%
Miscellaneous	424	26.2%
Mood	486	30.0%
Pervasive Developmental	35	2.2%
Psychotic Spectrum	42	2.6%
Substance-Related	275	17.0%
Multiple Diagnoses	1,186	73.3%
Avg. Number of Diagnoses	1.8	

Summary of Youth by Community Residential Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Community Residential Service		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	83	74.1%
Hispanic or Latino/a	29	25.9%
Not Available (% Total)	43	27.7%
Race (Unduplicated)		
N		% of Available
American Indian or Alaska Native	0	0.0%
Asian	6	4.5%
Black or African-American	0	0.0%
Native Hawaiian or Pacific Islander	32	23.9%
White	13	9.7%
Other Race	1	0.7%
Multiracial	82	61.2%
Based on Observation	10	7.5%
Not Available (% Total)	21	13.5%
Ethnicity (Duplicated)		
N		% of Available
American Indian or Alaska Native	11	9.7%
Alaska Native	0	0.0%
American Indian	11	9.7%
Asian	58	51.3%
Asian Indian	0	0.0%
Chinese	26	23.0%
Filipino	39	34.5%
Japanese	20	17.7%
Korean	2	1.8%
Vietnamese	1	0.9%
Other Asian	0	0.0%
Black or African-American	5	4.4%
Hispanic or Latina/o	29	25.7%
Cuban	0	0.0%
Mexican	7	6.2%
Puerto Rican	12	10.6%
Other Hispanic	15	13.3%
Native Hawaiian or Pacific Islander	78	69.0%
Guamanian or Chamorro	3	2.7%
Micronesian	7	6.2%
Native Hawaiian	62	54.9%
Samoan	14	12.4%
Other Pacific Islander	8	7.1%
White	61	54.0%
White or Caucasian	43	38.1%
Portuguese	28	24.8%
Other Race or Ethnicity	5	4.4%
Multiethnic	82	72.6%
Not Available (% Total)	42	27.1%

All Other Services		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	817	71.3%
Hispanic or Latino/a	329	28.7%
Not Available (% Total)	818	41.6%
Race (Unduplicated)		
N		% of Available
American Indian or Alaska Native	7	0.5%
Asian	116	8.4%
Black or African-American	22	1.6%
Native Hawaiian or Pacific Islander	176	12.7%
White	199	14.3%
Other Race	7	0.5%
Multiracial	862	62.1%
Based on Observation	83	6.0%
Not Available (% Total)	575	29.3%
Ethnicity (Duplicated)		
N		% of Available
American Indian or Alaska Native	119	10.5%
Alaska Native	0	0.0%
American Indian	119	10.5%
Asian	633	55.7%
Asian Indian	5	0.4%
Chinese	286	25.2%
Filipino	360	31.7%
Japanese	195	17.2%
Korean	43	3.8%
Vietnamese	8	0.7%
Other Asian	20	1.8%
Black or African-American	78	6.9%
Hispanic or Latina/o	321	28.2%
Cuban	6	0.5%
Mexican	58	5.1%
Puerto Rican	177	15.6%
Other Hispanic	121	10.6%
Native Hawaiian or Pacific Islander	681	59.9%
Guamanian or Chamorro	9	0.8%
Micronesian	51	4.5%
Native Hawaiian	579	50.9%
Samoan	68	6.0%
Other Pacific Islander	42	3.7%
White	726	63.9%
White or Caucasian	578	50.8%
Portuguese	280	24.6%
Other Race or Ethnicity	47	4.1%
Multiethnic	797	70.1%
Not Available (% Total)	827	42.1%

Summary of Youth by Community Residential Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Community Residential Service		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	27	17.4%
Leeward Oahu	28	18.1%
Honolulu Oahu	19	12.3%
Hawaii (Big Island)	43	27.7%
Maui	21	13.5%
Kauai	14	9.0%
Family Court Liaison Branch	3	1.9%

All Other Services		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	269	13.7%
Leeward Oahu	275	14.0%
Honolulu Oahu	232	11.8%
Hawaii (Big Island)	727	37.0%
Maui	204	10.4%
Kauai	172	8.8%
Family Court Liaison Branch	85	4.3%

*Central Oahu FGC now includes both Central and Windward Oahu offices.

Summary of Youth by Community Residential Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Services Procured	Any Community Residential Service			All Other Services		
	Monthly Average	Total N	% of Procured	Monthly Average	Total N	% of Procured
Out-of-Home	64	155	100.0%	118	237	20.5%
Out-of-State	0	0	0.0%	5	5	0.4%
Hospital Residential	2	13	8.4%	15	64	5.5%
Community High Risk	0	0	0.0%	7	14	1.2%
Community Residential	54	155	100.0%	0	0	0.0%
Therapeutic Foster Home	10	26	16.8%	93	173	14.9%
<i>Multidimensional Treatment Foster Care</i>	0	1	0.6%	5	11	0.9%
<i>Transitional Family Home</i>	10	26	16.8%	88	166	14.3%
Intensive Home & Community	41	94	60.6%	434	892	77.0%
Partial Hospitalization	0	1	0.6%	5	22	1.9%
Multisystemic Therapy	8	28	18.1%	59	185	16.0%
Intensive In-Home	33	74	47.7%	374	738	63.7%
Outpatient	8	26	16.8%	51	282	24.4%
Treatment	7	19	12.3%	36	114	9.8%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	7	16	10.3%	27	85	7.3%
<i>Outpatient Therapy</i>	1	3	1.9%	9	29	2.5%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	1	7	4.5%	15	174	15.0%
Supportive Services	21	72	46.5%	22	116	10.0%
Respite Home	0	4	2.6%	6	26	2.2%
Ancillary Service	21	70	45.2%	17	92	7.9%
Crisis Stabilization	1	5	3.2%	5	41	3.5%
Unduplicated Total (% of Registered)	106	155	100%	585	1,158	59%

*These services either were not procured or had no data available in FY 2013.

Summary of Youth by Community Residential Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Total Hours Procured	Any Community Residential Service			All Other Services		
	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth
Out-of-Home	141	817	88.1%	158	1,065	89.4%
Out-of-State	0	0	0.0%	195	2,120	95.1%
Hospital Residential	112	232	26.3%	122	385	65.2%
Community High Risk	0	0	0.0%	175	1,060	83.2%
Community Residential	138	669	77.6%	0	0	0.0%
Therapeutic Foster Home	146	769	49.0%	168	1,169	88.8%
<i>Multidimensional Treatment Foster Care</i>	98	195	8.3%	180	979	82.6%
<i>Transitional Family Home</i>	147	761	48.7%	167	1,154	87.1%
Intensive Home & Community	18	89	17.9%	18	100	84.9%
Partial Hospitalization	4	8	1.8%	3	8	7.2%
Multisystemic Therapy	39	127	25.5%	40	136	88.2%
Intensive In-Home	11	65	13.0%	13	86	80.3%
Outpatient	4	14	5.9%	4	9	54.3%
Treatment	4	17	7.7%	4	15	55.3%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	4	19	9.0%	3	12	58.9%
<i>Outpatient Therapy</i>	3	7	0.9%	5	23	44.7%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	4	4	0.8%	5	5	51.8%
Supportive Services**	-	-	-	-	-	-
Respite Home	11	11	1.0%	21	57	13.9%
Ancillary Service**	-	-	-	-	-	-
Crisis Stabilization	38	52	3.4%	27	39	54.1%
Unduplicated Total	81	875		35	300	

Service Changes	Any Community Residential Service			All Other Services		
	Monthly Average	Total N	Total per Youth	Monthly Average	Total N	Total per Youth
Placement Changes	20	245	1.6	25	296	0.2
Out-of-Home Changes	2	25	0.2	2	20	0.0
Provider Agency Changes	20	235	1.5	87	1,039	0.5
Care Coordinator Changes	5	63	0.4	68	818	0.4

*These services either were not procured or had no data available in FY 2013.

**Duration not available for these services.

Summary of Youth by Community Residential Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Any Community Residential Service		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	151 (1.9)	120 (2.5)	115 (3.1)
Moods: Self-Harm	11 (0.9)	3 (0.5)	3 (0.6)
Moods: Emotions	22 (0.4)	16 (0.5)	15 (0.6)
Home Role Performance	29 (0.2)	25 (0.5)	25 (0.7)
School Role Performance	30 (0.1)	22 (0.7)	22 (0.9)
Community Role Performance	24 (0.6)	19 (0.6)	18 (0.7)
Behavior Towards Other	23 (0.4)	18 (0.5)	17 (0.6)
Substance Use	24 (0.8)	15 (0.8)	13 (1.0)
Thinking	6 (0.7)	2 (0.4)	2 (0.4)

Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	24 (0.3)	21 (0.3)	21 (0.4)
Level of Care	5 (0.1)	4 (0.1)	4 (0.1)

Child and Adolescent Functional Assessment Scale (CAFAS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total (8-scale)	36 (143)	55% (143)	11% (143)
Moods: Self-Harm	9 (143)	85% (59)	95% (59)
Moods: Emotions	6 (143)	49% (136)	96% (136)
Home Role Performance	5 (143)	28% (143)	32% (143)
School Role Performance	8 (143)	41% (143)	41% (143)
Community Role Performance	5 (143)	39% (135)	83% (135)
Behavior Towards Other	6 (143)	46% (140)	94% (140)
Substance Use	11 (143)	63% (123)	75% (123)
Thinking	4 (143)	83% (29)	97% (29)

Child and Adolescent Level of Care Utilization System (CALOCUS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total	4 (139)	53% (139)	19% (139)
Level of Care	1 (139)	58% (139)	37% (139)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	4,619	60	86.5%
Child Events	4,710	61	81.9%
Person-Directed	723	9	37.4%
Property-Directed	477	6	27.1%
Runaway or Elopement	1,845	24	65.8%
Self-Injury	697	9	23.9%
Substance Use	594	8	28.4%
Other	277	4	16.1%
Institutional Events	3,477	45	70.3%
Person-Directed (Client Victim)	284	4	21.9%
Seclusion or Restraint	387	5	21.3%
Medication Error	84	1	5.8%
Police Called	1,071	14	46.5%
Criminal Charges or Arrest	903	12	41.9%
Client Injury	213	3	18.1%
Staff Injury	52	1	4.5%
Other	458	6	27.1%

	All Other Services		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	115 (0.9)	86 (0.9)	83 (1.0)
Moods: Self-Harm	9 (0.3)	3 (0.2)	3 (0.2)
Moods: Emotions	21 (0.2)	16 (0.2)	15 (0.2)
Home Role Performance	25 (0.2)	18 (0.2)	18 (0.3)
School Role Performance	26 (0.2)	19 (0.3)	18 (0.3)
Community Role Performance	13 (0.3)	8 (0.3)	8 (0.3)
Behavior Towards Other	21 (0.2)	16 (0.2)	15 (0.2)
Substance Use	8 (0.3)	4 (0.2)	4 (0.2)
Thinking	6 (0.2)	3 (0.2)	2 (0.2)

Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	20 (0.1)	18 (0.1)	18 (0.1)
Level of Care	4 (0.0)	3 (0.0)	3 (0.0)

Child and Adolescent Functional Assessment Scale (CAFAS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total (8-scale)	32 (1278)	53% (1206)	37% (1206)
Moods: Self-Harm	7 (1278)	78% (426)	96% (426)
Moods: Emotions	5 (1278)	47% (1119)	95% (1119)
Home Role Performance	8 (1278)	53% (1133)	69% (1133)
School Role Performance	8 (1277)	49% (1173)	65% (1173)
Community Role Performance	5 (1278)	49% (621)	91% (621)
Behavior Towards Other	6 (1278)	50% (1104)	95% (1104)
Substance Use	4 (1278)	61% (390)	86% (390)
Thinking	4 (1278)	75% (252)	97% (252)

Child and Adolescent Level of Care Utilization System (CALOCUS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total	3 (1145)	45% (1057)	45% (1057)
Level of Care	1 (1145)	54% (1062)	71% (1062)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	565	92	18.5%
Child Events	637	104	17.0%
Person-Directed	140	23	7.0%
Property-Directed	65	11	4.6%
Runaway or Elopement	120	20	5.5%
Self-Injury	131	21	6.1%
Substance Use	57	9	3.3%
Other	95	16	5.8%
Institutional Events	312	51	10.9%
Person-Directed (Client Victim)	27	5	2.2%
Seclusion or Restraint	34	6	1.3%
Medication Error	4	1	0.3%
Police Called	81	13	5.1%
Criminal Charges or Arrest	37	6	2.6%
Client Injury	26	4	2.3%
Staff Injury	6	1	0.3%
Other	86	14	5.2%

*Indicates average change from highest CAFAS or CALOCUS score to most recent.
(A positive number reflects improvement.)

Summary of Youth by Community Residential Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Service Setting	Any Community Residential Service		
	Any Use N	Any Use % Avail	Dosage % of Months
Clinic	147	94.8%	65.1%
Community	148	95.5%	77.4%
Home	150	96.8%	82.7%
Out-of-Home	155	100.0%	64.8%
Phone*	17	11.0%	52.3%
School	144	92.9%	66.4%
Unclear*	2	1.3%	15.7%
Not Available	0	0.0%	

Service Format	Any Community Residential Service		
	Any Use N	Any Use % Avail	Dosage % of Months
Family	150	96.8%	79.0%
Group	151	97.4%	58.0%
Individual	155	100.0%	86.5%
Parent	152	98.1%	74.0%
Phone*	9	5.8%	39.7%
Professional Consult*	33	21.3%	29.5%
Teacher	144	92.9%	58.4%
Unclear*	83	53.5%	51.2%
Not Available	0	0.0%	

Discharge Living Situation	Youth		
	N	% Youth Discharged	% Discharges
Foster Home	17	11.8%	6.4%
Group Care	5	3.5%	1.9%
Home	80	55.6%	30.0%
Homeless/Shelter	7	4.9%	2.6%
Institution/Hospital	4	2.8%	1.5%
Jail/Correctional Facility	20	13.9%	7.5%
Other	53	36.8%	19.9%
Residential Treatment	32	22.2%	12.0%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	144		
Number of Discharges	267		

Reason for Discharge	Youth		
	N	% Youth Discharged	% Discharges
Eligibility Change	7	4.9%	2.6%
Family Relocation	0	0.0%	0.0%
Insufficient Progress	32	22.2%	12.0%
Other	47	32.6%	17.6%
Runaway/Elopement	62	43.1%	23.2%
Refuse/Withdraw	10	6.9%	3.7%
Success/Goals Met	64	44.4%	24.0%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	144		
Number of Discharges	267		

	All Other Services		
	Any Use N	Any Use % Avail	Dosage % of Months
	414	38.2%	54.2%
	789	72.7%	72.3%
	936	86.3%	84.1%
	341	31.4%	59.7%
	122	11.2%	60.2%
	583	53.7%	53.2%
	46	4.2%	28.2%
	879	44.8%	

	All Other Services		
	Any Use N	Any Use % Avail	Dosage % of Months
	817	75.3%	71.2%
	213	19.6%	42.5%
	903	83.2%	88.1%
	802	73.9%	75.3%
	26	2.4%	44.7%
	270	24.9%	44.2%
	322	29.7%	42.0%
	93	8.6%	46.5%
	879	44.8%	

	All Other Services		
	Youth N	% Youth Discharged	% Discharges
	83	13.8%	9.9%
	3	0.5%	0.4%
	443	73.7%	52.6%
	11	1.8%	1.3%
	19	3.2%	2.3%
	33	5.5%	3.9%
	73	12.1%	8.7%
	21	3.5%	2.5%
	0	0.0%	0.0%
	601		
	842		

	All Other Services		
	Youth N	% Youth Discharged	% Discharges
	10	1.7%	1.2%
	22	3.7%	2.6%
	37	6.2%	4.4%
	184	30.6%	21.9%
	36	6.0%	4.3%
	67	11.1%	8.0%
	377	62.7%	44.8%
	0	0.0%	0.0%
	601		
	842		

*Indicates written response to an open-ended question.

Summary of Youth by Community Residential Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Treatment Target	Any Community Residential Service			All Other Services		
	Any Use N	Any Use % Avail	Dosage % of Months	Any Use N	Any Use % Avail	Dosage % of Months
Academic Achievement	69	44.5%	30.8%	379	34.9%	42.0%
Activity Involvement	127	81.9%	64.7%	539	49.7%	53.7%
Adaptive Behavior/Living Skills	19	12.3%	31.0%	140	12.9%	39.0%
Adjustment to Change	58	37.4%	28.9%	290	26.7%	40.2%
Adult Intercoordination	1	0.6%	25.0%	12	1.1%	21.8%
Aggression	75	48.4%	44.2%	454	41.8%	56.2%
Anger	115	74.2%	56.8%	501	46.2%	55.1%
Anxiety	56	36.1%	41.3%	398	36.7%	51.5%
Assertiveness	40	25.8%	34.7%	181	16.7%	38.5%
Attention Problems	23	14.8%	22.2%	196	18.1%	37.6%
Avoidance	80	51.6%	45.9%	209	19.3%	39.7%
Caregiver Self-Management/Coping	0	0.0%	0.0%	6	0.6%	22.1%
Cognitive-Intellectual Functioning	13	8.4%	41.1%	84	7.7%	38.2%
Community Involvement	29	18.7%	34.7%	199	18.3%	32.0%
Compulsive Behavior	0	0.0%	0.0%	3	0.3%	22.2%
Contentment/Enjoyment/Happiness	40	25.8%	29.1%	211	19.4%	42.7%
Depressed Mood	66	42.6%	40.4%	331	30.5%	51.4%
Eating/Feeding Problems	4	2.6%	26.9%	32	2.9%	32.9%
Empathy	34	21.9%	43.6%	115	10.6%	42.5%
Enuresis/Encopresis	1	0.6%	40.0%	40	3.7%	51.0%
Fire Setting	1	0.6%	66.7%	5	0.5%	33.5%
Fitness/Exercise	0	0.0%	0.0%	1	0.1%	20.0%
Gender Identity Problems	2	1.3%	18.1%	5	0.5%	29.7%
Goal Setting	1	0.6%	8.3%	3	0.3%	14.1%
Grief	11	7.1%	40.6%	60	5.5%	37.7%
Health Management	12	7.7%	17.4%	80	7.4%	33.7%
Housing/Living Situation	20	12.9%	19.1%	186	17.1%	34.1%
Hyperactivity	6	3.9%	25.3%	97	8.9%	40.1%
Information Gathering	1	0.6%	8.3%	10	0.9%	35.3%
Learning Disorder/Underachievement	7	4.5%	28.1%	31	2.9%	25.3%
Low Self-Esteem	65	41.9%	34.4%	248	22.9%	44.0%
Mania	0	0.0%	0.0%	11	1.0%	27.6%
Medical Regimen Adherence	15	9.7%	36.6%	113	10.4%	38.5%
Occupational Functioning/Stress	8	5.2%	16.5%	42	3.9%	31.8%
Oppositional/Non-Compliant Behavior	118	76.1%	63.3%	679	62.6%	64.7%
Pain Management	0	0.0%	0.0%	0	0.0%	0.0%
Parenting Skills	2	1.3%	23.3%	17	1.6%	33.4%
Peer Involvement	44	28.4%	47.4%	158	14.6%	30.2%
Peer/Sibling Conflict	41	26.5%	40.3%	272	25.1%	45.0%
Personal Hygiene	3	1.9%	21.4%	43	4.0%	29.8%
Phobia/Fears	144	92.9%	55.2%	273	25.2%	37.6%
Positive Family Functioning	5	3.2%	36.3%	81	7.5%	41.1%
Positive Peer Interaction	145	93.5%	69.4%	820	75.6%	67.1%
Positive Thinking/Attitude	71	45.8%	38.6%	305	28.1%	41.6%
Pregnancy Education/Adjustment	4	2.6%	22.7%	20	1.8%	44.9%
Psychosis	5	3.2%	32.9%	33	3.0%	54.5%
Runaway	97	62.6%	48.2%	134	12.4%	44.8%
Safe Environment	0	0.0%	0.0%	11	1.0%	28.8%
School Involvement	34	21.9%	23.1%	250	23.0%	38.9%
School Refusal/Truancy	41	26.5%	27.1%	186	17.1%	45.9%
Self-Control	34	21.9%	51.1%	125	11.5%	43.1%
Self-Injurious Behavior	44	28.4%	36.4%	271	25.0%	42.2%
Sexual Orientation	0	0.0%	0.0%	0	0.0%	0.0%
Sexual Misconduct	9	5.8%	71.5%	60	5.5%	48.7%
Shyness	6	3.9%	16.9%	19	1.8%	30.8%
Sleep Disturbance	2	1.3%	50.9%	22	2.0%	34.7%
Social Skills	57	36.8%	39.7%	306	28.2%	47.2%
Speech and Language	0	0.0%	0.0%	8	0.7%	25.6%
Substance Use	127	81.9%	69.0%	219	20.2%	62.1%
Suicidality	13	8.4%	20.6%	77	7.1%	39.2%
Traumatic Stress	37	23.9%	50.7%	153	14.1%	42.6%
Treatment Engagement	131	84.5%	59.1%	550	50.7%	51.2%
Treatment Planning/Framing	7	4.5%	15.5%	60	5.5%	48.9%
Willful Misconduct/Delinquency	55	35.5%	44.3%	179	16.5%	45.8%
Other	4	2.6%	17.4%	10	0.9%	14.9%
Unclear	12	7.7%	12.4%	89	8.2%	31.8%
Not Available	0	0.0%		879	44.8%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Community Residential Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Any Community Residential Service			All Other Services		
	Any Use	Any Use	Dosage	Any Use	Any Use	Dosage
Practice Elements	N	% Avail	% of Months	N	% Avail	% of Months
Activity Scheduling	143	92.3%	58.3%	595	54.8%	56.6%
Anger Management	2	1.3%	21.1%	2	0.2%	12.5%
Animal or Plant Assisted Activities	0	0.0%	0.0%	0	0.0%	0.0%
Arousal Reconditioning	0	0.0%	0.0%	0	0.0%	0.0%
Art/Music Therapy	0	0.0%	0.0%	2	0.2%	22.2%
Assertiveness Training	104	67.1%	47.4%	305	28.1%	45.5%
Assessment	3	1.9%	15.6%	38	3.5%	71.8%
Attending	101	65.2%	44.6%	260	24.0%	45.1%
Behavior Management	0	0.0%	0.0%	5	0.5%	15.3%
Behavioral Contracting	123	79.4%	52.4%	590	54.4%	56.4%
Biofeedback/Neurofeedback	3	1.9%	24.3%	16	1.5%	30.4%
Care Coordination	151	97.4%	70.2%	616	56.8%	64.1%
Catharsis	8	5.2%	25.2%	66	6.1%	40.9%
Cognitive/Coping	127	81.9%	61.4%	615	56.7%	64.6%
Commands/Limit Setting	39	25.2%	34.0%	151	13.9%	41.5%
Communication Skills	148	95.5%	71.0%	813	74.9%	67.2%
Counseling	0	0.0%	0.0%	1	0.1%	27.3%
Crisis Management	127	81.9%	50.6%	416	38.3%	44.8%
Cultural Training	69	44.5%	41.8%	76	7.0%	41.1%
Discrete Trial Training	3	1.9%	11.7%	12	1.1%	21.5%
Educational Support	127	81.9%	55.0%	544	50.1%	55.4%
Emotional Processing	139	89.7%	57.2%	661	60.9%	64.1%
Exposure	41	26.5%	36.2%	212	19.5%	41.3%
Eye Movement/Body Tapping	5	3.2%	26.2%	13	1.2%	14.9%
Family Engagement	146	94.2%	67.3%	785	72.4%	63.6%
Family Therapy	139	89.7%	60.1%	726	66.9%	60.4%
Family Visit	0	0.0%	0.0%	0	0.0%	0.0%
Free Association	20	12.9%	39.7%	58	5.3%	35.1%
Functional Analysis	26	16.8%	33.2%	180	16.6%	51.5%
Goal Setting	149	96.1%	70.1%	733	67.6%	62.4%
Guided Imagery	57	36.8%	35.1%	153	14.1%	37.3%
Ho'Oponopono	0	0.0%	0.0%	0	0.0%	0.0%
Hypnosis	3	1.9%	17.2%	20	1.8%	27.1%
Ignoring or DRO	70	45.2%	39.0%	356	32.8%	48.5%
Individual Therapy for Caregiver	32	20.6%	25.8%	332	30.6%	43.2%
Informal Supports	0	0.0%	0.0%	6	0.6%	26.8%
Insight Building	136	87.7%	58.3%	649	59.8%	60.9%
Interpretation	49	31.6%	24.4%	167	15.4%	39.8%
Juvenile Sex Offender Treatment	9	5.8%	63.5%	14	1.3%	76.3%
Legal Assistance/Involvement	0	0.0%	0.0%	0	0.0%	0.0%
Line of Sight Supervision	128	82.6%	51.4%	277	25.5%	44.5%
Maintenance/Relapse Prevention	127	81.9%	49.4%	222	20.5%	40.7%
Marital Therapy	13	8.4%	16.1%	55	5.1%	32.8%
Medication/Pharmacotherapy	89	57.4%	48.6%	274	25.3%	53.3%
Mentoring	127	81.9%	57.1%	356	32.8%	46.9%
Milieu Therapy	150	96.8%	56.2%	157	14.5%	44.8%
Mindfulness	121	78.1%	54.5%	385	35.5%	47.2%
Modeling	139	89.7%	58.2%	646	59.5%	57.0%
Motivational Interviewing	134	86.5%	53.6%	500	46.1%	55.4%
Natural and Logical Consequences	135	87.1%	62.4%	713	65.7%	61.7%
Parent Coping	92	59.4%	40.8%	693	63.9%	60.2%
Parent or Teacher Monitoring	100	64.5%	42.6%	496	45.7%	53.2%
Parent Praise	108	69.7%	46.7%	507	46.7%	52.9%
Parenting	1	0.6%	11.1%	14	1.3%	21.7%
Peer Modeling/Pairing	88	56.8%	40.6%	124	11.4%	26.6%
Personal Safety Skills	134	86.5%	56.4%	434	40.0%	49.3%
Physical Exercise	0	0.0%	0.0%	0	0.0%	0.0%
Play Therapy	14	9.0%	17.0%	189	17.4%	50.5%
Problem Solving	142	91.6%	68.4%	808	74.5%	65.2%
Psychoeducation-Child	133	85.8%	55.3%	649	59.8%	60.9%
Psychoeducation-Parent	118	76.1%	45.4%	728	67.1%	65.0%
Relationship/Rapport Building	151	97.4%	70.7%	781	72.0%	58.7%
Relaxation	135	87.1%	53.1%	480	44.2%	49.2%
Response Cost	48	31.0%	37.8%	183	16.9%	43.6%
Response Prevention	59	38.1%	41.5%	210	19.4%	41.6%
Self-Monitoring	113	72.9%	48.1%	435	40.1%	49.9%
Self-Reward/Self-Praise	108	69.7%	51.1%	326	30.0%	49.0%
Skill Building	143	92.3%	61.9%	736	67.8%	61.1%
Social Skills Training	122	78.7%	49.5%	539	49.7%	55.0%
Stimulus Control/Antecedent Man.	69	44.5%	43.1%	221	20.4%	43.4%
Supportive Listening	149	96.1%	79.3%	845	77.9%	69.8%
Tangible Rewards	124	80.0%	50.7%	471	43.4%	52.3%
Therapist Praise/Rewards	129	83.2%	60.7%	681	62.8%	62.4%
Thought Field Therapy	12	7.7%	16.8%	20	1.8%	21.8%
Time Out	137	88.4%	52.9%	208	19.2%	40.1%
Twelve-step Programming	115	74.2%	52.4%	29	2.7%	39.6%
Other	22	14.2%	33.4%	13	1.2%	18.8%
Unclear	66	42.6%	39.7%	88	8.1%	38.2%
Not Available	0	0.0%		879	44.8%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.


Summary of Youth by Therapeutic Foster Home Services (Total)
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Therapeutic Foster Home Service

	N	%
Total Registered Youth	199	9.4%
with Services Procured	199	100.0%
Youth with New Admissions	33	16.6%
with Initial Admissions	13	6.5%
with Repeat Admissions	20	10.1%
Youth with Discharges	31	15.6%

	N	% of Available
Gender		
Females	87	44%
Males	112	56%

	Mean	SD
Age in Years	15.0	2.9



Primary Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	13	6.6%
Anxiety	33	16.8%
Attention	31	15.7%
Disruptive Behavior	65	33.0%
Mental Retardation	0	0.0%
Miscellaneous	11	5.6%
Mood	38	19.3%
Pervasive Developmental	1	0.5%
Psychotic Spectrum	1	0.5%
Substance-Related	4	2.0%
Not Available (% Total)	2	1.0%


Any Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	18	9.1%
Anxiety	67	34.0%
Attention	66	33.5%
Disruptive Behavior	109	55.3%
Mental Retardation	5	2.5%
Miscellaneous	70	35.5%
Mood	64	32.5%
Pervasive Developmental	1	0.5%
Psychotic Spectrum	3	1.5%
Substance-Related	39	19.8%
Multiple Diagnoses	165	83.8%
Avg. Number of Diagnoses	2.4	

All Other Services

	N	%
Total Registered Youth	1,920	90.6%
with Services Procured	1,114	58.0%
Youth with New Admissions	936	48.8%
with Initial Admissions	677	35.3%
with Repeat Admissions	259	13.5%
Youth with Discharges	825	43.0%

	N	% of Available
Gender		
Females	711	37%
Males	1,209	63%

	Mean	SD
Age in Years	13.9	3.8



Primary Diagnosis of	N	% Avail
None Recorded	6	0.4%
Adjustment	116	7.4%
Anxiety	152	9.7%
Attention	316	20.1%
Disruptive Behavior	505	32.2%
Mental Retardation	0	0.0%
Miscellaneous	63	4.0%
Mood	293	18.7%
Pervasive Developmental	24	1.5%
Psychotic Spectrum	37	2.4%
Substance-Related	58	3.7%
Not Available (% Total)	350	18.2%

Any Diagnosis of	N	% Avail
None Recorded	4	0.3%
Adjustment	187	11.9%
Anxiety	343	21.8%
Attention	563	35.7%
Disruptive Behavior	829	52.6%
Mental Retardation	29	1.8%
Miscellaneous	396	25.1%
Mood	460	29.2%
Pervasive Developmental	35	2.2%
Psychotic Spectrum	43	2.7%
Substance-Related	317	20.1%
Multiple Diagnoses	1,154	73.3%
Avg. Number of Diagnoses	1.8	

Summary of Youth by Therapeutic Foster Home Services (Total)
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Therapeutic Foster Home Service		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	95	70.4%
Hispanic or Latino/a	40	29.6%
Not Available (% Total)	64	32.2%
Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	1	0.6%
Asian	8	4.8%
Black or African-American	3	1.8%
Native Hawaiian or Pacific Islander	22	13.1%
White	29	17.3%
Other Race	0	0.0%
Multiracial	105	62.5%
Based on Observation	22	13.1%
Not Available (% Total)	31	15.6%
Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	16	11.9%
Alaska Native	0	0.0%
American Indian	16	11.9%
Asian	63	46.7%
Asian Indian	1	0.7%
Chinese	33	24.4%
Filipino	30	22.2%
Japanese	19	14.1%
Korean	6	4.4%
Vietnamese	1	0.7%
Other Asian	2	1.5%
Black or African-American	4	3.0%
Hispanic or Latina/o	40	29.6%
Cuban	1	0.7%
Mexican	7	5.2%
Puerto Rican	17	12.6%
Other Hispanic	16	11.9%
Native Hawaiian or Pacific Islander	85	63.0%
Guamanian or Chamorro	0	0.0%
Micronesian	3	2.2%
Native Hawaiian	76	56.3%
Samoan	10	7.4%
Other Pacific Islander	7	5.2%
White	95	70.4%
White or Caucasian	68	50.4%
Portuguese	38	28.1%
Other Race or Ethnicity	5	3.7%
Multiethnic	96	71.1%
Not Available (% Total)	64	32.2%

All Other Services		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	805	71.7%
Hispanic or Latino/a	318	28.3%
Not Available (% Total)	797	41.5%
Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	6	0.4%
Asian	114	8.4%
Black or African-American	19	1.4%
Native Hawaiian or Pacific Islander	186	13.7%
White	183	13.5%
Other Race	8	0.6%
Multiracial	839	61.9%
Based on Observation	71	5.2%
Not Available (% Total)	565	29.4%
Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	114	10.2%
Alaska Native	0	0.0%
American Indian	114	10.2%
Asian	628	56.3%
Asian Indian	4	0.4%
Chinese	279	25.0%
Filipino	369	33.1%
Japanese	196	17.6%
Korean	39	3.5%
Vietnamese	8	0.7%
Other Asian	18	1.6%
Black or African-American	79	7.1%
Hispanic or Latina/o	310	27.8%
Cuban	5	0.4%
Mexican	58	5.2%
Puerto Rican	172	15.4%
Other Hispanic	120	10.8%
Native Hawaiian or Pacific Islander	674	60.4%
Guamanian or Chamorro	12	1.1%
Micronesian	55	4.9%
Native Hawaiian	565	50.7%
Samoan	72	6.5%
Other Pacific Islander	43	3.9%
White	692	62.1%
White or Caucasian	553	49.6%
Portuguese	270	24.2%
Other Race or Ethnicity	47	4.2%
Multiethnic	783	70.2%
Not Available (% Total)	805	41.9%

Summary of Youth by Therapeutic Foster Home Services (Total)
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Therapeutic Foster Home Service		
Most Recent	Total Registered	
Family Guidance Center	N	%
Central Oahu*	9	4.5%
Leeward Oahu	27	13.6%
Honolulu Oahu	13	6.5%
Hawaii (Big Island)	113	56.8%
Maui	17	8.5%
Kauai	19	9.5%
Family Court Liaison Branch	1	0.5%

All Other Services		
Most Recent	Total Registered	
Family Guidance Center	N	%
Central Oahu*	287	14.9%
Leeward Oahu	276	14.4%
Honolulu Oahu	238	12.4%
Hawaii (Big Island)	657	34.2%
Maui	208	10.8%
Kauai	167	8.7%
Family Court Liaison Branch	87	4.5%

*Central Oahu FGC now includes both Central and Windward Oahu offices.

Summary of Youth by Therapeutic Foster Home Services (Total)
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Services Procured	Any Therapeutic Foster Home Service			All Other Services		
	Monthly Average	Total N	% of Procured	Monthly Average	Total N	% of Procured
Out-of-Home	117	199	100.0%	66	193	17.3%
Out-of-State	1	1	0.5%	4	4	0.4%
Hospital Residential	5	17	8.5%	12	60	5.4%
Community High Risk	1	3	1.5%	5	11	1.0%
Community Residential	9	26	13.1%	45	129	11.6%
Therapeutic Foster Home	103	199	100.0%	0	0	0.0%
<i>Multidimensional Treatment Foster Care</i>	5	12	6.0%	0	0	0.0%
<i>Transitional Family Home</i>	98	192	96.5%	0	0	0.0%
Intensive Home & Community	41	96	48.2%	434	890	79.9%
Partial Hospitalization	1	5	2.5%	4	18	1.6%
Multisystemic Therapy	3	11	5.5%	65	202	18.1%
Intensive In-Home	37	86	43.2%	369	726	65.2%
Outpatient	5	25	12.6%	55	283	25.4%
Treatment	3	10	5.0%	40	123	11.0%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	3	8	4.0%	31	93	8.3%
<i>Outpatient Therapy</i>	1	2	1.0%	9	30	2.7%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	1	15	7.5%	15	166	14.9%
Supportive Services	14	61	30.7%	30	127	11.4%
Respite Home	3	15	7.5%	3	15	1.3%
Ancillary Service	11	49	24.6%	27	113	10.1%
Crisis Stabilization	1	12	6.0%	4	34	3.1%
Unduplicated Total (% of Registered)	146	199	100%	546	1,114	58%

*These services either were not procured or had no data available in FY 2013.

Summary of Youth by Therapeutic Foster Home Services (Total)
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Total Hours Procured	Any Therapeutic Foster Home Service			All Other Services		
	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth
Out-of-Home	167	1,274	93.9%	136	650	83.7%
Out-of-State	198	2,373	85.7%	195	2,057	97.4%
Hospital Residential	134	475	34.5%	116	326	65.5%
Community High Risk	186	1,070	45.9%	172	1,057	93.4%
Community Residential	136	676	47.3%	138	667	83.8%
Therapeutic Foster Home	165	1,117	83.6%	0	0	0.0%
<i>Multidimensional Treatment Foster Care</i>	173	913	76.5%	0	0	0.0%
<i>Transitional Family Home</i>	164	1,101	81.9%	0	0	0.0%
Intensive Home & Community	17	91	10.5%	18	100	85.8%
Partial Hospitalization	3	11	1.5%	3	7	8.5%
Multisystemic Therapy	59	138	20.1%	39	135	83.3%
Intensive In-Home	13	83	9.0%	12	84	81.8%
Outpatient	5	10	2.0%	4	9	54.5%
Treatment	4	17	3.8%	4	15	52.2%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	3	13	2.7%	3	13	55.2%
<i>Outpatient Therapy</i>	8	33	8.4%	5	20	42.8%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	5	5	0.8%	5	5	54.2%
Supportive Services**	-	-	-	-	-	-
Respite Home	24	64	6.0%	17	38	18.3%
Ancillary Service**	-	-	-	-	-	-
Crisis Stabilization	47	68	6.2%	22	31	63.6%
Unduplicated Total	123	1,328		25	196	

Service Changes	Any Therapeutic Foster Home Service			All Other Services		
	Monthly Average	Total N	Total per Youth	Monthly Average	Total N	Total per Youth
Placement Changes	22	261	1.3	23	280	0.1
Out-of-Home Changes	3	39	0.2	1	6	0.0
Provider Agency Changes	22	264	1.3	84	1,010	0.5
Care Coordinator Changes	7	87	0.4	66	794	0.4

*These services either were not procured or had no data available in FY 2013.

**Duration not available for these services.

Summary of Youth by Therapeutic Foster Home Services (Total)
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Any Therapeutic Foster Home Service		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	132 (2.2)	97 (2.1)	93 (2.6)
Moods: Self-Harm	13 (0.8)	3 (0.5)	3 (0.5)
Moods: Emotions	22 (0.3)	16 (0.4)	16 (0.5)
Home Role Performance	29 (0.2)	22 (0.5)	21 (0.7)
School Role Performance	27 (0.4)	18 (0.6)	17 (0.8)
Community Role Performance	19 (0.7)	12 (0.7)	11 (0.8)
Behavior Towards Other	24 (0.4)	17 (0.3)	17 (0.5)
Substance Use	12 (0.9)	5 (0.6)	6 (0.7)
Thinking	8 (0.7)	2 (0.3)	2 (0.4)

	Any Therapeutic Foster Home Service		
Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	23 (0.2)	19 (0.2)	19 (0.3)
Level of Care	5 (0.1)	4 (0.1)	4 (0.1)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Functional Assessment Scale (CAFAS)			
Total (8-scale)	39 (185)	61% (183)	25% (183)
Moods: Self-Harm	10 (185)	88% (83)	96% (83)
Moods: Emotions	6 (185)	50% (181)	97% (181)
Home Role Performance	8 (185)	48% (183)	52% (183)
School Role Performance	11 (185)	60% (175)	69% (175)
Community Role Performance	7 (185)	53% (135)	90% (135)
Behavior Towards Other	7 (185)	54% (179)	96% (179)
Substance Use	6 (185)	68% (77)	86% (77)
Thinking	5 (185)	85% (47)	98% (47)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Level of Care Utilization System (CALOCUS)			
Total	4 (176)	55% (175)	27% (175)
Level of Care	1 (176)	61% (175)	47% (175)

	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Sentinel Event Reports			
Total	3,302	55	74.4%
Child Events	3,678	61	70.9%
Person-Directed	523	9	29.1%
Property-Directed	322	5	19.1%
Runaway or Elopement	1,080	18	41.2%
Self-Injury	749	12	30.2%
Substance Use	467	8	22.6%
Other	402	7	24.6%
Institutional Events	1,593	26	47.7%
Person-Directed (Client Victim)	116	2	9.5%
Seclusion or Restraint	101	2	6.0%
Medication Error	45	1	3.5%
Police Called	482	8	24.1%
Criminal Charges or Arrest	206	3	12.1%
Client Injury	186	3	15.6%
Staff Injury	10	0	1.0%
Other	432	7	22.6%

	All Other Services		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	117 (1.0)	89 (0.9)	85 (1.1)
Moods: Self-Harm	9 (0.3)	3 (0.2)	3 (0.2)
Moods: Emotions	21 (0.2)	16 (0.2)	15 (0.2)
Home Role Performance	25 (0.2)	19 (0.2)	18 (0.3)
School Role Performance	26 (0.2)	19 (0.3)	18 (0.3)
Community Role Performance	13 (0.3)	8 (0.3)	8 (0.3)
Behavior Towards Other	21 (0.2)	16 (0.2)	15 (0.2)
Substance Use	10 (0.3)	5 (0.2)	5 (0.3)
Thinking	6 (0.2)	3 (0.2)	2 (0.2)

	All Other Services		
Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	21 (0.1)	18 (0.1)	18 (0.1)
Level of Care	4 (0.0)	3 (0.0)	3 (0.0)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Functional Assessment Scale (CAFAS)			
Total (8-scale)	32 (1236)	52% (1166)	35% (1166)
Moods: Self-Harm	6 (1236)	77% (402)	96% (402)
Moods: Emotions	6 (1236)	46% (1074)	94% (1074)
Home Role Performance	7 (1236)	50% (1093)	67% (1093)
School Role Performance	7 (1235)	47% (1141)	61% (1141)
Community Role Performance	5 (1236)	46% (621)	90% (621)
Behavior Towards Other	6 (1236)	48% (1065)	94% (1065)
Substance Use	4 (1236)	60% (436)	83% (436)
Thinking	4 (1236)	74% (234)	97% (234)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Level of Care Utilization System (CALOCUS)			
Total	3 (1108)	44% (1021)	44% (1021)
Level of Care	1 (1108)	54% (1026)	70% (1026)

	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Sentinel Event Reports			
Total	608	97	18.2%
Child Events	651	104	16.7%
Person-Directed	147	24	7.2%
Property-Directed	72	12	4.9%
Runaway or Elopement	159	26	6.7%
Self-Injury	113	18	5.0%
Substance Use	58	9	3.3%
Other	78	12	4.6%
Institutional Events	435	70	11.9%
Person-Directed (Client Victim)	39	6	3.1%
Seclusion or Restraint	55	9	2.4%
Medication Error	6	1	0.4%
Police Called	119	19	6.5%
Criminal Charges or Arrest	89	14	4.8%
Client Injury	25	4	2.2%
Staff Injury	9	1	0.6%
Other	80	13	5.2%

*Indicates average change from highest CAFAS or CALOCUS score to most recent.
(A positive number reflects improvement.)

Summary of Youth by Therapeutic Foster Home Services (Total)
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Therapeutic Foster Home Service			
Service Setting	Any Use N	Any Use % Avail	Dosage % of Months
Clinic	166	83.4%	72.5%
Community	175	87.9%	76.5%
Home	141	70.9%	60.4%
Out-of-Home	152	76.4%	71.5%
Phone*	18	9.0%	39.0%
School	144	72.4%	60.9%
Unclear*	4	2.0%	28.2%
Not Available	0	0.0%	

Service Format	Any Use N	Any Use % Avail	Dosage % of Months
Family	161	80.9%	65.6%
Group	76	38.2%	40.1%
Individual	199	100.0%	94.3%
Parent	140	70.4%	64.7%
Phone*	3	1.5%	16.7%
Professional Consult*	32	16.1%	32.9%
Teacher	97	48.7%	50.7%
Unclear*	29	14.6%	33.9%
Not Available	0	0.0%	

Discharge Living Situation	Youth N	% Youth Discharged	% Discharges
Foster Home	72	47.4%	27.4%
Group Care	2	1.3%	0.8%
Home	67	44.1%	25.5%
Homeless/Shelter	7	4.6%	2.7%
Institution/Hospital	8	5.3%	3.0%
Jail/Correctional Facility	12	7.9%	4.6%
Other	45	29.6%	17.1%
Residential Treatment	13	8.6%	4.9%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	152		
Number of Discharges	263		

Reason for Discharge	Youth N	% Youth Discharged	% Discharges
Eligibility Change	5	3.3%	1.9%
Family Relocation	4	2.6%	1.5%
Insufficient Progress	25	16.4%	9.5%
Other	67	44.1%	25.5%
Runaway/Elopement	34	22.4%	12.9%
Refuse/Withdraw	19	12.5%	7.2%
Success/Goals Met	77	50.7%	29.3%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	152		
Number of Discharges	263		

All Other Services		
Any Use N	Any Use % Avail	Dosage % of Months
395	37.9%	50.5%
762	73.2%	72.3%
945	90.8%	87.4%
344	33.0%	56.8%
121	11.6%	62.2%
583	56.0%	54.6%
44	4.2%	27.6%
879	45.8%	

Any Use N	Any Use % Avail	Dosage % of Months
806	77.4%	73.8%
288	27.7%	51.2%
859	82.5%	86.3%
814	78.2%	76.9%
32	3.1%	46.0%
271	26.0%	43.7%
369	35.4%	46.1%
147	14.1%	51.6%
879	45.8%	

Youth N	% Youth Discharged	% Discharges
28	4.7%	3.3%
6	1.0%	0.7%
456	76.9%	53.9%
11	1.9%	1.3%
15	2.5%	1.8%
41	6.9%	4.8%
81	13.7%	9.6%
40	6.7%	4.7%
0	0.0%	0.0%
593		
846		

Youth N	% Youth Discharged	% Discharges
12	2.0%	1.4%
18	3.0%	2.1%
44	7.4%	5.2%
164	27.7%	19.4%
64	10.8%	7.6%
58	9.8%	6.9%
364	61.4%	43.0%
0	0.0%	0.0%
593		
846		

*Indicates written response to an open-ended question.

Summary of Youth by Therapeutic Foster Home Services (Total)
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Treatment Target	Any Therapeutic Foster Home Service			All Other Services		
	Any Use N	Any Use % Avail	Dosage % of Months	Any Use N	Any Use % Avail	Dosage % of Months
Academic Achievement	92	46.2%	47.2%	356	34.2%	38.5%
Activity Involvement	141	70.9%	54.9%	525	50.4%	56.1%
Adaptive Behavior/Living Skills	44	22.1%	33.6%	115	11.0%	39.8%
Adjustment to Change	120	60.3%	39.3%	228	21.9%	37.8%
Adult Intercoordination	1	0.5%	8.3%	12	1.2%	23.1%
Aggression	99	49.7%	56.5%	430	41.3%	54.0%
Anger	123	61.8%	59.4%	493	47.4%	54.4%
Anxiety	103	51.8%	50.3%	351	33.7%	50.2%
Assertiveness	44	22.1%	35.7%	177	17.0%	38.3%
Attention Problems	39	19.6%	33.6%	180	17.3%	36.5%
Avoidance	63	31.7%	40.7%	226	21.7%	41.6%
Caregiver Self-Management/Coping	1	0.5%	25.0%	5	0.5%	21.5%
Cognitive-Intellectual Functioning	18	9.0%	30.2%	79	7.6%	40.5%
Community Involvement	64	32.2%	41.8%	164	15.8%	28.6%
Compulsive Behavior	0	0.0%	0.0%	3	0.3%	22.2%
Contentment/Enjoyment/Happiness	54	27.1%	39.5%	197	18.9%	40.8%
Depressed Mood	78	39.2%	46.9%	319	30.6%	50.2%
Eating/Feeding Problems	10	5.0%	33.0%	26	2.5%	32.0%
Empathy	47	23.6%	41.9%	102	9.8%	43.2%
Enuresis/Encopresis	13	6.5%	51.1%	28	2.7%	50.5%
Fire Setting	1	0.5%	16.7%	5	0.5%	43.5%
Fitness/Exercise	0	0.0%	0.0%	1	0.1%	20.0%
Gender Identity Problems	3	1.5%	16.7%	4	0.4%	33.6%
Goal Setting	0	0.0%	0.0%	4	0.4%	12.7%
Grief	11	5.5%	32.2%	60	5.8%	39.3%
Health Management	22	11.1%	34.1%	70	6.7%	30.8%
Housing/Living Situation	57	28.6%	25.0%	149	14.3%	35.5%
Hyperactivity	21	10.6%	44.9%	82	7.9%	37.8%
Information Gathering	0	0.0%	0.0%	11	1.1%	32.8%
Learning Disorder/Underachievement	7	3.5%	15.2%	31	3.0%	28.2%
Low Self-Esteem	80	40.2%	46.0%	233	22.4%	40.7%
Mania	4	2.0%	25.8%	7	0.7%	28.7%
Medical Regimen Adherence	20	10.1%	45.7%	108	10.4%	36.9%
Occupational Functioning/Stress	16	8.0%	28.2%	34	3.3%	29.8%
Oppositional/Non-Compliant Behavior	153	76.9%	69.3%	644	61.9%	63.3%
Pain Management	0	0.0%	0.0%	0	0.0%	0.0%
Parenting Skills	0	0.0%	0.0%	19	1.8%	32.3%
Peer Involvement	42	21.1%	29.6%	160	15.4%	35.1%
Peer/Sibling Conflict	58	29.1%	38.3%	255	24.5%	45.7%
Personal Hygiene	9	4.5%	29.7%	37	3.6%	29.1%
Phobia/Fears	99	49.7%	50.1%	318	30.5%	41.7%
Positive Family Functioning	24	12.1%	43.6%	62	6.0%	39.8%
Positive Peer Interaction	169	84.9%	70.4%	796	76.5%	66.8%
Positive Thinking/Attitude	94	47.2%	38.2%	282	27.1%	42.0%
Pregnancy Education/Adjustment	4	2.0%	29.2%	20	1.9%	43.6%
Psychosis	5	2.5%	25.8%	33	3.2%	55.6%
Runaway	60	30.2%	42.6%	171	16.4%	47.5%
Safe Environment	1	0.5%	18.2%	10	1.0%	29.8%
School Involvement	52	26.1%	38.6%	232	22.3%	36.7%
School Refusal/Truancy	27	13.6%	34.6%	200	19.2%	43.6%
Self-Control	39	19.6%	47.5%	120	11.5%	44.0%
Self-Injurious Behavior	99	49.7%	48.2%	216	20.7%	38.3%
Sexual Orientation	0	0.0%	0.0%	0	0.0%	0.0%
Sexual Misconduct	24	12.1%	45.4%	45	4.3%	55.1%
Shyness	5	2.5%	34.4%	20	1.9%	25.7%
Sleep Disturbance	5	2.5%	31.7%	19	1.8%	37.1%
Social Skills	94	47.2%	47.6%	269	25.8%	45.4%
Speech and Language	0	0.0%	0.0%	8	0.8%	25.6%
Substance Use	77	38.7%	58.7%	269	25.8%	66.3%
Suicidality	26	13.1%	31.5%	64	6.1%	38.5%
Traumatic Stress	68	34.2%	57.6%	122	11.7%	36.7%
Treatment Engagement	123	61.8%	49.1%	558	53.6%	53.5%
Treatment Planning/Framing	8	4.0%	16.3%	59	5.7%	49.4%
Willful Misconduct/Delinquency	40	20.1%	28.0%	194	18.6%	49.1%
Other	0	0.0%	0.0%	14	1.3%	15.6%
Unclear	7	3.5%	12.0%	94	9.0%	30.8%
Not Available	0	0.0%		879	45.8%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Therapeutic Foster Home Services (Total)
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Any Therapeutic Foster Home Service			All Other Services		
	Any Use N	Any Use % Avail	Dosage % of Months	Any Use N	Any Use % Avail	Dosage % of Months
Practice Elements						
Activity Scheduling	163	81.9%	63.5%	575	55.2%	55.1%
Anger Management	1	0.5%	20.0%	3	0.3%	15.7%
Animal or Plant Assisted Activities	0	0.0%	0.0%	0	0.0%	0.0%
Arousal Reconditioning	0	0.0%	0.0%	0	0.0%	0.0%
Art/Music Therapy	1	0.5%	33.3%	1	0.1%	11.1%
Assertiveness Training	91	45.7%	46.4%	318	30.5%	45.8%
Assessment	2	1.0%	25.6%	39	3.7%	69.8%
Attending	78	39.2%	40.4%	283	27.2%	46.2%
Behavior Management	1	0.5%	16.7%	4	0.4%	15.0%
Behavioral Contracting	145	72.9%	61.8%	568	54.6%	54.1%
Biofeedback/Neurofeedback	5	2.5%	33.7%	14	1.3%	27.9%
Care Coordination	182	91.5%	72.7%	585	56.2%	63.0%
Catharsis	27	13.6%	32.4%	47	4.5%	43.2%
Cognitive/Coping	177	88.9%	68.6%	565	54.3%	62.7%
Commands/Limit Setting	45	22.6%	36.1%	145	13.9%	41.2%
Communication Skills	180	90.5%	74.0%	781	75.0%	66.4%
Counseling	1	0.5%	27.3%	0	0.0%	0.0%
Crisis Management	122	61.3%	47.6%	421	40.4%	45.7%
Cultural Training	31	15.6%	31.2%	114	11.0%	44.2%
Discrete Trial Training	7	3.5%	18.1%	8	0.8%	20.8%
Educational Support	160	80.4%	60.8%	511	49.1%	53.6%
Emotional Processing	177	88.9%	68.8%	623	59.8%	61.2%
Exposure	47	23.6%	34.9%	206	19.8%	41.8%
Eye Movement/Body Tapping	9	4.5%	13.9%	9	0.9%	22.1%
Family Engagement	173	86.9%	66.0%	758	72.8%	63.8%
Family Therapy	156	78.4%	56.4%	709	68.1%	61.2%
Family Visit	0	0.0%	0.0%	0	0.0%	0.0%
Free Association	18	9.0%	48.1%	60	5.8%	32.7%
Functional Analysis	37	18.6%	42.3%	169	16.2%	50.7%
Goal Setting	179	89.9%	73.4%	703	67.5%	61.2%
Guided Imagery	50	25.1%	30.0%	160	15.4%	38.8%
Ho'Oponopono	0	0.0%	0.0%	0	0.0%	0.0%
Hypnosis	8	4.0%	45.1%	15	1.4%	15.6%
Ignoring or DRO	120	60.3%	49.5%	306	29.4%	45.9%
Individual Therapy for Caregiver	65	32.7%	31.3%	299	28.7%	43.9%
Informal Supports	0	0.0%	0.0%	6	0.6%	26.8%
Insight Building	177	88.9%	65.1%	608	58.4%	59.1%
Interpretation	69	34.7%	36.0%	147	14.1%	36.4%
Juvenile Sex Offender Treatment	4	2.0%	45.4%	19	1.8%	76.8%
Legal Assistance/Involvement	0	0.0%	0.0%	0	0.0%	0.0%
Line of Sight Supervision	109	54.8%	46.4%	296	28.4%	46.8%
Maintenance/Relapse Prevention	82	41.2%	44.1%	267	25.6%	43.8%
Marital Therapy	10	5.0%	29.7%	58	5.6%	29.6%
Medication/Pharmacotherapy	92	46.2%	52.8%	271	26.0%	51.9%
Mentoring	129	64.8%	48.6%	354	34.0%	49.9%
Milieu Therapy	71	35.7%	44.9%	236	22.7%	52.0%
Mindfulness	134	67.3%	45.7%	372	35.7%	50.1%
Modeling	149	74.9%	61.2%	636	61.1%	56.3%
Motivational Interviewing	130	65.3%	59.5%	504	48.4%	53.8%
Natural and Logical Consequences	178	89.4%	73.7%	670	64.4%	58.6%
Parent Coping	123	61.8%	48.6%	662	63.6%	59.7%
Parent or Teacher Monitoring	128	64.3%	48.2%	468	45.0%	52.3%
Parent Praise	129	64.8%	49.8%	486	46.7%	52.4%
Parenting	2	1.0%	16.7%	13	1.2%	21.7%
Peer Modeling/Pairing	47	23.6%	32.1%	165	15.9%	32.5%
Personal Safety Skills	148	74.4%	56.9%	420	40.3%	48.9%
Physical Exercise	0	0.0%	0.0%	0	0.0%	0.0%
Play Therapy	45	22.6%	48.0%	158	15.2%	48.3%
Problem Solving	178	89.4%	73.0%	772	74.2%	64.0%
Psychoeducation-Child	167	83.9%	64.5%	615	59.1%	58.7%
Psychoeducation-Parent	135	67.8%	52.6%	711	68.3%	64.1%
Relationship/Rapport Building	189	95.0%	66.8%	743	71.4%	59.1%
Relaxation	163	81.9%	54.5%	452	43.4%	48.5%
Response Cost	48	24.1%	38.9%	183	17.6%	43.3%
Response Prevention	57	28.6%	40.3%	212	20.4%	41.9%
Self-Monitoring	142	71.4%	51.0%	406	39.0%	49.0%
Self-Reward/Self-Praise	124	62.3%	46.5%	310	29.8%	50.7%
Skill Building	177	88.9%	66.9%	702	67.4%	59.8%
Social Skills Training	164	82.4%	61.0%	497	47.7%	51.7%
Stimulus Control/Antecedent Man.	72	36.2%	39.3%	218	20.9%	44.6%
Supportive Listening	196	98.5%	79.1%	798	76.7%	69.3%
Tangible Rewards	133	66.8%	54.8%	462	44.4%	51.1%
Therapist Praise/Rewards	159	79.9%	62.8%	651	62.5%	61.9%
Thought Field Therapy	12	6.0%	21.8%	20	1.9%	18.8%
Time Out	71	35.7%	36.0%	274	26.3%	47.5%
Twelve-step Programming	24	12.1%	38.3%	120	11.5%	52.2%
Other	5	2.5%	17.8%	30	2.9%	29.7%
Unclear	34	17.1%	24.9%	120	11.5%	42.8%
Not Available	0	0.0%		879	45.8%	


Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

**Summary of Youth by Intensive Home and Community Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Any Intensive Home and Community		
	N	%
Total Registered Youth	986	46.5%
with Services Procured	986	100.0%
Youth with New Admissions	350	35.5%
with Initial Admissions	240	24.3%
with Repeat Admissions	110	11.2%
Youth with Discharges	282	28.6%

	N	% of Available
Gender		
Females	353	36%
Males	633	64%

	Mean	SD
Age in Years	14.0	3.6




Primary Diagnosis of	N	% Avail
None Recorded	2	0.2%
Adjustment	51	5.3%
Anxiety	100	10.3%
Attention	199	20.6%
Disruptive Behavior	315	32.5%
Mental Retardation	0	0.0%
Miscellaneous	42	4.3%
Mood	181	18.7%
Pervasive Developmental	21	2.2%
Psychotic Spectrum	25	2.6%
Substance-Related	32	3.3%
Not Available (% Total)	18	1.8%

Any Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	99	10.2%
Anxiety	244	25.1%
Attention	373	38.4%
Disruptive Behavior	525	54.1%
Mental Retardation	25	2.6%
Miscellaneous	246	25.3%
Mood	291	30.0%
Pervasive Developmental	28	2.9%
Psychotic Spectrum	29	3.0%
Substance-Related	177	18.2%
Multiple Diagnoses	745	76.7%
Avg. Number of Diagnoses	2.2	

All Other Services		
	N	%
Total Registered Youth	1,133	53.5%
with Services Procured	327	28.9%
Youth with New Admissions	619	54.6%
with Initial Admissions	450	39.7%
with Repeat Admissions	169	14.9%
Youth with Discharges	574	50.7%

	N	% of Available
Gender		
Females	445	39%
Males	688	61%

	Mean	SD
Age in Years	14.0	3.9



Primary Diagnosis of	N	% Avail
None Recorded	4	0.5%
Adjustment	78	9.8%
Anxiety	85	10.6%
Attention	148	18.5%
Disruptive Behavior	255	31.9%
Mental Retardation	0	0.0%
Miscellaneous	32	4.0%
Mood	150	18.8%
Pervasive Developmental	4	0.5%
Psychotic Spectrum	13	1.6%
Substance-Related	30	3.8%
Not Available (% Total)	334	29.5%

Any Diagnosis of	N	% Avail
None Recorded	4	0.5%
Adjustment	106	13.2%
Anxiety	166	20.7%
Attention	256	32.0%
Disruptive Behavior	413	51.6%
Mental Retardation	9	1.1%
Miscellaneous	220	27.5%
Mood	233	29.1%
Pervasive Developmental	8	1.0%
Psychotic Spectrum	17	2.1%
Substance-Related	179	22.3%
Multiple Diagnoses	574	71.7%
Avg. Number of Diagnoses	1.5	

**Summary of Youth by Intensive Home and Community Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Any Intensive Home and Community		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	495	70.8%
Hispanic or Latino/a	204	29.2%
Not Available (% Total)	287	29.1%

Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	4	0.5%
Asian	70	8.5%
Black or African-American	16	1.9%
Native Hawaiian or Pacific Islander	112	13.5%
White	105	12.7%
Other Race	5	0.6%
Multiracial	516	62.3%
Based on Observation	53	6.4%
Not Available (% Total)	158	16.0%

Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	74	10.7%
Alaska Native	0	0.0%
American Indian	74	10.7%
Asian	390	56.2%
Asian Indian	3	0.4%
Chinese	172	24.8%
Filipino	220	31.7%
Japanese	125	18.0%
Korean	24	3.5%
Vietnamese	5	0.7%
Other Asian	12	1.7%
Black or African-American	55	7.9%
Hispanic or Latina/o	200	28.8%
Cuban	5	0.7%
Mexican	31	4.5%
Puerto Rican	113	16.3%
Other Hispanic	75	10.8%
Native Hawaiian or Pacific Islander	411	59.2%
Guamanian or Chamorro	6	0.9%
Micronesian	40	5.8%
Native Hawaiian	334	48.1%
Samoan	46	6.6%
Other Pacific Islander	31	4.5%
White	426	61.4%
White or Caucasian	344	49.6%
Portuguese	160	23.1%
Other Race or Ethnicity	25	3.6%
Multiethnic	483	69.6%
Not Available (% Total)	292	29.6%

All Other Services		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	405	72.5%
Hispanic or Latino/a	154	27.5%
Not Available (% Total)	574	50.7%

Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	3	0.4%
Asian	52	7.5%
Black or African-American	6	0.9%
Native Hawaiian or Pacific Islander	96	13.8%
White	107	15.4%
Other Race	3	0.4%
Multiracial	428	61.6%
Based on Observation	40	5.8%
Not Available (% Total)	438	38.7%

Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	56	10.1%
Alaska Native	0	0.0%
American Indian	56	10.1%
Asian	301	54.1%
Asian Indian	2	0.4%
Chinese	140	25.2%
Filipino	179	32.2%
Japanese	90	16.2%
Korean	21	3.8%
Vietnamese	4	0.7%
Other Asian	8	1.4%
Black or African-American	28	5.0%
Hispanic or Latina/o	150	27.0%
Cuban	1	0.2%
Mexican	34	6.1%
Puerto Rican	76	13.7%
Other Hispanic	61	11.0%
Native Hawaiian or Pacific Islander	348	62.6%
Guamanian or Chamorro	6	1.1%
Micronesian	18	3.2%
Native Hawaiian	307	55.2%
Samoan	36	6.5%
Other Pacific Islander	19	3.4%
White	361	64.9%
White or Caucasian	277	49.8%
Portuguese	148	26.6%
Other Race or Ethnicity	27	4.9%
Multiethnic	396	71.2%
Not Available (% Total)	577	50.9%

**Summary of Youth by Intensive Home and Community Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Any Intensive Home and Community		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	180	18.3%
Leeward Oahu	187	19.0%
Honolulu Oahu	144	14.6%
Hawaii (Big Island)	305	30.9%
Maui	122	12.4%
Kauai	44	4.5%
Family Court Liaison Branch	4	0.4%

All Other Services		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	116	10.2%
Leeward Oahu	116	10.2%
Honolulu Oahu	107	9.4%
Hawaii (Big Island)	465	41.0%
Maui	103	9.1%
Kauai	142	12.5%
Family Court Liaison Branch	84	7.4%

*Central Oahu FGC now includes both Central and Windward Oahu offices.

Summary of Youth by Intensive Home and Community Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Services Procured	Any Intensive Home and Community			All Other Services		
	Monthly Average	Total N	% of Procured	Monthly Average	Total N	% of Procured
Out-of-Home	94	227	23.0%	88	165	50.5%
Out-of-State	3	3	0.3%	2	2	0.6%
Hospital Residential	15	63	6.4%	3	14	4.3%
Community High Risk	2	4	0.4%	5	10	3.1%
Community Residential	32	94	9.5%	22	61	18.7%
Therapeutic Foster Home	45	96	9.7%	58	103	31.5%
<i>Multidimensional Treatment Foster Care</i>	3	6	0.6%	2	6	1.8%
<i>Transitional Family Home</i>	42	91	9.2%	56	101	30.9%
Intensive Home & Community	475	986	100.0%	0	0	0.0%
Partial Hospitalization	5	23	2.3%	0	0	0.0%
Multisystemic Therapy	68	213	21.6%	0	0	0.0%
Intensive In-Home	407	812	82.4%	0	0	0.0%
Outpatient	25	144	14.6%	34	164	50.2%
Treatment	18	60	6.1%	26	73	22.3%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	11	37	3.8%	22	64	19.6%
<i>Outpatient Therapy</i>	7	23	2.3%	3	9	2.8%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	7	85	8.6%	8	96	29.4%
Supportive Services	28	120	12.2%	15	68	20.8%
Respite Home	5	23	2.3%	1	7	2.1%
Ancillary Service	24	99	10.0%	14	63	19.3%
Crisis Stabilization	3	20	2.0%	3	26	8.0%
Unduplicated Total (% of Registered)	567	986	100%	125	327	29%

*These services either were not procured or had no data available in FY 2013.

Summary of Youth by Intensive Home and Community Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Total Hours Procured	Any Intensive Home and Community			All Other Services		
	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth
Out-of-Home	147	831	81.7%	157	1,153	98.7%
Out-of-State	194	1,952	91.8%	198	2,373	100.0%
Hospital Residential	119	366	58.3%	125	327	60.5%
Community High Risk	169	960	67.4%	178	1,100	89.6%
Community Residential	141	644	74.5%	133	707	82.5%
Therapeutic Foster Home	163	995	76.3%	167	1,231	90.4%
<i>Multidimensional Treatment Foster Care</i>	183	1,087	90.6%	163	740	62.3%
<i>Transitional Family Home</i>	161	978	74.5%	166	1,211	88.5%
Intensive Home & Community	18	99	78.5%	0	0	0.0%
Partial Hospitalization	3	8	7.0%	0	0	0.0%
Multisystemic Therapy	40	135	80.0%	0	0	0.0%
Intensive In-Home	12	84	74.1%	0	0	0.0%
Outpatient	4	9	14.4%	4	10	81.7%
Treatment	4	16	17.7%	3	15	73.9%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	4	13	13.0%	3	14	73.0%
<i>Outpatient Therapy</i>	5	20	25.2%	4	23	80.2%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	4	5	11.9%	5	5	83.4%
Supportive Services**	-	-	-	-	-	-
Respite Home	19	53	13.2%	25	44	9.0%
Ancillary Service**	-	-	-	-	-	-
Crisis Stabilization	37	61	14.2%	22	25	75.1%
Unduplicated Total	30	294		70	590	

Service Changes	Any Intensive Home and Community			All Other Services		
	Monthly Average	Total N	Total per Youth	Monthly Average	Total N	Total per Youth
Placement Changes	29	345	0.3	16	196	0.2
Out-of-Home Changes	2	25	0.0	2	20	0.0
Provider Agency Changes	84	1,004	1.0	22	270	0.2
Care Coordinator Changes	32	384	0.4	41	497	0.4

*These services either were not procured or had no data available in FY 2013.

**Duration not available for these services.

Summary of Youth by Intensive Home and Community Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Any Intensive Home and Community		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	121 (1.1)	91 (1.0)	86 (1.2)
Moods: Self-Harm	9 (0.4)	3 (0.2)	2 (0.2)
Moods: Emotions	21 (0.2)	16 (0.2)	16 (0.2)
Home Role Performance	26 (0.2)	19 (0.3)	18 (0.3)
School Role Performance	27 (0.2)	20 (0.3)	19 (0.4)
Community Role Performance	14 (0.4)	9 (0.3)	8 (0.3)
Behavior Towards Other	22 (0.2)	16 (0.2)	16 (0.2)
Substance Use	9 (0.4)	5 (0.3)	5 (0.3)
Thinking	7 (0.3)	3 (0.2)	3 (0.2)

Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	21 (0.1)	18 (0.1)	18 (0.1)
Level of Care	4 (0.0)	3 (0.0)	3 (0.0)

Child and Adolescent Functional Assessment Scale (CAFAS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total (8-scale)	35 (887)	56% (858)	35% (858)
Moods: Self-Harm	7 (887)	82% (303)	97% (303)
Moods: Emotions	6 (887)	49% (817)	96% (817)
Home Role Performance	8 (887)	55% (819)	68% (819)
School Role Performance	8 (887)	51% (843)	62% (843)
Community Role Performance	6 (887)	52% (478)	94% (478)
Behavior Towards Other	6 (887)	51% (804)	95% (804)
Substance Use	4 (887)	64% (303)	86% (303)
Thinking	4 (887)	77% (199)	97% (199)

Child and Adolescent Level of Care Utilization System (CALOCUS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total	3 (871)	47% (822)	43% (822)
Level of Care	1 (871)	56% (826)	70% (826)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	1,352	111	36.9%
Child Events	1,509	124	34.1%
Person-Directed	298	25	15.1%
Property-Directed	165	14	10.5%
Runaway or Elopement	363	30	13.4%
Self-Injury	287	24	11.6%
Substance Use	130	11	7.1%
Other	198	16	11.5%
Institutional Events	877	72	24.0%
Person-Directed (Client Victim)	77	6	6.2%
Seclusion or Restraint	113	9	4.7%
Medication Error	8	1	0.6%
Police Called	248	20	13.6%
Criminal Charges or Arrest	158	13	8.6%
Client Injury	55	5	4.9%
Staff Injury	17	1	1.1%
Other	175	14	10.5%

	All Other Services		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	115 (1.6)	88 (1.6)	85 (1.7)
Moods: Self-Harm	9 (0.4)	3 (0.3)	3 (0.3)
Moods: Emotions	20 (0.3)	15 (0.3)	15 (0.3)
Home Role Performance	25 (0.3)	19 (0.4)	18 (0.4)
School Role Performance	25 (0.3)	18 (0.4)	17 (0.5)
Community Role Performance	13 (0.5)	9 (0.4)	9 (0.5)
Behavior Towards Other	20 (0.3)	15 (0.3)	15 (0.3)
Substance Use	10 (0.5)	6 (0.4)	6 (0.4)
Thinking	5 (0.4)	2 (0.2)	2 (0.2)

Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	21 (0.2)	18 (0.2)	18 (0.2)
Level of Care	4 (0.1)	3 (0.1)	3 (0.1)

Child and Adolescent Functional Assessment Scale (CAFAS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total (8-scale)	29 (534)	47% (491)	33% (491)
Moods: Self-Harm	6 (534)	73% (182)	95% (182)
Moods: Emotions	5 (534)	43% (438)	92% (438)
Home Role Performance	6 (534)	40% (457)	58% (457)
School Role Performance	7 (533)	43% (473)	63% (473)
Community Role Performance	4 (534)	38% (278)	83% (278)
Behavior Towards Other	5 (534)	45% (440)	95% (440)
Substance Use	5 (534)	58% (210)	79% (210)
Thinking	3 (534)	72% (82)	96% (82)

Child and Adolescent Level of Care Utilization System (CALOCUS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total	3 (413)	43% (374)	39% (374)
Level of Care	1 (413)	52% (375)	59% (375)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	434	41	11.8%
Child Events	435	41	11.0%
Person-Directed	81	8	4.1%
Property-Directed	34	3	2.6%
Runaway or Elopement	144	14	7.0%
Self-Injury	72	7	3.7%
Substance Use	67	6	3.4%
Other	30	3	2.2%
Institutional Events	253	24	7.7%
Person-Directed (Client Victim)	19	2	1.5%
Seclusion or Restraint	13	1	1.1%
Medication Error	11	1	0.7%
Police Called	71	7	3.4%
Criminal Charges or Arrest	49	5	2.8%
Client Injury	27	3	2.3%
Staff Injury	2	0	0.2%
Other	59	6	3.6%

*Indicates average change from highest CAFAS or CALOCUS score to most recent.
(A positive number reflects improvement.)

Summary of Youth by Intensive Home and Community Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Service Setting	Any Intensive Home and Community		
	Any Use N	Any Use % Avail	Dosage % of Months
Clinic	420	43.1%	48.3%
Community	778	79.9%	72.5%
Home	929	95.4%	84.6%
Out-of-Home	323	33.2%	46.6%
Phone*	99	10.2%	53.9%
School	588	60.4%	52.3%
Unclear*	46	4.7%	27.4%
Not Available	12	1.2%	

Service Format	Any Intensive Home and Community		
	Any Use N	Any Use % Avail	Dosage % of Months
Family	782	80.3%	70.8%
Group	268	27.5%	42.6%
Individual	853	87.6%	86.7%
Parent	799	82.0%	75.7%
Phone*	21	2.2%	29.1%
Professional Consult*	273	28.0%	39.5%
Teacher	367	37.7%	41.0%
Unclear*	119	12.2%	33.4%
Not Available	12	1.2%	

Discharge Living Situation	Youth		
	N	% Youth Discharged	% Discharges
Foster Home	76	13.3%	8.5%
Group Care	7	1.2%	0.8%
Home	438	76.4%	48.8%
Homeless/Shelter	15	2.6%	1.7%
Institution/Hospital	19	3.3%	2.1%
Jail/Correctional Facility	27	4.7%	3.0%
Other	81	14.1%	9.0%
Residential Treatment	44	7.7%	4.9%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	573		
Number of Discharges	898		

Reason for Discharge	Youth		
	N	% Youth Discharged	% Discharges
Eligibility Change	13	2.3%	1.4%
Family Relocation	21	3.7%	2.3%
Insufficient Progress	55	9.6%	6.1%
Other	191	33.3%	21.3%
Runaway/Elopement	56	9.8%	6.2%
Refuse/Withdraw	65	11.3%	7.2%
Success/Goals Met	355	62.0%	39.5%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	573		
Number of Discharges	898		

	All Other Services		
	Any Use N	Any Use % Avail	Dosage % of Months
	141	53.0%	83.0%
	159	59.8%	76.1%
	157	59.0%	79.6%
	173	65.0%	88.9%
	40	15.0%	72.3%
	139	52.3%	70.8%
	2	0.8%	32.1%
	867	76.5%	

	All Other Services		
	Any Use N	Any Use % Avail	Dosage % of Months
	185	69.5%	79.3%
	96	36.1%	66.6%
	205	77.1%	92.5%
	155	58.3%	72.2%
	14	5.3%	65.0%
	30	11.3%	71.2%
	99	37.2%	69.5%
	57	21.4%	80.7%
	867	76.5%	

	All Other Services		
	Youth N	% Youth Discharged	% Discharges
	24	14.0%	11.4%
	1	0.6%	0.5%
	85	49.4%	40.3%
	3	1.7%	1.4%
	4	2.3%	1.9%
	26	15.1%	12.3%
	45	26.2%	21.3%
	9	5.2%	4.3%
	0	0.0%	0.0%
	172		
	211		

	All Other Services		
	Youth N	% Youth Discharged	% Discharges
	4	2.3%	1.9%
	1	0.6%	0.5%
	14	8.1%	6.6%
	40	23.3%	19.0%
	42	24.4%	19.9%
	12	7.0%	5.7%
	86	50.0%	40.8%
	0	0.0%	0.0%
	172		
	211		

*Indicates written response to an open-ended question.

Summary of Youth by Intensive Home and Community Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Treatment Target	Any Intensive Home and Community			All Other Services		
	Any Use N	Any Use % Avail	Dosage % of Months	Any Use N	Any Use % Avail	Dosage % of Months
Academic Achievement	394	40.5%	37.3%	54	20.3%	62.0%
Activity Involvement	551	56.6%	52.8%	115	43.2%	70.2%
Adaptive Behavior/Living Skills	136	14.0%	36.8%	23	8.6%	45.6%
Adjustment to Change	271	27.8%	34.9%	77	28.9%	50.6%
Adult Intercoordination	12	1.2%	21.8%	1	0.4%	25.0%
Aggression	460	47.2%	52.9%	69	25.9%	65.2%
Anger	524	53.8%	53.3%	92	34.6%	67.0%
Anxiety	375	38.5%	48.5%	79	29.7%	58.3%
Assertiveness	190	19.5%	35.5%	31	11.7%	51.7%
Attention Problems	192	19.7%	35.0%	27	10.2%	42.6%
Avoidance	241	24.7%	36.4%	48	18.0%	66.4%
Caregiver Self-Management/Coping	6	0.6%	22.1%	0	0.0%	0.0%
Cognitive-Intellectual Functioning	90	9.2%	38.5%	7	2.6%	40.3%
Community Involvement	189	19.4%	27.5%	39	14.7%	55.8%
Compulsive Behavior	3	0.3%	22.2%	0	0.0%	0.0%
Contentment/Enjoyment/Happiness	208	21.4%	38.7%	43	16.2%	49.4%
Depressed Mood	331	34.0%	46.8%	66	24.8%	63.0%
Eating/Feeding Problems	28	2.9%	31.0%	8	3.0%	36.9%
Empathy	110	11.3%	33.5%	39	14.7%	68.9%
Enuresis/Encopresis	34	3.5%	49.3%	7	2.6%	57.4%
Fire Setting	5	0.5%	43.5%	1	0.4%	16.7%
Fitness/Exercise	1	0.1%	20.0%	0	0.0%	0.0%
Gender Identity Problems	7	0.7%	26.3%	0	0.0%	0.0%
Goal Setting	4	0.4%	12.7%	0	0.0%	0.0%
Grief	62	6.4%	35.7%	9	3.4%	55.2%
Health Management	79	8.1%	31.1%	13	4.9%	34.3%
Housing/Living Situation	185	19.0%	31.4%	21	7.9%	43.5%
Hyperactivity	95	9.8%	38.3%	8	3.0%	50.3%
Information Gathering	11	1.1%	32.8%	0	0.0%	0.0%
Learning Disorder/Underachievement	35	3.6%	22.1%	3	1.1%	68.3%
Low Self-Esteem	256	26.3%	38.9%	57	21.4%	56.0%
Mania	10	1.0%	27.7%	1	0.4%	27.3%
Medical Regimen Adherence	117	12.0%	37.7%	11	4.1%	44.4%
Occupational Functioning/Stress	40	4.1%	24.3%	10	3.8%	49.4%
Oppositional/Non-Compliant Behavior	674	69.2%	62.6%	123	46.2%	74.6%
Pain Management	0	0.0%	0.0%	0	0.0%	0.0%
Parenting Skills	19	2.0%	32.3%	0	0.0%	0.0%
Peer Involvement	176	18.1%	30.0%	26	9.8%	61.1%
Peer/Sibling Conflict	269	27.6%	41.0%	44	16.5%	65.0%
Personal Hygiene	44	4.5%	29.2%	2	0.8%	29.2%
Phobia/Fears	319	32.8%	36.1%	98	36.8%	68.4%
Positive Family Functioning	75	7.7%	40.1%	11	4.1%	46.1%
Positive Peer Interaction	781	80.2%	64.5%	184	69.2%	79.7%
Positive Thinking/Attitude	302	31.0%	38.1%	74	27.8%	53.1%
Pregnancy Education/Adjustment	22	2.3%	41.8%	2	0.8%	35.0%
Psychosis	31	3.2%	53.3%	7	2.6%	44.2%
Runaway	176	18.1%	44.3%	55	20.7%	52.5%
Safe Environment	11	1.1%	28.8%	0	0.0%	0.0%
School Involvement	250	25.7%	35.2%	34	12.8%	50.6%
School Refusal/Truancy	208	21.4%	42.9%	19	7.1%	38.0%
Self-Control	129	13.2%	39.9%	30	11.3%	66.1%
Self-Injurious Behavior	245	25.2%	34.8%	70	26.3%	64.6%
Sexual Orientation	0	0.0%	0.0%	0	0.0%	0.0%
Sexual Misconduct	41	4.2%	38.6%	28	10.5%	70.9%
Shyness	22	2.3%	24.3%	3	1.1%	50.0%
Sleep Disturbance	20	2.1%	31.1%	4	1.5%	60.4%
Social Skills	299	30.7%	42.4%	64	24.1%	63.0%
Speech and Language	8	0.8%	25.6%	0	0.0%	0.0%
Substance Use	261	26.8%	61.2%	85	32.0%	75.2%
Suicidality	76	7.8%	34.5%	14	5.3%	47.4%
Traumatic Stress	133	13.7%	34.6%	57	21.4%	66.6%
Treatment Engagement	539	55.3%	47.8%	142	53.4%	71.4%
Treatment Planning/Framing	55	5.6%	36.1%	12	4.5%	88.1%
Willful Misconduct/Delinquency	187	19.2%	40.4%	47	17.7%	65.4%
Other	14	1.4%	15.6%	0	0.0%	0.0%
Unclear	92	9.4%	26.1%	9	3.4%	64.7%
Not Available	12	1.2%		867	76.5%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Intensive Home and Community Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Practice Elements	Any Intensive Home and Community			All Other Services		
	Any Use N	Any Use % Avail	Dosage % of Months	Any Use N	Any Use % Avail	Dosage % of Months
Activity Scheduling	602	61.8%	53.4%	136	51.1%	72.5%
Anger Management	4	0.4%	16.8%	0	0.0%	0.0%
Animal or Plant Assisted Activities	0	0.0%	0.0%	0	0.0%	0.0%
Arousal Reconditioning	0	0.0%	0.0%	0	0.0%	0.0%
Art/Music Therapy	2	0.2%	22.2%	0	0.0%	0.0%
Assertiveness Training	338	34.7%	43.2%	71	26.7%	59.1%
Assessment	17	1.7%	30.8%	24	9.0%	93.8%
Attending	297	30.5%	42.9%	64	24.1%	54.5%
Behavior Management	3	0.3%	11.7%	2	0.8%	20.8%
Behavioral Contracting	584	60.0%	54.1%	129	48.5%	62.8%
Biofeedback/Neurofeedback	16	1.6%	25.6%	3	1.1%	50.0%
Care Coordination	570	58.5%	58.6%	197	74.1%	84.7%
Catharsis	59	6.1%	38.3%	15	5.6%	42.9%
Cognitive/Coping	600	61.6%	61.0%	142	53.4%	77.0%
Commands/Limit Setting	157	16.1%	38.8%	33	12.4%	45.5%
Communication Skills	776	79.7%	67.2%	185	69.5%	70.3%
Counseling	1	0.1%	27.3%	0	0.0%	0.0%
Crisis Management	436	44.8%	43.2%	107	40.2%	58.0%
Cultural Training	118	12.1%	37.8%	27	10.2%	57.4%
Discrete Trial Training	11	1.1%	18.0%	4	1.5%	23.8%
Educational Support	543	55.7%	51.8%	128	48.1%	70.4%
Emotional Processing	629	64.6%	60.3%	171	64.3%	72.6%
Exposure	225	23.1%	38.9%	28	10.5%	53.0%
Eye Movement/Body Tapping	12	1.2%	21.6%	6	2.3%	10.9%
Family Engagement	749	76.9%	62.7%	182	68.4%	70.3%
Family Therapy	698	71.7%	58.2%	167	62.8%	69.5%
Family Visit	0	0.0%	0.0%	0	0.0%	0.0%
Free Association	62	6.4%	32.5%	16	6.0%	51.0%
Functional Analysis	176	18.1%	49.3%	30	11.3%	48.6%
Goal Setting	716	73.5%	61.4%	166	62.4%	73.7%
Guided Imagery	174	17.9%	36.9%	36	13.5%	35.9%
Ho'Oponopono	0	0.0%	0.0%	0	0.0%	0.0%
Hypnosis	20	2.1%	21.0%	3	1.1%	58.3%
Ignoring or DRO	339	34.8%	44.0%	87	32.7%	58.3%
Individual Therapy for Caregiver	335	34.4%	41.6%	29	10.9%	42.1%
Informal Supports	6	0.6%	26.8%	0	0.0%	0.0%
Insight Building	640	65.7%	59.1%	145	54.5%	66.7%
Interpretation	164	16.8%	34.6%	52	19.5%	41.5%
Juvenile Sex Offender Treatment	8	0.8%	46.8%	15	5.6%	84.4%
Legal Assistance/Involvement	0	0.0%	0.0%	0	0.0%	0.0%
Line of Sight Supervision	300	30.8%	41.6%	105	39.5%	61.2%
Maintenance/Relapse Prevention	234	24.0%	38.8%	115	43.2%	54.3%
Marital Therapy	62	6.4%	29.4%	6	2.3%	32.4%
Medication/Pharmacotherapy	264	27.1%	49.1%	99	37.2%	60.3%
Mentoring	378	38.8%	45.7%	105	39.5%	63.5%
Milieu Therapy	216	22.2%	42.4%	91	34.2%	69.3%
Mindfulness	400	41.1%	46.6%	106	39.8%	57.7%
Modeling	650	66.7%	55.3%	135	50.8%	66.3%
Motivational Interviewing	541	55.5%	53.6%	93	35.0%	63.2%
Natural and Logical Consequences	703	72.2%	58.8%	145	54.5%	76.4%
Parent Coping	691	70.9%	58.0%	94	35.3%	57.3%
Parent or Teacher Monitoring	503	51.6%	50.1%	93	35.0%	58.5%
Parent Praise	512	52.6%	50.0%	103	38.7%	60.9%
Parenting	14	1.4%	20.7%	1	0.4%	25.0%
Peer Modeling/Pairing	162	16.6%	26.1%	50	18.8%	52.9%
Personal Safety Skills	445	45.7%	46.0%	123	46.2%	68.8%
Physical Exercise	0	0.0%	0.0%	0	0.0%	0.0%
Play Therapy	177	18.2%	47.4%	26	9.8%	54.0%
Problem Solving	791	81.2%	64.1%	159	59.8%	73.3%
Psychoeducation-Child	641	65.8%	57.2%	141	53.0%	72.5%
Psychoeducation-Parent	731	75.1%	63.2%	115	43.2%	56.7%
Relationship/Rapport Building	738	75.8%	58.5%	194	72.9%	68.6%
Relaxation	485	49.8%	46.0%	130	48.9%	65.2%
Response Cost	174	17.9%	39.2%	57	21.4%	52.3%
Response Prevention	208	21.4%	38.2%	61	22.9%	53.1%
Self-Monitoring	428	43.9%	46.4%	120	45.1%	60.7%
Self-Reward/Self-Praise	328	33.7%	44.6%	106	39.8%	64.7%
Skill Building	713	73.2%	59.4%	166	62.4%	69.0%
Social Skills Training	539	55.3%	50.9%	122	45.9%	67.7%
Stimulus Control/Antecedent Man.	239	24.5%	40.8%	51	19.2%	55.0%
Supportive Listening	784	80.5%	69.0%	210	78.9%	79.4%
Tangible Rewards	469	48.2%	48.6%	126	47.4%	64.5%
Therapist Praise/Rewards	666	68.4%	60.1%	144	54.1%	71.2%
Thought Field Therapy	22	2.3%	21.5%	10	3.8%	16.4%
Time Out	270	27.7%	41.0%	75	28.2%	60.2%
Twelve-step Programming	94	9.7%	40.4%	50	18.8%	67.7%
Other	26	2.7%	22.1%	9	3.4%	45.1%
Unclear	126	12.9%	37.5%	28	10.5%	45.2%
Not Available	12	1.2%		867	76.5%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.


Summary of Youth by Multisystemic Therapy Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Multisystemic Therapy Service

	N	%
Total Registered Youth	213	10.1%
with Services Procured	213	100.0%
Youth with New Admissions	105	49.3%
with Initial Admissions	67	31.5%
with Repeat Admissions	38	17.8%
Youth with Discharges	66	31.0%

	N	% of Available
Gender		
Females	60	28%
Males	153	72%

	Mean	SD
Age in Years	15.1	1.8




All Other Services

	N	%
Total Registered Youth	1,906	89.9%
with Services Procured	1,100	57.7%
Youth with New Admissions	864	45.3%
with Initial Admissions	623	32.7%
with Repeat Admissions	241	12.6%
Youth with Discharges	790	41.4%

	N	% of Available
Gender		
Females	738	39%
Males	1,168	61%

	Mean	SD
Age in Years	13.9	3.9



Primary Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	11	5.3%
Anxiety	12	5.8%
Attention	44	21.4%
Disruptive Behavior	98	47.6%
Mental Retardation	0	0.0%
Miscellaneous	7	3.4%
Mood	23	11.2%
Pervasive Developmental	2	1.0%
Psychotic Spectrum	1	0.5%
Substance-Related	8	3.9%
Not Available (% Total)	7	3.3%

Any Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	17	8.3%
Anxiety	26	12.6%
Attention	83	40.3%
Disruptive Behavior	152	73.8%
Mental Retardation	2	1.0%
Miscellaneous	35	17.0%
Mood	50	24.3%
Pervasive Developmental	2	1.0%
Psychotic Spectrum	2	1.0%
Substance-Related	61	29.6%
Multiple Diagnoses	155	75.2%
Avg. Number of Diagnoses	2.1	

Primary Diagnosis of	N	% Avail
None Recorded	6	0.4%
Adjustment	118	7.6%
Anxiety	173	11.1%
Attention	303	19.4%
Disruptive Behavior	472	30.2%
Mental Retardation	0	0.0%
Miscellaneous	67	4.3%
Mood	308	19.7%
Pervasive Developmental	23	1.5%
Psychotic Spectrum	37	2.4%
Substance-Related	54	3.5%
Not Available (% Total)	345	18.1%

Any Diagnosis of	N	% Avail
None Recorded	4	0.3%
Adjustment	188	12.0%
Anxiety	384	24.5%
Attention	546	34.9%
Disruptive Behavior	786	50.2%
Mental Retardation	32	2.0%
Miscellaneous	431	27.5%
Mood	474	30.3%
Pervasive Developmental	34	2.2%
Psychotic Spectrum	44	2.8%
Substance-Related	295	18.8%
Multiple Diagnoses	1,164	74.3%
Avg. Number of Diagnoses	1.8	

Summary of Youth by Multisystemic Therapy Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Multisystemic Therapy Service		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	115	71.9%
Hispanic or Latino/a	45	28.1%
Not Available (% Total)	53	24.9%

Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	0	0.0%
Asian	18	9.6%
Black or African-American	2	1.1%
Native Hawaiian or Pacific Islander	34	18.1%
White	23	12.2%
Other Race	0	0.0%
Multiracial	111	59.0%
Based on Observation	16	8.5%
Not Available (% Total)	25	11.7%

Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	15	9.4%
Alaska Native	0	0.0%
American Indian	15	9.4%
Asian	91	57.2%
Asian Indian	1	0.6%
Chinese	32	20.1%
Filipino	49	30.8%
Japanese	33	20.8%
Korean	2	1.3%
Vietnamese	2	1.3%
Other Asian	3	1.9%
Black or African-American	13	8.2%
Hispanic or Latina/o	45	28.3%
Cuban	0	0.0%
Mexican	13	8.2%
Puerto Rican	20	12.6%
Other Hispanic	17	10.7%
Native Hawaiian or Pacific Islander	105	66.0%
Guamanian or Chamorro	3	1.9%
Micronesian	16	10.1%
Native Hawaiian	77	48.4%
Samoan	14	8.8%
Other Pacific Islander	6	3.8%
White	89	56.0%
White or Caucasian	72	45.3%
Portuguese	36	22.6%
Other Race or Ethnicity	4	2.5%
Multiethnic	109	68.6%
Not Available (% Total)	54	25.4%

All Other Services		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	785	71.5%
Hispanic or Latino/a	313	28.5%
Not Available (% Total)	808	42.4%

Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	7	0.5%
Asian	104	7.8%
Black or African-American	20	1.5%
Native Hawaiian or Pacific Islander	174	13.0%
White	189	14.2%
Other Race	8	0.6%
Multiracial	833	62.4%
Based on Observation	77	5.8%
Not Available (% Total)	571	30.0%

Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	115	10.5%
Alaska Native	0	0.0%
American Indian	115	10.5%
Asian	600	55.0%
Asian Indian	4	0.4%
Chinese	280	25.7%
Filipino	350	32.1%
Japanese	182	16.7%
Korean	43	3.9%
Vietnamese	7	0.6%
Other Asian	17	1.6%
Black or African-American	70	6.4%
Hispanic or Latina/o	305	28.0%
Cuban	6	0.5%
Mexican	52	4.8%
Puerto Rican	169	15.5%
Other Hispanic	119	10.9%
Native Hawaiian or Pacific Islander	654	59.9%
Guamanian or Chamorro	9	0.8%
Micronesian	42	3.8%
Native Hawaiian	564	51.7%
Samoan	68	6.2%
Other Pacific Islander	44	4.0%
White	698	64.0%
White or Caucasian	549	50.3%
Portuguese	272	24.9%
Other Race or Ethnicity	48	4.4%
Multiethnic	770	70.6%
Not Available (% Total)	815	42.8%

**Summary of Youth by Multisystemic Therapy Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Any Multisystemic Therapy Service		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	28	13.1%
Leeward Oahu	51	23.9%
Honolulu Oahu	36	16.9%
Hawaii (Big Island)	41	19.2%
Maui	32	15.0%
Kauai	24	11.3%
Family Court Liaison Branch	1	0.5%

All Other Services		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	268	14.1%
Leeward Oahu	252	13.2%
Honolulu Oahu	215	11.3%
Hawaii (Big Island)	729	38.2%
Maui	193	10.1%
Kauai	162	8.5%
Family Court Liaison Branch	87	4.6%

*Central Oahu FGC now includes both Central and Windward Oahu offices.

Summary of Youth by Multisystemic Therapy Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Services Procured	Any Multisystemic Therapy Service			All Other Services		
	Monthly Average	Total N	% of Procured	Monthly Average	Total N	% of Procured
Out-of-Home	17	44	20.7%	166	348	31.6%
Out-of-State	2	2	0.9%	3	3	0.3%
Hospital Residential	1	6	2.8%	16	71	6.5%
Community High Risk	0	0	0.0%	7	14	1.3%
Community Residential	10	28	13.1%	45	127	11.5%
Therapeutic Foster Home	4	11	5.2%	99	188	17.1%
<i>Multidimensional Treatment Foster Care</i>	0	0	0.0%	5	12	1.1%
<i>Transitional Family Home</i>	4	11	5.2%	94	181	16.5%
Intensive Home & Community	82	213	100.0%	393	773	70.3%
Partial Hospitalization	1	2	0.9%	5	21	1.9%
Multisystemic Therapy	68	213	100.0%	0	0	0.0%
Intensive In-Home	16	45	21.1%	391	767	69.7%
Outpatient	5	25	11.7%	54	283	25.7%
Treatment	4	11	5.2%	40	122	11.1%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	3	10	4.7%	30	91	8.3%
<i>Outpatient Therapy</i>	0	1	0.5%	10	31	2.8%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	1	15	7.0%	15	166	15.1%
Supportive Services	6	25	11.7%	38	163	14.8%
Respite Home	0	2	0.9%	6	28	2.5%
Ancillary Service	5	23	10.8%	32	139	12.6%
Crisis Stabilization	1	7	3.3%	5	39	3.5%
Unduplicated Total (% of Registered)	100	213	100%	591	1,100	58%

*These services either were not procured or had no data available in FY 2013.

Summary of Youth by Multisystemic Therapy Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Total Hours Procured	Any Multisystemic Therapy Service			All Other Services		
	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth
Out-of-Home	141	739	70.3%	153	996	91.2%
Out-of-State	198	2,373	91.2%	194	1,952	97.6%
Hospital Residential	116	392	52.5%	121	356	59.2%
Community High Risk	0	0	0.0%	175	1,060	83.2%
Community Residential	139	666	68.7%	137	669	79.6%
Therapeutic Foster Home	135	616	61.0%	167	1,146	84.9%
<i>Multidimensional Treatment Foster Care</i>	0	0	0.0%	173	913	76.5%
<i>Transitional Family Home</i>	135	616	61.0%	166	1,130	83.2%
Intensive Home & Community	37	147	84.5%	12	86	76.8%
Partial Hospitalization	3	12	4.6%	3	8	7.2%
Multisystemic Therapy	40	135	80.0%	0	0	0.0%
Intensive In-Home	11	56	21.1%	13	86	77.2%
Outpatient	4	9	5.7%	4	9	54.2%
Treatment	4	15	8.7%	4	15	52.1%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	4	15	8.2%	3	13	55.7%
<i>Outpatient Therapy</i>	4	12	13.0%	5	21	41.5%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	4	5	3.2%	5	5	54.0%
Supportive Services**	-	-	-	-	-	-
Respite Home	11	16	5.5%	21	53	12.7%
Ancillary Service**	-	-	-	-	-	-
Crisis Stabilization	29	29	8.1%	29	43	55.9%
Unduplicated Total	43	302		40	380	

Service Changes	Any Multisystemic Therapy Service			All Other Services		
	Monthly Average	Total N	Total per Youth	Monthly Average	Total N	Total per Youth
Placement Changes	6	67	0.3	40	474	0.2
Out-of-Home Changes	0	4	0.0	3	41	0.0
Provider Agency Changes	20	242	1.1	86	1,032	0.5
Care Coordinator Changes	8	98	0.5	65	783	0.4

*These services either were not procured or had no data available in FY 2013.

**Duration not available for these services.

Summary of Youth by Multisystemic Therapy Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Any Multisystemic Therapy Service		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	123 (2.1)	97 (2.2)	93 (2.5)
Moods: Self-Harm	7 (0.7)	2 (0.4)	2 (0.4)
Moods: Emotions	19 (0.5)	14 (0.5)	14 (0.6)
Home Role Performance	27 (0.4)	20 (0.5)	19 (0.7)
School Role Performance	27 (0.4)	21 (0.6)	20 (0.8)
Community Role Performance	17 (0.7)	12 (0.7)	12 (0.7)
Behavior Towards Other	21 (0.4)	17 (0.4)	16 (0.5)
Substance Use	14 (0.9)	9 (0.7)	8 (0.8)
Thinking	4 (0.5)	2 (0.3)	1 (0.3)

	Any Multisystemic Therapy Service		
Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	21 (0.2)	18 (0.2)	18 (0.2)
Level of Care	4 (0.1)	3 (0.1)	3 (0.1)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Functional Assessment Scale (CAFAS)			
Total (8-scale)	30 (182)	47% (176)	28% (176)
Moods: Self-Harm	5 (182)	72% (46)	100% (46)
Moods: Emotions	5 (182)	49% (148)	97% (148)
Home Role Performance	8 (182)	51% (175)	67% (175)
School Role Performance	7 (182)	44% (173)	55% (173)
Community Role Performance	5 (182)	40% (126)	92% (126)
Behavior Towards Other	5 (182)	45% (170)	93% (170)
Substance Use	6 (182)	54% (99)	85% (99)
Thinking	2 (182)	85% (13)	100% (13)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Level of Care Utilization System (CALOCUS)			
Total	3 (175)	43% (168)	39% (168)
Level of Care	1 (175)	54% (168)	68% (168)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	1,333	24	43.2%
Child Events	1,549	28	40.8%
Person-Directed	310	6	16.9%
Property-Directed	197	4	13.1%
Runaway or Elopement	324	6	16.4%
Self-Injury	192	3	9.9%
Substance Use	164	3	8.9%
Other	263	5	14.6%
Institutional Events	995	18	25.8%
Person-Directed (Client Victim)	103	2	7.0%
Seclusion or Restraint	94	2	4.7%
Medication Error	5	0	0.5%
Police Called	347	6	18.8%
Criminal Charges or Arrest	258	5	15.0%
Client Injury	42	1	3.8%
Staff Injury	5	0	0.5%
Other	141	3	8.9%

	All Other Services		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	118 (1.0)	89 (0.9)	85 (1.1)
Moods: Self-Harm	10 (0.3)	3 (0.2)	3 (0.2)
Moods: Emotions	21 (0.2)	16 (0.2)	15 (0.2)
Home Role Performance	25 (0.2)	19 (0.2)	18 (0.3)
School Role Performance	26 (0.2)	19 (0.3)	18 (0.3)
Community Role Performance	13 (0.3)	8 (0.3)	8 (0.3)
Behavior Towards Other	21 (0.2)	16 (0.2)	15 (0.2)
Substance Use	9 (0.3)	5 (0.2)	5 (0.3)
Thinking	7 (0.3)	3 (0.2)	3 (0.2)

	All Other Services		
Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	21 (0.1)	18 (0.1)	18 (0.1)
Level of Care	4 (0.0)	3 (0.0)	3 (0.0)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Functional Assessment Scale (CAFAS)			
Total (8-scale)	33 (1239)	54% (1173)	35% (1173)
Moods: Self-Harm	7 (1239)	79% (439)	96% (439)
Moods: Emotions	6 (1239)	47% (1107)	94% (1107)
Home Role Performance	7 (1239)	50% (1101)	64% (1101)
School Role Performance	8 (1238)	49% (1143)	63% (1143)
Community Role Performance	5 (1239)	48% (630)	89% (630)
Behavior Towards Other	6 (1239)	50% (1074)	95% (1074)
Substance Use	4 (1239)	63% (414)	83% (414)
Thinking	4 (1239)	75% (268)	97% (268)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Level of Care Utilization System (CALOCUS)			
Total	3 (1109)	46% (1028)	42% (1028)
Level of Care	1 (1109)	55% (1033)	66% (1033)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	808	128	21.3%
Child Events	866	138	19.6%
Person-Directed	168	27	8.4%
Property-Directed	84	13	5.5%
Runaway or Elopement	237	38	9.2%
Self-Injury	170	27	7.1%
Substance Use	89	14	4.7%
Other	91	14	5.6%
Institutional Events	493	78	14.1%
Person-Directed (Client Victim)	40	6	3.3%
Seclusion or Restraint	56	9	2.5%
Medication Error	10	2	0.7%
Police Called	132	21	7.0%
Criminal Charges or Arrest	82	13	4.5%
Client Injury	40	6	3.5%
Staff Injury	9	2	0.6%
Other	110	18	6.6%

*Indicates average change from highest CAFAS or CALOCUS score to most recent.
(A positive number reflects improvement.)

Summary of Youth by Multisystemic Therapy Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Service Setting	Any Multisystemic Therapy Service		
	Any Use N	Any Use % Avail	Dosage % of Months
Clinic	88	43.1%	44.7%
Community	154	75.5%	67.2%
Home	195	95.6%	89.4%
Out-of-Home	54	26.5%	43.9%
Phone*	10	4.9%	48.5%
School	135	66.2%	56.0%
Unclear*	10	4.9%	55.1%
Not Available	9	4.2%	

Service Format	Any Multisystemic Therapy Service		
	Any Use N	Any Use % Avail	Dosage % of Months
Family	183	89.7%	77.8%
Group	59	28.9%	51.7%
Individual	109	53.4%	63.7%
Parent	185	90.7%	85.1%
Phone*	3	1.5%	19.1%
Professional Consult*	79	38.7%	41.2%
Teacher	96	47.1%	44.9%
Unclear*	33	16.2%	39.7%
Not Available	9	4.2%	

Discharge Living Situation	Youth		
	N	% Youth Discharged	% Discharges
Foster Home	5	3.6%	2.6%
Group Care	1	0.7%	0.5%
Home	117	85.4%	61.6%
Homeless/Shelter	2	1.5%	1.1%
Institution/Hospital	4	2.9%	2.1%
Jail/Correctional Facility	9	6.6%	4.7%
Other	14	10.2%	7.4%
Residential Treatment	13	9.5%	6.8%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	137		
Number of Discharges	190		

Reason for Discharge	Youth		
	N	% Youth Discharged	% Discharges
Eligibility Change	2	1.5%	1.1%
Family Relocation	5	3.6%	2.6%
Insufficient Progress	17	12.4%	8.9%
Other	47	34.3%	24.7%
Runaway/Elopement	13	9.5%	6.8%
Refuse/Withdraw	18	13.1%	9.5%
Success/Goals Met	75	54.7%	39.5%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	137		
Number of Discharges	190		

	All Other Services		
	Any Use N	Any Use % Avail	Dosage % of Months
	473	45.7%	59.3%
	783	75.6%	74.3%
	891	86.0%	82.7%
	442	42.7%	63.4%
	129	12.5%	60.0%
	592	57.1%	55.8%
	38	3.7%	20.4%
	870	45.6%	

	All Other Services		
	Any Use N	Any Use % Avail	Dosage % of Months
	784	75.7%	71.2%
	305	29.4%	48.4%
	949	91.6%	90.6%
	769	74.2%	72.7%
	32	3.1%	45.7%
	224	21.6%	43.1%
	370	35.7%	47.6%
	143	13.8%	50.8%
	870	45.6%	

	Youth		
	N	% Youth Discharged	% Discharges
	95	15.6%	10.3%
	7	1.2%	0.8%
	406	66.8%	44.2%
	16	2.6%	1.7%
	19	3.1%	2.1%
	44	7.2%	4.8%
	112	18.4%	12.2%
	40	6.6%	4.4%
	0	0.0%	0.0%
	608		
	919		

	Youth		
	N	% Youth Discharged	% Discharges
	15	2.5%	1.6%
	17	2.8%	1.8%
	52	8.6%	5.7%
	184	30.3%	20.0%
	85	14.0%	9.2%
	59	9.7%	6.4%
	366	60.2%	39.8%
	0	0.0%	0.0%
	608		
	919		

*Indicates written response to an open-ended question.

Summary of Youth by Multisystemic Therapy Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Treatment Target	Any Multisystemic Therapy Service			All Other Services		
	Any Use N	Any Use % Avail	Dosage % of Months	Any Use N	Any Use % Avail	Dosage % of Months
Academic Achievement	76	37.3%	39.6%	372	35.9%	40.4%
Activity Involvement	123	60.3%	56.3%	543	52.4%	55.7%
Adaptive Behavior/Living Skills	24	11.8%	53.6%	135	13.0%	35.3%
Adjustment to Change	39	19.1%	30.9%	309	29.8%	39.3%
Adult Intercoordination	4	2.0%	21.9%	9	0.9%	22.0%
Aggression	134	65.7%	61.6%	395	38.1%	52.1%
Anger	82	40.2%	45.6%	534	51.5%	56.9%
Anxiety	32	15.7%	39.8%	422	40.7%	51.0%
Assertiveness	24	11.8%	26.6%	197	19.0%	39.2%
Attention Problems	31	15.2%	29.1%	188	18.1%	37.1%
Avoidance	36	17.6%	43.2%	253	24.4%	41.1%
Caregiver Self-Management/Coping	1	0.5%	25.0%	5	0.5%	21.5%
Cognitive-Intellectual Functioning	9	4.4%	45.4%	88	8.5%	37.9%
Community Involvement	31	15.2%	33.4%	197	19.0%	32.2%
Compulsive Behavior	0	0.0%	0.0%	3	0.3%	22.2%
Contentment/Enjoyment/Happiness	13	6.4%	32.4%	238	23.0%	41.0%
Depressed Mood	29	14.2%	35.6%	368	35.5%	50.6%
Eating/Feeding Problems	3	1.5%	43.9%	33	3.2%	31.2%
Empathy	13	6.4%	32.3%	136	13.1%	43.8%
Enuresis/Encopresis	1	0.5%	11.1%	40	3.9%	51.7%
Fire Setting	3	1.5%	61.1%	3	0.3%	17.0%
Fitness/Exercise	0	0.0%	0.0%	1	0.1%	20.0%
Gender Identity Problems	1	0.5%	11.1%	6	0.6%	28.9%
Goal Setting	0	0.0%	0.0%	4	0.4%	12.7%
Grief	6	2.9%	41.6%	65	6.3%	37.8%
Health Management	8	3.9%	32.9%	84	8.1%	31.5%
Housing/Living Situation	31	15.2%	34.8%	175	16.9%	32.2%
Hyperactivity	11	5.4%	38.9%	92	8.9%	39.3%
Information Gathering	2	1.0%	54.2%	9	0.9%	28.1%
Learning Disorder/Underachievement	10	4.9%	22.2%	28	2.7%	27.1%
Low Self-Esteem	16	7.8%	36.0%	297	28.7%	42.4%
Mania	1	0.5%	40.0%	10	1.0%	26.4%
Medical Regimen Adherence	19	9.3%	42.1%	109	10.5%	37.6%
Occupational Functioning/Stress	4	2.0%	19.9%	46	4.4%	30.1%
Oppositional/Non-Compliant Behavior	167	81.9%	68.2%	630	60.8%	63.5%
Pain Management	0	0.0%	0.0%	0	0.0%	0.0%
Parenting Skills	3	1.5%	55.8%	16	1.5%	27.9%
Peer Involvement	63	30.9%	41.9%	139	13.4%	30.4%
Peer/Sibling Conflict	40	19.6%	36.9%	273	26.4%	45.5%
Personal Hygiene	6	2.9%	35.2%	40	3.9%	28.3%
Phobia/Fears	62	30.4%	36.3%	355	34.3%	45.0%
Positive Family Functioning	5	2.5%	35.9%	81	7.8%	41.1%
Positive Peer Interaction	168	82.4%	65.4%	797	76.9%	67.9%
Positive Thinking/Attitude	30	14.7%	26.6%	346	33.4%	42.3%
Pregnancy Education/Adjustment	1	0.5%	25.0%	23	2.2%	41.9%
Psychosis	1	0.5%	37.5%	37	3.6%	52.0%
Runaway	62	30.4%	52.0%	169	16.3%	44.1%
Safe Environment	1	0.5%	50.0%	10	1.0%	26.6%
School Involvement	73	35.8%	49.0%	211	20.4%	32.9%
School Refusal/Truancy	83	40.7%	48.7%	144	13.9%	38.9%
Self-Control	20	9.8%	37.0%	139	13.4%	46.0%
Self-Injurious Behavior	20	9.8%	32.1%	295	28.5%	42.0%
Sexual Orientation	0	0.0%	0.0%	0	0.0%	0.0%
Sexual Misconduct	5	2.5%	48.1%	64	6.2%	52.0%
Shyness	2	1.0%	8.7%	23	2.2%	29.1%
Sleep Disturbance	1	0.5%	87.5%	23	2.2%	33.8%
Social Skills	32	15.7%	31.0%	331	31.9%	47.5%
Speech and Language	1	0.5%	10.0%	7	0.7%	27.8%
Substance Use	97	47.5%	68.3%	249	24.0%	63.2%
Suicidality	18	8.8%	44.7%	72	6.9%	34.4%
Traumatic Stress	7	3.4%	22.8%	183	17.7%	45.0%
Treatment Engagement	154	75.5%	58.6%	527	50.9%	51.0%
Treatment Planning/Framing	22	10.8%	48.5%	45	4.3%	43.9%
Willful Misconduct/Delinquency	77	37.7%	58.1%	157	15.2%	39.3%
Other	3	1.5%	17.3%	11	1.1%	15.2%
Unclear	19	9.3%	17.0%	82	7.9%	32.4%
Not Available	9	4.2%		870	45.6%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Multisystemic Therapy Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Any Multisystemic Therapy Service			All Other Services		
	Any Use	Any Use	Dosage	Any Use	Any Use	Dosage
Practice Elements	N	% Avail	% of Months	N	% Avail	% of Months
Activity Scheduling	126	61.8%	46.5%	612	59.1%	59.1%
Anger Management	1	0.5%	22.2%	3	0.3%	15.0%
Animal or Plant Assisted Activities	0	0.0%	0.0%	0	0.0%	0.0%
Arousal Reconditioning	0	0.0%	0.0%	0	0.0%	0.0%
Art/Music Therapy	0	0.0%	0.0%	2	0.2%	22.2%
Assertiveness Training	44	21.6%	36.8%	365	35.2%	47.1%
Assessment	5	2.5%	37.5%	36	3.5%	71.9%
Attending	58	28.4%	50.9%	303	29.2%	43.8%
Behavior Management	1	0.5%	16.7%	4	0.4%	15.0%
Behavioral Contracting	162	79.4%	58.1%	551	53.2%	55.0%
Biofeedback/Neurofeedback	0	0.0%	0.0%	19	1.8%	29.4%
Care Coordination	135	66.2%	66.6%	632	61.0%	65.0%
Catharsis	3	1.5%	14.2%	71	6.9%	40.3%
Cognitive/Coping	116	56.9%	51.7%	626	60.4%	66.4%
Commands/Limit Setting	37	18.1%	42.6%	153	14.8%	39.3%
Communication Skills	173	84.8%	68.9%	788	76.1%	67.6%
Counseling	0	0.0%	0.0%	1	0.1%	27.3%
Crisis Management	115	56.4%	42.6%	428	41.3%	47.1%
Cultural Training	21	10.3%	46.3%	124	12.0%	40.6%
Discrete Trial Training	2	1.0%	10.0%	13	1.3%	21.0%
Educational Support	117	57.4%	53.3%	554	53.5%	55.8%
Emotional Processing	116	56.9%	50.9%	684	66.0%	64.9%
Exposure	20	9.8%	41.3%	233	22.5%	40.4%
Eye Movement/Body Tapping	1	0.5%	20.0%	17	1.6%	17.9%
Family Engagement	187	91.7%	76.2%	744	71.8%	61.2%
Family Therapy	139	68.1%	55.6%	726	70.1%	61.3%
Family Visit	0	0.0%	0.0%	0	0.0%	0.0%
Free Association	5	2.5%	13.0%	73	7.0%	37.9%
Functional Analysis	93	45.6%	60.4%	113	10.9%	39.9%
Goal Setting	161	78.9%	61.0%	721	69.6%	64.3%
Guided Imagery	14	6.9%	29.4%	196	18.9%	37.2%
Ho'Oponopono	0	0.0%	0.0%	0	0.0%	0.0%
Hypnosis	2	1.0%	13.4%	21	2.0%	27.0%
Ignoring or DRO	62	30.4%	41.5%	364	35.1%	47.9%
Individual Therapy for Caregiver	44	21.6%	37.0%	320	30.9%	42.3%
Informal Supports	4	2.0%	33.1%	2	0.2%	14.2%
Insight Building	118	57.8%	54.5%	667	64.4%	61.5%
Interpretation	17	8.3%	19.4%	199	19.2%	37.7%
Juvenile Sex Offender Treatment	0	0.0%	0.0%	23	2.2%	71.3%
Legal Assistance/Involvement	0	0.0%	0.0%	0	0.0%	0.0%
Line of Sight Supervision	66	32.4%	40.5%	339	32.7%	47.9%
Maintenance/Relapse Prevention	61	29.9%	36.6%	288	27.8%	45.4%
Marital Therapy	12	5.9%	34.8%	56	5.4%	28.5%
Medication/Pharmacotherapy	45	22.1%	45.7%	318	30.7%	53.1%
Mentoring	60	29.4%	37.5%	423	40.8%	51.3%
Milieu Therapy	42	20.6%	39.8%	265	25.6%	52.0%
Mindfulness	57	27.9%	39.0%	449	43.3%	50.2%
Modeling	144	70.6%	54.8%	641	61.9%	57.7%
Motivational Interviewing	103	50.5%	48.4%	531	51.3%	56.3%
Natural and Logical Consequences	138	67.6%	56.2%	710	68.5%	62.9%
Parent Coping	150	73.5%	59.5%	635	61.3%	57.6%
Parent or Teacher Monitoring	130	63.7%	50.8%	466	45.0%	51.6%
Parent Praise	125	61.3%	48.2%	490	47.3%	52.8%
Parenting	4	2.0%	20.6%	11	1.1%	21.1%
Peer Modeling/Pairing	32	15.7%	28.9%	180	17.4%	33.0%
Personal Safety Skills	85	41.7%	40.7%	483	46.6%	52.8%
Physical Exercise	0	0.0%	0.0%	0	0.0%	0.0%
Play Therapy	6	2.9%	16.9%	197	19.0%	49.2%
Problem Solving	173	84.8%	65.0%	777	75.0%	65.8%
Psychoeducation-Child	89	43.6%	46.6%	693	66.9%	61.6%
Psychoeducation-Parent	133	65.2%	57.9%	713	68.8%	63.1%
Relationship/Rapport Building	163	79.9%	64.0%	769	74.2%	59.9%
Relaxation	66	32.4%	41.4%	549	53.0%	51.1%
Response Cost	19	9.3%	43.0%	212	20.5%	42.3%
Response Prevention	62	30.4%	40.4%	207	20.0%	41.9%
Self-Monitoring	59	28.9%	38.9%	489	47.2%	50.8%
Self-Reward/Self-Praise	41	20.1%	37.6%	393	37.9%	50.8%
Skill Building	164	80.4%	68.2%	715	69.0%	59.6%
Social Skills Training	64	31.4%	41.4%	597	57.6%	55.4%
Stimulus Control/Antecedent Man.	50	24.5%	36.7%	240	23.2%	44.7%
Supportive Listening	155	76.0%	69.2%	839	81.0%	71.6%
Tangible Rewards	116	56.9%	54.5%	479	46.2%	51.3%
Therapist Praise/Rewards	118	57.8%	57.6%	692	66.8%	62.9%
Thought Field Therapy	1	0.5%	25.0%	31	3.0%	19.8%
Time Out	60	29.4%	45.1%	285	27.5%	45.2%
Twelve-step Programming	22	10.8%	44.0%	122	11.8%	50.9%
Other	8	3.9%	21.0%	27	2.6%	30.1%
Unclear	56	27.5%	53.1%	98	9.5%	30.8%
Not Available	9	4.2%		870	45.6%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.


Summary of Youth by Intensive In-Home Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Intensive In-Home Service

	N	%
Total Registered Youth	812	38.3%
with Services Procured	812	100.0%
Youth with New Admissions	251	30.9%
with Initial Admissions	177	21.8%
with Repeat Admissions	74	9.1%
Youth with Discharges	223	27.5%

	N	% of Available
Gender		
Females	299	37%
Males	513	63%

	Mean	SD
Age in Years	13.8	3.8




All Other Services

	N	%
Total Registered Youth	1,307	61.7%
with Services Procured	501	38.3%
Youth with New Admissions	718	54.9%
with Initial Admissions	513	39.3%
with Repeat Admissions	205	15.7%
Youth with Discharges	633	48.4%

	N	% of Available
Gender		
Females	499	38%
Males	808	62%

	Mean	SD
Age in Years	14.1	3.7



Primary Diagnosis of	N	% Avail
None Recorded	2	0.2%
Adjustment	44	5.5%
Anxiety	92	11.5%
Attention	160	20.0%
Disruptive Behavior	238	29.7%
Mental Retardation	0	0.0%
Miscellaneous	36	4.5%
Mood	157	19.6%
Pervasive Developmental	20	2.5%
Psychotic Spectrum	25	3.1%
Substance-Related	27	3.4%
Not Available (% Total)	11	1.4%

Any Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	88	10.9%
Anxiety	225	28.0%
Attention	304	37.8%
Disruptive Behavior	401	49.9%
Mental Retardation	24	3.0%
Miscellaneous	217	27.0%
Mood	249	31.0%
Pervasive Developmental	27	3.4%
Psychotic Spectrum	28	3.5%
Substance-Related	127	15.8%
Multiple Diagnoses	622	77.4%
Avg. Number of Diagnoses	2.2	

Primary Diagnosis of	N	% Avail
None Recorded	4	0.4%
Adjustment	85	8.8%
Anxiety	93	9.6%
Attention	187	19.4%
Disruptive Behavior	332	34.4%
Mental Retardation	0	0.0%
Miscellaneous	38	3.9%
Mood	174	18.0%
Pervasive Developmental	5	0.5%
Psychotic Spectrum	13	1.3%
Substance-Related	35	3.6%
Not Available (% Total)	341	26.1%

Any Diagnosis of	N	% Avail
None Recorded	4	0.4%
Adjustment	117	12.1%
Anxiety	185	19.1%
Attention	325	33.6%
Disruptive Behavior	537	55.5%
Mental Retardation	10	1.0%
Miscellaneous	249	25.7%
Mood	275	28.4%
Pervasive Developmental	9	0.9%
Psychotic Spectrum	18	1.9%
Substance-Related	229	23.7%
Multiple Diagnoses	697	72.0%
Avg. Number of Diagnoses	1.6	

Summary of Youth by Intensive In-Home Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Intensive In-Home Service		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	398	70.2%
Hispanic or Latino/a	169	29.8%
Not Available (% Total)	245	30.2%

Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	4	0.6%
Asian	58	8.6%
Black or African-American	15	2.2%
Native Hawaiian or Pacific Islander	86	12.7%
White	86	12.7%
Other Race	5	0.7%
Multiracial	421	62.4%
Based on Observation	40	5.9%
Not Available (% Total)	137	16.9%

Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	64	11.4%
Alaska Native	0	0.0%
American Indian	64	11.4%
Asian	314	55.8%
Asian Indian	2	0.4%
Chinese	146	25.9%
Filipino	182	32.3%
Japanese	98	17.4%
Korean	22	3.9%
Vietnamese	3	0.5%
Other Asian	9	1.6%
Black or African-American	45	8.0%
Hispanic or Latina/o	165	29.3%
Cuban	5	0.9%
Mexican	23	4.1%
Puerto Rican	96	17.1%
Other Hispanic	61	10.8%
Native Hawaiian or Pacific Islander	323	57.4%
Guamanian or Chamorro	4	0.7%
Micronesian	26	4.6%
Native Hawaiian	268	47.6%
Samoan	35	6.2%
Other Pacific Islander	26	4.6%
White	348	61.8%
White or Caucasian	282	50.1%
Portuguese	130	23.1%
Other Race or Ethnicity	21	3.7%
Multiethnic	392	69.6%
Not Available (% Total)	249	30.7%

All Other Services		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	502	72.6%
Hispanic or Latino/a	189	27.4%
Not Available (% Total)	616	47.1%

Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	3	0.4%
Asian	64	7.5%
Black or African-American	7	0.8%
Native Hawaiian or Pacific Islander	122	14.4%
White	126	14.9%
Other Race	3	0.4%
Multiracial	523	61.7%
Based on Observation	53	6.3%
Not Available (% Total)	459	35.1%

Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	66	9.6%
Alaska Native	0	0.0%
American Indian	66	9.6%
Asian	377	54.9%
Asian Indian	3	0.4%
Chinese	166	24.2%
Filipino	217	31.6%
Japanese	117	17.0%
Korean	23	3.3%
Vietnamese	6	0.9%
Other Asian	11	1.6%
Black or African-American	38	5.5%
Hispanic or Latina/o	185	26.9%
Cuban	1	0.1%
Mexican	42	6.1%
Puerto Rican	93	13.5%
Other Hispanic	75	10.9%
Native Hawaiian or Pacific Islander	436	63.5%
Guamanian or Chamorro	8	1.2%
Micronesian	32	4.7%
Native Hawaiian	373	54.3%
Samoan	47	6.8%
Other Pacific Islander	24	3.5%
White	439	63.9%
White or Caucasian	339	49.3%
Portuguese	178	25.9%
Other Race or Ethnicity	31	4.5%
Multiethnic	487	70.9%
Not Available (% Total)	620	47.4%

Summary of Youth by Intensive In-Home Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Intensive In-Home Service		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	159	19.6%
Leeward Oahu	149	18.3%
Honolulu Oahu	113	13.9%
Hawaii (Big Island)	276	34.0%
Maui	92	11.3%
Kauai	20	2.5%
Family Court Liaison Branch	3	0.4%

All Other Services		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	137	10.5%
Leeward Oahu	154	11.8%
Honolulu Oahu	138	10.6%
Hawaii (Big Island)	494	37.8%
Maui	133	10.2%
Kauai	166	12.7%
Family Court Liaison Branch	85	6.5%

*Central Oahu FGC now includes both Central and Windward Oahu offices.

Summary of Youth by Intensive In-Home Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Services Procured	Any Intensive In-Home Service			All Other Services		
	Monthly Average	Total N	% of Procured	Monthly Average	Total N	% of Procured
Out-of-Home	82	194	23.9%	100	198	39.5%
Out-of-State	2	2	0.2%	3	3	0.6%
Hospital Residential	14	59	7.3%	4	18	3.6%
Community High Risk	2	4	0.5%	5	10	2.0%
Community Residential	25	74	9.1%	29	81	16.2%
Therapeutic Foster Home	42	86	10.6%	61	113	22.6%
<i>Multidimensional Treatment Foster Care</i>	3	6	0.7%	2	6	1.2%
<i>Transitional Family Home</i>	39	81	10.0%	59	111	22.2%
Intensive Home & Community	420	812	100.0%	54	174	34.7%
Partial Hospitalization	4	17	2.1%	1	6	1.2%
Multisystemic Therapy	15	45	5.5%	53	168	33.5%
Intensive In-Home	407	812	100.0%	0	0	0.0%
Outpatient	21	119	14.7%	38	189	37.7%
Treatment	15	48	5.9%	29	85	17.0%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	8	27	3.3%	25	74	14.8%
<i>Outpatient Therapy</i>	6	21	2.6%	4	11	2.2%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	6	71	8.7%	10	110	22.0%
Supportive Services	23	98	12.1%	20	90	18.0%
Respite Home	5	20	2.5%	2	10	2.0%
Ancillary Service	19	80	9.9%	19	82	16.4%
Crisis Stabilization	2	14	1.7%	3	32	6.4%
Unduplicated Total (% of Registered)	497	812	100%	194	501	38%

*These services either were not procured or had no data available in FY 2013.

Summary of Youth by Intensive In-Home Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Total Hours Procured	Any Intensive In-Home Service			All Other Services		
	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth
Out-of-Home	149	850	82.9%	154	1,081	94.7%
Out-of-State	191	1,742	89.3%	198	2,373	98.9%
Hospital Residential	120	371	58.2%	122	321	60.1%
Community High Risk	169	960	67.4%	178	1,100	89.6%
Community Residential	140	635	74.7%	136	699	80.3%
Therapeutic Foster Home	166	1,033	77.5%	165	1,181	88.3%
<i>Multidimensional Treatment Foster Care</i>	183	1,087	90.6%	163	740	62.3%
<i>Transitional Family Home</i>	164	1,016	75.6%	164	1,162	86.5%
Intensive Home & Community	13	92	77.2%	38	129	84.6%
Partial Hospitalization	3	7	3.1%	3	10	18.2%
Multisystemic Therapy	39	140	54.1%	40	134	86.9%
Intensive In-Home	12	84	74.1%	0	0	0.0%
Outpatient	4	10	16.3%	4	9	71.6%
Treatment	4	17	20.2%	3	14	64.5%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	4	14	15.2%	3	13	64.1%
<i>Outpatient Therapy</i>	5	21	26.8%	4	21	67.1%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	4	5	13.6%	5	5	73.2%
Supportive Services**	-	-	-	-	-	-
Respite Home	20	58	13.7%	21	38	9.2%
Ancillary Service**	-	-	-	-	-	-
Crisis Stabilization	40	74	16.3%	24	26	62.7%
Unduplicated Total	27	300		61	478	

Service Changes	Any Intensive In-Home Service			All Other Services		
	Monthly Average	Total N	Total per Youth	Monthly Average	Total N	Total per Youth
Placement Changes	25	295	0.4	21	246	0.2
Out-of-Home Changes	2	24	0.0	2	21	0.0
Provider Agency Changes	69	832	1.0	37	442	0.3
Care Coordinator Changes	25	296	0.4	49	585	0.4

*These services either were not procured or had no data available in FY 2013.

**Duration not available for these services.

Summary of Youth by Intensive In-Home Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Any Intensive In-Home Service		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	121 (1.2)	90 (1.1)	85 (1.3)
Moods: Self-Harm	10 (0.4)	3 (0.2)	2 (0.2)
Moods: Emotions	22 (0.2)	17 (0.2)	16 (0.3)
Home Role Performance	26 (0.2)	19 (0.3)	18 (0.4)
School Role Performance	27 (0.2)	19 (0.3)	18 (0.4)
Community Role Performance	14 (0.4)	8 (0.3)	8 (0.4)
Behavior Towards Other	22 (0.2)	16 (0.2)	16 (0.3)
Substance Use	8 (0.4)	4 (0.3)	4 (0.3)
Thinking	8 (0.3)	3 (0.2)	3 (0.2)

Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	21 (0.1)	18 (0.1)	18 (0.1)
Level of Care	4 (0.0)	3 (0.0)	3 (0.0)

Child and Adolescent Functional Assessment Scale (CAFAS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total (8-scale)	36 (740)	58% (717)	35% (717)
Moods: Self-Harm	8 (740)	84% (267)	97% (267)
Moods: Emotions	6 (740)	49% (704)	96% (704)
Home Role Performance	8 (740)	56% (679)	68% (679)
School Role Performance	9 (740)	53% (705)	63% (705)
Community Role Performance	6 (740)	56% (380)	94% (380)
Behavior Towards Other	6 (740)	53% (669)	94% (669)
Substance Use	4 (740)	68% (223)	87% (223)
Thinking	5 (740)	77% (189)	97% (189)

Child and Adolescent Level of Care Utilization System (CALOCUS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total	3 (731)	49% (689)	44% (689)
Level of Care	1 (731)	58% (693)	71% (693)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	1,408	95	36.7%
Child Events	1,567	106	33.6%
Person-Directed	314	21	15.4%
Property-Directed	170	12	10.6%
Runaway or Elopement	383	26	13.4%
Self-Injury	315	21	11.8%
Substance Use	128	9	7.3%
Other	186	13	10.5%
Institutional Events	894	61	24.8%
Person-Directed (Client Victim)	78	5	6.4%
Seclusion or Restraint	117	8	4.8%
Medication Error	10	1	0.7%
Police Called	243	16	13.5%
Criminal Charges or Arrest	148	10	8.1%
Client Injury	60	4	5.3%
Staff Injury	20	1	1.2%
Other	188	13	11.1%

	All Other Services		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	116 (1.4)	90 (1.4)	87 (1.5)
Moods: Self-Harm	9 (0.4)	3 (0.3)	3 (0.3)
Moods: Emotions	19 (0.3)	15 (0.3)	14 (0.3)
Home Role Performance	25 (0.3)	19 (0.3)	18 (0.4)
School Role Performance	25 (0.3)	19 (0.4)	18 (0.4)
Community Role Performance	14 (0.4)	10 (0.4)	10 (0.4)
Behavior Towards Other	20 (0.3)	16 (0.2)	15 (0.3)
Substance Use	11 (0.5)	7 (0.4)	6 (0.4)
Thinking	5 (0.3)	2 (0.2)	2 (0.2)

Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	21 (0.2)	18 (0.1)	18 (0.2)
Level of Care	4 (0.1)	3 (0.1)	3 (0.1)

Child and Adolescent Functional Assessment Scale (CAFAS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total (8-scale)	29 (681)	47% (632)	32% (632)
Moods: Self-Harm	6 (681)	72% (218)	95% (218)
Moods: Emotions	5 (681)	44% (551)	93% (551)
Home Role Performance	6 (681)	43% (597)	62% (597)
School Role Performance	7 (680)	43% (611)	61% (611)
Community Role Performance	4 (681)	38% (376)	85% (376)
Behavior Towards Other	5 (681)	45% (575)	95% (575)
Substance Use	5 (681)	56% (290)	80% (290)
Thinking	3 (681)	73% (92)	96% (92)

Child and Adolescent Level of Care Utilization System (CALOCUS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total	3 (553)	41% (507)	39% (507)
Level of Care	1 (553)	51% (508)	61% (508)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	522	57	15.3%
Child Events	542	59	14.4%
Person-Directed	100	11	5.4%
Property-Directed	49	5	3.6%
Runaway or Elopement	161	18	7.8%
Self-Injury	83	9	4.6%
Substance Use	77	8	3.7%
Other	60	7	4.1%
Institutional Events	326	36	9.4%
Person-Directed (Client Victim)	27	3	2.0%
Seclusion or Restraint	24	3	1.5%
Medication Error	9	1	0.6%
Police Called	98	11	4.8%
Criminal Charges or Arrest	70	8	3.9%
Client Injury	28	3	2.4%
Staff Injury	2	0	0.2%
Other	67	7	4.2%

*Indicates average change from highest CAFAS or CALOCUS score to most recent.
(A positive number reflects improvement.)

Summary of Youth by Intensive In-Home Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Intensive In-Home Service			
Service Setting	Any Use N	Any Use % Avail	Dosage % of Months
Clinic	359	44.4%	47.9%
Community	664	82.1%	73.4%
Home	775	95.8%	83.5%
Out-of-Home	282	34.9%	46.7%
Phone*	92	11.4%	53.6%
School	490	60.6%	51.1%
Unclear*	36	4.4%	17.8%
Not Available	3	0.4%	

Service Format	Any Use N	Any Use % Avail	Dosage % of Months
Family	637	78.7%	68.3%
Group	223	27.6%	38.7%
Individual	780	96.4%	88.8%
Parent	655	81.0%	73.2%
Phone*	19	2.3%	29.7%
Professional Consult*	217	26.8%	37.6%
Teacher	295	36.5%	38.8%
Unclear*	96	11.9%	31.5%
Not Available	3	0.4%	

Discharge Living Situation	Youth N	% Youth Discharged	% Discharges
Foster Home	71	15.0%	9.2%
Group Care	7	1.5%	0.9%
Home	355	75.1%	46.2%
Homeless/Shelter	13	2.7%	1.7%
Institution/Hospital	17	3.6%	2.2%
Jail/Correctional Facility	19	4.0%	2.5%
Other	70	14.8%	9.1%
Residential Treatment	39	8.2%	5.1%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	473		
Number of Discharges	768		

Reason for Discharge	Youth N	% Youth Discharged	% Discharges
Eligibility Change	13	2.7%	1.7%
Family Relocation	17	3.6%	2.2%
Insufficient Progress	48	10.1%	6.3%
Other	161	34.0%	21.0%
Runaway/Elopement	47	9.9%	6.1%
Refuse/Withdraw	50	10.6%	6.5%
Success/Goals Met	299	63.2%	38.9%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	473		
Number of Discharges	768		

All Other Services		
Any Use N	Any Use % Avail	Dosage % of Months
202	46.9%	73.3%
273	63.3%	72.4%
311	72.2%	85.0%
214	49.7%	80.5%
47	10.9%	70.2%
237	55.0%	65.5%
12	2.8%	57.2%
876	67.0%	

Any Use N	Any Use % Avail	Dosage % of Months
330	76.6%	80.3%
141	32.7%	65.1%
278	64.5%	85.2%
299	69.4%	79.3%
16	3.7%	59.8%
86	20.0%	55.3%
171	39.7%	61.2%
80	18.6%	69.4%
876	67.0%	

Youth N	% Youth Discharged	% Discharges
29	10.7%	8.5%
1	0.4%	0.3%
168	61.8%	49.3%
5	1.8%	1.5%
6	2.2%	1.8%
34	12.5%	10.0%
56	20.6%	16.4%
14	5.1%	4.1%
0	0.0%	0.0%
272		
341		

Youth N	% Youth Discharged	% Discharges
4	1.5%	1.2%
5	1.8%	1.5%
21	7.7%	6.2%
70	25.7%	20.5%
51	18.8%	15.0%
27	9.9%	7.9%
142	52.2%	41.6%
0	0.0%	0.0%
272		
341		

*Indicates written response to an open-ended question.

Summary of Youth by Intensive In-Home Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Treatment Target	Any Intensive In-Home Service			All Other Services		
	Any Use N	Any Use % Avail	Dosage % of Months	Any Use N	Any Use % Avail	Dosage % of Months
Academic Achievement	336	41.5%	36.0%	112	26.0%	53.1%
Activity Involvement	455	56.2%	51.9%	211	49.0%	64.4%
Adaptive Behavior/Living Skills	114	14.1%	33.2%	45	10.4%	50.2%
Adjustment to Change	243	30.0%	34.6%	105	24.4%	47.1%
Adult Intercoordination	10	1.2%	19.4%	3	0.7%	30.6%
Aggression	358	44.3%	48.9%	171	39.7%	66.3%
Anger	471	58.2%	54.4%	145	33.6%	58.7%
Anxiety	350	43.3%	48.7%	104	24.1%	55.2%
Assertiveness	169	20.9%	36.3%	52	12.1%	42.7%
Attention Problems	172	21.3%	35.1%	47	10.9%	39.2%
Avoidance	215	26.6%	34.9%	74	17.2%	60.2%
Caregiver Self-Management/Coping	6	0.7%	22.1%	0	0.0%	0.0%
Cognitive-Intellectual Functioning	83	10.3%	37.7%	14	3.2%	44.0%
Community Involvement	165	20.4%	26.4%	63	14.6%	47.8%
Compulsive Behavior	3	0.4%	22.2%	0	0.0%	0.0%
Contentment/Enjoyment/Happiness	202	25.0%	38.7%	49	11.4%	48.0%
Depressed Mood	310	38.3%	47.2%	87	20.2%	57.9%
Eating/Feeding Problems	25	3.1%	29.4%	11	2.6%	38.8%
Empathy	99	12.2%	34.3%	50	11.6%	59.6%
Enuresis/Encopresis	34	4.2%	49.3%	7	1.6%	57.4%
Fire Setting	3	0.4%	17.0%	3	0.7%	61.1%
Fitness/Exercise	1	0.1%	20.0%	0	0.0%	0.0%
Gender Identity Problems	6	0.7%	28.9%	1	0.2%	11.1%
Goal Setting	4	0.5%	12.7%	0	0.0%	0.0%
Grief	57	7.0%	34.7%	14	3.2%	52.1%
Health Management	72	8.9%	30.5%	20	4.6%	35.5%
Housing/Living Situation	162	20.0%	30.1%	44	10.2%	42.1%
Hyperactivity	86	10.6%	37.3%	17	3.9%	49.1%
Information Gathering	10	1.2%	26.1%	1	0.2%	100.0%
Learning Disorder/Underachievement	26	3.2%	21.7%	12	2.8%	34.6%
Low Self-Esteem	244	30.2%	39.0%	69	16.0%	52.8%
Mania	9	1.1%	26.3%	2	0.5%	33.6%
Medical Regimen Adherence	105	13.0%	36.0%	23	5.3%	48.6%
Occupational Functioning/Stress	39	4.8%	24.6%	11	2.6%	46.0%
Oppositional/Non-Compliant Behavior	546	67.5%	60.4%	251	58.2%	73.3%
Pain Management	0	0.0%	0.0%	0	0.0%	0.0%
Parenting Skills	18	2.2%	28.6%	1	0.2%	100.0%
Peer Involvement	119	14.7%	22.3%	83	19.3%	50.7%
Peer/Sibling Conflict	238	29.4%	41.5%	75	17.4%	53.4%
Personal Hygiene	39	4.8%	28.3%	7	1.6%	34.4%
Phobia/Fears	270	33.4%	35.7%	147	34.1%	58.3%
Positive Family Functioning	71	8.8%	40.5%	15	3.5%	42.6%
Positive Peer Interaction	650	80.3%	63.7%	315	73.1%	75.2%
Positive Thinking/Attitude	282	34.9%	38.4%	94	21.8%	48.9%
Pregnancy Education/Adjustment	21	2.6%	42.6%	3	0.7%	31.7%
Psychosis	30	3.7%	52.9%	8	1.9%	47.0%
Runaway	131	16.2%	39.5%	100	23.2%	55.1%
Safe Environment	10	1.2%	26.6%	1	0.2%	50.0%
School Involvement	191	23.6%	30.4%	93	21.6%	50.5%
School Refusal/Truancy	145	17.9%	39.0%	82	19.0%	48.6%
Self-Control	109	13.5%	39.0%	50	11.6%	57.6%
Self-Injurious Behavior	237	29.3%	34.8%	78	18.1%	61.5%
Sexual Orientation	0	0.0%	0.0%	0	0.0%	0.0%
Sexual Misconduct	38	4.7%	37.5%	31	7.2%	69.1%
Shyness	21	2.6%	25.1%	4	0.9%	39.6%
Sleep Disturbance	19	2.3%	31.0%	5	1.2%	55.0%
Social Skills	282	34.9%	43.1%	81	18.8%	56.2%
Speech and Language	8	1.0%	25.6%	0	0.0%	0.0%
Substance Use	183	22.6%	56.9%	163	37.8%	73.3%
Suicidality	61	7.5%	29.1%	29	6.7%	52.0%
Traumatic Stress	125	15.5%	34.4%	65	15.1%	63.1%
Treatment Engagement	421	52.0%	43.7%	260	60.3%	67.3%
Treatment Planning/Framing	36	4.4%	26.9%	31	7.2%	67.0%
Willful Misconduct/Delinquency	130	16.1%	31.3%	104	24.1%	63.2%
Other	13	1.6%	15.7%	1	0.2%	14.3%
Unclear	81	10.0%	26.8%	20	4.6%	40.3%
Not Available	3	0.4%		876	67.0%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Intensive In-Home Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Any Intensive In-Home Service			All Other Services		
	Any Use	Any Use	Dosage	Any Use	Any Use	Dosage
Practice Elements	N	% Avail	% of Months	N	% Avail	% of Months
Activity Scheduling	508	62.8%	53.6%	230	53.4%	64.3%
Anger Management	3	0.4%	15.0%	1	0.2%	22.2%
Animal or Plant Assisted Activities	0	0.0%	0.0%	0	0.0%	0.0%
Arousal Reconditioning	0	0.0%	0.0%	0	0.0%	0.0%
Art/Music Therapy	2	0.2%	22.2%	0	0.0%	0.0%
Assertiveness Training	306	37.8%	43.3%	103	23.9%	53.9%
Assessment	13	1.6%	26.7%	28	6.5%	86.7%
Attending	254	31.4%	40.3%	107	24.8%	56.1%
Behavior Management	2	0.2%	9.2%	3	0.7%	19.4%
Behavioral Contracting	460	56.9%	51.8%	253	58.7%	62.8%
Biofeedback/Neurofeedback	16	2.0%	25.6%	3	0.7%	50.0%
Care Coordination	466	57.6%	55.2%	301	69.8%	80.9%
Catharsis	58	7.2%	38.6%	16	3.7%	41.5%
Cognitive/Coping	514	63.5%	62.3%	228	52.9%	68.0%
Commands/Limit Setting	136	16.8%	37.0%	54	12.5%	47.4%
Communication Skills	641	79.2%	66.2%	320	74.2%	71.1%
Counseling	1	0.1%	27.3%	0	0.0%	0.0%
Crisis Management	346	42.8%	42.2%	197	45.7%	53.1%
Cultural Training	99	12.2%	36.2%	46	10.7%	52.7%
Discrete Trial Training	10	1.2%	18.8%	5	1.2%	21.0%
Educational Support	453	56.0%	50.2%	218	50.6%	66.1%
Emotional Processing	538	66.5%	60.9%	262	60.8%	67.0%
Exposure	209	25.8%	38.3%	44	10.2%	51.0%
Eye Movement/Body Tapping	11	1.4%	21.7%	7	1.6%	12.2%
Family Engagement	598	73.9%	58.5%	333	77.3%	74.5%
Family Therapy	595	73.5%	58.0%	270	62.6%	65.6%
Family Visit	0	0.0%	0.0%	0	0.0%	0.0%
Free Association	58	7.2%	31.9%	20	4.6%	49.0%
Functional Analysis	105	13.0%	37.2%	101	23.4%	61.6%
Goal Setting	591	73.1%	60.7%	291	67.5%	69.8%
Guided Imagery	163	20.1%	37.1%	47	10.9%	35.4%
Ho'Oponopono	0	0.0%	0.0%	0	0.0%	0.0%
Hypnosis	19	2.3%	21.3%	4	0.9%	47.3%
Ignoring or DRO	295	36.5%	43.1%	131	30.4%	55.6%
Individual Therapy for Caregiver	304	37.6%	41.7%	60	13.9%	41.4%
Informal Supports	3	0.4%	12.5%	3	0.7%	41.1%
Insight Building	555	68.6%	58.8%	230	53.4%	64.6%
Interpretation	160	19.8%	35.0%	56	13.0%	40.1%
Juvenile Sex Offender Treatment	8	1.0%	46.8%	15	3.5%	84.4%
Legal Assistance/Involvement	0	0.0%	0.0%	0	0.0%	0.0%
Line of Sight Supervision	250	30.9%	41.3%	155	36.0%	55.4%
Maintenance/Relapse Prevention	189	23.4%	38.8%	160	37.1%	49.9%
Marital Therapy	50	6.2%	28.1%	18	4.2%	33.9%
Medication/Pharmacotherapy	229	28.3%	48.9%	134	31.1%	57.7%
Mentoring	335	41.4%	46.1%	148	34.3%	57.3%
Milieu Therapy	185	22.9%	41.6%	122	28.3%	63.6%
Mindfulness	360	44.5%	46.4%	146	33.9%	55.0%
Modeling	538	66.5%	54.4%	247	57.3%	63.4%
Motivational Interviewing	472	58.3%	53.9%	162	37.6%	58.1%
Natural and Logical Consequences	599	74.0%	58.4%	249	57.8%	70.0%
Parent Coping	574	71.0%	57.1%	211	49.0%	60.1%
Parent or Teacher Monitoring	402	49.7%	49.2%	194	45.0%	56.1%
Parent Praise	420	51.9%	49.6%	195	45.2%	56.7%
Parenting	11	1.4%	22.8%	4	0.9%	16.2%
Peer Modeling/Pairing	138	17.1%	24.1%	74	17.2%	47.9%
Personal Safety Skills	380	47.0%	45.9%	188	43.6%	61.2%
Physical Exercise	0	0.0%	0.0%	0	0.0%	0.0%
Play Therapy	173	21.4%	47.5%	30	7.0%	52.0%
Problem Solving	655	81.0%	63.4%	295	68.4%	70.6%
Psychoeducation-Child	579	71.6%	58.0%	203	47.1%	65.3%
Psychoeducation-Parent	634	78.4%	63.2%	212	49.2%	59.7%
Relationship/Rapport Building	613	75.8%	56.4%	319	74.0%	68.8%
Relaxation	437	54.0%	45.9%	178	41.3%	60.4%
Response Cost	159	19.7%	37.8%	72	16.7%	52.6%
Response Prevention	156	19.3%	35.8%	113	26.2%	49.4%
Self-Monitoring	384	47.5%	46.3%	164	38.1%	57.0%
Self-Reward/Self-Praise	295	36.5%	44.7%	139	32.3%	59.7%
Skill Building	584	72.2%	56.4%	295	68.4%	70.8%
Social Skills Training	496	61.3%	51.9%	165	38.3%	60.4%
Stimulus Control/Antecedent Man.	204	25.2%	40.0%	86	20.0%	51.2%
Supportive Listening	664	82.1%	68.1%	330	76.6%	77.4%
Tangible Rewards	374	46.2%	45.7%	221	51.3%	62.5%
Therapist Praise/Rewards	578	71.4%	59.6%	232	53.8%	68.5%
Thought Field Therapy	20	2.5%	19.3%	12	2.8%	21.1%
Time Out	223	27.6%	39.7%	122	28.3%	55.1%
Twelve-step Programming	78	9.6%	39.4%	66	15.3%	62.2%
Other	18	2.2%	22.6%	17	3.9%	33.7%
Unclear	86	10.6%	28.4%	68	15.8%	52.2%
Not Available	3	0.4%		876	67.0%	


Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Outpatient Services (Total)
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Outpatient Service		
	N	%
Total Registered Youth	308	14.5%
with Services Procured	308	100.0%
Youth with New Admissions	163	52.9%
with Initial Admissions	107	34.7%
with Repeat Admissions	56	18.2%
Youth with Discharges	80	26.0%

	N	% of Available
Gender		
Females	114	37%
Males	194	63%

	Mean	SD
Age in Years	13.4	3.7




Primary Diagnosis of	N	% Avail
None Recorded	1	0.3%
Adjustment	28	9.5%
Anxiety	28	9.5%
Attention	46	15.6%
Disruptive Behavior	115	39.1%
Mental Retardation	0	0.0%
Miscellaneous	8	2.7%
Mood	55	18.7%
Pervasive Developmental	3	1.0%
Psychotic Spectrum	4	1.4%
Substance-Related	6	2.0%
Not Available (% Total)	14	4.5%

Any Diagnosis of	N	% Avail
None Recorded	1	0.3%
Adjustment	45	15.3%
Anxiety	71	24.1%
Attention	100	34.0%
Disruptive Behavior	172	58.5%
Mental Retardation	2	0.7%
Miscellaneous	98	33.3%
Mood	78	26.5%
Pervasive Developmental	4	1.4%
Psychotic Spectrum	5	1.7%
Substance-Related	58	19.7%
Multiple Diagnoses	227	77.2%
Avg. Number of Diagnoses	2.1	

All Other Services		
	N	%
Total Registered Youth	1,811	85.5%
with Services Procured	1,005	55.5%
Youth with New Admissions	806	44.5%
with Initial Admissions	583	32.2%
with Repeat Admissions	223	12.3%
Youth with Discharges	776	42.8%

	N	% of Available
Gender		
Females	684	38%
Males	1,127	62%

	Mean	SD
Age in Years	14.1	3.7



Primary Diagnosis of	N	% Avail
None Recorded	5	0.3%
Adjustment	101	6.9%
Anxiety	157	10.7%
Attention	301	20.4%
Disruptive Behavior	455	30.9%
Mental Retardation	0	0.0%
Miscellaneous	66	4.5%
Mood	276	18.7%
Pervasive Developmental	22	1.5%
Psychotic Spectrum	34	2.3%
Substance-Related	56	3.8%
Not Available (% Total)	338	18.7%

Any Diagnosis of	N	% Avail
None Recorded	3	0.2%
Adjustment	160	10.8%
Anxiety	339	22.9%
Attention	529	35.8%
Disruptive Behavior	766	51.8%
Mental Retardation	32	2.2%
Miscellaneous	368	24.9%
Mood	446	30.2%
Pervasive Developmental	32	2.2%
Psychotic Spectrum	41	2.8%
Substance-Related	298	20.2%
Multiple Diagnoses	1,092	73.9%
Avg. Number of Diagnoses	1.8	

Summary of Youth by Outpatient Services (Total)
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Outpatient Service		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	129	68.3%
Hispanic or Latino/a	60	31.7%
Not Available (% Total)	119	38.6%

Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	0	0.0%
Asian	20	9.7%
Black or African-American	3	1.4%
Native Hawaiian or Pacific Islander	15	7.2%
White	24	11.6%
Other Race	2	1.0%
Multiracial	143	69.1%
Based on Observation	8	3.9%
Not Available (% Total)	101	32.8%

Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	21	11.2%
Alaska Native	0	0.0%
American Indian	21	11.2%
Asian	127	67.9%
Asian Indian	0	0.0%
Chinese	61	32.6%
Filipino	85	45.5%
Japanese	33	17.6%
Korean	3	1.6%
Vietnamese	1	0.5%
Other Asian	2	1.1%
Black or African-American	7	3.7%
Hispanic or Latina/o	59	31.6%
Cuban	2	1.1%
Mexican	12	6.4%
Puerto Rican	34	18.2%
Other Hispanic	22	11.8%
Native Hawaiian or Pacific Islander	109	58.3%
Guamanian or Chamorro	1	0.5%
Micronesian	5	2.7%
Native Hawaiian	98	52.4%
Samoan	9	4.8%
Other Pacific Islander	11	5.9%
White	130	69.5%
White or Caucasian	105	56.1%
Portuguese	54	28.9%
Other Race or Ethnicity	9	4.8%
Multiethnic	146	78.1%
Not Available (% Total)	121	39.3%

All Other Services		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	771	72.1%
Hispanic or Latino/a	298	27.9%
Not Available (% Total)	742	41.0%

Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	7	0.5%
Asian	102	7.8%
Black or African-American	19	1.4%
Native Hawaiian or Pacific Islander	193	14.7%
White	188	14.3%
Other Race	6	0.5%
Multiracial	801	60.9%
Based on Observation	85	6.5%
Not Available (% Total)	495	27.3%

Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	109	10.3%
Alaska Native	0	0.0%
American Indian	109	10.3%
Asian	564	53.1%
Asian Indian	5	0.5%
Chinese	251	23.6%
Filipino	314	29.5%
Japanese	182	17.1%
Korean	42	4.0%
Vietnamese	8	0.8%
Other Asian	18	1.7%
Black or African-American	76	7.1%
Hispanic or Latina/o	291	27.4%
Cuban	4	0.4%
Mexican	53	5.0%
Puerto Rican	155	14.6%
Other Hispanic	114	10.7%
Native Hawaiian or Pacific Islander	650	61.1%
Guamanian or Chamorro	11	1.0%
Micronesian	53	5.0%
Native Hawaiian	543	51.1%
Samoan	73	6.9%
Other Pacific Islander	39	3.7%
White	657	61.8%
White or Caucasian	516	48.5%
Portuguese	254	23.9%
Other Race or Ethnicity	43	4.0%
Multiethnic	733	69.0%
Not Available (% Total)	748	41.3%

Summary of Youth by Outpatient Services (Total)
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Outpatient Service		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	21	6.8%
Leeward Oahu	31	10.1%
Honolulu Oahu	24	7.8%
Hawaii (Big Island)	149	48.4%
Maui	40	13.0%
Kauai	27	8.8%
Family Court Liaison Branch	16	5.2%

All Other Services		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	275	15.2%
Leeward Oahu	272	15.0%
Honolulu Oahu	227	12.5%
Hawaii (Big Island)	621	34.3%
Maui	185	10.2%
Kauai	159	8.8%
Family Court Liaison Branch	72	4.0%

*Central Oahu FGC now includes both Central and Windward Oahu offices.

Summary of Youth by Outpatient Services (Total)
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Services Procured	Any Outpatient Service			All Other Services		
	Monthly Average	Total N	% of Procured	Monthly Average	Total N	% of Procured
Out-of-Home	18	56	18.2%	164	336	33.4%
Out-of-State	0	0	0.0%	5	5	0.5%
Hospital Residential	1	8	2.6%	16	69	6.9%
Community High Risk	0	0	0.0%	7	14	1.4%
Community Residential	7	26	8.4%	48	129	12.8%
Therapeutic Foster Home	11	25	8.1%	92	174	17.3%
<i>Multidimensional Treatment Foster Care</i>	1	2	0.6%	4	10	1.0%
<i>Transitional Family Home</i>	10	24	7.8%	88	168	16.7%
Intensive Home & Community	57	144	46.8%	418	842	83.8%
Partial Hospitalization	1	5	1.6%	4	18	1.8%
Multisystemic Therapy	8	25	8.1%	60	188	18.7%
Intensive In-Home	49	119	38.6%	358	693	69.0%
Outpatient	59	308	100.0%	0	0	0.0%
Treatment	43	133	43.2%	0	0	0.0%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	33	101	32.8%	0	0	0.0%
<i>Outpatient Therapy</i>	10	32	10.4%	0	0	0.0%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	16	181	58.8%	0	0	0.0%
Supportive Services	6	31	10.1%	37	157	15.6%
Respite Home	1	4	1.3%	5	26	2.6%
Ancillary Service	5	27	8.8%	32	135	13.4%
Crisis Stabilization	1	5	1.6%	5	41	4.1%
Unduplicated Total (% of Registered)	129	308	100%	562	1,005	55%

*These services either were not procured or had no data available in FY 2013.

Summary of Youth by Outpatient Services (Total)
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Total Hours Procured	Any Outpatient Service			All Other Services		
	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth
Out-of-Home	136	636	81.6%	154	1,022	90.1%
Out-of-State	0	0	0.0%	195	2,120	95.1%
Hospital Residential	87	184	55.5%	124	379	59.0%
Community High Risk	0	0	0.0%	175	1,060	83.2%
Community Residential	126	429	74.1%	140	717	78.3%
Therapeutic Foster Home	163	919	87.9%	165	1,145	83.0%
<i>Multidimensional Treatment Foster Care</i>	185	1,294	88.0%	171	837	74.1%
<i>Transitional Family Home</i>	160	850	84.2%	165	1,136	81.6%
Intensive Home & Community	18	78	73.2%	18	102	79.4%
Partial Hospitalization	3	6	3.0%	3	8	8.1%
Multisystemic Therapy	45	141	82.9%	39	134	79.6%
Intensive In-Home	12	65	71.0%	12	88	74.7%
Outpatient	4	9	50.2%	0	0	0.0%
Treatment	4	15	48.5%	0	0	0.0%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	3	13	51.0%	0	0	0.0%
<i>Outpatient Therapy</i>	5	21	40.6%	0	0	0.0%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	5	5	49.8%	0	0	0.0%
Supportive Services**	-	-	-	-	-	-
Respite Home	21	42	8.0%	20	52	12.8%
Ancillary Service**	-	-	-	-	-	-
Crisis Stabilization	31	36	39.0%	28	41	49.8%
Unduplicated Total	19	163		46	430	

Service Changes	Any Outpatient Service			All Other Services		
	Monthly Average	Total N	Total per Youth	Monthly Average	Total N	Total per Youth
Placement Changes	6	75	0.2	39	466	0.3
Out-of-Home Changes	0	4	0.0	3	41	0.0
Provider Agency Changes	33	396	1.3	73	878	0.5
Care Coordinator Changes	20	245	0.8	53	636	0.4

*These services either were not procured or had no data available in FY 2013.

**Duration not available for these services.

Summary of Youth by Outpatient Services (Total)
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Any Outpatient Service		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	115 (2.0)	92 (1.7)	88 (2.2)
Moods: Self-Harm	8 (0.6)	3 (0.4)	3 (0.4)
Moods: Emotions	20 (0.4)	16 (0.4)	15 (0.5)
Home Role Performance	25 (0.4)	19 (0.5)	19 (0.6)
School Role Performance	26 (0.4)	20 (0.5)	19 (0.7)
Community Role Performance	13 (0.7)	9 (0.6)	9 (0.6)
Behavior Towards Other	21 (0.4)	16 (0.3)	16 (0.4)
Substance Use	9 (0.7)	5 (0.5)	5 (0.6)
Thinking	5 (0.5)	2 (0.3)	2 (0.3)

Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	20 (0.2)	18 (0.2)	18 (0.2)
Level of Care	4 (0.1)	3 (0.1)	3 (0.1)

Child and Adolescent Functional Assessment Scale (CAFAS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total (8-scale)	27 (248)	47% (238)	30% (238)
Moods: Self-Harm	6 (248)	73% (77)	97% (77)
Moods: Emotions	5 (248)	43% (213)	95% (213)
Home Role Performance	7 (248)	47% (229)	69% (229)
School Role Performance	7 (248)	41% (237)	61% (237)
Community Role Performance	4 (248)	36% (123)	89% (123)
Behavior Towards Other	5 (248)	44% (222)	96% (222)
Substance Use	4 (248)	60% (87)	85% (87)
Thinking	3 (248)	66% (35)	100% (35)

Child and Adolescent Level of Care Utilization System (CALOCUS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total	2 (236)	34% (216)	39% (216)
Level of Care	1 (236)	44% (216)	73% (216)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	838	22	24.4%
Child Events	844	22	21.8%
Person-Directed	143	4	8.4%
Property-Directed	97	3	6.5%
Runaway or Elopement	237	6	9.4%
Self-Injury	130	3	7.8%
Substance Use	84	2	5.5%
Other	127	3	7.8%
Institutional Events	591	15	16.6%
Person-Directed (Client Victim)	49	1	4.2%
Seclusion or Restraint	32	1	1.9%
Medication Error	6	0	0.6%
Police Called	185	5	8.4%
Criminal Charges or Arrest	123	3	6.8%
Client Injury	36	1	3.2%
Staff Injury	6	0	0.6%
Other	143	4	9.1%

	All Other Services		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	119 (1.0)	89 (1.0)	85 (1.1)
Moods: Self-Harm	10 (0.3)	3 (0.2)	3 (0.2)
Moods: Emotions	21 (0.2)	16 (0.2)	15 (0.2)
Home Role Performance	26 (0.2)	19 (0.2)	18 (0.3)
School Role Performance	26 (0.2)	19 (0.3)	18 (0.3)
Community Role Performance	14 (0.3)	9 (0.3)	9 (0.3)
Behavior Towards Other	21 (0.2)	16 (0.2)	15 (0.2)
Substance Use	10 (0.4)	5 (0.3)	5 (0.3)
Thinking	7 (0.3)	3 (0.2)	2 (0.2)

Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	21 (0.1)	18 (0.1)	18 (0.1)
Level of Care	4 (0.0)	3 (0.0)	3 (0.0)

Child and Adolescent Functional Assessment Scale (CAFAS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total (8-scale)	34 (1173)	54% (1111)	35% (1111)
Moods: Self-Harm	7 (1173)	80% (408)	96% (408)
Moods: Emotions	6 (1173)	48% (1042)	95% (1042)
Home Role Performance	7 (1173)	51% (1047)	64% (1047)
School Role Performance	8 (1172)	50% (1079)	62% (1079)
Community Role Performance	5 (1173)	49% (633)	90% (633)
Behavior Towards Other	6 (1173)	50% (1022)	94% (1022)
Substance Use	5 (1173)	62% (426)	83% (426)
Thinking	4 (1173)	77% (246)	96% (246)

Child and Adolescent Level of Care Utilization System (CALOCUS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total	3 (1048)	48% (980)	42% (980)
Level of Care	1 (1048)	57% (985)	65% (985)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	865	131	23.4%
Child Events	950	143	21.8%
Person-Directed	189	29	9.4%
Property-Directed	95	14	6.2%
Runaway or Elopement	247	37	10.0%
Self-Injury	179	27	7.3%
Substance Use	98	15	5.0%
Other	105	16	6.3%
Institutional Events	536	81	15.1%
Person-Directed (Client Victim)	46	7	3.6%
Seclusion or Restraint	64	10	2.9%
Medication Error	10	2	0.7%
Police Called	148	22	8.1%
Criminal Charges or Arrest	96	15	5.3%
Client Injury	41	6	3.5%
Staff Injury	9	1	0.6%
Other	108	16	6.5%

*Indicates average change from highest CAFAS or CALOCUS score to most recent.
 (A positive number reflects improvement.)

Summary of Youth by Outpatient Services (Total)
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Outpatient Service			
Service Setting	Any Use N	Any Use % Avail	Dosage % of Months
Clinic	110	44.0%	51.2%
Community	170	68.0%	61.9%
Home	214	85.6%	82.2%
Out-of-Home	93	37.2%	57.2%
Phone*	64	25.6%	62.5%
School	130	52.0%	45.6%
Unclear*	9	3.6%	30.8%
Not Available	58	18.8%	

Service Format	Any Use N	Any Use % Avail	Dosage % of Months
Family	199	79.6%	75.9%
Group	59	23.6%	32.7%
Individual	184	73.6%	77.9%
Parent	168	67.2%	63.8%
Phone*	27	10.8%	49.1%
Professional Consult*	66	26.4%	53.2%
Teacher	70	28.0%	37.7%
Unclear*	53	21.2%	53.3%
Not Available	58	18.8%	

Discharge Living Situation	Youth N	% Youth Discharged	% Discharges
Foster Home	14	9.8%	7.0%
Group Care	2	1.4%	1.0%
Home	107	74.8%	53.2%
Homeless/Shelter	1	0.7%	0.5%
Institution/Hospital	3	2.1%	1.5%
Jail/Correctional Facility	20	14.0%	10.0%
Other	15	10.5%	7.5%
Residential Treatment	10	7.0%	5.0%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	143		
Number of Discharges	201		

Reason for Discharge	Youth N	% Youth Discharged	% Discharges
Eligibility Change	4	2.8%	2.0%
Family Relocation	1	0.7%	0.5%
Insufficient Progress	12	8.4%	6.0%
Other	59	41.3%	29.4%
Runaway/Elopement	11	7.7%	5.5%
Refuse/Withdraw	16	11.2%	8.0%
Success/Goals Met	81	56.6%	40.3%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	143		
Number of Discharges	201		

All Other Services		
Any Use N	Any Use % Avail	Dosage % of Months
451	45.6%	58.5%
767	77.5%	75.6%
872	88.1%	84.3%
403	40.7%	62.3%
75	7.6%	56.4%
597	60.3%	58.0%
39	3.9%	26.9%
821	45.3%	

Any Use N	Any Use % Avail	Dosage % of Months
768	77.6%	71.5%
305	30.8%	52.0%
874	88.3%	89.9%
786	79.4%	77.5%
8	0.8%	24.3%
237	23.9%	39.7%
396	40.0%	48.7%
123	12.4%	46.8%
821	45.3%	

Youth N	% Youth Discharged	% Discharges
86	14.3%	9.5%
6	1.0%	0.7%
416	69.1%	45.8%
17	2.8%	1.9%
20	3.3%	2.2%
33	5.5%	3.6%
111	18.4%	12.2%
43	7.1%	4.7%
0	0.0%	0.0%
602		
908		

Youth N	% Youth Discharged	% Discharges
13	2.2%	1.4%
21	3.5%	2.3%
57	9.5%	6.3%
172	28.6%	18.9%
87	14.5%	9.6%
61	10.1%	6.7%
360	59.8%	39.6%
0	0.0%	0.0%
602		
908		

*Indicates written response to an open-ended question.

Summary of Youth by Outpatient Services (Total)
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Treatment Target	Any Outpatient Service			All Other Services		
	Any Use N	Any Use % Avail	Dosage % of Months	Any Use N	Any Use % Avail	Dosage % of Months
Academic Achievement	69	27.6%	39.1%	379	38.3%	40.5%
Activity Involvement	97	38.8%	43.7%	569	57.5%	57.9%
Adaptive Behavior/Living Skills	19	7.6%	41.4%	140	14.1%	37.6%
Adjustment to Change	62	24.8%	38.3%	286	28.9%	38.3%
Adult Intercoordination	2	0.8%	17.5%	11	1.1%	22.8%
Aggression	89	35.6%	50.9%	440	44.4%	55.2%
Anger	100	40.0%	46.9%	516	52.1%	57.0%
Anxiety	70	28.0%	45.5%	384	38.8%	51.1%
Assertiveness	39	15.6%	29.9%	182	18.4%	39.5%
Attention Problems	38	15.2%	33.3%	181	18.3%	36.5%
Avoidance	33	13.2%	36.5%	256	25.9%	42.0%
Caregiver Self-Management/Coping	1	0.4%	25.0%	5	0.5%	21.5%
Cognitive-Intellectual Functioning	15	6.0%	37.9%	82	8.3%	38.7%
Community Involvement	26	10.4%	35.9%	202	20.4%	31.9%
Compulsive Behavior	1	0.4%	50.0%	2	0.2%	8.3%
Contentment/Enjoyment/Happiness	38	15.2%	41.4%	213	21.5%	40.4%
Depressed Mood	64	25.6%	42.9%	333	33.6%	50.8%
Eating/Feeding Problems	5	2.0%	22.0%	31	3.1%	33.9%
Empathy	19	7.6%	44.1%	130	13.1%	42.6%
Enuresis/Encopresis	7	2.8%	44.5%	34	3.4%	52.0%
Fire Setting	0	0.0%	0.0%	6	0.6%	39.0%
Fitness/Exercise	0	0.0%	0.0%	1	0.1%	20.0%
Gender Identity Problems	1	0.4%	11.1%	6	0.6%	28.9%
Goal Setting	1	0.4%	8.3%	3	0.3%	14.1%
Grief	10	4.0%	43.5%	61	6.2%	37.3%
Health Management	11	4.4%	26.2%	81	8.2%	32.3%
Housing/Living Situation	21	8.4%	30.3%	185	18.7%	32.9%
Hyperactivity	17	6.8%	25.2%	86	8.7%	42.1%
Information Gathering	1	0.4%	8.3%	10	1.0%	35.3%
Learning Disorder/Underachievement	7	2.8%	33.2%	31	3.1%	24.1%
Low Self-Esteem	32	12.8%	38.6%	281	28.4%	42.4%
Mania	0	0.0%	0.0%	11	1.1%	27.6%
Medical Regimen Adherence	16	6.4%	26.2%	112	11.3%	40.0%
Occupational Functioning/Stress	6	2.4%	14.4%	44	4.4%	31.4%
Oppositional/Non-Compliant Behavior	125	50.0%	55.8%	672	67.9%	66.1%
Pain Management	0	0.0%	0.0%	0	0.0%	0.0%
Parenting Skills	1	0.4%	75.0%	18	1.8%	30.0%
Peer Involvement	24	9.6%	31.5%	178	18.0%	34.3%
Peer/Sibling Conflict	51	20.4%	50.6%	262	26.5%	43.2%
Personal Hygiene	7	2.8%	19.8%	39	3.9%	30.9%
Phobia/Fears	64	25.6%	32.3%	353	35.7%	45.7%
Positive Family Functioning	11	4.4%	41.3%	75	7.6%	40.8%
Positive Peer Interaction	189	75.6%	67.5%	776	78.4%	67.4%
Positive Thinking/Attitude	63	25.2%	36.5%	313	31.6%	42.0%
Pregnancy Education/Adjustment	2	0.8%	45.8%	22	2.2%	40.8%
Psychosis	5	2.0%	29.5%	33	3.3%	55.0%
Runaway	26	10.4%	35.9%	205	20.7%	47.6%
Safe Environment	2	0.8%	44.4%	9	0.9%	25.3%
School Involvement	44	17.6%	35.0%	240	24.2%	37.4%
School Refusal/Truancy	29	11.6%	38.1%	198	20.0%	43.2%
Self-Control	17	6.8%	36.8%	142	14.3%	45.8%
Self-Injurious Behavior	48	19.2%	31.3%	267	27.0%	43.2%
Sexual Orientation	0	0.0%	0.0%	0	0.0%	0.0%
Sexual Misconduct	7	2.8%	46.8%	62	6.3%	52.3%
Shyness	2	0.8%	8.3%	23	2.3%	29.1%
Sleep Disturbance	5	2.0%	43.7%	19	1.9%	34.0%
Social Skills	48	19.2%	42.7%	315	31.8%	46.5%
Speech and Language	2	0.8%	9.7%	6	0.6%	30.8%
Substance Use	51	20.4%	48.3%	295	29.8%	67.4%
Suicidality	13	5.2%	23.5%	77	7.8%	38.7%
Traumatic Stress	35	14.0%	45.1%	155	15.7%	44.0%
Treatment Engagement	145	58.0%	59.9%	536	54.1%	50.8%
Treatment Planning/Framing	29	11.6%	51.1%	38	3.8%	41.1%
Willful Misconduct/Delinquency	46	18.4%	50.9%	188	19.0%	44.1%
Other	2	0.8%	22.3%	12	1.2%	14.5%
Unclear	25	10.0%	32.8%	76	7.7%	28.4%
Not Available	58	18.8%		821	45.3%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Outpatient Services (Total)
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Any Outpatient Service			All Other Services		
	Any Use N	Any Use % Avail	Dosage % of Months	Any Use N	Any Use % Avail	Dosage % of Months
Practice Elements						
Activity Scheduling	121	48.4%	52.3%	617	62.3%	57.8%
Anger Management	1	0.4%	16.7%	3	0.3%	16.9%
Animal or Plant Assisted Activities	0	0.0%	0.0%	0	0.0%	0.0%
Arousal Reconditioning	0	0.0%	0.0%	0	0.0%	0.0%
Art/Music Therapy	2	0.8%	22.2%	0	0.0%	0.0%
Assertiveness Training	68	27.2%	43.3%	341	34.4%	46.5%
Assessment	36	14.4%	70.7%	5	0.5%	45.7%
Attending	51	20.4%	42.2%	310	31.3%	45.4%
Behavior Management	3	1.2%	17.2%	2	0.2%	12.5%
Behavioral Contracting	117	46.8%	46.9%	596	60.2%	57.4%
Biofeedback/Neurofeedback	1	0.4%	9.1%	18	1.8%	30.6%
Care Coordination	139	55.6%	63.6%	628	63.4%	65.7%
Catharsis	4	1.6%	43.5%	70	7.1%	39.0%
Cognitive/Coping	104	41.6%	56.3%	638	64.4%	65.3%
Commands/Limit Setting	34	13.6%	38.6%	156	15.8%	40.3%
Communication Skills	175	70.0%	61.1%	786	79.4%	69.3%
Counseling	0	0.0%	0.0%	1	0.1%	27.3%
Crisis Management	85	34.0%	37.2%	458	46.3%	47.8%
Cultural Training	27	10.8%	34.8%	118	11.9%	43.0%
Discrete Trial Training	4	1.6%	14.2%	11	1.1%	21.5%
Educational Support	99	39.6%	42.3%	572	57.8%	57.6%
Emotional Processing	150	60.0%	56.1%	650	65.7%	64.5%
Exposure	32	12.8%	37.9%	221	22.3%	40.9%
Eye Movement/Body Tapping	4	1.6%	26.8%	14	1.4%	15.5%
Family Engagement	167	66.8%	60.1%	764	77.2%	65.1%
Family Therapy	187	74.8%	67.3%	678	68.5%	58.4%
Family Visit	0	0.0%	0.0%	0	0.0%	0.0%
Free Association	9	3.6%	39.9%	69	7.0%	35.8%
Functional Analysis	42	16.8%	33.9%	164	16.6%	53.1%
Goal Setting	156	62.4%	51.2%	726	73.3%	66.4%
Guided Imagery	33	13.2%	27.7%	177	17.9%	38.4%
Ho'Oponopono	0	0.0%	0.0%	0	0.0%	0.0%
Hypnosis	4	1.6%	23.3%	19	1.9%	26.4%
Ignoring or DRO	72	28.8%	42.3%	354	35.8%	47.9%
Individual Therapy for Caregiver	54	21.6%	40.7%	310	31.3%	41.8%
Informal Supports	1	0.4%	8.3%	5	0.5%	30.5%
Insight Building	126	50.4%	53.0%	659	66.6%	61.9%
Interpretation	25	10.0%	29.8%	191	19.3%	37.1%
Juvenile Sex Offender Treatment	3	1.2%	37.8%	20	2.0%	76.3%
Legal Assistance/Involvement	0	0.0%	0.0%	0	0.0%	0.0%
Line of Sight Supervision	60	24.0%	38.7%	345	34.8%	48.1%
Maintenance/Relapse Prevention	85	34.0%	33.3%	264	26.7%	47.3%
Marital Therapy	18	7.2%	37.2%	50	5.1%	26.9%
Medication/Pharmacotherapy	55	22.0%	46.7%	308	31.1%	53.1%
Mentoring	69	27.6%	44.1%	414	41.8%	50.5%
Milieu Therapy	44	17.6%	30.6%	263	26.6%	53.7%
Mindfulness	92	36.8%	39.0%	414	41.8%	51.1%
Modeling	129	51.6%	48.3%	656	66.3%	59.0%
Motivational Interviewing	93	37.2%	43.8%	541	54.6%	56.9%
Natural and Logical Consequences	126	50.4%	52.6%	722	72.9%	63.4%
Parent Coping	137	54.8%	60.6%	648	65.5%	57.4%
Parent or Teacher Monitoring	93	37.2%	48.4%	503	50.8%	52.0%
Parent Praise	96	38.4%	50.0%	519	52.4%	52.2%
Parenting	2	0.8%	15.5%	13	1.3%	21.9%
Peer Modeling/Pairing	38	15.2%	27.2%	174	17.6%	33.6%
Personal Safety Skills	93	37.2%	42.8%	475	48.0%	52.6%
Physical Exercise	0	0.0%	0.0%	0	0.0%	0.0%
Play Therapy	46	18.4%	53.6%	157	15.9%	46.6%
Problem Solving	145	58.0%	55.6%	805	81.3%	67.5%
Psychoeducation-Child	110	44.0%	53.5%	672	67.9%	61.0%
Psychoeducation-Parent	129	51.6%	51.2%	717	72.4%	64.3%
Relationship/Rapport Building	166	66.4%	53.8%	766	77.4%	62.1%
Relaxation	99	39.6%	47.3%	516	52.1%	50.6%
Response Cost	41	16.4%	40.7%	190	19.2%	42.8%
Response Prevention	45	18.0%	39.5%	224	22.6%	42.0%
Self-Monitoring	92	36.8%	46.4%	456	46.1%	50.2%
Self-Reward/Self-Praise	73	29.2%	49.9%	361	36.5%	49.4%
Skill Building	144	57.6%	56.3%	735	74.2%	62.2%
Social Skills Training	102	40.8%	52.9%	559	56.5%	54.2%
Stimulus Control/Antecedent Man.	47	18.8%	37.4%	243	24.5%	44.4%
Supportive Listening	186	74.4%	65.7%	808	81.6%	72.5%
Tangible Rewards	103	41.2%	47.8%	492	49.7%	52.8%
Therapist Praise/Rewards	145	58.0%	58.6%	665	67.2%	62.9%
Thought Field Therapy	1	0.4%	66.7%	31	3.1%	18.4%
Time Out	62	24.8%	35.3%	283	28.6%	47.3%
Twelve-step Programming	21	8.4%	32.6%	123	12.4%	52.8%
Other	3	1.2%	22.2%	32	3.2%	28.5%
Unclear	28	11.2%	39.1%	126	12.7%	38.8%
Not Available	58	18.8%		821	45.3%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.


Summary of Youth by Outpatient Treatment
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Outpatient Treatment Service

	N	%
Total Registered Youth	133	6.3%
with Services Procured	133	100.0%
Youth with New Admissions	38	28.6%
with Initial Admissions	23	17.3%
with Repeat Admissions	15	11.3%
Youth with Discharges	29	21.8%

	N	% of Available
Gender		
Females	58	44%
Males	75	56%

	Mean	SD
Age in Years	14.3	2.7




All Other Services

	N	%
Total Registered Youth	1,986	93.7%
with Services Procured	1,180	59.4%
Youth with New Admissions	931	46.9%
with Initial Admissions	667	33.6%
with Repeat Admissions	264	13.3%
Youth with Discharges	827	41.6%

	N	% of Available
Gender		
Females	740	37%
Males	1,246	63%

	Mean	SD
Age in Years	14.0	3.8



Primary Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	15	11.4%
Anxiety	14	10.6%
Attention	23	17.4%
Disruptive Behavior	38	28.8%
Mental Retardation	0	0.0%
Miscellaneous	2	1.5%
Mood	33	25.0%
Pervasive Developmental	0	0.0%
Psychotic Spectrum	4	3.0%
Substance-Related	3	2.3%
Not Available (% Total)	1	0.8%

Any Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	22	16.7%
Anxiety	35	26.5%
Attention	46	34.8%
Disruptive Behavior	66	50.0%
Mental Retardation	0	0.0%
Miscellaneous	31	23.5%
Mood	44	33.3%
Pervasive Developmental	0	0.0%
Psychotic Spectrum	5	3.8%
Substance-Related	27	20.5%
Multiple Diagnoses	98	74.2%
Avg. Number of Diagnoses	2.1	

Primary Diagnosis of	N	% Avail
None Recorded	6	0.4%
Adjustment	114	7.0%
Anxiety	171	10.5%
Attention	324	19.8%
Disruptive Behavior	532	32.5%
Mental Retardation	0	0.0%
Miscellaneous	72	4.4%
Mood	298	18.2%
Pervasive Developmental	25	1.5%
Psychotic Spectrum	34	2.1%
Substance-Related	59	3.6%
Not Available (% Total)	351	17.7%

Any Diagnosis of	N	% Avail
None Recorded	4	0.2%
Adjustment	183	11.2%
Anxiety	375	22.9%
Attention	583	35.5%
Disruptive Behavior	872	53.2%
Mental Retardation	34	2.1%
Miscellaneous	435	26.5%
Mood	480	29.3%
Pervasive Developmental	36	2.2%
Psychotic Spectrum	41	2.5%
Substance-Related	329	20.1%
Multiple Diagnoses	1,221	74.5%
Avg. Number of Diagnoses	1.8	

Summary of Youth by Outpatient Treatment
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Outpatient Treatment Service		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	80	74.1%
Hispanic or Latino/a	28	25.9%
Not Available (% Total)	25	18.8%
Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	0	0.0%
Asian	16	13.4%
Black or African-American	3	2.5%
Native Hawaiian or Pacific Islander	10	8.4%
White	14	11.8%
Other Race	2	1.7%
Multiracial	74	62.2%
Based on Observation	5	4.2%
Not Available (% Total)	14	10.5%
Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	8	7.4%
Alaska Native	0	0.0%
American Indian	8	7.4%
Asian	73	67.6%
Asian Indian	0	0.0%
Chinese	36	33.3%
Filipino	48	44.4%
Japanese	23	21.3%
Korean	2	1.9%
Vietnamese	0	0.0%
Other Asian	1	0.9%
Black or African-American	4	3.7%
Hispanic or Latina/o	28	25.9%
Cuban	2	1.9%
Mexican	5	4.6%
Puerto Rican	15	13.9%
Other Hispanic	13	12.0%
Native Hawaiian or Pacific Islander	59	54.6%
Guamanian or Chamorro	1	0.9%
Micronesian	4	3.7%
Native Hawaiian	53	49.1%
Samoan	7	6.5%
Other Pacific Islander	6	5.6%
White	68	63.0%
White or Caucasian	56	51.9%
Portuguese	23	21.3%
Other Race or Ethnicity	3	2.8%
Multiethnic	79	73.1%
Not Available (% Total)	25	18.8%

All Other Services		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	820	71.3%
Hispanic or Latino/a	330	28.7%
Not Available (% Total)	836	42.1%
Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	7	0.5%
Asian	106	7.5%
Black or African-American	19	1.4%
Native Hawaiian or Pacific Islander	198	14.1%
White	198	14.1%
Other Race	6	0.4%
Multiracial	870	62.0%
Based on Observation	88	6.3%
Not Available (% Total)	582	29.3%
Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	122	10.7%
Alaska Native	0	0.0%
American Indian	122	10.7%
Asian	618	54.1%
Asian Indian	5	0.4%
Chinese	276	24.2%
Filipino	351	30.7%
Japanese	192	16.8%
Korean	43	3.8%
Vietnamese	9	0.8%
Other Asian	19	1.7%
Black or African-American	79	6.9%
Hispanic or Latina/o	322	28.2%
Cuban	4	0.4%
Mexican	60	5.3%
Puerto Rican	174	15.2%
Other Hispanic	123	10.8%
Native Hawaiian or Pacific Islander	700	61.3%
Guamanian or Chamorro	11	1.0%
Micronesian	54	4.7%
Native Hawaiian	588	51.5%
Samoan	75	6.6%
Other Pacific Islander	44	3.9%
White	719	63.0%
White or Caucasian	565	49.5%
Portuguese	285	25.0%
Other Race or Ethnicity	49	4.3%
Multiethnic	800	70.1%
Not Available (% Total)	844	42.5%

Summary of Youth by Outpatient Treatment
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Outpatient Treatment Service		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	21	15.8%
Leeward Oahu	22	16.5%
Honolulu Oahu	20	15.0%
Hawaii (Big Island)	22	16.5%
Maui	22	16.5%
Kauai	26	19.5%
Family Court Liaison Branch	0	0.0%

All Other Services		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	275	13.8%
Leeward Oahu	281	14.1%
Honolulu Oahu	231	11.6%
Hawaii (Big Island)	748	37.7%
Maui	203	10.2%
Kauai	160	8.1%
Family Court Liaison Branch	88	4.4%

*Central Oahu FGC now includes both Central and Windward Oahu offices.

Summary of Youth by Outpatient Treatment
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Services Procured	Any Outpatient Treatment Service			All Other Services		
	Monthly Average	Total N	% of Procured	Monthly Average	Total N	% of Procured
Out-of-Home	10	34	25.6%	173	358	30.3%
Out-of-State	0	0	0.0%	5	5	0.4%
Hospital Residential	1	6	4.5%	16	71	6.0%
Community High Risk	0	0	0.0%	7	14	1.2%
Community Residential	5	19	14.3%	50	136	11.5%
Therapeutic Foster Home	4	10	7.5%	99	189	16.0%
<i>Multidimensional Treatment Foster Care</i>	1	2	1.5%	4	10	0.8%
<i>Transitional Family Home</i>	3	9	6.8%	95	183	15.5%
Intensive Home & Community	27	60	45.1%	448	926	78.5%
Partial Hospitalization	1	5	3.8%	4	18	1.5%
Multisystemic Therapy	4	11	8.3%	64	202	17.1%
Intensive In-Home	22	48	36.1%	384	764	64.7%
Outpatient	44	133	100.0%	15	175	14.8%
Treatment	43	133	100.0%	0	0	0.0%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	33	101	75.9%	0	0	0.0%
<i>Outpatient Therapy</i>	10	32	24.1%	0	0	0.0%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	1	6	4.5%	15	175	14.8%
Supportive Services	4	16	12.0%	39	172	14.6%
Respite Home	1	3	2.3%	5	27	2.3%
Ancillary Service	3	13	9.8%	34	149	12.6%
Crisis Stabilization	0	2	1.5%	5	44	3.7%
Unduplicated Total (% of Registered)	77	133	100%	614	1,180	59%

*These services either were not procured or had no data available in FY 2013.

Summary of Youth by Outpatient Treatment
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Total Hours Procured	Any Outpatient Treatment Service			All Other Services		
	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth
Out-of-Home	129	541	79.4%	154	1,007	89.8%
Out-of-State	0	0	0.0%	195	2,120	95.1%
Hospital Residential	81	176	58.9%	124	374	58.6%
Community High Risk	0	0	0.0%	175	1,060	83.2%
Community Residential	127	447	78.9%	139	700	77.5%
Therapeutic Foster Home	164	886	84.6%	165	1,129	83.6%
<i>Multidimensional Treatment Foster Care</i>	185	1,294	88.0%	171	837	74.1%
<i>Transitional Family Home</i>	157	697	74.5%	164	1,120	82.3%
Intensive Home & Community	15	80	64.1%	18	100	79.4%
Partial Hospitalization	3	6	3.0%	3	8	8.1%
Multisystemic Therapy	35	134	77.7%	40	135	80.1%
Intensive In-Home	11	68	61.9%	13	85	74.9%
Outpatient	4	16	49.9%	5	5	50.5%
Treatment	4	15	48.5%	0	0	0.0%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	3	13	51.0%	0	0	0.0%
<i>Outpatient Therapy</i>	5	21	40.6%	0	0	0.0%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	5	5	30.5%	5	5	50.5%
Supportive Services**	-	-	-	-	-	-
Respite Home	13	41	8.0%	21	52	12.6%
Ancillary Service**	-	-	-	-	-	-
Crisis Stabilization	18	26	48.7%	29	41	48.6%
Unduplicated Total	17	191		43	388	

Service Changes	Any Outpatient Treatment Service			All Other Services		
	Monthly Average	Total N	Total per Youth	Monthly Average	Total N	Total per Youth
Placement Changes	4	47	0.4	41	494	0.2
Out-of-Home Changes	0	2	0.0	4	43	0.0
Provider Agency Changes	13	158	1.2	93	1,116	0.6
Care Coordinator Changes	4	49	0.4	69	832	0.4

*These services either were not procured or had no data available in FY 2013.

**Duration not available for these services.

Summary of Youth by Outpatient Treatment
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Outpatient Treatment Service	Any Outpatient Treatment Service		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	120 (2.9)	90 (2.7)	84 (3.3)
Moods: Self-Harm	10 (1.0)	3 (0.5)	2 (0.5)
Moods: Emotions	21 (0.6)	16 (0.5)	15 (0.7)
Home Role Performance	26 (0.6)	19 (0.7)	18 (0.9)
School Role Performance	26 (0.6)	19 (0.8)	18 (1.0)
Community Role Performance	14 (0.9)	9 (0.8)	9 (0.9)
Behavior Towards Other	22 (0.6)	15 (0.5)	15 (0.7)
Substance Use	11 (1.1)	6 (0.8)	6 (0.8)
Thinking	5 (0.7)	2 (0.4)	2 (0.5)

Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	21 (0.3)	18 (0.3)	17 (0.3)
Level of Care	4 (0.1)	3 (0.1)	3 (0.1)

Child and Adolescent Functional Assessment Scale (CAFAS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total (8-scale)	35 (118)	62% (112)	35% (112)
Moods: Self-Harm	8 (118)	83% (46)	98% (46)
Moods: Emotions	6 (118)	46% (103)	98% (103)
Home Role Performance	8 (118)	51% (110)	69% (110)
School Role Performance	8 (118)	51% (111)	63% (111)
Community Role Performance	5 (118)	40% (63)	94% (63)
Behavior Towards Other	7 (118)	56% (106)	98% (106)
Substance Use	5 (118)	67% (49)	90% (49)
Thinking	3 (118)	65% (20)	100% (20)

Child and Adolescent Level of Care Utilization System (CALOCUS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total	3 (116)	50% (109)	47% (109)
Level of Care	1 (116)	63% (109)	77% (109)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	1,308	15	36.8%
Child Events	1,286	14	33.8%
Person-Directed	218	2	12.8%
Property-Directed	158	2	9.8%
Runaway or Elopement	361	4	14.3%
Self-Injury	241	3	12.8%
Substance Use	120	1	7.5%
Other	158	2	10.5%
Institutional Events	985	11	26.3%
Person-Directed (Client Victim)	83	1	6.8%
Seclusion or Restraint	53	1	2.3%
Medication Error	8	0	0.8%
Police Called	308	3	13.5%
Criminal Charges or Arrest	211	2	11.3%
Client Injury	53	1	5.3%
Staff Injury	8	0	0.8%
Other	248	3	15.0%

All Other Services		
"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
119 (1.0)	90 (0.9)	86 (1.0)
9 (0.3)	3 (0.2)	3 (0.2)
21 (0.2)	16 (0.2)	15 (0.2)
25 (0.2)	19 (0.2)	18 (0.3)
26 (0.2)	19 (0.3)	18 (0.3)
14 (0.3)	9 (0.3)	9 (0.3)
21 (0.2)	16 (0.2)	16 (0.2)
10 (0.3)	5 (0.2)	5 (0.3)
6 (0.2)	3 (0.1)	2 (0.2)

"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
21 (0.1)	18 (0.1)	18 (0.1)
4 (0.0)	3 (0.0)	3 (0.0)

Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
33 (1303)	52% (1237)	34% (1237)
7 (1303)	78% (439)	96% (439)
6 (1303)	47% (1152)	94% (1152)
7 (1303)	50% (1166)	64% (1166)
8 (1302)	48% (1205)	62% (1205)
5 (1303)	48% (693)	89% (693)
6 (1303)	49% (1138)	94% (1138)
5 (1303)	61% (464)	82% (464)
4 (1303)	76% (261)	97% (261)

Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
3 (1168)	45% (1087)	41% (1087)
1 (1168)	54% (1092)	66% (1092)

Reports per 1,000 youth	Monthly Average	Any Report % of youth
831	138	22.6%
911	151	20.9%
180	30	9.0%
91	15	6.0%
238	39	9.7%
168	28	7.0%
95	16	4.9%
105	17	6.2%
514	85	14.6%
44	7	3.5%
60	10	2.8%
10	2	0.7%
143	24	7.8%
93	15	5.1%
39	6	3.4%
9	2	0.6%
104	17	6.3%

*Indicates average change from highest CAFAS or CALOCUS score to most recent.
 (A positive number reflects improvement.)

Summary of Youth by Outpatient Treatment
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Outpatient Treatment Service			
Any Outpatient Treatment Service Setting	Any Use N	Any Use % Avail	Dosage % of Months
Clinic	59	44.7%	40.4%
Community	91	68.9%	51.1%
Home	126	95.5%	83.4%
Out-of-Home	44	33.3%	35.3%
Phone*	55	41.7%	61.4%
School	81	61.4%	39.5%
Unclear*	6	4.5%	16.5%
Not Available	1	0.8%	

Service Format	Any Use N	Any Use % Avail	Dosage % of Months
Family	125	94.7%	77.8%
Group	40	30.3%	28.8%
Individual	83	62.9%	67.9%
Parent	98	74.2%	56.4%
Phone*	25	18.9%	49.7%
Professional Consult*	44	33.3%	53.4%
Teacher	41	31.1%	28.6%
Unclear*	18	13.6%	27.7%
Not Available	1	0.8%	

Discharge Living Situation	Youth N	% Youth Discharged	% Discharges
Foster Home	8	8.5%	5.9%
Group Care	1	1.1%	0.7%
Home	83	88.3%	61.0%
Homeless/Shelter	1	1.1%	0.7%
Institution/Hospital	2	2.1%	1.5%
Jail/Correctional Facility	2	2.1%	1.5%
Other	9	9.6%	6.6%
Residential Treatment	6	6.4%	4.4%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	94		
Number of Discharges	136		

Reason for Discharge	Youth N	% Youth Discharged	% Discharges
Eligibility Change	4	4.3%	2.9%
Family Relocation	1	1.1%	0.7%
Insufficient Progress	8	8.5%	5.9%
Other	25	26.6%	18.4%
Runaway/Elopement	6	6.4%	4.4%
Refuse/Withdraw	14	14.9%	10.3%
Success/Goals Met	66	70.2%	48.5%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	94		
Number of Discharges	136		

All Other Services		
Any Use N	Any Use % Avail	Dosage % of Months
502	45.3%	59.0%
846	76.4%	75.5%
960	86.6%	84.0%
452	40.8%	63.9%
84	7.6%	57.8%
646	58.3%	57.9%
42	3.8%	29.2%
878	44.2%	

Any Use N	Any Use % Avail	Dosage % of Months
842	76.0%	71.6%
324	29.2%	51.4%
975	88.0%	89.5%
856	77.3%	77.3%
10	0.9%	27.8%
259	23.4%	40.8%
425	38.4%	48.8%
158	14.3%	51.1%
878	44.2%	

Youth N	% Youth Discharged	% Discharges
92	14.1%	9.5%
7	1.1%	0.7%
440	67.6%	45.2%
17	2.6%	1.7%
21	3.2%	2.2%
51	7.8%	5.2%
117	18.0%	12.0%
47	7.2%	4.8%
0	0.0%	0.0%
651		
973		

Youth N	% Youth Discharged	% Discharges
13	2.0%	1.3%
21	3.2%	2.2%
61	9.4%	6.3%
206	31.6%	21.2%
92	14.1%	9.5%
63	9.7%	6.5%
375	57.6%	38.5%
0	0.0%	0.0%
651		
973		

*Indicates written response to an open-ended question.

Summary of Youth by Outpatient Treatment
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Outpatient Treatment Service Treatment Target	Any Outpatient Treatment Service			All Other Services		
	Any Use N	Any Use % Avail	Dosage % of Months	Any Use N	Any Use % Avail	Dosage % of Months
Academic Achievement	25	18.9%	25.4%	423	38.2%	41.1%
Activity Involvement	53	40.2%	40.5%	613	55.3%	57.2%
Adaptive Behavior/Living Skills	11	8.3%	36.8%	148	13.4%	38.1%
Adjustment to Change	42	31.8%	35.1%	306	27.6%	38.8%
Adult Intercoordination	1	0.8%	10.0%	12	1.1%	23.0%
Aggression	47	35.6%	48.4%	482	43.5%	55.1%
Anger	54	40.9%	36.9%	562	50.7%	57.2%
Anxiety	35	26.5%	36.7%	419	37.8%	51.3%
Assertiveness	26	19.7%	22.6%	195	17.6%	39.8%
Attention Problems	24	18.2%	29.4%	195	17.6%	36.8%
Avoidance	20	15.2%	34.0%	269	24.3%	41.9%
Caregiver Self-Management/Coping	1	0.8%	25.0%	5	0.5%	21.5%
Cognitive-Intellectual Functioning	6	4.5%	39.3%	91	8.2%	38.6%
Community Involvement	12	9.1%	33.1%	216	19.5%	32.3%
Compulsive Behavior	1	0.8%	50.0%	2	0.2%	8.3%
Contentment/Enjoyment/Happiness	21	15.9%	33.1%	230	20.8%	41.2%
Depressed Mood	41	31.1%	38.8%	356	32.1%	50.8%
Eating/Feeding Problems	2	1.5%	18.3%	34	3.1%	33.1%
Empathy	9	6.8%	41.6%	140	12.6%	42.8%
Enuresis/Encopresis	3	2.3%	34.0%	38	3.4%	52.0%
Fire Setting	0	0.0%	0.0%	6	0.5%	39.0%
Fitness/Exercise	0	0.0%	0.0%	1	0.1%	20.0%
Gender Identity Problems	1	0.8%	11.1%	6	0.5%	28.9%
Goal Setting	1	0.8%	8.3%	3	0.3%	14.1%
Grief	7	5.3%	34.3%	64	5.8%	38.6%
Health Management	8	6.1%	25.5%	84	7.6%	32.2%
Housing/Living Situation	15	11.4%	34.0%	191	17.2%	32.5%
Hyperactivity	9	6.8%	21.7%	94	8.5%	41.0%
Information Gathering	1	0.8%	8.3%	10	0.9%	35.3%
Learning Disorder/Underachievement	3	2.3%	38.5%	35	3.2%	24.7%
Low Self-Esteem	21	15.9%	39.7%	292	26.4%	42.2%
Mania	0	0.0%	0.0%	11	1.0%	27.6%
Medical Regimen Adherence	11	8.3%	24.7%	117	10.6%	39.5%
Occupational Functioning/Stress	4	3.0%	15.6%	46	4.2%	30.5%
Oppositional/Non-Compliant Behavior	67	50.8%	50.7%	730	65.9%	65.7%
Pain Management	0	0.0%	0.0%	0	0.0%	0.0%
Parenting Skills	0	0.0%	0.0%	19	1.7%	32.3%
Peer Involvement	14	10.6%	30.3%	188	17.0%	34.3%
Peer/Sibling Conflict	22	16.7%	35.5%	291	26.3%	45.0%
Personal Hygiene	3	2.3%	9.7%	43	3.9%	30.6%
Phobia/Fears	41	31.1%	25.9%	376	33.9%	45.6%
Positive Family Functioning	7	5.3%	25.8%	79	7.1%	42.2%
Positive Peer Interaction	119	90.2%	70.6%	846	76.4%	67.0%
Positive Thinking/Attitude	41	31.1%	31.3%	335	30.2%	42.2%
Pregnancy Education/Adjustment	1	0.8%	25.0%	23	2.1%	41.9%
Psychosis	3	2.3%	41.7%	35	3.2%	52.5%
Runaway	15	11.4%	31.7%	216	19.5%	47.2%
Safe Environment	1	0.8%	55.6%	10	0.9%	26.1%
School Involvement	25	18.9%	27.5%	259	23.4%	37.9%
School Refusal/Truancy	22	16.7%	37.2%	205	18.5%	43.1%
Self-Control	10	7.6%	30.1%	149	13.4%	45.8%
Self-Injurious Behavior	24	18.2%	25.0%	291	26.3%	42.8%
Sexual Orientation	0	0.0%	0.0%	0	0.0%	0.0%
Sexual Misconduct	4	3.0%	41.3%	65	5.9%	52.4%
Shyness	1	0.8%	8.3%	24	2.2%	28.2%
Sleep Disturbance	1	0.8%	66.7%	23	2.1%	34.7%
Social Skills	22	16.7%	30.9%	341	30.8%	47.0%
Speech and Language	1	0.8%	8.3%	7	0.6%	28.0%
Substance Use	36	27.3%	42.9%	310	28.0%	67.1%
Suicidality	9	6.8%	21.8%	81	7.3%	38.1%
Traumatic Stress	22	16.7%	35.2%	168	15.2%	45.4%
Treatment Engagement	100	75.8%	63.2%	581	52.4%	50.9%
Treatment Planning/Framing	5	3.8%	33.6%	62	5.6%	46.4%
Willful Misconduct/Delinquency	20	15.2%	27.0%	214	19.3%	47.2%
Other	2	1.5%	22.3%	12	1.1%	14.5%
Unclear	13	9.8%	29.5%	88	7.9%	29.5%
Not Available	1	0.8%		878	44.2%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Outpatient Treatment
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Outpatient Treatment Service	Any Outpatient Treatment Service			All Other Services		
	Any Use	Any Use	Dosage	Any Use	Any Use	Dosage
Practice Elements	N	% Avail	% of Months	N	% Avail	% of Months
Activity Scheduling	61	46.2%	45.3%	677	61.1%	58.0%
Anger Management	1	0.8%	16.7%	3	0.3%	16.9%
Animal or Plant Assisted Activities	0	0.0%	0.0%	0	0.0%	0.0%
Arousal Reconditioning	0	0.0%	0.0%	0	0.0%	0.0%
Art/Music Therapy	2	1.5%	22.2%	0	0.0%	0.0%
Assertiveness Training	40	30.3%	43.1%	369	33.3%	46.3%
Assessment	0	0.0%	0.0%	41	3.7%	67.7%
Attending	30	22.7%	41.6%	331	29.9%	45.3%
Behavior Management	3	2.3%	17.2%	2	0.2%	12.5%
Behavioral Contracting	72	54.5%	43.2%	641	57.9%	57.1%
Biofeedback/Neurofeedback	1	0.8%	9.1%	18	1.6%	30.6%
Care Coordination	97	73.5%	65.5%	670	60.5%	65.3%
Catharsis	1	0.8%	75.0%	73	6.6%	38.8%
Cognitive/Coping	58	43.9%	51.9%	684	61.7%	65.1%
Commands/Limit Setting	21	15.9%	39.6%	169	15.3%	40.0%
Communication Skills	108	81.8%	59.0%	853	77.0%	68.9%
Counseling	0	0.0%	0.0%	1	0.1%	27.3%
Crisis Management	61	46.2%	35.9%	482	43.5%	47.4%
Cultural Training	18	13.6%	32.3%	127	11.5%	42.7%
Discrete Trial Training	3	2.3%	12.2%	12	1.1%	21.4%
Educational Support	53	40.2%	40.8%	618	55.8%	56.6%
Emotional Processing	91	68.9%	52.7%	709	64.0%	64.2%
Exposure	21	15.9%	32.9%	232	20.9%	41.2%
Eye Movement/Body Tapping	4	3.0%	26.8%	14	1.3%	15.5%
Family Engagement	101	76.5%	53.9%	830	74.9%	65.5%
Family Therapy	120	90.9%	70.2%	745	67.2%	58.8%
Family Visit	0	0.0%	0.0%	0	0.0%	0.0%
Free Association	8	6.1%	32.3%	70	6.3%	36.7%
Functional Analysis	28	21.2%	27.1%	178	16.1%	52.6%
Goal Setting	98	74.2%	45.6%	784	70.8%	66.0%
Guided Imagery	24	18.2%	24.0%	186	16.8%	38.3%
Ho'Oponopono	0	0.0%	0.0%	0	0.0%	0.0%
Hypnosis	4	3.0%	23.3%	19	1.7%	26.4%
Ignoring or DRO	43	32.6%	38.2%	383	34.6%	47.9%
Individual Therapy for Caregiver	30	22.7%	38.0%	334	30.1%	42.0%
Informal Supports	1	0.8%	8.3%	5	0.5%	30.5%
Insight Building	75	56.8%	48.1%	710	64.1%	61.8%
Interpretation	18	13.6%	33.0%	198	17.9%	36.6%
Juvenile Sex Offender Treatment	1	0.8%	40.0%	22	2.0%	72.7%
Legal Assistance/Involvement	0	0.0%	0.0%	0	0.0%	0.0%
Line of Sight Supervision	33	25.0%	35.2%	372	33.6%	47.7%
Maintenance/Relapse Prevention	67	50.8%	33.5%	282	25.5%	46.4%
Marital Therapy	10	7.6%	37.2%	58	5.2%	28.3%
Medication/Pharmacotherapy	47	35.6%	46.4%	316	28.5%	53.0%
Mentoring	41	31.1%	40.8%	442	39.9%	50.4%
Milieu Therapy	33	25.0%	29.9%	274	24.7%	52.8%
Mindfulness	55	41.7%	39.0%	451	40.7%	50.1%
Modeling	78	59.1%	43.7%	707	63.8%	58.7%
Motivational Interviewing	54	40.9%	42.4%	580	52.3%	56.2%
Natural and Logical Consequences	68	51.5%	50.2%	780	70.4%	62.8%
Parent Coping	81	61.4%	56.9%	704	63.5%	58.1%
Parent or Teacher Monitoring	50	37.9%	42.8%	546	49.3%	52.2%
Parent Praise	52	39.4%	45.5%	563	50.8%	52.4%
Parenting	2	1.5%	15.5%	13	1.2%	21.9%
Peer Modeling/Pairing	25	18.9%	26.1%	187	16.9%	33.3%
Personal Safety Skills	54	40.9%	39.9%	514	46.4%	52.1%
Physical Exercise	0	0.0%	0.0%	0	0.0%	0.0%
Play Therapy	17	12.9%	35.3%	186	16.8%	49.4%
Problem Solving	90	68.2%	51.8%	860	77.6%	67.1%
Psychoeducation-Child	63	47.7%	53.0%	719	64.9%	60.5%
Psychoeducation-Parent	70	53.0%	44.7%	776	70.0%	63.9%
Relationship/Rapport Building	103	78.0%	47.0%	829	74.8%	62.3%
Relaxation	58	43.9%	41.1%	557	50.3%	51.0%
Response Cost	37	28.0%	38.7%	194	17.5%	43.1%
Response Prevention	40	30.3%	40.2%	229	20.7%	41.8%
Self-Monitoring	60	45.5%	46.3%	488	44.0%	49.9%
Self-Reward/Self-Praise	48	36.4%	52.3%	386	34.8%	49.2%
Skill Building	91	68.9%	53.2%	788	71.1%	62.1%
Social Skills Training	52	39.4%	50.3%	609	55.0%	54.3%
Stimulus Control/Antecedent Man.	24	18.2%	33.0%	266	24.0%	44.2%
Supportive Listening	117	88.6%	63.9%	877	79.2%	72.2%
Tangible Rewards	65	49.2%	43.9%	530	47.8%	52.9%
Therapist Praise/Rewards	88	66.7%	56.9%	722	65.2%	62.8%
Thought Field Therapy	0	0.0%	0.0%	32	2.9%	19.9%
Time Out	43	32.6%	37.0%	302	27.3%	46.3%
Twelve-step Programming	15	11.4%	34.5%	129	11.6%	51.6%
Other	3	2.3%	22.2%	32	2.9%	28.5%
Unclear	19	14.4%	27.1%	135	12.2%	40.5%
Not Available	1	0.8%		878	44.2%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.


Summary of Youth by Functional Family Therapy Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Functional Family Therapy

	N	%
Total Registered Youth	101	4.8%
with Services Procured	101	100.0%
Youth with New Admissions	31	30.7%
with Initial Admissions	17	16.8%
with Repeat Admissions	14	13.9%
Youth with Discharges	23	22.8%

	N	% of Available
Gender		
Females	45	45%
Males	56	55%

	Mean	SD
Age in Years	14.6	2.3




All Other Services

	N	%
Total Registered Youth	2,018	95.2%
with Services Procured	1,212	60.1%
Youth with New Admissions	938	46.5%
with Initial Admissions	673	33.3%
with Repeat Admissions	265	13.1%
Youth with Discharges	833	41.3%

	N	% of Available
Gender		
Females	753	37%
Males	1,265	63%

	Mean	SD
Age in Years	14.0	3.8



Primary Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	9	9.0%
Anxiety	10	10.0%
Attention	20	20.0%
Disruptive Behavior	27	27.0%
Mental Retardation	0	0.0%
Miscellaneous	2	2.0%
Mood	27	27.0%
Pervasive Developmental	0	0.0%
Psychotic Spectrum	3	3.0%
Substance-Related	2	2.0%
Not Available (% Total)	1	1.0%

Any Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	14	14.0%
Anxiety	26	26.0%
Attention	36	36.0%
Disruptive Behavior	53	53.0%
Mental Retardation	0	0.0%
Miscellaneous	24	24.0%
Mood	37	37.0%
Pervasive Developmental	0	0.0%
Psychotic Spectrum	4	4.0%
Substance-Related	20	20.0%
Multiple Diagnoses	76	76.0%
Avg. Number of Diagnoses	2.2	

Primary Diagnosis of	N	% Avail
None Recorded	6	0.4%
Adjustment	120	7.2%
Anxiety	175	10.5%
Attention	327	19.6%
Disruptive Behavior	543	32.6%
Mental Retardation	0	0.0%
Miscellaneous	72	4.3%
Mood	304	18.2%
Pervasive Developmental	25	1.5%
Psychotic Spectrum	35	2.1%
Substance-Related	60	3.6%
Not Available (% Total)	351	17.4%

Any Diagnosis of	N	% Avail
None Recorded	4	0.2%
Adjustment	191	11.4%
Anxiety	384	23.0%
Attention	593	35.5%
Disruptive Behavior	885	52.9%
Mental Retardation	34	2.0%
Miscellaneous	442	26.4%
Mood	487	29.1%
Pervasive Developmental	36	2.2%
Psychotic Spectrum	42	2.5%
Substance-Related	336	20.1%
Multiple Diagnoses	1,243	74.3%
Avg. Number of Diagnoses	1.8	

Summary of Youth by Functional Family Therapy Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Functional Family Therapy		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	61	70.9%
Hispanic or Latino/a	25	29.1%
Not Available (% Total)	15	14.9%
<hr/>		
Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	0	0.0%
Asian	13	13.8%
Black or African-American	3	3.2%
Native Hawaiian or Pacific Islander	6	6.4%
White	10	10.6%
Other Race	2	2.1%
Multiracial	60	63.8%
Based on Observation	4	4.3%
Not Available (% Total)	7	6.9%
<hr/>		
Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	8	9.3%
Alaska Native	0	0.0%
American Indian	8	9.3%
Asian	60	69.8%
Asian Indian	0	0.0%
Chinese	30	34.9%
Filipino	40	46.5%
Japanese	19	22.1%
Korean	2	2.3%
Vietnamese	0	0.0%
Other Asian	1	1.2%
Black or African-American	3	3.5%
Hispanic or Latina/o	25	29.1%
Cuban	1	1.2%
Mexican	5	5.8%
Puerto Rican	13	15.1%
Other Hispanic	13	15.1%
Native Hawaiian or Pacific Islander	48	55.8%
Guamanian or Chamorro	1	1.2%
Micronesian	1	1.2%
Native Hawaiian	45	52.3%
Samoan	7	8.1%
Other Pacific Islander	5	5.8%
White	53	61.6%
White or Caucasian	44	51.2%
Portuguese	17	19.8%
Other Race or Ethnicity	2	2.3%
Multiethnic	65	75.6%
Not Available (% Total)	15	14.9%

All Other Services		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	839	71.6%
Hispanic or Latino/a	333	28.4%
Not Available (% Total)	846	41.9%
<hr/>		
Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	7	0.5%
Asian	109	7.6%
Black or African-American	19	1.3%
Native Hawaiian or Pacific Islander	202	14.1%
White	202	14.1%
Other Race	6	0.4%
Multiracial	884	61.9%
Based on Observation	89	6.2%
Not Available (% Total)	589	29.2%
<hr/>		
Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	122	10.5%
Alaska Native	0	0.0%
American Indian	122	10.5%
Asian	631	54.2%
Asian Indian	5	0.4%
Chinese	282	24.2%
Filipino	359	30.8%
Japanese	196	16.8%
Korean	43	3.7%
Vietnamese	9	0.8%
Other Asian	19	1.6%
Black or African-American	80	6.9%
Hispanic or Latina/o	325	27.9%
Cuban	5	0.4%
Mexican	60	5.2%
Puerto Rican	176	15.1%
Other Hispanic	123	10.6%
Native Hawaiian or Pacific Islander	711	61.1%
Guamanian or Chamorro	11	0.9%
Micronesian	57	4.9%
Native Hawaiian	596	51.2%
Samoan	75	6.4%
Other Pacific Islander	45	3.9%
White	734	63.1%
White or Caucasian	577	49.6%
Portuguese	291	25.0%
Other Race or Ethnicity	50	4.3%
Multiethnic	814	69.9%
Not Available (% Total)	854	42.3%

**Summary of Youth by Functional Family Therapy Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Any Functional Family Therapy		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	20	19.8%
Leeward Oahu	21	20.8%
Honolulu Oahu	15	14.9%
Hawaii (Big Island)	19	18.8%
Maui	0	0.0%
Kauai	26	25.7%
Family Court Liaison Branch	0	0.0%

All Other Services		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	276	13.7%
Leeward Oahu	282	14.0%
Honolulu Oahu	236	11.7%
Hawaii (Big Island)	751	37.2%
Maui	225	11.1%
Kauai	160	7.9%
Family Court Liaison Branch	88	4.4%

*Central Oahu FGC now includes both Central and Windward Oahu offices.

Summary of Youth by Functional Family Therapy Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Services Procured	Any Functional Family Therapy			All Other Services		
	Monthly Average	Total N	% of Procured	Monthly Average	Total N	% of Procured
Out-of-Home	8	29	28.7%	175	363	30.0%
Out-of-State	0	0	0.0%	5	5	0.4%
Hospital Residential	1	6	5.9%	16	71	5.9%
Community High Risk	0	0	0.0%	7	14	1.2%
Community Residential	3	16	15.8%	51	139	11.5%
Therapeutic Foster Home	4	8	7.9%	99	191	15.8%
<i>Multidimensional Treatment Foster Care</i>	1	2	2.0%	4	10	0.8%
<i>Transitional Family Home</i>	3	7	6.9%	95	185	15.3%
Intensive Home & Community	17	37	36.6%	458	949	78.3%
Partial Hospitalization	1	4	4.0%	4	19	1.6%
Multisystemic Therapy	4	10	9.9%	64	203	16.7%
Intensive In-Home	13	27	26.7%	394	785	64.8%
Outpatient	34	101	100.0%	25	207	17.1%
Treatment	33	101	100.0%	10	32	2.6%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	33	101	100.0%	0	0	0.0%
<i>Outpatient Therapy</i>	0	0	0.0%	10	32	2.6%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	0	4	4.0%	16	177	14.6%
Supportive Services	3	11	10.9%	41	177	14.6%
Respite Home	1	2	2.0%	6	28	2.3%
Ancillary Service	2	9	8.9%	35	153	12.6%
Crisis Stabilization	0	2	2.0%	5	44	3.6%
Unduplicated Total (% of Registered)	55	101	100%	636	1,212	60%

*These services either were not procured or had no data available in FY 2013.

Summary of Youth by Functional Family Therapy Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Total Hours Procured	Any Functional Family Therapy			All Other Services		
	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth
Out-of-Home	127	519	78.5%	153	1,003	89.7%
Out-of-State	0	0	0.0%	195	2,120	95.1%
Hospital Residential	81	176	58.9%	124	374	58.6%
Community High Risk	0	0	0.0%	175	1,060	83.2%
Community Residential	120	349	76.0%	140	705	77.8%
Therapeutic Foster Home	177	1,051	88.2%	165	1,120	83.4%
<i>Multidimensional Treatment Foster Care</i>	185	1,294	88.0%	171	837	74.1%
<i>Transitional Family Home</i>	169	832	75.7%	164	1,111	82.1%
Intensive Home & Community	18	94	66.6%	18	99	79.0%
Partial Hospitalization	3	7	3.4%	3	8	7.8%
Multisystemic Therapy	36	140	76.8%	40	135	80.1%
Intensive In-Home	13	76	62.3%	12	85	74.5%
Outpatient	3	14	52.1%	5	7	49.3%
Treatment	3	13	51.0%	5	21	40.6%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	3	13	51.0%	0	0	0.0%
<i>Outpatient Therapy</i>	0	0	0.0%	5	21	40.6%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	5	5	26.1%	5	5	50.4%
Supportive Services**	-	-	-	-	-	-
Respite Home	13	42	2.9%	21	52	12.8%
Ancillary Service**	-	-	-	-	-	-
Crisis Stabilization	18	26	48.7%	29	41	48.6%
Unduplicated Total	18	198		42	382	

Service Changes	Any Functional Family Therapy			All Other Services		
	Monthly Average	Total N	Total per Youth	Monthly Average	Total N	Total per Youth
Placement Changes	3	41	0.4	42	500	0.2
Out-of-Home Changes	0	2	0.0	4	43	0.0
Provider Agency Changes	10	122	1.2	96	1,152	0.6
Care Coordinator Changes	4	46	0.5	70	835	0.4

*These services either were not procured or had no data available in FY 2013.

**Duration not available for these services.

Summary of Youth by Functional Family Therapy Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Any Functional Family Therapy		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	122 (3.1)	92 (2.8)	86 (3.7)
Moods: Self-Harm	11 (1.1)	3 (0.6)	2 (0.6)
Moods: Emotions	21 (0.7)	16 (0.6)	15 (0.8)
Home Role Performance	26 (0.6)	20 (0.7)	19 (1.0)
School Role Performance	27 (0.6)	20 (0.8)	19 (1.1)
Community Role Performance	14 (1.0)	10 (0.9)	9 (1.0)
Behavior Towards Other	22 (0.7)	15 (0.6)	15 (0.8)
Substance Use	11 (1.2)	6 (0.8)	6 (1.0)
Thinking	5 (0.8)	2 (0.5)	2 (0.6)

	Any Functional Family Therapy		
Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	21 (0.3)	18 (0.3)	18 (0.4)
Level of Care	4 (0.1)	3 (0.1)	3 (0.1)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Functional Assessment Scale (CAFAS)			
Total (8-scale)	35 (95)	61% (92)	36% (92)
Moods: Self-Harm	9 (95)	85% (39)	97% (39)
Moods: Emotions	6 (95)	47% (83)	98% (83)
Home Role Performance	8 (95)	48% (91)	68% (91)
School Role Performance	8 (95)	50% (92)	64% (92)
Community Role Performance	4 (95)	35% (52)	92% (52)
Behavior Towards Other	7 (95)	56% (85)	98% (85)
Substance Use	5 (95)	66% (38)	87% (38)
Thinking	3 (95)	60% (15)	100% (15)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Level of Care Utilization System (CALOCUS)			
Total	3 (95)	45% (91)	43% (91)
Level of Care	1 (95)	59% (91)	75% (91)

	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Sentinel Event Reports			
Total	1,465	12	38.6%
Child Events	1,455	12	37.6%
Person-Directed	257	2	13.9%
Property-Directed	178	2	10.9%
Runaway or Elopement	406	3	16.8%
Self-Injury	297	3	14.9%
Substance Use	149	1	8.9%
Other	158	1	10.9%
Institutional Events	1,050	9	26.7%
Person-Directed (Client Victim)	89	1	6.9%
Seclusion or Restraint	40	0	2.0%
Medication Error	10	0	1.0%
Police Called	337	3	14.9%
Criminal Charges or Arrest	228	2	11.9%
Client Injury	59	1	5.9%
Staff Injury	10	0	1.0%
Other	257	2	14.9%

	All Other Services		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	118 (1.0)	90 (0.9)	86 (1.0)
Moods: Self-Harm	9 (0.3)	3 (0.2)	3 (0.2)
Moods: Emotions	21 (0.2)	16 (0.2)	15 (0.2)
Home Role Performance	25 (0.2)	19 (0.2)	18 (0.3)
School Role Performance	26 (0.2)	19 (0.3)	18 (0.3)
Community Role Performance	14 (0.3)	9 (0.3)	9 (0.3)
Behavior Towards Other	21 (0.2)	16 (0.2)	16 (0.2)
Substance Use	10 (0.3)	5 (0.2)	5 (0.3)
Thinking	6 (0.2)	3 (0.1)	2 (0.2)

	All Other Services		
Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	21 (0.1)	18 (0.1)	18 (0.1)
Level of Care	4 (0.0)	3 (0.0)	3 (0.0)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Functional Assessment Scale (CAFAS)			
Total (8-scale)	33 (1326)	52% (1257)	34% (1257)
Moods: Self-Harm	7 (1326)	78% (446)	96% (446)
Moods: Emotions	6 (1326)	47% (1172)	95% (1172)
Home Role Performance	7 (1326)	50% (1185)	65% (1185)
School Role Performance	8 (1325)	48% (1224)	62% (1224)
Community Role Performance	5 (1326)	48% (704)	90% (704)
Behavior Towards Other	6 (1326)	49% (1159)	94% (1159)
Substance Use	5 (1326)	61% (475)	83% (475)
Thinking	4 (1326)	76% (266)	97% (266)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Level of Care Utilization System (CALOCUS)			
Total	3 (1189)	46% (1105)	42% (1105)
Level of Care	1 (1189)	54% (1110)	66% (1110)

	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Sentinel Event Reports			
Total	831	140	22.7%
Child Events	909	153	21.0%
Person-Directed	178	30	9.0%
Property-Directed	91	15	6.0%
Runaway or Elopement	238	40	9.6%
Self-Injury	166	28	7.0%
Substance Use	94	16	4.9%
Other	106	18	6.3%
Institutional Events	518	87	14.7%
Person-Directed (Client Victim)	44	7	3.5%
Seclusion or Restraint	60	10	2.8%
Medication Error	9	2	0.6%
Police Called	144	24	7.8%
Criminal Charges or Arrest	94	16	5.2%
Client Injury	39	7	3.4%
Staff Injury	9	2	0.6%
Other	106	18	6.4%

*Indicates average change from highest CAFAS or CALOCUS score to most recent.
(A positive number reflects improvement.)

Summary of Youth by Functional Family Therapy Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Functional Family Therapy			
Service Setting	Any Use N	Any Use % Avail	Dosage % of Months
Clinic	37	37.0%	38.9%
Community	64	64.0%	47.3%
Home	95	95.0%	84.7%
Out-of-Home	34	34.0%	35.9%
Phone*	52	52.0%	62.5%
School	60	60.0%	40.6%
Unclear*	4	4.0%	20.2%
Not Available	1	1.0%	

Service Format	Any Use N	Any Use % Avail	Dosage % of Months
Family	98	98.0%	84.5%
Group	30	30.0%	26.8%
Individual	53	53.0%	53.4%
Parent	71	71.0%	53.8%
Phone*	24	24.0%	51.3%
Professional Consult*	36	36.0%	60.2%
Teacher	32	32.0%	28.5%
Unclear*	13	13.0%	24.0%
Not Available	1	1.0%	

Discharge Living Situation	Youth N	% Youth Discharged	% Discharges
Foster Home	5	6.7%	4.7%
Group Care	1	1.3%	0.9%
Home	67	89.3%	63.2%
Homeless/Shelter	1	1.3%	0.9%
Institution/Hospital	2	2.7%	1.9%
Jail/Correctional Facility	2	2.7%	1.9%
Other	8	10.7%	7.5%
Residential Treatment	5	6.7%	4.7%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	75		
Number of Discharges	106		

Reason for Discharge	Youth N	% Youth Discharged	% Discharges
Eligibility Change	4	5.3%	3.8%
Family Relocation	1	1.3%	0.9%
Insufficient Progress	8	10.7%	7.5%
Other	19	25.3%	17.9%
Runaway/Elopement	5	6.7%	4.7%
Refuse/Withdraw	12	16.0%	11.3%
Success/Goals Met	51	68.0%	48.1%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	75		
Number of Discharges	106		

All Other Services		
Any Use N	Any Use % Avail	Dosage % of Months
524	46.0%	58.3%
873	76.6%	75.0%
991	86.9%	83.8%
462	40.5%	63.2%
87	7.6%	57.2%
667	58.5%	57.2%
44	3.9%	28.3%
878	43.5%	

Any Use N	Any Use % Avail	Dosage % of Months
869	76.2%	71.1%
334	29.3%	50.9%
1,005	88.2%	89.6%
883	77.5%	76.8%
11	1.0%	26.3%
267	23.4%	40.2%
434	38.1%	48.4%
163	14.3%	50.7%
878	43.5%	

Youth N	% Youth Discharged	% Discharges
95	14.2%	9.5%
7	1.0%	0.7%
456	68.1%	45.5%
17	2.5%	1.7%
21	3.1%	2.1%
51	7.6%	5.1%
118	17.6%	11.8%
48	7.2%	4.8%
0	0.0%	0.0%
670		
1003		

Youth N	% Youth Discharged	% Discharges
13	1.9%	1.3%
21	3.1%	2.1%
61	9.1%	6.1%
212	31.6%	21.1%
93	13.9%	9.3%
65	9.7%	6.5%
390	58.2%	38.9%
0	0.0%	0.0%
670		
1003		

*Indicates written response to an open-ended question.

Summary of Youth by Functional Family Therapy Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Treatment Target	Any Functional Family Therapy			All Other Services		
	Any Use N	Any Use % Avail	Dosage % of Months	Any Use N	Any Use % Avail	Dosage % of Months
Academic Achievement	13	13.0%	23.7%	435	38.2%	40.8%
Activity Involvement	37	37.0%	36.6%	629	55.2%	57.0%
Adaptive Behavior/Living Skills	7	7.0%	35.2%	152	13.3%	38.2%
Adjustment to Change	27	27.0%	36.7%	321	28.2%	38.5%
Adult Intercoordination	0	0.0%	0.0%	13	1.1%	22.0%
Aggression	37	37.0%	52.8%	492	43.2%	54.6%
Anger	38	38.0%	41.7%	578	50.7%	56.3%
Anxiety	28	28.0%	38.0%	426	37.4%	51.0%
Assertiveness	16	16.0%	26.0%	205	18.0%	38.7%
Attention Problems	13	13.0%	35.1%	206	18.1%	36.0%
Avoidance	17	17.0%	30.3%	272	23.9%	42.1%
Caregiver Self-Management/Coping	1	1.0%	25.0%	5	0.4%	21.5%
Cognitive-Intellectual Functioning	5	5.0%	27.2%	92	8.1%	39.2%
Community Involvement	6	6.0%	36.1%	222	19.5%	32.2%
Compulsive Behavior	1	1.0%	50.0%	2	0.2%	8.3%
Contentment/Enjoyment/Happiness	13	13.0%	26.4%	238	20.9%	41.3%
Depressed Mood	32	32.0%	39.7%	365	32.0%	50.4%
Eating/Feeding Problems	2	2.0%	18.3%	34	3.0%	33.1%
Empathy	7	7.0%	40.3%	142	12.5%	42.9%
Enuresis/Encopresis	2	2.0%	36.7%	39	3.4%	51.4%
Fire Setting	0	0.0%	0.0%	6	0.5%	39.0%
Fitness/Exercise	0	0.0%	0.0%	1	0.1%	20.0%
Gender Identity Problems	1	1.0%	11.1%	6	0.5%	28.9%
Goal Setting	1	1.0%	8.3%	3	0.3%	14.1%
Grief	4	4.0%	35.2%	67	5.9%	38.3%
Health Management	4	4.0%	15.7%	88	7.7%	32.3%
Housing/Living Situation	8	8.0%	22.5%	198	17.4%	33.0%
Hyperactivity	4	4.0%	24.4%	99	8.7%	39.9%
Information Gathering	1	1.0%	8.3%	10	0.9%	35.3%
Learning Disorder/Underachievement	1	1.0%	8.3%	37	3.2%	26.3%
Low Self-Esteem	13	13.0%	41.5%	300	26.3%	42.1%
Mania	0	0.0%	0.0%	11	1.0%	27.6%
Medical Regimen Adherence	8	8.0%	26.2%	120	10.5%	39.1%
Occupational Functioning/Stress	1	1.0%	12.5%	49	4.3%	29.7%
Oppositional/Non-Compliant Behavior	50	50.0%	52.9%	747	65.5%	65.2%
Pain Management	0	0.0%	0.0%	0	0.0%	0.0%
Parenting Skills	0	0.0%	0.0%	19	1.7%	32.3%
Peer Involvement	10	10.0%	29.2%	192	16.8%	34.2%
Peer/Sibling Conflict	14	14.0%	39.6%	299	26.2%	44.6%
Personal Hygiene	3	3.0%	9.7%	43	3.8%	30.6%
Phobia/Fears	31	31.0%	23.8%	386	33.9%	45.3%
Positive Family Functioning	5	5.0%	30.0%	81	7.1%	41.5%
Positive Peer Interaction	90	90.0%	72.1%	875	76.8%	66.9%
Positive Thinking/Attitude	25	25.0%	32.1%	351	30.8%	41.7%
Pregnancy Education/Adjustment	1	1.0%	25.0%	23	2.0%	41.9%
Psychosis	1	1.0%	83.3%	37	3.2%	50.8%
Runaway	12	12.0%	31.0%	219	19.2%	47.1%
Safe Environment	0	0.0%	0.0%	11	1.0%	28.8%
School Involvement	13	13.0%	34.2%	271	23.8%	37.1%
School Refusal/Truancy	16	16.0%	39.2%	211	18.5%	42.8%
Self-Control	8	8.0%	21.8%	151	13.2%	46.1%
Self-Injurious Behavior	17	17.0%	27.1%	298	26.1%	42.2%
Sexual Orientation	0	0.0%	0.0%	0	0.0%	0.0%
Sexual Misconduct	4	4.0%	41.3%	65	5.7%	52.4%
Shyness	1	1.0%	8.3%	24	2.1%	28.2%
Sleep Disturbance	1	1.0%	66.7%	23	2.0%	34.7%
Social Skills	13	13.0%	30.7%	350	30.7%	46.6%
Speech and Language	1	1.0%	8.3%	7	0.6%	28.0%
Substance Use	28	28.0%	42.5%	318	27.9%	66.6%
Suicidality	6	6.0%	15.8%	84	7.4%	38.0%
Traumatic Stress	13	13.0%	34.9%	177	15.5%	44.9%
Treatment Engagement	85	85.0%	68.2%	596	52.3%	50.5%
Treatment Planning/Framing	2	2.0%	41.7%	65	5.7%	45.6%
Willful Misconduct/Delinquency	15	15.0%	27.2%	219	19.2%	46.7%
Other	1	1.0%	8.3%	13	1.1%	16.2%
Unclear	12	12.0%	29.4%	89	7.8%	29.5%
Not Available	1	1.0%		878	43.5%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Functional Family Therapy Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Any Functional Family Therapy			All Other Services		
	Any Use	Any Use	Dosage	Any Use	Any Use	Dosage
Practice Elements	N	% Avail	% of Months	N	% Avail	% of Months
Activity Scheduling	36	36.0%	37.9%	702	61.6%	57.9%
Anger Management	1	1.0%	16.7%	3	0.3%	16.9%
Animal or Plant Assisted Activities	0	0.0%	0.0%	0	0.0%	0.0%
Arousal Reconditioning	0	0.0%	0.0%	0	0.0%	0.0%
Art/Music Therapy	0	0.0%	0.0%	2	0.2%	22.2%
Assertiveness Training	22	22.0%	36.3%	387	33.9%	46.5%
Assessment	0	0.0%	0.0%	41	3.6%	67.7%
Attending	18	18.0%	30.7%	343	30.1%	45.7%
Behavior Management	3	3.0%	17.2%	2	0.2%	12.5%
Behavioral Contracting	50	50.0%	41.2%	663	58.2%	56.8%
Biofeedback/Neurofeedback	0	0.0%	0.0%	19	1.7%	29.4%
Care Coordination	82	82.0%	67.9%	685	60.1%	65.0%
Catharsis	1	1.0%	75.0%	73	6.4%	38.8%
Cognitive/Coping	35	35.0%	44.8%	707	62.0%	65.0%
Commands/Limit Setting	10	10.0%	26.1%	180	15.8%	40.7%
Communication Skills	82	82.0%	54.2%	879	77.1%	69.1%
Counseling	0	0.0%	0.0%	1	0.1%	27.3%
Crisis Management	43	43.0%	35.3%	500	43.9%	47.1%
Cultural Training	11	11.0%	21.9%	134	11.8%	43.1%
Discrete Trial Training	2	2.0%	8.3%	13	1.1%	21.3%
Educational Support	33	33.0%	36.6%	638	56.0%	56.3%
Emotional Processing	64	64.0%	44.9%	736	64.6%	64.5%
Exposure	14	14.0%	37.1%	239	21.0%	40.7%
Eye Movement/Body Tapping	1	1.0%	20.0%	17	1.5%	17.9%
Family Engagement	77	77.0%	54.9%	854	74.9%	65.1%
Family Therapy	97	97.0%	73.6%	768	67.4%	58.7%
Family Visit	0	0.0%	0.0%	0	0.0%	0.0%
Free Association	7	7.0%	32.2%	71	6.2%	36.7%
Functional Analysis	24	24.0%	29.0%	182	16.0%	51.8%
Goal Setting	73	73.0%	38.9%	809	71.0%	65.9%
Guided Imagery	12	12.0%	20.5%	198	17.4%	37.7%
Ho'Oponopono	0	0.0%	0.0%	0	0.0%	0.0%
Hypnosis	4	4.0%	23.3%	19	1.7%	26.4%
Ignoring or DRO	28	28.0%	28.3%	398	34.9%	48.2%
Individual Therapy for Caregiver	16	16.0%	34.9%	348	30.5%	42.0%
Informal Supports	1	1.0%	8.3%	5	0.4%	30.5%
Insight Building	51	51.0%	42.6%	734	64.4%	61.7%
Interpretation	11	11.0%	30.0%	205	18.0%	36.6%
Juvenile Sex Offender Treatment	1	1.0%	40.0%	22	1.9%	72.7%
Legal Assistance/Involvement	0	0.0%	0.0%	0	0.0%	0.0%
Line of Sight Supervision	26	26.0%	33.0%	379	33.2%	47.6%
Maintenance/Relapse Prevention	56	56.0%	35.4%	293	25.7%	45.5%
Marital Therapy	6	6.0%	32.4%	62	5.4%	29.4%
Medication/Pharmacotherapy	35	35.0%	50.1%	328	28.8%	52.4%
Mentoring	28	28.0%	37.0%	455	39.9%	50.3%
Milieu Therapy	27	27.0%	28.4%	280	24.6%	52.5%
Mindfulness	33	33.0%	32.8%	473	41.5%	50.0%
Modeling	53	53.0%	36.9%	732	64.2%	58.7%
Motivational Interviewing	33	33.0%	34.7%	601	52.7%	56.1%
Natural and Logical Consequences	41	41.0%	45.7%	807	70.8%	62.6%
Parent Coping	59	59.0%	56.0%	726	63.7%	58.1%
Parent or Teacher Monitoring	30	30.0%	36.4%	566	49.6%	52.2%
Parent Praise	31	31.0%	38.4%	584	51.2%	52.5%
Parenting	1	1.0%	16.7%	14	1.2%	21.3%
Peer Modeling/Pairing	17	17.0%	25.0%	195	17.1%	33.1%
Personal Safety Skills	37	37.0%	33.9%	531	46.6%	52.1%
Physical Exercise	0	0.0%	0.0%	0	0.0%	0.0%
Play Therapy	10	10.0%	24.5%	193	16.9%	49.4%
Problem Solving	64	64.0%	44.7%	886	77.7%	67.2%
Psychoeducation-Child	38	38.0%	38.9%	744	65.3%	61.0%
Psychoeducation-Parent	47	47.0%	36.1%	799	70.1%	63.8%
Relationship/Rapport Building	77	77.0%	45.9%	855	75.0%	62.0%
Relaxation	38	38.0%	42.6%	577	50.6%	50.6%
Response Cost	32	32.0%	40.4%	199	17.5%	42.7%
Response Prevention	34	34.0%	40.1%	235	20.6%	41.8%
Self-Monitoring	37	37.0%	34.9%	511	44.8%	50.6%
Self-Reward/Self-Praise	27	27.0%	34.4%	407	35.7%	50.5%
Skill Building	65	65.0%	47.9%	814	71.4%	62.3%
Social Skills Training	32	32.0%	40.9%	629	55.2%	54.7%
Stimulus Control/Antecedent Man.	18	18.0%	30.1%	272	23.9%	44.2%
Supportive Listening	87	87.0%	63.1%	907	79.6%	72.0%
Tangible Rewards	45	45.0%	37.6%	550	48.2%	53.1%
Therapist Praise/Rewards	64	64.0%	54.0%	746	65.4%	62.8%
Thought Field Therapy	0	0.0%	0.0%	32	2.8%	19.9%
Time Out	32	32.0%	30.6%	313	27.5%	46.7%
Twelve-step Programming	10	10.0%	27.0%	134	11.8%	51.6%
Other	3	3.0%	22.2%	32	2.8%	28.5%
Unclear	12	12.0%	19.6%	142	12.5%	40.5%
Not Available	1	1.0%		878	43.5%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.


Summary of Youth by Outpatient Therapy Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Outpatient Therapy Service

	N	%
Total Registered Youth	32	1.5%
with Services Procured	32	100.0%
Youth with New Admissions	7	21.9%
with Initial Admissions	6	18.8%
with Repeat Admissions	1	3.1%
Youth with Discharges	6	18.8%

	N	% of Available
Gender		
Females	13	41%
Males	19	59%

	Mean	SD
Age in Years	13.6	3.7




All Other Services

	N	%
Total Registered Youth	2,087	98.5%
with Services Procured	1,281	61.4%
Youth with New Admissions	962	46.1%
with Initial Admissions	684	32.8%
with Repeat Admissions	278	13.3%
Youth with Discharges	850	40.7%

	N	% of Available
Gender		
Females	785	38%
Males	1,302	62%

	Mean	SD
Age in Years	14.0	3.7



Primary Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	6	18.8%
Anxiety	4	12.5%
Attention	3	9.4%
Disruptive Behavior	11	34.4%
Mental Retardation	0	0.0%
Miscellaneous	0	0.0%
Mood	6	18.8%
Pervasive Developmental	0	0.0%
Psychotic Spectrum	1	3.1%
Substance-Related	1	3.1%
Not Available (% Total)	0	0.0%

Any Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	8	25.0%
Anxiety	9	28.1%
Attention	10	31.3%
Disruptive Behavior	13	40.6%
Mental Retardation	0	0.0%
Miscellaneous	7	21.9%
Mood	7	21.9%
Pervasive Developmental	0	0.0%
Psychotic Spectrum	1	3.1%
Substance-Related	7	21.9%
Multiple Diagnoses	22	68.8%
Avg. Number of Diagnoses	2.0	

Primary Diagnosis of	N	% Avail
None Recorded	6	0.3%
Adjustment	123	7.1%
Anxiety	181	10.4%
Attention	344	19.8%
Disruptive Behavior	559	32.2%
Mental Retardation	0	0.0%
Miscellaneous	74	4.3%
Mood	325	18.7%
Pervasive Developmental	25	1.4%
Psychotic Spectrum	37	2.1%
Substance-Related	61	3.5%
Not Available (% Total)	352	16.9%

Any Diagnosis of	N	% Avail
None Recorded	4	0.2%
Adjustment	197	11.3%
Anxiety	401	23.0%
Attention	619	35.6%
Disruptive Behavior	925	53.2%
Mental Retardation	34	2.0%
Miscellaneous	459	26.4%
Mood	517	29.7%
Pervasive Developmental	36	2.1%
Psychotic Spectrum	45	2.6%
Substance-Related	349	20.1%
Multiple Diagnoses	1,297	74.5%
Avg. Number of Diagnoses	1.8	

Summary of Youth by Outpatient Therapy Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Outpatient Therapy Service		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	19	86.4%
Hispanic or Latino/a	3	13.6%
Not Available (% Total)	10	31.3%
Race (Unduplicated)		
N		% of Available
American Indian or Alaska Native	0	0.0%
Asian	3	12.0%
Black or African-American	0	0.0%
Native Hawaiian or Pacific Islander	4	16.0%
White	4	16.0%
Other Race	0	0.0%
Multiracial	14	56.0%
Based on Observation	1	4.0%
Not Available (% Total)	7	21.9%
Ethnicity (Duplicated)		
N		% of Available
American Indian or Alaska Native	0	0.0%
Alaska Native	0	0.0%
American Indian	0	0.0%
Asian	13	59.1%
Asian Indian	0	0.0%
Chinese	6	27.3%
Filipino	8	36.4%
Japanese	4	18.2%
Korean	0	0.0%
Vietnamese	0	0.0%
Other Asian	0	0.0%
Black or African-American	1	4.5%
Hispanic or Latina/o	3	13.6%
Cuban	1	4.5%
Mexican	0	0.0%
Puerto Rican	2	9.1%
Other Hispanic	0	0.0%
Native Hawaiian or Pacific Islander	11	50.0%
Guamanian or Chamorro	0	0.0%
Micronesian	3	13.6%
Native Hawaiian	8	36.4%
Samoan	0	0.0%
Other Pacific Islander	1	4.5%
White	15	68.2%
White or Caucasian	12	54.5%
Portuguese	6	27.3%
Other Race or Ethnicity	1	4.5%
Multiethnic	14	63.6%
Not Available (% Total)	10	31.3%

All Other Services		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	881	71.3%
Hispanic or Latino/a	355	28.7%
Not Available (% Total)	851	40.8%
Race (Unduplicated)		
N		% of Available
American Indian or Alaska Native	7	0.5%
Asian	119	7.9%
Black or African-American	22	1.5%
Native Hawaiian or Pacific Islander	204	13.6%
White	208	13.9%
Other Race	8	0.5%
Multiracial	930	62.1%
Based on Observation	92	6.1%
Not Available (% Total)	589	28.2%
Ethnicity (Duplicated)		
N		% of Available
American Indian or Alaska Native	130	10.6%
Alaska Native	0	0.0%
American Indian	130	10.6%
Asian	678	55.2%
Asian Indian	5	0.4%
Chinese	306	24.9%
Filipino	391	31.8%
Japanese	211	17.2%
Korean	45	3.7%
Vietnamese	9	0.7%
Other Asian	20	1.6%
Black or African-American	82	6.7%
Hispanic or Latina/o	347	28.3%
Cuban	5	0.4%
Mexican	65	5.3%
Puerto Rican	187	15.2%
Other Hispanic	136	11.1%
Native Hawaiian or Pacific Islander	748	60.9%
Guamanian or Chamorro	12	1.0%
Micronesian	55	4.5%
Native Hawaiian	633	51.5%
Samoan	82	6.7%
Other Pacific Islander	49	4.0%
White	772	62.9%
White or Caucasian	609	49.6%
Portuguese	302	24.6%
Other Race or Ethnicity	51	4.2%
Multiethnic	865	70.4%
Not Available (% Total)	859	41.2%

**Summary of Youth by Outpatient Therapy Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013**

Any Outpatient Therapy Service		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	1	3.1%
Leeward Oahu	1	3.1%
Honolulu Oahu	5	15.6%
Hawaii (Big Island)	3	9.4%
Maui	22	68.8%
Kauai	0	0.0%
Family Court Liaison Branch	0	0.0%

All Other Services		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	295	14.1%
Leeward Oahu	302	14.5%
Honolulu Oahu	246	11.8%
Hawaii (Big Island)	767	36.8%
Maui	203	9.7%
Kauai	186	8.9%
Family Court Liaison Branch	88	4.2%

*Central Oahu FGC now includes both Central and Windward Oahu offices.

Summary of Youth by Outpatient Therapy Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Services Procured	Any Outpatient Therapy Service			All Other Services		
	Monthly Average	Total N	% of Procured	Monthly Average	Total N	% of Procured
Out-of-Home	2	5	15.6%	181	387	30.2%
Out-of-State	0	0	0.0%	5	5	0.4%
Hospital Residential	0	0	0.0%	17	77	6.0%
Community High Risk	0	0	0.0%	7	14	1.1%
Community Residential	2	3	9.4%	53	152	11.9%
Therapeutic Foster Home	0	2	6.3%	103	197	15.4%
<i>Multidimensional Treatment Foster Care</i>	0	0	0.0%	5	12	0.9%
<i>Transitional Family Home</i>	0	2	6.3%	98	190	14.8%
Intensive Home & Community	10	23	71.9%	465	963	75.2%
Partial Hospitalization	0	1	3.1%	5	22	1.7%
Multisystemic Therapy	0	1	3.1%	67	212	16.5%
Intensive In-Home	10	21	65.6%	397	791	61.7%
Outpatient	10	32	100.0%	49	276	21.5%
Treatment	10	32	100.0%	33	101	7.9%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	0	0	0.0%	33	101	7.9%
<i>Outpatient Therapy</i>	10	32	100.0%	0	0	0.0%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	0	2	6.3%	16	179	14.0%
Supportive Services	2	5	15.6%	42	183	14.3%
Respite Home	0	1	3.1%	6	29	2.3%
Ancillary Service	1	4	12.5%	36	158	12.3%
Crisis Stabilization	0	0	0.0%	5	46	3.6%
Unduplicated Total (% of Registered)	22	32	100%	669	1,281	61%

*These services either were not procured or had no data available in FY 2013.

Summary of Youth by Outpatient Therapy Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Total Hours Procured	Any Outpatient Therapy Service			All Other Services		
	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth
Out-of-Home	144	672	84.7%	152	971	88.9%
Out-of-State	0	0	0.0%	195	2,120	95.1%
Hospital Residential	0	0	0.0%	120	359	58.7%
Community High Risk	0	0	0.0%	175	1,060	83.2%
Community Residential	165	971	94.3%	137	663	77.3%
Therapeutic Foster Home	112	224	70.2%	166	1,126	83.8%
<i>Multidimensional Treatment Foster Care</i>	0	0	0.0%	173	913	76.5%
<i>Transitional Family Home</i>	112	224	70.2%	165	1,110	82.0%
Intensive Home & Community	10	56	60.0%	18	100	78.9%
Partial Hospitalization	3	3	1.4%	3	8	7.3%
Multisystemic Therapy	20	80	87.0%	40	135	80.0%
Intensive In-Home	10	58	61.5%	13	85	74.5%
Outpatient	5	21	43.1%	4	8	51.1%
Treatment	5	21	40.6%	3	13	51.0%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	0	0	0.0%	3	13	51.0%
<i>Outpatient Therapy</i>	5	21	40.6%	0	0	0.0%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	5	5	39.3%	5	5	49.9%
Supportive Services**	-	-	-	-	-	-
Respite Home	13	39	18.4%	20	51	12.0%
Ancillary Service**	-	-	-	-	-	-
Crisis Stabilization	0	0	0.0%	29	41	48.6%
Unduplicated Total	16	168		41	373	

Service Changes	Any Outpatient Therapy Service			All Other Services		
	Monthly Average	Total N	Total per Youth	Monthly Average	Total N	Total per Youth
Placement Changes	1	6	0.2	45	535	0.3
Out-of-Home Changes	0	0	0.0	4	45	0.0
Provider Agency Changes	3	36	1.1	103	1,238	0.6
Care Coordinator Changes	0	3	0.1	73	878	0.4

*These services either were not procured or had no data available in FY 2013.

**Duration not available for these services.

Summary of Youth by Outpatient Therapy Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Any Outpatient Therapy Service		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	111 (7.5)	79 (6.9)	75 (7.9)
Moods: Self-Harm	8 (2.1)	2 (1.2)	2 (1.3)
Moods: Emotions	19 (1.2)	15 (1.1)	15 (1.4)
Home Role Performance	24 (1.9)	16 (2.0)	15 (2.3)
School Role Performance	23 (1.8)	14 (2.1)	15 (2.6)
Community Role Performance	13 (2.5)	7 (1.8)	6 (1.8)
Behavior Towards Other	21 (1.4)	15 (1.2)	14 (1.5)
Substance Use	11 (2.5)	7 (1.9)	6 (1.9)
Thinking	6 (2.0)	2 (1.0)	2 (1.3)

	Any Outpatient Therapy Service		
Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	20 (0.7)	16 (0.6)	16 (0.8)
Level of Care	4 (0.3)	2 (0.2)	2 (0.3)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Functional Assessment Scale (CAFAS)			
Total (8-scale)	36 (23)	65% (20)	30% (20)
Moods: Self-Harm	6 (23)	71% (7)	100% (7)
Moods: Emotions	4 (23)	40% (20)	100% (20)
Home Role Performance	9 (23)	63% (19)	74% (19)
School Role Performance	9 (23)	58% (19)	58% (19)
Community Role Performance	7 (23)	64% (11)	100% (11)
Behavior Towards Other	7 (23)	52% (21)	100% (21)
Substance Use	5 (23)	73% (11)	100% (11)
Thinking	4 (23)	80% (5)	100% (5)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Level of Care Utilization System (CALOCUS)			
Total	4 (21)	72% (18)	67% (18)
Level of Care	2 (21)	83% (18)	89% (18)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	813	2	31.3%
Child Events	750	2	21.9%
Person-Directed	94	0	9.4%
Property-Directed	94	0	6.3%
Runaway or Elopement	219	1	6.3%
Self-Injury	63	0	6.3%
Substance Use	31	0	3.1%
Other	156	0	9.4%
Institutional Events	781	2	25.0%
Person-Directed (Client Victim)	63	0	6.3%
Seclusion or Restraint	94	0	3.1%
Medication Error	0	0	0.0%
Police Called	219	1	9.4%
Criminal Charges or Arrest	156	0	9.4%
Client Injury	31	0	3.1%
Staff Injury	0	0	0.0%
Other	219	1	15.6%

	All Other Services		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	119 (0.9)	90 (0.9)	86 (1.0)
Moods: Self-Harm	9 (0.3)	3 (0.2)	3 (0.2)
Moods: Emotions	21 (0.2)	16 (0.2)	15 (0.2)
Home Role Performance	26 (0.2)	19 (0.2)	18 (0.3)
School Role Performance	26 (0.2)	19 (0.2)	18 (0.3)
Community Role Performance	14 (0.3)	9 (0.3)	9 (0.3)
Behavior Towards Other	21 (0.2)	16 (0.2)	15 (0.2)
Substance Use	10 (0.3)	5 (0.2)	5 (0.2)
Thinking	6 (0.2)	3 (0.1)	2 (0.2)

	All Other Services		
Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	21 (0.1)	18 (0.1)	18 (0.1)
Level of Care	4 (0.0)	3 (0.0)	3 (0.0)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Functional Assessment Scale (CAFAS)			
Total (8-scale)	33 (1398)	53% (1329)	34% (1329)
Moods: Self-Harm	7 (1398)	79% (478)	96% (478)
Moods: Emotions	6 (1398)	47% (1235)	95% (1235)
Home Role Performance	7 (1398)	50% (1257)	65% (1257)
School Role Performance	8 (1397)	48% (1297)	62% (1297)
Community Role Performance	5 (1398)	47% (745)	90% (745)
Behavior Towards Other	6 (1398)	49% (1223)	95% (1223)
Substance Use	5 (1398)	61% (502)	83% (502)
Thinking	4 (1398)	75% (276)	97% (276)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Level of Care Utilization System (CALOCUS)			
Total	3 (1263)	45% (1178)	41% (1178)
Level of Care	1 (1263)	54% (1183)	66% (1183)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	862	150	23.4%
Child Events	938	163	21.8%
Person-Directed	184	32	9.2%
Property-Directed	95	17	6.3%
Runaway or Elopement	246	43	10.0%
Self-Injury	174	30	7.4%
Substance Use	97	17	5.1%
Other	107	19	6.5%
Institutional Events	540	94	15.1%
Person-Directed (Client Victim)	46	8	3.6%
Seclusion or Restraint	59	10	2.7%
Medication Error	10	2	0.7%
Police Called	152	27	8.1%
Criminal Charges or Arrest	99	17	5.5%
Client Injury	40	7	3.5%
Staff Injury	9	2	0.6%
Other	112	19	6.7%

*Indicates average change from highest CAFAS or CALOCUS score to most recent.
 (A positive number reflects improvement.)

Summary of Youth by Outpatient Therapy Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Service Setting	Any Outpatient Therapy Service		
	Any Use N	Any Use % Avail	Dosage % of Months
Clinic	22	68.8%	42.9%
Community	27	84.4%	60.0%
Home	31	96.9%	79.5%
Out-of-Home	10	31.3%	33.2%
Phone*	3	9.4%	42.1%
School	21	65.6%	36.3%
Unclear*	2	6.3%	9.1%
Not Available	0	0.0%	

Service Format	Any Outpatient Therapy Service		
	Any Use N	Any Use % Avail	Dosage % of Months
Family	27	84.4%	53.5%
Group	10	31.3%	35.0%
Individual	30	93.8%	93.6%
Parent	27	84.4%	63.2%
Phone*	1	3.1%	11.1%
Professional Consult*	8	25.0%	22.4%
Teacher	9	28.1%	29.2%
Unclear*	5	15.6%	37.4%
Not Available	0	0.0%	

Discharge Living Situation	Youth		
	N	% Youth Discharged	% Discharges
Foster Home	3	15.8%	10.0%
Group Care	0	0.0%	0.0%
Home	16	84.2%	53.3%
Homeless/Shelter	0	0.0%	0.0%
Institution/Hospital	0	0.0%	0.0%
Jail/Correctional Facility	0	0.0%	0.0%
Other	1	5.3%	3.3%
Residential Treatment	1	5.3%	3.3%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	19		
Number of Discharges	30		

Reason for Discharge	Youth		
	N	% Youth Discharged	% Discharges
Eligibility Change	0	0.0%	0.0%
Family Relocation	0	0.0%	0.0%
Insufficient Progress	0	0.0%	0.0%
Other	6	31.6%	20.0%
Runaway/Elopement	1	5.3%	3.3%
Refuse/Withdraw	2	10.5%	6.7%
Success/Goals Met	15	78.9%	50.0%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	19		
Number of Discharges	30		

	All Other Services		
	Any Use N	Any Use % Avail	Dosage % of Months
	539	44.6%	57.6%
	910	75.3%	73.5%
	1,055	87.3%	84.0%
	486	40.2%	61.9%
	136	11.3%	59.6%
	706	58.4%	56.4%
	46	3.8%	28.4%
	879	42.1%	

	All Other Services		
	Any Use N	Any Use % Avail	Dosage % of Months
	940	77.8%	73.0%
	354	29.3%	49.3%
	1,028	85.1%	87.7%
	927	76.7%	75.5%
	34	2.8%	44.4%
	295	24.4%	43.1%
	457	37.8%	47.4%
	171	14.2%	49.1%
	879	42.1%	

	All Other Services		
	Youth N	% Youth Discharged	% Discharges
	97	13.4%	9.0%
	8	1.1%	0.7%
	507	69.8%	47.0%
	18	2.5%	1.7%
	23	3.2%	2.1%
	53	7.3%	4.9%
	125	17.2%	11.6%
	52	7.2%	4.8%
	0	0.0%	0.0%
	726		
	1079		

	All Other Services		
	Youth N	% Youth Discharged	% Discharges
	17	2.3%	1.6%
	22	3.0%	2.0%
	69	9.5%	6.4%
	225	31.0%	20.9%
	97	13.4%	9.0%
	75	10.3%	7.0%
	426	58.7%	39.5%
	0	0.0%	0.0%
	726		
	1079		

*Indicates written response to an open-ended question.

Summary of Youth by Outpatient Therapy Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Treatment Target	Any Outpatient Therapy Service			All Other Services		
	Any Use N	Any Use % Avail	Dosage % of Months	Any Use N	Any Use % Avail	Dosage % of Months
Academic Achievement	12	37.5%	27.3%	436	36.1%	40.6%
Activity Involvement	16	50.0%	49.6%	650	53.8%	56.0%
Adaptive Behavior/Living Skills	4	12.5%	39.8%	155	12.8%	38.0%
Adjustment to Change	15	46.9%	32.2%	333	27.6%	38.6%
Adult Intercoordination	1	3.1%	10.0%	12	1.0%	23.0%
Aggression	10	31.3%	32.3%	519	43.0%	54.9%
Anger	16	50.0%	25.4%	600	49.7%	56.2%
Anxiety	7	21.9%	31.7%	447	37.0%	50.5%
Assertiveness	10	31.3%	17.1%	211	17.5%	38.8%
Attention Problems	11	34.4%	22.6%	208	17.2%	36.7%
Avoidance	3	9.4%	55.1%	286	23.7%	41.2%
Caregiver Self-Management/Coping	0	0.0%	0.0%	6	0.5%	22.1%
Cognitive-Intellectual Functioning	1	3.1%	100.0%	96	7.9%	38.0%
Community Involvement	6	18.8%	30.2%	222	18.4%	32.4%
Compulsive Behavior	0	0.0%	0.0%	3	0.2%	22.2%
Contentment/Enjoyment/Happiness	8	25.0%	44.2%	243	20.1%	40.4%
Depressed Mood	9	28.1%	35.6%	388	32.1%	49.9%
Eating/Feeding Problems	0	0.0%	0.0%	36	3.0%	32.3%
Empathy	2	6.3%	46.2%	147	12.2%	42.7%
Enuresis/Encopresis	1	3.1%	28.6%	40	3.3%	51.2%
Fire Setting	0	0.0%	0.0%	6	0.5%	39.0%
Fitness/Exercise	0	0.0%	0.0%	1	0.1%	20.0%
Gender Identity Problems	0	0.0%	0.0%	7	0.6%	26.3%
Goal Setting	0	0.0%	0.0%	4	0.3%	12.7%
Grief	3	9.4%	33.0%	68	5.6%	38.4%
Health Management	4	12.5%	35.4%	88	7.3%	31.4%
Housing/Living Situation	7	21.9%	47.2%	199	16.5%	32.1%
Hyperactivity	5	15.6%	19.6%	98	8.1%	40.3%
Information Gathering	0	0.0%	0.0%	11	0.9%	32.8%
Learning Disorder/Underachievement	2	6.3%	53.6%	36	3.0%	24.2%
Low Self-Esteem	8	25.0%	36.6%	305	25.2%	42.2%
Mania	0	0.0%	0.0%	11	0.9%	27.6%
Medical Regimen Adherence	3	9.4%	20.8%	125	10.3%	38.7%
Occupational Functioning/Stress	3	9.4%	16.7%	47	3.9%	30.1%
Oppositional/Non-Compliant Behavior	17	53.1%	44.2%	780	64.6%	64.9%
Pain Management	0	0.0%	0.0%	0	0.0%	0.0%
Parenting Skills	0	0.0%	0.0%	19	1.6%	32.3%
Peer Involvement	4	12.5%	33.1%	198	16.4%	34.0%
Peer/Sibling Conflict	8	25.0%	28.2%	305	25.2%	44.8%
Personal Hygiene	0	0.0%	0.0%	46	3.8%	29.2%
Phobia/Fears	10	31.3%	32.4%	407	33.7%	43.9%
Positive Family Functioning	2	6.3%	15.3%	84	7.0%	41.4%
Positive Peer Interaction	29	90.6%	65.7%	936	77.5%	61.5%
Positive Thinking/Attitude	16	50.0%	30.1%	360	29.8%	41.5%
Pregnancy Education/Adjustment	0	0.0%	0.0%	24	2.0%	41.2%
Psychosis	2	6.3%	20.8%	36	3.0%	53.4%
Runaway	3	9.4%	34.6%	228	18.9%	46.4%
Safe Environment	1	3.1%	55.6%	10	0.8%	26.1%
School Involvement	12	37.5%	20.3%	272	22.5%	37.7%
School Refusal/Truancy	6	18.8%	32.0%	221	18.3%	42.8%
Self-Control	2	6.3%	63.2%	157	13.0%	44.6%
Self-Injurious Behavior	7	21.9%	19.8%	308	25.5%	41.9%
Sexual Orientation	0	0.0%	0.0%	0	0.0%	0.0%
Sexual Misconduct	0	0.0%	0.0%	69	5.7%	51.7%
Shyness	0	0.0%	0.0%	25	2.1%	27.4%
Sleep Disturbance	0	0.0%	0.0%	24	2.0%	36.0%
Social Skills	9	28.1%	31.2%	354	29.3%	46.4%
Speech and Language	0	0.0%	0.0%	8	0.7%	25.6%
Substance Use	8	25.0%	44.5%	338	28.0%	65.1%
Suicidality	3	9.4%	34.0%	87	7.2%	36.6%
Traumatic Stress	9	28.1%	35.6%	181	15.0%	44.6%
Treatment Engagement	15	46.9%	35.1%	666	55.1%	53.1%
Treatment Planning/Framing	3	9.4%	28.3%	64	5.3%	46.2%
Willful Misconduct/Delinquency	5	15.6%	26.7%	229	19.0%	45.9%
Other	1	3.1%	36.4%	13	1.1%	14.0%
Unclear	1	3.1%	30.0%	100	8.3%	29.5%
Not Available	0	0.0%		879	42.1%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Outpatient Therapy Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Any Outpatient Therapy Service			All Other Services		
	Any Use	Any Use	Dosage	Any Use	Any Use	Dosage
Practice Elements	N	% Avail	% of Months	N	% Avail	% of Months
Activity Scheduling	25	78.1%	55.9%	713	59.0%	57.0%
Anger Management	0	0.0%	0.0%	4	0.3%	16.8%
Animal or Plant Assisted Activities	0	0.0%	0.0%	0	0.0%	0.0%
Arousal Reconditioning	0	0.0%	0.0%	0	0.0%	0.0%
Art/Music Therapy	2	6.3%	22.2%	0	0.0%	0.0%
Assertiveness Training	18	56.3%	51.5%	391	32.4%	45.7%
Assessment	0	0.0%	0.0%	41	3.4%	67.7%
Attending	12	37.5%	57.9%	349	28.9%	44.5%
Behavior Management	0	0.0%	0.0%	5	0.4%	15.3%
Behavioral Contracting	22	68.8%	47.8%	691	57.2%	56.0%
Biofeedback/Neurofeedback	1	3.1%	9.1%	18	1.5%	30.6%
Care Coordination	15	46.9%	52.3%	752	62.3%	65.6%
Catharsis	0	0.0%	0.0%	74	6.1%	39.2%
Cognitive/Coping	23	71.9%	62.7%	719	59.5%	64.1%
Commands/Limit Setting	11	34.4%	51.9%	179	14.8%	39.2%
Communication Skills	26	81.3%	74.1%	935	77.4%	67.6%
Counseling	0	0.0%	0.0%	1	0.1%	27.3%
Crisis Management	18	56.3%	37.1%	525	43.5%	46.4%
Cultural Training	7	21.9%	48.7%	138	11.4%	41.1%
Discrete Trial Training	1	3.1%	20.0%	14	1.2%	19.5%
Educational Support	20	62.5%	47.6%	651	53.9%	55.6%
Emotional Processing	27	84.4%	71.1%	773	64.0%	62.6%
Exposure	7	21.9%	24.6%	246	20.4%	40.9%
Eye Movement/Body Tapping	3	9.4%	29.1%	15	1.2%	15.8%
Family Engagement	24	75.0%	50.9%	907	75.1%	64.6%
Family Therapy	23	71.9%	55.7%	842	69.7%	60.5%
Family Visit	0	0.0%	0.0%	0	0.0%	0.0%
Free Association	1	3.1%	33.3%	77	6.4%	36.3%
Functional Analysis	4	12.5%	16.3%	202	16.7%	49.8%
Goal Setting	25	78.1%	65.1%	857	70.9%	63.7%
Guided Imagery	12	37.5%	27.6%	198	16.4%	37.3%
Ho'Oponopono	0	0.0%	0.0%	0	0.0%	0.0%
Hypnosis	0	0.0%	0.0%	23	1.9%	25.8%
Ignoring or DRO	15	46.9%	56.6%	411	34.0%	46.6%
Individual Therapy for Caregiver	14	43.8%	41.5%	350	29.0%	41.7%
Informal Supports	0	0.0%	0.0%	6	0.5%	26.8%
Insight Building	24	75.0%	59.7%	761	63.0%	60.5%
Interpretation	7	21.9%	37.8%	209	17.3%	36.2%
Juvenile Sex Offender Treatment	0	0.0%	0.0%	23	1.9%	71.3%
Legal Assistance/Involvement	0	0.0%	0.0%	0	0.0%	0.0%
Line of Sight Supervision	7	21.9%	43.6%	398	32.9%	46.7%
Maintenance/Relapse Prevention	11	34.4%	23.5%	338	28.0%	44.5%
Marital Therapy	4	12.5%	44.5%	64	5.3%	28.7%
Medication/Pharmacotherapy	12	37.5%	35.7%	351	29.1%	52.7%
Mentoring	13	40.6%	49.0%	470	38.9%	49.6%
Milieu Therapy	6	18.8%	36.5%	301	24.9%	50.6%
Mindfulness	22	68.8%	48.3%	484	40.1%	48.9%
Modeling	25	78.1%	58.0%	760	62.9%	57.2%
Motivational Interviewing	21	65.6%	54.5%	613	50.7%	55.0%
Natural and Logical Consequences	27	84.4%	57.1%	821	68.0%	61.9%
Parent Coping	22	68.8%	59.3%	763	63.2%	57.9%
Parent or Teacher Monitoring	20	62.5%	52.3%	576	47.7%	51.4%
Parent Praise	21	65.6%	55.8%	594	49.2%	51.7%
Parenting	1	3.1%	14.3%	14	1.2%	21.5%
Peer Modeling/Pairing	8	25.0%	28.6%	204	16.9%	32.6%
Personal Safety Skills	17	53.1%	53.1%	551	45.6%	50.9%
Physical Exercise	0	0.0%	0.0%	0	0.0%	0.0%
Play Therapy	7	21.9%	50.7%	196	16.2%	48.1%
Problem Solving	26	81.3%	69.4%	924	76.5%	65.6%
Psychoeducation-Child	25	78.1%	74.3%	757	62.7%	59.4%
Psychoeducation-Parent	23	71.9%	62.5%	823	68.1%	62.3%
Relationship/Rapport Building	26	81.3%	50.2%	906	75.0%	60.9%
Relaxation	20	62.5%	38.1%	595	49.3%	50.5%
Response Cost	5	15.6%	28.1%	226	18.7%	42.7%
Response Prevention	6	18.8%	40.7%	263	21.8%	41.6%
Self-Monitoring	23	71.9%	64.7%	525	43.5%	48.9%
Self-Reward/Self-Praise	21	65.6%	75.3%	413	34.2%	48.2%
Skill Building	26	81.3%	66.6%	853	70.6%	61.0%
Social Skills Training	20	62.5%	65.3%	641	53.1%	53.7%
Stimulus Control/Antecedent Man.	6	18.8%	41.6%	284	23.5%	43.3%
Supportive Listening	30	93.8%	66.2%	964	79.8%	71.4%
Tangible Rewards	20	62.5%	58.2%	575	47.6%	51.7%
Therapist Praise/Rewards	24	75.0%	64.6%	786	65.1%	62.0%
Thought Field Therapy	0	0.0%	0.0%	32	2.6%	19.9%
Time Out	11	34.4%	55.8%	334	27.6%	44.8%
Twelve-step Programming	5	15.6%	49.6%	139	11.5%	49.9%
Other	0	0.0%	0.0%	35	2.9%	28.0%
Unclear	7	21.9%	40.0%	147	12.2%	38.8%
Not Available	0	0.0%		879	42.1%	


Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Assessment Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Assessment Service		
	N	%
Total Registered Youth	181	8.5%
with Services Procured	181	100.0%
Youth with New Admissions	129	71.3%
with Initial Admissions	87	48.1%
with Repeat Admissions	42	23.2%
Youth with Discharges	52	28.7%

	N	% of Available
Gender		
Females	58	32%
Males	123	68%

	Mean	SD
Age in Years	12.7	4.2




Primary Diagnosis of	N	% Avail
None Recorded	1	0.6%
Adjustment	13	7.7%
Anxiety	14	8.3%
Attention	23	13.7%
Disruptive Behavior	78	46.4%
Mental Retardation	0	0.0%
Miscellaneous	6	3.6%
Mood	24	14.3%
Pervasive Developmental	3	1.8%
Psychotic Spectrum	1	0.6%
Substance-Related	5	3.0%
Not Available (% Total)	13	7.2%

Any Diagnosis of	N	% Avail
None Recorded	1	0.6%
Adjustment	23	13.7%
Anxiety	37	22.0%
Attention	55	32.7%
Disruptive Behavior	107	63.7%
Mental Retardation	2	1.2%
Miscellaneous	70	41.7%
Mood	36	21.4%
Pervasive Developmental	4	2.4%
Psychotic Spectrum	1	0.6%
Substance-Related	33	19.6%
Multiple Diagnoses	132	78.6%
Avg. Number of Diagnoses	2.1	

All Other Services		
	N	%
Total Registered Youth	1,938	91.5%
with Services Procured	1,132	58.4%
Youth with New Admissions	840	43.3%
with Initial Admissions	603	31.1%
with Repeat Admissions	237	12.2%
Youth with Discharges	804	41.5%

	N	% of Available
Gender		
Females	740	38%
Males	1,198	62%

	Mean	SD
Age in Years	14.1	3.7



Primary Diagnosis of	N	% Avail
None Recorded	5	0.3%
Adjustment	116	7.3%
Anxiety	171	10.7%
Attention	324	20.3%
Disruptive Behavior	492	30.8%
Mental Retardation	0	0.0%
Miscellaneous	68	4.3%
Mood	307	19.2%
Pervasive Developmental	22	1.4%
Psychotic Spectrum	37	2.3%
Substance-Related	57	3.6%
Not Available (% Total)	339	17.5%

Any Diagnosis of	N	% Avail
None Recorded	3	0.2%
Adjustment	182	11.3%
Anxiety	373	23.3%
Attention	574	35.8%
Disruptive Behavior	831	51.8%
Mental Retardation	32	2.0%
Miscellaneous	396	24.7%
Mood	488	30.4%
Pervasive Developmental	32	2.0%
Psychotic Spectrum	45	2.8%
Substance-Related	323	20.1%
Multiple Diagnoses	1,187	74.0%
Avg. Number of Diagnoses	1.8	

Summary of Youth by Assessment Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Assessment Service		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	52	60.5%
Hispanic or Latino/a	34	39.5%
Not Available (% Total)	95	52.5%

Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	0	0.0%
Asian	5	5.3%
Black or African-American	0	0.0%
Native Hawaiian or Pacific Islander	5	5.3%
White	11	11.7%
Other Race	0	0.0%
Multiracial	73	77.7%
Based on Observation	3	3.2%
Not Available (% Total)	87	48.1%

Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	13	15.5%
Alaska Native	0	0.0%
American Indian	13	15.5%
Asian	58	69.0%
Asian Indian	0	0.0%
Chinese	26	31.0%
Filipino	39	46.4%
Japanese	11	13.1%
Korean	1	1.2%
Vietnamese	1	1.2%
Other Asian	1	1.2%
Black or African-American	3	3.6%
Hispanic or Latina/o	33	39.3%
Cuban	0	0.0%
Mexican	8	9.5%
Puerto Rican	20	23.8%
Other Hispanic	9	10.7%
Native Hawaiian or Pacific Islander	53	63.1%
Guamanian or Chamorro	0	0.0%
Micronesian	1	1.2%
Native Hawaiian	48	57.1%
Samoan	2	2.4%
Other Pacific Islander	5	6.0%
White	65	77.4%
White or Caucasian	52	61.9%
Portuguese	32	38.1%
Other Race or Ethnicity	6	7.1%
Multiethnic	71	84.5%
Not Available (% Total)	97	53.6%

All Other Services		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	848	72.4%
Hispanic or Latino/a	324	27.6%
Not Available (% Total)	766	39.5%

Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	7	0.5%
Asian	117	8.2%
Black or African-American	22	1.5%
Native Hawaiian or Pacific Islander	203	14.2%
White	201	14.1%
Other Race	8	0.6%
Multiracial	871	61.0%
Based on Observation	90	6.3%
Not Available (% Total)	509	26.3%

Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	117	10.0%
Alaska Native	0	0.0%
American Indian	117	10.0%
Asian	633	54.3%
Asian Indian	5	0.4%
Chinese	286	24.5%
Filipino	360	30.9%
Japanese	204	17.5%
Korean	44	3.8%
Vietnamese	8	0.7%
Other Asian	19	1.6%
Black or African-American	80	6.9%
Hispanic or Latina/o	317	27.2%
Cuban	6	0.5%
Mexican	57	4.9%
Puerto Rican	169	14.5%
Other Hispanic	127	10.9%
Native Hawaiian or Pacific Islander	706	60.5%
Guamanian or Chamorro	12	1.0%
Micronesian	57	4.9%
Native Hawaiian	593	50.9%
Samoan	80	6.9%
Other Pacific Islander	45	3.9%
White	722	61.9%
White or Caucasian	569	48.8%
Portuguese	276	23.7%
Other Race or Ethnicity	46	3.9%
Multiethnic	808	69.3%
Not Available (% Total)	772	39.8%

Summary of Youth by Assessment Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Assessment Service		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	0	0.0%
Leeward Oahu	9	5.0%
Honolulu Oahu	4	2.2%
Hawaii (Big Island)	132	72.9%
Maui	19	10.5%
Kauai	1	0.6%
Family Court Liaison Branch	16	8.8%

All Other Services		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	296	15.3%
Leeward Oahu	294	15.2%
Honolulu Oahu	247	12.7%
Hawaii (Big Island)	638	32.9%
Maui	206	10.6%
Kauai	185	9.5%
Family Court Liaison Branch	72	3.7%

*Central Oahu FGC now includes both Central and Windward Oahu offices.

Summary of Youth by Assessment Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Services Procured	Any Assessment Service			All Other Services		
	Monthly Average	Total N	% of Procured	Monthly Average	Total N	% of Procured
Out-of-Home	9	23	12.7%	174	369	32.6%
Out-of-State	0	0	0.0%	5	5	0.4%
Hospital Residential	0	3	1.7%	17	74	6.5%
Community High Risk	0	0	0.0%	7	14	1.2%
Community Residential	2	7	3.9%	53	148	13.1%
Therapeutic Foster Home	7	15	8.3%	96	184	16.3%
<i>Multidimensional Treatment Foster Care</i>	0	0	0.0%	5	12	1.1%
<i>Transitional Family Home</i>	7	15	8.3%	91	177	15.6%
Intensive Home & Community	31	85	47.0%	444	901	79.6%
Partial Hospitalization	0	0	0.0%	5	23	2.0%
Multisystemic Therapy	4	15	8.3%	64	198	17.5%
Intensive In-Home	26	71	39.2%	380	741	65.5%
Outpatient	17	181	100.0%	42	127	11.2%
Treatment	1	6	3.3%	42	127	11.2%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	1	4	2.2%	33	97	8.6%
<i>Outpatient Therapy</i>	1	2	1.1%	9	30	2.7%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	16	181	100.0%	0	0	0.0%
Supportive Services	2	16	8.8%	41	172	15.2%
Respite Home	0	1	0.6%	6	29	2.6%
Ancillary Service	2	15	8.3%	35	147	13.0%
Crisis Stabilization	0	4	2.2%	5	42	3.7%
Unduplicated Total (% of Registered)	55	181	100%	637	1,132	58%

*These services either were not procured or had no data available in FY 2013.

Summary of Youth by Assessment Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Total Hours Procured	Any Assessment Service			All Other Services		
	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth
Out-of-Home	140	749	83.4%	152	980	89.2%
Out-of-State	0	0	0.0%	195	2,120	95.1%
Hospital Residential	78	147	46.7%	122	367	59.2%
Community High Risk	0	0	0.0%	175	1,060	83.2%
Community Residential	123	379	61.0%	138	682	78.4%
Therapeutic Foster Home	162	942	90.1%	165	1,131	83.1%
<i>Multidimensional Treatment Foster Care</i>	0	0	0.0%	173	913	76.5%
<i>Transitional Family Home</i>	162	942	90.1%	164	1,114	81.2%
Intensive Home & Community	20	78	79.8%	17	101	78.4%
Partial Hospitalization	0	0	0.0%	3	8	7.0%
Multisystemic Therapy	51	144	87.0%	39	134	79.5%
Intensive In-Home	13	63	77.1%	12	86	73.8%
Outpatient	5	5	51.1%	4	16	48.9%
Treatment	3	7	40.1%	4	16	48.9%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	3	6	29.8%	3	14	51.9%
<i>Outpatient Therapy</i>	4	8	60.7%	5	22	39.3%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	5	5	49.8%	0	0	0.0%
Supportive Services**	-	-	-	-	-	-
Respite Home	46	46	8.0%	19	51	12.3%
Ancillary Service**	-	-	-	-	-	-
Crisis Stabilization	34	37	33.8%	28	41	50.0%
Unduplicated Total	21	138		43	404	

Service Changes	Any Assessment Service			All Other Services		
	Monthly Average	Total N	Total per Youth	Monthly Average	Total N	Total per Youth
Placement Changes	3	30	0.2	43	511	0.3
Out-of-Home Changes	0	2	0.0	4	43	0.0
Provider Agency Changes	21	250	1.4	85	1,024	0.5
Care Coordinator Changes	17	202	1.1	57	679	0.4

*These services either were not procured or had no data available in FY 2013.

**Duration not available for these services.

Summary of Youth by Assessment Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Any Assessment Service		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	112 (2.5)	94 (2.2)	92 (2.8)
Moods: Self-Harm	7 (0.8)	3 (0.5)	3 (0.6)
Moods: Emotions	20 (0.5)	17 (0.5)	16 (0.6)
Home Role Performance	25 (0.6)	20 (0.7)	19 (0.8)
School Role Performance	26 (0.5)	22 (0.6)	21 (0.8)
Community Role Performance	12 (0.9)	9 (0.8)	9 (0.9)
Behavior Towards Other	21 (0.5)	17 (0.4)	17 (0.5)
Substance Use	8 (0.9)	4 (0.6)	5 (0.8)
Thinking	4 (0.6)	2 (0.3)	2 (0.4)

Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	19 (0.3)	18 (0.3)	18 (0.3)
Level of Care	4 (0.1)	3 (0.1)	3 (0.1)

Child and Adolescent Functional Assessment Scale (CAFAS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total (8-scale)	20 (135)	36% (131)	27% (131)
Moods: Self-Harm	4 (135)	62% (34)	97% (34)
Moods: Emotions	4 (135)	42% (115)	92% (115)
Home Role Performance	6 (135)	44% (124)	68% (124)
School Role Performance	5 (135)	33% (131)	59% (131)
Community Role Performance	3 (135)	30% (64)	84% (64)
Behavior Towards Other	4 (135)	34% (121)	94% (121)
Substance Use	3 (135)	51% (41)	80% (41)
Thinking	2 (135)	69% (16)	100% (16)

Child and Adolescent Level of Care Utilization System (CALOCUS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total	1 (125)	19% (112)	31% (112)
Level of Care	0 (125)	26% (112)	69% (112)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	470	7	14.9%
Child Events	497	8	12.7%
Person-Directed	88	1	5.5%
Property-Directed	50	1	3.9%
Runaway or Elopement	138	2	5.5%
Self-Injury	44	1	3.9%
Substance Use	55	1	3.9%
Other	99	2	5.5%
Institutional Events	282	4	8.8%
Person-Directed (Client Victim)	22	0	2.2%
Seclusion or Restraint	17	0	1.7%
Medication Error	6	0	0.6%
Police Called	88	1	4.4%
Criminal Charges or Arrest	55	1	3.3%
Client Injury	22	0	1.7%
Staff Injury	6	0	0.6%
Other	61	1	4.4%

	All Other Services		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	119 (1.0)	89 (0.9)	85 (1.0)
Moods: Self-Harm	10 (0.3)	3 (0.2)	2 (0.2)
Moods: Emotions	21 (0.2)	16 (0.2)	15 (0.2)
Home Role Performance	26 (0.2)	19 (0.2)	18 (0.3)
School Role Performance	26 (0.2)	19 (0.3)	18 (0.3)
Community Role Performance	14 (0.3)	9 (0.3)	9 (0.3)
Behavior Towards Other	21 (0.2)	16 (0.2)	15 (0.2)
Substance Use	10 (0.3)	5 (0.2)	5 (0.3)
Thinking	7 (0.2)	3 (0.2)	2 (0.2)

Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	21 (0.1)	18 (0.1)	18 (0.1)
Level of Care	4 (0.0)	3 (0.0)	3 (0.0)

Child and Adolescent Functional Assessment Scale (CAFAS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total (8-scale)	34 (1286)	55% (1218)	35% (1218)
Moods: Self-Harm	7 (1286)	80% (451)	96% (451)
Moods: Emotions	6 (1286)	47% (1140)	95% (1140)
Home Role Performance	7 (1286)	51% (1152)	64% (1152)
School Role Performance	8 (1285)	50% (1185)	62% (1185)
Community Role Performance	5 (1286)	49% (692)	90% (692)
Behavior Towards Other	6 (1286)	51% (1123)	95% (1123)
Substance Use	5 (1286)	62% (472)	83% (472)
Thinking	4 (1286)	76% (265)	97% (265)

Child and Adolescent Level of Care Utilization System (CALOCUS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total	3 (1159)	49% (1084)	43% (1084)
Level of Care	1 (1159)	58% (1089)	66% (1089)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	898	145	24.3%
Child Events	976	158	22.6%
Person-Directed	191	31	9.6%
Property-Directed	100	16	6.5%
Runaway or Elopement	256	41	10.4%
Self-Injury	184	30	7.7%
Substance Use	100	16	5.2%
Other	109	18	6.6%
Institutional Events	568	92	15.9%
Person-Directed (Client Victim)	49	8	3.8%
Seclusion or Restraint	63	10	2.8%
Medication Error	10	2	0.7%
Police Called	159	26	8.5%
Criminal Charges or Arrest	104	17	5.7%
Client Injury	42	7	3.7%
Staff Injury	9	2	0.6%
Other	118	19	7.1%

*Indicates average change from highest CAFAS or CALOCUS score to most recent.
 (A positive number reflects improvement.)

Summary of Youth by Assessment Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Assessment Service			
Service Setting	Any Use N	Any Use % Avail	Dosage % of Months
Clinic	52	41.9%	63.2%
Community	82	66.1%	73.8%
Home	93	75.0%	80.3%
Out-of-Home	50	40.3%	77.4%
Phone*	9	7.3%	69.3%
School	50	40.3%	55.7%
Unclear*	3	2.4%	59.5%
Not Available	57	31.5%	

Service Format	Any Use N	Any Use % Avail	Dosage % of Months
Family	78	62.9%	73.1%
Group	19	15.3%	41.0%
Individual	104	83.9%	85.8%
Parent	72	58.1%	73.2%
Phone*	2	1.6%	41.7%
Professional Consult*	22	17.7%	52.8%
Teacher	29	23.4%	50.5%
Unclear*	36	29.0%	66.8%
Not Available	57	31.5%	

Discharge Living Situation	Youth N	% Youth Discharged	% Discharges
Foster Home	6	11.8%	8.8%
Group Care	1	2.0%	1.5%
Home	26	51.0%	38.2%
Homeless/Shelter	0	0.0%	0.0%
Institution/Hospital	1	2.0%	1.5%
Jail/Correctional Facility	18	35.3%	26.5%
Other	6	11.8%	8.8%
Residential Treatment	4	7.8%	5.9%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	51		
Number of Discharges	68		

Reason for Discharge	Youth N	% Youth Discharged	% Discharges
Eligibility Change	0	0.0%	0.0%
Family Relocation	0	0.0%	0.0%
Insufficient Progress	4	7.8%	5.9%
Other	34	66.7%	50.0%
Runaway/Elopement	5	9.8%	7.4%
Refuse/Withdraw	2	3.9%	2.9%
Success/Goals Met	17	33.3%	25.0%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	51		
Number of Discharges	68		

All Other Services		
Any Use N	Any Use % Avail	Dosage % of Months
509	45.6%	56.4%
855	76.6%	73.0%
993	89.0%	84.3%
446	40.0%	59.5%
130	11.6%	58.5%
677	60.7%	55.8%
45	4.0%	25.5%
822	42.4%	

Any Use N	Any Use % Avail	Dosage % of Months
889	79.7%	72.4%
345	30.9%	49.3%
954	85.5%	88.0%
882	79.0%	75.3%
33	3.0%	43.6%
281	25.2%	41.8%
437	39.2%	46.8%
140	12.5%	44.1%
822	42.4%	

Youth N	% Youth Discharged	% Discharges
94	13.5%	9.0%
7	1.0%	0.7%
497	71.6%	47.7%
18	2.6%	1.7%
22	3.2%	2.1%
35	5.0%	3.4%
120	17.3%	11.5%
49	7.1%	4.7%
0	0.0%	0.0%
694		
1041		

Youth N	% Youth Discharged	% Discharges
17	2.4%	1.6%
22	3.2%	2.1%
65	9.4%	6.2%
197	28.4%	18.9%
93	13.4%	8.9%
75	10.8%	7.2%
424	61.1%	40.7%
0	0.0%	0.0%
694		
1041		

*Indicates written response to an open-ended question.

Summary of Youth by Assessment Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Treatment Target	Any Assessment Service			All Other Services		
	Any Use N	Any Use % Avail	Dosage % of Months	Any Use N	Any Use % Avail	Dosage % of Months
Academic Achievement	44	35.5%	46.9%	404	36.2%	39.5%
Activity Involvement	44	35.5%	47.5%	622	55.7%	56.4%
Adaptive Behavior/Living Skills	9	7.3%	51.2%	150	13.4%	37.3%
Adjustment to Change	20	16.1%	45.2%	328	29.4%	37.9%
Adult Intercoordination	1	0.8%	25.0%	12	1.1%	21.8%
Aggression	43	34.7%	53.7%	486	43.5%	54.6%
Anger	48	38.7%	57.0%	568	50.9%	55.3%
Anxiety	35	28.2%	54.3%	419	37.5%	49.9%
Assertiveness	13	10.5%	44.6%	208	18.6%	37.4%
Attention Problems	14	11.3%	40.0%	205	18.4%	35.7%
Avoidance	13	10.5%	40.2%	276	24.7%	41.4%
Caregiver Self-Management/Coping	0	0.0%	0.0%	6	0.5%	22.1%
Cognitive-Intellectual Functioning	9	7.3%	37.0%	88	7.9%	38.8%
Community Involvement	14	11.3%	38.3%	214	19.2%	31.9%
Compulsive Behavior	0	0.0%	0.0%	3	0.3%	22.2%
Contentment/Enjoyment/Happiness	17	13.7%	51.5%	234	21.0%	39.8%
Depressed Mood	24	19.4%	48.7%	373	33.4%	49.6%
Eating/Feeding Problems	3	2.4%	24.4%	33	3.0%	33.0%
Empathy	10	8.1%	46.3%	139	12.5%	42.5%
Enuresis/Encopresis	4	3.2%	52.4%	37	3.3%	50.5%
Fire Setting	0	0.0%	0.0%	6	0.5%	39.0%
Fitness/Exercise	0	0.0%	0.0%	1	0.1%	20.0%
Gender Identity Problems	0	0.0%	0.0%	7	0.6%	26.3%
Goal Setting	0	0.0%	0.0%	4	0.4%	12.7%
Grief	3	2.4%	65.0%	68	6.1%	37.0%
Health Management	3	2.4%	28.1%	89	8.0%	31.7%
Housing/Living Situation	7	5.6%	29.8%	199	17.8%	32.7%
Hyperactivity	8	6.5%	29.1%	95	8.5%	40.1%
Information Gathering	0	0.0%	0.0%	11	1.0%	32.8%
Learning Disorder/Underachievement	5	4.0%	39.3%	33	3.0%	23.7%
Low Self-Esteem	11	8.9%	36.6%	302	27.1%	42.2%
Mania	0	0.0%	0.0%	11	1.0%	27.6%
Medical Regimen Adherence	5	4.0%	29.6%	123	11.0%	38.6%
Occupational Functioning/Stress	2	1.6%	11.8%	48	4.3%	30.0%
Oppositional/Non-Compliant Behavior	58	46.8%	61.7%	739	66.2%	64.7%
Pain Management	0	0.0%	0.0%	0	0.0%	0.0%
Parenting Skills	1	0.8%	75.0%	18	1.6%	30.0%
Peer Involvement	10	8.1%	33.3%	192	17.2%	34.0%
Peer/Sibling Conflict	29	23.4%	62.0%	284	25.4%	42.6%
Personal Hygiene	4	3.2%	27.3%	42	3.8%	29.4%
Phobia/Fears	24	19.4%	44.0%	393	35.2%	43.7%
Positive Family Functioning	4	3.2%	68.5%	82	7.3%	39.5%
Positive Peer Interaction	74	59.7%	63.8%	891	79.8%	67.7%
Positive Thinking/Attitude	23	18.5%	45.0%	353	31.6%	40.8%
Pregnancy Education/Adjustment	1	0.8%	66.7%	23	2.1%	40.1%
Psychosis	3	2.4%	35.3%	35	3.1%	53.0%
Runaway	11	8.9%	41.6%	220	19.7%	46.5%
Safe Environment	1	0.8%	33.3%	10	0.9%	28.3%
School Involvement	20	16.1%	45.3%	264	23.7%	36.4%
School Refusal/Truancy	7	5.6%	40.7%	220	19.7%	42.6%
Self-Control	7	5.6%	46.3%	152	13.6%	44.8%
Self-Injurious Behavior	25	20.2%	36.7%	290	26.0%	41.8%
Sexual Orientation	0	0.0%	0.0%	0	0.0%	0.0%
Sexual Misconduct	3	2.4%	54.3%	66	5.9%	51.6%
Shyness	1	0.8%	8.3%	24	2.2%	28.2%
Sleep Disturbance	4	3.2%	37.9%	20	1.8%	35.6%
Social Skills	27	21.8%	53.6%	336	30.1%	45.4%
Speech and Language	1	0.8%	11.1%	7	0.6%	27.6%
Substance Use	16	12.9%	60.9%	330	29.6%	64.8%
Suicidality	4	3.2%	27.3%	86	7.7%	36.9%
Traumatic Stress	14	11.3%	63.3%	176	15.8%	42.7%
Treatment Engagement	46	37.1%	53.7%	635	56.9%	52.7%
Treatment Planning/Framing	24	19.4%	54.7%	43	3.9%	40.3%
Willful Misconduct/Delinquency	26	21.0%	69.3%	208	18.6%	42.5%
Other	0	0.0%	0.0%	14	1.3%	15.6%
Unclear	13	10.5%	41.3%	88	7.9%	27.8%
Not Available	57	31.5%		822	42.4%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Assessment Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Any Assessment Service			All Other Services		
	Any Use	Any Use	Dosage	Any Use	Any Use	Dosage
Practice Elements	N	% Avail	% of Months	N	% Avail	% of Months
Activity Scheduling	63	50.8%	58.9%	675	60.5%	56.8%
Anger Management	0	0.0%	0.0%	4	0.4%	16.8%
Animal or Plant Assisted Activities	0	0.0%	0.0%	0	0.0%	0.0%
Arousal Reconditioning	0	0.0%	0.0%	0	0.0%	0.0%
Art/Music Therapy	0	0.0%	0.0%	2	0.2%	22.2%
Assertiveness Training	30	24.2%	42.4%	379	34.0%	46.3%
Assessment	36	29.0%	70.7%	5	0.4%	45.7%
Attending	21	16.9%	42.9%	340	30.5%	45.1%
Behavior Management	0	0.0%	0.0%	5	0.4%	15.3%
Behavioral Contracting	47	37.9%	52.9%	666	59.7%	55.9%
Biofeedback/Neurofeedback	0	0.0%	0.0%	19	1.7%	29.4%
Care Coordination	43	34.7%	59.8%	724	64.9%	65.6%
Catharsis	3	2.4%	32.9%	71	6.4%	39.5%
Cognitive/Coping	48	38.7%	63.1%	694	62.2%	64.1%
Commands/Limit Setting	13	10.5%	37.1%	177	15.9%	40.2%
Communication Skills	70	56.5%	63.9%	891	79.8%	68.1%
Counseling	0	0.0%	0.0%	1	0.1%	27.3%
Crisis Management	27	21.8%	41.8%	516	46.2%	46.4%
Cultural Training	9	7.3%	39.7%	136	12.2%	41.6%
Discrete Trial Training	2	1.6%	20.0%	13	1.2%	19.5%
Educational Support	48	38.7%	44.4%	623	55.8%	56.2%
Emotional Processing	61	49.2%	62.1%	739	66.2%	63.0%
Exposure	12	9.7%	50.4%	241	21.6%	40.0%
Eye Movement/Body Tapping	0	0.0%	0.0%	18	1.6%	18.0%
Family Engagement	70	56.5%	69.1%	861	77.2%	63.8%
Family Therapy	71	57.3%	63.0%	794	71.1%	60.1%
Family Visit	0	0.0%	0.0%	0	0.0%	0.0%
Free Association	1	0.8%	100.0%	77	6.9%	35.4%
Functional Analysis	15	12.1%	45.5%	191	17.1%	49.4%
Goal Setting	60	48.4%	61.0%	822	73.7%	63.9%
Guided Imagery	9	7.3%	37.5%	201	18.0%	36.7%
Ho'Oponopono	0	0.0%	0.0%	0	0.0%	0.0%
Hypnosis	0	0.0%	0.0%	23	2.1%	25.8%
Ignoring or DRO	31	25.0%	49.1%	395	35.4%	46.8%
Individual Therapy for Caregiver	25	20.2%	45.8%	339	30.4%	41.3%
Informal Supports	0	0.0%	0.0%	6	0.5%	26.8%
Insight Building	53	42.7%	60.6%	732	65.6%	60.5%
Interpretation	7	5.6%	21.5%	209	18.7%	36.8%
Juvenile Sex Offender Treatment	2	1.6%	36.7%	21	1.9%	74.6%
Legal Assistance/Involvement	0	0.0%	0.0%	0	0.0%	0.0%
Line of Sight Supervision	30	24.2%	40.3%	375	33.6%	47.2%
Maintenance/Relapse Prevention	18	14.5%	32.5%	331	29.7%	44.5%
Marital Therapy	8	6.5%	37.1%	60	5.4%	28.6%
Medication/Pharmacotherapy	10	8.1%	48.8%	353	31.6%	52.2%
Mentoring	28	22.6%	48.8%	455	40.8%	49.6%
Milieu Therapy	12	9.7%	36.9%	295	26.4%	50.9%
Mindfulness	37	29.8%	39.1%	469	42.0%	49.7%
Modeling	52	41.9%	56.2%	733	65.7%	57.3%
Motivational Interviewing	40	32.3%	45.6%	594	53.2%	55.6%
Natural and Logical Consequences	59	47.6%	56.1%	789	70.7%	62.2%
Parent Coping	59	47.6%	65.6%	726	65.1%	57.3%
Parent or Teacher Monitoring	46	37.1%	54.3%	550	49.3%	51.2%
Parent Praise	47	37.9%	55.5%	568	50.9%	51.5%
Parenting	0	0.0%	0.0%	15	1.3%	21.0%
Peer Modeling/Pairing	14	11.3%	28.2%	198	17.7%	32.7%
Personal Safety Skills	41	33.1%	47.9%	527	47.2%	51.2%
Physical Exercise	0	0.0%	0.0%	0	0.0%	0.0%
Play Therapy	30	24.2%	64.2%	173	15.5%	45.4%
Problem Solving	58	46.8%	62.1%	892	79.9%	65.9%
Psychoeducation-Child	49	39.5%	56.1%	733	65.7%	60.2%
Psychoeducation-Parent	61	49.2%	60.0%	785	70.3%	62.5%
Relationship/Rapport Building	66	53.2%	64.1%	866	77.6%	60.4%
Relaxation	43	34.7%	55.6%	572	51.3%	49.7%
Response Cost	4	3.2%	58.8%	227	20.3%	42.1%
Response Prevention	5	4.0%	34.3%	264	23.7%	41.7%
Self-Monitoring	34	27.4%	46.7%	514	46.1%	49.7%
Self-Reward/Self-Praise	27	21.8%	46.1%	407	36.5%	49.7%
Skill Building	55	44.4%	62.6%	824	73.8%	61.1%
Social Skills Training	52	41.9%	56.5%	609	54.6%	53.8%
Stimulus Control/Antecedent Man.	24	19.4%	43.6%	266	23.8%	43.3%
Supportive Listening	72	58.1%	68.6%	922	82.6%	71.4%
Tangible Rewards	40	32.3%	55.8%	555	49.7%	51.7%
Therapist Praise/Rewards	59	47.6%	61.2%	751	67.3%	62.2%
Thought Field Therapy	1	0.8%	66.7%	31	2.8%	18.4%
Time Out	20	16.1%	30.5%	325	29.1%	46.1%
Twelve-step Programming	6	4.8%	27.9%	138	12.4%	50.8%
Other	0	0.0%	0.0%	35	3.1%	28.0%
Unclear	10	8.1%	63.4%	144	12.9%	37.2%
Not Available	57	31.5%		822	42.4%	


Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Supportive Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Supportive Service		
	N	%
Total Registered Youth	188	8.9%
with Services Procured	188	100.0%
Youth with New Admissions	44	23.4%
with Initial Admissions	32	17.0%
with Repeat Admissions	12	6.4%
Youth with Discharges	22	11.7%

	N	% of Available
Gender		
Females	75	40%
Males	113	60%

	Mean	SD
Age in Years	14.8	3.0




Primary Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	11	6.1%
Anxiety	16	8.9%
Attention	29	16.1%
Disruptive Behavior	73	40.6%
Mental Retardation	0	0.0%
Miscellaneous	7	3.9%
Mood	28	15.6%
Pervasive Developmental	4	2.2%
Psychotic Spectrum	4	2.2%
Substance-Related	8	4.4%
Not Available (% Total)	8	4.3%

Any Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	14	7.8%
Anxiety	35	19.4%
Attention	67	37.2%
Disruptive Behavior	109	60.6%
Mental Retardation	6	3.3%
Miscellaneous	57	31.7%
Mood	46	25.6%
Pervasive Developmental	4	2.2%
Psychotic Spectrum	7	3.9%
Substance-Related	62	34.4%
Multiple Diagnoses	155	86.1%
Avg. Number of Diagnoses	2.4	

All Other Services		
	N	%
Total Registered Youth	1,931	91.1%
with Services Procured	1,125	58.3%
Youth with New Admissions	925	47.9%
with Initial Admissions	658	34.1%
with Repeat Admissions	267	13.8%
Youth with Discharges	834	43.2%

	N	% of Available
Gender		
Females	723	37%
Males	1,208	63%

	Mean	SD
Age in Years	13.9	3.8



Primary Diagnosis of	N	% Avail
None Recorded	6	0.4%
Adjustment	118	7.4%
Anxiety	169	10.6%
Attention	318	20.0%
Disruptive Behavior	497	31.3%
Mental Retardation	0	0.0%
Miscellaneous	67	4.2%
Mood	303	19.1%
Pervasive Developmental	21	1.3%
Psychotic Spectrum	34	2.1%
Substance-Related	54	3.4%
Not Available (% Total)	344	17.8%

Any Diagnosis of	N	% Avail
None Recorded	4	0.3%
Adjustment	191	12.0%
Anxiety	375	23.6%
Attention	562	35.3%
Disruptive Behavior	829	52.1%
Mental Retardation	28	1.8%
Miscellaneous	409	25.7%
Mood	478	30.0%
Pervasive Developmental	32	2.0%
Psychotic Spectrum	39	2.4%
Substance-Related	294	18.5%
Multiple Diagnoses	1,164	73.1%
Avg. Number of Diagnoses	1.8	

Summary of Youth by Supportive Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Supportive Service		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	101	81.5%
Hispanic or Latino/a	23	18.5%
Not Available (% Total)	64	34.0%

Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	0	0.0%
Asian	10	6.9%
Black or African-American	1	0.7%
Native Hawaiian or Pacific Islander	30	20.7%
White	25	17.2%
Other Race	1	0.7%
Multiracial	78	53.8%
Based on Observation	17	11.7%
Not Available (% Total)	43	22.9%

Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	12	9.8%
Alaska Native	0	0.0%
American Indian	12	9.8%
Asian	55	44.7%
Asian Indian	1	0.8%
Chinese	29	23.6%
Filipino	34	27.6%
Japanese	16	13.0%
Korean	2	1.6%
Vietnamese	1	0.8%
Other Asian	0	0.0%
Black or African-American	3	2.4%
Hispanic or Latina/o	22	17.9%
Cuban	0	0.0%
Mexican	3	2.4%
Puerto Rican	12	9.8%
Other Hispanic	8	6.5%
Native Hawaiian or Pacific Islander	79	64.2%
Guamanian or Chamorro	1	0.8%
Micronesian	12	9.8%
Native Hawaiian	61	49.6%
Samoan	4	3.3%
Other Pacific Islander	7	5.7%
White	71	57.7%
White or Caucasian	51	41.5%
Portuguese	30	24.4%
Other Race or Ethnicity	4	3.3%
Multiethnic	76	61.8%
Not Available (% Total)	65	34.6%

All Other Services		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	799	70.5%
Hispanic or Latino/a	335	29.5%
Not Available (% Total)	797	41.3%

Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	7	0.5%
Asian	112	8.1%
Black or African-American	21	1.5%
Native Hawaiian or Pacific Islander	178	12.9%
White	187	13.6%
Other Race	7	0.5%
Multiracial	866	62.8%
Based on Observation	76	5.5%
Not Available (% Total)	553	28.6%

Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	118	10.5%
Alaska Native	0	0.0%
American Indian	118	10.5%
Asian	636	56.4%
Asian Indian	4	0.4%
Chinese	283	25.1%
Filipino	365	32.4%
Japanese	199	17.7%
Korean	43	3.8%
Vietnamese	8	0.7%
Other Asian	20	1.8%
Black or African-American	80	7.1%
Hispanic or Latina/o	328	29.1%
Cuban	6	0.5%
Mexican	62	5.5%
Puerto Rican	177	15.7%
Other Hispanic	128	11.4%
Native Hawaiian or Pacific Islander	680	60.3%
Guamanian or Chamorro	11	1.0%
Micronesian	46	4.1%
Native Hawaiian	580	51.5%
Samoan	78	6.9%
Other Pacific Islander	43	3.8%
White	716	63.5%
White or Caucasian	570	50.6%
Portuguese	278	24.7%
Other Race or Ethnicity	48	4.3%
Multiethnic	803	71.3%
Not Available (% Total)	804	41.6%

Summary of Youth by Supportive Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Supportive Service		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	4	2.1%
Leeward Oahu	8	4.3%
Honolulu Oahu	25	13.3%
Hawaii (Big Island)	84	44.7%
Maui	45	23.9%
Kauai	20	10.6%
Family Court Liaison Branch	2	1.1%

All Other Services		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	292	15.1%
Leeward Oahu	295	15.3%
Honolulu Oahu	226	11.7%
Hawaii (Big Island)	686	35.5%
Maui	180	9.3%
Kauai	166	8.6%
Family Court Liaison Branch	86	4.5%

*Central Oahu FGC now includes both Central and Windward Oahu offices.

Summary of Youth by Supportive Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Services Procured	Any Supportive Service			All Other Services		
	Monthly Average	Total N	% of Procured	Monthly Average	Total N	% of Procured
Out-of-Home	66	135	71.8%	117	257	22.8%
Out-of-State	1	1	0.5%	4	4	0.4%
Hospital Residential	9	36	19.1%	9	41	3.6%
Community High Risk	3	4	2.1%	4	10	0.9%
Community Residential	31	72	38.3%	24	83	7.4%
Therapeutic Foster Home	25	61	32.4%	78	138	12.3%
<i>Multidimensional Treatment Foster Care</i>	1	2	1.1%	4	10	0.9%
<i>Transitional Family Home</i>	25	60	31.9%	74	132	11.7%
Intensive Home & Community	62	120	63.8%	413	866	77.0%
Partial Hospitalization	1	5	2.7%	4	18	1.6%
Multisystemic Therapy	9	25	13.3%	59	188	16.7%
Intensive In-Home	52	98	52.1%	355	714	63.5%
Outpatient	6	31	16.5%	53	277	24.6%
Treatment	5	16	8.5%	39	117	10.4%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	4	11	5.9%	30	90	8.0%
<i>Outpatient Therapy</i>	1	5	2.7%	9	27	2.4%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	1	16	8.5%	15	165	14.7%
Supportive Services	43	188	100.0%	0	0	0.0%
Respite Home	6	30	16.0%	0	0	0.0%
Ancillary Service	38	162	86.2%	0	0	0.0%
Crisis Stabilization	2	15	8.0%	3	31	2.8%
Unduplicated Total (% of Registered)	128	188	100%	564	1,125	58%

*These services either were not procured or had no data available in FY 2013.

Summary of Youth by Supportive Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Total Hours Procured	Any Supportive Service			All Other Services		
	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth
Out-of-Home	154	1,006	89.1%	150	946	88.8%
Out-of-State	198	2,373	85.7%	195	2,057	97.4%
Hospital Residential	122	390	57.9%	118	331	59.3%
Community High Risk	187	1,419	84.9%	170	917	82.5%
Community Residential	155	858	76.0%	122	504	79.1%
Therapeutic Foster Home	152	851	66.3%	171	1,234	91.3%
<i>Multidimensional Treatment Foster Care</i>	141	832	51.5%	179	930	81.4%
<i>Transitional Family Home</i>	152	837	65.7%	169	1,220	89.3%
Intensive Home & Community	18	110	39.0%	18	97	84.0%
Partial Hospitalization	3	11	1.9%	3	7	8.4%
Multisystemic Therapy	41	158	46.4%	39	132	84.5%
Intensive In-Home	13	94	35.8%	12	83	79.4%
Outpatient	4	8	17.7%	4	10	53.9%
Treatment	3	11	6.1%	4	16	54.3%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	3	12	4.3%	3	14	56.7%
<i>Outpatient Therapy</i>	3	8	9.9%	5	24	46.3%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	4	4	28.3%	5	5	51.9%
Supportive Services**	-	-	-	-	-	-
Respite Home	20	51	12.2%	0	0	0.0%
Ancillary Service**	-	-	-	-	-	-
Crisis Stabilization	32	54	12.1%	27	34	66.3%
Unduplicated Total	61	806		37	294	

Service Changes	Any Supportive Service			All Other Services		
	Monthly Average	Total N	Total per Youth	Monthly Average	Total N	Total per Youth
Placement Changes	17	208	1.1	28	333	0.2
Out-of-Home Changes	2	27	0.1	2	18	0.0
Provider Agency Changes	23	278	1.5	83	996	0.5
Care Coordinator Changes	6	76	0.4	67	805	0.4

*These services either were not procured or had no data available in FY 2013.

**Duration not available for these services.

Summary of Youth by Supportive Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Any Supportive Service		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	141 (2.5)	108 (2.4)	104 (2.8)
Moods: Self-Harm	12 (0.9)	4 (0.5)	3 (0.5)
Moods: Emotions	22 (0.4)	17 (0.5)	17 (0.5)
Home Role Performance	28 (0.4)	24 (0.5)	23 (0.7)
School Role Performance	28 (0.4)	20 (0.7)	19 (0.9)
Community Role Performance	19 (0.8)	15 (0.7)	14 (0.8)
Behavior Towards Other	24 (0.4)	18 (0.4)	18 (0.5)
Substance Use	15 (1.0)	8 (0.8)	7 (0.8)
Thinking	8 (0.8)	3 (0.5)	3 (0.5)

Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	23 (0.3)	20 (0.3)	20 (0.3)
Level of Care	5 (0.1)	4 (0.1)	4 (0.1)

Child and Adolescent Functional Assessment Scale (CAFAS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total (8-scale)	37 (165)	59% (163)	14% (163)
Moods: Self-Harm	9 (165)	86% (69)	96% (69)
Moods: Emotions	5 (165)	46% (157)	94% (157)
Home Role Performance	6 (165)	36% (160)	44% (160)
School Role Performance	9 (165)	50% (160)	58% (160)
Community Role Performance	6 (165)	42% (128)	85% (128)
Behavior Towards Other	5 (165)	47% (161)	92% (161)
Substance Use	8 (165)	68% (90)	78% (90)
Thinking	5 (165)	87% (46)	98% (46)

Child and Adolescent Level of Care Utilization System (CALOCUS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total	4 (158)	53% (158)	28% (158)
Level of Care	1 (158)	61% (158)	48% (158)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	3,186	50	64.9%
Child Events	3,319	52	61.2%
Person-Directed	606	10	27.1%
Property-Directed	330	5	20.2%
Runaway or Elopement	968	15	31.9%
Self-Injury	649	10	24.5%
Substance Use	356	6	18.1%
Other	309	5	21.3%
Institutional Events	2,245	35	48.4%
Person-Directed (Client Victim)	197	3	14.4%
Seclusion or Restraint	277	4	11.2%
Medication Error	59	1	3.7%
Police Called	559	9	28.7%
Criminal Charges or Arrest	415	7	21.8%
Client Injury	191	3	15.4%
Staff Injury	53	1	3.2%
Other	426	7	21.3%

	All Other Services		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	116 (0.9)	87 (0.9)	83 (1.0)
Moods: Self-Harm	9 (0.3)	3 (0.2)	2 (0.2)
Moods: Emotions	21 (0.2)	16 (0.2)	15 (0.2)
Home Role Performance	25 (0.2)	19 (0.2)	18 (0.3)
School Role Performance	26 (0.2)	19 (0.3)	18 (0.3)
Community Role Performance	13 (0.3)	8 (0.3)	8 (0.3)
Behavior Towards Other	21 (0.2)	16 (0.2)	15 (0.2)
Substance Use	9 (0.3)	5 (0.2)	5 (0.3)
Thinking	6 (0.2)	2 (0.1)	2 (0.2)

Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	20 (0.1)	18 (0.1)	18 (0.1)
Level of Care	4 (0.0)	3 (0.0)	3 (0.0)

Child and Adolescent Functional Assessment Scale (CAFAS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total (8-scale)	32 (1256)	52% (1186)	37% (1186)
Moods: Self-Harm	7 (1256)	77% (416)	96% (416)
Moods: Emotions	6 (1256)	47% (1098)	95% (1098)
Home Role Performance	7 (1256)	52% (1116)	68% (1116)
School Role Performance	8 (1255)	48% (1156)	63% (1156)
Community Role Performance	5 (1256)	48% (628)	91% (628)
Behavior Towards Other	6 (1256)	50% (1083)	95% (1083)
Substance Use	4 (1256)	60% (423)	84% (423)
Thinking	4 (1256)	73% (235)	97% (235)

Child and Adolescent Level of Care Utilization System (CALOCUS)	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Total	3 (1126)	45% (1038)	44% (1038)
Level of Care	1 (1126)	54% (1043)	70% (1043)

Sentinel Event Reports	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Total	635	102	19.5%
Child Events	703	113	17.9%
Person-Directed	141	23	7.5%
Property-Directed	73	12	4.9%
Runaway or Elopement	176	28	7.8%
Self-Injury	126	20	5.7%
Substance Use	71	11	3.8%
Other	89	14	5.1%
Institutional Events	378	61	12.1%
Person-Directed (Client Victim)	32	5	2.6%
Seclusion or Restraint	38	6	1.9%
Medication Error	5	1	0.4%
Police Called	114	18	6.2%
Criminal Charges or Arrest	69	11	3.9%
Client Injury	25	4	2.3%
Staff Injury	5	1	0.4%
Other	83	13	5.4%

*Indicates average change from highest CAFAS or CALOCUS score to most recent.
(A positive number reflects improvement.)

Summary of Youth by Supportive Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Supportive Service			
Service Setting	Any Use N	Any Use % Avail	Dosage % of Months
Clinic	132	73.7%	62.3%
Community	152	84.9%	71.1%
Home	154	86.0%	74.0%
Out-of-Home	156	87.2%	64.4%
Phone*	19	10.6%	40.8%
School	135	75.4%	57.2%
Unclear*	5	2.8%	33.2%
Not Available	9	4.8%	

Service Format	Any Use N	Any Use % Avail	Dosage % of Months
Family	155	86.6%	76.4%
Group	113	63.1%	54.5%
Individual	172	96.1%	87.7%
Parent	157	87.7%	75.0%
Phone*	8	4.5%	16.1%
Professional Consult*	52	29.1%	34.0%
Teacher	117	65.4%	50.8%
Unclear*	64	35.8%	49.2%
Not Available	9	4.8%	

Discharge Living Situation	Youth N	% Youth Discharged	% Discharges
Foster Home	34	22.5%	12.5%
Group Care	5	3.3%	1.8%
Home	97	64.2%	35.7%
Homeless/Shelter	7	4.6%	2.6%
Institution/Hospital	11	7.3%	4.0%
Jail/Correctional Facility	21	13.9%	7.7%
Other	29	19.2%	10.7%
Residential Treatment	22	14.6%	8.1%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	151		
Number of Discharges	272		

Reason for Discharge	Youth N	% Youth Discharged	% Discharges
Eligibility Change	5	3.3%	1.8%
Family Relocation	5	3.3%	1.8%
Insufficient Progress	28	18.5%	10.3%
Other	56	37.1%	20.6%
Runaway/Elopement	38	25.2%	14.0%
Refuse/Withdraw	16	10.6%	5.9%
Success/Goals Met	86	57.0%	31.6%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	151		
Number of Discharges	272		

All Other Services		
Any Use N	Any Use % Avail	Dosage % of Months
429	40.4%	55.4%
785	74.0%	73.5%
932	87.8%	85.6%
340	32.0%	59.9%
120	11.3%	62.1%
592	55.8%	55.5%
43	4.1%	27.0%
870	45.1%	

Any Use N	Any Use % Avail	Dosage % of Months
812	76.5%	71.7%
251	23.7%	46.4%
886	83.5%	87.8%
797	75.1%	75.1%
27	2.5%	51.6%
251	23.7%	44.4%
349	32.9%	45.8%
112	10.6%	48.5%
870	45.1%	

Youth N	% Youth Discharged	% Discharges
66	11.1%	7.9%
3	0.5%	0.4%
426	71.7%	50.9%
11	1.9%	1.3%
12	2.0%	1.4%
32	5.4%	3.8%
97	16.3%	11.6%
31	5.2%	3.7%
0	0.0%	0.0%
594		
837		

Youth N	% Youth Discharged	% Discharges
12	2.0%	1.4%
17	2.9%	2.0%
41	6.9%	4.9%
175	29.5%	20.9%
60	10.1%	7.2%
61	10.3%	7.3%
355	59.8%	42.4%
0	0.0%	0.0%
594		
837		

*Indicates written response to an open-ended question.

Summary of Youth by Supportive Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Treatment Target	Any Supportive Service			All Other Services		
	Any Use N	Any Use % Avail	Dosage % of Months	Any Use N	Any Use % Avail	Dosage % of Months
Academic Achievement	79	44.1%	37.8%	369	34.8%	40.8%
Activity Involvement	114	63.7%	55.0%	552	52.0%	56.0%
Adaptive Behavior/Living Skills	23	12.8%	34.9%	136	12.8%	38.6%
Adjustment to Change	83	46.4%	31.5%	265	25.0%	40.5%
Adult Intercoordination	2	1.1%	18.1%	11	1.0%	22.7%
Aggression	91	50.8%	50.9%	438	41.3%	55.3%
Anger	118	65.9%	55.0%	498	46.9%	55.5%
Anxiety	89	49.7%	42.7%	365	34.4%	52.1%
Assertiveness	44	24.6%	32.1%	177	16.7%	39.2%
Attention Problems	35	19.6%	34.7%	184	17.3%	36.2%
Avoidance	62	34.6%	40.0%	227	21.4%	41.7%
Caregiver Self-Management/Coping	1	0.6%	25.0%	5	0.5%	21.5%
Cognitive-Intellectual Functioning	21	11.7%	34.3%	76	7.2%	39.8%
Community Involvement	45	25.1%	31.0%	183	17.2%	32.7%
Compulsive Behavior	0	0.0%	0.0%	3	0.3%	22.2%
Contentment/Enjoyment/Happiness	56	31.3%	38.6%	195	18.4%	41.1%
Depressed Mood	72	40.2%	41.3%	325	30.6%	51.4%
Eating/Feeding Problems	6	3.4%	23.7%	30	2.8%	34.0%
Empathy	40	22.3%	42.8%	109	10.3%	42.8%
Enuresis/Encopresis	9	5.0%	28.8%	32	3.0%	56.8%
Fire Setting	1	0.6%	66.7%	5	0.5%	33.5%
Fitness/Exercise	0	0.0%	0.0%	1	0.1%	20.0%
Gender Identity Problems	2	1.1%	16.7%	5	0.5%	30.2%
Goal Setting	1	0.6%	8.3%	3	0.3%	14.1%
Grief	10	5.6%	33.3%	61	5.7%	38.9%
Health Management	17	9.5%	27.5%	75	7.1%	32.5%
Housing/Living Situation	36	20.1%	24.5%	170	16.0%	34.4%
Hyperactivity	21	11.7%	41.4%	82	7.7%	38.7%
Information Gathering	0	0.0%	0.0%	11	1.0%	32.8%
Learning Disorder/Underachievement	10	5.6%	24.9%	28	2.6%	26.1%
Low Self-Esteem	65	36.3%	38.8%	248	23.4%	42.9%
Mania	2	1.1%	25.4%	9	0.8%	28.1%
Medical Regimen Adherence	22	12.3%	35.2%	106	10.0%	38.9%
Occupational Functioning/Stress	11	6.1%	16.1%	39	3.7%	33.0%
Oppositional/Non-Compliant Behavior	137	76.5%	66.3%	660	62.2%	64.1%
Pain Management	0	0.0%	0.0%	0	0.0%	0.0%
Parenting Skills	3	1.7%	17.0%	16	1.5%	35.2%
Peer Involvement	44	24.6%	37.6%	158	14.9%	33.0%
Peer/Sibling Conflict	54	30.2%	39.1%	259	24.4%	45.5%
Personal Hygiene	3	1.7%	12.3%	43	4.1%	30.4%
Phobia/Fears	109	60.9%	46.4%	308	29.0%	42.7%
Positive Family Functioning	14	7.8%	45.4%	72	6.8%	40.0%
Positive Peer Interaction	159	88.8%	69.8%	806	76.0%	66.9%
Positive Thinking/Attitude	82	45.8%	38.8%	294	27.7%	41.7%
Pregnancy Education/Adjustment	2	1.1%	29.2%	22	2.1%	42.3%
Psychosis	9	5.0%	36.5%	29	2.7%	56.4%
Runaway	63	35.2%	44.6%	168	15.8%	46.9%
Safe Environment	0	0.0%	0.0%	11	1.0%	28.8%
School Involvement	48	26.8%	34.5%	236	22.2%	37.5%
School Refusal/Truancy	35	19.6%	28.0%	192	18.1%	45.2%
Self-Control	42	23.5%	47.8%	117	11.0%	43.8%
Self-Injurious Behavior	66	36.9%	35.5%	249	23.5%	43.0%
Sexual Orientation	0	0.0%	0.0%	0	0.0%	0.0%
Sexual Misconduct	19	10.6%	62.4%	50	4.7%	47.7%
Shyness	4	2.2%	19.1%	21	2.0%	29.0%
Sleep Disturbance	2	1.1%	40.5%	22	2.1%	35.6%
Social Skills	77	43.0%	38.4%	286	27.0%	48.1%
Speech and Language	0	0.0%	0.0%	8	0.8%	25.6%
Substance Use	81	45.3%	63.6%	265	25.0%	64.9%
Suicidality	19	10.6%	34.9%	71	6.7%	36.9%
Traumatic Stress	51	28.5%	46.9%	139	13.1%	43.2%
Treatment Engagement	120	67.0%	49.2%	561	52.9%	53.5%
Treatment Planning/Framing	15	8.4%	40.0%	52	4.9%	47.0%
Willful Misconduct/Delinquency	52	29.1%	40.3%	182	17.2%	46.9%
Other	3	1.7%	19.9%	11	1.0%	14.5%
Unclear	20	11.2%	24.3%	81	7.6%	30.8%
Not Available	9	4.8%		870	45.1%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Supportive Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Any Supportive Service			All Other Services		
	Any Use	Any Use	Dosage	Any Use	Any Use	Dosage
Practice Elements	N	% Avail	% of Months	N	% Avail	% of Months
Activity Scheduling	147	82.1%	57.5%	591	55.7%	56.8%
Anger Management	3	1.7%	16.9%	1	0.1%	16.7%
Animal or Plant Assisted Activities	0	0.0%	0.0%	0	0.0%	0.0%
Arousal Reconditioning	0	0.0%	0.0%	0	0.0%	0.0%
Art/Music Therapy	0	0.0%	0.0%	2	0.2%	22.2%
Assertiveness Training	104	58.1%	45.6%	305	28.7%	46.1%
Assessment	8	4.5%	68.9%	33	3.1%	67.4%
Attending	83	46.4%	42.5%	278	26.2%	45.7%
Behavior Management	0	0.0%	0.0%	5	0.5%	15.3%
Behavioral Contracting	140	78.2%	53.8%	573	54.0%	56.2%
Biofeedback/Neurofeedback	2	1.1%	17.8%	17	1.6%	30.8%
Care Coordination	160	89.4%	68.4%	607	57.2%	64.5%
Catharsis	16	8.9%	23.6%	58	5.5%	43.6%
Cognitive/Coping	146	81.6%	65.5%	596	56.2%	63.7%
Commands/Limit Setting	41	22.9%	32.1%	149	14.0%	42.1%
Communication Skills	162	90.5%	71.1%	799	75.3%	67.1%
Counseling	0	0.0%	0.0%	1	0.1%	27.3%
Crisis Management	114	63.7%	50.9%	429	40.4%	44.9%
Cultural Training	50	27.9%	41.3%	95	9.0%	41.5%
Discrete Trial Training	1	0.6%	8.3%	14	1.3%	20.4%
Educational Support	138	77.1%	59.1%	533	50.2%	54.4%
Emotional Processing	148	82.7%	65.3%	652	61.5%	62.3%
Exposure	51	28.5%	37.1%	202	19.0%	41.4%
Eye Movement/Body Tapping	1	0.6%	20.0%	17	1.6%	17.9%
Family Engagement	159	88.8%	66.2%	772	72.8%	63.8%
Family Therapy	158	88.3%	64.0%	707	66.6%	59.6%
Family Visit	0	0.0%	0.0%	0	0.0%	0.0%
Free Association	22	12.3%	41.4%	56	5.3%	34.2%
Functional Analysis	27	15.1%	40.9%	179	16.9%	50.4%
Goal Setting	157	87.7%	65.9%	725	68.3%	63.2%
Guided Imagery	51	28.5%	31.5%	159	15.0%	38.4%
Ho'Oponopono	0	0.0%	0.0%	0	0.0%	0.0%
Hypnosis	3	1.7%	17.2%	20	1.9%	27.1%
Ignoring or DRO	97	54.2%	42.0%	329	31.0%	48.4%
Individual Therapy for Caregiver	69	38.5%	36.0%	295	27.8%	43.0%
Informal Supports	1	0.6%	40.0%	5	0.5%	24.2%
Insight Building	146	81.6%	57.9%	639	60.2%	61.1%
Interpretation	53	29.6%	25.0%	163	15.4%	39.9%
Juvenile Sex Offender Treatment	10	5.6%	68.6%	13	1.2%	73.4%
Legal Assistance/Involvement	0	0.0%	0.0%	0	0.0%	0.0%
Line of Sight Supervision	109	60.9%	49.1%	296	27.9%	45.8%
Maintenance/Relapse Prevention	92	51.4%	45.5%	257	24.2%	43.3%
Marital Therapy	12	6.7%	32.3%	56	5.3%	29.1%
Medication/Pharmacotherapy	91	50.8%	53.4%	272	25.6%	51.7%
Mentoring	111	62.0%	52.3%	372	35.1%	48.7%
Milieu Therapy	115	64.2%	53.5%	192	18.1%	48.4%
Mindfulness	113	63.1%	51.1%	393	37.0%	48.3%
Modeling	147	82.1%	58.1%	638	60.1%	57.0%
Motivational Interviewing	120	67.0%	49.2%	514	48.4%	56.4%
Natural and Logical Consequences	154	86.0%	63.7%	694	65.4%	61.4%
Parent Coping	118	65.9%	56.3%	667	62.9%	58.2%
Parent or Teacher Monitoring	118	65.9%	48.0%	478	45.1%	52.3%
Parent Praise	121	67.6%	47.5%	494	46.6%	52.9%
Parenting	1	0.6%	14.3%	14	1.3%	21.5%
Peer Modeling/Pairing	74	41.3%	37.6%	138	13.0%	29.7%
Personal Safety Skills	130	72.6%	51.7%	438	41.3%	50.7%
Physical Exercise	0	0.0%	0.0%	0	0.0%	0.0%
Play Therapy	32	17.9%	43.6%	171	16.1%	49.1%
Problem Solving	159	88.8%	68.8%	791	74.6%	65.0%
Psychoeducation-Child	142	79.3%	60.4%	640	60.3%	59.8%
Psychoeducation-Parent	135	75.4%	58.8%	711	67.0%	62.9%
Relationship/Rapport Building	159	88.8%	64.1%	773	72.9%	59.9%
Relaxation	132	73.7%	53.2%	483	45.5%	49.2%
Response Cost	59	33.0%	40.1%	172	16.2%	43.2%
Response Prevention	66	36.9%	41.0%	203	19.1%	41.8%
Self-Monitoring	106	59.2%	48.5%	442	41.7%	49.8%
Self-Reward/Self-Praise	102	57.0%	49.3%	332	31.3%	49.6%
Skill Building	158	88.3%	63.5%	721	68.0%	60.7%
Social Skills Training	138	77.1%	54.9%	523	49.3%	53.8%
Stimulus Control/Antecedent Man.	75	41.9%	41.1%	215	20.3%	44.1%
Supportive Listening	163	91.1%	75.9%	831	78.3%	70.3%
Tangible Rewards	124	69.3%	51.2%	471	44.4%	52.1%
Therapist Praise/Rewards	130	72.6%	64.8%	680	64.1%	61.6%
Thought Field Therapy	9	5.0%	16.8%	23	2.2%	21.2%
Time Out	101	56.4%	48.2%	244	23.0%	43.9%
Twelve-step Programming	58	32.4%	50.3%	86	8.1%	49.5%
Other	16	8.9%	31.7%	19	1.8%	24.9%
Unclear	42	23.5%	42.3%	112	10.6%	37.6%
Not Available	9	4.8%		870	45.1%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.


Summary of Youth by Crisis Stabilization Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Crisis Stabilization Service

	N	%
Total Registered Youth	46	2.2%
with Services Procured	46	100.0%
Youth with New Admissions	33	71.7%
with Initial Admissions	25	54.3%
with Repeat Admissions	8	17.4%
Youth with Discharges	4	8.7%

	N	% of Available
Gender		
Females	21	46%
Males	25	54%

	Mean	SD
Age in Years	13.9	3.1




All Other Services

	N	%
Total Registered Youth	2,073	97.8%
with Services Procured	1,267	61.1%
Youth with New Admissions	936	45.2%
with Initial Admissions	665	32.1%
with Repeat Admissions	271	13.1%
Youth with Discharges	852	41.1%

	N	% of Available
Gender		
Females	777	37%
Males	1,296	63%

	Mean	SD
Age in Years	14.0	3.8



Primary Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	1	3.7%
Anxiety	3	11.1%
Attention	7	25.9%
Disruptive Behavior	4	14.8%
Mental Retardation	0	0.0%
Miscellaneous	1	3.7%
Mood	8	29.6%
Pervasive Developmental	0	0.0%
Psychotic Spectrum	1	3.7%
Substance-Related	2	7.4%
Not Available (% Total)	19	41.3%

Any Diagnosis of	N	% Avail
None Recorded	0	0.0%
Adjustment	1	3.7%
Anxiety	10	37.0%
Attention	12	44.4%
Disruptive Behavior	10	37.0%
Mental Retardation	0	0.0%
Miscellaneous	8	29.6%
Mood	13	48.1%
Pervasive Developmental	0	0.0%
Psychotic Spectrum	2	7.4%
Substance-Related	5	18.5%
Multiple Diagnoses	23	85.2%
Avg. Number of Diagnoses	1.4	

Primary Diagnosis of	N	% Avail
None Recorded	6	0.3%
Adjustment	128	7.4%
Anxiety	182	10.5%
Attention	340	19.5%
Disruptive Behavior	566	32.5%
Mental Retardation	0	0.0%
Miscellaneous	73	4.2%
Mood	323	18.6%
Pervasive Developmental	25	1.4%
Psychotic Spectrum	37	2.1%
Substance-Related	60	3.4%
Not Available (% Total)	333	16.1%

Any Diagnosis of	N	% Avail
None Recorded	4	0.2%
Adjustment	204	11.7%
Anxiety	400	22.9%
Attention	617	35.4%
Disruptive Behavior	928	53.2%
Mental Retardation	34	1.9%
Miscellaneous	458	26.2%
Mood	511	29.3%
Pervasive Developmental	36	2.1%
Psychotic Spectrum	44	2.5%
Substance-Related	351	20.1%
Multiple Diagnoses	1,296	74.3%
Avg. Number of Diagnoses	1.8	

Summary of Youth by Crisis Stabilization Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Crisis Stabilization Service		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	16	84.2%
Hispanic or Latino/a	3	15.8%
Not Available (% Total)	27	58.7%
Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	0	0.0%
Asian	4	13.3%
Black or African-American	0	0.0%
Native Hawaiian or Pacific Islander	2	6.7%
White	5	16.7%
Other Race	1	3.3%
Multiracial	18	60.0%
Based on Observation	4	13.3%
Not Available (% Total)	16	34.8%
Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	3	16.7%
Alaska Native	0	0.0%
American Indian	3	16.7%
Asian	10	55.6%
Asian Indian	0	0.0%
Chinese	4	22.2%
Filipino	6	33.3%
Japanese	4	22.2%
Korean	0	0.0%
Vietnamese	0	0.0%
Other Asian	0	0.0%
Black or African-American	1	5.6%
Hispanic or Latina/o	3	16.7%
Cuban	0	0.0%
Mexican	0	0.0%
Puerto Rican	2	11.1%
Other Hispanic	1	5.6%
Native Hawaiian or Pacific Islander	7	38.9%
Guamanian or Chamorro	1	5.6%
Micronesian	1	5.6%
Native Hawaiian	6	33.3%
Samoan	0	0.0%
Other Pacific Islander	0	0.0%
White	14	77.8%
White or Caucasian	8	44.4%
Portuguese	7	38.9%
Other Race or Ethnicity	1	5.6%
Multiethnic	15	83.3%
Not Available (% Total)	28	60.9%

All Other Services		
National Origin (Unduplicated)	N	% of Available
Not Hispanic	884	71.3%
Hispanic or Latino/a	355	28.7%
Not Available (% Total)	834	40.2%
Race (Unduplicated)	N	% of Available
American Indian or Alaska Native	7	0.5%
Asian	118	7.9%
Black or African-American	22	1.5%
Native Hawaiian or Pacific Islander	206	13.8%
White	207	13.9%
Other Race	7	0.5%
Multiracial	926	62.0%
Based on Observation	89	6.0%
Not Available (% Total)	580	28.0%
Ethnicity (Duplicated)	N	% of Available
American Indian or Alaska Native	127	10.3%
Alaska Native	0	0.0%
American Indian	127	10.3%
Asian	681	55.3%
Asian Indian	5	0.4%
Chinese	308	25.0%
Filipino	393	31.9%
Japanese	211	17.1%
Korean	45	3.7%
Vietnamese	9	0.7%
Other Asian	20	1.6%
Black or African-American	82	6.7%
Hispanic or Latina/o	347	28.2%
Cuban	6	0.5%
Mexican	65	5.3%
Puerto Rican	187	15.2%
Other Hispanic	135	11.0%
Native Hawaiian or Pacific Islander	752	61.0%
Guamanian or Chamorro	11	0.9%
Micronesian	57	4.6%
Native Hawaiian	635	51.5%
Samoan	82	6.7%
Other Pacific Islander	50	4.1%
White	773	62.7%
White or Caucasian	613	49.8%
Portuguese	301	24.4%
Other Race or Ethnicity	51	4.1%
Multiethnic	864	70.1%
Not Available (% Total)	841	40.6%

Summary of Youth by Crisis Stabilization Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Crisis Stabilization Service		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	1	2.2%
Leeward Oahu	1	2.2%
Honolulu Oahu	0	0.0%
Hawaii (Big Island)	18	39.1%
Maui	12	26.1%
Kauai	14	30.4%
Family Court Liaison Branch	0	0.0%

All Other Services		
Most Recent Family Guidance Center	Total Registered	
	N	%
Central Oahu*	295	14.2%
Leeward Oahu	302	14.6%
Honolulu Oahu	251	12.1%
Hawaii (Big Island)	752	36.3%
Maui	213	10.3%
Kauai	172	8.3%
Family Court Liaison Branch	88	4.2%

*Central Oahu FGC now includes both Central and Windward Oahu offices.

Summary of Youth by Crisis Stabilization Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Services Procured	Any Crisis Stabilization Service			All Other Services		
	Monthly Average	Total N	% of Procured	Monthly Average	Total N	% of Procured
Out-of-Home	11	19	41.3%	171	373	29.4%
Out-of-State	1	1	2.2%	4	4	0.3%
Hospital Residential	1	7	15.2%	16	70	5.5%
Community High Risk	0	0	0.0%	7	14	1.1%
Community Residential	3	5	10.9%	51	150	11.8%
Therapeutic Foster Home	6	12	26.1%	97	187	14.8%
<i>Multidimensional Treatment Foster Care</i>	0	0	0.0%	5	12	0.9%
<i>Transitional Family Home</i>	6	12	26.1%	92	180	14.2%
Intensive Home & Community	8	20	43.5%	467	966	76.2%
Partial Hospitalization	0	0	0.0%	5	23	1.8%
Multisystemic Therapy	2	7	15.2%	66	206	16.3%
Intensive In-Home	6	14	30.4%	400	798	63.0%
Outpatient	1	5	10.9%	58	303	23.9%
Treatment	1	2	4.3%	43	131	10.3%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	1	2	4.3%	33	99	7.8%
<i>Outpatient Therapy</i>	0	0	0.0%	10	32	2.5%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	0	4	8.7%	16	177	14.0%
Supportive Services	4	15	32.6%	39	173	13.7%
Respite Home	0	3	6.5%	6	27	2.1%
Ancillary Service	4	12	26.1%	34	150	11.8%
Crisis Stabilization	5	46	100.0%	0	0	0.0%
Unduplicated Total (% of Registered)	20	46	100%	671	1,267	61%

*These services either were not procured or had no data available in FY 2013.

Summary of Youth by Crisis Stabilization Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Total Hours Procured	Any Crisis Stabilization Service			All Other Services		
	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth	Mo. Avg. per Youth	Total per Youth	Avg. % per Youth
Out-of-Home	149	1,209	80.7%	152	954	89.3%
Out-of-State	198	2,373	85.7%	195	2,057	97.4%
Hospital Residential	123	324	44.0%	120	362	60.1%
Community High Risk	0	0	0.0%	175	1,060	83.2%
Community Residential	176	1,268	84.7%	136	649	77.4%
Therapeutic Foster Home	139	999	59.7%	167	1,124	85.2%
<i>Multidimensional Treatment Foster Care</i>	0	0	0.0%	173	913	76.5%
<i>Transitional Family Home</i>	139	999	59.7%	166	1,107	83.4%
Intensive Home & Community	25	108	34.8%	17	99	79.4%
Partial Hospitalization	0	0	0.0%	3	8	7.0%
Multisystemic Therapy	52	143	55.9%	39	135	80.8%
Intensive In-Home	15	83	21.8%	12	84	75.1%
Outpatient	5	9	15.0%	4	9	50.8%
Treatment	3	12	21.5%	4	15	48.9%
<i>Medication Management*</i>	0	0	0.0%	0	0	0.0%
<i>Functional Family Therapy</i>	3	12	21.5%	3	13	51.6%
<i>Outpatient Therapy</i>	0	0	0.0%	5	21	40.6%
Consultation*	0	0	0.0%	0	0	0.0%
Assessment	6	6	8.0%	5	5	50.8%
Supportive Services**	-	-	-	-	-	-
Respite Home	22	50	19.3%	20	51	11.4%
Ancillary Service**	-	-	-	-	-	-
Crisis Stabilization	29	41	48.6%	0	0	0.0%
Unduplicated Total	49	591		40	360	

Service Changes	Any Crisis Stabilization Service			All Other Services		
	Monthly Average	Total N	Total per Youth	Monthly Average	Total N	Total per Youth
Placement Changes	3	34	0.7	42	507	0.2
Out-of-Home Changes	0	5	0.1	3	40	0.0
Provider Agency Changes	8	94	2.0	98	1,180	0.6
Care Coordinator Changes	2	21	0.5	72	860	0.4

*These services either were not procured or had no data available in FY 2013.

**Duration not available for these services.

Summary of Youth by Crisis Stabilization Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Any Crisis Stabilization Service		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	129 (5.1)	102 (5.0)	91 (6.0)
Moods: Self-Harm	14 (2.3)	6 (1.6)	5 (1.7)
Moods: Emotions	24 (1.0)	19 (1.1)	18 (1.6)
Home Role Performance	29 (0.7)	22 (1.2)	20 (1.8)
School Role Performance	28 (0.8)	22 (1.4)	22 (1.8)
Community Role Performance	14 (2.0)	8 (1.6)	8 (1.7)
Behavior Towards Other	22 (1.4)	17 (0.9)	16 (1.2)
Substance Use	6 (1.9)	4 (1.2)	3 (1.1)
Thinking	10 (1.8)	3 (1.2)	1 (0.8)

	Any Crisis Stabilization Service		
Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	22 (0.8)	20 (0.8)	19 (0.8)
Level of Care	4 (0.2)	4 (0.3)	4 (0.3)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Functional Assessment Scale (CAFAS)			
Total (8-scale)	38 (28)	61% (28)	25% (28)
Moods: Self-Harm	9 (28)	71% (14)	93% (14)
Moods: Emotions	7 (28)	57% (28)	86% (28)
Home Role Performance	9 (28)	54% (28)	64% (28)
School Role Performance	6 (28)	36% (28)	54% (28)
Community Role Performance	7 (28)	59% (17)	100% (17)
Behavior Towards Other	6 (28)	52% (25)	96% (25)
Substance Use	4 (28)	67% (6)	100% (6)
Thinking	9 (28)	100% (11)	100% (11)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Level of Care Utilization System (CALOCUS)			
Total	3 (25)	38% (24)	21% (24)
Level of Care	1 (25)	38% (24)	46% (24)

	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Sentinel Event Reports			
Total	1,978	8	45.7%
Child Events	2,283	9	43.5%
Person-Directed	522	2	19.6%
Property-Directed	196	1	15.2%
Runaway or Elopement	500	2	15.2%
Self-Injury	630	2	26.1%
Substance Use	152	1	10.9%
Other	217	1	15.2%
Institutional Events	1,304	5	34.8%
Person-Directed (Client Victim)	109	0	8.7%
Seclusion or Restraint	43	0	4.3%
Medication Error	65	0	4.3%
Police Called	348	1	19.6%
Criminal Charges or Arrest	196	1	10.9%
Client Injury	130	1	13.0%
Staff Injury	87	0	2.2%
Other	326	1	17.4%

	All Other Services		
Child and Adolescent Functional Assessment Scale (CAFAS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total (8-scale)	118 (0.9)	89 (0.9)	86 (1.0)
Moods: Self-Harm	9 (0.3)	3 (0.2)	2 (0.2)
Moods: Emotions	21 (0.2)	16 (0.2)	15 (0.2)
Home Role Performance	25 (0.2)	19 (0.2)	18 (0.3)
School Role Performance	26 (0.2)	19 (0.2)	18 (0.3)
Community Role Performance	14 (0.3)	9 (0.3)	9 (0.3)
Behavior Towards Other	21 (0.2)	16 (0.2)	15 (0.2)
Substance Use	10 (0.3)	5 (0.2)	5 (0.2)
Thinking	6 (0.2)	2 (0.1)	2 (0.2)

	All Other Services		
Child and Adolescent Level of Care Utilization System (CALOCUS)	"CAMHD Lifetime" Max (SE)	Average during Period (SE)	Most Recent Score (SE)
Total	21 (0.1)	18 (0.1)	18 (0.1)
Level of Care	4 (0.0)	3 (0.0)	3 (0.0)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Functional Assessment Scale (CAFAS)			
Total (8-scale)	33 (1393)	53% (1321)	34% (1321)
Moods: Self-Harm	7 (1393)	79% (471)	96% (471)
Moods: Emotions	6 (1393)	47% (1227)	95% (1227)
Home Role Performance	7 (1393)	50% (1248)	65% (1248)
School Role Performance	8 (1392)	49% (1288)	62% (1288)
Community Role Performance	5 (1393)	47% (739)	90% (739)
Behavior Towards Other	6 (1393)	49% (1219)	95% (1219)
Substance Use	5 (1393)	61% (507)	83% (507)
Thinking	4 (1393)	74% (270)	97% (270)

	Average Change in Score (N)*	Reliable Improvement % (N)	Clinical Improvement % (N)
Child and Adolescent Level of Care Utilization System (CALOCUS)			
Total	3 (1259)	46% (1172)	42% (1172)
Level of Care	1 (1259)	55% (1177)	67% (1177)

	Reports per 1,000 youth	Monthly Average	Any Report % of youth
Sentinel Event Reports			
Total	836	145	23.0%
Child Events	905	156	21.3%
Person-Directed	175	30	9.0%
Property-Directed	93	16	6.1%
Runaway or Elopement	240	42	9.8%
Self-Injury	162	28	6.9%
Substance Use	95	16	5.0%
Other	106	18	6.3%
Institutional Events	527	91	14.9%
Person-Directed (Client Victim)	45	8	3.6%
Seclusion or Restraint	60	10	2.7%
Medication Error	8	1	0.6%
Police Called	149	26	7.9%
Criminal Charges or Arrest	98	17	5.4%
Client Injury	38	7	3.3%
Staff Injury	7	1	0.6%
Other	109	19	6.6%

*Indicates average change from highest CAFAS or CALOCUS score to most recent.
(A positive number reflects improvement.)

Summary of Youth by Crisis Stabilization Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Any Crisis Stabilization Service			
Service Setting	Any Use N	Any Use % Avail	Dosage % of Months
Clinic	18	46.2%	70.2%
Community	24	61.5%	68.5%
Home	25	64.1%	77.4%
Out-of-Home	34	87.2%	78.7%
Phone*	5	12.8%	42.6%
School	20	51.3%	65.5%
Unclear*	0	0.0%	0.0%
Not Available	7	15.2%	

Service Format	Any Use N	Any Use % Avail	Dosage % of Months
Family	24	61.5%	79.6%
Group	16	41.0%	53.6%
Individual	36	92.3%	88.2%
Parent	33	84.6%	81.9%
Phone*	3	7.7%	17.1%
Professional Consult*	10	25.6%	37.6%
Teacher	16	41.0%	51.0%
Unclear*	8	20.5%	33.5%
Not Available	7	15.2%	

Discharge Living Situation	Youth N	% Youth Discharged	% Discharges
Foster Home	10	28.6%	13.7%
Group Care	0	0.0%	0.0%
Home	30	85.7%	41.1%
Homeless/Shelter	1	2.9%	1.4%
Institution/Hospital	4	11.4%	5.5%
Jail/Correctional Facility	1	2.9%	1.4%
Other	11	31.4%	15.1%
Residential Treatment	3	8.6%	4.1%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	35		
Number of Discharges	73		

Reason for Discharge	Youth N	% Youth Discharged	% Discharges
Eligibility Change	3	8.6%	4.1%
Family Relocation	2	5.7%	2.7%
Insufficient Progress	6	17.1%	8.2%
Other	11	31.4%	15.1%
Runaway/Elopement	5	14.3%	6.8%
Refuse/Withdraw	3	8.6%	4.1%
Success/Goals Met	29	82.9%	39.7%
Not Available (N Discharges)	0	0.0%	0.0%
Youth With a Discharge	35		
Number of Discharges	73		

All Other Services		
Any Use N	Any Use % Avail	Dosage % of Months
543	45.2%	56.6%
913	76.0%	73.2%
1,061	88.3%	84.1%
462	38.5%	60.0%
134	11.2%	59.8%
707	58.9%	55.5%
48	4.0%	27.6%
872	42.1%	

Any Use N	Any Use % Avail	Dosage % of Months
943	78.5%	72.2%
348	29.0%	48.7%
1,022	85.1%	87.8%
921	76.7%	74.9%
32	2.7%	45.9%
293	24.4%	42.8%
450	37.5%	46.9%
168	14.0%	49.5%
872	42.1%	

Youth N	% Youth Discharged	% Discharges
90	12.7%	8.7%
8	1.1%	0.8%
493	69.4%	47.6%
17	2.4%	1.6%
19	2.7%	1.8%
52	7.3%	5.0%
115	16.2%	11.1%
50	7.0%	4.8%
0	0.0%	0.0%
710		
1036		

Youth N	% Youth Discharged	% Discharges
14	2.0%	1.4%
20	2.8%	1.9%
63	8.9%	6.1%
220	31.0%	21.2%
93	13.1%	9.0%
74	10.4%	7.1%
412	58.0%	39.8%
0	0.0%	0.0%
710		
1036		

*Indicates written response to an open-ended question.

Summary of Youth by Crisis Stabilization Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

Treatment Target	Any Crisis Stabilization Service			All Other Services		
	Any Use N	Any Use % Avail	Dosage % of Months	Any Use N	Any Use % Avail	Dosage % of Months
Academic Achievement	14	35.9%	25.4%	434	36.1%	40.7%
Activity Involvement	16	41.0%	58.1%	650	54.1%	55.8%
Adaptive Behavior/Living Skills	3	7.7%	53.7%	156	13.0%	37.8%
Adjustment to Change	13	33.3%	29.0%	335	27.9%	38.7%
Adult Intercoordination	1	2.6%	25.0%	12	1.0%	21.8%
Aggression	19	48.7%	56.3%	510	42.5%	54.4%
Anger	20	51.3%	52.3%	596	49.6%	55.5%
Anxiety	20	51.3%	53.5%	434	36.1%	50.1%
Assertiveness	7	17.9%	27.3%	214	17.8%	38.1%
Attention Problems	10	25.6%	21.8%	209	17.4%	36.7%
Avoidance	10	25.6%	32.0%	279	23.2%	41.7%
Caregiver Self-Management/Coping	1	2.6%	25.0%	5	0.4%	21.5%
Cognitive-Intellectual Functioning	3	7.7%	41.6%	94	7.8%	38.5%
Community Involvement	9	23.1%	32.5%	219	18.2%	32.3%
Compulsive Behavior	0	0.0%	0.0%	3	0.2%	22.2%
Contentment/Enjoyment/Happiness	6	15.4%	37.3%	245	20.4%	40.6%
Depressed Mood	23	59.0%	57.0%	374	31.1%	49.1%
Eating/Feeding Problems	4	10.3%	20.7%	32	2.7%	33.7%
Empathy	7	17.9%	28.4%	142	11.8%	43.5%
Enuresis/Encopresis	3	7.7%	57.4%	38	3.2%	50.2%
Fire Setting	0	0.0%	0.0%	6	0.5%	39.0%
Fitness/Exercise	0	0.0%	0.0%	1	0.1%	20.0%
Gender Identity Problems	0	0.0%	0.0%	7	0.6%	26.3%
Goal Setting	0	0.0%	0.0%	4	0.3%	12.7%
Grief	2	5.1%	27.7%	69	5.7%	38.5%
Health Management	2	5.1%	21.6%	90	7.5%	31.8%
Housing/Living Situation	11	28.2%	30.6%	195	16.2%	32.7%
Hyperactivity	4	10.3%	19.8%	99	8.2%	40.1%
Information Gathering	0	0.0%	0.0%	11	0.9%	32.8%
Learning Disorder/Underachievement	1	2.6%	25.0%	37	3.1%	25.8%
Low Self-Esteem	13	33.3%	28.9%	300	25.0%	42.6%
Mania	0	0.0%	0.0%	11	0.9%	27.6%
Medical Regimen Adherence	3	7.7%	52.6%	125	10.4%	37.9%
Occupational Functioning/Stress	1	2.6%	11.1%	49	4.1%	29.7%
Oppositional/Non-Compliant Behavior	23	59.0%	69.0%	774	64.4%	64.3%
Pain Management	0	0.0%	0.0%	0	0.0%	0.0%
Parenting Skills	0	0.0%	0.0%	19	1.6%	32.3%
Peer Involvement	6	15.4%	31.9%	196	16.3%	34.0%
Peer/Sibling Conflict	11	28.2%	26.4%	302	25.1%	45.0%
Personal Hygiene	3	7.7%	43.5%	43	3.6%	28.2%
Phobia/Fears	16	41.0%	37.6%	401	33.4%	43.9%
Positive Family Functioning	5	12.8%	38.8%	81	6.7%	41.0%
Positive Peer Interaction	28	71.8%	75.2%	937	78.0%	67.2%
Positive Thinking/Attitude	18	46.2%	46.5%	358	29.8%	40.8%
Pregnancy Education/Adjustment	1	2.6%	66.7%	23	1.9%	40.1%
Psychosis	2	5.1%	47.2%	36	3.0%	51.9%
Runaway	10	25.6%	47.3%	221	18.4%	46.2%
Safe Environment	0	0.0%	0.0%	11	0.9%	28.8%
School Involvement	8	20.5%	32.5%	276	23.0%	37.1%
School Refusal/Truancy	6	15.4%	20.0%	221	18.4%	43.1%
Self-Control	10	25.6%	43.9%	149	12.4%	44.9%
Self-Injurious Behavior	20	51.3%	47.3%	295	24.6%	41.0%
Sexual Orientation	0	0.0%	0.0%	0	0.0%	0.0%
Sexual Misconduct	4	10.3%	51.1%	65	5.4%	51.7%
Shyness	1	2.6%	8.3%	24	2.0%	28.2%
Sleep Disturbance	0	0.0%	0.0%	24	2.0%	36.0%
Social Skills	10	25.6%	31.6%	353	29.4%	46.4%
Speech and Language	0	0.0%	0.0%	8	0.7%	25.6%
Substance Use	8	20.5%	69.9%	338	28.1%	64.5%
Suicidality	10	25.6%	40.6%	80	6.7%	36.0%
Traumatic Stress	7	17.9%	50.7%	183	15.2%	44.0%
Treatment Engagement	19	48.7%	48.0%	662	55.1%	52.9%
Treatment Planning/Framing	1	2.6%	16.7%	66	5.5%	45.9%
Willful Misconduct/Delinquency	8	20.5%	39.6%	226	18.8%	45.7%
Other	0	0.0%	0.0%	14	1.2%	15.6%
Unclear	2	5.1%	10.6%	99	8.2%	29.9%
Not Available	7	15.2%		872	42.1%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.

Summary of Youth by Crisis Stabilization Services
For the Period of July 1, 2012 to June 30, 2013 as of September 30, 2013

	Any Crisis Stabilization Service			All Other Services		
	Any Use	Any Use	Dosage	Any Use	Any Use	Dosage
Practice Elements	N	% Avail	% of Months	N	% Avail	% of Months
Activity Scheduling	22	56.4%	61.6%	716	59.6%	56.8%
Anger Management	0	0.0%	0.0%	4	0.3%	16.8%
Animal or Plant Assisted Activities	0	0.0%	0.0%	0	0.0%	0.0%
Arousal Reconditioning	0	0.0%	0.0%	0	0.0%	0.0%
Art/Music Therapy	0	0.0%	0.0%	2	0.2%	22.2%
Assertiveness Training	14	35.9%	33.9%	395	32.9%	46.4%
Assessment	0	0.0%	0.0%	41	3.4%	67.7%
Attending	15	38.5%	33.2%	346	28.8%	45.5%
Behavior Management	0	0.0%	0.0%	5	0.4%	15.3%
Behavioral Contracting	29	74.4%	67.1%	684	57.0%	55.2%
Biofeedback/Neurofeedback	0	0.0%	0.0%	19	1.6%	29.4%
Care Coordination	29	74.4%	69.2%	738	61.4%	65.1%
Catharsis	4	10.3%	36.6%	70	5.8%	39.4%
Cognitive/Coping	31	79.5%	69.8%	711	59.2%	63.8%
Commands/Limit Setting	6	15.4%	19.2%	184	15.3%	40.7%
Communication Skills	29	74.4%	72.2%	932	77.6%	67.7%
Counseling	0	0.0%	0.0%	1	0.1%	27.3%
Crisis Management	25	64.1%	65.1%	518	43.1%	45.2%
Cultural Training	4	10.3%	33.8%	141	11.7%	41.7%
Discrete Trial Training	0	0.0%	0.0%	15	1.2%	19.6%
Educational Support	21	53.8%	55.3%	650	54.1%	55.3%
Emotional Processing	33	84.6%	70.3%	767	63.9%	62.6%
Exposure	10	25.6%	35.4%	243	20.2%	40.7%
Eye Movement/Body Tapping	0	0.0%	0.0%	18	1.5%	18.0%
Family Engagement	35	89.7%	73.3%	896	74.6%	63.9%
Family Therapy	27	69.2%	70.8%	838	69.8%	60.0%
Family Visit	0	0.0%	0.0%	0	0.0%	0.0%
Free Association	1	2.6%	50.0%	77	6.4%	36.1%
Functional Analysis	5	12.8%	51.8%	201	16.7%	49.1%
Goal Setting	24	61.5%	68.9%	858	71.4%	63.6%
Guided Imagery	7	17.9%	23.5%	203	16.9%	37.2%
Ho'Oponopono	0	0.0%	0.0%	0	0.0%	0.0%
Hypnosis	2	5.1%	19.6%	21	1.7%	26.4%
Ignoring or DRO	17	43.6%	35.8%	409	34.1%	47.4%
Individual Therapy for Caregiver	15	38.5%	40.1%	349	29.1%	41.7%
Informal Supports	0	0.0%	0.0%	6	0.5%	26.8%
Insight Building	23	59.0%	61.0%	762	63.4%	60.5%
Interpretation	10	25.6%	36.8%	206	17.2%	36.3%
Juvenile Sex Offender Treatment	1	2.6%	75.0%	22	1.8%	71.1%
Legal Assistance/Involvement	0	0.0%	0.0%	0	0.0%	0.0%
Line of Sight Supervision	30	76.9%	57.5%	375	31.2%	45.8%
Maintenance/Relapse Prevention	9	23.1%	48.0%	340	28.3%	43.8%
Marital Therapy	4	10.3%	37.3%	64	5.3%	29.1%
Medication/Pharmacotherapy	21	53.8%	54.4%	342	28.5%	52.0%
Mentoring	13	33.3%	40.0%	470	39.1%	49.8%
Milieu Therapy	13	33.3%	56.4%	294	24.5%	50.1%
Mindfulness	19	48.7%	47.9%	487	40.5%	49.0%
Modeling	31	79.5%	68.3%	754	62.8%	56.8%
Motivational Interviewing	13	33.3%	48.8%	621	51.7%	55.1%
Natural and Logical Consequences	22	56.4%	66.1%	826	68.8%	61.7%
Parent Coping	24	61.5%	58.9%	761	63.4%	57.9%
Parent or Teacher Monitoring	18	46.2%	39.1%	578	48.1%	51.8%
Parent Praise	17	43.6%	42.5%	598	49.8%	52.1%
Parenting	0	0.0%	0.0%	15	1.2%	21.0%
Peer Modeling/Pairing	8	20.5%	29.5%	204	17.0%	32.5%
Personal Safety Skills	22	56.4%	58.5%	546	45.5%	50.7%
Physical Exercise	0	0.0%	0.0%	0	0.0%	0.0%
Play Therapy	3	7.7%	60.2%	200	16.7%	48.0%
Problem Solving	33	84.6%	70.0%	917	76.4%	65.5%
Psychoeducation-Child	31	79.5%	76.7%	751	62.5%	59.2%
Psychoeducation-Parent	30	76.9%	73.1%	816	67.9%	61.9%
Relationship/Rapport Building	35	89.7%	66.6%	897	74.7%	60.4%
Relaxation	26	66.7%	52.4%	589	49.0%	50.0%
Response Cost	10	25.6%	47.4%	221	18.4%	42.2%
Response Prevention	11	28.2%	42.4%	258	21.5%	41.5%
Self-Monitoring	24	61.5%	50.0%	524	43.6%	49.5%
Self-Reward/Self-Praise	21	53.8%	64.1%	413	34.4%	48.8%
Skill Building	25	64.1%	64.0%	854	71.1%	61.1%
Social Skills Training	21	53.8%	53.1%	640	53.3%	54.1%
Stimulus Control/Antecedent Man.	15	38.5%	45.9%	275	22.9%	43.1%
Supportive Listening	34	87.2%	86.6%	960	79.9%	70.7%
Tangible Rewards	19	48.7%	54.3%	576	48.0%	51.9%
Therapist Praise/Rewards	21	53.8%	59.0%	789	65.7%	62.2%
Thought Field Therapy	3	7.7%	16.1%	29	2.4%	20.3%
Time Out	18	46.2%	34.2%	327	27.2%	45.8%
Twelve-step Programming	3	7.7%	50.9%	141	11.7%	49.8%
Other	3	7.7%	10.9%	32	2.7%	29.6%
Unclear	6	15.4%	35.7%	148	12.3%	39.0%
Not Available	7	15.2%		872	42.1%	

Note: Some open-ended responses relating to the "Other" category were recoded into existing categories.