

**DIRECTORY OF DRINKING WATER LABORATORIES**  
**CERTIFIED OR APPROVED BY THE HAWAII DEPARTMENT OF HEALTH,**  
**STATE LABORATORIES DIVISION**

**ACZ Laboratories, Inc.**

2773 Downhill Drive  
Steamboat Springs, Colorado 80487  
(970) 879-6590 x531  
(800) 334-5493

**AECOS Laboratory, Inc.**

45-939 Kamehameha Highway, Suite 104  
Kaneohe, Hawaii 96744  
(808) 234-7770

**Agriculture & Priority Pollutants  
Laboratories, Inc.**

908 N. Temperance Avenue  
Clovis, California 93611  
(559) 275-2175

**Alloway Marion Laboratory**

1776 Marion-Waldo Road  
Marion, Ohio 43302  
(419) 223-1362

**ALS Environmental, Houston**

19408 Park Row, Suite 320  
Houston, Texas 77084-4949  
(800) 695-7222

**ALS Environmental, Kelso**

1317 South 13<sup>th</sup> Avenue  
Kelso, Washington 98626  
(360) 577-7222

**Associated Laboratories**

806 North Batavia  
Orange, California 92868-1225  
(714) 771-6900

**BSK Analytical Laboratories**

1414 Stanislaus Street  
Fresno, California 93706  
(559) 497-2888

**Bureau Veritas North America, Inc.**

3380 Chastain Meadows Parkway, Suite 300  
Kennesaw, Georgia 30144  
(770) 499-7500

**Eurofins Calscience Environmental  
Laboratories, Inc.**

7440 Lincoln Way  
Garden Grove, California 92841  
(714) 895-5494

**Eberline Analytical Corp, Richmond**

2030 Wright Avenue  
Richmond, California 94804  
(510) 235-2633

**Edge Analytical, Incorporated**

1620 South Walnut Street  
Burlington, Washington 98233  
(360) 757-1400

**EMAX Laboratories, Inc.**

1835 W, 205th Street  
Torrance, California 90501  
(310) 618-8889

**EMSL Analytical, Inc. - California**

2235 Polvorosa Avenue, Suite 230  
San Leandro, California 94577  
(510) 895-3675

**EMSL Analytical, Inc. – New Jersey**

200 Route 130 North  
Cinnaminson, New Jersey 08077  
(800) 220-3675

**EnviroMatrix Analytical, Inc.**

4340 Viewridge Ave., Suite A  
San Diego, California 92123  
(858) 560-7717

**Eurofins Eaton Analytical, Inc.**

(f.k.a. MWH Laboratories, Inc.)  
750 Royal Oaks Drive, Suite 100  
Monrovia, California 91016-3629  
(626) 386-1100 (626) 386-1125

**Eurofins Lancaster, PA**

2425 New Holland Pike  
Lancaster, Pennsylvania 17601  
(717) 656-2681

**Eurofins Analytical, South Bend, IN**

(formerly Underwriters Laboratories, Inc.)  
110 South Hill Street  
South Bend, Indiana 46617  
(574) 233-4777 (800) 332-4345

**FGL Environmental**

853 Corporation Street  
Santa Paula, California 93060  
(805) 392-2024

**Food Quality Analysts, LLC**

3170-A Ualena Street  
Honolulu, Hawaii 96819  
(808) 839-9444

**GEL Laboratories, LLC**

2040 Savage Road  
Charleston, South Carolina 29407  
(843) 556-8171

**County of Hawaii Department of Water Supply**

**Microbiology Laboratory**

25 Aupuni Street  
Hilo, Hawaii 96720

**Honolulu Board of Water Supply**

630 S. Beretania St.  
Honolulu, HI 96843  
(808)748-5841

**Hawaii Food & Water Testing, LLC**

2688 B Kilihau Street  
Honolulu, Hawaii 96819  
(808) 836-5558

**HECO Chemistry Laboratory**

Environmental Department  
P.O. Box 2750  
Honolulu, Hawaii 96840  
(808) 543-4297

**Honolulu Board of Water Supply**

Chemistry Laboratory  
630 Beretania Street  
Honolulu, Hawaii 96813  
(808) 748-5840

**Kauai Department of Water**

4398 Pua Loke Street  
Lihue, Hawaii 96766

**LABCOR, Inc.**

7619 Sixth Avenue NW  
Seattle, Washington 98117-4037  
(206) 781-0155

**Maui Department of Water Supply**

614 Palapala Drive  
Kahului, Hawaii 96732  
(808) 270-7816

**Maxxam Analytics International Corp.**

6740 Campobello Road  
Mississauga, Ontario L5N2L8  
(905) 817-5700

**McCampbell Analytical, Inc.**

1534 Willow Pass Road  
Pittsburg, CA 94565-1701  
(925) 252-9262

**National Testing Laboratories, Ltd.**

556 South Mansfield Street  
Ypsilanti, Michigan 48197  
(734) 483-8333

**Naval Facilities Engineering Command Hawaii  
Environmental Services Laboratory EV11**

(NAVSAC PAC)  
400 Marshall Road  
Pearl Harbor, Hawaii 96860-3139  
(808) 471-0768

**NSF International**

789 N. Dixboro Road  
Ann Arbor, Michigan 48105-9723  
(734) 827-6837

**Pace Analytical Services, Inc., Florida**

8 East Tower Circle  
Ormond Beach, Florida 32174  
(386) 672-5668

**Pace Analytical Services, Inc., Minnesota**

1700 Elm Street, Suite 200  
Minneapolis, Minnesota 55414  
(612) 607-6352

**Pace Analytical Services, Inc., Pittsburgh**

1638 Roseytown Road, Suites 2, 3, & 4  
Greensburg, Pennsylvania 15601  
(724) 850-5600

**Radiation Safety Engineering, Inc.**

3245 N. Washington St.  
Chandler, Arizona 85225-1121  
(480) 897-9459

**TestAmerica Laboratories, Inc., Chicago**

2417 Bond Street  
University Park, Illinois 60484  
(708) 534-5200

**TestAmerica Honolulu**

4429 Malaai St., Suite 104  
Honolulu, HI 96818  
(808) 486-5227

**TestAmerica Laboratories, Inc., Irvine**

17461 Derian Avenue, Suite 100  
Irvine, California 92614  
(949) 261-1022

**TestAmerica Laboratories, Inc., Knoxville**

5815 Middlebrook Pike  
Knoxville, Tennessee 37921-5947  
(865) 291-3000

**TestAmerica Laboratories, Inc. – Richland**

2800 George Washington Way  
Richland, WA 99354  
(509) 375-3131

**TestAmerica Laboratories, Savannah**

5102 LaRoche Avenue  
Savannah, Georgia 31404  
(912) 354-7858

**TestAmerica Laboratories, Inc.,**

**West Sacramento**

880 Riverside Parkway  
West Sacramento, California 95605  
(916) 374-4308

**Tripler Army Medical Center**

Preventive Medicine Services Env. Laboratory  
Attn: MCHK-PV (Maj. Stacy Mosko)  
CDR TAMC  
1 Jarrett White Road  
Tripler Army Medical Center, Hawaii 96859-5000

**Vista Analytical Laboratory**

1104 Windfield Way  
El Dorado Hills, CA 95762  
(916) 673-1520

**Weck Laboratories, Inc.**

14859 East Clark Avenue  
City of Industry, California 91745-1396  
(626) 336-2139

**\*NOTE:** The above listings are for informational purposes only. It does **not** imply that any laboratory on the list will perform analyses for any other party. Water systems or their authorized representative ("applicant") are responsible for contracting with any of the certified or approved laboratories, listed above, to perform all of the analyses required for a new source approval. It is also the "applicant's" responsibility to verify that the contracted laboratory or laboratories are currently certified when the analyses are performed. **Please note that the Department of Health does not perform analyses for prospective sources of drinking water.**

**Certified or Approved Drinking Water Laboratories**  
**(Hawaii Department of Health, State Laboratories Division)**  
**INORGANIC CHEMICALS**

May 31, 2017

CONTAMINANT	Agriculture & Priority Pollutants *	Alloway-Marion *	ALS Environmental, Kelso *	BSK Analytical Laboratories *	Bureau Veritas North America *	Edge Analytical Incorporated *	EMAX Laboratories *	EMSL Analytical, California *	EMSL Analytical, New Jersey *	Enthalpy Analytical *	Eurofins Calscience Environmental *	Eurofins Eaton Analytical, CA *	Eurofins Lancaster, PA *	Eurofins Eaton, South Bend, IN *	FGL Environmental *	FQ Labs	GEL Laboratories *	Honolulu Board of Water Supply	HECO Chemistry	Maui Department of Water Supply	McCampbell Analytical*	National Testing Laboratories *	Naval Facilities Environmental Services Laboratory	NSF International *	Pace Analytical, Florida *	Pace Analytical-Minnesota *	TestAmerica - Chicago *	TestAmerica Irvine *	TestAmerica Savannah *	Weck Laboratories *	CONTAMINANT		
Antimony	200.8	200.8	200.8	200.8		200.8				200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8				200.8		200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	Antimony	
Arsenic	200.8	200.8	200.8 200.9	200.8		200.8				200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	SM3113B			200.8		200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	Arsenic	
Barium	200.8 200.7	200.7 200.8	200.7 200.8	200.7 200.8		200.7, 200.8				200.7 200.8	200.7 200.8	200.8 200.7	200.8 200.7	200.8	200.8	200.8	200.7 200.8				200.7 200.8		200.8	200.7 200.8	200.8	200.7, 200.8	200.7, 200.8	200.7 200.8	200.7 200.8	200.7 200.8	200.7 200.8	Barium	
Beryllium	200.8 200.7	200.8	200.7 200.8	200.8		200.7, 200.8				200.7 200.8	200.7 200.8	200.8 200.7	200.8 200.7	200.8	200.8	200.8	200.7 200.8				200.7 200.8		200.8	200.7 200.8	200.8	200.7, 200.8	200.7, 200.8	200.7 200.8	200.7 200.8	200.8	200.8	Beryllium	
Cadmium		200.8	200.7 200.8	200.8		200.7, 200.8				200.8 200.7	200.7 200.8	200.8 200.7	200.8 200.7	200.8	200.8	200.8	200.7 200.8				200.7 200.8		200.8	200.7 200.8	200.8	200.7, 200.8	200.7, 200.8	200.7 200.8	200.7 200.8	200.7 200.8	200.7 200.8	Cadmium	
Chromium	200.8 200.7	200.8 200.7	200.7 200.8	200.8 200.7		200.7, 200.8				200.8 200.7	200.7 200.8	200.8 200.7	200.8 200.7	200.8	200.8	200.8	200.7 200.8				200.7 200.8		200.8	200.7 200.8	200.8	200.7, 200.8	200.7, 200.8	200.7 200.8	200.7 200.8	200.7 200.8	200.7 200.8	Chromium	
Copper	200.8 200.7	200.8 200.7	200.7, 200.8, 200.9	200.8 200.7		200.7, 200.8				200.8 200.7	200.7 200.8	200.8 200.7	200.8 200.7	200.8	200.8	200.8	200.7 200.8	SM3113B	200.7	SM3113B, 200.9	200.7 200.8		200.8	200.7 200.8	200.8	200.7, 200.8	200.7, 200.8	200.7 200.8	200.7 200.8	200.7 200.8	200.7 200.8	Copper	
Lead	200.8	200.8	200.8 200.9	200.8		200.8				200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	SM3113B		SM3113B, 200.9	200.8		200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	Lead
Mercury	245.1	245.1	245.1	200.8		245.1				200.8, 245.1	245.1	245.1	245.1	245.1	245.1	200.8	245.1				245.2, 200.8		200.8	245.1	200.8	245.1	245.1	245.1	200.8, 245.1	245.1	245.1	Mercury	
Nickel	200.8	200.8 200.7	200.7 200.8	200.8 200.7		200.7, 200.8				200.8 200.7	200.7 200.8	200.8 200.7	200.8 200.7	200.8	200.8	200.8	200.7 200.8				200.7 200.8		200.8	200.7 200.8	200.8	200.7, 200.8	200.7, 200.8	200.7 200.8	200.7 200.8	200.7 200.8	200.7 200.8	Nickel	
Selenium	200.8	200.8	200.8 200.9	200.8		200.8				200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8				200.8		200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	Selenium	
Thallium	200.8	200.8	200.8 200.9	200.8		200.8				200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8				200.8		200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	Thallium
Asbestos					100.1 100.2			100.2	100.2			100.2																					Asbestos
Cyanide		335.4	335.4	SM4500 CN E F		SM4500 CN F				335.4 SM4500 CN E	SM4500 CN E	SM4500CN F, 335.4	335.4	335.4, Lachat 10- 204-00-1-X	SM4500 CN E						SM4500 CN E			335.4	335.4		SM4500 CN-CE	SM4500 CN E	335.4, SM 4500 CN E	335.4		Cyanide	
Fluoride	300.0	SM 4500F C	300.0, SM 4500F C	300.0, SM 4500F C		300.0	300.0			300.0, SM 4500F C	300.0, SM 4500F C	300.0, SM 4500F C	300.0, SM 4500F C	Technicon 380- 75WE, SM4500FC, 300.0	300.0	Hach 10225	300.0			SM 4500F C	300.0	300.0, 300.1	300.0	SM 4500F C	SM 4500F C	300.0	300.0, SM 4500F C	300.0, SM 4500F C	300.0, SM 4500F C	300.0	Fluoride		
Nitrate	353.2 300.0	353.2, SM4500 NO3F	353.2 300.0	300.0		300.0, SM4500 NO3F	300.0			353.2 300.0	353.2 300.0	300.0 353.2 calc	300.0 353.2 calc	300.0 353.2	300.0	Hach 10206	300.0			353.2	300.0	300.0, 300.1	300.0		300.0 353.2		SM4500 NO3 F, 300.0, 353.2	300.0	300.0 353.2	300.0 353.2	Nitrate		
Nitrite	353.2 300.0	353.2, SM4500 NO3F	353.2 300.0	300.0		300.0, SM4500 NO3F	300.0			353.2 300.0	353.2 300.0, SM4500 NO2 B	300.0 353.2	300.0 353.2	353.2	300.0		353.2	300.0		353.2	300.0	300.0, 300.1	300.0		300.0 353.2		SM4500 NO2 B, 300.0	300.0	300.0 353.2	300.0 353.2	Nitrite		
<b>Certification Expiration Date</b>	09/30/17	04/01/18	02/10/18	01/29/18	04/01/18	01/18/18	06/30/17	09/30/17	06/30/17	10/31/17	01/29/18	01/29/18	01/31/18	09/16/17	08/01/16	10/31/17	10/31/17	05/31/17	04/30/18	03/28/18	10/31/17	12/31/17	03/31/18	11/03/17	06/30/17	12/31/17	04/30/18	01/29/18	06/30/17	01/29/18	<b>Certification Expiration Date</b>		

\* Laboratories located on the continental U.S. that are approved by the Department of Health, State Laboratories Division.

**Certified or Approved Drinking Water Laboratories  
(Hawaii Department of Health, State Laboratories Division)  
EPA REGULATED ORGANIC COMPOUNDS**

**May 31, 2017**

CONTAMINANT	Agriculture & Priority Pollutants *	Alloway-Marion *	ALS Environmental, Houston *	ALS Environmental, Kelso *	BSK Analytical Laboratories *	Edge Analytical Incorporated *	EMAX Laboratories *	Enthalpy Analytical *	Eurofins Caiscience Environmental *	Eurofins Eaton Analytical, CA *	Eurofins Lancaster, PA *	Eurofins Eaton, South Bend, IN *	FGL Environmental *	FQ Labs	GEL Laboratories *	Honolulu Board of Water Supply	Maxxam Analytics *	McCampbell Analytical*	National Testing Laboratories *	NSF International *	Pace Analytical, Florida *	Pace Analytical, Minnesota *	TestAmerica Knoxville *	TestAmerica, Irvine *	TestAmerica, Savannah *	TestAmerica West Sacramento *	Vista Analytical Laboratory *	Weick Laboratories *	CONTAMINANT	
Alachlor		525.2		525.2	525.2	525.2				525.2, 505	525.2, 507	525.2	505					525.2, 505	508.1, 525.2	525.2	508.1			525.2, 505	525.2			525.2	Alachlor	
Atrazine		525.2		525.2	525.2	525.2				525.2	525.2, 507	525.2	507					525.2, 505	508.1, 525.2	525.2	508.1			525.2	525.2			525.2	Atrazine	
Chlordane		508		508.1	505	508.1				525.2, 505		505	505					525.2, 505	505	505, 508.1	508.1			505	508			508	Chlordane	
Dieldrin		508		508.1	505	508.1, 525.2				525.2, 505	525.2	525.2	505						505, 525.2	525.2	508.1			525.2	508, 525.2			508, 525.2	Dieldrin	
Endrin		508		508.1	505	508.1, 525.2				525.2, 505	525.2	525.2	505					525.2, 505	525.20	525.2	508.1			505	508, 525.2			508, 525.2	Endrin	
Heptachlor		508		508.1	505	508.1, 525.2				525.2, 505	525.2	525.2	505					525.2, 505	505, 525.2	525.2	508.1			505	508, 525.2			508, 525.2	Heptachlor	
Heptachlor Epoxide		508		508.1	505	508.1, 525.2				525.2, 505	525.2	525.2	505					525.2, 505	505, 525.2	525.2	508.1			505	508, 525.2			508, 525.2	Heptachlor Epoxide	
Hexachlorobenzene		508, 525.2		525.2	505	525.2				525.2	525.2	525.2	505					525.2, 505	505, 525.2	525.2	508.1			525.2, 505	525.2			508	Hexachlorobenzene	
Hexachlorocyclopentadiene		508, 525.2		525.2	505	525.2				525.2	525.2	525.2	505					525.2, 505	505, 525.2	525.2	508.1			525.2, 505	525.2			508	Hexachlorocyclopentadiene	
Lindane		508		508.1	505	508.1, 525.2				525.2, 505	525.2	525.2	505					525.2, 505	505, 525.2	525.2	508.1			505	508, 525.2			508, 525.2	Lindane	
Methoxychlor		508		508.1	505	508.1, 525.2				525.2, 505	525.2	525.2	505					525.2, 505	505, 525.2	525.2	508.1			525.2, 505	508, 525.2			508, 525.2	Methoxychlor	
Simazine		525.2		525.2	525.2	525.2				525.2	525.2	525.2	507					525.2, 505	508.1, 525.2	525.2	508.1			525.2	525.2			525.2	Simazine	
Toxaphene		508		508.1	505	508.1				505		505	505					525.2, 505	505	505, 508.1	508.1			505	508			508	Toxaphene	
Polychlorinated Biphenyls (PCB) Screen	aroclor screen 508			aroclor screen 508.1	aroclor screen 505	aroclor screen 508.1				aroclor screen 505		aroclor screen 505	aroclor screen 505					aroclor screen 505	aroclor screen 505	505	aroclor screen 508.1			aroclor screen 505	aroclor screen 508			508	Polychlorinated Biphenyls (PCB) Screen	
Polychlorinated Biphenyls (PCB) as Decachlorobiphenyl		508A																												Polychlorinated Biphenyls (PCB) as Decachlorobiphenyl
Aldicarb		531.1		531.1	531.1	531.2				531.2	531.1	531.1, 531.2	531.1					531.2	531.2	531.2	531.1			531.1	531.1			531.1	Aldicarb	
Aldicarb Sulfone		531.1		531.1	531.1	531.2				531.2	531.1	531.1, 531.2	531.1					531.2	531.2	531.2	531.1			531.1	531.1			531.1	Aldicarb Sulfone	
Aldicarb Sulfoxide		531.1		531.1	531.1	531.2				531.2	531.1	531.1, 531.2	531.1					531.2	531.2	531.2	531.1			531.1	531.1			531.1	Aldicarb Sulfoxide	
Carbofuran		531.1		531.1	531.1	531.2				531.2	531.1	531.1, 531.2	531.1					531.2	531.2	531.2	531.1			531.1	531.1			531.1	Carbofuran	
Oxamyl		531.1		531.1	531.1	531.2				531.2	531.1	531.1, 531.2	531.1					531.2	531.2	531.2	531.1			531.1	531.1			531.1	Oxamyl	
Benzo(a)Pyrene	525.2	525.2		525.2	525.2	525.2				525.2	525.2	525.2						525.2	525.2	525.2	525.2			525.2	525.2			525.2	Benzo(a)Pyrene	
Di(2-ethylhexyl)Adipate	525.2			525.2	525.2	525.2				525.2	525.2	525.2						525.2	525.2	525.2	525.2			525.2	525.2			525.2	Di(2-ethylhexyl)-Adipate	
Bis(2-ethylhexyl)Phthalate	525.2			525.2	525.2	525.2				525.2	525.2	525.2						525.2	525.2	525.2	525.2			525.2	525.2			525.2	Bis(2-ethylhexyl)-Phthalate	
Dalapon	515.1	515.1		515.4	515.3	515.1, 515.4				515.4, 552.3	515.1	515.3	515.3					515.3, 552.2	552.2	515.3	515.3			515.4	515.1			515.3	Dalapon	
2,4-D	515.1	515.1		515.4	515.3	515.1, 515.4				515.4	515.1	515.3	515.3					515.3	515.2	515.3	515.3			515.4	515.1			515.3	2,4-D	
Dinoseb	515.1	515.1		515.4	515.3	515.1, 515.4				515.4	515.1	515.3	515.3					515.3	515.2	515.3	515.3			515.4	515.1			515.3	Dinoseb	
Pentachlorophenol	515.1	515.1		515.4	515.3	515.1, 515.4				515.4, 525.2	515.1	515.3	515.3					515.3	515.2	515.3	515.3			515.4	515.1			515.3	Pentachlorophenol	
Picloram	515.1	515.1		515.4	515.3	515.1, 515.4				515.4	515.1	515.3	515.3					515.3	515.2	515.3	515.3			515.4	515.1			515.3	Picloram	
2,4,5-TP (Silvex)	515.1	515.1		515.4	515.3	515.1, 515.4				515.4	515.1	515.3	515.3					515.3	515.2	515.3	515.3			515.4	515.1			515.3	2,4,5-TP (Silvex)	
Diquat		549.2		549.2	549.2	549.2				549.2		549.2	549.2					549.2	549.2	549.2	549.2			549.2	549.2			549.2	Diquat	
Endothall		548.1		548.1	548.1	548.1				548.1		548.1	548.1					548.1	548.1	548.1	548.1			548.1	548.1			548.1	Endothall	
Glyphosate		547		547	547	547				547		547	547					547	547	547	547			547	547			547	Glyphosate	
1,2-dibromo-3-chloropropane (DBCP)	504.1	504.1		504.1	504.1	504.1	504.1	504.1	504.1	504.1, 551.1, 524.3	504.1	504.1	504.1					504.1	504.1	504.1	504.1			504.1	504.1			504.1	1,2-dibromo-3-chloropropane (DBCP)	
1,2-dibromoethane (EDB)	504.1	504.1		504.1	504.1	504.1	504.1	504.1	504.1	504.1, 551.1, 524.3	504.1	504.1	504.1					504.1	504.1	504.1	504.1			504.1	504.1			504.1	1,2-dibromoethane (EDB)	
1,2,3-Trichloropropane (TCP)	504.1			504.1	504.1	504.1				504.1	504.1	504.1	504.1					504.1											504.1	1,2,3-Trichloropropane (TCP)
Regulated Volatile Organic Compounds	524.2	524.2		524.2	524.2	524.2	524.2	524.2	524.2	524.2, 524.3	524.2	524.2	524.2					524.2	524.2	524.2	524.2			524.2	524.2			524.2	Regulated Volatile Organic Compounds	
Vinyl Chloride	524.2	524.2		524.2	524.2	524.2	524.2	524.2	524.2	524.2, 524.3	524.2	524.2	524.2					524.2	524.2	524.2	524.2			524.2	524.2			524.2	Vinyl Chloride	
Trihalomethanes		524.2		524.2	524.2	524.2		524.2	524.2	524.2, 551.1, 524.3	524.2	524.2	524.2, 551.1					544.2	524.2	524.2	524.2			524.2	524.2			524.2	Trihalomethanes	
Haloacetic Acids		552.2		552.2	552.2	552.3				SM6251B, 552.3		552.2	552.2					552.2	552.2	552.2	552.2			552.2	552.2			552.2	Haloacetic Acids	
2,3,7,8-Tetrachlorodibenzo-p-dioxin (Dioxin)			1613							1613		1613								1613		1613	1613			1613	1613		1613	2,3,7,8-Tetrachlorodibenzo-p-dioxin (Dioxin)
<b>Certification Expiration Date</b>	<b>09/30/17</b>	<b>04/01/18</b>	<b>04/30/18</b>	<b>02/10/18</b>	<b>01/29/18</b>	<b>01/18/18</b>	<b>06/30/17</b>	<b>10/31/17</b>	<b>01/29/18</b>	<b>01/29/18</b>	<b>01/31/18</b>	<b>09/16/17</b>	<b>08/01/16</b>		<b>10/31/17</b>	<b>05/31/17</b>	<b>11/22/17</b>	<b>10/31/17</b>	<b>12/31/17</b>	<b>11/03/17</b>	<b>06/30/17</b>	<b>12/31/17</b>	<b>04/13/18</b>	<b>01/29/18</b>	<b>06/30/17</b>	<b>01/29/18</b>	<b>02/07/18</b>	<b>01/29/18</b>	<b>Certification Expiration Date</b>	

\* Laboratories located on the continental U.S. that are approved by the Department of Health, State Laboratories Division.

**Certified or Approved Drinking Water Laboratories**  
**(Hawaii Department of Health, State Laboratories Division)**  
**RADIOCHEMISTRY MONITORING**  
**May 31, 2017**

CONTAMINANT	ACZ Laboratories, Inc.*	Edge Analytical Incorporated*	Eurofins Eaton Analytical, CA*	Eurofins Eaton Bend, IN*	FGL Environmental*	Gel Laboratories, LLC*	National Testing Laboratories*	Pace Analytical Services, Inc. - Pittsburgh*	Radiation Safety Engineering, Inc.*	Testamerica Irvine*	TestAmerica Laboratories, Inc., - Richland*	Weck Laboratories, Inc.*	CONTAMINANT
Gross Alpha	900.0		900.0	SM 7110 B SM 7110 C	900.0	900.0		900.0, SM 7110 C	900.0, EPA 00-02		900.0, EPA 00-02	900.0, SM 7110 C	Gross Alpha
Gross Beta	900.0		900.0	SM 7110 B	900.0	900.0		900.0	900.0		900.0	900.0	Gross Beta
Radium - 226	903.1		Georgia Inst. Tech Rev1,2	SM 7500-Ra B	903.1	903.1		903.1	903.1, GA		903.0 903.1		Radium - 226
Radium - 228	904.0		Georgia Inst. Tech Rev1,2	SM 7500-Ra D	EPA Ra-05	904.0		904.0	904.0, GA		904.0		Radium - 228
Uranium	200.8	200.8	200.8	200.8	200.8, 908.0	ASTM D5174-97	200.8	908.0, ASTM D5174-97	ASTM D6239-09, SM 7500-UC	200.8	ASTM D5174-97	200.8	Uranium
<b>Certification Expiration Date</b>	<b>08/31/17</b>	<b>01/18/18</b>	<b>01/29/18</b>	<b>09/16/17</b>	<b>08/01/16</b>	<b>10/31/17</b>	<b>12/31/2017</b>	<b>03/31/18</b>	<b>02/28/15</b>	<b>01/29/18</b>	<b>01/29/18</b>	<b>01/29/18</b>	<b>Certification Expiration Date</b>

\*Laboratories located on the continental U.S. that are approved by the Department of Health, State Laboratories Division.

Hawaii Department of Health Certified Drinking Water Laboratories  
As of 5/17/2017

MICROBIOLOGICAL ANALYSIS							
FULL CERTIFICATION	CERTIFICATE EXPIRATION	CERTIFIED LABORATORY METHOD					
		TOTAL COLIFORMS	FECAL COLIFORMS	E-COLI	HETEROTROPHIC BACTERIA	ENTEROCOCCI	CRYPTOSPORIDIUM / GIARDIA
County of Hawaii, Dept. of Water Supply Microbiology Laboratory	8/31/17	SM 9223 Colisure (vessel) Presence/Absence SM 9223 Collert (Quantitray) Enumeration SM 9223 Collert-18 (Vessel) Presence/Absence		SM 9223 Colisure (vessel) Presence/Absence SM 9223 Collert (Quantitray) Enumeration SM 9223 Collert-18 (Vessel) Presence/Absence	IDEXX SimPlate Enumeration		
County of Maui, Department of Water Supply	3/31/19	SM 9223 Colisure (vessel) Presence/Absence SM 9223 Collert-18 (vessel) Presence/Absence SM 9223 Collert-18 (Quantitray) Enumeration		SM 9223 Colisure (vessel) Presence/Absence SM 9223 Collert-18 (vessel) Presence/Absence SM 9223 Collert-18 (Quantitray) Enumeration	SM 9215B HPC (Pour Plate) Enumeration IDEXX SimPlate Enumeration		
DOH Hawaii District Health Laboratory - Hilo	9/30/17	SM 9223 Colisure (vessel) Presence/Absence		SM 9223 Colisure (vessel) Presence/Absence			
DOH Kauai District Health Laboratory - Lihue	5/30/17	SM 9223 Colisure (vessel) Presence/Absence		SM 9223 Colisure (vessel) Presence/Absence			
DOH Maui District Health Laboratory	6/30/17	SM 9223 Colisure (vessel) Presence/Absence		SM 9223 Colisure (vessel) Presence/Absence	SM 9215B HPC (Pour Plate) Enumeration		
Honolulu Board of Water Supply	8/31/18	SM 9223 Colisure (vessel) Presence/Absence SM 9223 Collert-18 (vessel) Presence/Absence		SM 9223 Colisure (vessel) Presence/Absence SM 9223 Collert-18 (vessel) Presence/Absence	SM 9215B HPC (Pour Plate) Enumeration IDEXX SimPlate Enumeration		
Tripler Army Medical Center	10/31/17	SM 9223 Collert (vessel) Presence/Absence		SM 9223 Collert (vessel) Presence/Absence			
AECOS	12/31/17	SM 9223 Collert (vessel) Presence/Absence SM 9223 Collert (Quantitray) Enumeration		SM 9223 Collert (vessel) Presence/Absence SM 9223 Collert (Quantitray) Enumeration	SM 9215B HPC (Pour Plate) Enumeration IDEXX SimPlate Enumeration		
<b>RECIPROCAL CERTIFICATION</b>							
Eurofins Eaton Analytical, Inc. Monrovia	5/31/18	SM 9221B Multiple Tube Fermentation Presence/Absence SM 9221B.C Multiple Tube Fermentation Enumeration SM 9223B (Collert) Presence/Absence SM 9223B (Collert/Quanti-Tray) Enumeration SM 9223B (Collert 18) Presence/Absence SM 9223B (Collert 18/Quanti-Tray) Enumeration SM 9223B (Colisure) Presence/Absence	SM 9221B.E Multiple Tube Fermentation Presence/Absence SM 9221B.E Multiple Tube Fermentation Enumeration	SM 9221B.F Multiple Tube Fermentation Presence/Absence SM 9221B.F Multiple Tube Fermentation Enumeration SM 9223B (Collert) Presence/Absence SM 9223B (Collert/Quanti-Tray) Enumeration SM 9223B (Collert 18) Presence/Absence SM 9223B (Collert 18/Quanti-Tray) Enumeration SM 9223B (Colisure) Presence/Absence	SM 9215B HPC (Pour Plate) Enumeration	SM 9230B Multiple Tube Fermentation ASTM D6503-99 Enterolert	
<b>PROVISIONAL CERTIFICATION*</b>							
County of Kauai, Department of Water	5/30/17	SM 9223 Colisure (vessel) Presence/Absence		SM 9223 Colisure (vessel) Presence/Absence	IDEXX SimPlate Enumeration		
<b>CERTIFICATION HAS LAPSED</b>							
Eurofins Eaton Analytical, Inc. Monrovia	1/29/16						EPA 1623 Filtration/IMS/FA
Hawaii Food & Water Testing, LLC	4/30/16	SM 9223 Collert (vessel) Presence/Absence SM 9223 Collert (Quantitray) Enumeration		SM 9223 Collert (vessel) Presence/Absence SM 9223 Collert (Quantitray) Enumeration	SM 9215 HPC (Pour Plate) Enumeration		
<b>REVOKED</b>							
FOLabs, LLC	Revoked 10/17/15; Earliest reapplication allowed: 3/17/16	SM 9223 Collert (Quantitray) Presence/Absence		SM 9223 Collert (Quantitray) Presence/Absence	SM 9215 HPC (Pour Plate) Enumeration IDEXX SimPlate Enumeration		

\* A provisionally certified laboratory may analyze drinking water samples for compliance purposes only if clients are notified of its status in writing on any report.