

DIRECTORY OF DRINKING WATER LABORATORIES
CERTIFIED OR APPROVED BY THE HAWAII DEPARTMENT OF HEALTH,
STATE LABORATORIES DIVISION

Note for those who want to test their own drinking water

1. Please consult with the lab regarding its certification status before sending the samples.
2. Since only a few labs can do all the tests, please make sure the lab sub-contacts the samples only with the other certified lab(s).
3. Always call the Safe Drinking Water Branch (808-586-4268) if you have any question regarding lab status and drinking water tests.

Local Private Labs

AECOS Laboratory, Inc.

45-939 Kamehameha Highway, Suite 104
Kaneohe, Hawaii 96744
(808) 234-7770

Food Quality Analysts, LLC

3170-A Ualena Street
Honolulu, Hawaii 96819
(808) 839-9444

TestAmerica Honolulu

4429 Malaai St., Suite 104
Honolulu, HI 96818
(808) 486-5227

Other Labs

ACZ Laboratories, Inc.

2773 Downhill Drive
Steamboat Springs, Colorado 80487
(970) 879-6590 x531
(800) 334-5493

**Agriculture & Priority Pollutants
Laboratories, Inc.**

908 N. Temperance Avenue
Clovis, California 93611
(559) 275-2175

Alloway Marion Laboratory

1776 Marion-Waldo Road
Marion, Ohio 43302
(419) 223-1362

ALS Environmental, Houston

19408 Park Row, Suite 320
Houston, Texas 77084-4949
(800) 695-7222

ALS Environmental, Kelso

1317 South 13th Avenue
Kelso, Washington 98626
(360) 577-7222

Associated Laboratories

806 North Batavia
Orange, California 92868-1225
(714) 771-6900

BSK Analytical Laboratories

1414 Stanislaus Street
Fresno, California 93706
(559) 497-2888

**Eurofins Calscience Environmental
Laboratories, Inc.**

7440 Lincoln Way
Garden Grove, California 92841
(714) 895-5494

Eberline Analytical Corp, Richmond

2030 Wright Avenue
Richmond, California 94804
(510) 235-2633

Edge Analytical, Incorporated

1620 South Walnut Street
Burlington, Washington 98233
(360) 757-1400

EMAX Laboratories, Inc.

1835 W, 205th Street
Torrance, California 90501
(310) 618-8889

EMSL Analytical, Inc. - California

2235 Polvorosa Avenue, Suite 230
San Leandro, California 94577
(510) 895-3675

EMSL Analytical, Inc. – New Jersey

200 Route 130 North
Cinnaminson, New Jersey 08077
(800) 220-3675

Eurofins Eaton Analytical, Inc.

(f.k.a. MWH Laboratories, Inc.)
750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
(626) 386-1100 (626) 386-1125

Eurofins Analytical, South Bend, IN

(formerly Underwriters Laboratories, Inc.)
110 South Hill Street
South Bend, Indiana 46617
(574) 233-4777 (800) 332-4345

GEL Laboratories, LLC

2040 Savage Road
Charleston, South Carolina 29407
(843) 556-8171

Honolulu Board of Water Supply

630 S. Beretania St.
Honolulu, HI 96843
(808)748-5841

Honolulu Board of Water Supply

Chemistry Laboratory
630 Beretania Street
Honolulu, Hawaii 96813
(808) 748-5840

LABCOR, Inc.

7619 Sixth Avenue NW
Seattle, Washington 98117-4037
(206) 781-0155

Maxxam Analytics International Corp.

6740 Campobello Road
Mississauga, Ontario L5N2L8
(905) 817-5700

McCampbell Analytical, Inc.

1534 Willow Pass Road
Pittsburg, CA 94565-1701
(925) 252-9262

**Naval Facilities Engineering Command Hawaii
Environmental Services Laboratory EV11**

(NAVSAC PAC)
400 Marshall Road
Pearl Harbor, Hawaii 96860-3139
(808) 471-0768

EnviroMatrix Analytical, Inc.

4340 Viewridge Ave., Suite A
San Diego, California 92123
(858) 560-7717

Eurofins Lancaster, PA

2425 New Holland Pike
Lancaster, Pennsylvania 17601
(717) 656-2681

FGL Environmental

853 Corporation Street
Santa Paula, California 93060
(805) 392-2024

County of Hawaii Department of Water Supply

Microbiology Laboratory
25 Aupuni Street, Hilo, Hawaii 96720

HECO Chemistry Laboratory

Environmental Department
P.O. Box 2750
Honolulu, Hawaii 96840
(808) 543-4297

Kauai Department of Water

4398 Pua Loke Street
Lihue, Hawaii 96766

Maui Department of Water Supply

614 Palapala Drive
Kahului, Hawaii 96732
(808) 270-7816

Maxxam Analytics, Georgia

3380 Chastain Meadows Parkway Suite 300
Kennesaw, Georgia 30144
(770)499-7500

National Testing Laboratories, Ltd.

556 South Mansfield Street
Ypsilanti, Michigan 48197
(734) 483-8333

NSF International

789 N. Dixboro Road
Ann Arbor, Michigan 48105-9723
(734) 827-6837

Pace Analytical Services, Inc., Florida

8 East Tower Circle
Ormond Beach, Florida 32174
(386) 672-5668

Pace Analytical Services, Inc., Minnesota

1700 Elm Street, Suite 200
Minneapolis, Minnesota 55414
(612) 607-6352

Pace Analytical Services, Inc., Pittsburgh

1638 Roseytown Road, Suites 2, 3, & 4
Greensburg, Pennsylvania 15601
(724) 850-5600

Radiation Safety Engineering, Inc.

3245 N. Washington St.
Chandler, Arizona 85225-1121
(480) 897-9459

TestAmerica Laboratories, Inc., Chicago

2417 Bond Street
University Park, Illinois 60484
(708) 534-5200

TestAmerica Laboratories, Inc., Irvine

17461 Derian Avenue, Suite 100
Irvine, California 92614
(949) 261-1022

TestAmerica Laboratories, Inc., Knoxville

5815 Middlebrook Pike
Knoxville, Tennessee 37921-5947
(865) 291-3000

TestAmerica Laboratories, Inc. – Richland

2800 George Washington Way
Richland, WA 99354
(509) 375-3131

TestAmerica Laboratories, Savannah

5102 LaRoche Avenue
Savannah, Georgia 31404
(912) 354-7858

TestAmerica Laboratories, Inc., West Sacramento

880 Riverside Parkway
West Sacramento, California 95605
(916) 374-4308

Tripler Army Medical Center

Preventive Medicine Services Env. Laboratory
Attn: MCHK-PV (Maj. Stacy Mosko)
CDR TAMC
1 Jarrett White Road
Tripler Army Medical Center, Hawaii 96859-5000

Vista Analytical Laboratory

1104 Windfield Way
El Dorado Hills, CA 95762
(916) 673-1520

Weck Laboratories, Inc.

14859 East Clark Avenue
City of Industry, California 91745-1396
(626) 336-2139

****NOTE: The above listings are for informational purposes only. It does not imply that any laboratory on the list will perform analyses for any other party. Water systems or their authorized representative ("applicant") are responsible for contracting with any of the certified or approved laboratories, listed above, to perform all of the analyses required for a new source approval. It is also the "applicant's" responsibility to verify that the contracted laboratory or laboratories are currently certified when the analyses are performed. Please note that the Department of Health does not perform analyses for prospective sources of drinking water.***

**Certified or Approved Drinking Water Laboratories
(Hawaii Department of Health, State Laboratories Division)
INORGANIC CHEMICALS
May 31, 2018**

CONTAMINANT	Laboratory																						CONTAMINANT												
	Agriculture & Priority Pollutants *	Alloway-Marion *	ALS Environmental, Kelso *	BSK Analytical Laboratories *	Edge Analytical Incorporated *	EMAX Laboratories *	EMSL Analytical, California *	EMSL Analytical, New Jersey *	Enthalpy Analytical *	Eurofins Caiscience Environmental *	Eurofins Eaton Analytical, CA *	Eurofins Lancaster, PA *	Eurofins Eaton, South Bend, IN *	FQ Labs	GEL Laboratories *	Honolulu Board of Water Supply	HECO Chemistry	LABCOR, Inc.	Maul Department of Water Supply	Maxxam Analytics Georgia *	McCampbell Analytical *	National Testing Laboratories *		Naval Facilities Environmental Services Laboratory	NSF International *	Pace Analytical, Florida *	Pace Analytical- Minnesota *	TestAmerica - Chicago *	TestAmerica Irvine *	TestAmerica Savannah *	Week Laboratories *				
Antimony	200.8	200.8	200.8	200.8	200.8				200.8	200.8	200.8	200.8	200.8	200.8	200.8						200.8	200.8 SM3113B			200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	Antimony	
Arsenic	200.8	200.8	200.8 200.9	200.8	200.8				200.8	200.8	200.8	200.8	200.8	200.8	200.8	SM3113B					200.8	200.8 SM3113B			200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	Arsenic
Barium	200.8 200.7	200.7 200.8	200.7 200.8	200.7 200.8	200.7, 200.8				200.7 200.8	200.7 200.8	200.8 200.7	200.8 200.7	200.8	200.8	200.7 200.8						200.7 200.8	200.8 200.7			200.8	200.7, 200.8	200.7, 200.8	200.7, 200.8	200.7, 200.8	200.7, 200.8	200.7, 200.8	200.7, 200.8	200.7, 200.8	Barium	
Beryllium	200.8 200.7	200.8	200.7 200.8	200.8	200.7, 200.8				200.8 200.8	200.7 200.8	200.8 200.7	200.8 200.7	200.8	200.8	200.7 200.8						200.7 200.8	200.8 200.7			200.8	200.7, 200.8	200.7, 200.8	200.7, 200.8	200.7, 200.8	200.7, 200.8	200.7, 200.8	200.7, 200.8	200.7, 200.8	Beryllium	
Cadmium	200.8	200.8	200.7 200.8	200.8	200.7, 200.8				200.8 200.7	200.7 200.8	200.8 200.7	200.8 200.7	200.8	200.8	200.7 200.8						200.7 200.8	200.8 200.7			200.8	200.7, 200.8	200.7, 200.8	200.7, 200.8	200.7, 200.8	200.7, 200.8	200.7, 200.8	200.7, 200.8	200.7, 200.8	Cadmium	
Chromium	200.8 200.7	200.8 200.7	200.7 200.8	200.8 200.7	200.7, 200.8				200.8 200.7	200.7 200.8	200.8 200.7	200.8 200.7	200.8	200.8	200.7 200.8						200.7 200.8	200.8 200.7			200.8	200.7, 200.8	200.7, 200.8	200.7, 200.8	200.7, 200.8	200.7, 200.8	200.7, 200.8	200.7, 200.8	200.7, 200.8	Chromium	
Copper	200.8 200.7	200.8 200.7	200.7, 200.8 200.9	200.8 200.7	200.7, 200.8				200.8 200.7	200.8 200.7	200.8 200.7	200.8 200.7	200.8	200.8	200.7 200.8	SM3113B	200.7				200.7 200.8	200.8 200.7			200.8	200.7, 200.8	200.7, 200.8	200.7, 200.8	200.7, 200.8	200.7, 200.8	200.7, 200.8	200.7, 200.8	200.7, 200.8	Copper	
Lead	200.8	200.8	200.8 200.9	200.8	200.8				200.8	200.8	200.8	200.8	200.8	200.8	200.8	SM3113B					SM3113B, 200.9	200.8 SM3113B			200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	Lead
Mercury	245.1	245.1	245.1	200.8	245.1				200.8, 245.1	245.1	245.1	245.1	245.1	245.1	245.1						245.2, 200.8	200.8			200.8	245.1	200.8	245.1	245.1	245.1	200.8, 245.1	245.1	245.1	Mercury	
Nickel	200.8	200.8 200.7	200.7 200.8	200.8 200.7	200.7, 200.8				200.8 200.7	200.7 200.8	200.8 200.7	200.8 200.7	200.8	200.8	200.7 200.8						200.7 200.8	200.8 200.7			200.8	200.7, 200.8	200.7, 200.8	200.7, 200.8	200.7, 200.8	200.7, 200.8	200.7, 200.8	200.7, 200.8	200.7, 200.8	Nickel	
Selenium	200.8	200.8	200.8 200.9	200.8	200.8				200.8	200.8	200.8	200.8	200.8	200.8	200.8						200.8	200.8 SM3113B			200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	Selenium
Thallium	200.8	200.8	200.8 200.9	200.8	200.8				200.8	200.8	200.8	200.8	200.8	200.8	200.8						200.8	200.8			200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	Thallium
Asbestos																																		Asbestos	
Cyanide		335.4	335.4	SM4500 CN E F	SM4500 CN F				335.4 SM4500 0 CN E	SM4500 CN E	SM4500CN F, 335.4	335.4	335.4, Lachat 10- 204-00-1-X								SM4500 CN E				335.4	335.4	SM4500 CN-CE	SM4500 CN E	335.4, SM 4500 CN E	335.4			Cyanide		
Fluoride	300.0	SM 4500F C	300.0, SM 4500F C	300.0, SM 4500F C	300.0	300.0			300.0, SM 4500F C	300.0, SM 4500F C	300.0, SM 4500F C	300.0, SM 4500F C	Technicon 380- 75WE, SM4500FC, 300.0	Hach 10225	300.0		SM 4500F C				300.0, 300.1	300.0	SM 4500F C	SM 4500F C	300.0		300.0, SM 4500F C	300.0, SM 4500F C	300.0, SM 4500F C	300.0, SM 4500F C	300.0	300.0	Fluoride		
Nitrate	353.2 300.0	353.2, SM4500 NO3F	353.2 300.0	300.0	300.0, SM4500 NO3F	300.0			353.2 300.0	353.2 300.0	300.0 353.2 calc	300.0 353.2 calc	300.0 353.2	Hach 10206	300.0		353.2				300.0, 300.1	300.0			300.0	300.0 353.2	SM4500 NO3 F, 300.0, 353.2	300.0	300.0 353.2	300.0 353.2	300.0 353.2	Nitrate			
Nitrite	353.2 300.0	353.2, SM4500 NO3F	353.2 300.0	300.0	300.0, SM4500 NO3F	300.0			353.2 300.0	300.0, NO2 B	300.0 353.2	300.0 353.2	353.2	Hach 10206	300.0		353.2				300.0, 300.1	300.0			300.0	300.0 353.2	SM4500 NO2 B, 300.0	300.0	300.0 353.2	300.0 353.2	300.0 353.2	Nitrite			
Certification Expiration Date	09/30/18	04/01/19	02/10/19	01/29/19	01/18/19	09/30/18	09/30/18	06/30/18	10/31/17	01/29/19	01/31/19	01/31/19	09/16/18	10/31/18	10/31/18	05/31/19	04/30/19	04/01/19	03/31/19	04/01/19	10/31/18	12/31/18	03/31/19	02/25/19	06/30/18	12/31/18	04/30/19	01/29/19	06/30/18	01/29/19		Certification Expiration Date			

* Laboratories located on the continental U.S. that are approved by the Department of Health, State Laboratories Division.

Certified or Approved Drinking Water Laboratories
 (Hawaii Department of Health, State Laboratories Division)
RADIOCHEMISTRY MONITORING
May 31, 2018

CONTAMINANT	ACZ Laboratories, Inc. *	Edge Analytical Incorporated *	Eurofins Eaton Analytical, CA *	Eurofins Eaton, South Bend, IN *	Gel Laboratories, LLC *	National Testing Laboratories *	Pace Analytical Services, Inc. - Pittsburgh *	Testamerica Irvine *	TestAmerica Laboratories, Inc., - Richland *	Weck Laboratories, Inc.*	CONTAMINANT
Gross Alpha	900.0		900.0	SM 7110 B SM 7110 C	900.0		900.0, SM 7110 C		900.0, EPA 00-02	900.0, SM 7110 C	Gross Alpha
Gross Beta	900.0		900.0	SM 7110 B	900.0		900.0		900.0	900.0	Gross Beta
Radium - 226	903.1		Georgia Inst. Tech Rev1,2	SM 7500-Ra B	903.1		903.1		903.0 903.1		Radium - 226
Radium - 228	904.0		Georgia Inst. Tech Rev1,2	SM 7500-Ra D	904.0		904.0		904.0		Radium - 228
Uranium	200.8	200.8	200.8	200.8	ASTM D5174-97	200.8	908.0, ASTM D5174-97	200.8	ASTM D5174-97	200.8	Uranium
Certification Expiration Date	08/31/18	01/18/19	01/29/19	09/16/18	10/31/18	12/31/2018	03/31/19	01/29/19	01/29/19	01/29/19	Certification Expiration Date

*Laboratories located on the continental U.S. that are approved by the Department of Health, State Laboratories Division.

Drinking Water Microbiology Laboratories Certified by the Hawaii Department of Health

Laboratory	Certification Expiration	Heterotrophic Bacteria	Total Coliforms	Fecal Coliforms	<i>Escherichia coli</i>	Enterococci	<i>Cryptosporidium/Giardia</i>
AECOS, Inc. - Kaneohe, HI	12/31/18	SM9215B Pour Plate, SM9215E SimPlate	SM9221B MTF P/A, SM9223B Colilert P/A, SM9223B Colilert QT,	SM9221B,E MTF P/A	SM9223B Colilert P/A, SM9223B Colilert QT, SM9223B Colilert-18 P/A,		
County of Hawaii, Department of Water Supply	8/31/19	SM9215E SimPlate	SM9223B Colisure P/A, SM9223B Colilert QT, SM9223B Colilert-18 P/A		SM9223B Colisure P/A, SM9223B Colilert QT, SM9223B Colilert-18 P/A		
County of Kauai, Department of Water	5/31/20	SM9215E SimPlate	SM9223B Colisure P/A		SM9223B Colisure P/A		
County of Maui, Department of Water Supply	3/31/19	SM9215B Pour Plate, SM9215E SimPlate	SM9223B Colisure P/A, SM9223B Colilert-18 P/A, SM9223B Colilert-18 QT		SM9223B Colisure P/A, SM9223B Colilert-18 P/A, SM9223B Colilert-18 QT		
Eurofins Eaton Analytical, Inc. - Monrovia, CA	2/1/19	SM9215B Pour Plate	SM9221B MTF P/A, SM9221B,C MTF MPN, SM9223B Colisure P/A, SM9223B Colilert P/A, SM9223B Colilert QT, SM9223B Colilert-18 P/A, SM9223B Colilert-18 QT	SM9221B,E MTF P/A, SM9221B,C,E MTF MPN	SM9221B MTF P/A, SM9221B,C,F MTF MPN, SM9223B Colisure P/A, SM9223B Colilert P/A, SM9223B Colilert QT, SM9223B Colilert-18 P/A, SM9223B Colilert-18 QT	SM9230B MTF, ASTM D6503-99 Enterolert	EPA1623 Filtration/IMS/FA
Eurofins Eaton Analytical, Inc. - South Bend, IN	9/16/18		SM9223B Colisure P/A, SM9223B Colilert P/A, SM9223B Colilert QT,		SM9223B Colisure P/A, SM9223B Colilert P/A, SM9223B Colilert QT,		EPA1623 Filtration/IMS/FA
Hawaii District Health Laboratory	9/30/19		SM9223B Colisure P/A		SM9223B Colisure P/A		
Honolulu Board of Water Supply	8/31/20	SM9215B Pour Plate,	SM9223B Colisure P/A,		SM9223B Colisure P/A,		
Kauai District Health Laboratory	5/31/19		SM9223B Colisure P/A		SM9223B Colisure P/A		EPA1623 Filtration/IMS/FA
LabCor, Inc. - Seattle, WA	4/30/19						
Maui District Health Laboratory	6/30/19	SM9215B Pour Plate	SM9223B Colisure P/A		SM9223B Colisure P/A		
Tripler Army Medical Center, Environmental Health Section	10/31/18		SM9223B Colilert P/A		SM9223B Colilert P/A		