

**DIRECTORY OF DRINKING WATER LABORATORIES**  
**CERTIFIED OR APPROVED BY THE HAWAII DEPARTMENT OF HEALTH,**  
**STATE LABORATORIES DIVISION**

**Note** for those who want to test their own drinking water

1. Please consult with the lab regarding its certification status before sending the samples.
2. Since only a few labs can do all the tests, please make sure the lab sub-contacts the samples only with the other certified lab(s).
3. Always call the Safe Drinking Water Branch (808-586-4268) if you have any question regarding lab status and drinking water tests.

**Local Private Labs**

**AECOS Laboratory, Inc.**

45-939 Kamehameha Highway, Suite 104  
Kaneohe, Hawaii 96744  
(808) 234-7770

**Food Quality Analysts, LLC**

3170-A Ualena Street  
Honolulu, Hawaii 96819  
(808) 839-9444

**TestAmerica Honolulu**

4429 Malaai St., Suite 104  
Honolulu, HI 96818  
(808) 486-5227

**Other Labs**

**ACZ Laboratories, Inc.**

2773 Downhill Drive  
Steamboat Springs, Colorado 80487  
(970) 879-6590 x531  
(800) 334-5493

**Associated Laboratories**

806 North Batavia  
Orange, California 92868-1225  
(714) 771-6900

**Agriculture & Priority Pollutants  
Laboratories, Inc.**

908 N. Temperance Avenue  
Clovis, California 93611  
(559) 275-2175

**BSK Analytical Laboratories**

1414 Stanislaus Street  
Fresno, California 93706  
(559) 497-2888

**Alloway Marion Laboratory**

1776 Marion-Waldo Road  
Marion, Ohio 43302  
(419) 223-1362

**Eurofins Calscience Environmental  
Laboratories, Inc.**

7440 Lincoln Way  
Garden Grove, California 92841  
(714) 895-5494

**ALS Environmental, Houston**

19408 Park Row, Suite 320  
Houston, Texas 77084-4949  
(800) 695-7222

**Eberline Analytical Corp, Richmond**

2030 Wright Avenue  
Richmond, California 94804  
(510) 235-2633

**ALS Environmental, Kelso**

1317 South 13<sup>th</sup> Avenue  
Kelso, Washington 98626  
(360) 577-7222

**Edge Analytical, Incorporated**

1620 South Walnut Street  
Burlington, Washington 98233  
(360) 757-1400

**EMAX Laboratories, Inc.**

1835 W, 205th Street  
Torrance, California 90501  
(310) 618-8889

**EMSL Analytical, Inc. - California**

2235 Polvorosa Avenue, Suite 230  
San Leandro, California 94577  
(510) 895-3675

**EMSL Analytical, Inc. – New Jersey**

200 Route 130 North  
Cinnaminson, New Jersey 08077  
(800) 220-3675

**EnviroMatrix Analytical, Inc.**

4340 Viewridge Ave., Suite A  
San Diego, California 92123  
(858) 560-7717

**Eurofins Eaton Analytical, Inc.**

(f.k.a. MWH Laboratories, Inc.)  
750 Royal Oaks Drive, Suite 100  
Monrovia, California 91016-3629  
(626) 386-1100 (626) 386-1125

**Eurofins Lancaster, PA**

2425 New Holland Pike  
Lancaster, Pennsylvania 17601  
(717) 656-2681

**Eurofins Analytical, South Bend, IN**

(formerly Underwriters Laboratories, Inc.)  
110 South Hill Street  
South Bend, Indiana 46617  
(574) 233-4777 (800) 332-4345

**FGL Environmental**

853 Corporation Street  
Santa Paula, California 93060  
(805) 392-2024

**GEL Laboratories, LLC**

2040 Savage Road  
Charleston, South Carolina 29407  
(843) 556-8171

**County of Hawaii Department of Water Supply**

**Microbiology Laboratory**

25 Aupuni Street  
Hilo, Hawaii 96720

**Honolulu Board of Water Supply**

630 S. Beretania St.  
Honolulu, HI 96843  
(808)748-5841

**Hawaii Food & Water Testing, LLC**

2688 B Kilihau Street  
Honolulu, Hawaii 96819  
(808) 836-5558

**HECO Chemistry Laboratory**

Environmental Department  
P.O. Box 2750  
Honolulu, Hawaii 96840  
(808) 543-4297

**Honolulu Board of Water Supply**

Chemistry Laboratory  
630 Beretania Street  
Honolulu, Hawaii 96813  
(808) 748-5840

**Kauai Department of Water**

4398 Pua Loke Street  
Lihue, Hawaii 96766

**LABCOR, Inc.**

7619 Sixth Avenue NW  
Seattle, Washington 98117-4037  
(206) 781-0155

**Maui Department of Water Supply**

614 Palapala Drive  
Kahului, Hawaii 96732  
(808) 270-7816

**Maxxam Analytics International Corp.**

6740 Campobello Road  
Mississauga, Ontario L5N2L8  
(905) 817-5700

**Maxxam Analytics, Georgia**

3380 Chastain Meadows Parkway  
Suite 300  
Kennesaw, Georgia 30144  
(770)499-7500

**McCampbell Analytical, Inc.**

1534 Willow Pass Road  
Pittsburg, CA 94565-1701  
(925) 252-9262

**National Testing Laboratories, Ltd.**

556 South Mansfield Street  
Ypsilanti, Michigan 48197  
(734) 483-8333

**Naval Facilities Engineering Command Hawaii**

**Environmental Services Laboratory EV11**

(NAVSAC PAC)  
400 Marshall Road  
Pearl Harbor, Hawaii 96860-3139  
(808) 471-0768

**NSF International**

789 N. Dixboro Road  
Ann Arbor, Michigan 48105-9723  
(734) 827-6837

**Pace Analytical Services, Inc., Florida**

8 East Tower Circle  
Ormond Beach, Florida 32174  
(386) 672-5668

**Pace Analytical Services, Inc., Minnesota**

1700 Elm Street, Suite 200  
Minneapolis, Minnesota 55414  
(612) 607-6352

**Pace Analytical Services, Inc., Pittsburgh**

1638 Roseytown Road, Suites 2, 3, & 4  
Greensburg, Pennsylvania 15601  
(724) 850-5600

**Radiation Safety Engineering, Inc.**

3245 N. Washington St.  
Chandler, Arizona 85225-1121  
(480) 897-9459

**TestAmerica Laboratories, Inc., Chicago**

2417 Bond Street  
University Park, Illinois 60484  
(708) 534-5200

**TestAmerica Laboratories, Inc., Irvine**

17461 Derian Avenue, Suite 100  
Irvine, California 92614  
(949) 261-1022

**TestAmerica Laboratories, Inc., Knoxville**

5815 Middlebrook Pike  
Knoxville, Tennessee 37921-5947  
(865) 291-3000

**TestAmerica Laboratories, Inc. – Richland**

2800 George Washington Way  
Richland, WA 99354  
(509) 375-3131

**TestAmerica Laboratories, Savannah**

5102 LaRoche Avenue  
Savannah, Georgia 31404  
(912) 354-7858

**TestAmerica Laboratories, Inc.,**

**West Sacramento**

880 Riverside Parkway  
West Sacramento, California 95605  
(916) 374-4308

**Tripler Army Medical Center**

Preventive Medicine Services Env. Laboratory  
Attn: MCHK-PV (Maj. Stacy Mosko)  
CDR TAMC  
1 Jarrett White Road  
Tripler Army Medical Center, Hawaii 96859-5000

**Vista Analytical Laboratory**

1104 Windfield Way  
El Dorado Hills, CA 95762  
(916) 673-1520

**Weck Laboratories, Inc.**

14859 East Clark Avenue  
City of Industry, California 91745-1396  
(626) 336-2139

***\*NOTE: The above listings are for informational purposes only. It does not imply that any laboratory on the list will perform analyses for any other party. Water systems or their authorized representative ("applicant") are responsible for contracting with any of the certified or approved laboratories, listed above, to perform all of the analyses required for a new source approval. It is also the "applicant's" responsibility to verify that the contracted laboratory or laboratories are currently certified when the analyses are performed. Please note that the Department of Health does not perform analyses for prospective sources of drinking water.***

**Certified or Approved Drinking Water Laboratories  
(Hawaii Department of Health, State Laboratories Division)  
INORGANIC CHEMICALS  
November 30, 2018**

CONTAMINANT	Laboratory																				CONTAMINANT														
	Agriculture & Priority Pollutants *	Alloway-Marion *	ALS Environmental, Koloa *	BSK Analytical Laboratories *	Edge Analytical Incorporated *	EMAX Laboratories *	EMSL Analytical, California *	EMSL Analytical, New Jersey *	Enthalpy Analytical *	Eurofins Calscience Environmental *	Eurofins Eaton Analytical, CA *	Eurofins Lancaster, PA *	Eurofins Eaton, South Bend, IN *	FQ Labs	GEL Laboratories *	Honolulu Board of Water Supply	HECO Chemistry	LABCOR, Inc.	Maul Department of Water Supply	Maxxam Analytics Georgia *		McCampbell Analytical *	National Testing Laboratories *	Naval Facilities Environmental Services Laboratory	NSF International *	Pace Analytical, Florida *	Pace Analytical- Minnesota *	TestAmerica - Chicago *	TestAmerica Irvine *	TestAmerica Savannah *	Weick Laboratories *				
Antimony	200.8	200.8	200.8	200.8	200.8				200.8	200.8	200.8	200.8	200.8	200.8	200.8						200.8	200.8 SM3113B			200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	Antimony	
Arsenic	200.8	200.8	200.8	200.8	200.8				200.8	200.8	200.8	200.8	200.8	200.8	200.8	SM3113B						200.8	200.8 SM3113B			200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	Arsenic
Barium	200.8	200.7	200.7	200.7	200.7				200.7	200.7	200.7	200.7	200.7	200.7	200.7	200.7						200.7	200.7	200.8	200.8	200.7	200.8	200.8	200.7	200.8	200.7	200.7	200.7	200.8	Barium
Beryllium	200.8	200.8	200.7	200.8	200.8				200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8						200.7	200.8	200.8	200.8	200.8	200.7	200.8	200.8	200.7	200.8	200.7	200.8	200.8	Beryllium
Cadmium	200.8	200.8	200.7	200.8	200.8				200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8						200.7	200.8	200.8	200.8	200.8	200.7	200.8	200.8	200.7	200.8	200.7	200.8	200.8	Cadmium
Chromium	200.8	200.8	200.7	200.8	200.8				200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8						200.7	200.8	200.8	200.8	200.8	200.7	200.8	200.8	200.7	200.8	200.7	200.8	200.8	Chromium
Copper	200.8	200.7	200.8	200.8	200.8				200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	SM3113B	200.7				200.7	200.8	200.8	200.8	200.8	200.7	200.8	200.8	200.7	200.8	200.7	200.8	200.8	Copper
Lead	200.8	200.8	200.8	200.8	200.8				200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	SM3113B					200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	Lead
Mercury	245.1	245.1	245.1	245.1	245.1				200.8	245.1	245.1	245.1	245.1	245.1	245.1	245.1						245.2	200.8	200.8	200.8	200.8	245.1	200.8	245.1	245.1	245.1	200.8	245.1	245.1	Mercury
Nickel	200.8	200.8	200.8	200.8	200.8				200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8						200.7	200.8	200.8	200.8	200.8	200.7	200.8	200.8	200.7	200.8	200.7	200.8	200.8	Nickel
Selenium	200.8	200.8	200.8	200.8	200.8				200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8						200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	Selenium
Thallium	200.8	200.8	200.8	200.8	200.8				200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8						200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	200.8	Thallium
Asbestos									100.2	100.2									100.2			100.1	100.2												Asbestos
Cyanide		335.4	335.4	SM4500 CN E F	SM4500 CN F				335.4	SM4500 CN E	SM4500CN F, 335.4	335.4	335.4, Lachat 10-204-00-1-X								SM4500 CN E					335.4	335.4	SM4500 CN-CE	SM4500 CN E	335.4, SM 4500 CN E	335.4			Cyanide	
Fluoride	300.0	SM 4500F C	300.0, SM 4500F C	300.0, SM 4500F C	300.0	300.0			300.0, SM 4500F C	300.0, SM 4500F C	300.0, SM 4500F C	300.0, SM 4500F C	Technicon 380-75WE, SM4500FC, 300.0	Hach 10225	300.0		SM 4500F C				300.0	300.0, 300.1	300.0	SM 4500F C	SM 4500F C	300.0		300.0, SM 4500F C	300.0, SM 4500F C	300.0, SM 4500F C	300.0	300.0	Fluoride		
Nitrate	353.2	353.2, SM4500 NO3F	353.2	300.0	300.0, SM4500 NO3F	300.0			353.2	353.2	300.0	300.0	300.0	Hach 10206	300.0		353.2				300.0	300.0, 300.1	300.0		300.0	300.0	SM4500 NO3 F, 300.0, 353.2	300.0	300.0	300.0	300.0	300.0	353.2	Nitrate	
Nitrite	353.2	353.2, SM4500 NO3F	353.2	300.0	300.0, SM4500 NO3F	300.0			353.2	300.0, SM4500 NO2 B	300.0	300.0	353.2		353.2	300.0		353.2				300.0	300.0, 300.1	300.0		300.0	300.0	SM4500 NO2 B, 300.0	300.0	300.0	300.0	300.0	353.2	Nitrite	
<b>Certification Expiration Date</b>	09/30/19	04/01/19	02/10/19	01/29/19	01/18/19	09/30/19	06/30/19	06/30/19	10/31/19	01/29/19	01/31/19	01/31/19	09/16/19	10/31/18	10/31/19	05/31/19	04/30/19	04/01/19	03/31/19	04/01/19	10/31/19	12/31/18	03/31/19	02/25/19	06/30/19	12/31/18	04/30/19	01/29/19	06/30/19	01/29/19			<b>Certification Expiration Date</b>		

\* Laboratories located on the continental U.S. that are approved by the Department of Health, State Laboratories Division.



**Certified or Approved Drinking Water Laboratories**  
 (Hawaii Department of Health, State Laboratories Division)  
**RADIOCHEMISTRY MONITORING**  
**November 30, 2018**

CONTAMINANT	ACZ Laboratories, Inc. *	Edge Analytical Incorporated *	Eurofins Eaton Analytical, CA *	Eurofins Eaton, South Bend, IN *	Gel Laboratories, LLC *	National Testing Laboratories *	Pace Analytical Services, Inc. - Pittsburgh *	Testamerica Irvine *	TestAmerica Laboratories, Inc., - Richland *	Weck Laboratories, Inc.*	CONTAMINANT
Gross Alpha	900.0		900.0	SM 7110 B SM 7110 C	900.0		900.0, SM 7110 C		900.0, EPA 00-02	900.0, SM 7110 C	Gross Alpha
Gross Beta	900.0		900.0	SM 7110 B	900.0		900.0		900.0	900.0	Gross Beta
Radium - 226	903.1		Georgia Inst. Tech Rev1,2	SM 7500-Ra B	903.1		903.1		903.0 903.1		Radium - 226
Radium - 228	904.0		Georgia Inst. Tech Rev1,2	SM 7500-Ra D	904.0		904.0		904.0		Radium - 228
Uranium	200.8	200.8	200.8	200.8	ASTM D5174-97	200.8	908.0, ASTM D5174-97	200.8	ASTM D5174-97	200.8	Uranium
<b>Certification Expiration Date</b>	<b>08/31/19</b>	<b>01/18/19</b>	<b>01/29/19</b>	<b>09/16/19</b>	<b>10/31/19</b>	<b>12/31/2018</b>	<b>03/31/19</b>	<b>01/29/19</b>	<b>01/29/19</b>	<b>01/29/19</b>	<b>Certification Expiration Date</b>

\*Laboratories located on the continental U.S. that are approved by the Department of Health, State Laboratories Division.

**Drinking Water Microbiology Laboratories Certified by the Hawaii Department of Health**

<b>Laboratory</b>	<b>Certification Expiration</b>	<b>Heterotrophic Bacteria</b>	<b>Total Coliforms</b>	<b>Fecal Coliforms</b>	<b><i>Escherichia coli</i></b>	<b>Enterococci</b>	<b><i>Cryptosporidium/Giardia</i></b>
AECOS, Inc. - Kaneohe, HI	12/31/19	SM9215B Pour Plate, SM9215E SimPlate	SM9221B MTF P/A, SM9223B Colilert P/A, SM9223B Colilert QT, SM9223B Colilert-18 P/A, SM9223B Colilert-18 QT	SM9221B,E MTF P/A	SM9223B Colilert P/A, SM9223B Colilert QT, SM9223B Colilert-18 P/A, SM9223B Colilert-18 QT		
County of Hawaii, Department of Water Supply	8/31/19	SM9215E SimPlate	SM9223B Colisure P/A, SM9223B Colilert QT, SM9223B Colilert-18 P/A		SM9223B Colisure P/A, SM9223B Colilert QT, SM9223B Colilert-18 P/A		
County of Honolulu, Honolulu Board of Water Supply	8/31/20	SM9215B Pour Plate, SM9215E SimPlate	SM9223B Colisure P/A, SM9223B Colilert-18 P/A, SM9223B Colilert-18 QT		SM9223B Colisure P/A, SM9223B Colilert-18 P/A, SM9223B Colilert-18 QT		
County of Kauai, Department of Water	5/31/20	SM9215E SimPlate	SM9223B Colisure P/A		SM9223B Colisure P/A		
County of Maui, Department of Water Supply	3/31/19	SM9215B Pour Plate, SM9215E SimPlate	SM9223B Colisure P/A, SM9223B Colilert-18 P/A, SM9223B Colilert-18 QT		SM9223B Colisure P/A, SM9223B Colilert-18 P/A, SM9223B Colilert-18 QT		
DOH Hawaii District Health Laboratory	9/30/19		SM9223B Colisure P/A		SM9223B Colisure P/A		
DOH Kauai District Health Laboratory	5/31/19		SM9223B Colisure P/A		SM9223B Colisure P/A		
DOH Maui District Health Laboratory	6/30/19	SM9215B Pour Plate	SM9223B Colisure P/A		SM9223B Colisure P/A		
Eurofins Eaton Analytical, Inc. - Monrovia, CA	2/1/19	SM9215B Pour Plate	SM9221B MTF P/A, SM9221B,C MTF MPN, SM9223B Colisure P/A, SM9223B Colilert P/A, SM9223B Colilert QT, SM9223B Colilert-18 P/A, SM9223B Colilert-18 QT	SM9221B,E MTF P/A, SM9221B,C,E MTF MPN	SM9221B MTF P/A, SM9221B,C,F MTF MPN, SM9223B Colisure P/A, SM9223B Colilert P/A, SM9223B Colilert QT, SM9223B Colilert-18 P/A, SM9223B Colilert-18 QT	SM9230B MTF, ASTM D6503-99 Enterolert	EPA1623 Filtration/IMS/FA
LabCor, Inc. - Seattle, WA	4/30/19						EPA1623 Filtration/IMS/FA
Tripler Army Medical Center, Environmental Health Section	10/31/19		SM9223B Colilert P/A		SM9223B Colilert P/A		