



HAWAII'S

Legals / Public Notices

Star Advertiser

tgi
THE GARDEN ISLAND

Hawaii
Tribune

Herald

West Hawaii Today

What are you looking for?

More government information at Hawaii.gov

Search

Place My Ad

[Bills/Ordinances \(4\)](#) • [Court Notices \(2\)](#) • [Legal Notices \(8\)](#) • [Meetings \(2\)](#) • [Notices to Bidders \(1\)](#) • [Procurement Notices \(1\)](#) • [Public Hearings \(9\)](#) • [Public Notices \(42\)](#) • [Public Notices \(16\)](#) • [State-City and County Jobs-State \(7\)](#) • [Summons \(1\)](#)

Notice #: 0001203022-01 Public Notices

The Hawaii Department of Health (DOH) is soliciting public comment on a draft permit for an underground storage tank (UST) system operated by Naval Supply Systems Command Fleet Logistics Center Pearl Harbor at Red Hill-Aiea and Joint Base Pearl Harbor-Hickam, Hawaii. The UST system to be permitted includes field-constructed fuel storage and surge tanks at the Red Hill Bulk Fuel Storage Facility, product recovery tanks associated with Hickam airfield piping, airfield piping and hydrants, and other associated piping. The permit would allow the Navy to operate the UST system in accordance with chapter 342L, Hawaii Revised Statutes, and chapter 11-280.1, Hawaii Administrative Rules.

The permit application and draft permit are available at health.hawaii.gov/shwb/ust-red-hill-project-main and:

Solid and Hazardous Waste Branch
2827 Waimano Home Rd #100
Pearl City, HI 96782
Monday to Friday 7:45 am – 4:30 pm

All comments must be sent to DOHrhcomments@HawaiiOIMT.onmicrosoft.com or delivered to the address above by June 28, 2019. For more information or to obtain copies, call 808-586-4226.

DOH will address all comments received and make a final decision after all comments have been considered. Notice of the final decision will be sent to each person who provides comments or requests notice of the decision.
(SA1203022 5/29/19)



Copyright ©2020 staradvertiser.com. All rights reserved.
500 Ala Moana Blvd. #7-210, Honolulu, HI 96813 Telephone: (808) 529-4747