

				ADIT6-DU01-SON01MI-22DEC	ADIT6-DU02-SOFO01MI-22DEC	ADIT6-DU02-SOFT01MI-22DEC	ADIT6-DU02-SON01MI-22DEC	ADIT6-DU03-SON01MI-22DEC	ADIT6-DU04A-SON01MI-22DEC	ADIT6-DU04B-SON01MI-22DEC						
				22L0023-08	22L0023-05	22L0023-06	22L0023-04	22L0057-01	22L0023-07	22L0023-09						
				2-Dec	2-Dec	2-Dec	2-Dec	7-Dec	2-Dec	2-Dec						
				N	FD	FT	N	N	N	N						
Analyte	Cas_Rn	Resident Soil RSL	DOH EALs	Units	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
11CL-PF3OUDS	763051-92-9	—	—	ug/kg Dry	0.04	U	0.039	U	0.04	U	0.039	U	0.039	U	0.039	U
3:3FTCA	113507-82-7	—	—	ug/kg Dry	0.08	U, IR2	0.079	U	0.079	U	0.078	U	0.079	U	0.087	J
4:2FTS	757124-72-4	—	—	ug/kg Dry	0.28		1		0.37		0.71		0.31		0.078	U
5:3FTCA	914637-49-3	—	—	ug/kg Dry	0.61		0.58		0.27		0.33		0.29		1.6	1
6:2FTS	27619-97-2	—	—	ug/kg Dry	47		150		130		130		48		3.7	3.6
7:3FTCA	812-70-4	—	—	ug/kg Dry	0.08	U	0.079	U	0.079	U	0.078	U	0.079	U	0.078	U
8:2FTS	39108-34-4	—	—	ug/kg Dry	0.08	U	0.079	U	0.079	U	0.078	U	0.079	U	0.078	U
9CL-PF3ONS	756426-58-1	—	—	ug/kg Dry	0.04	U	0.039	U	0.04	U	0.039	U	0.039	U	0.039	U
ADONA	919005-14-4	—	—	ug/kg Dry	0.04	U	0.039	U	0.04	U	0.039	U	0.039	U	0.039	U
HFPO-DA	13252-13-6	2.3	0.324	ug/kg Dry	0.04	U	0.039	U	0.04	U	0.039	U	0.039	U	0.039	U
NEtFOSA	4151-50-2	—	—	ug/kg Dry	0.08	U	0.079	U	0.079	U	0.078	U	0.067	U	0.035	J
NEtFOSAA	2991-50-6	—	—	ug/kg Dry	0.02	IR2, U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
NEtFOSE	1691-99-2	—	—	ug/kg Dry	0.08	U	0.079	U	0.079	U	0.078	U	0.067	U	0.078	U
NFDHA	151772-58-6	—	—	ug/kg Dry	0.06	U	0.059	U	0.059	U	0.059	U	0.059	U	0.059	U
NMeFOSA	31506-32-8	—	—	ug/kg Dry	0.08	U	0.079	U	0.079	U	0.078	U	0.067	U	0.078	U
NMeFOSAA	2355-31-9	—	—	ug/kg Dry	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
NMeFOSE	24448-09-7	—	—	ug/kg Dry	0.08	U	0.73		0.079	U	0.45		0.067	U	0.078	U
PFBA	375-22-4	—	98.5	ug/kg Dry	0.97		5.8		2.3		4.2		1.4		1.5	1.4
PFBS	375-73-5	1900	3.10	ug/kg Dry	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
PFDA	335-76-2	—	0.482	ug/kg Dry	0.031	J	0.15		0.068		0.099	IR2	0.029	IR2, U	0.11	0.07
PFDOA	307-55-1	—	8.43	ug/kg Dry	0.03	U	0.03	IR2, U	0.03	IR2, U	0.029	IR2, U	0.029	IR2, U	0.096	0.069
PFDOS	79780-39-5	—	—	ug/kg Dry	0.017	IR1, J	0.014	IR1, J	0.016	IR1, J	0.017	IR1, J	0.02	U	0.14	IR1
PFDS	335-77-3	—	12.6	ug/kg Dry	0.023	J	0.022	IR1, J	0.021	IR1, J	0.029	IR1, J	0.02	U	0.16	0.065
PFEESA	113507-82-7	—	—	ug/kg Dry	0.04	U	0.039	U	0.04	U	0.039	U	0.039	U	0.039	U
PFHPA	375-85-9	—	0.286	ug/kg Dry	0.68		0.47		0.29		0.33		0.12		1.5	1.2
PFHPS	375-92-8	—	4.09	ug/kg Dry	0.02	IR2, U	0.02	U	0.02	U	0.02	U	0.02	U	0.017	J
PFHXA	307-24-4	—	13.3	ug/kg Dry	2.7		17		8.6		12		8		2.4	2
PFHXS	355-46-4	130	1.81	ug/kg Dry	0.081		0.051		0.035	J	0.042		0.02	U	0.11	0.085
PFMBA	863090-89-5	—	—	ug/kg Dry	0.04	U	0.039	U	0.04	U	0.039	U	0.039	U	0.039	U
PFMPA	377-73-1	—	—	ug/kg Dry	0.04	U	0.039	U	0.04	U	0.039	U	0.039	U	0.039	U
PFNA	375-95-1	19	0.776	ug/kg Dry	0.038	IR2, J	0.03	IR2, U	0.03	U	0.029	IR2, U	0.029	U	0.054	0.046
PFNS	68259-12-1	—	—	ug/kg Dry	0.015	J	0.02	U	0.02	U	0.02	U	0.02	U	0.094	0.051
PFOA	335-67-1	19	1.21	ug/kg Dry	0.16		1.2		0.44		0.92		0.12		0.06	0.051
PFOS	1763-23-1	13	7.47	ug/kg Dry	1.5		0.3		0.34		0.53		0.051		5.4	3.4
PFOSA	754-91-6	—	15.2	ug/kg Dry	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.028	J
PFPEA	2706-90-3	—	3.06	ug/kg Dry	2.7		2.2		1.8		1.6		0.85		5.6	5.4
PFPEs	630402-22-1	—	—	ug/kg Dry	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U	0.02	U
PFTEDA	376-06-7	—	84.3	ug/kg Dry	0.03	IR1, U	0.03	U	0.03	U	0.029	IR2, U	0.029	IR2, U	0.028	J
PFTRDA	72629-94-8	—	8.43	ug/kg Dry	0.02	IR2, U	0.02	U	0.02	U	0.02	U	0.02	U	0.075	0.069
PFUnA	2058-94-8	—	4.48	ug/kg Dry	0.026	IR2, J	0.032	IR1, J	0.02	IR1, U	0.02	IR1, U	0.02	U	0.15	0.18

				ADIT6-DU01-SON01MI-22DEC	ADIT6-DU02-SOFD01MI-22DEC	ADIT6-DU02-SOFT01MI-22DEC	ADIT6-DU02-SON01MI-22DEC	ADIT6-DU03-SON01MI-22DEC	ADIT6-DU04A-SON01MI-22DEC	ADIT6-DU04B-SON01MI-22DEC						
				22L0023-08	22L0023-05	22L0023-06	22L0023-04	22L0057-01	22L0023-07	22L0023-09						
				2-Dec	2-Dec	2-Dec	2-Dec	7-Dec	2-Dec	2-Dec						
				N	FD	FT	N	N	N	N						
Analyte	Cas_Rn	Resident Soil RSL	DOH EALs	Units	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
11CL-PF3OUDS	763051-92-9	—	—	ng/L	1.8	U	1.9	U	1.8	U	1.8	U	1.9	U	1.8	U
3:3FTCA	113507-82-7	—	—	ng/L	6.4	J	3.7	U	3.3	J	3.7	U	3.7	U	3.6	J
4:2FTS	757124-72-4	—	—	ng/L	17		56		20		37		35		3.7	U
5:3FTCA	914637-49-3	—	—	ng/L	55		96		29		47		35		2.6	J
6:2FTS	27619-97-2	—	—	ng/L	2700		9500		6000		6500		4700		180	
7:3FTCA	812-70-4	—	—	ng/L	3.7	U	3.7	U	3.6	U	3.7	U	3.7	U	3.7	U
8:2FTS	39108-34-4	—	—	ng/L	3.7	U	3.7	U	3.6	U	3.7	U	3.7	U	3.7	U
9CL-PF3ONS	756426-58-1	—	—	ng/L	1.8	U	1.9	U	1.8	U	1.8	U	1.9	U	1.8	U
ADONA	919005-14-4	—	—	ng/L	1.8	U	1.9	U	1.8	U	1.8	U	1.9	U	1.8	U
HFPO-DA	13252-13-6	—	—	ng/L	1.8	U	1.9	U	1.8	U	1.8	U	1.9	U	1.8	U
NEtFOSA	4151-50-2	—	—	ng/L	3.7	U	3.7	U	3.6	U	3.7	U	3.7	U	3.7	U
NEtFOSAA	2991-50-6	—	—	ng/L	0.92	U	0.93	U	0.91	U	0.92	U	0.93	U	0.92	U
NEtFOSE	1691-99-2	—	—	ng/L	5.5	U	5.6	U	5.5	U	5.5	U	5.6	U	5.5	U
NFDHA	151772-58-6	—	—	ng/L	1.8	U	1.9	U	1.8	U	1.8	U	1.9	U	1.8	U
NMeFOSA	31506-32-8	—	—	ng/L	3.7	U	3.7	U	3.6	U	3.7	U	3.7	U	3.7	U
NMeFOSAA	2355-31-9	—	—	ng/L	0.92	U	0.93	U	0.91	U	0.92	U	0.93	U	0.92	U
NMeFOSE	24448-09-7	—	—	ng/L	5.5	U	5.6	U	5.5	U	5.5	U	5.6	U	5.5	U
PFBA	375-22-4	—	—	ng/L	53		320		130		240		190		73	
PFBS	375-73-5	—	—	ng/L	0.42	J	0.27	J	0.22	J	0.23	J	0.93	U	0.29	J
PFDA	335-76-2	—	—	ng/L	1.1	IR2, J	8.5		3.9		6.5		3.8		0.76	IR2, J
PFDOA	307-55-1	—	—	ng/L	0.92	U	0.93	U	0.91	U	0.92	U	0.93	U	0.92	U
PFDOS	79780-39-5	—	—	ng/L	0.92	U	0.93	U	0.91	U	0.92	U	0.93	U	0.92	U
PFDS	335-77-3	—	—	ng/L	0.92	U	0.93	U	0.91	U	0.92	U	0.93	U	0.92	IR1, U
PFEESA	113507-82-7	—	—	ng/L	1.8	U	1.9	U	1.8	U	1.8	U	1.9	U	1.8	U
PFHPA	375-85-9	—	—	ng/L	34		30		17		22		13		59	
PFHPS	375-92-8	—	—	ng/L	0.92	U	0.93	U	0.91	U	0.92	U	0.93	U	0.92	U
PFHXA	307-24-4	—	—	ng/L	140		930		510		740		410		110	
PFHXS	355-46-4	—	—	ng/L	2.6		1.4	J	0.94	J	1.1	J	0.36	J	2.4	
PFMBA	863090-89-5	—	—	ng/L	1.8	U	1.9	U	1.8	U	1.8	U	1.9	U	1.8	U
PFMPA	377-73-1	—	—	ng/L	1.8	U	1.9	U	1.8	U	1.8	U	1.9	U	1.8	U
PFNA	375-95-1	—	—	ng/L	1.7	J	0.93	U	0.91	U	0.67	J	0.93	IR2, U	1.2	J
PFNS	68259-12-1	—	—	ng/L	0.92	IR1, U	0.93	U	0.91	U	0.92	U	0.93	U	0.92	U
PFOA	335-67-1	—	—	ng/L	6.1		67		23		53		25		2.3	
PFOS	1763-23-1	—	—	ng/L	51		7.7		7.5		8.9		2.9		42	
PFOSA	754-91-6	—	—	ng/L	0.48	J	0.93	U	0.91	U	0.92	U	0.93	U	2.5	
PFPEA	2706-90-3	—	—	ng/L	140		120		100		92		65		220	
PFPEs	630402-22-1	—	—	ng/L	0.92	U	0.93	U	0.91	U	0.92	U	0.93	U	0.92	U
PFTEDA	376-06-7	—	—	ng/L	0.92	U	0.93	U	0.91	U	0.92	U	0.93	U	0.92	U
PFTRDA	72629-94-8	—	—	ng/L	1.4	U	1.4	U	1.4	U	1.4	U	1.4	U	1.4	U
PFUnA	2058-94-8	—	—	ng/L	0.92	IR2, U	0.93	U	0.91	U	0.92	U	0.93	U	0.92	IR2, U
% Solids	SOLIDS	—	—	%									91.1			

				ADIT6-IDW-SOFD01MI-22DEC	ADIT6-IDW-SOFT01MI-22DEC	ADIT6-IDW-SON01MI-22DEC				
				22L0023-02	22L0023-03	22L0023-01				
				2-Dec	2-Dec	2-Dec				
				FD	FT	N				
Analyte	Cas_Rn	Resident Soil RSL	DOH EALs	Units	Result	Qualifier	Result	Qualifier	Result	Qualifier
11CL-PF3OUDS	763051-92-9	—	—	ug/kg Dry	0.04	U	0.039	U	0.04	U
3:3FTCA	113507-82-7	—	—	ug/kg Dry	0.079	U	0.078	U	0.08	U
4:2FTS	757124-72-4	—	—	ug/kg Dry	2.2		1.7		2.1	
5:3FTCA	914637-49-3	—	—	ug/kg Dry	1		0.84		1.2	
6:2FTS	27619-97-2	—	—	ug/kg Dry	140		170		190	
7:3FTCA	812-70-4	—	—	ug/kg Dry	0.079	U	0.078	U	0.08	U
8:2FTS	39108-34-4	—	—	ug/kg Dry	0.079	U	0.078	U	0.08	IR2, U
9CL-PF3ONS	756426-58-1	—	—	ug/kg Dry	0.04	U	0.039	U	0.04	U
ADONA	919005-14-4	—	—	ug/kg Dry	0.04	U	0.039	U	0.04	U
HFPO-DA	13252-13-6	2.3	0.324	ug/kg Dry	0.04	U	0.039	U	0.04	U
NEtFOSA	4151-50-2	—	—	ug/kg Dry	0.079	U	0.078	U	0.08	U
NEtFOSAA	2991-50-6	—	—	ug/kg Dry	0.02	U	0.019	U	0.02	U
NEtFOSE	1691-99-2	—	—	ug/kg Dry	0.079	U	0.078	U	0.08	U
NFDHA	151772-58-6	—	—	ug/kg Dry	0.059	U	0.058	U	0.06	U
NMeFOSA	31506-32-8	—	—	ug/kg Dry	0.079	U	0.078	U	0.08	U
NMeFOSAA	2355-31-9	—	—	ug/kg Dry	0.02	U	0.019	U	0.02	U
NMeFOSE	24448-09-7	—	—	ug/kg Dry	0.079	U	0.078	U	0.08	U
PFBA	375-22-4	—	98.5	ug/kg Dry	2.8		2.7		2.8	
PFBS	375-73-5	1900	3.10	ug/kg Dry	0.1		0.1		0.11	
PFDA	335-76-2	—	0.482	ug/kg Dry	0.11	IR1	0.11		0.078	
PFDOA	307-55-1	—	8.43	ug/kg Dry	0.03	IR2, U	0.03	J	0.029	J
PFDOS	79780-39-5	—	—	ug/kg Dry	0.038	IR1, J	0.023	J	0.031	IR1, J
PFDS	335-77-3	—	12.6	ug/kg Dry	0.021	IR2, J	0.02	J	0.031	J
PFEESA	113507-82-7	—	—	ug/kg Dry	0.04	U	0.039	U	0.04	U
PFHPA	375-85-9	—	0.286	ug/kg Dry	1		1.2		1.1	
PFHPS	375-92-8	—	4.09	ug/kg Dry	0.02	U	0.019	U	0.02	U
PFHXA	307-24-4	—	13.3	ug/kg Dry	6.5		6.4		6.3	
PFHXS	355-46-4	130	1.81	ug/kg Dry	0.041		0.053		0.051	
PFMBA	863090-89-5	—	—	ug/kg Dry	0.04	U	0.039	U	0.04	U
PFMPA	377-73-1	—	—	ug/kg Dry	0.04	U	0.039	U	0.04	U
PFNA	375-95-1	19	0.776	ug/kg Dry	0.06		0.071		0.062	
PFNS	68259-12-1	—	—	ug/kg Dry	0.02	U	0.019	U	0.015	J
PFOA	335-67-1	19	1.21	ug/kg Dry	0.53		0.58		0.6	
PFOS	1763-23-1	13	7.47	ug/kg Dry	1.1		1.1		1.2	
PFOSA	754-91-6	—	15.2	ug/kg Dry	0.02	U	0.019	U	0.02	U
PFPEA	2706-90-3	—	3.06	ug/kg Dry	3.1		3.3		3.5	
PFPEs	630402-22-1	—	—	ug/kg Dry	0.02	U	0.019	U	0.02	U
PFTEDA	376-06-7	—	84.3	ug/kg Dry	0.03	U	0.029	U	0.026	J
PFTRDA	72629-94-8	—	8.43	ug/kg Dry	0.033	J	0.042		0.031	J
PFUnA	2058-94-8	—	4.48	ug/kg Dry	0.07	IR2	0.097		0.11	

				ADIT6-IDW-SOFD01MI-22DEC	ADIT6-IDW-SOFT01MI-22DEC	ADIT6-IDW-SON01MI-22DEC				
				22L0023-02	22L0023-03	22L0023-01				
				2-Dec	2-Dec	2-Dec				
				FD	FT	N				
Analyte	Cas_Rn	Resident Soil RSL	DOH EALs	Units	Result	Qualifier	Result	Qualifier	Result	Qualifier
11CL-PF3OUDS	763051-92-9	—	—	ng/L	1.9	U	1.8	U	1.9	U
3:3FTCA	113507-82-7	—	—	ng/L	6.3	J	3.3	J	4.2	J
4:2FTS	757124-72-4	—	—	ng/L	100		93		110	
5:3FTCA	914637-49-3	—	—	ng/L	160		160		150	
6:2FTS	27619-97-2	—	—	ng/L	9400		8800		9700	
7:3FTCA	812-70-4	—	—	ng/L	3.8	U	3.7	U	3.7	U
8:2FTS	39108-34-4	—	—	ng/L	3.8	U	3.7	U	3.7	U
9CL-PF3ONS	756426-58-1	—	—	ng/L	1.9	U	1.8	U	1.9	U
ADONA	919005-14-4	—	—	ng/L	1.9	U	1.8	U	1.9	U
HFPO-DA	13252-13-6	—	—	ng/L	1.9	U	1.8	U	1.9	U
NEtFOSA	4151-50-2	—	—	ng/L	3.8	U	3.7	U	3.7	U
NEtFOSAA	2991-50-6	—	—	ng/L	0.95	U	0.92	U	0.93	U
NEtFOSE	1691-99-2	—	—	ng/L	5.7	U	5.5	U	5.6	U
NFDHA	151772-58-6	—	—	ng/L	1.9	U	1.8	U	1.9	U
NMeFOSA	31506-32-8	—	—	ng/L	3.8	U	3.7	U	3.7	U
NMeFOSAA	2355-31-9	—	—	ng/L	0.95	U	0.92	U	0.93	U
NMeFOSE	24448-09-7	—	—	ng/L	5.7	U	5.5	U	5.6	U
PFBA	375-22-4	—	—	ng/L	170		150		170	
PFBS	375-73-5	—	—	ng/L	4.5		4.2		3.9	
PFDA	335-76-2	—	—	ng/L	9		7		5.2	IR2
PFDOA	307-55-1	—	—	ng/L	0.81	J	0.78	IR1, J	0.93	IR2, U
PFDOS	79780-39-5	—	—	ng/L	0.95	U	0.92	U	0.93	U
PFDS	335-77-3	—	—	ng/L	1.1	J	0.92	IR1, U	0.93	U
PFEESA	113507-82-7	—	—	ng/L	1.9	U	1.8	U	1.9	U
PFHPA	375-85-9	—	—	ng/L	63		58		53	
PFHPS	375-92-8	—	—	ng/L	0.95	U	0.92	U	0.93	U
PFHXA	307-24-4	—	—	ng/L	410		380		420	
PFHXS	355-46-4	—	—	ng/L	1.7	J	1.7	J	1.3	J
PFMBA	863090-89-5	—	—	ng/L	1.9	U	1.8	U	1.9	U
PFMPA	377-73-1	—	—	ng/L	1.9	U	1.8	U	1.9	U
PFNA	375-95-1	—	—	ng/L	3.7		3.4		3.1	
PFNS	68259-12-1	—	—	ng/L	0.95	U	0.92	U	0.93	U
PFOA	335-67-1	—	—	ng/L	29		28		30	
PFOS	1763-23-1	—	—	ng/L	55		44		33	
PFOSA	754-91-6	—	—	ng/L	0.95	U	0.92	U	0.93	U
PFPEA	2706-90-3	—	—	ng/L	180		170		160	
PFPEs	630402-22-1	—	—	ng/L	0.95	U	0.92	U	0.93	U
PFTEDA	376-06-7	—	—	ng/L	0.95	U	0.92	U	0.93	U
PFTRDA	72629-94-8	—	—	ng/L	1.4	IR2, U	1.4	U	1.4	U
PFUnA	2058-94-8	—	—	ng/L	4.6	IR2	4	IR2	3	IR2
% Solids	SOLIDS	—	—	%						