

The results set forth herein are provided by SGS North America Inc.

*e-Hardcopy 2.0*  
*Automated Report*

## Technical Report for

**AECOM, INC.**

**N6274223F0104 RH Fire Suppression System**

**60697810**

**SGS Job Number: FC2684**

**Sampling Date: 02/13/23**



### Report to:

**AECOM, Inc**  
**7595 Technology Way**  
**Denver, CO 80237**  
**katie.abbott@aecom.com; mark.kromis@aecom.com;**  
**watson.tanji@aecom.com; kristin.rutherford@aecom.com**  
**ATTN: Katie Abbott**

**Total number of pages in report: 30**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

**Norm Farmer**  
**Technical Director**

**Client Service contact: Elvin Kumar 407-425-6700**

Certifications: FL(E83510), LA(03051), KS(E-10327), NC(573), NJ(FL002), NY(12022), SC(96038001)  
DoD ELAP(ANAB L2229), AZ(AZ0806), CA(2937), TX(T104704404), PA(68-03573), VA(460177),  
AL, AK, AR, CT, IA, KY, MA, MI, MS, ND, NH, NV, OK, OR, IL, UT, VT, WA, WI, WV

This report shall not be reproduced, except in its entirety, without the written approval of SGS.  
Test results relate only to samples analyzed.

# Table of Contents

-1-

<b>Section 1: Sample Summary .....</b>	<b>3</b>
<b>Section 2: Case Narrative/Conformance Summary .....</b>	<b>4</b>
<b>Section 3: Summary of Hits .....</b>	<b>5</b>
<b>Section 4: Sample Results .....</b>	<b>6</b>
<b>4.1: FC2684-1: AF-RHMW04-WGN01LF-2302W2 .....</b>	<b>7</b>
<b>4.2: FC2684-2: AF-RHMW06-WGN01LF-2302W2 .....</b>	<b>10</b>
<b>Section 5: Misc. Forms .....</b>	<b>13</b>
<b>5.1: Chain of Custody .....</b>	<b>14</b>
<b>5.2: QC Evaluation: DOD QSM5.x Limits .....</b>	<b>17</b>
<b>Section 6: MS Semi-volatiles - QC Data Summaries .....</b>	<b>18</b>
<b>6.1: Method Blank Summary .....</b>	<b>19</b>
<b>6.2: Blank Spike Summary .....</b>	<b>23</b>
<b>6.3: Matrix Spike Summary .....</b>	<b>27</b>
<b>6.4: Duplicate Summary .....</b>	<b>29</b>

1

2

3

4

5

6



## Sample Summary

AECOM, INC.

Job No: FC2684

N6274223F0104 RH Fire Suppression System  
Project No: 60697810

Sample Number	Collected Date	Time By	Received	Matrix Code	Type	Client Sample ID
FC2684-1	02/13/23	10:30	AYNT 02/14/23	AQ	Ground Water	AF-RHMW04-WGN01LF-2302W2
FC2684-2	02/13/23	12:00	AYNT 02/14/23	AQ	Ground Water	AF-RHMW06-WGN01LF-2302W2

## SAMPLE DELIVERY GROUP CASE NARRATIVE

**Client:** AECOM, INC.

**Job No:** FC2684

**Site:** N6274223F0104 RH Fire Suppression System

**Report Date:** 2/22/2023 7:14:11 PM

On 02/14/2023, 2 Sample(s), 0 Trip Blank(s) and 0 Field Blank(s) were received at SGS North America Inc - Orlando. at a maximum corrected temperature of 3.8 C. Samples were intact and chemically preserved, unless noted below. A SGS North America Inc. - Orlando Job Number of FC2684 was assigned to the project.

Laboratory sample ID, client sample ID and dates of sample collection are detailed in the report's Results Summary Section. Specified quality control criteria were achieved for this job except as noted below. For more information, please refer to the analytical results and QC summary pages.

### MS Semi-volatiles By Method EPA DRAFT 1633

**Matrix:** AQ

**Batch ID:** OP95481

Sample(s) FC2684-1MS, FC2684-2DUP were used as the QC samples indicated.

RPD(s) for Duplicate for Perfluoroheptanoic acid are outside control limits for sample OP95481-DUP. Probable cause is due to sample non-homogeneity.

FC2684-1 for 3:3 Fluorotelomer carboxylate: Associated Low Level CCV outside of control limits high, sample was ND.

FC2684-1 for EtFOSAA: Associated Low Level CCV outside of control limits high, sample was ND.

FC2684-2 for 3:3 Fluorotelomer carboxylate: Associated Low Level CCV outside of control limits high, sample was ND.

FC2684-2 for EtFOSAA: Associated Low Level CCV outside of control limits high, sample was ND.

SGS North America Inc. - Orlando certifies that data reported for samples received, listed on the associated custody chain or analytical task order, were produced to specifications meeting the Quality System precision, accuracy and completeness objectives except as noted. Estimated non-standard method measurement uncertainty data is available on request, based on quality control bias and implicit for standard methods. Acceptable uncertainty requires tested parameter quality control data to meet method criteria. SGS North America Inc.- Orlando is not responsible for data quality assumptions if partial reports are used and recommends that this report be used in its entirety.

Narrative prepared by:

---

Kim Benham, Client Services (*Signature on File*)

## Summary of Hits

**Job Number:** FC2684  
**Account:** AECOM, INC.  
**Project:** N6274223F0104 RH Fire Suppression System  
**Collected:** 02/13/23



Lab Sample ID	Client Sample ID	Result/ Qual	LOQ	LOD	Units	Method
---------------	------------------	-----------------	-----	-----	-------	--------

FC2684-1      AF-RHMW04-WGN01LF-2302W2

No hits reported in this sample.

FC2684-2      AF-RHMW06-WGN01LF-2302W2

No hits reported in this sample.

**Sample Results**

---

**Report of Analysis**

---

# Report of Analysis

Client Sample ID:	AF-RHMW04-WGN01LF-2302W2		
Lab Sample ID:	FC2684-1	Date Sampled:	02/13/23
Matrix:	AQ - Ground Water	Date Received:	02/14/23
Method:	EPA DRAFT 1633 EPA 1633 DRAFT	Percent Solids:	n/a
Project:	N6274223F0104 RH Fire Suppression System		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	5Q11029.D	1	02/17/23 17:11	NG	02/15/23 10:25	OP95481	S5Q170
Run #2							

Run #	Initial Volume	Final Volume
Run #1	535 ml	5.0 ml
Run #2		

CAS No.	Compound	Result	LOQ	LOD	DL	Units	Q
---------	----------	--------	-----	-----	----	-------	---

**PERFLUOROALKYL CARBOXYLIC ACIDS**

375-22-4	Perfluorobutanoic acid	3.7 U	19	3.7	1.8	ng/l	
2706-90-3	Perfluoropentanoic acid	1.9 U	9.3	1.9	0.88	ng/l	
307-24-4	Perfluorohexanoic acid	0.93 U	4.7	0.93	0.47	ng/l	
375-85-9	Perfluoroheptanoic acid	0.93 U	4.7	0.93	0.47	ng/l	
335-67-1	Perfluorooctanoic acid	0.93 U	4.7	0.93	0.47	ng/l	
375-95-1	Perfluorononanoic acid	1.9 U	4.7	1.9	0.57	ng/l	
335-76-2	Perfluorodecanoic acid	0.93 U	4.7	0.93	0.47	ng/l	
2058-94-8	Perfluoroundecanoic acid	1.9 U	4.7	1.9	0.56	ng/l	
307-55-1	Perfluorododecanoic acid	1.9 U	4.7	1.9	0.56	ng/l	
72629-94-8	Perfluorotridecanoic acid	1.9 U	4.7	1.9	0.79	ng/l	
376-06-7	Perfluorotetradecanoic acid	0.93 U	4.7	0.93	0.47	ng/l	

**PERFLUOROALKYL SULFONIC ACIDS**

375-73-5	Perfluorobutanesulfonic acid	0.93 U	4.7	0.93	0.47	ng/l	
2706-91-4	Perfluoropentanesulfonic acid	3.7 U	4.7	3.7	1.0	ng/l	
355-46-4	Perfluorohexanesulfonic acid	1.9 U	4.7	1.9	0.65	ng/l	
375-92-8	Perfluoroheptanesulfonic acid	0.93 U	4.7	0.93	0.47	ng/l	
1763-23-1	Perfluorooctanesulfonic acid	1.9 U	4.7	1.9	0.50	ng/l	
68259-12-1	Perfluorononanesulfonic acid	1.9 U	4.7	1.9	0.53	ng/l	
335-77-3	Perfluorodecanesulfonic acid	1.9 U	4.7	1.9	0.60	ng/l	
79780-39-5	Perfluorododecanesulfonic aci	3.7 U	4.7	3.7	1.1	ng/l	

**FLUOROTELOMER SULFONIC ACIDS**

757124-72-4	4:2 Fluorotelomer sulfonate	7.5 U	19	7.5	3.0	ng/l	
27619-97-2	6:2 Fluorotelomer sulfonate	7.5 U	19	7.5	3.2	ng/l	
39108-34-4	8:2 Fluorotelomer sulfonate	7.5 U	19	7.5	3.8	ng/l	

**PERFLUOROOCCTANE SULFONAMIDES**

754-91-6	PFOSA	1.9 U	4.7	1.9	0.63	ng/l	
31506-32-8	MeFOSA	1.9 U	4.7	1.9	0.93	ng/l	
4151-50-2	EtFOSA	1.9 U	4.7	1.9	0.93	ng/l	

U = Not detected      LOD = Limit of Detection      J = Indicates an estimated value  
 LOQ = Limit of Quantitation      DL = Detection Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound

4.1  
4

# Report of Analysis

Client Sample ID:	AF-RHMW04-WGN01LF-2302W2		
Lab Sample ID:	FC2684-1	Date Sampled:	02/13/23
Matrix:	AQ - Ground Water	Date Received:	02/14/23
Method:	EPA DRAFT 1633 EPA 1633 DRAFT	Percent Solids:	n/a
Project:	N6274223F0104 RH Fire Suppression System		

CAS No.	Compound	Result	LOQ	LOD	DL	Units	Q
---------	----------	--------	-----	-----	----	-------	---

**PERFLUOROOCCTANE SULFONAMIDOACETIC ACIDS**

2355-31-9	MeFOSAA	3.7 U	4.7	3.7	0.93	ng/l	
2991-50-6	EtFOSAA <sup>a</sup>	3.7 U	4.7	3.7	1.2	ng/l	

**PERFLUOROOCCTANE SULFONAMIDO ETHANOLS**

24448-09-7	MeFOSE	9.3 U	47	9.3	4.1	ng/l	
1691-99-2	EtFOSE	19 U	47	19	6.9	ng/l	

**PER and POLYFLUOROETHER CARBOXYLIC ACIDS**

13252-13-6	HFPO-DA (GenX)	3.7 U	19	3.7	0.93	ng/l	
919005-14-4	ADONA	3.7 U	19	3.7	1.7	ng/l	
377-73-1	PFMPA	1.9 U	9.3	1.9	0.93	ng/l	
863090-89-5	PFMBA	3.7 U	9.3	3.7	1.1	ng/l	
151772-58-6	NFDHA	3.7 U	9.3	3.7	1.1	ng/l	

**PER and POLYFLUOROETHER SULFONIC ACIDS**

756426-58-1	9Cl-PF3ONS (F-53B Major)	3.7 U	19	3.7	1.3	ng/l	
763051-92-9	11Cl-PF3OUdS (F-53B Minor)	3.7 U	19	3.7	1.6	ng/l	
113507-82-7	PFEESA	1.9 U	9.3	1.9	0.73	ng/l	

**FLUOROTELOMER CARBOXYLIC ACIDS**

356-02-5	3:3 Fluorotelomer carboxylat <sup>a</sup>	9.3 U	23	9.3	4.2	ng/l	
914637-49-3	5:3 Fluorotelomer carboxylate	19 U	120	19	8.2	ng/l	
812-70-4	7:3 Fluorotelomer carboxylate	19 U	120	19	7.3	ng/l	

CAS No.	ID Standard Recoveries	Run# 1	Run# 2	Limits
	13C4-PFBA	89%		20-150%
	13C5-PFPeA	78%		20-150%
	13C5-PFHxA	90%		20-150%
	13C4-PFHpA	86%		20-150%
	13C8-PFOA	83%		20-150%
	13C9-PFNA	86%		20-150%
	13C6-PFDA	81%		20-150%
	13C7-PFUnDA	69%		20-150%
	13C2-PFDoDA	63%		20-150%
	13C2-PFTeDA	56%		20-150%
	13C3-PFBS	82%		20-150%
	13C3-PFHxS	88%		20-150%

U = Not detected      LOD = Limit of Detection      J = Indicates an estimated value  
 LOQ = Limit of Quantitation      DL = Detection Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound

4.1  
4



## Report of Analysis

Client Sample ID: AF-RHMW04-WGN01LF-2302W2		Date Sampled: 02/13/23
Lab Sample ID: FC2684-1		Date Received: 02/14/23
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA DRAFT 1633 EPA 1633 DRAFT		
Project: N6274223F0104 RH Fire Suppression System		

CAS No.	ID Standard Recoveries	Run# 1	Run# 2	Limits
	13C8-PFOS	79%		20-150%
	13C8-FOSA	81%		20-150%
	d3-MeFOSA	66%		20-150%
	d5-EtFOSA	58%		20-150%
	d3-MeFOSAA	74%		20-150%
	d5-EtFOSAA	59%		20-150%
	d7-MeFOSE	57%		20-150%
	d9-EtFOSE	56%		20-150%
	13C2-4:2FTS	78%		20-150%
	13C2-6:2FTS	78%		20-150%
	13C2-8:2FTS	81%		20-150%
	13C3-HFPO-DA	94%		20-150%

(a) Associated Low Level CCV outside of control limits high, sample was ND.

---

U = Not detected	LOD = Limit of Detection	J = Indicates an estimated value
LOQ = Limit of Quantitation	DL = Detection Limit	B = Indicates analyte found in associated method blank
E = Indicates value exceeds calibration range		N = Indicates presumptive evidence of a compound

# Report of Analysis

Client Sample ID:	AF-RHMW06-WGN01LF-2302W2		
Lab Sample ID:	FC2684-2	Date Sampled:	02/13/23
Matrix:	AQ - Ground Water	Date Received:	02/14/23
Method:	EPA DRAFT 1633 EPA 1633 DRAFT	Percent Solids:	n/a
Project:	N6274223F0104 RH Fire Suppression System		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	5Q11031.D	1	02/17/23 17:39	NG	02/15/23 10:25	OP95481	S5Q170
Run #2							

Run #	Initial Volume	Final Volume
Run #1	545 ml	5.0 ml
Run #2		

CAS No.	Compound	Result	LOQ	LOD	DL	Units	Q
---------	----------	--------	-----	-----	----	-------	---

**PERFLUOROALKYL CARBOXYLIC ACIDS**

375-22-4	Perfluorobutanoic acid	3.7 U	18	3.7	1.8	ng/l	
2706-90-3	Perfluoropentanoic acid	1.8 U	9.2	1.8	0.86	ng/l	
307-24-4	Perfluorohexanoic acid	0.92 U	4.6	0.92	0.46	ng/l	
375-85-9	Perfluoroheptanoic acid	0.92 U	4.6	0.92	0.46	ng/l	
335-67-1	Perfluorooctanoic acid	0.92 U	4.6	0.92	0.46	ng/l	
375-95-1	Perfluorononanoic acid	1.8 U	4.6	1.8	0.56	ng/l	
335-76-2	Perfluorodecanoic acid	0.92 U	4.6	0.92	0.46	ng/l	
2058-94-8	Perfluoroundecanoic acid	1.8 U	4.6	1.8	0.55	ng/l	
307-55-1	Perfluorododecanoic acid	1.8 U	4.6	1.8	0.55	ng/l	
72629-94-8	Perfluorotridecanoic acid	1.8 U	4.6	1.8	0.77	ng/l	
376-06-7	Perfluorotetradecanoic acid	0.92 U	4.6	0.92	0.46	ng/l	

**PERFLUOROALKYL SULFONIC ACIDS**

375-73-5	Perfluorobutanesulfonic acid	0.92 U	4.6	0.92	0.46	ng/l	
2706-91-4	Perfluoropentanesulfonic acid	3.7 U	4.6	3.7	1.0	ng/l	
355-46-4	Perfluorohexanesulfonic acid	1.8 U	4.6	1.8	0.64	ng/l	
375-92-8	Perfluoroheptanesulfonic acid	0.92 U	4.6	0.92	0.46	ng/l	
1763-23-1	Perfluorooctanesulfonic acid	1.8 U	4.6	1.8	0.50	ng/l	
68259-12-1	Perfluorononanesulfonic acid	1.8 U	4.6	1.8	0.52	ng/l	
335-77-3	Perfluorodecanesulfonic acid	1.8 U	4.6	1.8	0.59	ng/l	
79780-39-5	Perfluorododecanesulfonic aci	3.7 U	4.6	3.7	1.0	ng/l	

**FLUOROTELOMER SULFONIC ACIDS**

757124-72-4	4:2 Fluorotelomer sulfonate	7.3 U	18	7.3	3.0	ng/l	
27619-97-2	6:2 Fluorotelomer sulfonate	7.3 U	18	7.3	3.2	ng/l	
39108-34-4	8:2 Fluorotelomer sulfonate	7.3 U	18	7.3	3.8	ng/l	

**PERFLUOROOCCTANE SULFONAMIDES**

754-91-6	PFOSA	1.8 U	4.6	1.8	0.61	ng/l	
31506-32-8	MeFOSA	1.8 U	4.6	1.8	0.92	ng/l	
4151-50-2	EtFOSA	1.8 U	4.6	1.8	0.92	ng/l	

U = Not detected      LOD = Limit of Detection      J = Indicates an estimated value  
 LOQ = Limit of Quantitation      DL = Detection Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound

4.2  
4

# Report of Analysis

Client Sample ID:	AF-RHMW06-WGN01LF-2302W2		
Lab Sample ID:	FC2684-2	Date Sampled:	02/13/23
Matrix:	AQ - Ground Water	Date Received:	02/14/23
Method:	EPA DRAFT 1633 EPA 1633 DRAFT	Percent Solids:	n/a
Project:	N6274223F0104 RH Fire Suppression System		

CAS No.	Compound	Result	LOQ	LOD	DL	Units	Q
---------	----------	--------	-----	-----	----	-------	---

**PERFLUOROOCCTANE SULFONAMIDOACETIC ACIDS**

2355-31-9	MeFOSAA	3.7 U	4.6	3.7	0.92	ng/l	
2991-50-6	EtFOSAA <sup>a</sup>	3.7 U	4.6	3.7	1.2	ng/l	

**PERFLUOROOCCTANE SULFONAMIDO ETHANOLS**

24448-09-7	MeFOSE	9.2 U	46	9.2	4.0	ng/l	
1691-99-2	EtFOSE	18 U	46	18	6.8	ng/l	

**PER and POLYFLUOROETHER CARBOXYLIC ACIDS**

13252-13-6	HFPO-DA (GenX)	3.7 U	18	3.7	0.92	ng/l	
919005-14-4	ADONA	3.7 U	18	3.7	1.7	ng/l	
377-73-1	PFMPA	1.8 U	9.2	1.8	0.92	ng/l	
863090-89-5	PFMBA	3.7 U	9.2	3.7	1.0	ng/l	
151772-58-6	NFDHA	3.7 U	9.2	3.7	1.1	ng/l	

**PER and POLYFLUOROETHER SULFONIC ACIDS**

756426-58-1	9Cl-PF3ONS (F-53B Major)	3.7 U	18	3.7	1.3	ng/l	
763051-92-9	11Cl-PF3OUdS (F-53B Minor)	3.7 U	18	3.7	1.6	ng/l	
113507-82-7	PFEESA	1.8 U	9.2	1.8	0.72	ng/l	

**FLUOROTELOMER CARBOXYLIC ACIDS**

356-02-5	3:3 Fluorotelomer carboxylat <sup>a</sup>	9.2 U	23	9.2	4.1	ng/l	
914637-49-3	5:3 Fluorotelomer carboxylate	18 U	110	18	8.0	ng/l	
812-70-4	7:3 Fluorotelomer carboxylate	18 U	110	18	7.2	ng/l	

CAS No.	ID Standard Recoveries	Run# 1	Run# 2	Limits
---------	------------------------	--------	--------	--------

13C4-PFBA	84%			20-150%
13C5-PFPeA	78%			20-150%
13C5-PFHxA	89%			20-150%
13C4-PFHpA	85%			20-150%
13C8-PFOA	82%			20-150%
13C9-PFNA	88%			20-150%
13C6-PFDA	74%			20-150%
13C7-PFUnDA	64%			20-150%
13C2-PFDoDA	62%			20-150%
13C2-PFTeDA	68%			20-150%
13C3-PFBS	87%			20-150%
13C3-PFHxS	90%			20-150%

U = Not detected      LOD = Limit of Detection      J = Indicates an estimated value  
 LOQ = Limit of Quantitation      DL = Detection Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound

## Report of Analysis

Client Sample ID:	AF-RHMW06-WGN01LF-2302W2		Date Sampled:	02/13/23
Lab Sample ID:	FC2684-2		Date Received:	02/14/23
Matrix:	AQ - Ground Water		Percent Solids:	n/a
Method:	EPA DRAFT 1633 EPA 1633 DRAFT			
Project:	N6274223F0104 RH Fire Suppression System			

CAS No.	ID Standard Recoveries	Run# 1	Run# 2	Limits
	13C8-PFOS	76%		20-150%
	13C8-FOSA	74%		20-150%
	d3-MeFOSA	68%		20-150%
	d5-EtFOSA	66%		20-150%
	d3-MeFOSAA	67%		20-150%
	d5-EtFOSAA	57%		20-150%
	d7-MeFOSE	62%		20-150%
	d9-EtFOSE	61%		20-150%
	13C2-4:2FTS	88%		20-150%
	13C2-6:2FTS	82%		20-150%
	13C2-8:2FTS	76%		20-150%
	13C3-HFPO-DA	94%		20-150%

(a) Associated Low Level CCV outside of control limits high, sample was ND.

U = Not detected      LOD = Limit of Detection      J = Indicates an estimated value  
 LOQ = Limit of Quantitation      DL = Detection Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound

**Misc. Forms**

**Custody Documents and Other Forms**

---

**Includes the following where applicable:**

- Chain of Custody
- QC Evaluation: DOD QSM5.x Limits



SGS North America Inc - Orlando  
Chain of Custody

4405 Vineland Road, Suite C-15 Orlando, FL 32811  
TEL: 407-425-6700 FAX: 407-425-0707  
www.sgs.com

**FC2684**  
SGS - ORLANDO JOB #:

COC #: 2302W2AFSG08

PAGE 1 OF 1

Client / Reporting Information				Project Information				SGS - ORLANDO Quote #		SKIFF #						
Company Name: AECOM				Project Name: N6274223F0104 RH Fire Suppression System												
Address: 1001 Bishop St. ste 1600				Street												
City: Honolulu		State: HI		Zip: 96813		City: Honolulu		State: Hawaii								
Project Contact: Katie Abbott Email: katie.abbott@aecom.com				Project # 60697810												
Project Manager: Watson Tanji Email: watson.tanji@aecom.com				Fax #												
Phone #: 303-796-4624 / 808-954-4512				Client Purchase Order #												
Sampler(s) Name(s) (Printed) Sampler 1: <u>NICAH TURNER</u> Sampler 2: <u>ANDY YOUNG</u>																
SGS Orlando Sample #	COLLECTION			CONTAINER INFORMATION								PFAS EPA Draft 1633	LAB USE ONLY			
	Field ID / Point of Collection	DATE	TIME	SAMPLED BY	MATRIX	TOTAL # OF BOTTLES	OTHER	NONE	HCl	NH3	HNO3			H2SO4	NH4OH-ZnAc	DI WATER
1	AF-RHMW04-WGN01LF-2302W2	2/13/23	1030	N.T.A.	GW	3			X							
<del>Handwritten signature and date 2/13/23</del>											INITIAL ASSESSMENT		[Signature]			
<del>Handwritten signature and date 2/13/23</del>											LABEL VERIFICATION		[Signature]			
Turnaround Time ( Business days)				Data Deliverable Information				Comments / Remarks								
10 Day (Business)		Approved By: / Date:		<input type="checkbox"/> COMMERCIAL "A" (RESULTS ONLY) <input type="checkbox"/> COMMERCIAL "B" (RESULTS PLUS QC) <input type="checkbox"/> REDT1 (EPA LEVEL 3) <input checked="" type="checkbox"/> FULLT1 (EPA LEVEL 4) <input checked="" type="checkbox"/> EDD'S				EDMS upload database: JBPHE EDMS Coverage: AFFF Assessment Sampling GW United AWB 016-77393956								
7 Day																
<b>5 Day</b>																
3 Day RUSH																
2 Day RUSH																
1 Day RUSH																
Other																
Rush T/A Data Available VIA Email or Lablink																
Sample Custody must be documented below each time samples change possession, including courier delivery.																
Relinquished by Sampler/Affiliation		Date Time:		Received By/Affiliation		Relinquished By/Affiliation		Date Time:		Received By/Affiliation						
1 Andy Young / AECOM		2/13/23 1305		2 Andy Young / AECOM		3 Andy Young / AECOM		2/13/23 1335		4 [Signature]						
5		2/14/23		6 [Signature]		7		2/14/23		8						
Lab Use Only: Cooler Temperature (s) Celsius (corrected): <u>3.6</u>																

PFAS\_COCS\_ALL.xls Rev 031318

FC2684: Chain of Custody

Page 1 of 3





SGS North America Inc - Orlando  
Chain of Custody

4405 Vineland Road, Suite C-15 Orlando, FL 32811  
TEL: 407-425-6700 FAX: 407-425-0707  
www.sgs.com

FC2684  
SGS - ORLANDO JOB # :

COC #: 2302W2AFSG09

PAGE 1 OF 1

Client / Reporting Information		Project Information				Analytical Information												Matrix Codes
Company Name: AECOM		Project Name: N6274223F0104 RH Fire Suppression System				<div style="display: flex; justify-content: space-between;"> <div style="writing-mode: vertical-rl; transform: rotate(180deg);">PFAS EPA Draft 1633</div> <div style="text-align: center;"> <p>NT</p> <p>2/13/2023</p> </div> </div>												DW - Drinking Water GW - Ground Water WW - Water SW - Surface Water SO - Soil SL - Sludge OI - Oil LIQ - Other Liquid AIR - Air SOL - Other Solid WP - Wipe
Address: 1001 Bishop St. ste 1600		Street																
City: Honolulu State: HI Zip: 96813		City Honolulu State Hawaii																
Project Contact: Katie Abbott Email: katie.abbott@aecom.com		Project # 60697810																
Project Manager: Watson Tanji Email: watson.tanji@aecom.com		Fax #																
Phone #: 303-796-4624 / 808-954-4512		Client Purchase Order #				<div style="display: flex; justify-content: space-between;"> <div> <p>SGS Orlando Sample #</p> <p>2</p> </div> <div> <p>Field ID / Point of Collection</p> <p>AF-RHMW06-WGN01LF-2302W2</p> </div> <div> <p>DATE</p> <p>2/13/23</p> </div> <div> <p>TIME</p> <p>1200</p> </div> <div> <p>SAMPLED BY</p> <p>NT/AY/05</p> </div> <div> <p>MATRIX</p> <p>GW</p> </div> <div> <p>TOTAL # OF BOTTLES</p> <p>3</p> </div> <div> <p>OTHER</p> <p>X</p> </div> <div> <p>NONE</p> </div> <div> <p>HCl</p> </div> <div> <p>NACH</p> </div> <div> <p>HN03</p> </div> <div> <p>HSC04</p> </div> <div> <p>NACH-ZINC</p> </div> <div> <p>D1 WATER</p> </div> <div> <p>MEDH</p> </div> </div>												
Sampler(s) Name(s) (Printed)		<p>Sampler 1: <u>NOAH TANNER</u> Sampler 2: <u>ANDY YOUNG</u></p>												LAB USE ONLY				
Turnaround Time ( Business days)		Data Deliverable Information				Comments / Remarks												
<p>10 Day (Business) Approved By: / Date:</p> <p>7 Day</p> <p><b>5 Day</b></p> <p>3 Day RUSH</p> <p>2 Day RUSH</p> <p>1 Day RUSH</p> <p>Other</p> <p>Rush T/A Data Available VIA Email or Lablink</p>		<p><input type="checkbox"/> COMMERCIAL "A" (RESULTS ONLY)</p> <p><input type="checkbox"/> COMMERCIAL "B" (RESULTS PLUS QC)</p> <p><input type="checkbox"/> REDT1 (EPA LEVEL 3)</p> <p><input checked="" type="checkbox"/> FULLT1 (EPA LEVEL 4)</p> <p><input checked="" type="checkbox"/> EDD'S</p>				<p>EDMS upload database: JBPHE</p> <p>EDMS Coverage: AFFF Assessment Sampling GW</p> <p>United AWC 016-77393956</p>												
Sample Custody must be documented below each time samples change possession, including courier delivery.																		
Relinquished by Sampler/Affiliation		Date Time: 2/13/2023		Received By/Affiliation		Relinquished By/Affiliation		Date Time: 2/13/23		Received By/Affiliation		Relinquished By/Affiliation		Date Time: 2/14/23				
1 <u>NT</u> / AECOM				2 <u>Andy Young</u> / AECOM		3 <u>Andy Young</u> / AECOM		4 <u>Andy Young</u> / AECOM		5 <u>Andy Young</u> / AECOM		6 <u>Andy Young</u> / AECOM		7 <u>Andy Young</u> / AECOM				
5				6		7		8		9		10		11				
Lab Use Only : Cooler Temperature (s) Celsius (corrected):																		
<a href="http://www.sgs.com/en/terms-and-conditions">http://www.sgs.com/en/terms-and-conditions</a>																		

PFAS\_COCS\_ALL.xls Rev 031318

FC2684: Chain of Custody

Page 2 of 3



## SGS Sample Receipt Summary

Job Number: FC2684

Client: AECOM

Project: N6274223F0104 RH Fire Suppression System

Date / Time Received: 2/14/2023 3:00:00 PM

Delivery Method: United Cargo/Airspace

Airbill #'s: United Cargo AWB #: 016-77393956

Therm ID: IR 1;

Therm CF: 0.2;

# of Coolers: 1

Cooler Temps (Raw Measured) °C: Cooler 1: (3.6);

Cooler Temps (Corrected) °C: Cooler 1: (3.8);

**Cooler Information**

Y or N

- 1. Custody Seals Present
- 2. Custody Seals Intact
- 3. Temp criteria achieved
- 4. Cooler temp verification IR Gun
- 5. Cooler media Ice (Bag)

**Trip Blank Information**

Y or N N/A

- 1. Trip Blank present / cooler
  - 2. Trip Blank listed on COC
- W or S N/A
- 3. Type Of TB Received

**Sample Information**

Y or N N/A

- 1. Sample labels present on bottles
- 2. Samples preserved properly
- 3. Sufficient volume/containers recvd for analysis:
- 4. Condition of sample Intact
- 5. Sample recvd within HT
- 6. Dates/Times/IDs on COC match Sample Label
- 7. VOCs have headspace
- 8. Bottles received for unspecified tests
- 9. Compositing instructions clear
- 10. Voa Soil Kits/Jars received past 48hrs?
- 11. % Solids Jar received?
- 12. Residual Chlorine Present?

**Misc. Information**

Number of Encores: 25-Gram \_\_\_\_\_ 5-Gram \_\_\_\_\_

Number of 5035 Field Kits: \_\_\_\_\_

Number of Lab Filtered Metals: \_\_\_\_\_

Test Strip Lot #s: pH 0-3 230315

pH 10-12 219813A

Other: (Specify) \_\_\_\_\_

Residual Chlorine Test Strip Lot #: \_\_\_\_\_

Comments

SM001  
Rev. Date 05/24/17

Technician: CARLOSD

Date: 2/14/2023 3:00:00 PM

Reviewer: CD

Date: 2/15/2023

**FC2684: Chain of Custody**

**Page 3 of 3**



# QC Evaluation: DOD QSM5.x Limits

**Job Number:** FC2684  
**Account:** AECOM, INC.  
**Project:** N6274223F0104 RH Fire Suppression System  
**Collected:** 02/13/23

QC Sample ID	CAS#	Analyte	Sample Result Type	Result Type	Units	Limits
--------------	------	---------	--------------------	-------------	-------	--------

No DOD QSM5.x Limits found for methods in this job.

---

\* Sample used for QC is not from job FC2684

5.2  
5

## MS Semi-volatiles

---

### QC Data Summaries

---

**Includes the following where applicable:**

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

# Instrument Blank

Job Number: FC2684  
Account: AECOMCOD AECOM, INC.  
Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
S5Q170-IBLK	5Q11023.D	1	02/17/23	NG	n/a	n/a	S5Q170

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC2684-1, FC2684-2

CAS No.	Compound	Result	RL	MDL	Units	Q
375-22-4	Perfluorobutanoic acid	ND	0.020	0.0019	ug/l	
2706-90-3	Perfluoropentanoic acid	ND	0.010	0.00094	ug/l	
307-24-4	Perfluorohexanoic acid	ND	0.0050	0.00050	ug/l	
375-85-9	Perfluoroheptanoic acid	ND	0.0050	0.00050	ug/l	
335-67-1	Perfluorooctanoic acid	ND	0.0050	0.00050	ug/l	
375-95-1	Perfluorononanoic acid	ND	0.0050	0.00061	ug/l	
335-76-2	Perfluorodecanoic acid	ND	0.0050	0.00050	ug/l	
2058-94-8	Perfluoroundecanoic acid	ND	0.0050	0.00060	ug/l	
307-55-1	Perfluorododecanoic acid	ND	0.0050	0.00060	ug/l	
72629-94-8	Perfluorotridecanoic acid	ND	0.0050	0.00084	ug/l	
376-06-7	Perfluorotetradecanoic acid	ND	0.0050	0.00050	ug/l	
375-73-5	Perfluorobutanesulfonic acid	ND	0.0050	0.00050	ug/l	
2706-91-4	Perfluoropentanesulfonic acid	ND	0.0050	0.0011	ug/l	
355-46-4	Perfluorohexanesulfonic acid	ND	0.0050	0.00070	ug/l	
375-92-8	Perfluoroheptanesulfonic acid	ND	0.0050	0.00050	ug/l	
1763-23-1	Perfluorooctanesulfonic acid	ND	0.0050	0.00054	ug/l	
68259-12-1	Perfluorononanesulfonic acid	ND	0.0050	0.00057	ug/l	
335-77-3	Perfluorodecanesulfonic acid	ND	0.0050	0.00064	ug/l	
79780-39-5	Perfluorododecanesulfonic aci	ND	0.0050	0.0011	ug/l	
757124-72-44:2	Fluorotelomer sulfonate	ND	0.020	0.0032	ug/l	
27619-97-2	6:2 Fluorotelomer sulfonate	ND	0.020	0.0035	ug/l	
39108-34-4	8:2 Fluorotelomer sulfonate	ND	0.020	0.0041	ug/l	
754-91-6	PFOSA	ND	0.0050	0.00067	ug/l	
31506-32-8	MeFOSA	ND	0.0050	0.0010	ug/l	
4151-50-2	EtFOSA	ND	0.0050	0.0010	ug/l	
2355-31-9	MeFOSAA	ND	0.0050	0.0010	ug/l	
2991-50-6	EtFOSAA	ND	0.0050	0.0013	ug/l	
24448-09-7	MeFOSE	ND	0.050	0.0044	ug/l	
1691-99-2	EtFOSE	ND	0.050	0.0074	ug/l	
13252-13-6	HFPO-DA (GenX)	ND	0.020	0.0010	ug/l	
919005-14-4	ADONA	ND	0.020	0.0019	ug/l	
377-73-1	PFMPA	ND	0.010	0.0010	ug/l	
863090-89-5	PFMBA	ND	0.010	0.0011	ug/l	
151772-58-6	NFDHA	ND	0.010	0.0012	ug/l	
756426-58-19	Cl-PF3ONS (F-53B Major)	ND	0.020	0.0014	ug/l	
763051-92-91	Cl-PF3OUdS (F-53B Minor)	ND	0.020	0.0018	ug/l	

# Instrument Blank

Job Number: FC2684  
 Account: AECOMCOD AECOM, INC.  
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
S5Q170-IBLK	5Q11023.D	1	02/17/23	NG	n/a	n/a	S5Q170

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC2684-1, FC2684-2

CAS No.	Compound	Result	RL	MDL	Units	Q
113507-82-7	PFEESA	ND	0.010	0.00078	ug/l	
356-02-5	3:3 Fluorotelomer carboxylate	ND	0.025	0.0045	ug/l	
914637-49-35:3	Fluorotelomer carboxylate	ND	0.13	0.0087	ug/l	
812-70-4	7:3 Fluorotelomer carboxylate	0.0085	0.13	0.0079	ug/l	J

CAS No.	ID Standard Recoveries	Limits
	13C4-PFBA	95% 20-150%
	13C5-PFPeA	81% 20-150%
	13C5-PFHxA	102% 20-150%
	13C4-PFHpA	101% 20-150%
	13C8-PFOA	100% 20-150%
	13C9-PFNA	101% 20-150%
	13C6-PFDA	106% 20-150%
	13C7-PFUnDA	103% 20-150%
	13C2-PFDoDA	102% 20-150%
	13C2-PFTeDA	93% 20-150%
	13C3-PFBS	80% 20-150%
	13C3-PFHxS	105% 20-150%
	13C8-PFOS	102% 20-150%
	13C8-FOSA	98% 20-150%
	d3-MeFOSAA	97% 20-150%
	d5-EtFOSAA	83% 20-150%
	13C2-4:2FTS	98% 20-150%
	13C2-6:2FTS	92% 20-150%
	13C2-8:2FTS	93% 20-150%

6.1.1  
6

# Method Blank Summary

Job Number: FC2684  
 Account: AECOMCOD AECOM, INC.  
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP95481-MB	5Q11028.D	1	02/17/23	NG	02/15/23	OP95481	S5Q170

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC2684-1, FC2684-2

CAS No.	Compound	Result	RL	MDL	Units	Q
375-22-4	Perfluorobutanoic acid	ND	0.020	0.0019	ug/l	
2706-90-3	Perfluoropentanoic acid	ND	0.010	0.00094	ug/l	
307-24-4	Perfluorohexanoic acid	ND	0.0050	0.00050	ug/l	
375-85-9	Perfluoroheptanoic acid	ND	0.0050	0.00050	ug/l	
335-67-1	Perfluorooctanoic acid	ND	0.0050	0.00050	ug/l	
375-95-1	Perfluorononanoic acid	ND	0.0050	0.00061	ug/l	
335-76-2	Perfluorodecanoic acid	ND	0.0050	0.00050	ug/l	
2058-94-8	Perfluoroundecanoic acid	ND	0.0050	0.00060	ug/l	
307-55-1	Perfluorododecanoic acid	ND	0.0050	0.00060	ug/l	
72629-94-8	Perfluorotridecanoic acid	ND	0.0050	0.00084	ug/l	
376-06-7	Perfluorotetradecanoic acid	ND	0.0050	0.00050	ug/l	
375-73-5	Perfluorobutanesulfonic acid	ND	0.0050	0.00050	ug/l	
2706-91-4	Perfluoropentanesulfonic acid	ND	0.0050	0.0011	ug/l	
355-46-4	Perfluorohexanesulfonic acid	ND	0.0050	0.00070	ug/l	
375-92-8	Perfluoroheptanesulfonic acid	ND	0.0050	0.00050	ug/l	
1763-23-1	Perfluorooctanesulfonic acid	ND	0.0050	0.00054	ug/l	
68259-12-1	Perfluorononanesulfonic acid	ND	0.0050	0.00057	ug/l	
335-77-3	Perfluorodecanesulfonic acid	ND	0.0050	0.00064	ug/l	
79780-39-5	Perfluorododecanesulfonic aci	ND	0.0050	0.0011	ug/l	
757124-72-44:2	Fluorotelomer sulfonate	ND	0.020	0.0032	ug/l	
27619-97-2	6:2 Fluorotelomer sulfonate	ND	0.020	0.0035	ug/l	
39108-34-4	8:2 Fluorotelomer sulfonate	ND	0.020	0.0041	ug/l	
754-91-6	PFOSA	ND	0.0050	0.00067	ug/l	
31506-32-8	MeFOSA	ND	0.0050	0.0010	ug/l	
4151-50-2	EtFOSA	ND	0.0050	0.0010	ug/l	
2355-31-9	MeFOSAA	ND	0.0050	0.0010	ug/l	
2991-50-6	EtFOSAA	ND	0.0050	0.0013	ug/l	
24448-09-7	MeFOSE	ND	0.050	0.0044	ug/l	
1691-99-2	EtFOSE	ND	0.050	0.0074	ug/l	
13252-13-6	HFPO-DA (GenX)	ND	0.020	0.0010	ug/l	
919005-14-4	ADONA	ND	0.020	0.0019	ug/l	
377-73-1	PFMPA	ND	0.010	0.0010	ug/l	
863090-89-5	PFMBA	ND	0.010	0.0011	ug/l	
151772-58-6	NFDHA	ND	0.010	0.0012	ug/l	
756426-58-19	Cl-PF3ONS (F-53B Major)	ND	0.020	0.0014	ug/l	
763051-92-91	Cl-PF3OUdS (F-53B Minor)	ND	0.020	0.0018	ug/l	

# Method Blank Summary

Job Number: FC2684  
 Account: AECOMCOD AECOM, INC.  
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP95481-MB	5Q11028.D	1	02/17/23	NG	02/15/23	OP95481	S5Q170

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC2684-1, FC2684-2

CAS No.	Compound	Result	RL	MDL	Units	Q
113507-82-7	PFEESA	ND	0.010	0.00078	ug/l	
356-02-5	3:3 Fluorotelomer carboxylate	ND	0.025	0.0045	ug/l	
914637-49-35:3	Fluorotelomer carboxylate	ND	0.13	0.0087	ug/l	
812-70-4	7:3 Fluorotelomer carboxylate	ND	0.13	0.0079	ug/l	

CAS No.	ID Standard Recoveries	Limits
	13C4-PFBA	95% 20-150%
	13C5-PFPeA	89% 20-150%
	13C5-PFHxA	101% 20-150%
	13C4-PFHpA	96% 20-150%
	13C8-PFOA	93% 20-150%
	13C9-PFNA	95% 20-150%
	13C6-PFDA	94% 20-150%
	13C7-PFUnDA	91% 20-150%
	13C2-PFDoDA	88% 20-150%
	13C2-PFTeDA	83% 20-150%
	13C3-PFBS	95% 20-150%
	13C3-PFHxS	98% 20-150%
	13C8-PFOS	94% 20-150%
	13C8-FOSA	86% 20-150%
	d3-MeFOSA	82% 20-150%
	d5-EtFOSA	76% 20-150%
	d3-MeFOSAA	89% 20-150%
	d5-EtFOSAA	81% 20-150%
	d7-MeFOSE	84% 20-150%
	d9-EtFOSE	84% 20-150%
	13C2-4:2FTS	89% 20-150%
	13C2-6:2FTS	90% 20-150%
	13C2-8:2FTS	91% 20-150%
	13C3-HFPO-DA	108% 20-150%

6.1.2  
6

# Blank Spike Summary

Job Number: FC2684  
 Account: AECOMCOD AECOM, INC.  
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP95481-LLBS	5Q11027.D	1	02/17/23	NG	02/15/23	OP95481	S5Q170

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC2684-1, FC2684-2

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
375-22-4	Perfluorobutanoic acid	0.04	0.0515	129	40-150
2706-90-3	Perfluoropentanoic acid	0.02	0.0252	126	40-150
307-24-4	Perfluorohexanoic acid	0.01	0.0123	123	40-150
375-85-9	Perfluoroheptanoic acid	0.01	0.0121	121	40-150
335-67-1	Perfluorooctanoic acid	0.01	0.0120	120	40-150
375-95-1	Perfluorononanoic acid	0.01	0.0113	113	40-150
335-76-2	Perfluorodecanoic acid	0.01	0.0120	120	40-150
2058-94-8	Perfluoroundecanoic acid	0.01	0.0123	123	40-150
307-55-1	Perfluorododecanoic acid	0.01	0.0119	119	40-150
72629-94-8	Perfluorotridecanoic acid	0.01	0.0107	107	40-150
376-06-7	Perfluorotetradecanoic acid	0.01	0.0125	125	40-150
375-73-5	Perfluorobutanesulfonic acid	0.00887	0.0120	135	40-150
2706-91-4	Perfluoropentanesulfonic acid	0.00941	0.0133	141	40-150
355-46-4	Perfluorohexanesulfonic acid	0.00914	0.0110	120	40-150
375-92-8	Perfluoroheptanesulfonic acid	0.00953	0.0110	115	40-150
1763-23-1	Perfluorooctanesulfonic acid	0.00928	0.0112	121	40-150
68259-12-1	Perfluorononanesulfonic acid	0.00962	0.0119	124	40-150
335-77-3	Perfluorodecanesulfonic acid	0.00965	0.0104	108	40-150
79780-39-5	Perfluorododecanesulfonic aci	0.0097	0.0101	104	40-150
757124-72-44:2	Fluorotelomer sulfonate	0.0375	0.0494	132	40-150
27619-97-2	6:2 Fluorotelomer sulfonate	0.038	0.0499	131	40-150
39108-34-4	8:2 Fluorotelomer sulfonate	0.0384	0.0378	98	40-150
754-91-6	PFOSA	0.01	0.0121	121	40-150
31506-32-8	MeFOSA	0.01	0.0116	116	40-150
4151-50-2	EtFOSA	0.01	0.0113	113	40-150
2355-31-9	MeFOSAA	0.01	0.0121	121	40-150
2991-50-6	EtFOSAA	0.01	0.0126	126	40-150
24448-09-7	MeFOSE	0.1	0.114	114	40-150
1691-99-2	EtFOSE	0.1	0.120	120	40-150
13252-13-6	HFPO-DA (GenX)	0.04	0.0494	124	40-150
919005-14-4	ADONA	0.0378	0.0408	108	40-150
377-73-1	PFMPA	0.02	0.0251	126	40-150
863090-89-5	PFMBA	0.02	0.0275	138	40-150
151772-58-6	NFDHA	0.02	0.0257	129	40-150
756426-58-19	Cl-PF3ONS (F-53B Major)	0.0374	0.0386	103	40-150
763051-92-91	Cl-PF3OUdS (F-53B Minor)	0.0378	0.0352	93	40-150

\* = Outside of Control Limits.

# Blank Spike Summary

Job Number: FC2684  
 Account: AECOMCOD AECOM, INC.  
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP95481-LLBS	5Q11027.D	1	02/17/23	NG	02/15/23	OP95481	S5Q170

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC2684-1, FC2684-2

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
113507-82-7	PFEESA	0.0178	0.0245	138	40-150
356-02-5	3:3 Fluorotelomer carboxylate	0.05	0.0630	126	40-150
914637-49-35:3	Fluorotelomer carboxylate	0.25	0.255	102	40-150
812-70-4	7:3 Fluorotelomer carboxylate	0.25	0.251	100	40-150

CAS No.	ID Standard Recoveries	BSP	Limits
	13C4-PFBA	102%	20-150%
	13C5-PFPeA	91%	20-150%
	13C5-PFHxA	102%	20-150%
	13C4-PFHpA	97%	20-150%
	13C8-PFOA	96%	20-150%
	13C9-PFNA	97%	20-150%
	13C6-PFDA	102%	20-150%
	13C7-PFUnDA	98%	20-150%
	13C2-PFDoDA	98%	20-150%
	13C2-PFTeDA	81%	20-150%
	13C3-PFBS	93%	20-150%
	13C3-PFHxS	98%	20-150%
	13C8-PFOS	92%	20-150%
	13C8-FOSA	89%	20-150%
	d3-MeFOSA	73%	20-150%
	d5-EtFOSA	75%	20-150%
	d3-MeFOSAA	87%	20-150%
	d5-EtFOSAA	79%	20-150%
	d7-MeFOSE	76%	20-150%
	d9-EtFOSE	75%	20-150%
	13C2-4:2FTS	85%	20-150%
	13C2-6:2FTS	81%	20-150%
	13C2-8:2FTS	92%	20-150%
	13C3-HFPO-DA	109%	20-150%

\* = Outside of Control Limits.



# Blank Spike Summary

Job Number: FC2684  
 Account: AECOMCOD AECOM, INC.  
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP95481-BS	5Q11026.D	1	02/17/23	NG	02/15/23	OP95481	S5Q170

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC2684-1, FC2684-2

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
375-22-4	Perfluorobutanoic acid	0.1	0.124	124	40-150
2706-90-3	Perfluoropentanoic acid	0.05	0.0625	125	40-150
307-24-4	Perfluorohexanoic acid	0.025	0.0311	124	40-150
375-85-9	Perfluoroheptanoic acid	0.025	0.0300	120	40-150
335-67-1	Perfluorooctanoic acid	0.025	0.0297	119	40-150
375-95-1	Perfluorononanoic acid	0.025	0.0304	122	40-150
335-76-2	Perfluorodecanoic acid	0.025	0.0281	112	40-150
2058-94-8	Perfluoroundecanoic acid	0.025	0.0296	118	40-150
307-55-1	Perfluorododecanoic acid	0.025	0.0312	125	40-150
72629-94-8	Perfluorotridecanoic acid	0.025	0.0282	113	40-150
376-06-7	Perfluorotetradecanoic acid	0.025	0.0291	116	40-150
375-73-5	Perfluorobutanesulfonic acid	0.0222	0.0318	143	40-150
2706-91-4	Perfluoropentanesulfonic acid	0.0235	0.0344	146	40-150
355-46-4	Perfluorohexanesulfonic acid	0.0229	0.0256	112	40-150
375-92-8	Perfluoroheptanesulfonic acid	0.0238	0.0293	123	40-150
1763-23-1	Perfluorooctanesulfonic acid	0.0232	0.0274	118	40-150
68259-12-1	Perfluorononanesulfonic acid	0.0241	0.0284	118	40-150
335-77-3	Perfluorodecanesulfonic acid	0.0241	0.0282	117	40-150
79780-39-5	Perfluorododecanesulfonic aci	0.0243	0.0246	101	40-150
757124-72-44:2	Fluorotelomer sulfonate	0.0938	0.124	132	40-150
27619-97-2	6:2 Fluorotelomer sulfonate	0.095	0.125	132	40-150
39108-34-4	8:2 Fluorotelomer sulfonate	0.096	0.0971	101	40-150
754-91-6	PFOSA	0.025	0.0291	116	40-150
31506-32-8	MeFOSA	0.025	0.0275	110	40-150
4151-50-2	EtFOSA	0.025	0.0291	116	40-150
2355-31-9	MeFOSAA	0.025	0.0317	127	40-150
2991-50-6	EtFOSAA	0.025	0.0329	132	40-150
24448-09-7	MeFOSE	0.25	0.297	119	40-150
1691-99-2	EtFOSE	0.25	0.296	118	40-150
13252-13-6	HFPO-DA (GenX)	0.1	0.125	125	40-150
919005-14-4	ADONA	0.0945	0.105	111	40-150
377-73-1	PFMPA	0.05	0.0651	130	40-150
863090-89-5	PFMBA	0.05	0.0699	140	40-150
151772-58-6	NFDHA	0.05	0.0644	129	40-150
756426-58-19	Cl-PF3ONS (F-53B Major)	0.0935	0.0982	105	40-150
763051-92-91	Cl-PF3OUdS (F-53B Minor)	0.0945	0.0915	97	40-150

\* = Outside of Control Limits.

# Blank Spike Summary

Job Number: FC2684  
 Account: AECOMCOD AECOM, INC.  
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP95481-BS	5Q11026.D	1	02/17/23	NG	02/15/23	OP95481	S5Q170

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC2684-1, FC2684-2

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
113507-82-7	PFEESA	0.0445	0.0629	141	40-150
356-02-5	3:3 Fluorotelomer carboxylate	0.125	0.164	131	40-150
914637-49-35:3	Fluorotelomer carboxylate	0.625	0.648	104	40-150
812-70-4	7:3 Fluorotelomer carboxylate	0.625	0.623	100	40-150

CAS No.	ID Standard Recoveries	BSP	Limits
	13C4-PFBA	100%	20-150%
	13C5-PFPeA	104%	20-150%
	13C5-PFHxA	99%	20-150%
	13C4-PFHpA	96%	20-150%
	13C8-PFOA	95%	20-150%
	13C9-PFNA	91%	20-150%
	13C6-PFDA	104%	20-150%
	13C7-PFUnDA	102%	20-150%
	13C2-PFDoDA	92%	20-150%
	13C2-PFTeDA	79%	20-150%
	13C3-PFBS	90%	20-150%
	13C3-PFHxS	93%	20-150%
	13C8-PFOS	94%	20-150%
	13C8-FOSA	95%	20-150%
	d3-MeFOSA	85%	20-150%
	d5-EtFOSA	75%	20-150%
	d3-MeFOSAA	94%	20-150%
	d5-EtFOSAA	77%	20-150%
	d7-MeFOSE	73%	20-150%
	d9-EtFOSE	73%	20-150%
	13C2-4:2FTS	80%	20-150%
	13C2-6:2FTS	75%	20-150%
	13C2-8:2FTS	82%	20-150%
	13C3-HFPO-DA	106%	20-150%

\* = Outside of Control Limits.

# Matrix Spike Summary

Job Number: FC2684  
 Account: AECOMCOD AECOM, INC.  
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP95481-MS	5Q11030.D	1	02/17/23	NG	02/15/23	OP95481	S5Q170
FC2684-1	5Q11029.D	1	02/17/23	NG	02/15/23	OP95481	S5Q170

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC2684-1, FC2684-2

CAS No.	Compound	FC2684-1 ug/l	Spike Q	MS ug/l	MS %	Limits
375-22-4	Perfluorobutanoic acid	0.019 U	0.0893	0.118	132	40-150
2706-90-3	Perfluoropentanoic acid	0.0093 U	0.0446	0.0594	133	40-150
307-24-4	Perfluorohexanoic acid	0.0047 U	0.0223	0.0278	125	40-150
375-85-9	Perfluoroheptanoic acid	0.0047 U	0.0223	0.0273	122	40-150
335-67-1	Perfluorooctanoic acid	0.0047 U	0.0223	0.0277	124	40-150
375-95-1	Perfluorononanoic acid	0.0047 U	0.0223	0.0275	123	40-150
335-76-2	Perfluorodecanoic acid	0.0047 U	0.0223	0.0279	125	40-150
2058-94-8	Perfluoroundecanoic acid	0.0047 U	0.0223	0.0269	121	40-150
307-55-1	Perfluorododecanoic acid	0.0047 U	0.0223	0.0273	122	40-150
72629-94-8	Perfluorotridecanoic acid	0.0047 U	0.0223	0.0276	124	40-150
376-06-7	Perfluorotetradecanoic acid	0.0047 U	0.0223	0.0274	123	40-150
375-73-5	Perfluorobutanesulfonic acid	0.0047 U	0.0198	0.0264	133	40-150
2706-91-4	Perfluoropentanesulfonic acid	0.0047 U	0.021	0.0284	135	40-150
355-46-4	Perfluorohexanesulfonic acid	0.0047 U	0.0204	0.0231	113	40-150
375-92-8	Perfluoroheptanesulfonic acid	0.0047 U	0.0213	0.0274	129	40-150
1763-23-1	Perfluorooctanesulfonic acid	0.0047 U	0.0207	0.0262	126	40-150
68259-12-1	Perfluorononanesulfonic acid	0.0047 U	0.0215	0.0251	117	40-150
335-77-3	Perfluorodecanesulfonic acid	0.0047 U	0.0215	0.0243	113	40-150
79780-39-5	Perfluorododecanesulfonic aci	0.0047 U	0.0217	0.0242	112	40-150
757124-72-44:2	Fluorotelomer sulfonate	0.019 U	0.0837	0.105	125	40-150
27619-97-2	6:2 Fluorotelomer sulfonate	0.019 U	0.0848	0.105	124	40-150
39108-34-4	8:2 Fluorotelomer sulfonate	0.019 U	0.0857	0.0892	104	40-150
754-91-6	PFOSA	0.0047 U	0.0223	0.0268	120	40-150
31506-32-8	MeFOSA	0.0047 U	0.0223	0.0263	118	40-150
4151-50-2	EtFOSA	0.0047 U	0.0223	0.0253	113	40-150
2355-31-9	MeFOSAA	0.0047 U	0.0223	0.0285	128	40-150
2991-50-6	EtFOSAA	0.0047 U	0.0223	0.0305	137	40-150
24448-09-7	MeFOSE	0.047 U	0.223	0.270	121	40-150
1691-99-2	EtFOSE	0.047 U	0.223	0.273	122	40-150
13252-13-6	HFPO-DA (GenX)	0.019 U	0.0893	0.114	128	40-150
919005-14-4	ADONA	0.019 U	0.0844	0.0962	114	40-150
377-73-1	PFMPA	0.0093 U	0.0446	0.0588	132	40-150
863090-89-5	PFMBA	0.0093 U	0.0446	0.0637	143	40-150
151772-58-6	NFDHA	0.0093 U	0.0446	0.0624	140	40-150
756426-58-19	Cl-PF3ONS (F-53B Major)	0.019 U	0.0835	0.0868	104	40-150
763051-92-91	Cl-PF3OUdS (F-53B Minor)	0.019 U	0.0844	0.0786	93	40-150

\* = Outside of Control Limits.

# Matrix Spike Summary

Job Number: FC2684  
 Account: AECOMCOD AECOM, INC.  
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP95481-MS	5Q11030.D	1	02/17/23	NG	02/15/23	OP95481	S5Q170
FC2684-1	5Q11029.D	1	02/17/23	NG	02/15/23	OP95481	S5Q170

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC2684-1, FC2684-2

CAS No.	Compound	FC2684-1 ug/l	Spike Q	MS ug/l	MS %	Limits
113507-82-7	PFEESA	0.0093 U	0.0397	0.0579	146	40-150
356-02-5	3:3 Fluorotelomer carboxylate	0.023 U	0.112	0.144	129	40-150
914637-49-35:3	Fluorotelomer carboxylate	0.12 U	0.558	0.594	106	40-150
812-70-4	7:3 Fluorotelomer carboxylate	0.12 U	0.558	0.569	102	40-150

CAS No.	ID Standard Recoveries	MS	FC2684-1	Limits
	13C4-PFBA	88%	89%	20-150%
	13C5-PFPeA	83%	78%	20-150%
	13C5-PFHxA	91%	90%	20-150%
	13C4-PFHpA	88%	86%	20-150%
	13C8-PFOA	88%	83%	20-150%
	13C9-PFNA	85%	86%	20-150%
	13C6-PFDA	83%	81%	20-150%
	13C7-PFUnDA	76%	69%	20-150%
	13C2-PFDoDA	75%	63%	20-150%
	13C2-PFTeDA	74%	56%	20-150%
	13C3-PFBS	94%	82%	20-150%
	13C3-PFHxS	95%	88%	20-150%
	13C8-PFOS	78%	79%	20-150%
	13C8-FOSA	79%	81%	20-150%
	d3-MeFOSA	72%	66%	20-150%
	d5-EtFOSA	73%	58%	20-150%
	d3-MeFOSAA	74%	74%	20-150%
	d5-EtFOSAA	63%	59%	20-150%
	d7-MeFOSE	70%	57%	20-150%
	d9-EtFOSE	70%	56%	20-150%
	13C2-4:2FTS	85%	78%	20-150%
	13C2-6:2FTS	81%	78%	20-150%
	13C2-8:2FTS	78%	81%	20-150%
	13C3-HFPO-DA	97%	94%	20-150%

\* = Outside of Control Limits.

# Duplicate Summary

Job Number: FC2684  
 Account: AECOMCOD AECOM, INC.  
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP95481-DUP	5Q11032.D	1	02/17/23	NG	02/15/23	OP95481	S5Q170
FC2684-2	5Q11031.D	1	02/17/23	NG	02/15/23	OP95481	S5Q170

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC2684-1, FC2684-2

CAS No.	Compound	FC2684-2 ug/l	DUP Q ug/l	Q	RPD	Limits
375-22-4	Perfluorobutanoic acid	0.018 U	ND		nc	30
2706-90-3	Perfluoropentanoic acid	0.0092 U	ND		nc	30
307-24-4	Perfluorohexanoic acid	0.0046 U	ND		nc	30
375-85-9	Perfluoroheptanoic acid	0.0046 U	0.00049 J		200*	30
335-67-1	Perfluorooctanoic acid	0.0046 U	ND		nc	30
375-95-1	Perfluorononanoic acid	0.0046 U	ND		nc	30
335-76-2	Perfluorodecanoic acid	0.0046 U	ND		nc	30
2058-94-8	Perfluoroundecanoic acid	0.0046 U	ND		nc	30
307-55-1	Perfluorododecanoic acid	0.0046 U	ND		nc	30
72629-94-8	Perfluorotridecanoic acid	0.0046 U	ND		nc	30
376-06-7	Perfluorotetradecanoic acid	0.0046 U	ND		nc	30
375-73-5	Perfluorobutanesulfonic acid	0.0046 U	ND		nc	30
2706-91-4	Perfluoropentanesulfonic acid	0.0046 U	ND		nc	30
355-46-4	Perfluorohexanesulfonic acid	0.0046 U	ND		nc	30
375-92-8	Perfluoroheptanesulfonic acid	0.0046 U	ND		nc	30
1763-23-1	Perfluorooctanesulfonic acid	0.0046 U	ND		nc	30
68259-12-1	Perfluorononanesulfonic acid	0.0046 U	ND		nc	30
335-77-3	Perfluorodecanesulfonic acid	0.0046 U	ND		nc	30
79780-39-5	Perfluorododecanesulfonic aci	0.0046 U	ND		nc	30
757124-72-44:2	Fluorotelomer sulfonate	0.018 U	ND		nc	30
27619-97-2	6:2 Fluorotelomer sulfonate	0.018 U	ND		nc	30
39108-34-4	8:2 Fluorotelomer sulfonate	0.018 U	ND		nc	30
754-91-6	PFOSA	0.0046 U	ND		nc	30
31506-32-8	MeFOSA	0.0046 U	ND		nc	30
4151-50-2	EtFOSA	0.0046 U	ND		nc	30
2355-31-9	MeFOSAA	0.0046 U	ND		nc	30
2991-50-6	EtFOSAA	0.0046 U	ND		nc	30
24448-09-7	MeFOSE	0.046 U	ND		nc	30
1691-99-2	EtFOSE	0.046 U	ND		nc	30
13252-13-6	HFPO-DA (GenX)	0.018 U	ND		nc	30
919005-14-4	ADONA	0.018 U	ND		nc	30
377-73-1	PFMPA	0.0092 U	ND		nc	30
863090-89-5	PFMBA	0.0092 U	ND		nc	30
151772-58-6	NFDHA	0.0092 U	ND		nc	30
756426-58-19	Cl-PF3ONS (F-53B Major)	0.018 U	ND		nc	30
763051-92-91	Cl-PF3OUdS (F-53B Minor)	0.018 U	ND		nc	30

\* = Outside of Control Limits.

# Duplicate Summary

Job Number: FC2684  
 Account: AECOMCOD AECOM, INC.  
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP95481-DUP	5Q11032.D	1	02/17/23	NG	02/15/23	OP95481	S5Q170
FC2684-2	5Q11031.D	1	02/17/23	NG	02/15/23	OP95481	S5Q170

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC2684-1, FC2684-2

CAS No.	Compound	FC2684-2 ug/l	DUP Q ug/l	Q	RPD	Limits
113507-82-7	PFEESA	0.0092 U	ND		nc	30
356-02-5	3:3 Fluorotelomer carboxylate	0.023 U	ND		nc	30
914637-49-35:3	Fluorotelomer carboxylate	0.11 U	ND		nc	30
812-70-4	7:3 Fluorotelomer carboxylate	0.11 U	ND		nc	30

CAS No.	ID Standard Recoveries	DUP	FC2684-2	Limits
	13C4-PFBA	89%	84%	20-150%
	13C5-PFPeA	83%	78%	20-150%
	13C5-PFHxA	91%	89%	20-150%
	13C4-PFHpA	88%	85%	20-150%
	13C8-PFOA	83%	82%	20-150%
	13C9-PFNA	88%	88%	20-150%
	13C6-PFDA	77%	74%	20-150%
	13C7-PFUnDA	72%	64%	20-150%
	13C2-PFDoDA	63%	62%	20-150%
	13C2-PFTeDA	67%	68%	20-150%
	13C3-PFBS	86%	87%	20-150%
	13C3-PFHxS	91%	90%	20-150%
	13C8-PFOS	84%	76%	20-150%
	13C8-FOSA	80%	74%	20-150%
	d3-MeFOSA	64%	68%	20-150%
	d5-EtFOSA	63%	66%	20-150%
	d3-MeFOSAA	73%	67%	20-150%
	d5-EtFOSAA	60%	57%	20-150%
	d7-MeFOSE	62%	62%	20-150%
	d9-EtFOSE	62%	61%	20-150%
	13C2-4:2FTS	84%	88%	20-150%
	13C2-6:2FTS	87%	82%	20-150%
	13C2-8:2FTS	77%	76%	20-150%
	13C3-HFPO-DA	95%	94%	20-150%

\* = Outside of Control Limits.