

The results set forth herein are provided by SGS North America Inc.

*e-Hardcopy 2.0*  
*Automated Report*

## Technical Report for

**AECOM, INC.**

**N6274223F0104 RH Fire Suppression System**

**60697810**

**SGS Job Number: FC2833**

**Sampling Date: 02/17/23**



### Report to:

**AECOM, Inc**  
**7595 Technology Way**  
**Denver, CO 80237**  
**katie.abbott@aecom.com; mark.kromis@aecom.com;**  
**watson.tanji@aecom.com; kristin.rutherford@aecom.com**  
**ATTN: Katie Abbott**

**Total number of pages in report: 33**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

**Norm Farmer**  
**Technical Director**

**Client Service contact: Elvin Kumar 407-425-6700**

Certifications: FL(E83510), LA(03051), KS(E-10327), NC(573), NJ(FL002), NY(12022), SC(96038001)  
DoD ELAP(ANAB L2229), AZ(AZ0806), CA(2937), TX(T104704404), PA(68-03573), VA(460177),  
AL, AK, AR, CT, IA, KY, MA, MI, MS, ND, NH, NV, OK, OR, IL, UT, VT, WA, WI, WV

This report shall not be reproduced, except in its entirety, without the written approval of SGS.  
Test results relate only to samples analyzed.

# Table of Contents

-1-

<b>Section 1: Sample Summary .....</b>	<b>3</b>
<b>Section 2: Case Narrative/Conformance Summary .....</b>	<b>4</b>
<b>Section 3: Summary of Hits .....</b>	<b>5</b>
<b>Section 4: Sample Results .....</b>	<b>6</b>
<b>4.1: FC2833-1: AF-RHMW17-WGN01LF-2302W2 .....</b>	<b>7</b>
<b>4.2: FC2833-2: AF-RHMW17D-WGN01LF-2302W2 .....</b>	<b>10</b>
<b>4.3: FC2833-3: AF-RHMW17D-WQFB01LF-2302W2 .....</b>	<b>13</b>
<b>Section 5: Misc. Forms .....</b>	<b>16</b>
<b>5.1: Chain of Custody .....</b>	<b>17</b>
<b>5.2: QC Evaluation: DOD QSM5.x Limits .....</b>	<b>20</b>
<b>Section 6: MS Semi-volatiles - QC Data Summaries .....</b>	<b>21</b>
<b>6.1: Method Blank Summary .....</b>	<b>22</b>
<b>6.2: Blank Spike Summary .....</b>	<b>26</b>
<b>6.3: Matrix Spike Summary .....</b>	<b>30</b>
<b>6.4: Duplicate Summary .....</b>	<b>32</b>

1

2

3

4

5

6



## Sample Summary

AECOM, INC.

Job No: FC2833

N6274223F0104 RH Fire Suppression System  
Project No: 60697810

Sample Number	Collected Date	Time By	Received	Matrix Code	Type	Client Sample ID
FC2833-1	02/17/23	10:10	NTAY 02/18/23	AQ	Ground Water	AF-RHMW17-WGN01LF-2302W2
FC2833-2	02/17/23	11:45	NTAY 02/18/23	AQ	Ground Water	AF-RHMW17D-WGN01LF-2302W2
FC2833-3	02/17/23	10:45	NTAY 02/18/23	AQ	Field Blank Water	AF-RHMW17D-WQFB01LF-2302W2

## SAMPLE DELIVERY GROUP CASE NARRATIVE

**Client:** AECOM, INC.

**Job No:** FC2833

**Site:** N6274223F0104 RH Fire Suppression System

**Report Date:** 2/27/2023 6:53:22 PM

On 02/18/2023, 2 Sample(s), 0 Trip Blank(s) and 1 Field Blank(s) were received at SGS North America Inc - Orlando. at a maximum corrected temperature of 2.6 C. Samples were intact and chemically preserved, unless noted below. A SGS North America Inc. - Orlando Job Number of FC2833 was assigned to the project.

Laboratory sample ID, client sample ID and dates of sample collection are detailed in the report's Results Summary Section. Specified quality control criteria were achieved for this job except as noted below. For more information, please refer to the analytical results and QC summary pages.

### MS Semi-volatiles By Method EPA DRAFT 1633

**Matrix:** AQ

**Batch ID:** OP95581

Sample(s) FC2799-1MS, FC2833-2DUP were used as the QC samples indicated.

Matrix Spike Recovery(s) for Perfluoropentanoic acid are outside control limits. Probable cause is due to matrix interference.

Sample(s) FC2833-1 have surrogates outside control limits.

FC2833-1 for 4:2 Fluorotelomer sulfonate: Associated ID Standard outside control limits.

FC2833-1 for 13C2-4:2FTS: Outside control limits.

SGS North America Inc. - Orlando certifies that data reported for samples received, listed on the associated custody chain or analytical task order, were produced to specifications meeting the Quality System precision, accuracy and completeness objectives except as noted. Estimated non-standard method measurement uncertainty data is available on request, based on quality control bias and implicit for standard methods. Acceptable uncertainty requires tested parameter quality control data to meet method criteria. SGS North America Inc.- Orlando is not responsible for data quality assumptions if partial reports are used and recommends that this report be used in its entirety.

Narrative prepared by:

---

Kim Benham, Client Services (*Signature on File*)

## Summary of Hits

Job Number: FC2833  
Account: AECOM, INC.  
Project: N6274223F0104 RH Fire Suppression System  
Collected: 02/17/23



Lab Sample ID	Client Sample ID	Result/ Analyte	LOQ	LOD	Units	Method
---------------	------------------	--------------------	-----	-----	-------	--------

FC2833-1 AF-RHMW17-WGN01LF-2302W2

Perfluorobutanoic acid	3.8 J	19	3.7	ng/l	EPA DRAFT 1633
Perfluoropentanoic acid	9.3	9.3	1.9	ng/l	EPA DRAFT 1633
Perfluorohexanoic acid	7.6	4.6	0.93	ng/l	EPA DRAFT 1633
Perfluoroheptanoic acid	1.3 J	4.6	0.93	ng/l	EPA DRAFT 1633
6:2 Fluorotelomer sulfonate	269	19	7.4	ng/l	EPA DRAFT 1633

FC2833-2 AF-RHMW17D-WGN01LF-2302W2

6:2 Fluorotelomer sulfonate	5.3 J	18	7.1	ng/l	EPA DRAFT 1633
-----------------------------	-------	----	-----	------	----------------

FC2833-3 AF-RHMW17D-WQFB01LF-2302W2

No hits reported in this sample.

**Sample Results**

---

**Report of Analysis**

---

# Report of Analysis

Client Sample ID:	AF-RHMW17-WGN01LF-2302W2		
Lab Sample ID:	FC2833-1	Date Sampled:	02/17/23
Matrix:	AQ - Ground Water	Date Received:	02/18/23
Method:	EPA DRAFT 1633 EPA 1633 DRAFT	Percent Solids:	n/a
Project:	N6274223F0104 RH Fire Suppression System		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	6Q14348.D	1	02/24/23 23:02	MV	02/22/23 09:00	OP95581	S6Q218
Run #2							

Run #	Initial Volume	Final Volume
Run #1	540 ml	5.0 ml
Run #2		

CAS No.	Compound	Result	LOQ	LOD	DL	Units	Q
---------	----------	--------	-----	-----	----	-------	---

**PERFLUOROALKYL CARBOXYLIC ACIDS**

375-22-4	Perfluorobutanoic acid	3.8	19	3.7	1.8	ng/l	J
2706-90-3	Perfluoropentanoic acid	9.3	9.3	1.9	0.87	ng/l	
307-24-4	Perfluorohexanoic acid	7.6	4.6	0.93	0.46	ng/l	
375-85-9	Perfluoroheptanoic acid	1.3	4.6	0.93	0.46	ng/l	J
335-67-1	Perfluorooctanoic acid	0.93 U	4.6	0.93	0.46	ng/l	
375-95-1	Perfluorononanoic acid	1.9 U	4.6	1.9	0.56	ng/l	
335-76-2	Perfluorodecanoic acid	0.93 U	4.6	0.93	0.46	ng/l	
2058-94-8	Perfluoroundecanoic acid	1.9 U	4.6	1.9	0.56	ng/l	
307-55-1	Perfluorododecanoic acid	1.9 U	4.6	1.9	0.56	ng/l	
72629-94-8	Perfluorotridecanoic acid	1.9 U	4.6	1.9	0.78	ng/l	
376-06-7	Perfluorotetradecanoic acid	0.93 U	4.6	0.93	0.46	ng/l	

**PERFLUOROALKYL SULFONIC ACIDS**

375-73-5	Perfluorobutanesulfonic acid	0.93 U	4.6	0.93	0.46	ng/l	
2706-91-4	Perfluoropentanesulfonic acid	3.7 U	4.6	3.7	1.0	ng/l	
355-46-4	Perfluorohexanesulfonic acid	1.9 U	4.6	1.9	0.65	ng/l	
375-92-8	Perfluoroheptanesulfonic acid	0.93 U	4.6	0.93	0.46	ng/l	
1763-23-1	Perfluorooctanesulfonic acid	1.9 U	4.6	1.9	0.50	ng/l	
68259-12-1	Perfluorononanesulfonic acid	1.9 U	4.6	1.9	0.53	ng/l	
335-77-3	Perfluorodecanesulfonic acid	1.9 U	4.6	1.9	0.59	ng/l	
79780-39-5	Perfluorododecanesulfonic aci	3.7 U	4.6	3.7	1.1	ng/l	

**FLUOROTELOMER SULFONIC ACIDS**

757124-72-4	4:2 Fluorotelomer sulfonate <sup>a</sup>	7.4 U	19	7.4	3.0	ng/l	
27619-97-2	6:2 Fluorotelomer sulfonate	269	19	7.4	3.2	ng/l	
39108-34-4	8:2 Fluorotelomer sulfonate	7.4 U	19	7.4	3.8	ng/l	

**PERFLUOROOCCTANE SULFONAMIDES**

754-91-6	PFOSA	1.9 U	4.6	1.9	0.62	ng/l	
31506-32-8	MeFOSA	1.9 U	4.6	1.9	0.93	ng/l	
4151-50-2	EtFOSA	1.9 U	4.6	1.9	0.93	ng/l	

U = Not detected      LOD = Limit of Detection      J = Indicates an estimated value  
 LOQ = Limit of Quantitation      DL = Detection Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound

4.1  
4

# Report of Analysis

Client Sample ID:	AF-RHMW17-WGN01LF-2302W2		
Lab Sample ID:	FC2833-1	Date Sampled:	02/17/23
Matrix:	AQ - Ground Water	Date Received:	02/18/23
Method:	EPA DRAFT 1633 EPA 1633 DRAFT	Percent Solids:	n/a
Project:	N6274223F0104 RH Fire Suppression System		

CAS No.	Compound	Result	LOQ	LOD	DL	Units	Q
---------	----------	--------	-----	-----	----	-------	---

**PERFLUOROOCCTANE SULFONAMIDOACETIC ACIDS**

2355-31-9	MeFOSAA	3.7 U	4.6	3.7	0.93	ng/l	
2991-50-6	EtFOSAA	3.7 U	4.6	3.7	1.2	ng/l	

**PERFLUOROOCCTANE SULFONAMIDO ETHANOLS**

24448-09-7	MeFOSE	9.3 U	46	9.3	4.1	ng/l	
1691-99-2	EtFOSE	19 U	46	19	6.9	ng/l	

**PER and POLYFLUOROETHER CARBOXYLIC ACIDS**

13252-13-6	HFPO-DA (GenX)	3.7 U	19	3.7	0.93	ng/l	
919005-14-4	ADONA	3.7 U	19	3.7	1.7	ng/l	
377-73-1	PFMPA	1.9 U	9.3	1.9	0.93	ng/l	
863090-89-5	PFMBA	3.7 U	9.3	3.7	1.1	ng/l	
151772-58-6	NFDHA	3.7 U	9.3	3.7	1.1	ng/l	

**PER and POLYFLUOROETHER SULFONIC ACIDS**

756426-58-1	9Cl-PF3ONS (F-53B Major)	3.7 U	19	3.7	1.3	ng/l	
763051-92-9	11Cl-PF3OUdS (F-53B Minor)	3.7 U	19	3.7	1.6	ng/l	
113507-82-7	PFEESA	1.9 U	9.3	1.9	0.72	ng/l	

**FLUOROTELOMER CARBOXYLIC ACIDS**

356-02-5	3:3 Fluorotelomer carboxylate	9.3 U	23	9.3	4.2	ng/l	
914637-49-3	5:3 Fluorotelomer carboxylate	19 U	120	19	8.1	ng/l	
812-70-4	7:3 Fluorotelomer carboxylate	19 U	120	19	7.3	ng/l	

CAS No.	ID Standard Recoveries	Run# 1	Run# 2	Limits
	13C4-PFBA	123%		20-150%
	13C5-PFPeA	113%		20-150%
	13C5-PFHxA	116%		20-150%
	13C4-PFHpA	120%		20-150%
	13C8-PFOA	117%		20-150%
	13C9-PFNA	102%		20-150%
	13C6-PFDA	113%		20-150%
	13C7-PFUnDA	102%		20-150%
	13C2-PFDoDA	97%		20-150%
	13C2-PFTeDA	83%		20-150%
	13C3-PFBS	118%		20-150%
	13C3-PFHxS	112%		20-150%

U = Not detected      LOD = Limit of Detection      J = Indicates an estimated value  
 LOQ = Limit of Quantitation      DL = Detection Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound



## Report of Analysis

Client Sample ID: AF-RHMW17-WGN01LF-2302W2		Date Sampled: 02/17/23
Lab Sample ID: FC2833-1		Date Received: 02/18/23
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA DRAFT 1633 EPA 1633 DRAFT		
Project: N6274223F0104 RH Fire Suppression System		

CAS No.	ID Standard Recoveries	Run# 1	Run# 2	Limits
	13C8-PFOS	97%		20-150%
	13C8-FOSA	96%		20-150%
	d3-MeFOSA	92%		20-150%
	d5-EtFOSA	92%		20-150%
	d3-MeFOSAA	103%		20-150%
	d5-EtFOSAA	96%		20-150%
	d7-MeFOSE	84%		20-150%
	d9-EtFOSE	84%		20-150%
	13C2-4:2FTS	170% <sup>b</sup>		20-150%
	13C2-6:2FTS	121%		20-150%
	13C2-8:2FTS	102%		20-150%
	13C3-HFPO-DA	118%		20-150%

(a) Associated ID Standard outside control limits.

(b) Outside control limits.

---

U = Not detected	LOD = Limit of Detection	J = Indicates an estimated value
LOQ = Limit of Quantitation	DL = Detection Limit	B = Indicates analyte found in associated method blank
E = Indicates value exceeds calibration range		N = Indicates presumptive evidence of a compound

# Report of Analysis

4.2  
4

Client Sample ID:	AF-RHMW17D-WGN01LF-2302W2		
Lab Sample ID:	FC2833-2	Date Sampled:	02/17/23
Matrix:	AQ - Ground Water	Date Received:	02/18/23
Method:	EPA DRAFT 1633 EPA 1633 DRAFT	Percent Solids:	n/a
Project:	N6274223F0104 RH Fire Suppression System		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	6Q14349.D	1	02/24/23 23:16	MV	02/22/23 09:00	OP95581	S6Q218
Run #2							

Run #	Initial Volume	Final Volume
Run #1	560 ml	5.0 ml
Run #2		

CAS No.	Compound	Result	LOQ	LOD	DL	Units	Q
---------	----------	--------	-----	-----	----	-------	---

**PERFLUOROALKYL CARBOXYLIC ACIDS**

375-22-4	Perfluorobutanoic acid	3.6 U	18	3.6	1.7	ng/l	
2706-90-3	Perfluoropentanoic acid	1.8 U	8.9	1.8	0.84	ng/l	
307-24-4	Perfluorohexanoic acid	0.89 U	4.5	0.89	0.45	ng/l	
375-85-9	Perfluoroheptanoic acid	0.89 U	4.5	0.89	0.45	ng/l	
335-67-1	Perfluorooctanoic acid	0.89 U	4.5	0.89	0.45	ng/l	
375-95-1	Perfluorononanoic acid	1.8 U	4.5	1.8	0.54	ng/l	
335-76-2	Perfluorodecanoic acid	0.89 U	4.5	0.89	0.45	ng/l	
2058-94-8	Perfluoroundecanoic acid	1.8 U	4.5	1.8	0.54	ng/l	
307-55-1	Perfluorododecanoic acid	1.8 U	4.5	1.8	0.54	ng/l	
72629-94-8	Perfluorotridecanoic acid	1.8 U	4.5	1.8	0.75	ng/l	
376-06-7	Perfluorotetradecanoic acid	0.89 U	4.5	0.89	0.45	ng/l	

**PERFLUOROALKYL SULFONIC ACIDS**

375-73-5	Perfluorobutanesulfonic acid	0.89 U	4.5	0.89	0.45	ng/l	
2706-91-4	Perfluoropentanesulfonic acid	3.6 U	4.5	3.6	1.0	ng/l	
355-46-4	Perfluorohexanesulfonic acid	1.8 U	4.5	1.8	0.62	ng/l	
375-92-8	Perfluoroheptanesulfonic acid	0.89 U	4.5	0.89	0.45	ng/l	
1763-23-1	Perfluorooctanesulfonic acid	1.8 U	4.5	1.8	0.48	ng/l	
68259-12-1	Perfluorononanesulfonic acid	1.8 U	4.5	1.8	0.51	ng/l	
335-77-3	Perfluorodecanesulfonic acid	1.8 U	4.5	1.8	0.57	ng/l	
79780-39-5	Perfluorododecanesulfonic aci	3.6 U	4.5	3.6	1.0	ng/l	

**FLUOROTELOMER SULFONIC ACIDS**

757124-72-4	4:2 Fluorotelomer sulfonate	7.1 U	18	7.1	2.9	ng/l	
27619-97-2	6:2 Fluorotelomer sulfonate	5.3	18	7.1	3.1	ng/l	J
39108-34-4	8:2 Fluorotelomer sulfonate	7.1 U	18	7.1	3.7	ng/l	

**PERFLUOROOCCTANE SULFONAMIDES**

754-91-6	PFOSA	1.8 U	4.5	1.8	0.60	ng/l	
31506-32-8	MeFOSA	1.8 U	4.5	1.8	0.89	ng/l	
4151-50-2	EtFOSA	1.8 U	4.5	1.8	0.89	ng/l	

U = Not detected      LOD = Limit of Detection      J = Indicates an estimated value  
 LOQ = Limit of Quantitation      DL = Detection Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound

# Report of Analysis

Client Sample ID:	AF-RHMW17D-WGN01LF-2302W2		
Lab Sample ID:	FC2833-2	Date Sampled:	02/17/23
Matrix:	AQ - Ground Water	Date Received:	02/18/23
Method:	EPA DRAFT 1633 EPA 1633 DRAFT	Percent Solids:	n/a
Project:	N6274223F0104 RH Fire Suppression System		

CAS No.	Compound	Result	LOQ	LOD	DL	Units	Q
---------	----------	--------	-----	-----	----	-------	---

**PERFLUOROOCCTANE SULFONAMIDOACETIC ACIDS**

2355-31-9	MeFOSAA	3.6 U	4.5	3.6	0.89	ng/l	
2991-50-6	EtFOSAA	3.6 U	4.5	3.6	1.2	ng/l	

**PERFLUOROOCCTANE SULFONAMIDO ETHANOLS**

24448-09-7	MeFOSE	8.9 U	45	8.9	3.9	ng/l	
1691-99-2	EtFOSE	18 U	45	18	6.6	ng/l	

**PER and POLYFLUOROETHER CARBOXYLIC ACIDS**

13252-13-6	HFPO-DA (GenX)	3.6 U	18	3.6	0.89	ng/l	
919005-14-4	ADONA	3.6 U	18	3.6	1.7	ng/l	
377-73-1	PFMPA	1.8 U	8.9	1.8	0.89	ng/l	
863090-89-5	PFMBA	3.6 U	8.9	3.6	1.0	ng/l	
151772-58-6	NFDHA	3.6 U	8.9	3.6	1.1	ng/l	

**PER and POLYFLUOROETHER SULFONIC ACIDS**

756426-58-1	9Cl-PF3ONS (F-53B Major)	3.6 U	18	3.6	1.2	ng/l	
763051-92-9	11Cl-PF3OUdS (F-53B Minor)	3.6 U	18	3.6	1.6	ng/l	
113507-82-7	PFEESA	1.8 U	8.9	1.8	0.70	ng/l	

**FLUOROTELOMER CARBOXYLIC ACIDS**

356-02-5	3:3 Fluorotelomer carboxylate	8.9 U	22	8.9	4.0	ng/l	
914637-49-3	5:3 Fluorotelomer carboxylate	18 U	110	18	7.8	ng/l	
812-70-4	7:3 Fluorotelomer carboxylate	18 U	110	18	7.0	ng/l	

CAS No.	ID Standard Recoveries	Run# 1	Run# 2	Limits
---------	------------------------	--------	--------	--------

	13C4-PFBA	115%		20-150%
	13C5-PFPeA	106%		20-150%
	13C5-PFHxA	110%		20-150%
	13C4-PFHpA	109%		20-150%
	13C8-PFOA	108%		20-150%
	13C9-PFNA	108%		20-150%
	13C6-PFDA	109%		20-150%
	13C7-PFUnDA	99%		20-150%
	13C2-PFDoDA	88%		20-150%
	13C2-PFTeDA	71%		20-150%
	13C3-PFBS	112%		20-150%
	13C3-PFHxS	114%		20-150%

U = Not detected      LOD = Limit of Detection      J = Indicates an estimated value  
 LOQ = Limit of Quantitation      DL = Detection Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound

## Report of Analysis

Client Sample ID:	AF-RHMW17D-WGN01LF-2302W2		
Lab Sample ID:	FC2833-2	Date Sampled:	02/17/23
Matrix:	AQ - Ground Water	Date Received:	02/18/23
Method:	EPA DRAFT 1633 EPA 1633 DRAFT	Percent Solids:	n/a
Project:	N6274223F0104 RH Fire Suppression System		

CAS No.	ID Standard Recoveries	Run# 1	Run# 2	Limits
	13C8-PFOS	95%		20-150%
	13C8-FOSA	115%		20-150%
	d3-MeFOSA	115%		20-150%
	d5-EtFOSA	105%		20-150%
	d3-MeFOSAA	142%		20-150%
	d5-EtFOSAA	144%		20-150%
	d7-MeFOSE	100%		20-150%
	d9-EtFOSE	107%		20-150%
	13C2-4:2FTS	136%		20-150%
	13C2-6:2FTS	109%		20-150%
	13C2-8:2FTS	99%		20-150%
	13C3-HFPO-DA	115%		20-150%

U = Not detected      LOD = Limit of Detection      J = Indicates an estimated value  
 LOQ = Limit of Quantitation      DL = Detection Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound

# Report of Analysis

Client Sample ID:	AF-RHMW17D-WQFB01LF-2302W2		
Lab Sample ID:	FC2833-3	Date Sampled:	02/17/23
Matrix:	AQ - Field Blank Water	Date Received:	02/18/23
Method:	EPA DRAFT 1633 EPA 1633 DRAFT	Percent Solids:	n/a
Project:	N6274223F0104 RH Fire Suppression System		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	6Q14350.D	1	02/24/23 23:30	MV	02/22/23 09:00	OP95581	S6Q218
Run #2							

Run #	Initial Volume	Final Volume
Run #1	550 ml	5.0 ml
Run #2		

CAS No. Compound Result LOQ LOD DL Units Q

**PERFLUOROALKYL CARBOXYLIC ACIDS**

375-22-4	Perfluorobutanoic acid	3.6 U	18	3.6	1.7	ng/l
2706-90-3	Perfluoropentanoic acid	1.8 U	9.1	1.8	0.85	ng/l
307-24-4	Perfluorohexanoic acid	0.91 U	4.5	0.91	0.45	ng/l
375-85-9	Perfluoroheptanoic acid	0.91 U	4.5	0.91	0.45	ng/l
335-67-1	Perfluorooctanoic acid	0.91 U	4.5	0.91	0.45	ng/l
375-95-1	Perfluorononanoic acid	1.8 U	4.5	1.8	0.55	ng/l
335-76-2	Perfluorodecanoic acid	0.91 U	4.5	0.91	0.45	ng/l
2058-94-8	Perfluoroundecanoic acid	1.8 U	4.5	1.8	0.55	ng/l
307-55-1	Perfluorododecanoic acid	1.8 U	4.5	1.8	0.55	ng/l
72629-94-8	Perfluorotridecanoic acid	1.8 U	4.5	1.8	0.76	ng/l
376-06-7	Perfluorotetradecanoic acid	0.91 U	4.5	0.91	0.45	ng/l

**PERFLUOROALKYL SULFONIC ACIDS**

375-73-5	Perfluorobutanesulfonic acid	0.91 U	4.5	0.91	0.45	ng/l
2706-91-4	Perfluoropentanesulfonic acid	3.6 U	4.5	3.6	1.0	ng/l
355-46-4	Perfluorohexanesulfonic acid	1.8 U	4.5	1.8	0.64	ng/l
375-92-8	Perfluoroheptanesulfonic acid	0.91 U	4.5	0.91	0.45	ng/l
1763-23-1	Perfluorooctanesulfonic acid	1.8 U	4.5	1.8	0.49	ng/l
68259-12-1	Perfluorononanesulfonic acid	1.8 U	4.5	1.8	0.52	ng/l
335-77-3	Perfluorodecanesulfonic acid	1.8 U	4.5	1.8	0.58	ng/l
79780-39-5	Perfluorododecanesulfonic aci	3.6 U	4.5	3.6	1.0	ng/l

**FLUOROTELOMER SULFONIC ACIDS**

757124-72-4	4:2 Fluorotelomer sulfonate	7.3 U	18	7.3	2.9	ng/l
27619-97-2	6:2 Fluorotelomer sulfonate	7.3 U	18	7.3	3.2	ng/l
39108-34-4	8:2 Fluorotelomer sulfonate	7.3 U	18	7.3	3.7	ng/l

**PERFLUOROOCCTANE SULFONAMIDES**

754-91-6	PFOSA	1.8 U	4.5	1.8	0.61	ng/l
31506-32-8	MeFOSA	1.8 U	4.5	1.8	0.91	ng/l
4151-50-2	EtFOSA	1.8 U	4.5	1.8	0.91	ng/l

U = Not detected      LOD = Limit of Detection      J = Indicates an estimated value  
 LOQ = Limit of Quantitation      DL = Detection Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound

# Report of Analysis

Client Sample ID:	AF-RHMW17D-WQFB01LF-2302W2		
Lab Sample ID:	FC2833-3	Date Sampled:	02/17/23
Matrix:	AQ - Field Blank Water	Date Received:	02/18/23
Method:	EPA DRAFT 1633 EPA 1633 DRAFT	Percent Solids:	n/a
Project:	N6274223F0104 RH Fire Suppression System		

CAS No.	Compound	Result	LOQ	LOD	DL	Units	Q
---------	----------	--------	-----	-----	----	-------	---

**PERFLUOROOCCTANE SULFONAMIDOACETIC ACIDS**

2355-31-9	MeFOSAA	3.6 U	4.5	3.6	0.91	ng/l	
2991-50-6	EtFOSAA	3.6 U	4.5	3.6	1.2	ng/l	

**PERFLUOROOCCTANE SULFONAMIDO ETHANOLS**

24448-09-7	MeFOSE	9.1 U	45	9.1	4.0	ng/l	
1691-99-2	EtFOSE	18 U	45	18	6.7	ng/l	

**PER and POLYFLUOROETHER CARBOXYLIC ACIDS**

13252-13-6	HFPO-DA (GenX)	3.6 U	18	3.6	0.91	ng/l	
919005-14-4	ADONA	3.6 U	18	3.6	1.7	ng/l	
377-73-1	PFMPA	1.8 U	9.1	1.8	0.91	ng/l	
863090-89-5	PFMBA	3.6 U	9.1	3.6	1.0	ng/l	
151772-58-6	NFDHA	3.6 U	9.1	3.6	1.1	ng/l	

**PER and POLYFLUOROETHER SULFONIC ACIDS**

756426-58-1	9Cl-PF3ONS (F-53B Major)	3.6 U	18	3.6	1.3	ng/l	
763051-92-9	11Cl-PF3OUdS (F-53B Minor)	3.6 U	18	3.6	1.6	ng/l	
113507-82-7	PFEESA	1.8 U	9.1	1.8	0.71	ng/l	

**FLUOROTELOMER CARBOXYLIC ACIDS**

356-02-5	3:3 Fluorotelomer carboxylate	9.1 U	23	9.1	4.1	ng/l	
914637-49-3	5:3 Fluorotelomer carboxylate	18 U	110	18	7.9	ng/l	
812-70-4	7:3 Fluorotelomer carboxylate	18 U	110	18	7.1	ng/l	

CAS No.	ID Standard Recoveries	Run# 1	Run# 2	Limits
	13C4-PFBA	124%		20-150%
	13C5-PFPeA	123%		20-150%
	13C5-PFHxA	127%		20-150%
	13C4-PFHpA	119%		20-150%
	13C8-PFOA	113%		20-150%
	13C9-PFNA	108%		20-150%
	13C6-PFDA	106%		20-150%
	13C7-PFUnDA	89%		20-150%
	13C2-PFDoDA	90%		20-150%
	13C2-PFTeDA	87%		20-150%
	13C3-PFBS	120%		20-150%
	13C3-PFHxS	111%		20-150%

U = Not detected      LOD = Limit of Detection      J = Indicates an estimated value  
 LOQ = Limit of Quantitation      DL = Detection Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound

## Report of Analysis

Client Sample ID:	AF-RHMW17D-WQFB01LF-2302W2	
Lab Sample ID:	FC2833-3	Date Sampled: 02/17/23
Matrix:	AQ - Field Blank Water	Date Received: 02/18/23
Method:	EPA DRAFT 1633 EPA 1633 DRAFT	Percent Solids: n/a
Project:	N6274223F0104 RH Fire Suppression System	

CAS No.	ID Standard Recoveries	Run# 1	Run# 2	Limits
	13C8-PFOS	92%		20-150%
	13C8-FOSA	92%		20-150%
	d3-MeFOSA	86%		20-150%
	d5-EtFOSA	87%		20-150%
	d3-MeFOSAA	94%		20-150%
	d5-EtFOSAA	105%		20-150%
	d7-MeFOSE	90%		20-150%
	d9-EtFOSE	86%		20-150%
	13C2-4:2FTS	142%		20-150%
	13C2-6:2FTS	126%		20-150%
	13C2-8:2FTS	103%		20-150%
	13C3-HFPO-DA	130%		20-150%

U = Not detected      LOD = Limit of Detection      J = Indicates an estimated value  
 LOQ = Limit of Quantitation      DL = Detection Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound

**Misc. Forms**

**Custody Documents and Other Forms**

---

**Includes the following where applicable:**

- Chain of Custody
- QC Evaluation: DOD QSM5.x Limits





SGS North America Inc - Orlando  
Chain of Custody

4405 Vineland Road, Suite C-15 Orlando, FL 32811  
TEL: 407-425-6700 FAX: 407-425-0707  
www.sgs.com

**FC2833**  
SGS - ORLANDO JOB #

COC #: 2302W2AFSG10  
PAGE 1 OF 1

Client / Reporting Information				Project Information				SGS - ORLANDO Quote #										SKIFF #	
Company Name: AECOM				Project Name: N6274223F0104 RH Fire Suppression System				Analytical Information										Matrix Codes	
Address: 1001 Bishop St. ste 1600				Street				<div style="display: flex; justify-content: space-between;"> <span style="writing-mode: vertical-rl; transform: rotate(180deg);">PFAS EPA Draft 1633</span> <div style="text-align: center;"> <p><i>NT</i></p> <p>2/17/2023</p> </div> </div>										DW - Drinking Water GW - Ground Water WW - Water SW - Surface Water SO - Soil SL - Sludge LIQ - Other Liquid AIR - Air SOL - Other Solid WP - Wipe	
City: Honolulu State: HI Zip: 96813		City: Honolulu State: Hawaii																	
Project Contact: Katie Abbott Email: katie.abbott@aecom.com		Project # 60697810																	
Project Manager: Watson Tanji Email: watson.tanji@aecom.com		Fax #																	
Phone #: 303-796-4624 / 808-954-4512				Client Purchase Order #															
Sampler(s) Name(s) (Printed) Sampler 1: <i>Noah Turner</i> Sampler 2: <i>Andy Young</i>																			
SGS Orlando Sample #	Field ID / Point of Collection	COLLECTION			CONTAINER INFORMATION										LAB USE ONLY				
		DATE	TIME	SAMPLED BY	MATRIX	TOTAL # OF BOTTLES	OTHER	NONE	HCl	NaOH	HNO3	H2SO4	NaOH-ZnAc	DIL WATER		MECH			
1	AF-RHMW17-WGN01LF-2302W2	2/17/23	1010	AY	GW	3		X											
				<i>NT</i>															
				2/17/2023															
								INITIAL ASSESSMENT										<i>[Signature]</i>	
								LABEL VERIFICATION										<i>[Signature]</i>	
Turnaround Time ( Business days)				Data Deliverable Information				Comments / Remarks											
10 Day (Business) Approved By: / Date: 7 Day <input checked="" type="checkbox"/> 5 Day 3 Day RUSH 2 Day RUSH 1 Day RUSH Other				<input type="checkbox"/> COMMERCIAL "A" (RESULTS ONLY) <input type="checkbox"/> COMMERCIAL "B" (RESULTS PLUS QC) <input type="checkbox"/> REDT1 (EPA LEVEL 3) <input checked="" type="checkbox"/> FULLT1 (EPA LEVEL 4) <input checked="" type="checkbox"/> EDD'S				EDMS upload database: JBPHE EDMS Coverage: AFFF Assessment Sampling GW UNITED ANB 016-17993673											
Rush T/A Data Available VIA Email or Lablink				Sample Custody must be documented below each time samples change possession, including courier delivery.															
Relinquished by Sampler/Affiliation		Date Time:		Received By/Affiliation		Date Time:		Relinquished By/Affiliation		Date Time:		Received By/Affiliation		Date Time:		Received By/Affiliation			
1 Noah Turner / AECOM		2/17/23 1245		2 Miranda Degarmo / AECOM		2/17/23 1400		3 Miranda Degarmo / AECOM		2/17/23 1400		4 <i>[Signature]</i> / SGS		2/18/23 1500		5 <i>[Signature]</i> / SGS			
5				6				7				8							
Lab Use Only : Cooler Temperature (s) Celsius (corrected): <i>22.4</i>																<a href="http://www.sgs.com/en/terms-and-conditions">http://www.sgs.com/en/terms-and-conditions</a>			

PFAS\_COCs\_ALL.xls Rev 031318

FC2833: Chain of Custody

Page 1 of 3



5.1  
5



SGS North America Inc - Orlando  
Chain of Custody

4405 Vineland Road, Suite C-15 Orlando, FL 32811  
TEL: 407-425-6700 FAX: 407-425-0707  
www.sgs.com

**FC2833**  
SGS - ORLANDO JOB #:

COC #: 2302W2AFSG11

PAGE 1 OF 1

Client / Reporting Information		Project Information		SGS - ORLANDO Quote #		SKIFF #															
Company Name: AECOM		Project Name: N6274223F0104 RH Fire Suppression System																			
Address: 1001 Bishop St. Ste 1600		Street																			
City: Honolulu State: HI Zip: 96813		City Honolulu State Hawaii																			
Project Contact: Katie Abbott Email: katie.abbott@aecom.com		Project # 60697810																			
Project Manager: Watson Tanji Email: watson.tanji@aecom.com		Fax #																			
Phone #: 303-796-4624 / 808-954-4512		Client Purchase Order #																			
Sampler(s) Name(s) (Printed)																					
Sampler 1: <u>Andy Young</u> Sampler 2: <u>Noah Turner</u>																					
SGS Orlando Sample #	Field ID / Point of Collection	COLLECTION			CONTAINER INFORMATION										Matrix Codes						
		DATE	TIME	SAMPLED BY:	MATRIX	TOTAL # OF BOTTLES	OTHER	NONE	HCl	NACH	HNO3	H2SO4	NACH-Zn/C	DISTILL WATER		MECH					
2	AF-RHMW17D-WGN01LF-2302W2	2/17/23	1045	<del>JA</del> <u>NT</u>	GW	3		X													
3	AF-RHMW17D-WQFB01-2302W2	2/17/23	1045	<u>NT</u>	GW	3		X													
<p><i>(Large diagonal scribble across the table)</i></p> <p style="text-align: right;">INITIAL ASSESSMENT <u>NT</u></p> <p style="text-align: right;">LABEL VERIFICATION</p>																					
Turnaround Time ( Business days)		Data Deliverable Information				Comments / Remarks															
10 Day (Business) Approved By: / Date: _____ 7 Day _____ <input type="checkbox"/> 5 Day _____ 3 Day RUSH _____ 2 Day RUSH _____ 1 Day RUSH _____ Other _____		<input type="checkbox"/> COMMERCIAL "A" (RESULTS ONLY) <input type="checkbox"/> COMMERCIAL "B" (RESULTS PLUS QC) <input type="checkbox"/> REDT1 (EPA LEVEL 3) <input checked="" type="checkbox"/> FULLT1 (EPA LEVEL 4) <input checked="" type="checkbox"/> EDD'S				EDMS upload database: JBPHE EDMS Coverage: AFFF Assessment Sampling GW <u>UNITED AWB 06-17993073</u>															
Rush T/A Data Available VIA Email or Lablink																					
Sample Custody must be documented below each time samples change possession, including courier delivery.																					
Relinquished by Sampler/Affiliation		Date Time:		Received By/Affiliation		Relinquished By/Affiliation		Date Time:		Received By/Affiliation											
1 <u>Andy Young / AECOM</u>		2/17/23 1245		2 <u>Miranda Debarro / AECOM</u>		3 <u>Miranda Debarro / AECOM</u>		2/17/23 1400		4 <u>M. V. Ab. / SGS</u>		1500 18 FAG 23									
5		6		7		8															
Lab Use Only :		Cooler Temperature (s) Celsius (corrected): <u>2.4</u>																			
<a href="http://www.sgs.com/en/terms-and-conditions">http://www.sgs.com/en/terms-and-conditions</a>																					

PFAS\_COCS\_ALL.xls Rev 031318



## SGS Sample Receipt Summary

Job Number: FC2833

Client: AECOM

Project: N6274223F0104 RH Fire Suppression System

Date / Time Received: 2/18/2023 3:00:00 PM

Delivery Method: United Cargo/Airspace

Airbill #'s: United Cargo AWB #: 016-17993673

Therm ID: IR 1;

Therm CF: 0.2;

# of Coolers: 1

Cooler Temps (Raw Measured) °C: Cooler 1: (2.4);

Cooler Temps (Corrected) °C: Cooler 1: (2.6);

**Cooler Information**

Y or N

- 1. Custody Seals Present
- 2. Custody Seals Intact
- 3. Temp criteria achieved
- 4. Cooler temp verification IR Gun
- 5. Cooler media Ice (Bag)

**Trip Blank Information**

Y or N N/A

- 1. Trip Blank present / cooler
  - 2. Trip Blank listed on COC
- W or S N/A
- 3. Type Of TB Received

**Sample Information**

Y or N N/A

- 1. Sample labels present on bottles
- 2. Samples preserved properly
- 3. Sufficient volume/containers recvd for analysis:
- 4. Condition of sample Intact
- 5. Sample recvd within HT
- 6. Dates/Times/IDs on COC match Sample Label
- 7. VOCs have headspace
- 8. Bottles received for unspecified tests
- 9. Compositing instructions clear
- 10. Voa Soil Kits/Jars received past 48hrs?
- 11. % Solids Jar received?
- 12. Residual Chlorine Present?

**Misc. Information**

Number of Encores: 25-Gram \_\_\_\_\_ 5-Gram \_\_\_\_\_ Number of 5035 Field Kits: \_\_\_\_\_ Number of Lab Filtered Metals: \_\_\_\_\_  
 Test Strip Lot #: pH 0-3 230315 pH 10-12 219813A Other: (Specify) \_\_\_\_\_  
 Residual Chlorine Test Strip Lot #: \_\_\_\_\_

Comments

SM001  
Rev. Date 05/24/17

Technician: NATHANS

Date: 2/18/2023 3:00:00 PM

Reviewer: CD

Date: 2/21/2023

**FC2833: Chain of Custody**

Page 3 of 3

5.1  
5

# QC Evaluation: DOD QSM5.x Limits

**Job Number:** FC2833  
**Account:** AECOM, INC.  
**Project:** N6274223F0104 RH Fire Suppression System  
**Collected:** 02/17/23

QC Sample ID	CAS#	Analyte	Sample Result Type	Result Type	Units	Limits
--------------	------	---------	--------------------	-------------	-------	--------

No DOD QSM5.x Limits found for methods in this job.

---

\* Sample used for QC is not from job FC2833

5.2  
5

## MS Semi-volatiles

---

### QC Data Summaries

---

#### Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

# Instrument Blank

Job Number: FC2833  
 Account: AECOMCOD AECOM, INC.  
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
S6Q218-IBLK	6Q14339.D	1	02/24/23	MV	n/a	n/a	S6Q218

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC2833-1, FC2833-2, FC2833-3

CAS No.	Compound	Result	RL	MDL	Units	Q
375-22-4	Perfluorobutanoic acid	ND	0.020	0.0019	ug/l	
2706-90-3	Perfluoropentanoic acid	ND	0.010	0.00094	ug/l	
307-24-4	Perfluorohexanoic acid	ND	0.0050	0.00050	ug/l	
375-85-9	Perfluoroheptanoic acid	ND	0.0050	0.00050	ug/l	
335-67-1	Perfluorooctanoic acid	ND	0.0050	0.00050	ug/l	
375-95-1	Perfluorononanoic acid	ND	0.0050	0.00061	ug/l	
335-76-2	Perfluorodecanoic acid	ND	0.0050	0.00050	ug/l	
2058-94-8	Perfluoroundecanoic acid	ND	0.0050	0.00060	ug/l	
307-55-1	Perfluorododecanoic acid	ND	0.0050	0.00060	ug/l	
72629-94-8	Perfluorotridecanoic acid	ND	0.0050	0.00084	ug/l	
376-06-7	Perfluorotetradecanoic acid	ND	0.0050	0.00050	ug/l	
375-73-5	Perfluorobutanesulfonic acid	ND	0.0050	0.00050	ug/l	
2706-91-4	Perfluoropentanesulfonic acid	ND	0.0050	0.0011	ug/l	
355-46-4	Perfluorohexanesulfonic acid	ND	0.0050	0.00070	ug/l	
375-92-8	Perfluoroheptanesulfonic acid	ND	0.0050	0.00050	ug/l	
1763-23-1	Perfluorooctanesulfonic acid	ND	0.0050	0.00054	ug/l	
68259-12-1	Perfluorononanesulfonic acid	ND	0.0050	0.00057	ug/l	
335-77-3	Perfluorodecanesulfonic acid	ND	0.0050	0.00064	ug/l	
79780-39-5	Perfluorododecanesulfonic aci	ND	0.0050	0.0011	ug/l	
757124-72-44:2	Fluorotelomer sulfonate	ND	0.020	0.0032	ug/l	
27619-97-2	6:2 Fluorotelomer sulfonate	ND	0.020	0.0035	ug/l	
39108-34-4	8:2 Fluorotelomer sulfonate	ND	0.020	0.0041	ug/l	
754-91-6	PFOSA	ND	0.0050	0.00067	ug/l	
31506-32-8	MeFOSA	0.0037	0.0050	0.0010	ug/l	J
4151-50-2	EtFOSA	0.0036	0.0050	0.0010	ug/l	J
2355-31-9	MeFOSAA	ND	0.0050	0.0010	ug/l	
2991-50-6	EtFOSAA	ND	0.0050	0.0013	ug/l	
24448-09-7	MeFOSE	0.0236	0.050	0.0044	ug/l	J
1691-99-2	EtFOSE	0.0326	0.050	0.0074	ug/l	J
13252-13-6	HFPO-DA (GenX)	ND	0.020	0.0010	ug/l	
919005-14-4	ADONA	ND	0.020	0.0019	ug/l	
377-73-1	PFMPA	ND	0.010	0.0010	ug/l	
863090-89-5	PFMBA	ND	0.010	0.0011	ug/l	
151772-58-6	NFDHA	ND	0.010	0.0012	ug/l	
756426-58-19	Cl-PF3ONS (F-53B Major)	ND	0.020	0.0014	ug/l	
763051-92-91	Cl-PF3OUdS (F-53B Minor)	ND	0.020	0.0018	ug/l	

# Instrument Blank

Job Number: FC2833  
 Account: AECOMCOD AECOM, INC.  
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
S6Q218-IBLK	6Q14339.D	1	02/24/23	MV	n/a	n/a	S6Q218

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC2833-1, FC2833-2, FC2833-3

CAS No.	Compound	Result	RL	MDL	Units	Q
113507-82-7	PFEESA	ND	0.010	0.00078	ug/l	
356-02-5	3:3 Fluorotelomer carboxylate	ND	0.025	0.0045	ug/l	
914637-49-35:3	Fluorotelomer carboxylate	ND	0.13	0.0087	ug/l	
812-70-4	7:3 Fluorotelomer carboxylate	ND	0.13	0.0079	ug/l	

CAS No.	ID Standard Recoveries	Limits
	13C4-PFBA	103% 20-150%
	13C5-PFPeA	99% 20-150%
	13C5-PFHxA	96% 20-150%
	13C4-PFHpA	106% 20-150%
	13C8-PFOA	98% 20-150%
	13C9-PFNA	102% 20-150%
	13C6-PFDA	98% 20-150%
	13C7-PFUnDA	98% 20-150%
	13C2-PFDoDA	99% 20-150%
	13C2-PFTeDA	96% 20-150%
	13C3-PFBS	106% 20-150%
	13C3-PFHxS	103% 20-150%
	13C8-PFOS	104% 20-150%
	13C8-FOSA	96% 20-150%
	d3-MeFOSA	90% 20-150%
	d5-EtFOSA	95% 20-150%
	d3-MeFOSAA	97% 20-150%
	d5-EtFOSAA	99% 20-150%
	d7-MeFOSE	96% 20-150%
	d9-EtFOSE	94% 20-150%
	13C2-4:2FTS	115% 20-150%
	13C2-6:2FTS	108% 20-150%
	13C2-8:2FTS	118% 20-150%
	13C3-HFPO-DA	102% 20-150%

6.1.1  
6

# Method Blank Summary

Job Number: FC2833  
 Account: AECOMCOD AECOM, INC.  
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP95581-MB	6Q14344.D	1	02/24/23	MV	02/22/23	OP95581	S6Q218

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC2833-1, FC2833-2, FC2833-3

CAS No.	Compound	Result	RL	MDL	Units	Q
375-22-4	Perfluorobutanoic acid	ND	0.020	0.0019	ug/l	
2706-90-3	Perfluoropentanoic acid	ND	0.010	0.00094	ug/l	
307-24-4	Perfluorohexanoic acid	ND	0.0050	0.00050	ug/l	
375-85-9	Perfluoroheptanoic acid	ND	0.0050	0.00050	ug/l	
335-67-1	Perfluorooctanoic acid	ND	0.0050	0.00050	ug/l	
375-95-1	Perfluorononanoic acid	ND	0.0050	0.00061	ug/l	
335-76-2	Perfluorodecanoic acid	ND	0.0050	0.00050	ug/l	
2058-94-8	Perfluoroundecanoic acid	ND	0.0050	0.00060	ug/l	
307-55-1	Perfluorododecanoic acid	ND	0.0050	0.00060	ug/l	
72629-94-8	Perfluorotridecanoic acid	ND	0.0050	0.00084	ug/l	
376-06-7	Perfluorotetradecanoic acid	ND	0.0050	0.00050	ug/l	
375-73-5	Perfluorobutanesulfonic acid	ND	0.0050	0.00050	ug/l	
2706-91-4	Perfluoropentanesulfonic acid	ND	0.0050	0.0011	ug/l	
355-46-4	Perfluorohexanesulfonic acid	ND	0.0050	0.00070	ug/l	
375-92-8	Perfluoroheptanesulfonic acid	ND	0.0050	0.00050	ug/l	
1763-23-1	Perfluorooctanesulfonic acid	ND	0.0050	0.00054	ug/l	
68259-12-1	Perfluorononanesulfonic acid	ND	0.0050	0.00057	ug/l	
335-77-3	Perfluorodecanesulfonic acid	ND	0.0050	0.00064	ug/l	
79780-39-5	Perfluorododecanesulfonic aci	ND	0.0050	0.0011	ug/l	
757124-72-44:2	Fluorotelomer sulfonate	ND	0.020	0.0032	ug/l	
27619-97-2	6:2 Fluorotelomer sulfonate	ND	0.020	0.0035	ug/l	
39108-34-4	8:2 Fluorotelomer sulfonate	ND	0.020	0.0041	ug/l	
754-91-6	PFOSA	ND	0.0050	0.00067	ug/l	
31506-32-8	MeFOSA	ND	0.0050	0.0010	ug/l	
4151-50-2	EtFOSA	ND	0.0050	0.0010	ug/l	
2355-31-9	MeFOSAA	ND	0.0050	0.0010	ug/l	
2991-50-6	EtFOSAA	ND	0.0050	0.0013	ug/l	
24448-09-7	MeFOSE	ND	0.050	0.0044	ug/l	
1691-99-2	EtFOSE	ND	0.050	0.0074	ug/l	
13252-13-6	HFPO-DA (GenX)	ND	0.020	0.0010	ug/l	
919005-14-4	ADONA	ND	0.020	0.0019	ug/l	
377-73-1	PFMPA	ND	0.010	0.0010	ug/l	
863090-89-5	PFMBA	ND	0.010	0.0011	ug/l	
151772-58-6	NFDHA	ND	0.010	0.0012	ug/l	
756426-58-19	Cl-PF3ONS (F-53B Major)	ND	0.020	0.0014	ug/l	
763051-92-91	Cl-PF3OUdS (F-53B Minor)	ND	0.020	0.0018	ug/l	



# Method Blank Summary

Job Number: FC2833  
 Account: AECOMCOD AECOM, INC.  
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP95581-MB	6Q14344.D	1	02/24/23	MV	02/22/23	OP95581	S6Q218

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC2833-1, FC2833-2, FC2833-3

CAS No.	Compound	Result	RL	MDL	Units	Q
113507-82-7	PFEESA	ND	0.010	0.00078	ug/l	
356-02-5	3:3 Fluorotelomer carboxylate	ND	0.025	0.0045	ug/l	
914637-49-35:3	Fluorotelomer carboxylate	ND	0.13	0.0087	ug/l	
812-70-4	7:3 Fluorotelomer carboxylate	ND	0.13	0.0079	ug/l	

CAS No.	ID Standard Recoveries	Limits
	13C4-PFBA	112% 20-150%
	13C5-PFPeA	106% 20-150%
	13C5-PFHxA	108% 20-150%
	13C4-PFHpA	112% 20-150%
	13C8-PFOA	108% 20-150%
	13C9-PFNA	113% 20-150%
	13C6-PFDA	103% 20-150%
	13C7-PFUnDA	100% 20-150%
	13C2-PFDoDA	90% 20-150%
	13C2-PFTeDA	72% 20-150%
	13C3-PFBS	119% 20-150%
	13C3-PFHxS	117% 20-150%
	13C8-PFOS	100% 20-150%
	13C8-FOSA	86% 20-150%
	d3-MeFOSA	78% 20-150%
	d5-EtFOSA	74% 20-150%
	d3-MeFOSAA	94% 20-150%
	d5-EtFOSAA	88% 20-150%
	d7-MeFOSE	76% 20-150%
	d9-EtFOSE	76% 20-150%
	13C2-4:2FTS	130% 20-150%
	13C2-6:2FTS	127% 20-150%
	13C2-8:2FTS	117% 20-150%
	13C3-HFPO-DA	115% 20-150%

6.12  
6

# Blank Spike Summary

Job Number: FC2833  
 Account: AECOMCOD AECOM, INC.  
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP95581-LLBS	6Q14343.D	1	02/24/23	MV	02/22/23	OP95581	S6Q218

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC2833-1, FC2833-2, FC2833-3

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
375-22-4	Perfluorobutanoic acid	0.04	0.0463	116	40-150
2706-90-3	Perfluoropentanoic acid	0.02	0.0229	115	40-150
307-24-4	Perfluorohexanoic acid	0.01	0.0114	114	40-150
375-85-9	Perfluoroheptanoic acid	0.01	0.0114	114	40-150
335-67-1	Perfluorooctanoic acid	0.01	0.0117	117	40-150
375-95-1	Perfluorononanoic acid	0.01	0.0119	119	40-150
335-76-2	Perfluorodecanoic acid	0.01	0.0125	125	40-150
2058-94-8	Perfluoroundecanoic acid	0.01	0.0125	125	40-150
307-55-1	Perfluorododecanoic acid	0.01	0.0105	105	40-150
72629-94-8	Perfluorotridecanoic acid	0.01	0.0101	101	40-150
376-06-7	Perfluorotetradecanoic acid	0.01	0.0112	112	40-150
375-73-5	Perfluorobutanesulfonic acid	0.00887	0.0109	123	40-150
2706-91-4	Perfluoropentanesulfonic acid	0.00941	0.0104	111	40-150
355-46-4	Perfluorohexanesulfonic acid	0.00914	0.0112	123	40-150
375-92-8	Perfluoroheptanesulfonic acid	0.00953	0.0108	113	40-150
1763-23-1	Perfluorooctanesulfonic acid	0.00928	0.0118	127	40-150
68259-12-1	Perfluorononanesulfonic acid	0.00962	0.0117	122	40-150
335-77-3	Perfluorodecanesulfonic acid	0.00965	0.0115	119	40-150
79780-39-5	Perfluorododecanesulfonic aci	0.0097	0.0117	121	40-150
757124-72-44:2	Fluorotelomer sulfonate	0.0375	0.0435	116	40-150
27619-97-2	6:2 Fluorotelomer sulfonate	0.038	0.0472	124	40-150
39108-34-4	8:2 Fluorotelomer sulfonate	0.0384	0.0441	115	40-150
754-91-6	PFOSA	0.01	0.0113	113	40-150
31506-32-8	MeFOSA	0.01	0.0111	111	40-150
4151-50-2	EtFOSA	0.01	0.0095	95	40-150
2355-31-9	MeFOSAA	0.01	0.0121	121	40-150
2991-50-6	EtFOSAA	0.01	0.0103	103	40-150
24448-09-7	MeFOSE	0.1	0.106	106	40-150
1691-99-2	EtFOSE	0.1	0.104	104	40-150
13252-13-6	HFPO-DA (GenX)	0.04	0.0436	109	40-150
919005-14-4	ADONA	0.0378	0.0421	111	40-150
377-73-1	PFMPA	0.02	0.0237	119	40-150
863090-89-5	PFMBA	0.02	0.0243	122	40-150
151772-58-6	NFDHA	0.02	0.0238	119	40-150
756426-58-19	Cl-PF3ONS (F-53B Major)	0.0374	0.0381	102	40-150
763051-92-91	Cl-PF3OUdS (F-53B Minor)	0.0378	0.0357	94	40-150

\* = Outside of Control Limits.

# Blank Spike Summary

Job Number: FC2833  
 Account: AECOMCOD AECOM, INC.  
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP95581-LLBS	6Q14343.D	1	02/24/23	MV	02/22/23	OP95581	S6Q218

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC2833-1, FC2833-2, FC2833-3

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
113507-82-7	PFEESA	0.0178	0.0201	113	40-150
356-02-5	3:3 Fluorotelomer carboxylate	0.05	0.0430	86	40-150
914637-49-35:3	Fluorotelomer carboxylate	0.25	0.273	109	40-150
812-70-4	7:3 Fluorotelomer carboxylate	0.25	0.290	116	40-150

CAS No.	ID Standard Recoveries	BSP	Limits
	13C4-PFBA	116%	20-150%
	13C5-PFPeA	113%	20-150%
	13C5-PFHxA	119%	20-150%
	13C4-PFHpA	115%	20-150%
	13C8-PFOA	111%	20-150%
	13C9-PFNA	105%	20-150%
	13C6-PFDA	114%	20-150%
	13C7-PFUnDA	110%	20-150%
	13C2-PFDoDA	105%	20-150%
	13C2-PFTeDA	94%	20-150%
	13C3-PFBS	118%	20-150%
	13C3-PFHxS	122%	20-150%
	13C8-PFOS	98%	20-150%
	13C8-FOSA	99%	20-150%
	d3-MeFOSA	87%	20-150%
	d5-EtFOSA	85%	20-150%
	d3-MeFOSAA	103%	20-150%
	d5-EtFOSAA	106%	20-150%
	d7-MeFOSE	83%	20-150%
	d9-EtFOSE	81%	20-150%
	13C2-4:2FTS	130%	20-150%
	13C2-6:2FTS	122%	20-150%
	13C2-8:2FTS	126%	20-150%
	13C3-HFPO-DA	127%	20-150%

\* = Outside of Control Limits.

# Blank Spike Summary

Job Number: FC2833  
 Account: AECOMCOD AECOM, INC.  
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP95581-BS	6Q14342.D	1	02/24/23	MV	02/22/23	OP95581	S6Q218

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC2833-1, FC2833-2, FC2833-3

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
375-22-4	Perfluorobutanoic acid	0.1	0.121	121	40-150
2706-90-3	Perfluoropentanoic acid	0.05	0.0591	118	40-150
307-24-4	Perfluorohexanoic acid	0.025	0.0296	118	40-150
375-85-9	Perfluoroheptanoic acid	0.025	0.0320	128	40-150
335-67-1	Perfluorooctanoic acid	0.025	0.0296	118	40-150
375-95-1	Perfluorononanoic acid	0.025	0.0280	112	40-150
335-76-2	Perfluorodecanoic acid	0.025	0.0302	121	40-150
2058-94-8	Perfluoroundecanoic acid	0.025	0.0319	128	40-150
307-55-1	Perfluorododecanoic acid	0.025	0.0275	110	40-150
72629-94-8	Perfluorotridecanoic acid	0.025	0.0285	114	40-150
376-06-7	Perfluorotetradecanoic acid	0.025	0.0318	127	40-150
375-73-5	Perfluorobutanesulfonic acid	0.0222	0.0274	124	40-150
2706-91-4	Perfluoropentanesulfonic acid	0.0235	0.0284	121	40-150
355-46-4	Perfluorohexanesulfonic acid	0.0229	0.0281	123	40-150
375-92-8	Perfluoroheptanesulfonic acid	0.0238	0.0286	120	40-150
1763-23-1	Perfluorooctanesulfonic acid	0.0232	0.0287	124	40-150
68259-12-1	Perfluorononanesulfonic acid	0.0241	0.0275	114	40-150
335-77-3	Perfluorodecanesulfonic acid	0.0241	0.0277	115	40-150
79780-39-5	Perfluorododecanesulfonic aci	0.0243	0.0279	115	40-150
757124-72-44:2	Fluorotelomer sulfonate	0.0938	0.117	125	40-150
27619-97-2	6:2 Fluorotelomer sulfonate	0.095	0.125	132	40-150
39108-34-4	8:2 Fluorotelomer sulfonate	0.096	0.124	129	40-150
754-91-6	PFOSA	0.025	0.0285	114	40-150
31506-32-8	MeFOSA	0.025	0.0282	113	40-150
4151-50-2	EtFOSA	0.025	0.0257	103	40-150
2355-31-9	MeFOSAA	0.025	0.0290	116	40-150
2991-50-6	EtFOSAA	0.025	0.0309	124	40-150
24448-09-7	MeFOSE	0.25	0.261	104	40-150
1691-99-2	EtFOSE	0.25	0.266	106	40-150
13252-13-6	HFPO-DA (GenX)	0.1	0.115	115	40-150
919005-14-4	ADONA	0.0945	0.111	117	40-150
377-73-1	PFMPA	0.05	0.0598	120	40-150
863090-89-5	PFMBA	0.05	0.0602	120	40-150
151772-58-6	NFDHA	0.05	0.0666	133	40-150
756426-58-19	Cl-PF3ONS (F-53B Major)	0.0935	0.100	107	40-150
763051-92-91	Cl-PF3OUdS (F-53B Minor)	0.0945	0.100	106	40-150

\* = Outside of Control Limits.

# Blank Spike Summary

Job Number: FC2833  
 Account: AECOMCOD AECOM, INC.  
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP95581-BS	6Q14342.D	1	02/24/23	MV	02/22/23	OP95581	S6Q218

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC2833-1, FC2833-2, FC2833-3

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
113507-82-7	PFEESA	0.0445	0.0564	127	40-150
356-02-5	3:3 Fluorotelomer carboxylate	0.125	0.117	94	40-150
914637-49-35:3	Fluorotelomer carboxylate	0.625	0.734	117	40-150
812-70-4	7:3 Fluorotelomer carboxylate	0.625	0.719	115	40-150

CAS No.	ID Standard Recoveries	BSP	Limits
	13C4-PFBA	108%	20-150%
	13C5-PFPeA	103%	20-150%
	13C5-PFHxA	104%	20-150%
	13C4-PFHpA	101%	20-150%
	13C8-PFOA	99%	20-150%
	13C9-PFNA	107%	20-150%
	13C6-PFDA	108%	20-150%
	13C7-PFUnDA	101%	20-150%
	13C2-PFDoDA	100%	20-150%
	13C2-PFTeDA	90%	20-150%
	13C3-PFBS	101%	20-150%
	13C3-PFHxS	102%	20-150%
	13C8-PFOS	102%	20-150%
	13C8-FOSA	108%	20-150%
	d3-MeFOSA	97%	20-150%
	d5-EtFOSA	95%	20-150%
	d3-MeFOSAA	105%	20-150%
	d5-EtFOSAA	103%	20-150%
	d7-MeFOSE	83%	20-150%
	d9-EtFOSE	85%	20-150%
	13C2-4:2FTS	111%	20-150%
	13C2-6:2FTS	101%	20-150%
	13C2-8:2FTS	99%	20-150%
	13C3-HFPO-DA	113%	20-150%

\* = Outside of Control Limits.

# Matrix Spike Summary

Job Number: FC2833  
 Account: AECOMCOD AECOM, INC.  
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP95581-MS	6Q14346.D	1	02/24/23	MV	02/22/23	OP95581	S6Q218
FC2799-1	6Q14345.D	1	02/24/23	MV	02/22/23	OP95581	S6Q218

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC2833-1, FC2833-2, FC2833-3

CAS No.	Compound	FC2799-1 ug/l	Spike Q	MS ug/l	MS %	Limits	
375-22-4	Perfluorobutanoic acid	0.018 U		0.0909	0.0705	78	40-150
2706-90-3	Perfluoropentanoic acid	0.0088 U		0.0455	0.120	264*	40-150
307-24-4	Perfluorohexanoic acid	0.0044 U		0.0227	0.0271	119	40-150
375-85-9	Perfluoroheptanoic acid	0.0044 U		0.0227	0.0273	120	40-150
335-67-1	Perfluorooctanoic acid	0.0044 U		0.0227	0.0260	114	40-150
375-95-1	Perfluorononanoic acid	0.0044 U		0.0227	0.0278	122	40-150
335-76-2	Perfluorodecanoic acid	0.0044 U		0.0227	0.0270	119	40-150
2058-94-8	Perfluoroundecanoic acid	0.0044 U		0.0227	0.0287	126	40-150
307-55-1	Perfluorododecanoic acid	0.0044 U		0.0227	0.0270	119	40-150
72629-94-8	Perfluorotridecanoic acid	0.0044 U		0.0227	0.0249	110	40-150
376-06-7	Perfluorotetradecanoic acid	0.0044 U		0.0227	0.0279	123	40-150
375-73-5	Perfluorobutanesulfonic acid	0.0044 U		0.0202	0.0233	116	40-150
2706-91-4	Perfluoropentanesulfonic acid	0.0044 U		0.0214	0.0250	117	40-150
355-46-4	Perfluorohexanesulfonic acid	0.0044 U		0.0208	0.0244	117	40-150
375-92-8	Perfluoroheptanesulfonic acid	0.0044 U		0.0217	0.0273	126	40-150
1763-23-1	Perfluorooctanesulfonic acid	0.0044 U		0.0211	0.0246	117	40-150
68259-12-1	Perfluorononanesulfonic acid	0.0044 U		0.0219	0.0247	113	40-150
335-77-3	Perfluorodecanesulfonic acid	0.0044 U		0.0219	0.0211	96	40-150
79780-39-5	Perfluorododecanesulfonic aci	0.0044 U		0.022	0.0126	57	40-150
757124-72-44:2	Fluorotelomer sulfonate	0.018 U		0.0852	0.101	119	40-150
27619-97-2	6:2 Fluorotelomer sulfonate	0.0053 U	J	0.0864	0.102	112	40-150
39108-34-4	8:2 Fluorotelomer sulfonate	0.018 U		0.0873	0.126	144	40-150
754-91-6	PFOSA	0.0044 U		0.0227	0.0290	128	40-150
31506-32-8	MeFOSA	0.0044 U		0.0227	0.0269	118	40-150
4151-50-2	EtFOSA	0.0044 U		0.0227	0.0261	115	40-150
2355-31-9	MeFOSAA	0.0044 U		0.0227	0.0272	120	40-150
2991-50-6	EtFOSAA	0.0044 U		0.0227	0.0276	121	40-150
24448-09-7	MeFOSE	0.044 U		0.227	0.249	110	40-150
1691-99-2	EtFOSE	0.044 U		0.227	0.252	111	40-150
13252-13-6	HFPO-DA (GenX)	0.018 U		0.0909	0.0989	109	40-150
919005-14-4	ADONA	0.018 U		0.0859	0.106	123	40-150
377-73-1	PFMPA	0.0088 U		0.0455	0.0460	101	40-150
863090-89-5	PFMBA	0.0088 U		0.0455	0.0568	125	40-150
151772-58-6	NFDHA	0.0088 U		0.0455	0.0523	115	40-150
756426-58-19	Cl-PF3ONS (F-53B Major)	0.018 U		0.085	0.0862	101	40-150
763051-92-91	Cl-PF3OUdS (F-53B Minor)	0.018 U		0.0859	0.0651	76	40-150

\* = Outside of Control Limits.

# Matrix Spike Summary

Job Number: FC2833  
 Account: AECOMCOD AECOM, INC.  
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP95581-MS	6Q14346.D	1	02/24/23	MV	02/22/23	OP95581	S6Q218
FC2799-1	6Q14345.D	1	02/24/23	MV	02/22/23	OP95581	S6Q218

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC2833-1, FC2833-2, FC2833-3

CAS No.	Compound	FC2799-1 ug/l	Spike Q	MS ug/l	MS %	Limits
113507-82-7	PFEESA	0.0088 U	0.0405	0.0490	121	40-150
356-02-5	3:3 Fluorotelomer carboxylate	0.022 U	0.114	0.127	112	40-150
914637-49-35:3	Fluorotelomer carboxylate	0.11 U	0.568	0.779	137	40-150
812-70-4	7:3 Fluorotelomer carboxylate	0.11 U	0.568	0.744	131	40-150

CAS No.	ID Standard Recoveries	MS	FC2799-1	Limits
	13C4-PFBA	112%	113%	20-150%
	13C5-PFPeA	102%	104%	20-150%
	13C5-PFHxA	105%	103%	20-150%
	13C4-PFHpA	110%	114%	20-150%
	13C8-PFOA	109%	110%	20-150%
	13C9-PFNA	104%	101%	20-150%
	13C6-PFDA	109%	102%	20-150%
	13C7-PFUnDA	91%	100%	20-150%
	13C2-PFDoDA	81%	86%	20-150%
	13C2-PFTeDA	69%	67%	20-150%
	13C3-PFBS	113%	108%	20-150%
	13C3-PFHxS	106%	106%	20-150%
	13C8-PFOS	101%	109%	20-150%
	13C8-FOSA	101%	98%	20-150%
	d3-MeFOSA	86%	79%	20-150%
	d5-EtFOSA	83%	75%	20-150%
	d3-MeFOSAA	107%	102%	20-150%
	d5-EtFOSAA	104%	96%	20-150%
	d7-MeFOSE	86%	78%	20-150%
	d9-EtFOSE	83%	77%	20-150%
	13C2-4:2FTS	124%	117%	20-150%
	13C2-6:2FTS	109%	99%	20-150%
	13C2-8:2FTS	88%	95%	20-150%
	13C3-HFPO-DA	106%	93%	20-150%

\* = Outside of Control Limits.

# Duplicate Summary

Job Number: FC2833  
 Account: AECOMCOD AECOM, INC.  
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP95581-DUP	6Q14351.D	1	02/24/23	MV	02/22/23	OP95581	S6Q218
FC2833-2	6Q14349.D	1	02/24/23	MV	02/22/23	OP95581	S6Q218

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC2833-1, FC2833-2, FC2833-3

CAS No.	Compound	FC2833-2 ug/l	DUP Q	ug/l	Q	RPD	Limits
375-22-4	Perfluorobutanoic acid	0.018 U		ND		nc	30
2706-90-3	Perfluoropentanoic acid	0.0089 U		ND		nc	30
307-24-4	Perfluorohexanoic acid	0.0045 U		ND		nc	30
375-85-9	Perfluoroheptanoic acid	0.0045 U		ND		nc	30
335-67-1	Perfluorooctanoic acid	0.0045 U		ND		nc	30
375-95-1	Perfluorononanoic acid	0.0045 U		ND		nc	30
335-76-2	Perfluorodecanoic acid	0.0045 U		ND		nc	30
2058-94-8	Perfluoroundecanoic acid	0.0045 U		ND		nc	30
307-55-1	Perfluorododecanoic acid	0.0045 U		ND		nc	30
72629-94-8	Perfluorotridecanoic acid	0.0045 U		ND		nc	30
376-06-7	Perfluorotetradecanoic acid	0.0045 U		ND		nc	30
375-73-5	Perfluorobutanesulfonic acid	0.0045 U		ND		nc	30
2706-91-4	Perfluoropentanesulfonic acid	0.0045 U		ND		nc	30
355-46-4	Perfluorohexanesulfonic acid	0.0045 U		ND		nc	30
375-92-8	Perfluoroheptanesulfonic acid	0.0045 U		ND		nc	30
1763-23-1	Perfluorooctanesulfonic acid	0.0045 U		ND		nc	30
68259-12-1	Perfluorononanesulfonic acid	0.0045 U		ND		nc	30
335-77-3	Perfluorodecanesulfonic acid	0.0045 U		ND		nc	30
79780-39-5	Perfluorododecanesulfonic aci	0.0045 U		ND		nc	30
757124-72-44:2	Fluorotelomer sulfonate	0.018 U		ND		nc	30
27619-97-2	6:2 Fluorotelomer sulfonate	0.0053 U	J	0.0067 U	J	23	30
39108-34-4	8:2 Fluorotelomer sulfonate	0.018 U		ND		nc	30
754-91-6	PFOSA	0.0045 U		ND		nc	30
31506-32-8	MeFOSA	0.0045 U		ND		nc	30
4151-50-2	EtFOSA	0.0045 U		ND		nc	30
2355-31-9	MeFOSAA	0.0045 U		ND		nc	30
2991-50-6	EtFOSAA	0.0045 U		ND		nc	30
24448-09-7	MeFOSE	0.045 U		ND		nc	30
1691-99-2	EtFOSE	0.045 U		ND		nc	30
13252-13-6	HFPO-DA (GenX)	0.018 U		ND		nc	30
919005-14-4	ADONA	0.018 U		ND		nc	30
377-73-1	PFMPA	0.0089 U		ND		nc	30
863090-89-5	PFMBA	0.0089 U		ND		nc	30
151772-58-6	NFDHA	0.0089 U		ND		nc	30
756426-58-19	Cl-PF3ONS (F-53B Major)	0.018 U		ND		nc	30
763051-92-91	Cl-PF3OUdS (F-53B Minor)	0.018 U		ND		nc	30

\* = Outside of Control Limits.



# Duplicate Summary

Job Number: FC2833  
 Account: AECOMCOD AECOM, INC.  
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP95581-DUP	6Q14351.D	1	02/24/23	MV	02/22/23	OP95581	S6Q218
FC2833-2	6Q14349.D	1	02/24/23	MV	02/22/23	OP95581	S6Q218

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC2833-1, FC2833-2, FC2833-3

CAS No.	Compound	FC2833-2 ug/l	DUP Q ug/l	Q	RPD	Limits
113507-82-7PFEESA		0.0089 U	ND		nc	30
356-02-5	3:3 Fluorotelomer carboxylate	0.022 U	ND		nc	30
914637-49-35:3	Fluorotelomer carboxylate	0.11 U	ND		nc	30
812-70-4	7:3 Fluorotelomer carboxylate	0.11 U	ND		nc	30

CAS No.	ID Standard Recoveries	DUP	FC2833-2	Limits
	13C4-PFBA	118%	115%	20-150%
	13C5-PFPeA	110%	106%	20-150%
	13C5-PFHxA	112%	110%	20-150%
	13C4-PFHpA	113%	109%	20-150%
	13C8-PFOA	110%	108%	20-150%
	13C9-PFNA	115%	108%	20-150%
	13C6-PFDA	116%	109%	20-150%
	13C7-PFUnDA	99%	99%	20-150%
	13C2-PFDoDA	90%	88%	20-150%
	13C2-PFTeDA	69%	71%	20-150%
	13C3-PFBS	118%	112%	20-150%
	13C3-PFHxS	119%	114%	20-150%
	13C8-PFOS	108%	95%	20-150%
	13C8-FOSA	121%	115%	20-150%
	d3-MeFOSA	114%	115%	20-150%
	d5-EtFOSA	112%	105%	20-150%
	d3-MeFOSAA	133%	142%	20-150%
	d5-EtFOSAA	154%* a	144%	20-150%
	d7-MeFOSE	105%	100%	20-150%
	d9-EtFOSE	108%	107%	20-150%
	13C2-4:2FTS	160%* a	136%	20-150%
	13C2-6:2FTS	115%	109%	20-150%
	13C2-8:2FTS	116%	99%	20-150%
	13C3-HFPO-DA	117%	115%	20-150%

(a) Outside control limits.

\* = Outside of Control Limits.