



# ANALYTICAL REPORT

## PREPARED FOR

Attn: Terri Choy  
AECOM  
1001 Bishop Street  
Honolulu, Hawaii 96813  
Generated 3/21/2023 5:10:10 PM

## JOB DESCRIPTION

Red Hill - AFFF Assessment Sampling

## JOB NUMBER

580-124759-1

## Job Notes

This report is issued solely for the use of the person or company to whom it is addressed. Any use, copying or disclosure other than by the intended recipient is unauthorized. If you have received this report in error, please notify the sender and destroy this report immediately. This report shall not be reproduced except in full, without prior express written approval by the laboratory.

The data in the report relate to the field sample(s) as received by the laboratory and associated QC. All results have been reviewed and have been found to be compliant with laboratory and accreditation requirements, with the exception of the noted deviation(s). For questions, please contact the Project Manager.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing Northwest, LLC Project Manager.

## Authorization



Generated  
3/21/2023 5:10:10 PM

---

Authorized for release by  
Marie Walker, Senior Project Manager  
[M.Elaine.Walker@et.eurofinsus.com](mailto:M.Elaine.Walker@et.eurofinsus.com)  
(253)248-4972



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Case Narrative . . . . .	4
Definitions . . . . .	5
Client Sample Results . . . . .	6
QC Sample Results . . . . .	8
Chronicle . . . . .	9
Certification Summary . . . . .	10
Sample Summary . . . . .	11
Chain of Custody . . . . .	12
Receipt Checklists . . . . .	19

# Case Narrative

Client: AECOM  
Project/Site: Red Hill - AFFF Assessment Sampling

Job ID: 580-124759-1

**Job ID: 580-124759-1**

**Laboratory: Eurofins Seattle**

**Narrative**

## CASE NARRATIVE

Client: AECOM

Project: Red Hill - AFFF Assessment Sampling

Report Number: 580-124759-1

This case narrative is in the form of an exception report, where only the anomalies related to this report, method specific performance and/or QA/QC issues are discussed. If there are no issues to report, this narrative will include a statement that documents that there are no relevant data issues.

It should be noted that samples with elevated Reporting Limits (RLs) resulting from a dilution may not be able to satisfy customer reporting limits in some cases. Such increases in the RLs are an unavoidable but acceptable consequence of sample dilution that enables quantification of target analytes within the calibration range of the instrument or that reduces the interferences thereby enabling the quantification of target analytes.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

### RECEIPT

Two samples were received on 3/15/2023 10:45 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 5.1° C.

Note: All samples which require thermal preservation are considered acceptable if the arrival temperature is within 2C of the required temperature or method specified range. For samples with a specified temperature of 4C, samples with a temperature ranging from just above freezing temperature of water to 6C shall be acceptable. Samples that are hand delivered immediately following collection may not meet these criteria, however they will be deemed acceptable according to NELAC standards, if there is evidence that the chilling process has begun, such as arrival on ice, etc.

### GLYCOLS

**Samples AF-RHMW04-WGN01LF-2303W2 (580-124759-1) and AF-RHMW06-WGN01LF-2303W2 (580-124759-2) were analyzed for glycols in accordance with EPA SW-846 Method 8015B - DAI.** The samples were analyzed on 03/19/2023.

The continuing calibration verification (CCV) associated with batch 680-768387 recovered above the upper control limit for 2-(2-Butoxyethoxy)ethanol. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data has been reported. The associated samples are impacted: AF-RHMW04-WGN01LF-2303W2 (580-124759-1), AF-RHMW06-WGN01LF-2303W2 (580-124759-2), (CCV 680-768387/33), (CCV 680-768387/41), (580-124759-B-1 MS) and (580-124759-B-1 MSD).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

# Definitions/Glossary

Client: AECOM

Job ID: 580-124759-1

Project/Site: Red Hill - AFFF Assessment Sampling

## Qualifiers

### GC Semi VOA

Qualifier	Qualifier Description
M	Manual integrated compound.
Q	One or more quality control criteria failed.
U	Undetected at the Limit of Detection.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Client Sample Results

Client: AECOM  
Project/Site: Red Hill - AFFF Assessment Sampling

Job ID: 580-124759-1

**Client Sample ID: AF-RHMW04-WGN01LF-2303W2**

**Lab Sample ID: 580-124759-1**

**Date Collected: 03/13/23 10:10**

**Matrix: Water**

**Date Received: 03/15/23 10:45**

**Method: SW846 8015C GLY - Glycols- Direct Injection (GC/FID)**

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
2-(2-Butoxyethoxy)ethanol	3.0	U M Q	5.0	1.1	mg/L			03/19/23 05:05	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

# Client Sample Results

Client: AECOM

Job ID: 580-124759-1

Project/Site: Red Hill - AFFF Assessment Sampling

**Client Sample ID: AF-RHMW06-WGN01LF-2303W2**

**Lab Sample ID: 580-124759-2**

**Date Collected: 03/13/23 12:25**

**Matrix: Water**

**Date Received: 03/15/23 10:45**

**Method: SW846 8015C GLY - Glycols- Direct Injection (GC/FID)**

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
2-(2-Butoxyethoxy)ethanol	3.0	U M Q	5.0	1.1	mg/L			03/19/23 06:15	1

# QC Sample Results

Client: AECOM  
 Project/Site: Red Hill - AFFF Assessment Sampling

Job ID: 580-124759-1

## Method: 8015C GLY - Glycols- Direct Injection (GC/FID)

**Lab Sample ID: MB 680-768387/17**  
**Matrix: Water**  
**Analysis Batch: 768387**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
2-(2-Butoxyethoxy)ethanol	3.0	U M	5.0	1.1	mg/L			03/18/23 21:44	1

**Lab Sample ID: LCS 680-768387/13**  
**Matrix: Water**  
**Analysis Batch: 768387**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
2-(2-Butoxyethoxy)ethanol	20.0	24.5		mg/L		123	50 - 150

**Lab Sample ID: LCSD 680-768387/14**  
**Matrix: Water**  
**Analysis Batch: 768387**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
2-(2-Butoxyethoxy)ethanol	20.0	23.7		mg/L		119	50 - 150	4	50

**Lab Sample ID: 580-124759-1 MS**  
**Matrix: Water**  
**Analysis Batch: 768387**

**Client Sample ID: AF-RHMW04-WGN01LF-2303W2**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
2-(2-Butoxyethoxy)ethanol	3.0	U M Q	20.0	28.4		mg/L		142	50 - 150

**Lab Sample ID: 580-124759-1 MSD**  
**Matrix: Water**  
**Analysis Batch: 768387**

**Client Sample ID: AF-RHMW04-WGN01LF-2303W2**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
2-(2-Butoxyethoxy)ethanol	3.0	U M Q	20.0	25.7		mg/L		128	50 - 150	10	50



# Lab Chronicle

Client: AECOM  
Project/Site: Red Hill - AFFF Assessment Sampling

Job ID: 580-124759-1

**Client Sample ID: AF-RHMW04-WGN01LF-2303W2**

**Lab Sample ID: 580-124759-1**

Date Collected: 03/13/23 10:10

Matrix: Water

Date Received: 03/15/23 10:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8015C GLY		1	768387	JCK	EET SAV	03/19/23 05:05

**Client Sample ID: AF-RHMW06-WGN01LF-2303W2**

**Lab Sample ID: 580-124759-2**

Date Collected: 03/13/23 12:25

Matrix: Water

Date Received: 03/15/23 10:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8015C GLY		1	768387	JCK	EET SAV	03/19/23 06:15

**Laboratory References:**

EET SAV = Eurofins Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

# Accreditation/Certification Summary

Client: AECOM  
Project/Site: Red Hill - AFFF Assessment Sampling

Job ID: 580-124759-1

## Laboratory: Eurofins Savannah

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
ANAB	Dept. of Defense ELAP	L2463	09-22-24

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8015C GLY		Water	2-(2-Butoxyethoxy)ethanol

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

# Sample Summary

Client: AECOM  
Project/Site: Red Hill - AFFF Assessment Sampling

Job ID: 580-124759-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
580-124759-1	AF-RHMW04-WGN01LF-2303W2	Water	03/13/23 10:10	03/15/23 10:45
580-124759-2	AF-RHMW06-WGN01LF-2303W2	Water	03/13/23 12:25	03/15/23 10:45

1

2

3

4

5

6

7

8

9

10

11



**Chain of Custody Record**

<b>Client Information</b>		Sample: <b>Oliver Shirley</b>	Lab PM: <b>Elaine Walker</b>	Carrier Tracking No(s): <b>FedEx</b>	COC No: <b>2303W2AFE09</b>	
Client Contact		Phone: <b>856-938-7710</b>	E-Mail: <b>M.Elaine.Walker@EurofinsET.com</b>	State of Origin: <b>Hawaii</b>	Page: <b>Page 1 of 1</b>	
Company: <b>AECOM</b>		PWSID:	<b>Analysis Requested</b>		Job#:	
Address: <b>1001 Bishop St Suite 1600</b>		Due Date Requested: <b>see subcontract</b>	Field Filtered Sample (Yes or No) <input type="checkbox"/> Preserved in PWS (Yes or No) <input type="checkbox"/> @15C_DAL_GL_Disr 2-(p-butylethoxy)-ethanol		Preservation Codes: A - HCL                              M - Hexane B - NaOH                              N - None C - Zn Acetate                      O - AsNaO2 D - Nitric Acid                      P - Na2O4S E - NaHSO4                          Q - Na2SO3 F - MeOH                              R - Na2SO3 G - Amchlor                          S - H2SO4 H - Ascorbic Acid                    T - TSP Dodecahydrate I - Ice                                    U - Acetone J - DI Water                          V - MCAA K - EDTA                              W - pH 4-5 L - EDA                                Z - other (specify)	
City: <b>Honolulu</b>		TAT Requested (days): <b>Rush - ASAP</b>			Total Number of Containers: <b>3</b>	Other:
State, Zip: <b>Hawaii 96813</b>		Compliance Project: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No				
Phone: <b>808-954-4512 / 770-331-0794</b>		PO #:				
Email: <b>Watson Tanji (watson.tanji@aecom.com) Mark Kromis (mark.kromis@aecom.com)</b>		WO #:				
Project Name: <b>CTO N6274223F0104</b>		Project #: <b>60697810</b>				
Site: <b>RHSF</b>		SSOW#:				
<b>Sample Identification</b>	<b>Sample Date</b>	<b>Sample Time</b>	<b>Sample Type (C=comp, G=grab)</b>	<b>Matrix (W=water, S=soil, O=metal, G=Gas, A=Air)</b>	<b>Preservation Code</b>	<b>Special Instructions/Note</b>
<b>AF-RHMW06-WGN01LF-2303W2</b>	<b>3/13/23</b>	<b>1225</b>	<b>G</b>	<b>W</b>	<b>N N X</b>	
Possible Hazard Identification <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological						Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months
Deliverable Requested: I, II, III, IV, Other (specify)		Prelim data (Level 1 or 2)=see TAT above. DoD Stage 4 report standard TAT AECOM EQHS EDD		Special Instructions/QC Requirements: <b>DOD QSM project</b>		
Empty Kit Relinquished by:		Date:	Time:		Method of Shipment:	
Relinquished by: <b>Oliver Shirley</b>	Date/Time: <b>3/13/23 1340</b>	Company: <b>AECOM</b>	Received by: <b>James Mason</b>	Date/Time: <b>3/13/23 1340</b>	Company: <b>AECOM</b>	
Relinquished by: <b>James Mason</b>	Date/Time: <b>3/13/23 1400</b>	Company: <b>AECOM</b>	Received by: <b>[Signature]</b>	Date/Time: <b>3/15/23 1045</b>	Company:	
Relinquished by:	Date/Time:	Company:	Received by:	Date/Time:	Company:	
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No	Custody Seal No.:	Cooler Temperature(s) °C and Other Remarks: <b>5/1/5.1</b>				

# Chain of Custody Record

<b>Client Information</b> Client Contact: <b>Olivia Shively</b> Phone: <b>856-938-7710</b> PWSID:		Lab PM: <b>Elaine Walker</b> E-Mail: <b>M.Elaine.Walker@EurofinsET.com</b> Carrier Tracking No(s): <b>FedEx</b> State of Origin: <b>Hawaii</b>		COC No: <b>2303W2AFE08</b> Page: <b>Page 1 of 1</b> Job #:	
Due Date Requested: see subcontract TAT Requested (days): <b>Rush - ASAP</b> Compliance Project: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No PO #: WO #: Project #: <b>60697810</b> SSO#:		<b>Analysis Requested</b> <div style="text-align: center; font-size: 2em; opacity: 0.5;">OK</div>			
Address: <b>1001 Bishop St. Suite 1600</b> City: <b>Honolulu</b> State, Zip: <b>Hawaii 96813</b> Phone: <b>808-954-4512 / 770-331-0794</b> Email: <b>Watson.Tanji@aeacom.com / Mark.Kromis@aeacom.com</b> Project Name: <b>CTO N6274223F0104</b> Site: <b>RHSF</b>		Preservation Codes: A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other:			
<b>Sample Identification</b> AF-RHMW04-WGN01LF-2303W2		Sample Date: <b>3/13/23</b> Sample Time: <b>1010</b> Sample Type (C=Comp, G=grab): <b>G</b> Matrix (Water, Solid, Other): <b>W</b>	Field Filtered Sample (Yes or No): <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Perform MS/MSD (Yes or No): <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No 8015C DAL_GL_D5f/2-(2-butoxyethoxy)-ethanol: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Total Number of Containers: <b>3</b> Special Instructions/Note:	
<b>Possible Hazard Identification</b> <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological Deliverable Requested: I, II, III, IV, Other (specify)					
<b>Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)</b> <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months					
Empty Kit Relinquished by: _____ Relinquished by: <b>Olivia Shively / AECOM</b> Relinquished by: <b>James Mason</b> Relinquished by: _____ Date/Time: <b>3/13/23 1340</b> Date/Time: <b>3/13/23 1400</b> Date/Time: _____ Company: <b>AECOM</b> Company: <b>AECOM</b> Company: _____					
Custody Seals Intact: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Custody Seal No.: _____ Cooler Temperature(s) °C and Other Remarks: <b>3/15.1</b>					



<b>Client Information</b> Company: AECOM Address: 1001 Bishop St. Suite 1600 City: Honolulu State, Zip: Hawaii 96813 Phone: 808-954-4512 / 770-331-0794 Email: Watson.Tanji@aecom.com / Mark.Kromis@aecom.com Project Name: CTO N6274223F0104 Site: RHSF		Lab PW: Elaine Walker E-Mail: M.Elaine.Walker@EurofinsET.com Camer Tracking No(s): 2303W2AFE09 State of Origin: Hawaii Page: Page 1 of 1 Job #:	
Due Date Requested: TAT Requested (days): <b>Rush - ASAP</b> Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No PO #: _____ WO #: _____ Project #: 60697810 SSOW#: _____		Analysis Requested 8015C_DAL_GL_DS/2-(2-butoxyethoxy)-ethanol Perform MS/MSD (Yes or No) <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Field Filtered Sample (Yes or No) <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
<b>Sample Identification</b> AF-RHMW06-WGN01LF-2303W2 Sample Date: 3/13/23 Sample Time: 1225 Sample Type (C=Comp, G=grab): G Matrix (W=water, S=solid, O=washoil, BT=Tissue, AAU): _____ Preservation Code: _____		Total Number of containers: 3 Special Instructions/Note: _____	
<b>Possible Hazard Identification</b> <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological Deliverable Requested: I, II, III, IV, Other (specify) _____			
Empty Kit Relinquished by: _____ Relinquished by: <i>James Mason</i> Relinquished by: <i>James Mason</i> Date/Time: 3/13/23 1340 Date/Time: 3/13/23 1400 Date/Time: _____			
Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months Special Instructions/QC Requirements: DOD QSM project.			
Cooler Temperature(s) °C and Other Remarks: 5/15.1 Custody Seal No.: <input type="checkbox"/> Yes <input type="checkbox"/> No Ver: 01/16/2019			



### Chain of Custody Record

<b>Client Information</b>		Sampler: <u>Olivia Shively</u>		Lab PIN: <u>Elaine Walker</u>	Carrier Tracking No(s): <u>FedEx</u>	COC No: <u>2303W2AFEA08</u>	
Client Contact:		Phone: <u>856-938-7710</u>		E-Mail: <u>M.Elaine.Walker@EurofinsET.com</u>	State of Origin: <u>Hawaii</u>	Page: <u>Page 1 of 1</u>	
Company: <u>AECOM</u>		PWSID		Job #:			
Address: <u>1001 Bishop St. Suite 1600</u>		Due Date Requested: <u>see subcontract</u>		Analysis Requested			
City: <u>Honolulu</u>		TAT Requested (days): <u>Rush - ASAP</u>		Total Number of Containers: <u>3</u>			
State, Zip: <u>Hawaii 96813</u>		Compliance Project: <u>Yes</u> <input type="checkbox"/> <u>No</u> <input type="checkbox"/>		Special Instructions/Note:			
Phone: <u>808-954-4512 / 770-331-0794</u>		PO #:		Preservation Codes: M - Hexane A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other:			
Email: <u>Watson.Tanji@aeocom.com / Mark.Kromis@aeocom.com</u>		WO #:		Special Instructions/Note:			
Project Name: <u>CTO N6274223F0104</u>		Project #: <u>60697810</u>		Special Instructions/Note:			
Site: <u>RHSF</u>		SSOW#:		Special Instructions/Note:			
<b>Sample Identification</b>		Sample Date: <u>3/13/23</u>		Sample Time: <u>1010</u>		Sample Matrix: <u>W</u>	
AF-RHMW04-WGN01LF-2303W2		Sample Type: <u>G</u>		Sample Preservation Code: <u>G</u>		Special Instructions/Note:	
Possible Hazard Identification: <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological		Deliverable Requested: <u>I, II, III, IV, Other (specify)</u>		Empty Kit Relinquished by: <u>Olivia Shively / AECOM</u>		Date/Time: <u>3/13/23 1340</u>	
Relinquished by: <u>Olivia Shively / AECOM</u>		Relinquished by: <u>James Mason</u>		Relinquished by: <u>James Mason</u>		Date/Time: <u>3/13/23 1340</u>	
Relinquished by:		Relinquished by:		Relinquished by:		Date/Time: <u>3/15/23 1045</u>	
Custody Seal Intact: <u>Yes</u> <input type="checkbox"/> <u>No</u> <input type="checkbox"/>		Custody Seal No.:		Cooler Temperature(s) °C and Other Remarks: <u>5/15.1</u>		Ver: 01/16/2019	





**Chain of Custody Record**

<b>Client Information</b>		Sampler: <u>Olivia Shively</u>		Lab Pk: <u>Elaine Walker</u>	Carrier Tracking No(s): <u>2303W2AFE08</u>
Client Contact:		Phone: <u>856-938-7710</u>		E-Mail: <u>M.Elaine.Walker@EurofinsET.com</u>	Page: <u>Page 1 of 1</u>
Company: <u>AECOM</u>		Address: <u>1001 Bishop St. Suite 1600</u>		Job #: _____	
City: <u>Honolulu</u>		State, Zip: <u>Hawaii 96813</u>		Preservation Codes: M - Hexane A - HCL B - NaOH N - None O - AsNaO2 C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other: _____	
Phone: <u>808-954-4512 / 770-331-0794</u>		Project #: <u>60697810</u>		Special Instructions/Note:	
Email: <u>Watson.Tanji@aecom.com / Mark.Kromis@aecom.com</u>		SSOW#: _____		Total Number of Containers: <u>3</u>	
Site: <u>RHSF</u>		Due Date Requested: <u>See subcontract</u>		Analysis Requested	
TAT Requested (days): <u>Rush - ASAP</u>		Compliance Project: <u>Δ Yes Δ No</u>		8015C_DAL_GL_DS/2-(2-butylethoxy)-ethanol	
PO #: _____		WO #: _____		Perform MS/MSD (Yes or No) <u>X</u>	
Sample Identification		Sample Date: <u>3/13/23</u>		Field Filtered Sample (Yes or No) <u>X</u>	
AF-RHMW04-WGND1LF-2303W2		Sample Time: <u>1010</u>		Preservation Code: <u>W</u>	
Sample Type: <u>G</u>		Matrix: <u>Water</u>		Special Instructions/Note: <u>580-124759 Chain of Custody</u>	
Possible Hazard Identification		Sample Date: <u>3/13/23</u>		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)	
<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological		Date: <u>3/13/23</u>		<input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months	
Deliverable Requested I, II, III, IV Other (specify)		Date: <u>3/13/23</u>		Special Instructions/QC Requirements: <u>DOD QSM project.</u>	
Empty Kit Relinquished by		Date: <u>3/13/23</u>		Method of Shipment:	
Relinquished by: <u>Olivia Shively / AECOM</u>		Date/Time: <u>3/13/23 1340</u>		Received by: <u>James Mason</u>	
Relinquished by: <u>James Mason</u>		Date/Time: <u>3/13/23 1400</u>		Received by: <u>[Signature]</u>	
Relinquished by:		Date/Time:		Received by:	
Custody Seal Intact: <u>Δ Yes Δ No</u>		Custody Seal No		Cooler Temperature(s) °C and Other Remarks: <u>5/15.1</u>	



### Chain of Custody Record

<b>Client Information</b>		Sampler: <i>Chau Shuey</i>		Lab PM: Elaine Walker		Carrier Tracking No(s): 2303W2AFEA09	
Company: AECOM		Phone: 850-438-7710		E-Mail: Elaine Walker@EurofinsET.com		Page: Page 1 of 1	
Address: 1001 Bishop St. Suite 1600		City: Honolulu		State: HI		Job #:	
City: Honolulu		State: HI		Country: USA		Analysis Requested	
Phone: 808-954-4512 / 770-331-0794		Compliance Project: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		Rush - ASAP		Preservation Codes:	
PO #: <i>60697810</i>		WO #:		Project #:		M - Hexane	
Email: Watson Tanji (watson.tanji@aecom.com) / Mark Kromis (mark.kromis@aecom.com)		Project Name: CTO N627423F0104		SSOW#:		N - None	
Site: RHSF		Sample Date: <i>3/13/23</i>		Sample Time: <i>1025</i>		P - NaNO2	
Sample Identification: AF-RHMW06-WGN01F-2303W2		Sample Type (C=comp, G=grab): <i>G</i>		Matrix (W=water, S=solid, O=on-site, I=ice, A=air): <i>W</i>		Q - Na2SO4	
Possible Hazard Identification: <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological		Deliverable Requested: <input type="checkbox"/> I <input type="checkbox"/> II <input type="checkbox"/> III <input type="checkbox"/> IV Other (specify)		Empty Kit Relinquished by: <i>James Mason</i>		R - Na2S2O3	
Date: <i>3/13/23</i>		Date: <i>3/13/23</i>		Date: <i>3/13/23</i>		S - H2SO4	
Relinquished by: <i>James Mason</i>		Relinquished by: <i>James Mason</i>		Relinquished by: <i>James Mason</i>		T - TSP Dodecahydrate	
Relinquished by: <i>James Mason</i>		Relinquished by: <i>James Mason</i>		Relinquished by: <i>James Mason</i>		U - Acetone	
Custody Seals Intact: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		Custody Seal No.:		Cooler Temperature(s) °C and Other Remarks: <i>5.1/5.1</i>		V - MCAA	
Date: <i>3/13/23</i>		Date: <i>3/13/23</i>		Date: <i>3/13/23</i>		W - pH 4-5	
Date: <i>3/13/23</i>		Date: <i>3/13/23</i>		Date: <i>3/13/23</i>		X - Other (specify)	
Date: <i>3/13/23</i>		Date: <i>3/13/23</i>		Date: <i>3/13/23</i>		Other	
Date: <i>3/13/23</i>		Date: <i>3/13/23</i>		Date: <i>3/13/23</i>		Total Number of containers: <i>3</i>	
Date: <i>3/13/23</i>		Date: <i>3/13/23</i>		Date: <i>3/13/23</i>		Special Instructions/Note:	
Date: <i>3/13/23</i>		Date: <i>3/13/23</i>		Date: <i>3/13/23</i>		Perform MS/MSD (Yes or No): <i>X</i>	
Date: <i>3/13/23</i>		Date: <i>3/13/23</i>		Date: <i>3/13/23</i>		Field Filtered Sample (Yes or No): <i>X</i>	
Date: <i>3/13/23</i>		Date: <i>3/13/23</i>		Date: <i>3/13/23</i>		8015C_DAL_GL_DS/2-(2-butoxyethoxy)-ethanol: <i>A</i>	
Date: <i>3/13/23</i>		Date: <i>3/13/23</i>		Date: <i>3/13/23</i>		Return To Client: <input type="checkbox"/> Dispose By Lab: <input type="checkbox"/> Archive For: <i>Months</i>	
Date: <i>3/13/23</i>		Date: <i>3/13/23</i>		Date: <i>3/13/23</i>		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)	
Date: <i>3/13/23</i>		Date: <i>3/13/23</i>		Date: <i>3/13/23</i>		Special Instructions/QC Requirements: DOD QSM project.	
Date: <i>3/13/23</i>		Date: <i>3/13/23</i>		Date: <i>3/13/23</i>		Method of Shipment:	
Date: <i>3/13/23</i>		Date: <i>3/13/23</i>		Date: <i>3/13/23</i>		Received by: <i>James Mason</i>	
Date: <i>3/13/23</i>		Date: <i>3/13/23</i>		Date: <i>3/13/23</i>		Received by: <i>James Mason</i>	
Date: <i>3/13/23</i>		Date: <i>3/13/23</i>		Date: <i>3/13/23</i>		Received by: <i>James Mason</i>	
Date: <i>3/13/23</i>		Date: <i>3/13/23</i>		Date: <i>3/13/23</i>		Cooler Temperature(s) °C and Other Remarks: <i>5.1/5.1</i>	
Date: <i>3/13/23</i>		Date: <i>3/13/23</i>		Date: <i>3/13/23</i>		Ver: 01/16/2019	



# Login Sample Receipt Checklist

Client: AECOM

Job Number: 580-124759-1

**Login Number: 124759**

**List Number: 2**

**Creator: Johnson, Corey M**

**List Source: Eurofins Savannah**

**List Creation: 03/17/23 08:07 PM**

Question	Answer	Comment
Radioactivity wasn't checked or is <math>\leq</math> background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

