

 **ANALYTICAL REPORT****PREPARED FOR**

Attn: Terri Choy  
AECOM

1001 Bishop Street  
Honolulu HI 96813

Generated 4/6/2023 1:14 PM

**JOB DESCRIPTION**

Red Hill - AFFF Assessment Sampling

**JOB NUMBER**

580-125377-1

# Eurofins Seattle

## Job Notes

This report is issued solely for the use of the person or company to whom it is addressed. Any use, copying or disclosure other than by the intended recipient is unauthorized. If you have received this report in error, please notify the sender and destroy this report immediately. This report shall not be reproduced except in full, without prior express written approval by the laboratory.

The data in the report relate to the field sample(s) as received by the laboratory and associated QC. All results have been reviewed and have been found to be compliant with laboratory and accreditation requirements, with the exception of the noted deviation(s). For questions, please contact the Project Manager.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing Northwest, LLC Project Manager.

## Authorization



Generated  
4/6/2023 1:14 PM

---

Authorized for release by  
Marie E Walker, Senior Project Manager  
[M.Elaine.Walker@et.eurofinsus.com](mailto:M.Elaine.Walker@et.eurofinsus.com)  
253 248-4972

# Table of Contents

Cover Title Page . . . . .	1
Data Summaries . . . . .	5
Definitions . . . . .	5
Case Narrative . . . . .	6
Detection Summary . . . . .	7
Client Sample Results . . . . .	8
Default Detection Limits . . . . .	9
QC Sample Results . . . . .	10
QC Association . . . . .	11
Chronicle . . . . .	12
Certification Summary . . . . .	13
Method Summary . . . . .	14
Sample Summary . . . . .	15
Manual Integration Summary . . . . .	16
Reagent Traceability . . . . .	20
COAs . . . . .	21
Organic Sample Data . . . . .	32
GC Semi VOA . . . . .	32
Method 8015C - DAI Glycols . . . . .	32
Method 8015C - DAI Glycols QC Summary . . . . .	33
Method 8015C - DAI Glycols Sample Data . . . . .	40
Standards Data . . . . .	55
Method 8015C - DAI Glycols ICAL Data . . . . .	55
Method 8015C - DAI Glycols CCAL Data . . . . .	103
Raw QC Data . . . . .	126
Method 8015C - DAI Glycols Blank Data . . . . .	126

# Table of Contents

Method 8015C - DAI Glycols LCS/LCSD Data .....	129
Method 8015C - DAI Glycols MS/MSD Data .....	139
Method 8015C - DAI Glycols Run Logs .....	147
Method 8015C - DAI Glycols Prep Data .....	149
<b>Subcontracted Data .....</b>	<b>151</b>
<b>Shipping and Receiving Documents .....</b>	<b>152</b>
Client Chain of Custody .....	153
Sample Receipt Checklist .....	161

# Definitions/Glossary

Client: AECOM  
Project/Site: Red Hill - AFFF Assessment Sampling

Job ID: 580-125377-1

## Qualifiers

### GC Semi VOA

Qualifier	Qualifier Description
M	Manual integrated compound.
U	Undetected at the Limit of Detection.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

## CASE NARRATIVE

Client: AECOM

Project: Red Hill - AFFF Assessment Sampling

Report Number: 580-125377-1

This case narrative is in the form of an exception report, where only the anomalies related to this report, method specific performance and/or QA/QC issues are discussed. If there are no issues to report, this narrative will include a statement that documents that there are no relevant data issues.

It should be noted that samples with elevated Reporting Limits (RLs) resulting from a dilution may not be able to satisfy customer reporting limits in some cases. Such increases in the RLs are an unavoidable but acceptable consequence of sample dilution that enables quantification of target analytes within the calibration range of the instrument or that reduces the interferences thereby enabling the quantification of target analytes.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

### RECEIPT

Five samples were received on 3/29/2023 10:30 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 0.4° C.

Note: All samples which require thermal preservation are considered acceptable if the arrival temperature is within 2C of the required temperature or method specified range. For samples with a specified temperature of 4C, samples with a temperature ranging from just above freezing temperature of water to 6C shall be acceptable. Samples that are hand delivered immediately following collection may not meet these criteria, however they will be deemed acceptable according to NELAC standards, if there is evidence that the chilling process has begun, such as arrival on ice, etc.

### GLYCOLS

Samples AF-RHMW02-WGN01LF-2303W3 (580-125377-1), AF-RHMW17-WGN01LF-2303W3 (580-125377-2), AF-RHMW17D-WGN01LF-2303W3 (580-125377-3), AF-RHMW17D-WQFB01-2303W3 (580-125377-4) and AF-RHMW03-WGN01LF-2303W3 (580-125377-5) were analyzed for glycols in accordance with EPA SW-846 Method 8015B - DAI. The samples were analyzed on 04/04/2023 and 04/05/2023.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

# Detection Summary

Client: AECOM  
Project/Site: Red Hill - AFFF Assessment Sampling

Job ID: 580-125377-1

**Client Sample ID: AF-RHMW02-WGN01LF-2303W3**

**Lab Sample ID: 580-125377-1**

No Detections.

**Client Sample ID: AF-RHMW17-WGN01LF-2303W3**

**Lab Sample ID: 580-125377-2**

No Detections.

**Client Sample ID: AF-RHMW17D-WGN01LF-2303W3**

**Lab Sample ID: 580-125377-3**

No Detections.

**Client Sample ID: AF-RHMW17D-WQFB01-2303W3**

**Lab Sample ID: 580-125377-4**

No Detections.

**Client Sample ID: AF-RHMW03-WGN01LF-2303W3**

**Lab Sample ID: 580-125377-5**

No Detections.

This Detection Summary does not include radiochemical test results.

# Client Sample Results

Client: AECOM  
Project/Site: Red Hill - AFFF Assessment Sampling

Job ID: 580-125377-1

**Client Sample ID: AF-RHMW02-WGN01LF-2303W3**

**Lab Sample ID: 580-125377-1**

Date Collected: 03/23/23 10:50

Matrix: Water

Date Received: 03/29/23 10:30

**Method: SW846 8015C GLY - Glycols- Direct Injection (GC/FID)**

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
2-(2-Butoxyethoxy)ethanol	3.0	U M	5.0	1.1	mg/L			04/04/23 16:24	1

**Client Sample ID: AF-RHMW17-WGN01LF-2303W3**

**Lab Sample ID: 580-125377-2**

Date Collected: 03/24/23 12:35

Matrix: Water

Date Received: 03/29/23 10:30

**Method: SW846 8015C GLY - Glycols- Direct Injection (GC/FID)**

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
2-(2-Butoxyethoxy)ethanol	3.0	U M	5.0	1.1	mg/L			04/04/23 23:01	1

**Client Sample ID: AF-RHMW17D-WGN01LF-2303W3**

**Lab Sample ID: 580-125377-3**

Date Collected: 03/24/23 11:10

Matrix: Water

Date Received: 03/29/23 10:30

**Method: SW846 8015C GLY - Glycols- Direct Injection (GC/FID)**

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
2-(2-Butoxyethoxy)ethanol	3.0	U M	5.0	1.1	mg/L			04/04/23 23:24	1

**Client Sample ID: AF-RHMW17D-WQFB01-2303W3**

**Lab Sample ID: 580-125377-4**

Date Collected: 03/24/23 10:00

Matrix: Water

Date Received: 03/29/23 10:30

**Method: SW846 8015C GLY - Glycols- Direct Injection (GC/FID)**

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
2-(2-Butoxyethoxy)ethanol	3.0	U M	5.0	1.1	mg/L			04/04/23 23:48	1

**Client Sample ID: AF-RHMW03-WGN01LF-2303W3**

**Lab Sample ID: 580-125377-5**

Date Collected: 03/23/23 12:55

Matrix: Water

Date Received: 03/29/23 10:30

**Method: SW846 8015C GLY - Glycols- Direct Injection (GC/FID)**

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
2-(2-Butoxyethoxy)ethanol	3.0	U M	5.0	1.1	mg/L			04/05/23 00:11	1



# Default Detection Limits

Client: AECOM

Job ID: 580-125377-1

Project/Site: Red Hill - AFFF Assessment Sampling

---

## Method: 8015C GLY - Glycols- Direct Injection (GC/FID)

---

Analyte	LOQ	DL	Units
2-(2-Butoxyethoxy)ethanol	5.0	1.1	mg/L

# QC Sample Results

Client: AECOM  
Project/Site: Red Hill - AFFF Assessment Sampling

Job ID: 580-125377-1

## Method: 8015C GLY - Glycols- Direct Injection (GC/FID)

**Lab Sample ID: MB 680-771309/11**  
**Matrix: Water**  
**Analysis Batch: 771309**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
2-(2-Butoxyethoxy)ethanol	3.0	U M	5.0	1.1	mg/L			04/04/23 15:14	1

**Lab Sample ID: LCS 680-771309/5**  
**Matrix: Water**  
**Analysis Batch: 771309**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
2-(2-Butoxyethoxy)ethanol	20.0	20.6		mg/L		103	50 - 150

**Lab Sample ID: LCSD 680-771309/6**  
**Matrix: Water**  
**Analysis Batch: 771309**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
2-(2-Butoxyethoxy)ethanol	20.0	22.0		mg/L		110	50 - 150	7	50

**Lab Sample ID: 580-125377-1 MS**  
**Matrix: Water**  
**Analysis Batch: 771309**

**Client Sample ID: AF-RHMW02-WGN01LF-2303W3**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
2-(2-Butoxyethoxy)ethanol	3.0	U M	20.0	26.3		mg/L		132	50 - 150

**Lab Sample ID: 580-125377-1 MSD**  
**Matrix: Water**  
**Analysis Batch: 771309**

**Client Sample ID: AF-RHMW02-WGN01LF-2303W3**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
2-(2-Butoxyethoxy)ethanol	3.0	U M	20.0	24.9		mg/L		125	50 - 150	5	50

# QC Association Summary

Client: AECOM  
Project/Site: Red Hill - AFFF Assessment Sampling

Job ID: 580-125377-1

## GC Semi VOA

### Analysis Batch: 771309

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
580-125377-1	AF-RHMMW02-WGN01LF-2303W3	Total/NA	Water	8015C GLY	
580-125377-2	AF-RHMMW17-WGN01LF-2303W3	Total/NA	Water	8015C GLY	
580-125377-3	AF-RHMMW17D-WGN01LF-2303W3	Total/NA	Water	8015C GLY	
580-125377-4	AF-RHMMW17D-WQFB01-2303W3	Total/NA	Water	8015C GLY	
580-125377-5	AF-RHMMW03-WGN01LF-2303W3	Total/NA	Water	8015C GLY	
MB 680-771309/11	Method Blank	Total/NA	Water	8015C GLY	
LCS 680-771309/5	Lab Control Sample	Total/NA	Water	8015C GLY	
LCSD 680-771309/6	Lab Control Sample Dup	Total/NA	Water	8015C GLY	
580-125377-1 MS	AF-RHMMW02-WGN01LF-2303W3	Total/NA	Water	8015C GLY	
580-125377-1 MSD	AF-RHMMW02-WGN01LF-2303W3	Total/NA	Water	8015C GLY	

# Lab Chronicle

Client: AECOM  
Project/Site: Red Hill - AFFF Assessment Sampling

Job ID: 580-125377-1

**Client Sample ID: AF-RHMW02-WGN01LF-2303W3**

**Lab Sample ID: 580-125377-1**

Date Collected: 03/23/23 10:50

Matrix: Water

Date Received: 03/29/23 10:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8015C GLY		1	771309	JCK	EET SAV	04/04/23 16:24

**Client Sample ID: AF-RHMW17-WGN01LF-2303W3**

**Lab Sample ID: 580-125377-2**

Date Collected: 03/24/23 12:35

Matrix: Water

Date Received: 03/29/23 10:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8015C GLY		1	771309	JCK	EET SAV	04/04/23 23:01

**Client Sample ID: AF-RHMW17D-WGN01LF-2303W3**

**Lab Sample ID: 580-125377-3**

Date Collected: 03/24/23 11:10

Matrix: Water

Date Received: 03/29/23 10:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8015C GLY		1	771309	JCK	EET SAV	04/04/23 23:24

**Client Sample ID: AF-RHMW17D-WQFB01-2303W3**

**Lab Sample ID: 580-125377-4**

Date Collected: 03/24/23 10:00

Matrix: Water

Date Received: 03/29/23 10:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8015C GLY		1	771309	JCK	EET SAV	04/04/23 23:48

**Client Sample ID: AF-RHMW03-WGN01LF-2303W3**

**Lab Sample ID: 580-125377-5**

Date Collected: 03/23/23 12:55

Matrix: Water

Date Received: 03/29/23 10:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8015C GLY		1	771309	JCK	EET SAV	04/05/23 00:11

**Laboratory References:**

EET SAV = Eurofins Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

# Accreditation/Certification Summary

Client: AECOM  
Project/Site: Red Hill - AFFF Assessment Sampling

Job ID: 580-125377-1

## Laboratory: Eurofins Savannah

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
ANAB	Dept. of Defense ELAP	L2463	09-22-24

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8015C GLY		Water	2-(2-Butoxyethoxy)ethanol

# Method Summary

Client: AECOM

Job ID: 580-125377-1

Project/Site: Red Hill - AFFF Assessment Sampling

---

---

<b>Method</b>	<b>Method Description</b>	<b>Protocol</b>	<b>Laboratory</b>
8015C GLY	Glycols- Direct Injection (GC/FID)	SW846	EET SAV

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

EET SAV = Eurofins Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

# Sample Summary

Client: AECOM

Job ID: 580-125377-1

Project/Site: Red Hill - AFFF Assessment Sampling

---

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
580-125377-1	AF-RHMW02-WGN01LF-2303W3	Water	03/23/23 10:50	03/29/23 10:30
580-125377-2	AF-RHMW17-WGN01LF-2303W3	Water	03/24/23 12:35	03/29/23 10:30
580-125377-3	AF-RHMW17D-WGN01LF-2303W3	Water	03/24/23 11:10	03/29/23 10:30
580-125377-4	AF-RHMW17D-WQFB01-2303W3	Water	03/24/23 10:00	03/29/23 10:30
580-125377-5	AF-RHMW03-WGN01LF-2303W3	Water	03/23/23 12:55	03/29/23 10:30

GC SEMI VOA MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Savannah Job No.: 580-125377-1

SDG No.: \_\_\_\_\_

Instrument ID: CVGG2 Analysis Batch Number: 770932

Lab Sample ID: IC 680-770932/4 Client Sample ID: \_\_\_\_\_

Date Analyzed: 04/02/23 14:09 Lab File ID: GD02004.D GC Column: J&W DB WAX ID: 0.45 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Propylene glycol	5.98	Baseline Smoothing	SWK1	04/03/23 10:27
Ethylene glycol	6.24	Baseline Smoothing	SWK1	04/03/23 10:27

Lab Sample ID: IC 680-770932/5 Client Sample ID: \_\_\_\_\_

Date Analyzed: 04/02/23 14:33 Lab File ID: GD02005.D GC Column: J&W DB WAX ID: 0.45 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Propylene glycol	5.99	Baseline Smoothing	SWK1	04/03/23 10:27
Ethylene glycol	6.23	Baseline Smoothing	SWK1	04/03/23 10:27

Lab Sample ID: IC 680-770932/6 Client Sample ID: \_\_\_\_\_

Date Analyzed: 04/02/23 14:56 Lab File ID: GD02006.D GC Column: J&W DB WAX ID: 0.45 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Propylene glycol	6.02	Baseline Smoothing	SWK1	04/03/23 10:27
Ethylene glycol	6.24	Baseline Smoothing	SWK1	04/03/23 10:27

Lab Sample ID: ICIS 680-770932/7 Client Sample ID: \_\_\_\_\_

Date Analyzed: 04/02/23 15:20 Lab File ID: GD02007.D GC Column: J&W DB WAX ID: 0.45 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Propylene glycol	6.03	Baseline Smoothing	SWK1	04/03/23 10:27
Ethylene glycol	6.25	Baseline Smoothing	SWK1	04/03/23 10:27



GC SEMI VOA MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Savannah Job No.: 580-125377-1

SDG No.: \_\_\_\_\_

Instrument ID: CVGG2 Analysis Batch Number: 770932

Lab Sample ID: IC 680-770932/8 Client Sample ID: \_\_\_\_\_

Date Analyzed: 04/02/23 15:43 Lab File ID: GD02008.D GC Column: J&W DB WAX ID: 0.45 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Propylene glycol	6.03	Baseline Smoothing	SWK1	04/03/23 10:25
Ethylene glycol	6.24	Baseline Smoothing	SWK1	04/03/23 10:25

Lab Sample ID: IC 680-770932/9 Client Sample ID: \_\_\_\_\_

Date Analyzed: 04/02/23 16:06 Lab File ID: GD02009.D GC Column: J&W DB WAX ID: 0.45 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Propylene glycol	6.04	Baseline Smoothing	SWK1	04/03/23 10:24
Ethylene glycol	6.24	Baseline Smoothing	SWK1	04/03/23 10:24

Lab Sample ID: IC 680-770932/10 Client Sample ID: \_\_\_\_\_

Date Analyzed: 04/02/23 16:30 Lab File ID: GD02010.D GC Column: J&W DB WAX ID: 0.45 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Propylene glycol	6.03	Baseline Smoothing	SWK1	04/03/23 10:25
Ethylene glycol	6.25	Baseline Smoothing	SWK1	04/03/23 10:25

Lab Sample ID: ICV 680-770932/11 CCV Client Sample ID: \_\_\_\_\_

Date Analyzed: 04/02/23 16:53 Lab File ID: GD02011.D GC Column: J&W DB WAX ID: 0.45 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
Propylene glycol	6.03	Baseline Smoothing	SWK1	04/03/23 10:25
Ethylene glycol	6.25	Baseline Smoothing	SWK1	04/03/23 10:25

GC SEMI VOA MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Savannah Job No.: 580-125377-1

SDG No.: \_\_\_\_\_

Instrument ID: CVGG2 Analysis Batch Number: 771309

Lab Sample ID: CCVIS 680-771309/4 Client Sample ID: \_\_\_\_\_

Date Analyzed: 04/04/23 12:30 Lab File ID: GD04004.D GC Column: J&W DB WAX ID: 0.45 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
2-Butoxyethanol	3.56	Baseline Smoothing	SK9U	04/04/23 12:51

Lab Sample ID: MB 680-771309/11 Client Sample ID: \_\_\_\_\_

Date Analyzed: 04/04/23 15:14 Lab File ID: GD04011.D GC Column: J&W DB WAX ID: 0.45 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
2-(2-Butoxyethoxy)ethanol		Invalid Compound ID	SK9U	04/04/23 18:12

Lab Sample ID: 580-125377-1 Client Sample ID: AF-RHMW02-WGN01LF-2303W3

Date Analyzed: 04/04/23 16:24 Lab File ID: GD04014.D GC Column: J&W DB WAX ID: 0.45 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
2-(2-Butoxyethoxy)ethanol		Invalid Compound ID	SWK1	04/04/23 18:52

Lab Sample ID: 580-125377-2 Client Sample ID: AF-RHMW17-WGN01LF-2303W3

Date Analyzed: 04/04/23 23:01 Lab File ID: GD04031.D GC Column: J&W DB WAX ID: 0.45 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
2-(2-Butoxyethoxy)ethanol		Invalid Compound ID	SWK1	04/05/23 10:48

Lab Sample ID: 580-125377-3 Client Sample ID: AF-RHMW17D-WGN01LF-2303W3

Date Analyzed: 04/04/23 23:24 Lab File ID: GD04032.D GC Column: J&W DB WAX ID: 0.45 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
2-(2-Butoxyethoxy)ethanol		Invalid Compound ID	SWK1	04/05/23 10:48

GC SEMI VOA MANUAL INTEGRATION SUMMARY

Lab Name: Eurofins Savannah Job No.: 580-125377-1

SDG No.: \_\_\_\_\_

Instrument ID: CVGG2 Analysis Batch Number: 771309

Lab Sample ID: 580-125377-4 Client Sample ID: AF-RHMW17D-WQFB01-2303W3

Date Analyzed: 04/04/23 23:48 Lab File ID: GD04033.D GC Column: J&W DB WAX ID: 0.45 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
2-(2-Butoxyethoxy)ethanol		Invalid Compound ID	SWK1	04/05/23 10:48

Lab Sample ID: 580-125377-5 Client Sample ID: AF-RHMW03-WGN01LF-2303W3

Date Analyzed: 04/05/23 00:11 Lab File ID: GD04034.D GC Column: J&W DB WAX ID: 0.45 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION		
		REASON	ANALYST	DATE
2-(2-Butoxyethoxy)ethanol		Invalid Compound ID	SWK1	04/05/23 10:48

REAGENT TRACEABILITY SUMMARY

Lab Name: Eurofins Savannah Job No.: 580-125377-1

SDG No.: \_\_\_\_\_

Reagent ID	Exp Date	Prep Date	Dilutant Used	Reagent Final Volume	Parent Reagent		Analyte	Concentration
					Reagent ID	Volume Added		
SG_Gly_CAL_00054	06/27/23		o2si, Lot 480919			(Purchased Reagent)	2,2'-Oxybisethanol	2000 ug/mL
							2-(2-Butoxyethoxy)ethanol	2000 ug/mL
							2-Butoxyethanol	2000 ug/mL
							4-Hydroxy-4-methyl-2-pentanone	2000 ug/mL
							Dipropylene Glycol Methyl Ether	2000 ug/mL
							Ethanol, 2-propoxy	2000 ug/mL
							Ethylene glycol	2000 ug/mL
							Propylene glycol	2000 ug/mL
SG_GLY_ISTD_00106	05/22/23		Agilent, Lot 0006720623			(Purchased Reagent)	n-Heptyl Alcohol	5000 ug/mL
SG_GlyICV_00059	06/27/23		o2si, Lot 454407			(Purchased Reagent)	2-(2-Butoxyethoxy)ethanol	2000 ug/mL

Reagent

---

**SG\_Gly\_CAL\_00054**



ISO/IEC 17025 Accredited  
Chemical Testing Lab  
Cert. No. 3031.01



ISO 17034 Accredited  
Reference Material Producer  
Cert. No. 3031.02

Rev 0

## Certificate of Analysis

Page 1 of 3

Catalog No.	Lot No.	Storage	Solvent	Date Received	Exp. Date
G34-120070-04	480919	≤ -10 °C	P/T Methanol		2-May-2024

### Description:

ISO 17034 -Custom Volatiles Mix,105-12, 2000 & 4,000 mg/L, 1 mL

### Container:

1 ml Ampule, Amber Glass

### Certified Values:

The certified value is based on gravimetric and volumetric preparation of this Certified Reference Material (CRM). This CRM has been confirmed by GC/MS, GC, HPLC, UPLC/HRAM-MS, UV/VIS, Enzymatic, and/or wet chemistry techniques using internally developed method(s) against independent source(s). The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2. The purity of neat materials not traceable to an ISO 17034:2016 accredited Reference Material Provider is traceable to internal analysis by GC, GC/MS, HPLC, Enzymatic, or wet chemistry techniques and compared to a National Metrological Institute such as NIST where feasible.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration
2-butoxyethanol	111-76-2	99.6	311.9.2P	1986 ± 100 mg/L
diethylene glycol butyl ether	112-34-5	99.8	2323.7.2P	2008 ± 100 mg/L
propyl cellosolve	2807-30-9	99.9	1570.7.2P	1980 ± 100 mg/L
dipropylene glycol monomethyl ether	34590-94-8	99.7	2333.7.2P	2014 ± 100 mg/L
ethylene glycol	107-21-1	100	307.201.1P	1968 ± 99 mg/L
di(ethylene glycol)	111-46-6	99.5	309.7.2P	1994 ± 100 mg/L
tri(ethylene glycol)	112-27-6	99.9	310.7.2.1.1P	1974 ± 110 mg/L
4-Hydroxy-4-methyl-2-pentanone	123-42-2	98	2334.286.1P	1991 ± 110 mg/L
1,2-propanediol	57-55-6	99.5	306.9.3P	1998 ± 100 mg/L
tetraethylene glycol	112-60-7	98	3754.7.1P	3959 ± 200 mg/L

### Intended Uses:

This CRM is intended for use as a calibration standard or a quality control standard for chromatography equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various USEPA, NIOSH and ASTM methods.

Recommended storage container for ampuled products after opening is a 12 mm x 32 mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

# Certificate of Analysis

Page 2 of 3

Catalog No. G34-120070-04

Lot No. 480919

Expiration Date 2 -May-2024

$$\% \text{ Change} = 116192x^{-2.578} + 40.383e^{-0.03y}$$

where x = boiling point of the most volatile analyte in the mix (in degrees K)

y = boiling point of the solvent (in degrees K)

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened ampule should be stored.

## Method of Preparation:

This standard was prepared gravimetrically using balances calibrated with National Institute of Standards and Technology (NIST) traceable weights (NIST Test Numbers 822/273070-06, 822/275141-07, 822/278993-10). Only calibrated Class A volumetric glassware and/or calibrated syringes were used to prepare this standard. Raw materials may have been checked for stoichiometry and purity prior to use. This standard has been analyzed against an independent source.

## Packaging and Storage:

The solution should be stored according to the following storage requirements:  $\leq -10$  °C

Once the product is opened, it should be transferred to a vial with minimum head space if the product was received in a sealed ampule.

## Glassware Calibration:

Only Class A glassware and/or calibrated syringes are used in the manufacture and quality control of standards. All glassware is calibrated using NIST traceable weights.

## Weights and Balance Calibration:

Weights used to perform daily checks on balances are calibrated annually by the State of South Carolina Department of Agriculture Metrology Laboratory and are traceable to NIST. Balances are checked daily in accordance to procedure O2-LB-G-002. Balances are calibrated annually by an ISO/IEC 17025:2017 accredited metrology service.

## Homogeneity:

Homogeneity has been established in accordance with internal procedure O2-QS-011 and has a maximum uncertainty of 0.1%. This is consistent with the intended use of this CRM. The homogeneity of this product has been confirmed by procedures consistent with ISO/IEC 17025:2017 and ISO 17034:2016. The homogeneity of this CRM is valid for sample sub-sizes that the end user can quantitatively reproduce.

## Hazardous Information:

Refer to MSDS.

## Calculation of Uncertainty:

The following equations are used to calculate the value of the expanded uncertainty:

$u = ku_c$  u = Expanded Uncertainty, k = the coverage factor at the 95% confidence level, k = 2,  $u_c$  = the combined uncertainty

$u_c = (u_{\text{char}}^2 + u_{\text{tran}}^2 + u_{\text{homo}}^2 + u_{\text{ls}}^2)^{1/2}$  where  $u_i$  are the individual uncertainty components for manufacturing, transportation, homogeneity, and shelf life. While no significant uncertainty was detected in the replicates, a minimum contribution to

Manufactured By:




Brian Stokes

3 -May-2022

Production Chemist I

Certified By:



Tyler Sherman

14 -Jun-2022

Quality Control Chemist I

Released By:



Susan Mathews

14 -Jun-2022

Quality Control Team Lead

7290B Investment Drive • North Charleston, SC 29418  
Phone: 866.272.0932 • Fax: 866.509.5146 www.o2si.com

# Certificate of Analysis

Catalog No. G34-120070-04

Lot No. 480919

Expiration Date 2 -May-2024

uncertainty was added for homogeneity and long term stability as described in ISO Guide 35:2017.


## Expiration Information:

The stability of this product is based upon rigorous short term and long term testing of the solution for the certified value. These tests include the effect of temperature and packaging on the product. Studies on the short term instability have determined no contribution to instability as observed on the concentration under controlled transportation conditions. This standard is guaranteed until 2-May-2024

## Quality Standard Documentation:

- ISO/IEC 17025:2017 "General Requirements for the Competence of Testing and Calibration" - Chemical Testing - Accredited A2LA Certificate Number 3031.01
- ISO 17034:2016 "General Requirements for the Competence of Reference Material Producers" - Reference Material Production - Accredited A2LA Certificate Number 3031.02

**Manufactured By:**



Brian Stokes

3 -May-2022

**Production Chemist I**

**Certified By:**



Tyler Sherman

14 -Jun-2022

**Quality Control Chemist I**

7290B Investment Drive • North Charleston, SC 29418  
Phone: 866.272.0932 • Fax: 866.509.5146 www.o2si.com

**Released By:**



Susan Mathews

14 -Jun-2022

**Quality Control Team Lead**



Reagent

---

**SG\_GLY\_ISTD\_00106**

**Reference Material Certificate**  
**Product Information Sheet**

**Product Name:** Custom Standard

**Lot Number:** 0006720623

**Product Number:** CUS-6046

**Lot Issue Date:** 15-Dec-2022

**Storage Conditions:** Store at Room Temperature (15° to 30°C).

**Expiration Date:** 31-Jan-2025

Component Name	CERTIFIED VALUES		CAS#	Analyte Lot
	Concentration	Expanded Uncertainty		
n-heptanol	5001	± 25 µg/mL	000111-70-6	RM04540

**Matrix:** methanol (methyl alcohol)

**Description:**

This document is prepared in accordance with ISO 17034 and Guide 31. This analytical reference material standard was manufactured and verified in accordance with an ISO 9001 registered quality system and analyte concentrations were verified by an ISO 17025 accredited laboratory. The concentration and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed above.

**Traceability:**

The balances used for these measurements are calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z540.3, ISO 9001, ISO 17025, and ISO 17034. Calibrated Class A glassware is used for volumetric measurements. Thermometers are calibrated against a NIST traceable thermometer in accordance with NIST Special Publication 1088.

**Homogeneity:**

This analytical reference standard was unitized according to an in-house procedure and is guaranteed to be homogeneous. There is no minimum sub-sample size required.

**Instructions for Use:**

Sample aliquots for analysis should be withdrawn at 20°C to 25°C immediately after opening the container and should be processed without delay for the certified values to be valid within the stated uncertainties.

**Safety:**

Refer to the Safety Data Sheet on [www.agilent.com](http://www.agilent.com) for information regarding this analytical reference material.

**Intended Use:**

This analytical reference standard is intended for the preparation of working reference samples for use in routine laboratory analyses, calibration of instruments, validation of analytical methods, assessments of measurement methods, and continuing calibration verification.

**Expiration of Certification:**

The certification of this analytical reference standard is valid until the expiration date specified above, provided the material is handled and stored in accordance with the instructions given in this certificate. This certification is nullified if the material is damaged, contaminated, or otherwise modified.



**Maintenance of Certification:**

If substantive changes are noted that affect the certification before the expiration of this certificate, Agilent will notify the purchaser.

**Sample lot approver:**

Monica Bourgeois  
QMS Representative



RM was produced in accordance with the TUV/SUD registered ISO 9001:2015 Quality Management System. Cert# 951215321

Page: 2 of 2

[www.agilent.com/quality/](http://www.agilent.com/quality/)  
CSD-QA-015.1

ISO 17025

ISO 17034 Cert  
No. AR-1936

Reagent

---

**SG\_GlyICV\_00059**



ISO/IEC 17025 Accredited  
Chemical Testing Lab  
Cert. No. 3031.01



ISO 17034 Accredited  
Reference Material Producer  
Cert. No. 3031.02

Rev 0

## Certificate of Analysis

Page 1 of 3

Catalog No.	Lot No.	Storage	Solvent	Date Received	Exp. Date
G34-120070-04-SS	454407	≤ -10 °C	P/T Methanol		1-Jul-2023

### Description:

ISO 17034 -Custom Volatiles Mix,105-12, Second Source, 2000 & 4,000 mg/L, 1 mL

### Container:

1 ml Ampule, Amber Glass

### Certified Values:

The certified value is based on gravimetric and volumetric preparation of this Certified Reference Material (CRM). This CRM has been confirmed by GC/MS, GC, HPLC, UPLC/HRAM-MS, UV/VIS, Enzymatic, and/or wet chemistry techniques using internally developed method(s) against independent source(s). The uncertainty value is calculated for a 95% confidence interval with a *k* value of 2. The purity of neat materials not traceable to an ISO 17034:2016 accredited Reference Material Provider is traceable to internal analysis by GC, GC/MS, HPLC, Enzymatic, or wet chemistry techniques and compared to a National Metrological Institute such as NIST where feasible.

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration
2-butoxyethanol	111-76-2	99.5	311.7.1.1S	1994 ± 100 mg/L
diethylene glycol butyl ether	112-34-5	99.8	2323.7.2.1S	1992 ± 100 mg/L
2-propoxyethanol	2807-30-9	99.5	1570.7.1S	1998 ± 110 mg/L
dipropylene glycol monomethyl ether	34590-94-8	99.7	2333.7.2.1S	1998 ± 100 mg/L
ethylene glycol	107-21-1	100	307.201.1.1S	2016 ± 100 mg/L
di(ethylene glycol)	111-46-6	99.9	309.7.1.1S	1998 ± 100 mg/L
tri(ethylene glycol)	112-27-6	99.9	310.7.3.1S	2010 ± 100 mg/L
4-Hydroxy-4-methyl-2-pentanone	123-42-2	98	2334.286.1.1S	2003 ± 110 mg/L
1,2-propanediol	57-55-6	99.6	306.370.1.1S	2004 ± 110 mg/L
tetraethylene glycol	112-60-7	98	3754.7.1.1S	4049 ± 200 mg/L

### Intended Uses:

This CRM is intended for use as a calibration standard or a quality control standard for chromatography equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various USEPA, NIOSH and ASTM methods.

Recommended storage container for ampuled products after opening is a 12 mm x 32 mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

# Certificate of Analysis

Catalog No. G34-120070-04-SS

Lot No. 454407

Expiration Date 1 -Jul-2023

$$\% \text{ Change} = 116192x^{-2.578} + 40.383e^{-0.03y}$$

where x = boiling point of the most volatile analyte in the mix (in degrees K)  
y = boiling point of the solvent (in degrees K)

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened ampule should be stored.

## Method of Preparation:

This standard was prepared gravimetrically using balances calibrated with National Institute of Standards and Technology (NIST) traceable weights (NIST Test Numbers 822/273070-06, 822/275141-07, 822/278993-10). Only calibrated Class A volumetric glassware and/or calibrated syringes were used to prepare this standard. Raw materials may have been checked for stoichiometry and purity prior to use. This standard has been analyzed against an independent source.

## Packaging and Storage:

The solution should be stored according to the following storage requirements: ≤ -10 °C

Once the product is opened, it should be transferred to a vial with minimum head space if the product was received in a sealed ampule.

## Glassware Calibration:

Only Class A glassware and/or calibrated syringes are used in the manufacture and quality control of standards. All glassware is calibrated using NIST traceable weights.

## Weights and Balance Calibration:

Weights used to perform daily checks on balances are calibrated annually by the State of South Carolina Department of Agriculture Metrology Laboratory and are traceable to NIST. Balances are checked daily in accordance to procedure O2-LB-G-002. Balances are calibrated annually by an ISO/IEC 17025:2017 accredited metrology service.

## Homogeneity:

Homogeneity has been established in accordance with internal procedure O2-QS-011 and has a maximum uncertainty of 0.1%. This is consistent with the intended use of this CRM. The homogeneity of this product has been confirmed by procedures consistent with ISO/IEC 17025:2017 and ISO 17034:2016. The homogeneity of this CRM is valid for sample sub-sizes that the end user can quantitatively reproduce.

## Hazardous Information:

Refer to MSDS.

## Calculation of Uncertainty:

The following equations are used to calculate the value of the expanded uncertainty:

$u = k u_c$   $u$  = Expanded Uncertainty,  $k$  = the coverage factor at the 95% confidence level,  $k = 2$ ,  $u_c$  = the combined uncertainty

$u_c = (u_{char}^2 + u_{tran}^2 + u_{homo}^2 + u_{lis}^2)^{1/2}$  where  $u_i$  are the individual uncertainty components for manufacturing, transportation, homogeneity, and shelf life. While no significant uncertainty was detected in the replicates, a minimum contribution to


Manufactured By:



Jared Ball  
1 -Jul-2021

Quality Control Chemist I

Certified By:



Claire Desrochers  
7 -Jul-2021

Quality Control Chemist I

Released By:



Susan Mathews  
8 -Jul-2021

Quality Control Team Lead

7290B Investment Drive • North Charleston, SC 29418  
Phone: 866.272.0932 • Fax: 866.509.5146 www.o2si.com

# Certificate of Analysis

Catalog No. G34-120070-04-SS

Lot No. 454407

Expiration Date 1 -Jul-2023

uncertainty was added for homogeneity and long term stability as described in ISO Guide 35:2017.

## Expiration Information:

The stability of this product is based upon rigorous short term and long term testing of the solution for the certified value. These tests include the effect of temperature and packaging on the product. Studies on the short term instability have determined no contribution to instability as observed on the concentration under controlled transportation conditions. This standard is guaranteed until 1-Jul-2023

## Quality Standard Documentation:

- ISO/IEC 17025:2017 “General Requirements for the Competence of Testing and Calibration” - Chemical Testing - Accredited A2LA Certificate Number 3031.01
- ISO 17034:2016 “General Requirements for the Competence of Reference Material Producers” - Reference Material Production - Accredited A2LA Certificate Number 3031.02

**Manufactured By:**




Jared Ball

1 -Jul-2021

**Quality Control Chemist I**

**Certified By:**



Claire Desrochers

7 -Jul-2021

**Quality Control Chemist I**

**Released By:**



Susan Mathews

8 -Jul-2021

**Quality Control Team Lead**

7290B Investment Drive • North Charleston, SC 29418  
Phone: 866.272.0932 • Fax: 866.509.5146 www.o2si.com

# Method 8015C - DAI Glycols

---

Glycols -Direct Injection (GC/FID) -  
Method 8015C



FORM III  
GC SEMI VOA LAB CONTROL SAMPLE RECOVERY

Lab Name: Eurofins Savannah Job No.: 580-125377-1  
 SDG No.: \_\_\_\_\_  
 Matrix: Water Level: Low Lab File ID: GD04005.D  
 Lab ID: LCS 680-771309/5 Client ID: \_\_\_\_\_

COMPOUND	SPIKE ADDED (mg/L)	LCS CONCENTRATION (mg/L)	LCS % REC	QC LIMITS REC	#
2-(2-Butoxyethoxy) ethanol	20.0	20.6	103	50-150	

# Column to be used to flag recovery and RPD values  
 FORM III 8015C GLY

FORM III  
GC SEMI VOA LAB CONTROL SAMPLE DUPLICATE RECOVERY

Lab Name: Eurofins Savannah Job No.: 580-125377-1  
 SDG No.: \_\_\_\_\_  
 Matrix: Water Level: Low Lab File ID: GD04006.D  
 Lab ID: LCSD 680-771309/6 Client ID: \_\_\_\_\_

COMPOUND	SPIKE ADDED (mg/L)	LCSD CONCENTRATION (mg/L)	LCSD % REC	% RPD	QC LIMITS		#
					RPD	REC	
2-(2-Butoxyethoxy) ethanol	20.0	22.0	110	7	50	50-150	

# Column to be used to flag recovery and RPD values  
 FORM III 8015C GLY

FORM III  
GC SEMI VOA MATRIX SPIKE RECOVERY

Lab Name: Eurofins Savannah Job No.: 580-125377-1  
 SDG No.: \_\_\_\_\_  
 Matrix: Water Level: Low Lab File ID: GD04025.D  
 Lab ID: 580-125377-1 MS Client ID: AF-RHMW02-WGN01LF-2303W3 MS

COMPOUND	SPIKE ADDED (mg/L)	SAMPLE CONCENTRATION (mg/L)	MS CONCENTRATION (mg/L)	MS % REC	QC LIMITS REC	#
2-(2-Butoxyethoxy) ethanol	20.0	3.0 U	26.3	132	50-150	

# Column to be used to flag recovery and RPD values  
 FORM III 8015C GLY

FORM III  
GC SEMI VOA MATRIX SPIKE DUPLICATE RECOVERY

Lab Name: Eurofins Savannah Job No.: 580-125377-1  
 SDG No.: \_\_\_\_\_  
 Matrix: Water Level: Low Lab File ID: GD04026.D  
 Lab ID: 580-125377-1 MSD Client ID: AF-RHMW02-WGN01LF-2303W3 MSD

COMPOUND	SPIKE ADDED (mg/L)	MSD CONCENTRATION (mg/L)	MSD % REC	% RPD	QC LIMITS		#
					RPD	REC	
2-(2-Butoxyethoxy) ethanol	20.0	24.9	125	5	50	50-150	

# Column to be used to flag recovery and RPD values  
 FORM III 8015C GLY

FORM IV  
GC SEMI VOA METHOD BLANK SUMMARY

Lab Name: Eurofins Savannah Job No.: 580-125377-1  
 SDG No.: \_\_\_\_\_  
 Lab Sample ID: MB 680-771309/11  
 Matrix: Water Date Extracted: \_\_\_\_\_  
 Lab File ID: (1) GD04011.D Lab File ID: (2) \_\_\_\_\_  
 Date Analyzed: (1) 04/04/2023 15:14 Date Analyzed: (2) \_\_\_\_\_  
 Instrument ID: (1) CVGG2 Instrument ID: (2) \_\_\_\_\_  
 GC Column: (1) J&W DB WAX ID: 0.45 (mm) GC Column: (2) \_\_\_\_\_ ID: \_\_\_\_\_

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES:

CLIENT SAMPLE ID	LAB SAMPLE ID	DATE ANALYZED 1	DATE ANALYZED 2
	LCS 680-771309/5	04/04/2023 12:54	
	LCSD 680-771309/6	04/04/2023 13:17	
AF-RHMW02-WGN01LF-2303W3	580-125377-1	04/04/2023 16:24	
AF-RHMW02-WGN01LF-2303W3 MS	580-125377-1 MS	04/04/2023 20:41	
AF-RHMW02-WGN01LF-2303W3 MSD	580-125377-1 MSD	04/04/2023 21:04	
AF-RHMW17-WGN01LF-2303W3	580-125377-2	04/04/2023 23:01	
AF-RHMW17D-WGN01LF-2303W 3	580-125377-3	04/04/2023 23:24	
AF-RHMW17D-WQFB01-2303W3	580-125377-4	04/04/2023 23:48	
AF-RHMW03-WGN01LF-2303W3	580-125377-5	04/05/2023 00:11	

FORM VIII  
GC SEMI VOA INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: Eurofins Savannah Job No.: 580-125377-1  
 SDG No.: \_\_\_\_\_  
 Sample No.: ICIS 680-770932/7 Date Analyzed: 04/02/2023 15:20  
 Instrument ID: CVGG2 GC Column: J&W DB WAX ID: 0.45 (mm)  
 Lab File ID (Standard): GD02007.D Heated Purge: (Y/N) N  
 Calibration ID: 90409

	nHPA		#	RT #	#	RT #
	AREA #	RT #				
INITIAL CALIBRATION MID-POINT	5447082	3.97				
UPPER LIMIT	10894164	4.47				
LOWER LIMIT	2723541	3.47				
LAB SAMPLE ID	CLIENT SAMPLE ID					
ICV 680-770932/11 CCV		5993944	3.97			

nHPA = n-Heptyl Alcohol

Area Limit = 50%-200% of internal standard area  
 RT Limit = ± 0.5 minutes of internal standard RT

# Column used to flag values outside QC limits

FORM VIII  
GC SEMI VOA INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: Eurofins Savannah Job No.: 580-125377-1  
 SDG No.: \_\_\_\_\_  
 Sample No.: CCVIS 680-771309/4 Date Analyzed: 04/04/2023 12:30  
 Instrument ID: CVGG2 GC Column: J&W DB WAX ID: 0.45 (mm)  
 Lab File ID (Standard): GD04004.D Heated Purge: (Y/N) N  
 Calibration ID: 90409

		nHPA					
		AREA #	RT #	#	RT #	#	RT #
12/24 HOUR STD		5455876	3.99				
UPPER LIMIT		10911752	4.49				
LOWER LIMIT		2727938	3.49				
LAB SAMPLE ID	CLIENT SAMPLE ID						
LCS 680-771309/5		5377829	3.99				
LCSD 680-771309/6		5298494	3.98				
MB 680-771309/11		5970542	3.98				
580-125377-1	AF-RHMW02-WGN01LF-2 303W3	5060332	3.97				
580-125377-1 MS	AF-RHMW02-WGN01LF-2 303W3 MS	4567939	3.97				
580-125377-1 MSD	AF-RHMW02-WGN01LF-2 303W3 MSD	4488867	3.97				
CCV 680-771309/28		5110475	3.97				
580-125377-2	AF-RHMW17-WGN01LF-2 303W3	4781520	3.96				
580-125377-3	AF-RHMW17D-WGN01LF- 2303W3	5104690	3.97				
580-125377-4	AF-RHMW17D-WQFB01-2 303W3	4595248	3.96				
580-125377-5	AF-RHMW03-WGN01LF-2 303W3	5009414	3.96				
CCV 680-771309/44		4830901	3.97				

nHPA = n-Heptyl Alcohol

Area Limit = 50%-200% of internal standard area  
 RT Limit = ± 0.5 minutes of internal standard RT

# Column used to flag values outside QC limits

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Savannah Job No.: 580-125377-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: AF-RHMMW02-WGN01LF-2303W3 Lab Sample ID: 580-125377-1  
 Matrix: Water Lab File ID: GD04014.D  
 Analysis Method: 8015C GLY Date Collected: 03/23/2023 10:50  
 Extraction Method: \_\_\_\_\_ Date Extracted: \_\_\_\_\_  
 Sample wt/vol: 1(mL) Date Analyzed: 04/04/2023 16:24  
 Con. Extract Vol.: 1(mL) Dilution Factor: 1  
 Injection Volume: 1(uL) GC Column: J&W DB WAX ID: 0.45(mm)  
 % Moisture: \_\_\_\_\_ % Solids: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Cleanup Factor: \_\_\_\_\_  
 Analysis Batch No.: 771309 Units: mg/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
112-34-5	2-(2-Butoxyethoxy)ethanol	3.0	U M	5.0	3.0	1.1



Eurofins Savannah  
Target Compound Quantitation Report

Data File: \\chromfs\Savannah\ChromData\CVGG2\20230404-84931.b\GD04014.D  
 Lims ID: 580-125377-A-1  
 Client ID: AF-RHMW02-WGN01LF-2303W3  
 Sample Type: Client  
 Inject. Date: 04-Apr-2023 16:24:13      ALS Bottle#: 0      Worklist Smp#: 14  
 Injection Vol: 1.0 ul      Dil. Factor: 1.0000  
 Sample Info: 680-0084931-014  
 Operator ID:      Instrument ID: CVGG2  
  
 Method: \\chromfs\Savannah\ChromData\CVGG2\20230404-84931.b\8015\_GLY\_VGG.m  
 Limit Group: 8015C\_DAI  
 Last Update: 04-Apr-2023 18:56:50      Calib Date: 02-Apr-2023 16:30:26  
 Integrator: Falcon  
 Quant Method: Internal Standard      Quant By: Initial Calibration  
 Last ICal File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02010.D  
  
 Column 1 : J&W DB WAX ( 0.45 mm)      Det: GC FID2B  
 Process Host: CTX1616

First Level Reviewer: SWK1      Date: 04-Apr-2023 18:52:22

RT (min.)	Exp RT (min.)	Dlt RT (min.)	Response	OnCol Amt ug/ml	Flags
--------------	------------------	------------------	----------	--------------------	-------

\* 4 n-Heptyl Alcohol  
 3.971    3.989    -0.018    5060332    50.0

**QC Flag Legend**

Processing Flags

**Reagents:**

SG\_GLY\_ISTD\_00106      Amount Added: 10.00      Units: uL      Run Reagent

Eurofins Savannah

Data File: \\chromfs\Savannah\ChromData\CVGG2\20230404-84931.b\GD04014.D

Injection Date: 04-Apr-2023 16:24:13

Instrument ID: CVGG2

Operator ID:

Lims ID: 580-125377-A-1

Lab Sample ID: 680-125377-1

Worklist Smp#: 14

Client ID: AF-RHMMW02-WGN01LF-2303W3

Injection Vol: 1.0 ul


Dil. Factor: 1.0000

ALS Bottle#: 0

Method: 8015\_GLY\_VGG

Limit Group: 8015C\_DAI

Column: J&W DB WAX (0.45 mm)



FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Savannah Job No.: 580-125377-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: AF-RHWW17-WGN01LF-2303W3 Lab Sample ID: 580-125377-2  
 Matrix: Water Lab File ID: GD04031.D  
 Analysis Method: 8015C GLY Date Collected: 03/24/2023 12:35  
 Extraction Method: \_\_\_\_\_ Date Extracted: \_\_\_\_\_  
 Sample wt/vol: 1(mL) Date Analyzed: 04/04/2023 23:01  
 Con. Extract Vol.: 1(mL) Dilution Factor: 1  
 Injection Volume: 1(uL) GC Column: J&W DB WAX ID: 0.45(mm)  
 % Moisture: \_\_\_\_\_ % Solids: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Cleanup Factor: \_\_\_\_\_  
 Analysis Batch No.: 771309 Units: mg/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
112-34-5	2-(2-Butoxyethoxy)ethanol	3.0	U M	5.0	3.0	1.1

Eurofins Savannah  
Target Compound Quantitation Report

Data File: \\chromfs\Savannah\ChromData\CVGG2\20230404-84931.b\GD04031.D  
 Lims ID: 580-125377-B-2  
 Client ID: AF-RHMW17-WGN01LF-2303W3  
 Sample Type: Client  
 Inject. Date: 04-Apr-2023 23:01:36 ALS Bottle#: 0 Worklist Smp#: 31  
 Injection Vol: 1.0 ul Dil. Factor: 1.0000  
 Sample Info: 680-0084931-031  
 Operator ID: Instrument ID: CVGG2  
 Method: \\chromfs\Savannah\ChromData\CVGG2\20230404-84931.b\8015\_GLY\_VGG.m  
 Limit Group: 8015C\_DAI  
 Last Update: 05-Apr-2023 10:49:00 Calib Date: 02-Apr-2023 16:30:26  
 Integrator: Falcon  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02010.D  
 Column 1 : J&W DB WAX ( 0.45 mm) Det: GC FID2B  
 Process Host: CTX1633

First Level Reviewer: SWK1 Date: 05-Apr-2023 10:48:29

RT (min.)	Exp RT (min.)	Dlt RT (min.)	Response	OnCol Amt ug/ml	Flags
--------------	------------------	------------------	----------	--------------------	-------

\* 4 n-Heptyl Alcohol  
 3.963 3.969 -0.006 4781520 50.0

**QC Flag Legend**

Processing Flags

**Reagents:**

SG\_GLY\_ISTD\_00106 Amount Added: 10.00 Units: uL Run Reagent

Eurofins Savannah

Data File: \\chromfs\Savannah\ChromData\CVGG2\20230404-84931.b\GD04031.D

Injection Date: 04-Apr-2023 23:01:36

Instrument ID: CVGG2

Operator ID:

Lims ID: 580-125377-B-2

Lab Sample ID: 680-125377-2

Worklist Smp#: 31

Client ID: AF-RHMW17-WGN01LF-2303W3

Injection Vol: 1.0 ul


Dil. Factor: 1.0000

ALS Bottle#: 0

Method: 8015\_GLY\_VGG

Limit Group: 8015C\_DAI

Column: J&W DB WAX (0.45 mm)



FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Savannah Job No.: 580-125377-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: AF-RHWW17D-WGN01LF-2303W3 Lab Sample ID: 580-125377-3  
 Matrix: Water Lab File ID: GD04032.D  
 Analysis Method: 8015C GLY Date Collected: 03/24/2023 11:10  
 Extraction Method: \_\_\_\_\_ Date Extracted: \_\_\_\_\_  
 Sample wt/vol: 1(mL) Date Analyzed: 04/04/2023 23:24  
 Con. Extract Vol.: 1(mL) Dilution Factor: 1  
 Injection Volume: 1(uL) GC Column: J&W DB WAX ID: 0.45(mm)  
 % Moisture: \_\_\_\_\_ % Solids: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Cleanup Factor: \_\_\_\_\_  
 Analysis Batch No.: 771309 Units: mg/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
112-34-5	2-(2-Butoxyethoxy)ethanol	3.0	U M	5.0	3.0	1.1

Eurofins Savannah  
Target Compound Quantitation Report

Data File: \\chromfs\Savannah\ChromData\CVGG2\20230404-84931.b\GD04032.D  
 Lims ID: 580-125377-C-3  
 Client ID: AF-RHMW17D-WGN01LF-2303W3  
 Sample Type: Client  
 Inject. Date: 04-Apr-2023 23:24:52      ALS Bottle#: 0      Worklist Smp#: 32  
 Injection Vol: 1.0 ul      Dil. Factor: 1.0000  
 Sample Info: 680-0084931-032  
 Operator ID:      Instrument ID: CVGG2  
 Method: \\chromfs\Savannah\ChromData\CVGG2\20230404-84931.b\8015\_GLY\_VGG.m  
 Limit Group: 8015C\_DAI  
 Last Update: 05-Apr-2023 10:49:00      Calib Date: 02-Apr-2023 16:30:26  
 Integrator: Falcon  
 Quant Method: Internal Standard      Quant By: Initial Calibration  
 Last ICal File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02010.D  
 Column 1 : J&W DB WAX ( 0.45 mm)      Det: GC FID2B  
 Process Host: CTX1633

First Level Reviewer: SWK1      Date: 05-Apr-2023 10:48:33

RT (min.)	Exp RT (min.)	Dlt RT (min.)	Response	OnCol Amt ug/ml	Flags
--------------	------------------	------------------	----------	--------------------	-------

\* 4 n-Heptyl Alcohol  
 3.967    3.969    -0.002    5104690    50.0

**QC Flag Legend**

Processing Flags

**Reagents:**

SG\_GLY\_ISTD\_00106      Amount Added: 10.00      Units: uL      Run Reagent

Eurofins Savannah

Data File: \\chromfs\Savannah\ChromData\CVGG2\20230404-84931.b\GD04032.D

Injection Date: 04-Apr-2023 23:24:52

Instrument ID: CVGG2

Operator ID:

Lims ID: 580-125377-C-3

Lab Sample ID: 680-125377-3

Worklist Smp#: 32

Client ID: AF-RHMW17D-WGN01LF-2303W3

Injection Vol: 1.0 ul


Dil. Factor: 1.0000

ALS Bottle#: 0

Method: 8015\_GLY\_VGG

Limit Group: 8015C\_DAI

Column: J&W DB WAX (0.45 mm)





FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Savannah Job No.: 580-125377-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: AF-RHWW17D-WQFB01-2303W3 Lab Sample ID: 580-125377-4  
 Matrix: Water Lab File ID: GD04033.D  
 Analysis Method: 8015C GLY Date Collected: 03/24/2023 10:00  
 Extraction Method: \_\_\_\_\_ Date Extracted: \_\_\_\_\_  
 Sample wt/vol: 1(mL) Date Analyzed: 04/04/2023 23:48  
 Con. Extract Vol.: 1(mL) Dilution Factor: 1  
 Injection Volume: 1(uL) GC Column: J&W DB WAX ID: 0.45(mm)  
 % Moisture: \_\_\_\_\_ % Solids: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Cleanup Factor: \_\_\_\_\_  
 Analysis Batch No.: 771309 Units: mg/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
112-34-5	2-(2-Butoxyethoxy)ethanol	3.0	U M	5.0	3.0	1.1

Eurofins Savannah  
Target Compound Quantitation Report

Data File: \\chromfs\Savannah\ChromData\CVGG2\20230404-84931.b\GD04033.D  
 Lims ID: 580-125377-B-4  
 Client ID: AF-RHMW17D-WQFB01-2303W3  
 Sample Type: Client  
 Inject. Date: 04-Apr-2023 23:48:09 ALS Bottle#: 0 Worklist Smp#: 33  
 Injection Vol: 1.0 ul Dil. Factor: 1.0000  
 Sample Info: 680-0084931-033  
 Operator ID: Instrument ID: CVGG2  
 Method: \\chromfs\Savannah\ChromData\CVGG2\20230404-84931.b\8015\_GLY\_VGG.m  
 Limit Group: 8015C\_DAI  
 Last Update: 05-Apr-2023 10:49:00 Calib Date: 02-Apr-2023 16:30:26  
 Integrator: Falcon  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02010.D  
 Column 1 : J&W DB WAX ( 0.45 mm) Det: GC FID2B  
 Process Host: CTX1633

First Level Reviewer: SWK1 Date: 05-Apr-2023 10:48:37

RT (min.)	Exp RT (min.)	Dlt RT (min.)	Response	OnCol Amt ug/ml	Flags
--------------	------------------	------------------	----------	--------------------	-------

\* 4 n-Heptyl Alcohol  
 3.962 3.969 -0.007 4595248 50.0

**QC Flag Legend**

Processing Flags

**Reagents:**

SG\_GLY\_ISTD\_00106 Amount Added: 10.00 Units: uL Run Reagent

Eurofins Savannah

Data File: \\chromfs\Savannah\ChromData\CVGG2\20230404-84931.b\GD04033.D

Injection Date: 04-Apr-2023 23:48:09

Instrument ID: CVGG2

Operator ID:

Lims ID: 580-125377-B-4

Lab Sample ID: 680-125377-4

Worklist Smp#: 33

Client ID: AF-RHMW17D-WQFB01-2303W3

Injection Vol: 1.0 ul


Dil. Factor: 1.0000

ALS Bottle#: 0

Method: 8015\_GLY\_VGG

Limit Group: 8015C\_DAI

Column: J&W DB WAX (0.45 mm)



FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Savannah Job No.: 580-125377-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: AF-RHMW03-WGN01LF-2303W3 Lab Sample ID: 580-125377-5  
 Matrix: Water Lab File ID: GD04034.D  
 Analysis Method: 8015C GLY Date Collected: 03/23/2023 12:55  
 Extraction Method: \_\_\_\_\_ Date Extracted: \_\_\_\_\_  
 Sample wt/vol: 1(mL) Date Analyzed: 04/05/2023 00:11  
 Con. Extract Vol.: 1(mL) Dilution Factor: 1  
 Injection Volume: 1(uL) GC Column: J&W DB WAX ID: 0.45(mm)  
 % Moisture: \_\_\_\_\_ % Solids: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Cleanup Factor: \_\_\_\_\_  
 Analysis Batch No.: 771309 Units: mg/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
112-34-5	2-(2-Butoxyethoxy)ethanol	3.0	U M	5.0	3.0	1.1

Eurofins Savannah  
Target Compound Quantitation Report

Data File: \\chromfs\Savannah\ChromData\CVGG2\20230404-84931.b\GD04034.D  
 Lims ID: 580-125377-C-5  
 Client ID: AF-RHMW03-WGN01LF-2303W3  
 Sample Type: Client  
 Inject. Date: 05-Apr-2023 00:11:49      ALS Bottle#: 0      Worklist Smp#: 34  
 Injection Vol: 1.0 ul      Dil. Factor: 1.0000  
 Sample Info: 680-0084931-034  
 Operator ID:      Instrument ID: CVGG2  
 Method: \\chromfs\Savannah\ChromData\CVGG2\20230404-84931.b\8015\_GLY\_VGG.m  
 Limit Group: 8015C\_DAI  
 Last Update: 05-Apr-2023 10:49:00      Calib Date: 02-Apr-2023 16:30:26  
 Integrator: Falcon  
 Quant Method: Internal Standard      Quant By: Initial Calibration  
 Last ICal File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02010.D  
 Column 1 : J&W DB WAX ( 0.45 mm)      Det: GC FID2B  
 Process Host: CTX1633

First Level Reviewer: SWK1      Date: 05-Apr-2023 10:48:41

RT (min.)	Exp RT (min.)	Dlt RT (min.)	Response	OnCol Amt ug/ml	Flags
--------------	------------------	------------------	----------	--------------------	-------

\* 4 n-Heptyl Alcohol  
 3.964    3.969    -0.005    5009414    50.0

**QC Flag Legend**

Processing Flags

**Reagents:**

SG\_GLY\_ISTD\_00106      Amount Added: 10.00      Units: uL      Run Reagent

Eurofins Savannah

Data File: \\chromfs\Savannah\ChromData\CVGG2\20230404-84931.b\GD04034.D

Injection Date: 05-Apr-2023 00:11:49

Instrument ID: CVGG2

Operator ID:

Lims ID: 580-125377-C-5

Lab Sample ID: 680-125377-5

Worklist Smp#: 34

Client ID: AF-RHMMW03-WGN01LF-2303W3

Injection Vol: 1.0 ul


Dil. Factor: 1.0000

ALS Bottle#: 0

Method: 8015\_GLY\_VGG

Limit Group: 8015C\_DAI

Column: J&W DB WAX (0.45 mm)



FORM VI  
GC SEMI VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA  
CURVE EVALUATION

Lab Name: Eurofins Savannah Job No.: 580-125377-1 Analy Batch No.: 770932

SDG No.: \_\_\_\_\_

Instrument ID: CVGG2 GC Column: J&W DB WAX ID: 0.45 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 04/02/2023 14:09 Calibration End Date: 04/02/2023 16:30 Calibration ID: 90409

Calibration Files

LEVEL:	LAB SAMPLE ID:	LAB FILE ID:
Level 1	IC 680-770932/10	GD02010.D
Level 2	IC 680-770932/9	GD02009.D
Level 3	IC 680-770932/8	GD02008.D
Level 4	ICIS 680-770932/7	GD02007.D
Level 5	IC 680-770932/6	GD02006.D
Level 6	IC 680-770932/5	GD02005.D
Level 7	IC 680-770932/4	GD02004.D

ANALYTE	RRF					CURVE TYPE	COEFFICIENT			#	MIN RRF	%RSD /RSE	#	MAX %RSD /RSE	R^2 OR COD	#	MIN R^2 OR COD
	LVL 1 LVL 6	LVL 2 LVL 7	LVL 3	LVL 4	LVL 5		B	M1	M2								
Ethanol, 2-propoxy	0.6812 0.5576	0.7046 0.6037	0.5644	0.7169	0.6105	Ave		0.634 1			10.4		20.0				
4-Hydroxy-4-methyl-2-pentanone	0.6664 0.5481	0.6935 0.5997	0.5499	0.7103	0.6201	Ave		0.626 9			10.5		20.0				
2-Butoxyethanol	0.7583 0.6004	0.7710 0.6503	0.6248	0.7758	0.6565	Ave		0.691 0			10.8		20.0				
Dipropylene Glycol Methyl Ether	0.0508 0.0443	0.0524 0.0471	0.0425	0.0547	0.0530	Ave		0.049 3			9.5		20.0				
Propylene glycol	0.2068 0.1265	0.1578 +++++	0.1284	0.1442	0.1569	Ave		0.153 4			19.1		20.0				
Ethylene glycol	0.5337 0.3295	0.3619 +++++	0.3474	0.3748	0.4289	Ave		0.396 0			19.0		20.0				
2-(2-Butoxyethoxy)ethanol	0.6324 0.4631	0.5887 0.4885	0.4791	0.5967	0.5598	Ave		0.544 0			12.3		20.0				
2,2'-Oxybisethanol	0.2259 0.2029	0.3167 +++++	0.2419	0.2255	0.2606	Ave		0.245 6			16.2		20.0				
Triethylene Glycol	0.2189 0.1983	0.2165 +++++	0.1934	0.2143	0.2509	Ave		0.215 4			9.4		20.0				
Tetraethylene Glycol	0.2537 0.2096	0.2367 +++++	0.2066	0.2291	0.2636	Ave		0.233 2			9.8		20.0				

Note: The M1 coefficient is the same as Ave RRF for an Ave curve type. RSD is calculated for Ave curve types. RSE is used for all other types.

FORM VI  
GC SEMI VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA  
RESPONSE AND CONCENTRATION

Lab Name: Eurofins Savannah Job No.: 580-125377-1 Analy Batch No.: 770932

SDG No.: \_\_\_\_\_

Instrument ID: CVGG2 GC Column: J&W DB WAX ID: 0.45 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 04/02/2023 14:09 Calibration End Date: 04/02/2023 16:30 Calibration ID: 90409

Calibration Files

LEVEL:	LAB SAMPLE ID:	LAB FILE ID:
Level 1	IC 680-770932/10	GD02010.D
Level 2	IC 680-770932/9	GD02009.D
Level 3	IC 680-770932/8	GD02008.D
Level 4	ICIS 680-770932/7	GD02007.D
Level 5	IC 680-770932/6	GD02006.D
Level 6	IC 680-770932/5	GD02005.D
Level 7	IC 680-770932/4	GD02004.D

ANALYTE	IS REF	CURVE TYPE	RESPONSE					CONCENTRATION (UG/ML)				
			LVL 1	LVL 2	LVL 3	LVL 4	LVL 5	LVL 1	LVL 2	LVL 3	LVL 4	LVL 5
			LVL 6	LVL 7				LVL 6	LVL 7			
Ethanol, 2-propoxy	nHPA	Ave	152859 4514436	362928 5909445	708752	1561905	3083877	2.00 80.0	5.00 100	10.0	20.0	50.0
4-Hydroxy-4-methyl-2-pentanone	nHPA	Ave	149534 4437804	357214 5869783	690578	1547641	3132405	2.00 80.0	5.00 100	10.0	20.0	50.0
2-Butoxyethanol	nHPA	Ave	170166 4861222	397103 6365631	784677	1690259	3316183	2.00 80.0	5.00 100	10.0	20.0	50.0
Dipropylene Glycol Methyl Ether	nHPA	Ave	11391 358822	27003 460752	53380	119219	267890	2.00 80.0	5.00 100	10.0	20.0	50.0
Propylene glycol	nHPA	Ave	46397 1023791	81281 +++++	161238	314176	792723	2.00 80.0	5.00 +++++	10.0	20.0	50.0
Ethylene glycol	nHPA	Ave	119753 2667532	186390 +++++	436255	816575	2166529	2.00 80.0	5.00 +++++	10.0	20.0	50.0
2-(2-Butoxyethoxy)ethanol	nHPA	Ave	141914 3749026	303229 4781862	601678	1300067	2827783	2.00 80.0	5.00 100	10.0	20.0	50.0
2,2'-Oxybisethanol	nHPA	Ave	50691 1642854	163139 +++++	303770	491224	1316229	2.00 80.0	5.00 +++++	10.0	20.0	50.0
Triethylene Glycol	nHPA	Ave	49121 1605412	111501 +++++	242914	467032	1267334	2.00 80.0	5.00 +++++	10.0	20.0	50.0
Tetraethylene Glycol	nHPA	Ave	113844 3393323	243783 +++++	518921	998555	2662829	4.00 160	10.0 +++++	20.0	40.0	100

Curve Type Legend

Ave = Average ISTD



FORM VI  
GC SEMI VOA BY INTERNAL STANDARD - INITIAL CALIBRATION DATA  
READBACK PERCENT ERROR

Lab Name: Eurofins Savannah Job No.: 580-125377-1 Analy Batch No.: 770932

SDG No.: \_\_\_\_\_

Instrument ID: CVGG2 GC Column: J&W DB WAX ID: 0.45 (mm) Heated Purge: (Y/N) N

Calibration Start Date: 04/02/2023 14:09 Calibration End Date: 04/02/2023 16:30 Calibration ID: 90409

Calibration Files

LEVEL:	LAB SAMPLE ID:	LAB FILE ID:
Level 1	IC 680-770932/10	GD02010.D
Level 2	IC 680-770932/9	GD02009.D
Level 3	IC 680-770932/8	GD02008.D
Level 4	ICIS 680-770932/7	GD02007.D
Level 5	IC 680-770932/6	GD02006.D
Level 6	IC 680-770932/5	GD02005.D
Level 7	IC 680-770932/4	GD02004.D

ANALYTE	PERCENT ERROR						PERCENT ERROR LIMIT					
	LVL 1 # LVL 7 #	LVL 2 #	LVL 3 #	LVL 4 #	LVL 5 #	LVL 6 #	LVL 1 LVL 7	LVL 2	LVL 3	LVL 4	LVL 5	LVL 6
Ethanol, 2-propoxy	7.4 -4.8	11.1	-11.0	13.0	-3.7	-12.1	20 20	20	20	20	20	20
4-Hydroxy-4-methyl-2-pentanone	6.3 -4.3	10.6	-12.3	13.3	-1.1	-12.6	20 20	20	20	20	20	20
2-Butoxyethanol	9.7 -5.9	11.6	-9.6	12.3	-5.0	-13.1	20 20	20	20	20	20	20
Dipropylene Glycol Methyl Ether	3.0 -4.5	6.4	-13.7	11.1	7.7	-10.0	20 20	20	20	20	20	20
Propylene glycol	34.8 * ++++	2.9	-16.3	-6.0	2.3	-17.6	20	20	20	20	20	20
Ethylene glycol	34.8 * ++++	-8.6	-12.3	-5.4	8.3	-16.8	20	20	20	20	20	20
2-(2-Butoxyethoxy)ethanol	16.2 -10.2	8.2	-11.9	9.7	2.9	-14.9	20 20	20	20	20	20	20
2,2'-Oxybisethanol	-8.0 ++++	29.0 *	-1.5	-8.2	6.1	-17.4	20	20	20	20	20	20
Triethylene Glycol	1.6 ++++	0.5	-10.2	-0.5	16.5	-7.9	20	20	20	20	20	20
Tetraethylene Glycol	8.8 ++++	1.5	-11.4	-1.7	13.0	-10.1	20	20	20	20	20	20

Eurofins Savannah  
Target Compound Quantitation Report

Data File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02004.D  
 Lims ID: ic g7  
 Client ID:  
 Sample Type: IC Calib Level: 7  
 Inject. Date: 02-Apr-2023 14:09:54 ALS Bottle#: 0 Worklist Smp#: 4  
 Injection Vol: 1.0 ul Dil. Factor: 1.0000  
 Sample Info: 680-0084885-004  
 Operator ID: Instrument ID: CVGG2  
 Sublist: chrom-8015\_GLY\_VGG\*sub2  
 Method: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\8015\_GLY\_VGG.m  
 Limit Group: 8015C\_DAI  
 Last Update: 03-Apr-2023 10:36:33 Calib Date: 02-Apr-2023 16:30:26  
 Integrator: Falcon  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02010.D  
 Column 1 : J&W DB WAX ( 0.45 mm) Det: GC FID2B  
 Process Host: CTX1656

First Level Reviewer: SWK1

Date: 03-Apr-2023 10:27:41

RT (min.)	Exp RT (min.)	Dlt RT (min.)	Response	Cal Amt ug/ml	OnCol Amt ug/ml	Flags
1 Ethanol, 2-propoxy						
2.763	2.762	0.001	5909445	100.0	95.2	
2 4-Hydroxy-4-methyl-2-pentanone						
3.284	3.287	-0.003	5869783	100.0	95.7	
3 2-Butoxyethanol						
3.552	3.550	0.002	6365631	100.0	94.1	
* 4 n-Heptyl Alcohol						
3.979	3.967	0.012	4894306	50.0	50.0	
5 Dipropylene Glycol Methyl Ether						
4.883	4.883	0.000	460752	100.0	95.5	
6 Propylene glycol						M
5.984	6.045	-0.061	1080340	100.0	71.9	M
7 Ethylene glycol						M
6.240	6.283	-0.043	2880684	100.0	74.3	M
8 2-(2-Butoxyethoxy)ethanol						
8.080	8.079	0.001	4781862	100.0	89.8	
9 2,2'-Oxybisethanol						
9.480	9.482	-0.002	1693771	100.0	70.5	
10 Triethylene Glycol						
10.523	10.525	-0.002	1654110	100.0	78.5	
11 Tetraethylene Glycol						
11.570	11.570	0.000	3459555	200.0	151.6	

## QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

**Reagents:**

SG\_Gly\_CAL\_00054

Amount Added: 50.00

Units: uL

SG\_GLY\_ISTD\_00106

Amount Added: 10.00

Units: uL

Run Reagent

Eurofins Savannah

Data File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02004.D

Injection Date: 02-Apr-2023 14:09:54

Instrument ID: CVGG2

Operator ID:

Lims ID: ic g7

Worklist Smp#: 4

Client ID:

Injection Vol: 1.0 ul


Dil. Factor: 1.0000

ALS Bottle#: 0

Method: 8015\_GLY\_VGG

Limit Group: 8015C\_DAI

Column: J&W DB WAX (0.45 mm)



Eurofins Savannah


Data File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02004.D  
Injection Date: 02-Apr-2023 14:09:54 Instrument ID: CVGG2  
Lims ID: ic g7  
Client ID:  
Operator ID: ALS Bottle#: 0 Worklist Smp#: 4  
Injection Vol: 1.0 ul Dil. Factor: 1.0000  
Method: 8015\_GLY\_VGG Limit Group: 8015C\_DAI  
Column: J&W DB WAX ( 0.45 mm) Detector: GC FID2B

6 Propylene glycol, CAS: 57-55-6

Signal: 1


RT: 5.98  
Area: 1039114  
Amount: 94.675757  
Amount Units: ug/ml

Processing Integration Results



RT: 5.98  
Area: 1080340  
Amount: 71.935613  
Amount Units: ug/ml

Manual Integration Results



Reviewer: SWK1, 03-Apr-2023 10:27:37  
Audit Action: Assigned New Baseline

Audit Reason: Baseline Smoothing

Eurofins Savannah


Data File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02004.D  
Injection Date: 02-Apr-2023 14:09:54 Instrument ID: CVGG2  
Lims ID: ic g7  
Client ID:  
Operator ID: ALS Bottle#: 0 Worklist Smp#: 4  
Injection Vol: 1.0 ul Dil. Factor: 1.0000  
Method: 8015\_GLY\_VGG Limit Group: 8015C\_DAI  
Column: J&W DB WAX ( 0.45 mm) Detector: GC FID2B

7 Ethylene glycol, CAS: 107-21-1

Signal: 1


RT: 6.24  
Area: 2667071  
Amount: 90.988194  
Amount Units: ug/ml

Processing Integration Results



RT: 6.24  
Area: 2880684  
Amount: 74.312387  
Amount Units: ug/ml

Manual Integration Results



Reviewer: SWK1, 03-Apr-2023 10:27:37  
Audit Action: Assigned New Baseline

Audit Reason: Baseline Smoothing

Eurofins Savannah  
Target Compound Quantitation Report

Data File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02005.D  
 Lims ID: ic g6  
 Client ID:  
 Sample Type: IC Calib Level: 6  
 Inject. Date: 02-Apr-2023 14:33:16 ALS Bottle#: 0 Worklist Smp#: 5  
 Injection Vol: 1.0 ul Dil. Factor: 1.0000  
 Sample Info: 680-0084885-005  
 Operator ID: Instrument ID: CVGG2  
 Sublist: chrom-8015\_GLY\_VGG\*sub2  
 Method: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\8015\_GLY\_VGG.m  
 Limit Group: 8015C\_DAI  
 Last Update: 03-Apr-2023 10:36:34 Calib Date: 02-Apr-2023 16:30:26  
 Integrator: Falcon  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02010.D  
 Column 1 : J&W DB WAX ( 0.45 mm) Det: GC FID2B  
 Process Host: CTX1656

First Level Reviewer: SWK1 Date: 03-Apr-2023 10:27:30

RT (min.)	Exp RT (min.)	Dlt RT (min.)	Response	Cal Amt ug/ml	OnCol Amt ug/ml	Flags
1 Ethanol, 2-propoxy						
2.759	2.762	-0.003	4514436	80.0	70.3	
2 4-Hydroxy-4-methyl-2-pentanone						
3.281	3.287	-0.006	4437804	80.0	70.0	
3 2-Butoxyethanol						
3.550	3.550	0.000	4861222	80.0	69.5	
* 4 n-Heptyl Alcohol						
3.975	3.967	0.008	5060015	50.0	50.0	
5 Dipropylene Glycol Methyl Ether						
4.880	4.883	-0.003	358822	80.0	72.0	
6 Propylene glycol						
5.990	6.045	-0.055	1023791	80.0	65.9	M
7 Ethylene glycol						
6.226	6.283	-0.057	2667532	80.0	66.6	M
8 2-(2-Butoxyethoxy)ethanol						
8.080	8.079	0.001	3749026	80.0	68.1	
9 2,2'-Oxybisethanol						
9.480	9.482	-0.002	1642854	80.0	66.1	
10 Triethylene Glycol						
10.523	10.525	-0.002	1605412	80.0	73.7	
11 Tetraethylene Glycol						
11.570	11.570	0.000	3393323	160.0	143.8	

**QC Flag Legend**  
Processing Flags

Review Flags

M - Manually Integrated

Reagents:

SG\_Gly\_CAL\_00054

Amount Added: 40.00

Units: uL

SG\_GLY\_ISTD\_00106

Amount Added: 10.00

Units: uL

Run Reagent



Eurofins Savannah

Data File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02005.D

Injection Date: 02-Apr-2023 14:33:16

Instrument ID: CVGG2

Operator ID:

Lims ID: ic g6

Worklist Smp#: 5

Client ID:

Injection Vol: 1.0 ul


Dil. Factor: 1.0000

ALS Bottle#: 0

Method: 8015\_GLY\_VGG

Limit Group: 8015C\_DAI

Column: J&W DB WAX (0.45 mm)



Eurofins Savannah


Data File:	\\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02005.D		
Injection Date:	02-Apr-2023 14:33:16	Instrument ID:	CVGG2
Lims ID:	ic g6		
Client ID:			
Operator ID:		ALS Bottle#:	0
Injection Vol:	1.0 ul	Dil. Factor:	1.0000
Method:	8015_GLY_VGG	Limit Group:	8015C_DAI
Column:	J&W DB WAX ( 0.45 mm)	Detector:	GC FID2B
		Worklist Smp#:	5

6 Propylene glycol, CAS: 57-55-6

Signal: 1


RT: 5.99  
 Area: 983650  
 Amount: 77.365732  
 Amount Units: ug/ml

Processing Integration Results



RT: 5.99  
 Area: 1023791  
 Amount: 65.937749  
 Amount Units: ug/ml

Manual Integration Results



Reviewer: SWK1, 03-Apr-2023 10:27:28  
 Audit Action: Assigned New Baseline

Audit Reason: Baseline Smoothing

Eurofins Savannah


Data File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02005.D  
Injection Date: 02-Apr-2023 14:33:16 Instrument ID: CVGG2  
Lims ID: ic g6  
Client ID:  
Operator ID: ALS Bottle#: 0 Worklist Smp#: 5  
Injection Vol: 1.0 ul Dil. Factor: 1.0000  
Method: 8015\_GLY\_VGG Limit Group: 8015C\_DAI  
Column: J&W DB WAX ( 0.45 mm) Detector: GC FID2B

7 Ethylene glycol, CAS: 107-21-1

Signal: 1


RT: 6.23  
Area: 2472952  
Amount: 71.656352  
Amount Units: ug/ml

Processing Integration Results



RT: 6.23  
Area: 2667532  
Amount: 66.560188  
Amount Units: ug/ml

Manual Integration Results



Reviewer: SWK1, 03-Apr-2023 10:27:28  
Audit Action: Assigned New Baseline

Audit Reason: Baseline Smoothing

Eurofins Savannah  
Target Compound Quantitation Report

Data File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02006.D  
 Lims ID: ic g5  
 Client ID:  
 Sample Type: IC Calib Level: 5  
 Inject. Date: 02-Apr-2023 14:56:40 ALS Bottle#: 0 Worklist Smp#: 6  
 Injection Vol: 1.0 ul Dil. Factor: 1.0000  
 Sample Info: 680-0084885-006  
 Operator ID: Instrument ID: CVGG2  
 Sublist: chrom-8015\_GLY\_VGG\*sub2  
 Method: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\8015\_GLY\_VGG.m  
 Limit Group: 8015C\_DAI  
 Last Update: 03-Apr-2023 10:36:36 Calib Date: 02-Apr-2023 16:30:26  
 Integrator: Falcon  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02010.D  
 Column 1 : J&W DB WAX ( 0.45 mm) Det: GC FID2B  
 Process Host: CTX1656

First Level Reviewer: SWK1 Date: 03-Apr-2023 10:27:23

RT (min.)	Exp RT (min.)	Dlt RT (min.)	Response	Cal Amt ug/ml	OnCol Amt ug/ml	Flags
1 Ethanol, 2-propoxy						
2.757	2.762	-0.005	3083877	50.0	48.1	
2 4-Hydroxy-4-methyl-2-pentanone						
3.280	3.287	-0.007	3132405	50.0	49.5	
3 2-Butoxyethanol						
3.548	3.550	-0.002	3316183	50.0	47.5	
* 4 n-Heptyl Alcohol						
3.975	3.967	0.008	5051127	50.0	50.0	
5 Dipropylene Glycol Methyl Ether						
4.880	4.883	-0.003	267890	50.0	53.8	
6 Propylene glycol						
6.020	6.045	-0.025	792723	50.0	51.1	M
7 Ethylene glycol						
6.240	6.283	-0.043	2166529	50.0	54.2	M
8 2-(2-Butoxyethoxy)ethanol						
8.080	8.079	0.001	2827783	50.0	51.5	
9 2,2'-Oxybisethanol						
9.480	9.482	-0.002	1316229	50.0	53.1	
10 Triethylene Glycol						
10.523	10.525	-0.002	1267334	50.0	58.2	
11 Tetraethylene Glycol						
11.570	11.570	0.000	2662829	100.0	113.0	

QC Flag Legend  
Processing Flags

Review Flags

M - Manually Integrated

Reagents:

SG\_Gly\_CAL\_00054

Amount Added: 25.00

Units: uL

SG\_GLY\_ISTD\_00106

Amount Added: 10.00

Units: uL

Run Reagent

Eurofins Savannah

Data File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02006.D

Injection Date: 02-Apr-2023 14:56:40

Instrument ID: CVGG2

Operator ID:

Lims ID: ic g5

Worklist Smp#: 6

Client ID:

Injection Vol: 1.0 ul


Dil. Factor: 1.0000

ALS Bottle#: 0

Method: 8015\_GLY\_VGG

Limit Group: 8015C\_DAI

Column: J&W DB WAX (0.45 mm)



Eurofins Savannah


Data File:	\\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02006.D		
Injection Date:	02-Apr-2023 14:56:40	Instrument ID:	CVGG2
Lims ID:	ic g5		
Client ID:			
Operator ID:		ALS Bottle#:	0
Injection Vol:	1.0 ul	Dil. Factor:	1.0000
Method:	8015_GLY_VGG	Limit Group:	8015C_DAI
Column:	J&W DB WAX ( 0.45 mm)	Detector:	GC FID2B
		Worklist Smp#:	6

6 Propylene glycol, CAS: 57-55-6

Signal: 1


RT: 5.99  
 Area: 759951  
 Amount: 52.840944  
 Amount Units: ug/ml

Processing Integration Results



RT: 6.02  
 Area: 792723  
 Amount: 51.145542  
 Amount Units: ug/ml

Manual Integration Results



Reviewer: SWK1, 03-Apr-2023 10:27:21  
 Audit Action: Assigned New Baseline

Audit Reason: Baseline Smoothing

Eurofins Savannah


Data File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02006.D  
Injection Date: 02-Apr-2023 14:56:40 Instrument ID: CVGG2  
Lims ID: ic g5  
Client ID:  
Operator ID: ALS Bottle#: 0 Worklist Smp#: 6  
Injection Vol: 1.0 ul Dil. Factor: 1.0000  
Method: 8015\_GLY\_VGG Limit Group: 8015C\_DAI  
Column: J&W DB WAX ( 0.45 mm) Detector: GC FID2B

7 Ethylene glycol, CAS: 107-21-1

Signal: 1


RT: 6.24  
Area: 2010553  
Amount: 54.270107  
Amount Units: ug/ml

Processing Integration Results



RT: 6.24  
Area: 2166529  
Amount: 54.154298  
Amount Units: ug/ml

Manual Integration Results



Reviewer: SWK1, 03-Apr-2023 10:27:21  
Audit Action: Assigned New Baseline

Audit Reason: Baseline Smoothing



Eurofins Savannah  
Target Compound Quantitation Report

Data File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02007.D  
 Lims ID: icis g4  
 Client ID:  
 Sample Type: ICIS Calib Level: 4  
 Inject. Date: 02-Apr-2023 15:20:08 ALS Bottle#: 0 Worklist Smp#: 7  
 Injection Vol: 1.0 ul Dil. Factor: 1.0000  
 Sample Info: 680-0084885-007  
 Operator ID: Instrument ID: CVGG2  
 Sublist: chrom-8015\_GLY\_VGG\*sub2  
 Method: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\8015\_GLY\_VGG.m  
 Limit Group: 8015C\_DAI  
 Last Update: 03-Apr-2023 10:36:37 Calib Date: 02-Apr-2023 16:30:26  
 Integrator: Falcon  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02010.D  
 Column 1 : J&W DB WAX ( 0.45 mm) Det: GC FID2B  
 Process Host: CTX1656

First Level Reviewer: SWK1 Date: 03-Apr-2023 10:24:12

RT (min.)	Exp RT (min.)	Dlt RT (min.)	Response	Cal Amt ug/ml	OnCol Amt ug/ml	Flags
-----------	---------------	---------------	----------	---------------	-----------------	-------

1 Ethanol, 2-propoxy	2.760	2.760	0.000	1561905	20.0	22.6	
2 4-Hydroxy-4-methyl-2-pentanone	3.282	3.282	0.000	1547641	20.0	22.7	
3 2-Butoxyethanol	3.548	3.548	0.000	1690259	20.0	22.5	
* 4 n-Heptyl Alcohol	3.970	3.970	0.000	5447082	50.0	50.0	
5 Dipropylene Glycol Methyl Ether	4.880	4.880	0.000	119219	20.0	22.2	
6 Propylene glycol	6.028	6.028	0.000	314176	20.0	18.8	M
7 Ethylene glycol	6.247	6.247	0.000	816575	20.0	18.9	M
8 2-(2-Butoxyethoxy)ethanol	8.082	8.082	0.000	1300067	20.0	21.9	
9 2,2'-Oxybisethanol	9.480	9.480	0.000	491224	20.0	18.4	
10 Triethylene Glycol	10.523	10.523	0.000	467032	20.0	19.9	
11 Tetraethylene Glycol	11.569	11.569	0.000	998555	40.0	39.3	

QC Flag Legend  
Processing Flags

Review Flags

M - Manually Integrated

Reagents:

SG\_Gly\_CAL\_00054

Amount Added: 10.00

Units: uL

SG\_GLY\_ISTD\_00106

Amount Added: 10.00

Units: uL

Run Reagent

Eurofins Savannah

Data File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02007.D

Injection Date: 02-Apr-2023 15:20:08

Instrument ID: CVGG2

Operator ID:

Lims ID: icis g4

Worklist Smp#: 7

Client ID:

Injection Vol: 1.0 ul


Dil. Factor: 1.0000

ALS Bottle#: 0

Method: 8015\_GLY\_VGG

Limit Group: 8015C\_DAI

Column: J&W DB WAX (0.45 mm)



Eurofins Savannah


Data File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02007.D  
Injection Date: 02-Apr-2023 15:20:08 Instrument ID: CVGG2  
Lims ID: icis g4  
Client ID:  
Operator ID: ALS Bottle#: 0 Worklist Smp#: 7  
Injection Vol: 1.0 ul Dil. Factor: 1.0000  
Method: 8015\_GLY\_VGG Limit Group: 8015C\_DAI  
Column: J&W DB WAX ( 0.45 mm) Detector: GC FID2B

6 Propylene glycol, CAS: 57-55-6

Signal: 1


RT: 5.98  
Area: 130157  
Amount: 12.883740  
Amount Units: ug/ml

Processing Integration Results



RT: 6.03  
Area: 314176  
Amount: 18.796791  
Amount Units: ug/ml

Manual Integration Results



Reviewer: SWK1, 03-Apr-2023 10:27:11  
Audit Action: Assigned New Baseline

Audit Reason: Baseline Smoothing

Eurofins Savannah


Data File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02007.D  
Injection Date: 02-Apr-2023 15:20:08 Instrument ID: CVGG2  
Lims ID: icis g4  
Client ID:  
Operator ID: ALS Bottle#: 0 Worklist Smp#: 7  
Injection Vol: 1.0 ul Dil. Factor: 1.0000  
Method: 8015\_GLY\_VGG Limit Group: 8015C\_DAI  
Column: J&W DB WAX ( 0.45 mm) Detector: GC FID2B

7 Ethylene glycol, CAS: 107-21-1

Signal: 1


RT: 6.25  
Area: 794859  
Amount: 17.433424  
Amount Units: ug/ml

Processing Integration Results



RT: 6.25  
Area: 816575  
Amount: 18.927309  
Amount Units: ug/ml

Manual Integration Results



Eurofins Savannah  
Target Compound Quantitation Report

Data File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02008.D  
 Lims ID: ic g3  
 Client ID:  
 Sample Type: IC Calib Level: 3  
 Inject. Date: 02-Apr-2023 15:43:32 ALS Bottle#: 0 Worklist Smp#: 8  
 Injection Vol: 1.0 ul Dil. Factor: 1.0000  
 Sample Info: 680-0084885-008  
 Operator ID: Instrument ID: CVGG2  
 Sublist: chrom-8015\_GLY\_VGG\*sub2  
 Method: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\8015\_GLY\_VGG.m  
 Limit Group: 8015C\_DAI  
 Last Update: 03-Apr-2023 10:36:39 Calib Date: 02-Apr-2023 16:30:26  
 Integrator: Falcon  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02010.D  
 Column 1 : J&W DB WAX ( 0.45 mm) Det: GC FID2B  
 Process Host: CTX1656

First Level Reviewer: SWK1 Date: 03-Apr-2023 10:24:22

RT (min.)	Exp RT (min.)	Dlt RT (min.)	Response	Cal Amt ug/ml	OnCol Amt ug/ml	Flags
1 Ethanol, 2-propoxy						
2.757	2.760	-0.003	708752	10.0	8.90	
2 4-Hydroxy-4-methyl-2-pentanone						
3.277	3.282	-0.005	690578	10.0	8.77	
3 2-Butoxyethanol						
3.545	3.548	-0.003	784677	10.0	9.04	
* 4 n-Heptyl Alcohol						
3.970	3.970	0.000	6279283	50.0	50.0	
5 Dipropylene Glycol Methyl Ether						
4.878	4.880	-0.002	53380	10.0	8.63	
6 Propylene glycol						
6.030	6.028	0.002	161238	10.0	8.37	M
7 Ethylene glycol						
6.238	6.247	-0.009	436255	10.0	8.77	M
8 2-(2-Butoxyethoxy)ethanol						
8.080	8.082	-0.002	601678	10.0	8.81	
9 2,2'-Oxybisethanol						
9.480	9.480	0.000	303770	10.0	9.85	
10 Triethylene Glycol						
10.523	10.523	0.000	242914	10.0	8.98	
11 Tetraethylene Glycol						
11.569	11.569	0.000	518921	20.0	17.7	

**QC Flag Legend**  
Processing Flags

Review Flags

M - Manually Integrated

**Reagents:**

SG\_Gly\_CAL\_00054

Amount Added: 5.00

Units: uL

SG\_GLY\_ISTD\_00106

Amount Added: 10.00

Units: uL

Run Reagent

Eurofins Savannah

Data File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02008.D

Injection Date: 02-Apr-2023 15:43:32

Instrument ID: CVGG2

Operator ID:

Lims ID: ic g3

Worklist Smp#: 8

Client ID:

Injection Vol: 1.0 ul


Dil. Factor: 1.0000

ALS Bottle#: 0

Method: 8015\_GLY\_VGG

Limit Group: 8015C\_DAI

Column: J&W DB WAX (0.45 mm)





Eurofins Savannah


Data File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02008.D  
Injection Date: 02-Apr-2023 15:43:32 Instrument ID: CVGG2  
Lims ID: ic g3  
Client ID:  
Operator ID: ALS Bottle#: 0 Worklist Smp#: 8  
Injection Vol: 1.0 ul Dil. Factor: 1.0000  
Method: 8015\_GLY\_VGG Limit Group: 8015C\_DAI  
Column: J&W DB WAX ( 0.45 mm) Detector: GC FID2B

6 Propylene glycol, CAS: 57-55-6

Signal: 1


RT: 5.98  
Area: 22453  
Amount: 1.526624  
Amount Units: ug/ml

Processing Integration Results



RT: 6.03  
Area: 161238  
Amount: 8.368198  
Amount Units: ug/ml

Manual Integration Results



Reviewer: SWK1, 03-Apr-2023 10:25:22  
Audit Action: Assigned New Baseline

Audit Reason: Baseline Smoothing

Eurofins Savannah


Data File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02008.D  
Injection Date: 02-Apr-2023 15:43:32 Instrument ID: CVGG2  
Lims ID: ic g3  
Client ID:  
Operator ID: ALS Bottle#: 0 Worklist Smp#: 8  
Injection Vol: 1.0 ul Dil. Factor: 1.0000  
Method: 8015\_GLY\_VGG Limit Group: 8015C\_DAI  
Column: J&W DB WAX ( 0.45 mm) Detector: GC FID2B

7 Ethylene glycol, CAS: 107-21-1

Signal: 1


RT: 6.24  
Area: 386371  
Amount: 6.316785  
Amount Units: ug/ml

Processing Integration Results



RT: 6.24  
Area: 436255  
Amount: 8.771767  
Amount Units: ug/ml

Manual Integration Results



Reviewer: SWK1, 03-Apr-2023 10:25:22  
Audit Action: Assigned New Baseline

Audit Reason: Baseline Smoothing

Eurofins Savannah  
Target Compound Quantitation Report

Data File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02009.D  
 Lims ID: ic g2  
 Client ID:  
 Sample Type: IC Calib Level: 2  
 Inject. Date: 02-Apr-2023 16:06:54 ALS Bottle#: 0 Worklist Smp#: 9  
 Injection Vol: 1.0 ul Dil. Factor: 1.0000  
 Sample Info: 680-0084885-009  
 Operator ID: Instrument ID: CVGG2  
 Sublist: chrom-8015\_GLY\_VGG\*sub2  
 Method: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\8015\_GLY\_VGG.m  
 Limit Group: 8015C\_DAI  
 Last Update: 03-Apr-2023 10:36:40 Calib Date: 02-Apr-2023 16:30:26  
 Integrator: Falcon  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02010.D  
 Column 1 : J&W DB WAX ( 0.45 mm) Det: GC FID2B  
 Process Host: CTX1656

First Level Reviewer: SWK1 Date: 03-Apr-2023 10:24:55

RT (min.)	Exp RT (min.)	Dlt RT (min.)	Response	Cal Amt ug/ml	OnCol Amt ug/ml	Flags
1 Ethanol, 2-propoxy						
2.755	2.760	-0.005	362928	5.00	5.56	
2 4-Hydroxy-4-methyl-2-pentanone						
3.275	3.282	-0.007	357214	5.00	5.53	
3 2-Butoxyethanol						
3.545	3.548	-0.003	397103	5.00	5.58	
* 4 n-Heptyl Alcohol						
3.970	3.970	0.000	5150689	50.0	50.0	
5 Dipropylene Glycol Methyl Ether						
4.877	4.880	-0.003	27003	5.00	5.32	
6 Propylene glycol						
6.037	6.028	0.009	81281	5.00	5.14	M
7 Ethylene glycol						
6.235	6.247	-0.012	186390	5.00	4.57	M
8 2-(2-Butoxyethoxy)ethanol						
8.078	8.082	-0.004	303229	5.00	5.41	
9 2,2'-Oxybisethanol						
9.479	9.480	-0.001	163139	5.00	6.45	
10 Triethylene Glycol						
10.522	10.523	-0.001	111501	5.00	5.03	
11 Tetraethylene Glycol						
11.568	11.569	-0.001	243783	10.0	10.1	

**QC Flag Legend**  
Processing Flags

Review Flags

M - Manually Integrated

Reagents:

SG\_Gly\_CAL\_00054

Amount Added: 2.50

Units: uL

SG\_GLY\_ISTD\_00106

Amount Added: 10.00

Units: uL

Run Reagent

Eurofins Savannah

Data File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02009.D

Injection Date: 02-Apr-2023 16:06:54

Instrument ID: CVGG2

Operator ID:

Lims ID: ic g2

Worklist Smp#: 9

Client ID:

Injection Vol: 1.0 ul


Dil. Factor: 1.0000

ALS Bottle#: 0

Method: 8015\_GLY\_VGG

Limit Group: 8015C\_DAI

Column: J&W DB WAX (0.45 mm)



Eurofins Savannah


Data File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02009.D  
Injection Date: 02-Apr-2023 16:06:54 Instrument ID: CVGG2  
Lims ID: ic g2  
Client ID:  
Operator ID: ALS Bottle#: 0 Worklist Smp#: 9  
Injection Vol: 1.0 ul Dil. Factor: 1.0000  
Method: 8015\_GLY\_VGG Limit Group: 8015C\_DAI  
Column: J&W DB WAX ( 0.45 mm) Detector: GC FID2B

6 Propylene glycol, CAS: 57-55-6

Signal: 1


RT: 6.04  
Area: 23091  
Amount: -0.028186  
Amount Units: ug/ml

Processing Integration Results



RT: 6.04  
Area: 81281  
Amount: 5.142784  
Amount Units: ug/ml

Manual Integration Results



Reviewer: SWK1, 03-Apr-2023 10:24:54  
Audit Action: Assigned New Baseline

Audit Reason: Baseline Smoothing

Eurofins Savannah


Data File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02009.D  
Injection Date: 02-Apr-2023 16:06:54 Instrument ID: CVGG2  
Lims ID: ic g2  
Client ID:  
Operator ID: ALS Bottle#: 0 Worklist Smp#: 9  
Injection Vol: 1.0 ul Dil. Factor: 1.0000  
Method: 8015\_GLY\_VGG Limit Group: 8015C\_DAI  
Column: J&W DB WAX ( 0.45 mm) Detector: GC FID2B

7 Ethylene glycol, CAS: 107-21-1

Signal: 1


RT: 6.24  
Area: 127190  
Amount: 1.441255  
Amount Units: ug/ml

Processing Integration Results



RT: 6.24  
Area: 186390  
Amount: 4.568925  
Amount Units: ug/ml

Manual Integration Results



Eurofins Savannah  
Target Compound Quantitation Report

Data File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02010.D  
 Lims ID: ic g1  
 Client ID:  
 Sample Type: IC Calib Level: 1  
 Inject. Date: 02-Apr-2023 16:30:26 ALS Bottle#: 0 Worklist Smp#: 10  
 Injection Vol: 1.0 ul Dil. Factor: 1.0000  
 Sample Info: 680-0084885-010  
 Operator ID: Instrument ID: CVGG2  
 Sublist: chrom-8015\_GLY\_VGG\*sub2  
 Method: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\8015\_GLY\_VGG.m  
 Limit Group: 8015C\_DAI  
 Last Update: 03-Apr-2023 10:36:41 Calib Date: 02-Apr-2023 16:30:26  
 Integrator: Falcon  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02010.D  
 Column 1 : J&W DB WAX ( 0.45 mm) Det: GC FID2B  
 Process Host: CTX1656

First Level Reviewer: SWK1 Date: 03-Apr-2023 10:25:15

RT (min.)	Exp RT (min.)	Dlt RT (min.)	Response	Cal Amt ug/ml	OnCol Amt ug/ml	Flags
1 Ethanol, 2-propoxy						
2.754	2.760	-0.006	152859	2.00	2.15	
2 4-Hydroxy-4-methyl-2-pentanone						
3.273	3.282	-0.009	149534	2.00	2.13	
3 2-Butoxyethanol						
3.545	3.548	-0.003	170166	2.00	2.19	
* 4 n-Heptyl Alcohol						
3.970	3.970	0.000	5609925	50.0	50.0	
5 Dipropylene Glycol Methyl Ether						
4.875	4.880	-0.005	11391	2.00	2.06	
6 Propylene glycol						
6.034	6.028	0.006	46397	2.00	2.70	Ma
7 Ethylene glycol						
6.254	6.247	0.007	119753	2.00	2.70	M
8 2-(2-Butoxyethoxy)ethanol						
8.079	8.082	-0.003	141914	2.00	2.32	
9 2,2'-Oxybisethanol						
9.480	9.480	0.000	50691	2.00	1.84	
10 Triethylene Glycol						
10.523	10.523	0.000	49121	2.00	2.03	
11 Tetraethylene Glycol						
11.568	11.569	-0.001	113844	4.00	4.35	

**QC Flag Legend**  
Processing Flags



Review Flags

M - Manually Integrated

a - User Assigned ID

Reagents:

SG\_Gly\_CAL\_00054

Amount Added: 1.00

Units: uL

SG\_GLY\_ISTD\_00106

Amount Added: 10.00

Units: uL

Run Reagent

Eurofins Savannah

Data File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02010.D

Injection Date: 02-Apr-2023 16:30:26

Instrument ID: CVGG2

Operator ID:

Lims ID: ic g1

Worklist Smp#: 10

Client ID:

Injection Vol: 1.0 ul


Dil. Factor: 1.0000

ALS Bottle#: 0

Method: 8015\_GLY\_VGG

Limit Group: 8015C\_DAI

Column: J&W DB WAX (0.45 mm)



Eurofins Savannah


Data File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02010.D  
Injection Date: 02-Apr-2023 16:30:26 Instrument ID: CVGG2  
Lims ID: ic g1  
Client ID:  
Operator ID: ALS Bottle#: 0 Worklist Smp#: 10  
Injection Vol: 1.0 ul Dil. Factor: 1.0000  
Method: 8015\_GLY\_VGG Limit Group: 8015C\_DAI  
Column: J&W DB WAX ( 0.45 mm) Detector: GC FID2B

6 Propylene glycol, CAS: 57-55-6

Signal: 1


RT: 6.03  
Area: 2656  
Amount: -3.215441  
Amount Units: ug/ml

Processing Integration Results



RT: 6.03  
Area: 46397  
Amount: 2.695302  
Amount Units: ug/ml

Manual Integration Results



Reviewer: SWK1, 03-Apr-2023 10:25:13

Audit Action: Manually Integrated/Assigned Compound ID Audit Reason: Baseline Smoothing

Euofins Savannah


Data File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02010.D  
Injection Date: 02-Apr-2023 16:30:26 Instrument ID: CVGG2  
Lims ID: ic g1  
Client ID:  
Operator ID: ALS Bottle#: 0 Worklist Smp#: 10  
Injection Vol: 1.0 ul Dil. Factor: 1.0000  
Method: 8015\_GLY\_VGG Limit Group: 8015C\_DAI  
Column: J&W DB WAX ( 0.45 mm) Detector: GC FID2B

7 Ethylene glycol, CAS: 107-21-1

Signal: 1


RT: 6.22  
Area: 2640  
Amount: -3.308345  
Amount Units: ug/ml

Processing Integration Results



RT: 6.25  
Area: 119753  
Amount: 2.695169  
Amount Units: ug/ml

Manual Integration Results



Reviewer: SWK1, 03-Apr-2023 10:25:10  
Audit Action: Split an Integrated Peak

Audit Reason: Baseline Smoothing

**Calibration**


/ Ethanol, 2-propoxy

Curve Type: Average  
 Weighting: Conc\_Sq  
 Origin: Force  
 Dependency: Response  
 Calib Mode: ISTD  
 Response Base: AREA  
 RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.6341

Error Coefficients	
Standard Error:	3360000
Relative Standard Error:	10.4
Correlation Coefficient:	0.995
Coefficient of Determination (Adjusted):	0.984

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 680-770932/10	2.0	1.362398	50.0	5609925.0	0.681199	Y
2	IC 680-770932/9	5.0	3.523101	50.0	5150689.0	0.70462	Y
3	IC 680-770932/8	10.0	5.643574	50.0	6279283.0	0.564357	Y
4	ICIS 680-770932/7	20.0	14.33708	50.0	5447082.0	0.716854	Y
5	IC 680-770932/6	50.0	30.526623	50.0	5051127.0	0.610532	Y
6	IC 680-770932/5	80.0	44.608919	50.0	5060015.0	0.557611	Y
7	IC 680-770932/4	100.0	60.370612	50.0	4894306.0	0.603706	Y



**Calibration**


**/ 4-Hydroxy-4-methyl-2-pentanone**

**Curve Type:** Average  
**Weighting:** Conc\_Sq  
**Origin:** Force  
**Dependency:** Response  
**Calib Mode:** ISTD  
**Response Base:** AREA  
**RF Rounding:** 0

Curve Coefficients	
Intercept:	0
Slope:	0.6269

Error Coefficients	
Standard Error:	3340000
Relative Standard Error:	10.5
Correlation Coefficient:	0.994
Coefficient of Determination (Adjusted):	0.984

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 680-770932/10	2.0	1.332763	50.0	5609925.0	0.666381	Y
2	IC 680-770932/9	5.0	3.467633	50.0	5150689.0	0.693527	Y
3	IC 680-770932/8	10.0	5.49886	50.0	6279283.0	0.549886	Y
4	ICIS 680-770932/7	20.0	14.206147	50.0	5447082.0	0.710307	Y
5	IC 680-770932/6	50.0	31.006991	50.0	5051127.0	0.62014	Y
6	IC 680-770932/5	80.0	43.851688	50.0	5060015.0	0.548146	Y
7	IC 680-770932/4	100.0	59.965427	50.0	4894306.0	0.599654	Y



Calibration


/ 2-Butoxyethanol

Curve Type: Average  
 Weighting: Conc\_Sq  
 Origin: Force  
 Dependency: Response  
 Calib Mode: ISTD  
 Response Base: AREA  
 RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.691

Error Coefficients	
Standard Error:	3620000
Relative Standard Error:	10.8
Correlation Coefficient:	0.995
Coefficient of Determination (Adjusted):	0.983

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 680-770932/10	2.0	1.516651	50.0	5609925.0	0.758326	Y
2	IC 680-770932/9	5.0	3.854853	50.0	5150689.0	0.770971	Y
3	IC 680-770932/8	10.0	6.248142	50.0	6279283.0	0.624814	Y
4	ICIS 680-770932/7	20.0	15.51527	50.0	5447082.0	0.775764	Y
5	IC 680-770932/6	50.0	32.826169	50.0	5051127.0	0.656523	Y
6	IC 680-770932/5	80.0	48.035648	50.0	5060015.0	0.600446	Y
7	IC 680-770932/4	100.0	65.030987	50.0	4894306.0	0.65031	Y



**Calibration**


**/ Dipropylene Glycol Methyl Ether**

**Curve Type:** Average  
**Weighting:** Conc\_Sq  
**Origin:** Force  
**Dependency:** Response  
**Calib Mode:** ISTD  
**Response Base:** AREA  
**RF Rounding:** 0

Curve Coefficients	
Intercept:	0
Slope:	0.04926

Error Coefficients	
Standard Error:	268000
Relative Standard Error:	9.5
Correlation Coefficient:	0.992
Coefficient of Determination (Adjusted):	0.987

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 680-770932/10	2.0	0.101525	50.0	5609925.0	0.050763	Y
2	IC 680-770932/9	5.0	0.26213	50.0	5150689.0	0.052426	Y
3	IC 680-770932/8	10.0	0.425049	50.0	6279283.0	0.042505	Y
4	ICIS 680-770932/7	20.0	1.094338	50.0	5447082.0	0.054717	Y
5	IC 680-770932/6	50.0	2.651784	50.0	5051127.0	0.053036	Y
6	IC 680-770932/5	80.0	3.545661	50.0	5060015.0	0.044321	Y
7	IC 680-770932/4	100.0	4.707021	50.0	4894306.0	0.04707	Y





**Calibration**


/ Propylene glycol

Curve Type: Average  
 Weighting: Conc\_Sq  
 Origin: Force  
 Dependency: Response  
 Calib Mode: ISTD  
 Response Base: AREA  
 RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.1534

Error Coefficients	
Standard Error:	602000
Relative Standard Error:	19.1
Correlation Coefficient:	0.982
Coefficient of Determination (Adjusted):	0.930

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 680-770932/10	2.0	0.413526	50.0	5609925.0	0.206763	Y
2	IC 680-770932/9	5.0	0.78903	50.0	5150689.0	0.157806	Y
3	IC 680-770932/8	10.0	1.283889	50.0	6279283.0	0.128389	Y
4	ICIS 680-770932/7	20.0	2.883893	50.0	5447082.0	0.144195	Y
5	IC 680-770932/6	50.0	7.846991	50.0	5051127.0	0.15694	Y
6	IC 680-770932/5	80.0	10.116482	50.0	5060015.0	0.126456	Y
7	IC 680-770932/4	100.0	11.036703	50.0	4894306.0	0.110367	N



Calibration


/ Ethylene glycol

Curve Type: Average  
 Weighting: Conc\_Sq  
 Origin: Force  
 Dependency: Response  
 Calib Mode: ISTD  
 Response Base: AREA  
 RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.396

Error Coefficients	
Standard Error:	1590000
Relative Standard Error:	19.0
Correlation Coefficient:	0.972
Coefficient of Determination (Adjusted):	0.933

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 680-770932/10	2.0	1.067332	50.0	5609925.0	0.533666	Y
2	IC 680-770932/9	5.0	1.80937	50.0	5150689.0	0.361874	Y
3	IC 680-770932/8	10.0	3.473764	50.0	6279283.0	0.347376	Y
4	ICIS 680-770932/7	20.0	7.495527	50.0	5447082.0	0.374776	Y
5	IC 680-770932/6	50.0	21.445996	50.0	5051127.0	0.42892	Y
6	IC 680-770932/5	80.0	26.358934	50.0	5060015.0	0.329487	Y
7	IC 680-770932/4	100.0	29.428932	50.0	4894306.0	0.294289	N



**Calibration**


/ 2-(2-Butoxyethoxy)ethanol

Curve Type: Average  
 Weighting: Conc\_Sq  
 Origin: Force  
 Dependency: Response  
 Calib Mode: ISTD  
 Response Base: AREA  
 RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.544

Error Coefficients	
Standard Error:	2800000
Relative Standard Error:	12.3
Correlation Coefficient:	0.990
Coefficient of Determination (Adjusted):	0.977

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 680-770932/10	2.0	1.264848	50.0	5609925.0	0.632424	Y
2	IC 680-770932/9	5.0	2.943577	50.0	5150689.0	0.588715	Y
3	IC 680-770932/8	10.0	4.790977	50.0	6279283.0	0.479098	Y
4	ICIS 680-770932/7	20.0	11.93361	50.0	5447082.0	0.59668	Y
5	IC 680-770932/6	50.0	27.991605	50.0	5051127.0	0.559832	Y
6	IC 680-770932/5	80.0	37.045602	50.0	5060015.0	0.46307	Y
7	IC 680-770932/4	100.0	48.851277	50.0	4894306.0	0.488513	Y



Calibration


/ 2,2'-Oxybisethanol

Curve Type: Average  
 Weighting: Conc\_Sq  
 Origin: Force  
 Dependency: Response  
 Calib Mode: ISTD  
 Response Base: AREA  
 RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.2456

Error Coefficients	
Standard Error:	979000
Relative Standard Error:	16.2
Correlation Coefficient:	0.975
Coefficient of Determination (Adjusted):	0.962

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 680-770932/10	2.0	0.451797	50.0	5609925.0	0.225899	Y
2	IC 680-770932/9	5.0	1.583662	50.0	5150689.0	0.316732	Y
3	IC 680-770932/8	10.0	2.418827	50.0	6279283.0	0.241883	Y
4	ICIS 680-770932/7	20.0	4.509056	50.0	5447082.0	0.225453	Y
5	IC 680-770932/6	50.0	13.029063	50.0	5051127.0	0.260581	Y
6	IC 680-770932/5	80.0	16.233687	50.0	5060015.0	0.202921	Y
7	IC 680-770932/4	100.0	17.303485	50.0	4894306.0	0.173035	N



Calibration


/ Triethylene Glycol

Curve Type: Average  
 Weighting: Conc\_Sq  
 Origin: Force  
 Dependency: Response  
 Calib Mode: ISTD  
 Response Base: AREA  
 RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.2154

Error Coefficients	
Standard Error:	946000
Relative Standard Error:	9.4
Correlation Coefficient:	0.978
Coefficient of Determination (Adjusted):	0.987

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 680-770932/10	2.0	0.437804	50.0	5609925.0	0.218902	Y
2	IC 680-770932/9	5.0	1.082389	50.0	5150689.0	0.216478	Y
3	IC 680-770932/8	10.0	1.934249	50.0	6279283.0	0.193425	Y
4	ICIS 680-770932/7	20.0	4.286993	50.0	5447082.0	0.21435	Y
5	IC 680-770932/6	50.0	12.545062	50.0	5051127.0	0.250901	Y
6	IC 680-770932/5	80.0	15.863708	50.0	5060015.0	0.198296	Y
7	IC 680-770932/4	100.0	16.89831	50.0	4894306.0	0.168983	N



**Calibration**


/ Tetraethylene Glycol

Curve Type: Average  
 Weighting: Conc\_Sq  
 Origin: Force  
 Dependency: Response  
 Calib Mode: ISTD  
 Response Base: AREA  
 RF Rounding: 0

Curve Coefficients	
Intercept:	0
Slope:	0.2332

Error Coefficients	
Standard Error:	2000000
Relative Standard Error:	9.8
Correlation Coefficient:	0.979
Coefficient of Determination (Adjusted):	0.985

ID	Level	Concentration	Rel. Resp.	IS Amount	IS Response	RRF	Used
1	IC 680-770932/10	4.0	1.014666	50.0	5609925.0	0.253666	Y
2	IC 680-770932/9	10.0	2.366509	50.0	5150689.0	0.236651	Y
3	IC 680-770932/8	20.0	4.132008	50.0	6279283.0	0.2066	Y
4	ICIS 680-770932/7	40.0	9.165963	50.0	5447082.0	0.229149	Y
5	IC 680-770932/6	100.0	26.358761	50.0	5051127.0	0.263588	Y
6	IC 680-770932/5	160.0	33.53076	50.0	5060015.0	0.209567	Y
7	IC 680-770932/4	200.0	35.342651	50.0	4894306.0	0.176713	N



FORM VII  
GC SEMI VOA CONTINUING CALIBRATION DATA

Lab Name: Eurofins Savannah Job No.: 580-125377-1  
 SDG No.: \_\_\_\_\_  
 Lab Sample ID: ICV 680-770932/11 Calibration Date: 04/02/2023 16:53  
 Instrument ID: CVGG2 Calib Start Date: 04/02/2023 14:09  
 GC Column: J&W DB WAX ID: 0.45 (mm) Calib End Date: 04/02/2023 16:30  
 Lab File ID: GD02011.D Conc. Units: mg/L

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Ethanol, 2-propoxy	Ave	0.6341	0.6131		19.3	20.0	-3.3	20.0
4-Hydroxy-4-methyl-2-pentano ne	Ave	0.6269	0.5928		18.9	20.0	-5.4	20.0
2-Butoxyethanol	Ave	0.6910	0.7072		20.5	20.0	2.3	20.0
Dipropylene Glycol Methyl Ether	Ave	0.0493	0.0494		20.0	20.0	0.2	20.0
Propylene glycol	Ave	0.1534	0.1328		17.3	20.0	-13.4	20.0
Ethylene glycol	Ave	0.3960	0.4064		20.5	20.0	2.6	20.0
2-(2-Butoxyethoxy)ethanol	Ave	0.5440	0.5203		19.1	20.0	-4.4	20.0
2,2'-Oxybisethanol	Ave	0.2456	0.2313		18.8	20.0	-5.8	20.0
Triethylene Glycol	Ave	0.2154	0.2477		23.0	20.0	15.0	20.0
Tetraethylene Glycol	Ave	0.2332	0.2586		44.4	40.0	10.9	20.0

FORM VII  
GC SEMI VOA CONTINUING CALIBRATION RETENTION TIME SUMMARY

Lab Name: Eurofins Savannah Job No.: 580-125377-1  
 SDG No.: \_\_\_\_\_  
 Lab Sample ID: ICV 680-770932/11 Calibration Date: 04/02/2023 16:53  
 Instrument ID: CVGG2 Calib Start Date: 04/02/2023 14:09  
 GC Column: J&W DB WAX ID: 0.45 (mm) Calib End Date: 04/02/2023 16:30  
 Lab File ID: GD02011.D

Analyte	RT	RT WINDOW	
		FROM	TO
Ethanol, 2-propoxy	2.75	2.71	2.82
4-Hydroxy-4-methyl-2-pentanone	3.27	3.22	3.35
2-Butoxyethanol	3.54	3.48	3.62
Dipropylene Glycol Methyl Ether	4.88	4.78	4.98
Propylene glycol	6.03	5.91	6.15
Ethylene glycol	6.25	6.12	6.37
2-(2-Butoxyethoxy)ethanol	8.08	7.92	8.24
2,2'-Oxybisethanol	9.48	9.29	9.67
Triethylene Glycol	10.52	10.31	10.73
Tetraethylene Glycol	11.57	11.34	11.80



Eurofins Savannah  
Target Compound Quantitation Report

Data File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02011.D  
 Lims ID: icv glycol  
 Client ID:  
 Sample Type: CCV  
 Inject. Date: 02-Apr-2023 16:53:47 ALS Bottle#: 0 Worklist Smp#: 11  
 Injection Vol: 1.0 ul Dil. Factor: 1.0000  
 Sample Info: 680-0084885-011  
 Operator ID: Instrument ID: CVGG2  
 Sublist: chrom-8015\_GLY\_VGG\*sub2  
 Method: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\8015\_GLY\_VGG.m  
 Limit Group: 8015C\_DAI  
 Last Update: 03-Apr-2023 10:40:48 Calib Date: 02-Apr-2023 16:30:26  
 Integrator: Falcon  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02010.D  
 Column 1 : J&W DB WAX ( 0.45 mm) Det: GC FID2B  
 Process Host: CTX1656

First Level Reviewer: SWK1 Date: 03-Apr-2023 10:25:45

RT (min.)	Exp RT (min.)	Dlt RT (min.)	Response	Cal Amt ug/ml	OnCol Amt ug/ml	Flags
1 Ethanol, 2-propoxy						
2.751	2.760	-0.009	1470032	20.0	19.3	
2 4-Hydroxy-4-methyl-2-pentanone						
3.271	3.282	-0.011	1421365	20.0	18.9	
3 2-Butoxyethanol						
3.542	3.548	-0.006	1695506	20.0	20.5	
* 4 n-Heptyl Alcohol						
3.971	3.970	0.001	5993944	50.0	50.0	
5 Dipropylene Glycol Methyl Ether						
4.877	4.880	-0.003	118353	20.0	20.0	
6 Propylene glycol						
6.032	6.028	0.004	318393	20.0	17.3	M
7 Ethylene glycol						
6.246	6.247	-0.001	974438	20.0	20.5	M
8 2-(2-Butoxyethoxy)ethanol						
8.078	8.082	-0.004	1247479	20.0	19.1	
9 2,2'-Oxybisethanol						
9.479	9.480	-0.001	554648	20.0	18.8	
10 Triethylene Glycol						
10.523	10.523	0.000	593951	20.0	23.0	
11 Tetraethylene Glycol						
11.568	11.569	-0.001	1239924	40.0	44.4	

QC Flag Legend  
Processing Flags

Review Flags

M - Manually Integrated

Reagents:

SG\_GlyICV\_00059

Amount Added: 10.00

Units: uL

SG\_GLY\_ISTD\_00106

Amount Added: 10.00

Units: uL

Run Reagent

Eurofins Savannah

Data File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02011.D

Injection Date: 02-Apr-2023 16:53:47

Instrument ID: CVGG2

Operator ID:

Lims ID: icv glycol

Worklist Smp#: 11

Client ID:

Injection Vol: 1.0 ul


Dil. Factor: 1.0000

ALS Bottle#: 0

Method: 8015\_GLY\_VGG

Limit Group: 8015C\_DAI

Column: J&W DB WAX (0.45 mm)



Eurofins Savannah


Data File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02011.D  
Injection Date: 02-Apr-2023 16:53:47 Instrument ID: CVGG2  
Lims ID: icv glycol  
Client ID:  
Operator ID: ALS Bottle#: 0 Worklist Smp#: 11  
Injection Vol: 1.0 ul Dil. Factor: 1.0000  
Method: 8015\_GLY\_VGG Limit Group: 8015C\_DAI  
Column: J&W DB WAX ( 0.45 mm) Detector: GC FID2B

6 Propylene glycol, CAS: 57-55-6

Signal: 1


RT: 5.94  
Area: 203676  
Amount: 10.702681  
Amount Units: ug/ml

Processing Integration Results



RT: 6.03  
Area: 318393  
Amount: 17.311131  
Amount Units: ug/ml

Manual Integration Results



Reviewer: SWK1, 03-Apr-2023 10:25:43  
Audit Action: Assigned New Baseline

Audit Reason: Baseline Smoothing

Eurofins Savannah


Data File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02011.D  
Injection Date: 02-Apr-2023 16:53:47 Instrument ID: CVGG2  
Lims ID: icv glycol  
Client ID:  
Operator ID: ALS Bottle#: 0 Worklist Smp#: 11  
Injection Vol: 1.0 ul Dil. Factor: 1.0000  
Method: 8015\_GLY\_VGG Limit Group: 8015C\_DAI  
Column: J&W DB WAX ( 0.45 mm) Detector: GC FID2B

7 Ethylene glycol, CAS: 107-21-1

Signal: 1


RT: 6.25  
Area: 883978  
Amount: 21.169677  
Amount Units: ug/ml

Processing Integration Results



RT: 6.25  
Area: 974438  
Amount: 20.525712  
Amount Units: ug/ml

Manual Integration Results



Reviewer: SWK1, 03-Apr-2023 10:25:43  
Audit Action: Assigned New Baseline

Audit Reason: Baseline Smoothing

FORM VII  
GC SEMI VOA CONTINUING CALIBRATION DATA

Lab Name: Eurofins Savannah Job No.: 580-125377-1  
 SDG No.: \_\_\_\_\_  
 Lab Sample ID: CCVIS 680-771309/4 Calibration Date: 04/04/2023 12:30  
 Instrument ID: CVGG2 Calib Start Date: 04/02/2023 14:09  
 GC Column: J&W DB WAX ID: 0.45 (mm) Calib End Date: 04/02/2023 16:30  
 Lab File ID: GD04004.D Conc. Units: mg/L

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Ethanol, 2-propoxy	Ave	0.6341	0.6110		19.3	20.0	-3.6	20.0
4-Hydroxy-4-methyl-2-pentano ne	Ave	0.6269	0.6084		19.4	20.0	-2.9	20.0
2-Butoxyethanol	Ave	0.6910	0.6805		19.7	20.0	-1.5	20.0
Dipropylene Glycol Methyl Ether	Ave	0.0493	0.0515		20.9	20.0	4.6	20.0
Propylene glycol	Ave	0.1534	0.1326		17.3	20.0	-13.6	20.0
Ethylene glycol	Ave	0.3960	0.5489		27.7	20.0	38.6*	20.0
2-(2-Butoxyethoxy)ethanol	Ave	0.5440	0.5898		21.7	20.0	8.4	20.0
2,2'-Oxybisethanol	Ave	0.2456	0.2850		23.2	20.0	16.0	20.0
Triethylene Glycol	Ave	0.2154	0.2355		21.9	20.0	9.4	20.0
Tetraethylene Glycol	Ave	0.2332	0.2129		36.5	40.0	-8.7	20.0

FORM VII  
GC SEMI VOA CONTINUING CALIBRATION RETENTION TIME SUMMARY

Lab Name: Eurofins Savannah Job No.: 580-125377-1  
 SDG No.: \_\_\_\_\_  
 Lab Sample ID: CCVIS 680-771309/4 Calibration Date: 04/04/2023 12:30  
 Instrument ID: CVGG2 Calib Start Date: 04/02/2023 14:09  
 GC Column: J&W DB WAX ID: 0.45 (mm) Calib End Date: 04/02/2023 16:30  
 Lab File ID: GD04004.D

Analyte	RT	RT WINDOW	
		FROM	TO
Ethanol, 2-propoxy	2.77	2.71	2.82
4-Hydroxy-4-methyl-2-pentanone	3.28	3.21	3.35
2-Butoxyethanol	3.56	3.49	3.63
Dipropylene Glycol Methyl Ether	4.88	4.78	4.98
Propylene glycol	6.03	5.91	6.15
Ethylene glycol	6.28	6.15	6.40
2-(2-Butoxyethoxy)ethanol	8.08	7.92	8.24
2,2'-Oxybisethanol	9.48	9.29	9.67
Triethylene Glycol	10.53	10.31	10.74
Tetraethylene Glycol	11.57	11.34	11.80

Eurofins Savannah  
Target Compound Quantitation Report

Data File: \\chromfs\Savannah\ChromData\CVGG2\20230404-84931.b\GD04004.D  
 Lims ID: ccvis g4  
 Client ID:  
 Sample Type: CCVIS  
 Inject. Date: 04-Apr-2023 12:30:44 ALS Bottle#: 0 Worklist Smp#: 4  
 Injection Vol: 1.0 ul Dil. Factor: 1.0000  
 Sample Info: 680-0084931-004  
 Operator ID: Instrument ID: CVGG2  
 Sublist: chrom-8015\_GLY\_VGG\*sub2  
 Method: \\chromfs\Savannah\ChromData\CVGG2\20230404-84931.b\8015\_GLY\_VGG.m  
 Limit Group: 8015C\_DAI  
 Last Update: 04-Apr-2023 13:42:50 Calib Date: 02-Apr-2023 16:30:26  
 Integrator: Falcon  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02010.D  
 Column 1 : J&W DB WAX ( 0.45 mm) Det: GC FID2B  
 Process Host: CTX1629

First Level Reviewer: SK9U Date: 04-Apr-2023 13:42:50

RT (min.)	Exp RT (min.)	Dlt RT (min.)	Response	Cal Amt ug/ml	OnCol Amt ug/ml	Flags
1 Ethanol, 2-propoxy						
2.768	2.768	0.000	1333437	20.0	19.3	
2 4-Hydroxy-4-methyl-2-pentanone						
3.279	3.279	0.000	1327811	20.0	19.4	
3 2-Butoxyethanol						
3.557	3.557	0.000	1485106	20.0	19.7	M
* 4 n-Heptyl Alcohol						
3.989	3.989	0.000	5455876	50.0	50.0	M
5 Dipropylene Glycol Methyl Ether						
4.879	4.879	0.000	112444	20.0	20.9	
6 Propylene glycol						
6.027	6.027	0.000	289360	20.0	17.3	
7 Ethylene glycol						
6.277	6.277	0.000	1197821	20.0	27.7	
8 2-(2-Butoxyethoxy)ethanol						
8.078	8.078	0.000	1287050	20.0	21.7	
9 2,2'-Oxybisethanol						
9.483	9.483	0.000	621874	20.0	23.2	
10 Triethylene Glycol						
10.525	10.525	0.000	514045	20.0	21.9	
11 Tetraethylene Glycol						
11.571	11.571	0.000	929396	40.0	36.5	

**QC Flag Legend**  
Processing Flags



Review Flags

M - Manually Integrated

Reagents:

SG\_Gly\_CAL\_00054

Amount Added: 10.00

Units: uL

SG\_GLY\_ISTD\_00106

Amount Added: 10.00

Units: uL

Run Reagent

Eurofins Savannah

Data File: \\chromfs\Savannah\ChromData\CVGG2\20230404-84931.b\GD04004.D

Injection Date: 04-Apr-2023 12:30:44

Instrument ID: CVGG2

Operator ID:

Lims ID: ccvis g4

Worklist Smp#: 4

Client ID:

Injection Vol: 1.0 ul


Dil. Factor: 1.0000

ALS Bottle#: 0

Method: 8015\_GLY\_VGG

Limit Group: 8015C\_DAI

Column: J&W DB WAX (0.45 mm)



Eurofins Savannah


Data File: \\chromfs\Savannah\ChromData\CVGG2\20230404-84931.b\GD04004.D  
Injection Date: 04-Apr-2023 12:30:44 Instrument ID: CVGG2  
Lims ID: ccvis g4  
Client ID:  
Operator ID: ALS Bottle#: 0 Worklist Smp#: 4  
Injection Vol: 1.0 ul Dil. Factor: 1.0000  
Method: 8015\_GLY\_VGG Limit Group: 8015C\_DAI  
Column: J&W DB WAX ( 0.45 mm) Detector: GC FID2B

\* 4 n-Heptyl Alcohol, CAS: 111-70-6

Signal: 1


Processing Integration Results

RT: 3.99  
Area: 5409353  
Amount: 50.000000  
Amount Units: ug/ml



Manual Integration Results

RT: 3.99  
Area: 5455876  
Amount: 50.000000  
Amount Units: ug/ml



Euofins Savannah


Data File: \\chromfs\Savannah\ChromData\CVGG2\20230404-84931.b\GD04004.D  
Injection Date: 04-Apr-2023 12:30:44 Instrument ID: CVGG2  
Lims ID: ccvis g4  
Client ID:  
Operator ID: ALS Bottle#: 0 Worklist Smp#: 4  
Injection Vol: 1.0 ul Dil. Factor: 1.0000  
Method: 8015\_GLY\_VGG Limit Group: 8015C\_DAI  
Column: J&W DB WAX ( 0.45 mm) Detector: GC FID2B

3 2-Butoxyethanol, CAS: 111-76-2

Signal: 1


RT: 3.56  
Area: 1475526  
Amount: 19.736938  
Amount Units: ug/ml

Processing Integration Results



RT: 3.56  
Area: 1485106  
Amount: 19.695690  
Amount Units: ug/ml

Manual Integration Results



FORM VII  
GC SEMI VOA CONTINUING CALIBRATION DATA

Lab Name: Eurofins Savannah Job No.: 580-125377-1  
 SDG No.: \_\_\_\_\_  
 Lab Sample ID: CCV 680-771309/28 Calibration Date: 04/04/2023 21:51  
 Instrument ID: CVGG2 Calib Start Date: 04/02/2023 14:09  
 GC Column: J&W DB WAX ID: 0.45 (mm) Calib End Date: 04/02/2023 16:30  
 Lab File ID: GD04028.D Conc. Units: mg/L

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Ethanol, 2-propoxy	Ave	0.6341	0.7495		23.6	20.0	18.2	20.0
4-Hydroxy-4-methyl-2-pentano ne	Ave	0.6269	0.6978		22.3	20.0	11.3	20.0
2-Butoxyethanol	Ave	0.6910	0.8137		23.6	20.0	17.8	20.0
Dipropylene Glycol Methyl Ether	Ave	0.0493	0.0493		20.0	20.0	0.1	20.0
Propylene glycol	Ave	0.1534	0.1189		15.5	20.0	-22.5*	20.0
Ethylene glycol	Ave	0.3960	0.4179		21.1	20.0	5.5	20.0
2-(2-Butoxyethoxy)ethanol	Ave	0.5440	0.5833		21.4	20.0	7.2	20.0
2,2'-Oxybisethanol	Ave	0.2456	0.2317		18.9	20.0	-5.7	20.0
Triethylene Glycol	Ave	0.2154	0.2368		22.0	20.0	9.9	20.0
Tetraethylene Glycol	Ave	0.2332	0.1746		29.9	40.0	-25.1*	20.0

FORM VII  
GC SEMI VOA CONTINUING CALIBRATION RETENTION TIME SUMMARY

Lab Name: Eurofins Savannah Job No.: 580-125377-1  
 SDG No.: \_\_\_\_\_  
 Lab Sample ID: CCV 680-771309/28 Calibration Date: 04/04/2023 21:51  
 Instrument ID: CVGG2 Calib Start Date: 04/02/2023 14:09  
 GC Column: J&W DB WAX ID: 0.45 (mm) Calib End Date: 04/02/2023 16:30  
 Lab File ID: GD04028.D

Analyte	RT	RT WINDOW	
		FROM	TO
Ethanol, 2-propoxy	2.75	2.70	2.81
4-Hydroxy-4-methyl-2-pentanone	3.28	3.22	3.35
2-Butoxyethanol	3.54	3.47	3.61
Dipropylene Glycol Methyl Ether	4.88	4.78	4.97
Propylene glycol	6.02	5.90	6.14
Ethylene glycol	6.27	6.14	6.39
2-(2-Butoxyethoxy)ethanol	8.07	7.91	8.23
2,2'-Oxybisethanol	9.48	9.29	9.67
Triethylene Glycol	10.52	10.31	10.73
Tetraethylene Glycol	11.56	11.33	11.80

Eurofins Savannah  
Target Compound Quantitation Report

Data File: \\chromfs\Savannah\ChromData\CVGG2\20230404-84931.b\GD04028.D  
 Lims ID: ccv g4  
 Client ID:  
 Sample Type: CCV  
 Inject. Date: 04-Apr-2023 21:51:33 ALS Bottle#: 0 Worklist Smp#: 28  
 Injection Vol: 1.0 ul Dil. Factor: 1.0000  
 Sample Info: 680-0084931-028  
 Operator ID: Instrument ID: CVGG2  
 Sublist: chrom-8015\_GLY\_VGG\*sub2  
 Method: \\chromfs\Savannah\ChromData\CVGG2\20230404-84931.b\8015\_GLY\_VGG.m  
 Limit Group: 8015C\_DAI  
 Last Update: 05-Apr-2023 10:49:29 Calib Date: 02-Apr-2023 16:30:26  
 Integrator: Falcon  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02010.D  
 Column 1 : J&W DB WAX ( 0.45 mm) Det: GC FID2B  
 Process Host: CTX1633

First Level Reviewer: SWK1

Date: 05-Apr-2023 10:48:23

RT (min.)	Exp RT (min.)	Dlt RT (min.)	Response	Cal Amt ug/ml	OnCol Amt ug/ml	Flags
--------------	------------------	------------------	----------	------------------	--------------------	-------

1 Ethanol, 2-propoxy	2.754	2.754	0.000	1532167	20.0	23.6
2 4-Hydroxy-4-methyl-2-pentanone	3.281	3.281	0.000	1426394	20.0	22.3
3 2-Butoxyethanol	3.544	3.544	0.000	1663413	20.0	23.6
* 4 n-Heptyl Alcohol	3.969	3.969	0.000	5110475	50.0	50.0
5 Dipropylene Glycol Methyl Ether	4.876	4.876	0.000	100837	20.0	20.0
6 Propylene glycol	6.023	6.023	0.000	242959	20.0	15.5
7 Ethylene glycol	6.265	6.265	0.000	854236	20.0	21.1
8 2-(2-Butoxyethoxy)ethanol	8.073	8.073	0.000	1192454	20.0	21.4
9 2,2'-Oxybisethanol	9.478	9.478	0.000	473625	20.0	18.9
10 Triethylene Glycol	10.521	10.521	0.000	483994	20.0	22.0
11 Tetraethylene Glycol	11.564	11.564	0.000	713864	40.0	29.9

### QC Flag Legend

Processing Flags

Reagents:

SG\_Gly\_CAL\_00054

Amount Added: 10.00

Units: uL

SG\_GLY\_ISTD\_00106

Amount Added: 10.00

Units: uL

Run Reagent



Eurofins Savannah

Data File: \\chromfs\Savannah\ChromData\CVGG2\20230404-84931.b\GD04028.D

Injection Date: 04-Apr-2023 21:51:33

Instrument ID: CVGG2

Operator ID:

Lims ID: ccv g4

Worklist Smp#: 28

Client ID:

Injection Vol: 1.0 ul


Dil. Factor: 1.0000

ALS Bottle#: 0

Method: 8015\_GLY\_VGG

Limit Group: 8015C\_DAI

Column: J&W DB WAX (0.45 mm)



FORM VII  
GC SEMI VOA CONTINUING CALIBRATION DATA

Lab Name: Eurofins Savannah Job No.: 580-125377-1  
 SDG No.: \_\_\_\_\_  
 Lab Sample ID: CCV 680-771309/44 Calibration Date: 04/05/2023 04:04  
 Instrument ID: CVGG2 Calib Start Date: 04/02/2023 14:09  
 GC Column: J&W DB WAX ID: 0.45 (mm) Calib End Date: 04/02/2023 16:30  
 Lab File ID: GD04044.D Conc. Units: mg/L

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Ethanol, 2-propoxy	Ave	0.6341	0.7979		25.2	20.0	25.8*	20.0
4-Hydroxy-4-methyl-2-pentano ne	Ave	0.6269	0.7434		23.7	20.0	18.6	20.0
2-Butoxyethanol	Ave	0.6910	0.8585		24.8	20.0	24.2*	20.0
Dipropylene Glycol Methyl Ether	Ave	0.0493	0.0601		24.4	20.0	22.0*	20.0
Propylene glycol	Ave	0.1534	0.0586		7.64	20.0	-61.8*	20.0
Ethylene glycol	Ave	0.3960	0.4946		25.0	20.0	24.9*	20.0
2-(2-Butoxyethoxy)ethanol	Ave	0.5440	0.6493		23.9	20.0	19.3	20.0
2,2'-Oxybisethanol	Ave	0.2456	0.2500		20.4	20.0	1.8	20.0
Triethylene Glycol	Ave	0.2154	0.1997		18.5	20.0	-7.3	20.0
Tetraethylene Glycol	Ave	0.2332	0.0973		16.7	40.0	-58.3*	20.0

FORM VII  
GC SEMI VOA CONTINUING CALIBRATION RETENTION TIME SUMMARY

Lab Name: Eurofins Savannah Job No.: 580-125377-1  
 SDG No.: \_\_\_\_\_  
 Lab Sample ID: CCV 680-771309/44 Calibration Date: 04/05/2023 04:04  
 Instrument ID: CVGG2 Calib Start Date: 04/02/2023 14:09  
 GC Column: J&W DB WAX ID: 0.45 (mm) Calib End Date: 04/02/2023 16:30  
 Lab File ID: GD04044.D

Analyte	RT	RT WINDOW	
		FROM	TO
Ethanol, 2-propoxy	2.76	2.71	2.82
4-Hydroxy-4-methyl-2-pentanone	3.28	3.22	3.35
2-Butoxyethanol	3.55	3.48	3.62
Dipropylene Glycol Methyl Ether	4.88	4.78	4.98
Propylene glycol	6.02	5.90	6.14
Ethylene glycol	6.26	6.14	6.39
2-(2-Butoxyethoxy)ethanol	8.07	7.91	8.24
2,2'-Oxybisethanol	9.48	9.29	9.67
Triethylene Glycol	10.52	10.31	10.73
Tetraethylene Glycol	11.57	11.34	11.80

Eurofins Savannah  
Target Compound Quantitation Report

Data File: \\chromfs\Savannah\ChromData\CVGG2\20230404-84931.b\GD04044.D  
 Lims ID: ccv g4  
 Client ID:  
 Sample Type: CCV  
 Inject. Date: 05-Apr-2023 04:04:48 ALS Bottle#: 0 Worklist Smp#: 44  
 Injection Vol: 1.0 ul Dil. Factor: 1.0000  
 Sample Info: 680-0084931-044  
 Operator ID: Instrument ID: CVGG2  
 Sublist: chrom-8015\_GLY\_VGG\*sub2  
 Method: \\chromfs\Savannah\ChromData\CVGG2\20230404-84931.b\8015\_GLY\_VGG.m  
 Limit Group: 8015C\_DAI  
 Last Update: 05-Apr-2023 10:49:29 Calib Date: 02-Apr-2023 16:30:26  
 Integrator: Falcon  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02010.D  
 Column 1 : J&W DB WAX ( 0.45 mm) Det: GC FID2B  
 Process Host: CTX1633

RT (min.)	Exp RT (min.)	Dlt RT (min.)	Response	Cal Amt ug/ml	OnCol Amt ug/ml	Flags
-----------	---------------	---------------	----------	---------------	-----------------	-------

1 Ethanol, 2-propoxy	2.761	2.761	0.000	1541839	20.0	25.2
2 4-Hydroxy-4-methyl-2-pentanone	3.284	3.284	0.000	1436434	20.0	23.7
3 2-Butoxyethanol	3.549	3.549	0.000	1658857	20.0	24.8
* 4 n-Heptyl Alcohol	3.971	3.971	0.000	4830901	50.0	50.0
5 Dipropylene Glycol Methyl Ether	4.882	4.882	0.000	116127	20.0	24.4
6 Propylene glycol	6.022	6.022	0.000	113221	20.0	7.64
7 Ethylene glycol	6.263	6.263	0.000	955775	20.0	25.0
8 2-(2-Butoxyethoxy)ethanol	8.074	8.074	0.000	1254603	20.0	23.9
9 2,2'-Oxybisethanol	9.480	9.480	0.000	483140	20.0	20.4
10 Triethylene Glycol	10.523	10.523	0.000	385908	20.0	18.5
11 Tetraethylene Glycol	11.568	11.568	0.000	376230	40.0	16.7

Reagents:

SG\_Gly\_CAL\_00054 Amount Added: 10.00 Units: uL  
 SG\_GLY\_ISTD\_00106 Amount Added: 10.00 Units: uL Run Reagent

Eurofins Savannah

Data File: \\chromfs\Savannah\ChromData\CVGG2\20230404-84931.b\GD04044.D

Injection Date: 05-Apr-2023 04:04:48

Instrument ID: CVGG2

Operator ID:

Lims ID: ccv g4

Worklist Smp#: 44

Client ID:

Injection Vol: 1.0 ul


Dil. Factor: 1.0000

ALS Bottle#: 0

Method: 8015\_GLY\_VGG

Limit Group: 8015C\_DAI

Column: J&W DB WAX (0.45 mm)



FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Savannah Job No.: 580-125377-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: \_\_\_\_\_ Lab Sample ID: MB 680-771309/11  
 Matrix: Water Lab File ID: GD04011.D  
 Analysis Method: 8015C GLY Date Collected: \_\_\_\_\_  
 Extraction Method: \_\_\_\_\_ Date Extracted: \_\_\_\_\_  
 Sample wt/vol: 1(mL) Date Analyzed: 04/04/2023 15:14  
 Con. Extract Vol.: 1(mL) Dilution Factor: 1  
 Injection Volume: 1(uL) GC Column: J&W DB WAX ID: 0.45(mm)  
 % Moisture: \_\_\_\_\_ % Solids: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Cleanup Factor: \_\_\_\_\_  
 Analysis Batch No.: 771309 Units: mg/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
112-34-5	2-(2-Butoxyethoxy)ethanol	3.0	U M	5.0	3.0	1.1

Eurofins Savannah  
Target Compound Quantitation Report

Data File: \\chromfs\Savannah\ChromData\CVGG2\20230404-84931.b\GD04011.D  
 Lims ID: mb  
 Client ID:  
 Sample Type: MB  
 Inject. Date: 04-Apr-2023 15:14:08 ALS Bottle#: 0 Worklist Smp#: 11  
 Injection Vol: 1.0 ul Dil. Factor: 1.0000  
 Sample Info: 680-0084931-011  
 Operator ID: Instrument ID: CVGG2  
 Method: \\chromfs\Savannah\ChromData\CVGG2\20230404-84931.b\8015\_GLY\_VGG.m  
 Limit Group: 8015C\_DAI  
 Last Update: 04-Apr-2023 16:42:06 Calib Date: 02-Apr-2023 16:30:26  
 Integrator: Falcon  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02010.D  
 Column 1 : J&W DB WAX ( 0.45 mm) Det: GC FID2B  
 Process Host: CTX1616

First Level Reviewer: SWK1 Date: 04-Apr-2023 18:52:03

RT (min.)	Exp RT (min.)	Dlt RT (min.)	Response	Cal Amt ug/ml	OnCol Amt ug/ml	Flags
-----------	---------------	---------------	----------	---------------	-----------------	-------

3 2-Butoxyethanol						
3.565	3.557	0.008	8023		0.0972	7
LOD = 0.5000						
* 4 n-Heptyl Alcohol						
3.978	3.989	-0.011	5970542	50.0	50.0	
6 Propylene glycol						
6.032	6.027	0.005	4172		0.2277	7
LOD = 0.5000						

**QC Flag Legend**

Processing Flags

7 - Failed Limit of Detection

**Reagents:**

SG\_GLY\_ISTD\_00106 Amount Added: 10.00 Units: uL Run Reagent

Eurofins Savannah

Data File: \\chromfs\Savannah\ChromData\CVGG2\20230404-84931.b\GD04011.D

Injection Date: 04-Apr-2023 15:14:08

Instrument ID: CVGG2

Operator ID:

Lims ID: mb

Worklist Smp#: 11

Client ID:

Injection Vol: 1.0 ul


Dil. Factor: 1.0000

ALS Bottle#: 0

Method: 8015\_GLY\_VGG

Limit Group: 8015C\_DAI

Column: J&W DB WAX (0.45 mm)





FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Savannah Job No.: 580-125377-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: \_\_\_\_\_ Lab Sample ID: LCS 680-771309/5  
 Matrix: Water Lab File ID: GD04005.D  
 Analysis Method: 8015C GLY Date Collected: \_\_\_\_\_  
 Extraction Method: \_\_\_\_\_ Date Extracted: \_\_\_\_\_  
 Sample wt/vol: 1(mL) Date Analyzed: 04/04/2023 12:54  
 Con. Extract Vol.: 1(mL) Dilution Factor: 1  
 Injection Volume: 1(uL) GC Column: J&W DB WAX ID: 0.45(mm)  
 % Moisture: \_\_\_\_\_ % Solids: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Cleanup Factor: \_\_\_\_\_  
 Analysis Batch No.: 771309 Units: mg/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
112-34-5	2-(2-Butoxyethoxy)ethanol	20.6		5.0	3.0	1.1

Eurofins Savannah  
Target Compound Quantitation Report

Data File: \\chromfs\Savannah\ChromData\CVGG2\20230404-84931.b\GD04005.D  
 Lims ID: lcs  
 Client ID:  
 Sample Type: LCS  
 Inject. Date: 04-Apr-2023 12:54:03 ALS Bottle#: 0 Worklist Smp#: 5  
 Injection Vol: 1.0 ul Dil. Factor: 1.0000  
 Sample Info: 680-0084931-005  
 Operator ID: Instrument ID: CVGG2  
 Method: \\chromfs\Savannah\ChromData\CVGG2\20230404-84931.b\8015\_GLY\_VGG.m  
 Limit Group: 8015C\_DAI  
 Last Update: 04-Apr-2023 13:43:08 Calib Date: 02-Apr-2023 16:30:26  
 Integrator: Falcon  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02010.D  
 Column 1 : J&W DB WAX ( 0.45 mm) Det: GC FID2B  
 Process Host: CTX1629

First Level Reviewer: SK9U Date: 04-Apr-2023 13:43:08

RT (min.)	Exp RT (min.)	Dlt RT (min.)	Response	Cal Amt ug/ml	OnCol Amt ug/ml	Flags
1 Ethanol, 2-propoxy						
2.763	2.768	-0.005	1303397	20.0	19.1	
2 4-Hydroxy-4-methyl-2-pentanone						
3.275	3.279	-0.004	1298395	20.0	19.3	
3 2-Butoxyethanol						
3.554	3.557	-0.003	1436998	20.0	19.3	
* 4 n-Heptyl Alcohol						
3.986	3.989	-0.003	5377829	50.0	50.0	M
5 Dipropylene Glycol Methyl Ether						
4.876	4.879	-0.003	114011	20.0	21.5	M
6 Propylene glycol						
6.033	6.027	0.006	270823	20.0	16.4	
7 Ethylene glycol						
6.278	6.277	0.001	1189014	20.0	27.9	
8 2-(2-Butoxyethoxy)ethanol						
8.080	8.078	0.002	1203214	20.0	20.6	
9 2,2'-Oxybisethanol						
9.479	9.483	-0.004	669120	20.0	25.3	
10 Triethylene Glycol						
10.523	10.525	-0.002	646282	20.0	27.9	
11 Tetraethylene Glycol						
11.568	11.571	-0.003	1361885	40.0	54.3	

QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

Reagents:

SG\_GlyICV\_00059

Amount Added: 10.00

Units: uL

SG\_GLY\_ISTD\_00106

Amount Added: 10.00

Units: uL

Run Reagent

Eurofins Savannah

Data File: \\chromfs\Savannah\ChromData\CVGG2\20230404-84931.b\GD04005.D

Injection Date: 04-Apr-2023 12:54:03

Instrument ID: CVGG2

Operator ID:

Lims ID: lcs

Worklist Smp#: 5

Client ID:

Injection Vol: 1.0 ul


Dil. Factor: 1.0000

ALS Bottle#: 0

Method: 8015\_GLY\_VGG

Limit Group: 8015C\_DAI

Column: J&W DB WAX (0.45 mm)



Eurofins Savannah


Data File: \\chromfs\Savannah\ChromData\CVGG2\20230404-84931.b\GD04005.D  
Injection Date: 04-Apr-2023 12:54:03 Instrument ID: CVGG2  
Lims ID: lcs  
Client ID:  
Operator ID: ALS Bottle#: 0 Worklist Smp#: 5  
Injection Vol: 1.0 ul Dil. Factor: 1.0000  
Method: 8015\_GLY\_VGG Limit Group: 8015C\_DAI  
Column: J&W DB WAX ( 0.45 mm) Detector: GC FID2B

\* 4 n-Heptyl Alcohol, CAS: 111-70-6

Signal: 1


RT: 3.99  
Area: 5335091  
Amount: 50.000000  
Amount Units: ug/ml

Processing Integration Results



RT: 3.99  
Area: 5377829  
Amount: 50.000000  
Amount Units: ug/ml

Manual Integration Results



FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Savannah Job No.: 580-125377-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: \_\_\_\_\_ Lab Sample ID: LCSD 680-771309/6  
 Matrix: Water Lab File ID: GD04006.D  
 Analysis Method: 8015C GLY Date Collected: \_\_\_\_\_  
 Extraction Method: \_\_\_\_\_ Date Extracted: \_\_\_\_\_  
 Sample wt/vol: 1(mL) Date Analyzed: 04/04/2023 13:17  
 Con. Extract Vol.: 1(mL) Dilution Factor: 1  
 Injection Volume: 1(uL) GC Column: J&W DB WAX ID: 0.45(mm)  
 % Moisture: \_\_\_\_\_ % Solids: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Cleanup Factor: \_\_\_\_\_  
 Analysis Batch No.: 771309 Units: mg/L

CAS NO.	COMPOUND NAME	RESULT	Q	LOQ	LOD	DL
112-34-5	2-(2-Butoxyethoxy)ethanol	22.0		5.0	3.0	1.1

Eurofins Savannah  
Target Compound Quantitation Report

Data File: \\chromfs\Savannah\ChromData\CVGG2\20230404-84931.b\GD04006.D  
 Lims ID: lcsd  
 Client ID:  
 Sample Type: LCSD  
 Inject. Date: 04-Apr-2023 13:17:23 ALS Bottle#: 0 Worklist Smp#: 6  
 Injection Vol: 1.0 ul Dil. Factor: 1.0000  
 Sample Info: 680-0084931-006  
 Operator ID: Instrument ID: CVGG2  
 Method: \\chromfs\Savannah\ChromData\CVGG2\20230404-84931.b\8015\_GLY\_VGG.m  
 Limit Group: 8015C\_DAI  
 Last Update: 04-Apr-2023 13:44:20 Calib Date: 02-Apr-2023 16:30:26  
 Integrator: Falcon  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02010.D  
 Column 1 : J&W DB WAX ( 0.45 mm) Det: GC FID2B  
 Process Host: CTX1629

First Level Reviewer: SK9U Date: 04-Apr-2023 13:44:20

RT (min.)	Exp RT (min.)	Dlt RT (min.)	Response	Cal Amt ug/ml	OnCol Amt ug/ml	Flags
1 Ethanol, 2-propoxy						
2.765	2.768	-0.003	1514487	20.0	22.5	
2 4-Hydroxy-4-methyl-2-pentanone						
3.283	3.279	0.004	1478389	20.0	22.3	
3 2-Butoxyethanol						
3.553	3.557	-0.004	1658184	20.0	22.6	
* 4 n-Heptyl Alcohol						
3.978	3.989	-0.011	5298494	50.0	50.0	M
5 Dipropylene Glycol Methyl Ether						
4.878	4.879	-0.001	116096	20.0	22.2	M
6 Propylene glycol						
6.043	6.027	0.016	248995	20.0	15.3	M
7 Ethylene glycol						
6.279	6.277	0.002	986416	20.0	23.5	M
8 2-(2-Butoxyethoxy)ethanol						
8.079	8.078	0.001	1265481	20.0	22.0	
9 2,2'-Oxybisethanol						
9.480	9.483	-0.003	559445	20.0	21.5	
10 Triethylene Glycol						
10.523	10.525	-0.002	534276	20.0	23.4	
11 Tetraethylene Glycol						
11.570	11.571	-0.001	1080776	40.0	43.7	

**QC Flag Legend**

Processing Flags

Review Flags

M - Manually Integrated

Reagents:

SG\_GlyICV\_00059

Amount Added: 10.00

Units: uL

SG\_GLY\_ISTD\_00106

Amount Added: 10.00

Units: uL

Run Reagent



Eurofins Savannah

Data File: \\chromfs\Savannah\ChromData\CVGG2\20230404-84931.b\GD04006.D

Injection Date: 04-Apr-2023 13:17:23

Instrument ID: CVGG2

Operator ID:

Lims ID: lcsd

Worklist Smp#: 6

Client ID:

Injection Vol: 1.0 ul


Dil. Factor: 1.0000

ALS Bottle#: 0

Method: 8015\_GLY\_VGG

Limit Group: 8015C\_DAI

Column: J&W DB WAX (0.45 mm)



Eurofins Savannah


Data File: \\chromfs\Savannah\ChromData\CVGG2\20230404-84931.b\GD04006.D  
Injection Date: 04-Apr-2023 13:17:23 Instrument ID: CVGG2  
Lims ID: lcsd  
Client ID:  
Operator ID: ALS Bottle#: 0 Worklist Smp#: 6  
Injection Vol: 1.0 ul Dil. Factor: 1.0000  
Method: 8015\_GLY\_VGG Limit Group: 8015C\_DAI  
Column: J&W DB WAX ( 0.45 mm) Detector: GC FID2B

\* 4 n-Heptyl Alcohol, CAS: 111-70-6

Signal: 1


RT: 3.98  
Area: 5260979  
Amount: 50.000000  
Amount Units: ug/ml

Processing Integration Results



RT: 3.98  
Area: 5298494  
Amount: 50.000000  
Amount Units: ug/ml

Manual Integration Results



Reviewer: SK9U, 04-Apr-2023 13:43:47  
Audit Action: Assigned New Baseline

Audit Reason: Baseline Smoothing



Eurofins Savannah  
Target Compound Quantitation Report

Data File: \\chromfs\Savannah\ChromData\CVGG2\20230404-84931.b\GD04025.D  
 Lims ID: 580-125377-A-1 MS  
 Client ID:  
 Sample Type: MS  
 Inject. Date: 04-Apr-2023 20:41:29 ALS Bottle#: 0 Worklist Smp#: 25  
 Injection Vol: 1.0 ul Dil. Factor: 1.0000  
 Sample Info: 680-0084931-025  
 Operator ID: Instrument ID: CVGG2  
 Method: \\chromfs\Savannah\ChromData\CVGG2\20230404-84931.b\8015\_GLY\_VGG.m  
 Limit Group: 8015C\_DAI  
 Last Update: 05-Apr-2023 10:49:00 Calib Date: 02-Apr-2023 16:30:26  
 Integrator: Falcon  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02010.D  
 Column 1 : J&W DB WAX ( 0.45 mm) Det: GC FID2B  
 Process Host: CTX1633

First Level Reviewer: SWK1 Date: 05-Apr-2023 10:48:03

RT (min.)	Exp RT (min.)	Dlt RT (min.)	Response	Cal Amt ug/ml	OnCol Amt ug/ml	Flags
1 Ethanol, 2-propoxy						
2.756	2.754	0.002	1533984	20.0	26.5	
2 4-Hydroxy-4-methyl-2-pentanone						
3.278	3.281	-0.003	1535588	20.0	26.8	
3 2-Butoxyethanol						
3.544	3.544	0.000	1744027	20.0	27.6	
* 4 n-Heptyl Alcohol						
3.965	3.969	-0.004	4567939	50.0	50.0	
5 Dipropylene Glycol Methyl Ether						
4.879	4.876	0.003	125437	20.0	27.9	
6 Propylene glycol						
6.000	6.023	-0.023	307280	20.0	21.9	M
7 Ethylene glycol						
6.246	6.265	-0.019	1020819	20.0	28.2	
8 2-(2-Butoxyethoxy)ethanol						
8.075	8.073	0.002	1307394	20.0	26.3	
9 2,2'-Oxybisethanol						
9.479	9.478	0.001	450256	20.0	20.1	
10 Triethylene Glycol						
10.521	10.521	0.000	400764	20.0	20.4	
11 Tetraethylene Glycol						
11.565	11.564	0.001	235623	40.0	11.1	

QC Flag Legend

Processing Flags

Review Flags

M - Manually Integrated

Reagents:

SG\_Gly\_CAL\_00054

Amount Added: 10.00

Units: uL

SG\_GLY\_ISTD\_00106

Amount Added: 10.00

Units: uL

Run Reagent

Eurofins Savannah

Data File: \\chromfs\Savannah\ChromData\CVGG2\20230404-84931.b\GD04025.D

Injection Date: 04-Apr-2023 20:41:29

Instrument ID: CVGG2

Operator ID:

Lims ID: 580-125377-A-1 MS

Worklist Smp#: 25

Client ID:

Injection Vol: 1.0 ul


Dil. Factor: 1.0000

ALS Bottle#: 0

Method: 8015\_GLY\_VGG

Limit Group: 8015C\_DAI

Column: J&W DB WAX (0.45 mm)





Eurofins Savannah  
Target Compound Quantitation Report

Data File: \\chromfs\Savannah\ChromData\CVGG2\20230404-84931.b\GD04026.D  
 Lims ID: 580-125377-A-1 MSD  
 Client ID:  
 Sample Type: MSD  
 Inject. Date: 04-Apr-2023 21:04:50 ALS Bottle#: 0 Worklist Smp#: 26  
 Injection Vol: 1.0 ul Dil. Factor: 1.0000  
 Sample Info: 680-0084931-026  
 Operator ID: Instrument ID: CVGG2  
 Method: \\chromfs\Savannah\ChromData\CVGG2\20230404-84931.b\8015\_GLY\_VGG.m  
 Limit Group: 8015C\_DAI  
 Last Update: 05-Apr-2023 10:49:00 Calib Date: 02-Apr-2023 16:30:26  
 Integrator: Falcon  
 Quant Method: Internal Standard Quant By: Initial Calibration  
 Last ICal File: \\chromfs\Savannah\ChromData\CVGG2\20230402-84885.b\GD02010.D  
 Column 1 : J&W DB WAX ( 0.45 mm) Det: GC FID2B  
 Process Host: CTX1633

First Level Reviewer: SWK1 Date: 05-Apr-2023 10:48:14

RT (min.)	Exp RT (min.)	Dlt RT (min.)	Response	Cal Amt ug/ml	OnCol Amt ug/ml	Flags
1 Ethanol, 2-propoxy						
2.754	2.754	0.000	1475805	20.0	25.9	
2 4-Hydroxy-4-methyl-2-pentanone						
3.275	3.281	-0.006	1432863	20.0	25.5	
3 2-Butoxyethanol						
3.544	3.544	0.000	1638091	20.0	26.4	
* 4 n-Heptyl Alcohol						
3.967	3.969	-0.002	4488867	50.0	50.0	
5 Dipropylene Glycol Methyl Ether						
4.876	4.876	0.000	115318	20.0	26.1	
6 Propylene glycol						
5.994	6.023	-0.029	309758	20.0	22.5	M
7 Ethylene glycol						
6.254	6.265	-0.011	891771	20.0	25.1	
8 2-(2-Butoxyethoxy)ethanol						
8.076	8.073	0.003	1216399	20.0	24.9	
9 2,2'-Oxybisethanol						
9.479	9.478	0.001	419755	20.0	19.0	
10 Triethylene Glycol						
10.521	10.521	0.000	385522	20.0	19.9	
11 Tetraethylene Glycol						
11.565	11.564	0.001	325473	40.0	15.5	

**QC Flag Legend**

Processing Flags



Review Flags

M - Manually Integrated

Reagents:

SG\_Gly\_CAL\_00054

Amount Added: 10.00

Units: uL

SG\_GLY\_ISTD\_00106

Amount Added: 10.00

Units: uL

Run Reagent

Eurofins Savannah

Data File: \\chromfs\Savannah\ChromData\CVGG2\20230404-84931.b\GD04026.D

Injection Date: 04-Apr-2023 21:04:50

Instrument ID: CVGG2

Operator ID:

Lims ID: 580-125377-A-1 MSD

Worklist Smp#: 26

Client ID:

Injection Vol: 1.0 ul


Dil. Factor: 1.0000

ALS Bottle#: 0

Method: 8015\_GLY\_VGG

Limit Group: 8015C\_DAI

Column: J&W DB WAX (0.45 mm)



GC SEMI VOA ANALYSIS RUN LOG

Lab Name: Eurofins Savannah Job No.: 580-125377-1

SDG No.: \_\_\_\_\_

Instrument ID: CVGG2 Start Date: 04/02/2023 14:09

Analysis Batch Number: 770932 End Date: 04/03/2023 01:03

LAB SAMPLE ID	CLIENT SAMPLE ID	DATE ANALYZED	DILUTION FACTOR	LAB FILE ID	COLUMN ID
IC 680-770932/4		04/02/2023 14:09	1	GD02004.D	J&W DB WAX 0.45 (mm)
IC 680-770932/5		04/02/2023 14:33	1	GD02005.D	J&W DB WAX 0.45 (mm)
IC 680-770932/6		04/02/2023 14:56	1	GD02006.D	J&W DB WAX 0.45 (mm)
ICIS 680-770932/7		04/02/2023 15:20	1	GD02007.D	J&W DB WAX 0.45 (mm)
IC 680-770932/8		04/02/2023 15:43	1	GD02008.D	J&W DB WAX 0.45 (mm)
IC 680-770932/9		04/02/2023 16:06	1	GD02009.D	J&W DB WAX 0.45 (mm)
IC 680-770932/10		04/02/2023 16:30	1	GD02010.D	J&W DB WAX 0.45 (mm)
ICV 680-770932/11 CCV		04/02/2023 16:53	1	GD02011.D	J&W DB WAX 0.45 (mm)
ZZZZZ		04/02/2023 17:17	1		J&W DB WAX 0.45 (mm)
ZZZZZ		04/02/2023 17:40	1		J&W DB WAX 0.45 (mm)
ZZZZZ		04/02/2023 18:03	1		J&W DB WAX 0.45 (mm)
ZZZZZ		04/02/2023 18:27	1		J&W DB WAX 0.45 (mm)
ZZZZZ		04/02/2023 18:50	1		J&W DB WAX 0.45 (mm)
ZZZZZ		04/02/2023 19:14	1		J&W DB WAX 0.45 (mm)
ZZZZZ		04/02/2023 20:24	1		J&W DB WAX 0.45 (mm)
ZZZZZ		04/02/2023 20:47	1		J&W DB WAX 0.45 (mm)
ZZZZZ		04/02/2023 21:10	1		J&W DB WAX 0.45 (mm)
ZZZZZ		04/02/2023 21:33	1		J&W DB WAX 0.45 (mm)
ZZZZZ		04/02/2023 21:57	1		J&W DB WAX 0.45 (mm)
ZZZZZ		04/02/2023 22:20	1		J&W DB WAX 0.45 (mm)
ZZZZZ		04/02/2023 23:30	1		J&W DB WAX 0.45 (mm)
ZZZZZ		04/02/2023 23:53	1		J&W DB WAX 0.45 (mm)
ZZZZZ		04/03/2023 00:17	1		J&W DB WAX 0.45 (mm)
ZZZZZ		04/03/2023 00:40	1		J&W DB WAX 0.45 (mm)
ZZZZZ		04/03/2023 01:03	1		J&W DB WAX 0.45 (mm)

GC SEMI VOA ANALYSIS RUN LOG

Lab Name: Eurofins Savannah Job No.: 580-125377-1

SDG No.: \_\_\_\_\_

Instrument ID: CVGG2 Start Date: 04/04/2023 12:30

Analysis Batch Number: 771309 End Date: 04/05/2023 04:04

LAB SAMPLE ID	CLIENT SAMPLE ID	DATE ANALYZED	DILUTION FACTOR	LAB FILE ID	COLUMN ID
CCVIS 680-771309/4		04/04/2023 12:30	1	GD04004.D	J&W DB WAX 0.45 (mm)
LCS 680-771309/5		04/04/2023 12:54	1	GD04005.D	J&W DB WAX 0.45 (mm)
LCSD 680-771309/6		04/04/2023 13:17	1	GD04006.D	J&W DB WAX 0.45 (mm)
ZZZZZ		04/04/2023 13:40	1		J&W DB WAX 0.45 (mm)
ZZZZZ		04/04/2023 14:04	1		J&W DB WAX 0.45 (mm)
MB 680-771309/11		04/04/2023 15:14	1	GD04011.D	J&W DB WAX 0.45 (mm)
ZZZZZ		04/04/2023 15:37	1		J&W DB WAX 0.45 (mm)
ZZZZZ		04/04/2023 16:00	1		J&W DB WAX 0.45 (mm)
580-125377-1	AF-RHMW02-WGN01LF-230 3W3	04/04/2023 16:24	1	GD04014.D	J&W DB WAX 0.45 (mm)
ZZZZZ		04/04/2023 16:47	1		J&W DB WAX 0.45 (mm)
ZZZZZ		04/04/2023 17:11	10		J&W DB WAX 0.45 (mm)
ZZZZZ		04/04/2023 17:34	20		J&W DB WAX 0.45 (mm)
ZZZZZ		04/04/2023 17:57	20		J&W DB WAX 0.45 (mm)
ZZZZZ		04/04/2023 18:21	20		J&W DB WAX 0.45 (mm)
ZZZZZ		04/04/2023 18:44	20		J&W DB WAX 0.45 (mm)
ZZZZZ		04/04/2023 19:07	20		J&W DB WAX 0.45 (mm)
ZZZZZ		04/04/2023 19:54	10		J&W DB WAX 0.45 (mm)
ZZZZZ		04/04/2023 20:18	10		J&W DB WAX 0.45 (mm)
580-125377-1 MS	AF-RHMW02-WGN01LF-230 3W3 MS	04/04/2023 20:41	1	GD04025.D	J&W DB WAX 0.45 (mm)
580-125377-1 MSD	AF-RHMW02-WGN01LF-230 3W3 MSD	04/04/2023 21:04	1	GD04026.D	J&W DB WAX 0.45 (mm)
CCV 680-771309/28		04/04/2023 21:51	1	GD04028.D	J&W DB WAX 0.45 (mm)
580-125377-2	AF-RHMW17-WGN01LF-230 3W3	04/04/2023 23:01	1	GD04031.D	J&W DB WAX 0.45 (mm)
580-125377-3	AF-RHMW17D-WGN01LF-23 03W3	04/04/2023 23:24	1	GD04032.D	J&W DB WAX 0.45 (mm)
580-125377-4	AF-RHMW17D-WQFB01-230 3W3	04/04/2023 23:48	1	GD04033.D	J&W DB WAX 0.45 (mm)
580-125377-5	AF-RHMW03-WGN01LF-230 3W3	04/05/2023 00:11	1	GD04034.D	J&W DB WAX 0.45 (mm)
ZZZZZ		04/05/2023 00:35	1		J&W DB WAX 0.45 (mm)
ZZZZZ		04/05/2023 00:58	1		J&W DB WAX 0.45 (mm)
ZZZZZ		04/05/2023 01:21	1		J&W DB WAX 0.45 (mm)
ZZZZZ		04/05/2023 01:45	1		J&W DB WAX 0.45 (mm)
ZZZZZ		04/05/2023 02:08	1		J&W DB WAX 0.45 (mm)
ZZZZZ		04/05/2023 02:31	1		J&W DB WAX 0.45 (mm)
ZZZZZ		04/05/2023 02:54	1		J&W DB WAX 0.45 (mm)
ZZZZZ		04/05/2023 03:18	1		J&W DB WAX 0.45 (mm)
CCV 680-771309/44		04/05/2023 04:04	1	GD04044.D	J&W DB WAX 0.45 (mm)

GC SEMI VOA BATCH WORKSHEET

Lab Name: Eurofins Savannah Job No.: 580-125377-1

SDG No.: \_\_\_\_\_

Batch Number: 770932 Batch Start Date: 04/02/23 14:09 Batch Analyst: Kellar, Joshua C

Batch Method: 8015C GLY Batch End Date: \_\_\_\_\_

Lab Sample ID	Client Sample ID	Method Chain	Basis	FinalAmount	SG_Gly_CAL 00054	SG_GLY_ISTD 00106	SG_GlyICV 00059		
IC 680-770932/4		8015C GLY		1 mL	50 uL	10 uL			
IC 680-770932/5		8015C GLY		1 mL	40 uL	10 uL			
IC 680-770932/6		8015C GLY		1 mL	25 uL	10 uL			
ICIS 680-770932/7		8015C GLY		1 mL	10 uL	10 uL			
IC 680-770932/8		8015C GLY		1 mL	5 uL	10 uL			
IC 680-770932/9		8015C GLY		1 mL	2.5 uL	10 uL			
IC 680-770932/10		8015C GLY		1 mL	1 uL	10 uL			
ICV 680-770932/11 CCV		8015C GLY		1 mL		10 uL	10 uL		

Batch Notes	

Basis	Basis Description

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

GC SEMI VOA BATCH WORKSHEET

Lab Name: Eurofins Savannah Job No.: 580-125377-1

SDG No.: \_\_\_\_\_

Batch Number: 771309 Batch Start Date: 04/04/23 12:30 Batch Analyst: Kellar, Joshua C

Batch Method: 8015C GLY Batch End Date: \_\_\_\_\_

Lab Sample ID	Client Sample ID	Method Chain	Basis	FinalAmount	SG_Gly_CAL 00054	SG_GLY_ISTD 00106	SG_GlyICV 00059		
CCVIS 680-771309/4		8015C GLY		1 mL	10 uL	10 uL			
LCS 680-771309/5		8015C GLY		1 mL		10 uL	10 uL		
LCSD 680-771309/6		8015C GLY		1 mL		10 uL	10 uL		
MB 680-771309/11		8015C GLY		1 mL		10 uL			
580-125377-A-1	AF-RHMW02-WGN01L F-2303W3	8015C GLY	T	1 mL		10 uL			
580-125377-A-1	AF-RHMW02-WGN01L F-2303W3	8015C GLY	T	1 mL	10 uL	10 uL			
580-125377-A-1	AF-RHMW02-WGN01L F-2303W3	8015C GLY	T	1 mL	10 uL	10 uL			
MSD									
CCV 680-771309/28		8015C GLY		1 mL	10 uL	10 uL			
580-125377-B-2	AF-RHMW17-WGN01L F-2303W3	8015C GLY	T	1 mL		10 uL			
580-125377-C-3	AF-RHMW17D-WGN01 LF-2303W3	8015C GLY	T	1 mL		10 uL			
580-125377-B-4	AF-RHMW17D-WQFB0 1-2303W3	8015C GLY	T	1 mL		10 uL			
580-125377-C-5	AF-RHMW03-WGN01L F-2303W3	8015C GLY	T	1 mL		10 uL			
CCV 680-771309/44		8015C GLY		1 mL	10 uL	10 uL			

Batch Notes	

Basis	Basis Description
T	Total/NA

The pound sign (#) in the amount added field denotes that the reagent was used undiluted. All calculations are performed using the stated concentration for this reagent.

# Subcontract Data

# Shipping and Receiving Documents











# Chain of Custody Record


<b>Client Information</b>		Company: AECOM		Lab PM: Elaine Walker		Carrier Tracking No(s): 2303W3AFEAO1	
Client Contact: 1001 Bishop St. Suite 1600		Address: Honolulu, Hawaii 96813		E-Mail: Elaine Walker@EurofinsET.com		State of Origin: Hawaii	
Phone: 808-954-4512 / 770-331-0794		Compliance Project: Rush - ASAP		Due Date Requested: see subcontract		TAT Requested (days):	
Project Name: Watson Tarij (watson.tarij@aecom.com) / Mark Kromis (mark.kromis@aecom.com)		Project #: 60697810		PO #: 2023-512		Page: Page 1 of 1	
Site: RH5F		SSOW#: CTO N6274223F0104		W/O #: 2023-512		Job #: 2303W3AFEAO1	
<b>Sample Identification</b>		AF-RHMW02-WGND01F-2303W3		Sample Date: 3/23/23		Sample Time: 1330	
Sample Type (C=Comp, G=grab)		G		Preservation Code: W		Matrix (Water, Soil, Sediment, BT=Trace, A=Alt)	
Field Filtered Sample (Yes or No)		N		Perform MS/MSD (Yes or No)		A	
8015C_DAL_GL_DS1-2-(2-butylhexyloxy)-ethanol		X		Total Number of Containers		3	
Special Instructions/Note:		580-125377 Chain of Custody		Barcode		Barcode	
Possible Hazard Identification		<input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Radiological <input type="checkbox"/> Unknown		<input type="checkbox"/> Return To Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) Special Instructions/QC Requirements: DOD QSM project. 4 report standard TAT - AECOM EQUIS EDD.	
Deliverable Requested I II III IV Other (specify)		Empty Kit Relinquished by		Date		Time	
Relinquished by: Andy Young		Date: 3/23/23		Time: 1430		Company: AECOM	
Relinquished by: Beth MyTomine		Date: 3/23/23		Time: 1345		Company: AECOM	
Relinquished by:		Date:		Time:		Company:	
Custody Seals Intact		Custody Seal No		Received by: Brittany To		Date/Time: 3/23/23 1430	
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No				Received by:		Date/Time: 3/29/23 1030	
Cooler Temperature(s) °C and Other Remarks:		0.9/0.9		Received by:		Date/Time:	
						Company:	



# Chain of Custody Record

<b>Client Information</b>		Company: AECOM		Lab PM: Elaine Walker		Carrier Tracking No(s): 2303W3AFEA10		COC No: 2303W3AFEA10	
Client Contact:		Address: 1001 Bishop St. Suite 1600		E-Mail: M.Elaine.Walker@EurofinsET.com		FedEx: Hawaii		Page: Page 1 of 1	
City: Honolulu		State: HI		Phone: 808-954-4512 / 770-331-0794		State of Origin: Hawaii		Job #:	
State Zip: Hawaii 96813		Compliance Project: Rush - ASAP		PO #:		Analysis Requested:		Preservation Codes:	
Phone: 808-954-4512 / 770-331-0794		TAT Requested (days):		WO #:		8015C_DAL_GL_DS/2-(2-butoxyethoxy)-ethanol		A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other:	
Email: Watson.Tanji@aecom.com / Mark.Kromis@aecom.com		Due Date Requested see subcontract		Project #: 60697810		Field Filtered Sample (Yes or No)		M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2SO4 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 Z - other (specify)	
Project Name: CTO N6274223F0104		Sample Date: 3/24/23		SSOW#:		Perform MS/MSD (Yes or No)		Total Number of Containers	
Site: RHSF		Sample Time: 1255		Matrix (Number, Sample, Container, etc.)		A		3	
Sample Identification: AF-RHMW17-WGN01LF-2303W3		Sample Type (C=Comp, G=grab)		Preservation Code: G W		X		Special Instructions/Note:	
Possible Hazard Identification: <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological		Sample Date: 3/24/23		Sample Time: 1255		N			
Deliverable Requested: I II III IV Other (specify)		Sample Date: 3/24/23		Sample Time: 1255		X			
Empty Kit Relinquished by: Tessa Murphy		Sample Date: 3/24/23		Sample Time: 1255		N			
Relinquished by: Tessa Murphy		Sample Date: 3/24/23		Sample Time: 1255		X			
Relinquished by: James Mason		Sample Date: 3/24/23		Sample Time: 1255		N			
Relinquished by: James Mason		Sample Date: 3/24/23		Sample Time: 1255		X			
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Sample Date: 3/24/23		Sample Time: 1255		N			
Custody Seal No: 0-9/0-7		Sample Date: 3/24/23		Sample Time: 1255		X			
Sample Date: 3/24/23		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		N			
Sample Time: 1255		Sample Time: 1255		Sample Time: 1255		X			

# Chain of Custody Record



<b>Client Information</b>		Sampler Elaine Walker		Carrier Tracking No(s): FedEX		COC No: 2303W3AFEAD2	
Client Contact: Address: 1001 Bishop St. Suite 1600 City: Honolulu State, Zip: Hawaii 96813 Phone: 808-954-4512 / 770-331-0794 Email: Watson.Tanji@aeacom.com / Mark.Kromis@aeacom.com		E-Mail M.Elaine.Walker@EurofinsET.com		State of Origin Hawaii		Page: Page 1 of 1 Job #:	
Company: AECOM		PWSID		<b>Analysis Requested</b>			
Due Date Requested. see subcontract TAT Requested (days): Rush - ASAP		Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No		Preservation Codes: A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other:			
Project Name: CTO N6274223F0104		WO #:		M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2SO3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 Z - other (specify)			
Site: RHSF		Project #: 60697810		Total Number of containers			
SSOW#:		Sample Date		Sample Time		Sample Type (C=Comp, G=grab)	
Sample Identification		Sample Date		Sample Time		Sample Type (C=Comp, G=grab)	
AF-RHMW03-WGN01LF-2303W3		3/23/23		1253		G	
Matrix (Water, Soil, Other)		Preservation Code:		Field Filtered Sample (Yes or No)		Perform MS/MSD (Yes or No)	
W		W		N		N	
Special Instructions/Note:		80156_DAI_GL_DS/2-(2-butylhexyloxy)-ethanol		A		X	
Possible Hazard Identification		Poison B		Unknown		Biological	
Deliverable Requested I, II, III, IV, Other (specify)		Flammable		Skin Irritant		Toxic	
Empty Kit Relinquished by		Date:		Time:		Special Instructions/QC Requirements DOD QSM project.	
Relinquished by: <i>Angie Young</i>		Date/Time: 3/23/23 1430		Company: AECOM		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)	
Relinquished by: <i>Anthony Tomme</i>		Date/Time: 3/29/23 1030		Company: AECOM		Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months	
Relinquished by:		Date/Time:		Company:		Method of Shipment:	
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No		Cooler Temperature(s) °C and Other Remarks:		Received by: <i>Anthony Tomme</i>	
						Received by: <i>Anthony Tomme</i>	
						Received by:	



# Login Sample Receipt Checklist

Client: AECOM

Job Number: 580-125377-1

**Login Number: 125377**  
**List Number: 2**  
**Creator: Johnson, Corey M**

**List Source: Eurofins Savannah**  
**List Creation: 03/31/23 07:08 PM**

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	