

The results set forth herein are provided by SGS North America Inc.

e-Hardcopy 2.0
Automated Report

Technical Report for

AECOM, INC.

N6274223F0104 RH Fire Suppression System

60697810

SGS Job Number: FC5726

Sampling Date: 05/01/23



Report to:

AECOM, Inc
7595 Technology Way
Denver, CO 80237
katie.abbott@aecom.com; mark.kromis@aecom.com;
watson.tanji@aecom.com; kristin.rutherford@aecom.com
ATTN: Katie Abbott

Total number of pages in report: 627



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

Norm Farmer
Technical Director

Client Service contact: Elvin Kumar 407-425-6700

Certifications: FL(E83510), LA(03051), KS(E-10327), NC(573), NJ(FL002), NY(12022), SC(96038001)
DoD ELAP(ANAB L2229), AZ(AZ0806), CA(2937), TX(T104704404), PA(68-03573), VA(460177),
AL, AK, AR, CT, IA, KY, MA, MI, MS, ND, NH, NV, OK, OR, IL, UT, VT, WA, WI, WV

This report shall not be reproduced, except in its entirety, without the written approval of SGS.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Case Narrative/Conformance Summary	4
Section 3: Summary of Hits	5
Section 4: Sample Results	6
4.1: FC5726-1: AF-RHMW12A-WGN01LF-2305W1	7
4.2: FC5726-2: AF-RHMW12A-WGFD01LF-2305W1	10
4.3: FC5726-3: AF-RHMW04-WGN01LF-2305W1	13
4.4: FC5726-4: AF-RHMW06-WGN01LF-2305W1	16
4.5: FC5726-5: AF-RHMW16-WGN01LF-2305W1	19
Section 5: Misc. Forms	22
5.1: Chain of Custody	23
5.2: QC Evaluation: DOD QSM5.x Limits	28
Section 6: MS Semi-volatiles - QC Data Summaries	29
6.1: Method Blank Summary	30
6.2: Blank Spike Summary	36
6.3: Matrix Spike Summary	40
6.4: Duplicate Summary	42
6.5: Injection Standard Area Summaries	44
6.6: TDCA Retention Time Checks	46
6.7: Ion Ratio Summaries	50
6.8: Isotope Dilution Standard Recovery Summaries	51
6.9: Initial and Continuing Calibration Summaries	54
6.10: Run Sequence Reports	68
Section 7: MS Semi-volatiles - Raw Data	71
7.1: Samples	72
7.2: Method Blanks	128
7.3: Blank Spikes	162
7.4: Matrix Spikes	206
7.5: Duplicates	228
7.6: Retention Time Markers	239
7.7: Initial and Continuing Calibrations	291
7.8: Instrument Run Logs	579
7.9: Standard Prep Logs	583
7.10: Sample Prep Logs	627



Sample Summary

AECOM, INC.

Job No: FC5726

N6274223F0104 RH Fire Suppression System
Project No: 60697810

Sample Number	Collected Date	Time By	Received	Matrix Code	Type	Client Sample ID
FC5726-1	05/01/23	09:45 MY	05/02/23	AQ	Ground Water	AF-RHMW12A-WGN01LF-2305W1
FC5726-2	05/01/23	09:45 MY	05/02/23	AQ	Ground Water	AF-RHMW12A-WGFD01LF-2305W1
FC5726-3	05/01/23	10:15 AY	05/02/23	AQ	Ground Water	AF-RHMW04-WGN01LF-2305W1
FC5726-4	05/01/23	11:40 AY	05/02/23	AQ	Ground Water	AF-RHMW06-WGN01LF-2305W1
FC5726-5	05/01/23	12:15 GA	05/02/23	AQ	Ground Water	AF-RHMW16-WGN01LF-2305W1

SAMPLE DELIVERY GROUP CASE NARRATIVE

Client: AECOM, INC.

Job No: FC5726

Site: N6274223F0104 RH Fire Suppression System

Report Date: 5/5/2023 5:43:56 PM

On 05/02/2023, 5 Sample(s), 0 Trip Blank(s) and 0 Field Blank(s) were received at SGS North America Inc - Orlando. at a maximum corrected temperature of 2.8 C. Samples were intact and chemically preserved, unless noted below. A SGS North America Inc. - Orlando Job Number of FC5726 was assigned to the project.

Laboratory sample ID, client sample ID and dates of sample collection are detailed in the report's Results Summary Section. Specified quality control criteria were achieved for this job except as noted below. For more information, please refer to the analytical results and QC summary pages.

MS Semi-volatiles By Method EPA DRAFT 1633

Matrix: AQ

Batch ID: OP96701

Sample(s) FC5726-2MS, FC5726-3DUP were used as the QC samples indicated.

SGS North America Inc. - Orlando certifies that data reported for samples received, listed on the associated custody chain or analytical task order, were produced to specifications meeting the Quality System precision, accuracy and completeness objectives except as noted. Estimated non-standard method measurement uncertainty data is available on request, based on quality control bias and implicit for standard methods. Acceptable uncertainty requires tested parameter quality control data to meet method criteria. SGS North America Inc.- Orlando is not responsible for data quality assumptions if partial reports are used and recommends that this report be used in its entirety.

Narrative prepared by:

Kim Benham, Client Services (*Signature on File*)

Summary of Hits

Job Number: FC5726
Account: AECOM, INC.
Project: N6274223F0104 RH Fire Suppression System
Collected: 05/01/23



Lab Sample ID	Client Sample ID	Result/ Qual	LOQ	LOD	Units	Method
---------------	------------------	-----------------	-----	-----	-------	--------

FC5726-1 AF-RHMW12A-WGN01LF-2305W1

Perfluoropentanoic acid	3.2 J	7.7	1.9	ng/l	EPA DRAFT 1633
Perfluorohexanoic acid	0.84 J	3.8	1.9	ng/l	EPA DRAFT 1633

FC5726-2 AF-RHMW12A-WGFD01LF-2305W1

Perfluoropentanoic acid	3.2 J	7.7	1.9	ng/l	EPA DRAFT 1633
Perfluorohexanoic acid	1.1 J	3.8	1.9	ng/l	EPA DRAFT 1633

FC5726-3 AF-RHMW04-WGN01LF-2305W1

No hits reported in this sample.

FC5726-4 AF-RHMW06-WGN01LF-2305W1

No hits reported in this sample.

FC5726-5 AF-RHMW16-WGN01LF-2305W1

No hits reported in this sample.

Sample Results

Report of Analysis

SGS North America Inc.

Report of Analysis

Page 1 of 3

Client Sample ID:	AF-RHMW12A-WGN01LF-2305W1		
Lab Sample ID:	FC5726-1	Date Sampled:	05/01/23
Matrix:	AQ - Ground Water	Date Received:	05/02/23
Method:	EPA DRAFT 1633 EPA 1633 DRAFT	Percent Solids:	n/a
Project:	N6274223F0104 RH Fire Suppression System		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4Q43971.D	1	05/04/23 16:49	NG	05/03/23 11:00	OP96701	S4Q635
Run #2							

Run #	Initial Volume	Final Volume
Run #1	520 ml	5.0 ml
Run #2		

CAS No.	Compound	Result	LOQ	LOD	DL	Units	Q
PERFLUOROALKYL CARBOXYLIC ACIDS							
375-22-4	Perfluorobutanoic acid	3.8 U	15	3.8	1.8	ng/l	
2706-90-3	Perfluoropentanoic acid	3.2	7.7	1.9	0.90	ng/l	J
307-24-4	Perfluorohexanoic acid	0.84	3.8	1.9	0.48	ng/l	J
375-85-9	Perfluoroheptanoic acid	1.9 U	3.8	1.9	0.48	ng/l	
335-67-1	Perfluorooctanoic acid	0.96 U	3.8	0.96	0.48	ng/l	
375-95-1	Perfluorononanoic acid	1.9 U	3.8	1.9	0.59	ng/l	
335-76-2	Perfluorodecanoic acid	1.9 U	3.8	1.9	0.48	ng/l	
2058-94-8	Perfluoroundecanoic acid	1.9 U	3.8	1.9	0.58	ng/l	
307-55-1	Perfluorododecanoic acid	1.9 U	3.8	1.9	0.58	ng/l	
72629-94-8	Perfluorotridecanoic acid	1.9 U	3.8	1.9	0.81	ng/l	
376-06-7	Perfluorotetradecanoic acid	1.9 U	3.8	1.9	0.48	ng/l	
PERFLUOROALKYL SULFONIC ACIDS							
375-73-5	Perfluorobutanesulfonic acid	1.9 U	3.8	1.9	0.48	ng/l	
2706-91-4	Perfluoropentanesulfonic acid	3.8 U	4.8	3.8	1.1	ng/l	
355-46-4	Perfluorohexanesulfonic acid	1.9 U	3.8	1.9	0.67	ng/l	
375-92-8	Perfluoroheptanesulfonic acid	1.9 U	3.8	1.9	0.48	ng/l	
1763-23-1	Perfluorooctanesulfonic acid	1.9 U	3.8	1.9	0.52	ng/l	
68259-12-1	Perfluorononanesulfonic acid	1.9 U	3.8	1.9	0.55	ng/l	
335-77-3	Perfluorodecanesulfonic acid	1.9 U	3.8	1.9	0.62	ng/l	
79780-39-5	Perfluorododecanesulfonic aci	3.8 U	4.8	3.8	1.1	ng/l	
FLUOROTELOMER SULFONIC ACIDS							
757124-72-4	4:2 Fluorotelomer sulfonate	7.7 U	19	7.7	3.1	ng/l	
27619-97-2	6:2 Fluorotelomer sulfonate	7.7 U	19	7.7	3.3	ng/l	
39108-34-4	8:2 Fluorotelomer sulfonate	7.7 U	19	7.7	4.0	ng/l	
PERFLUOROOCCTANE SULFONAMIDES							
754-91-6	PFOSA	1.9 U	3.8	1.9	0.64	ng/l	
31506-32-8	MeFOSA	3.8 U	7.7	3.8	0.96	ng/l	
4151-50-2	EtFOSA	3.8 U	7.7	3.8	0.96	ng/l	

U = Not detected

LOD = Limit of Detection

J = Indicates an estimated value

LOQ = Limit of Quantitation

DL = Detection Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	AF-RHMW12A-WGN01LF-2305W1		
Lab Sample ID:	FC5726-1	Date Sampled:	05/01/23
Matrix:	AQ - Ground Water	Date Received:	05/02/23
Method:	EPA DRAFT 1633 EPA 1633 DRAFT	Percent Solids:	n/a
Project:	N6274223F0104 RH Fire Suppression System		

CAS No.	Compound	Result	LOQ	LOD	DL	Units	Q
---------	----------	--------	-----	-----	----	-------	---

PERFLUOROOCCTANE SULFONAMIDOACETIC ACIDS

2355-31-9	MeFOSAA	3.8 U	4.8	3.8	0.96	ng/l	
2991-50-6	EtFOSAA	3.8 U	4.8	3.8	1.3	ng/l	

PERFLUOROOCCTANE SULFONAMIDO ETHANOLS

24448-09-7	MeFOSE	19 U	38	19	4.2	ng/l	
1691-99-2	EtFOSE	19 U	38	19	7.1	ng/l	

PER and POLYFLUOROETHER CARBOXYLIC ACIDS

13252-13-6	HFPO-DA (GenX)	1.9 U	3.8	1.9	0.96	ng/l	
919005-14-4	ADONA	3.8 U	7.7	3.8	1.8	ng/l	
377-73-1	PFMPA	1.9 U	7.7	1.9	0.96	ng/l	
863090-89-5	PFMBA	3.8 U	7.7	3.8	1.1	ng/l	
151772-58-6	NFDHA	3.8 U	7.7	3.8	1.2	ng/l	

PER and POLYFLUOROETHER SULFONIC ACIDS

756426-58-1	9Cl-PF3ONS (F-53B Major)	3.8 U	7.7	3.8	1.3	ng/l	
763051-92-9	11Cl-PF3OUdS (F-53B Minor)	3.8 U	7.7	3.8	1.7	ng/l	
113507-82-7	PFEESA	1.9 U	7.7	1.9	0.75	ng/l	

FLUOROTELOMER CARBOXYLIC ACIDS

356-02-5	3:3 Fluorotelomer carboxylate	9.6 U	19	9.6	4.3	ng/l	
914637-49-3	5:3 Fluorotelomer carboxylate	19 U	96	19	8.4	ng/l	
812-70-4	7:3 Fluorotelomer carboxylate	19 U	96	19	7.5	ng/l	

CAS No.	ID Standard Recoveries	Run# 1	Run# 2	Limits
	13C4-PFBA	71%		20-150%
	13C5-PFPeA	110%		20-150%
	13C5-PFHxA	108%		20-150%
	13C4-PFHpA	109%		20-150%
	13C8-PFOA	105%		20-150%
	13C9-PFNA	102%		20-150%
	13C6-PFDA	105%		20-150%
	13C7-PFUnDA	102%		20-150%
	13C2-PFDoDA	91%		20-150%
	13C2-PFTeDA	77%		20-150%
	13C3-PFBS	102%		20-150%
	13C3-PFHxS	101%		20-150%

U = Not detected LOD = Limit of Detection J = Indicates an estimated value
 LOQ = Limit of Quantitation DL = Detection Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	AF-RHMW12A-WGN01LF-2305W1	
Lab Sample ID:	FC5726-1	Date Sampled: 05/01/23
Matrix:	AQ - Ground Water	Date Received: 05/02/23
Method:	EPA DRAFT 1633 EPA 1633 DRAFT	Percent Solids: n/a
Project:	N6274223F0104 RH Fire Suppression System	

CAS No.	ID Standard Recoveries	Run# 1	Run# 2	Limits
	13C8-PFOS	109%		20-150%
	13C8-FOSA	83%		20-150%
	d3-MeFOSA	85%		20-150%
	d5-EtFOSA	84%		20-150%
	d3-MeFOSAA	106%		20-150%
	d5-EtFOSAA	117%		20-150%
	d7-MeFOSE	60%		20-150%
	d9-EtFOSE	67%		20-150%
	13C2-4:2FTS	105%		20-180%
	13C2-6:2FTS	130%		20-180%
	13C2-8:2FTS	114%		20-180%
	13C3-HFPO-DA	100%		20-150%

U = Not detected LOD = Limit of Detection J = Indicates an estimated value
 LOQ = Limit of Quantitation DL = Detection Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Page 1 of 3

Client Sample ID:	AF-RHMW12A-WGFD01LF-2305W1		
Lab Sample ID:	FC5726-2	Date Sampled:	05/01/23
Matrix:	AQ - Ground Water	Date Received:	05/02/23
Method:	EPA DRAFT 1633 EPA 1633 DRAFT	Percent Solids:	n/a
Project:	N6274223F0104 RH Fire Suppression System		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4Q43972.D	1	05/04/23 17:03	NG	05/03/23 11:00	OP96701	S4Q635
Run #2							

Run #	Initial Volume	Final Volume
Run #1	520 ml	5.0 ml
Run #2		

CAS No.	Compound	Result	LOQ	LOD	DL	Units	Q
PERFLUOROALKYL CARBOXYLIC ACIDS							
375-22-4	Perfluorobutanoic acid	3.8 U	15	3.8	1.8	ng/l	
2706-90-3	Perfluoropentanoic acid	3.2	7.7	1.9	0.90	ng/l	J
307-24-4	Perfluorohexanoic acid	1.1	3.8	1.9	0.48	ng/l	J
375-85-9	Perfluoroheptanoic acid	1.9 U	3.8	1.9	0.48	ng/l	
335-67-1	Perfluorooctanoic acid	0.96 U	3.8	0.96	0.48	ng/l	
375-95-1	Perfluorononanoic acid	1.9 U	3.8	1.9	0.59	ng/l	
335-76-2	Perfluorodecanoic acid	1.9 U	3.8	1.9	0.48	ng/l	
2058-94-8	Perfluoroundecanoic acid	1.9 U	3.8	1.9	0.58	ng/l	
307-55-1	Perfluorododecanoic acid	1.9 U	3.8	1.9	0.58	ng/l	
72629-94-8	Perfluorotridecanoic acid	1.9 U	3.8	1.9	0.81	ng/l	
376-06-7	Perfluorotetradecanoic acid	1.9 U	3.8	1.9	0.48	ng/l	
PERFLUOROALKYL SULFONIC ACIDS							
375-73-5	Perfluorobutanesulfonic acid	1.9 U	3.8	1.9	0.48	ng/l	
2706-91-4	Perfluoropentanesulfonic acid	3.8 U	4.8	3.8	1.1	ng/l	
355-46-4	Perfluorohexanesulfonic acid	1.9 U	3.8	1.9	0.67	ng/l	
375-92-8	Perfluoroheptanesulfonic acid	1.9 U	3.8	1.9	0.48	ng/l	
1763-23-1	Perfluorooctanesulfonic acid	1.9 U	3.8	1.9	0.52	ng/l	
68259-12-1	Perfluorononanesulfonic acid	1.9 U	3.8	1.9	0.55	ng/l	
335-77-3	Perfluorodecanesulfonic acid	1.9 U	3.8	1.9	0.62	ng/l	
79780-39-5	Perfluorododecanesulfonic aci	3.8 U	4.8	3.8	1.1	ng/l	
FLUOROTELOMER SULFONIC ACIDS							
757124-72-4	4:2 Fluorotelomer sulfonate	7.7 U	19	7.7	3.1	ng/l	
27619-97-2	6:2 Fluorotelomer sulfonate	7.7 U	19	7.7	3.3	ng/l	
39108-34-4	8:2 Fluorotelomer sulfonate	7.7 U	19	7.7	4.0	ng/l	
PERFLUOROOCCTANE SULFONAMIDES							
754-91-6	PFOSA	1.9 U	3.8	1.9	0.64	ng/l	
31506-32-8	MeFOSA	3.8 U	7.7	3.8	0.96	ng/l	
4151-50-2	EtFOSA	3.8 U	7.7	3.8	0.96	ng/l	

U = Not detected

LOD = Limit of Detection

J = Indicates an estimated value

LOQ = Limit of Quantitation

DL = Detection Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	AF-RHMW12A-WGFD01LF-2305W1		Date Sampled:	05/01/23
Lab Sample ID:	FC5726-2	Date Received:	05/02/23	
Matrix:	AQ - Ground Water	Percent Solids:	n/a	
Method:	EPA DRAFT 1633 EPA 1633 DRAFT			
Project:	N6274223F0104 RH Fire Suppression System			

CAS No.	Compound	Result	LOQ	LOD	DL	Units	Q
---------	----------	--------	-----	-----	----	-------	---

PERFLUOROOCCTANE SULFONAMIDOACETIC ACIDS

2355-31-9	MeFOSAA	3.8 U	4.8	3.8	0.96	ng/l	
2991-50-6	EtFOSAA	3.8 U	4.8	3.8	1.3	ng/l	

PERFLUOROOCCTANE SULFONAMIDO ETHANOLS

24448-09-7	MeFOSE	19 U	38	19	4.2	ng/l	
1691-99-2	EtFOSE	19 U	38	19	7.1	ng/l	

PER and POLYFLUOROETHER CARBOXYLIC ACIDS

13252-13-6	HFPO-DA (GenX)	1.9 U	3.8	1.9	0.96	ng/l	
919005-14-4	ADONA	3.8 U	7.7	3.8	1.8	ng/l	
377-73-1	PFMPA	1.9 U	7.7	1.9	0.96	ng/l	
863090-89-5	PFMBA	3.8 U	7.7	3.8	1.1	ng/l	
151772-58-6	NFDHA	3.8 U	7.7	3.8	1.2	ng/l	

PER and POLYFLUOROETHER SULFONIC ACIDS

756426-58-1	9Cl-PF3ONS (F-53B Major)	3.8 U	7.7	3.8	1.3	ng/l	
763051-92-9	11Cl-PF3OUdS (F-53B Minor)	3.8 U	7.7	3.8	1.7	ng/l	
113507-82-7	PFEESA	1.9 U	7.7	1.9	0.75	ng/l	

FLUOROTELOMER CARBOXYLIC ACIDS

356-02-5	3:3 Fluorotelomer carboxylate	9.6 U	19	9.6	4.3	ng/l	
914637-49-3	5:3 Fluorotelomer carboxylate	19 U	96	19	8.4	ng/l	
812-70-4	7:3 Fluorotelomer carboxylate	19 U	96	19	7.5	ng/l	

CAS No.	ID Standard Recoveries	Run# 1	Run# 2	Limits
	13C4-PFBA	59%		20-150%
	13C5-PFPeA	107%		20-150%
	13C5-PFHxA	112%		20-150%
	13C4-PFHpA	110%		20-150%
	13C8-PFOA	106%		20-150%
	13C9-PFNA	99%		20-150%
	13C6-PFDA	101%		20-150%
	13C7-PFUnDA	103%		20-150%
	13C2-PFDoDA	94%		20-150%
	13C2-PFTeDA	80%		20-150%
	13C3-PFBS	106%		20-150%
	13C3-PFHxS	105%		20-150%

U = Not detected LOD = Limit of Detection J = Indicates an estimated value
 LOQ = Limit of Quantitation DL = Detection Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID:	AF-RHMW12A-WGFD01LF-2305W1	
Lab Sample ID:	FC5726-2	Date Sampled: 05/01/23
Matrix:	AQ - Ground Water	Date Received: 05/02/23
Method:	EPA DRAFT 1633 EPA 1633 DRAFT	Percent Solids: n/a
Project:	N6274223F0104 RH Fire Suppression System	

CAS No.	ID Standard Recoveries	Run# 1	Run# 2	Limits
	13C8-PFOS	102%		20-150%
	13C8-FOSA	82%		20-150%
	d3-MeFOSA	84%		20-150%
	d5-EtFOSA	84%		20-150%
	d3-MeFOSAA	106%		20-150%
	d5-EtFOSAA	110%		20-150%
	d7-MeFOSE	62%		20-150%
	d9-EtFOSE	67%		20-150%
	13C2-4:2FTS	121%		20-180%
	13C2-6:2FTS	129%		20-180%
	13C2-8:2FTS	124%		20-180%
	13C3-HFPO-DA	101%		20-150%

U = Not detected LOD = Limit of Detection J = Indicates an estimated value
 LOQ = Limit of Quantitation DL = Detection Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Page 1 of 3

Client Sample ID:	AF-RHMW04-WGN01LF-2305W1		
Lab Sample ID:	FC5726-3	Date Sampled:	05/01/23
Matrix:	AQ - Ground Water	Date Received:	05/02/23
Method:	EPA DRAFT 1633 EPA 1633 DRAFT	Percent Solids:	n/a
Project:	N6274223F0104 RH Fire Suppression System		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4Q43974.D	1	05/04/23 17:31	NG	05/03/23 11:00	OP96701	S4Q635
Run #2							

Run #	Initial Volume	Final Volume
Run #1	560 ml	5.0 ml
Run #2		

CAS No.	Compound	Result	LOQ	LOD	DL	Units	Q
---------	----------	--------	-----	-----	----	-------	---

PERFLUOROALKYL CARBOXYLIC ACIDS

375-22-4	Perfluorobutanoic acid	3.6 U	14	3.6	1.7	ng/l	
2706-90-3	Perfluoropentanoic acid	1.8 U	7.1	1.8	0.84	ng/l	
307-24-4	Perfluorohexanoic acid	1.8 U	3.6	1.8	0.45	ng/l	
375-85-9	Perfluoroheptanoic acid	1.8 U	3.6	1.8	0.45	ng/l	
335-67-1	Perfluorooctanoic acid	0.89 U	3.6	0.89	0.45	ng/l	
375-95-1	Perfluorononanoic acid	1.8 U	3.6	1.8	0.54	ng/l	
335-76-2	Perfluorodecanoic acid	1.8 U	3.6	1.8	0.45	ng/l	
2058-94-8	Perfluoroundecanoic acid	1.8 U	3.6	1.8	0.54	ng/l	
307-55-1	Perfluorododecanoic acid	1.8 U	3.6	1.8	0.54	ng/l	
72629-94-8	Perfluorotridecanoic acid	1.8 U	3.6	1.8	0.75	ng/l	
376-06-7	Perfluorotetradecanoic acid	1.8 U	3.6	1.8	0.45	ng/l	

PERFLUOROALKYL SULFONIC ACIDS

375-73-5	Perfluorobutanesulfonic acid	1.8 U	3.6	1.8	0.45	ng/l	
2706-91-4	Perfluoropentanesulfonic acid	3.6 U	4.5	3.6	1.0	ng/l	
355-46-4	Perfluorohexanesulfonic acid	1.8 U	3.6	1.8	0.62	ng/l	
375-92-8	Perfluoroheptanesulfonic acid	1.8 U	3.6	1.8	0.45	ng/l	
1763-23-1	Perfluorooctanesulfonic acid	1.8 U	3.6	1.8	0.48	ng/l	
68259-12-1	Perfluorononanesulfonic acid	1.8 U	3.6	1.8	0.51	ng/l	
335-77-3	Perfluorodecanesulfonic acid	1.8 U	3.6	1.8	0.57	ng/l	
79780-39-5	Perfluorododecanesulfonic aci	3.6 U	4.5	3.6	1.0	ng/l	

FLUOROTELOMER SULFONIC ACIDS

757124-72-4	4:2 Fluorotelomer sulfonate	7.1 U	18	7.1	2.9	ng/l	
27619-97-2	6:2 Fluorotelomer sulfonate	7.1 U	18	7.1	3.1	ng/l	
39108-34-4	8:2 Fluorotelomer sulfonate	7.1 U	18	7.1	3.7	ng/l	

PERFLUOROOCCTANE SULFONAMIDES

754-91-6	PFOSA	1.8 U	3.6	1.8	0.60	ng/l	
31506-32-8	MeFOSA	3.6 U	7.1	3.6	0.89	ng/l	
4151-50-2	EtFOSA	3.6 U	7.1	3.6	0.89	ng/l	

U = Not detected

LOD = Limit of Detection

J = Indicates an estimated value

LOQ = Limit of Quantitation

DL = Detection Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	AF-RHMW04-WGN01LF-2305W1		Date Sampled:	05/01/23
Lab Sample ID:	FC5726-3	Date Received:	05/02/23	
Matrix:	AQ - Ground Water	Percent Solids:	n/a	
Method:	EPA DRAFT 1633 EPA 1633 DRAFT			
Project:	N6274223F0104 RH Fire Suppression System			

CAS No.	Compound	Result	LOQ	LOD	DL	Units	Q
---------	----------	--------	-----	-----	----	-------	---

PERFLUOROOCCTANE SULFONAMIDOACETIC ACIDS

2355-31-9	MeFOSAA	3.6 U	4.5	3.6	0.89	ng/l	
2991-50-6	EtFOSAA	3.6 U	4.5	3.6	1.2	ng/l	

PERFLUOROOCCTANE SULFONAMIDO ETHANOLS

24448-09-7	MeFOSE	18 U	36	18	3.9	ng/l	
1691-99-2	EtFOSE	18 U	36	18	6.6	ng/l	

PER and POLYFLUOROETHER CARBOXYLIC ACIDS

13252-13-6	HFPO-DA (GenX)	1.8 U	3.6	1.8	0.89	ng/l	
919005-14-4	ADONA	3.6 U	7.1	3.6	1.7	ng/l	
377-73-1	PFMPA	1.8 U	7.1	1.8	0.89	ng/l	
863090-89-5	PFMBA	3.6 U	7.1	3.6	1.0	ng/l	
151772-58-6	NFDHA	3.6 U	7.1	3.6	1.1	ng/l	

PER and POLYFLUOROETHER SULFONIC ACIDS

756426-58-1	9Cl-PF3ONS (F-53B Major)	3.6 U	7.1	3.6	1.2	ng/l	
763051-92-9	11Cl-PF3OUdS (F-53B Minor)	3.6 U	7.1	3.6	1.6	ng/l	
113507-82-7	PFEESA	1.8 U	7.1	1.8	0.70	ng/l	

FLUOROTELOMER CARBOXYLIC ACIDS

356-02-5	3:3 Fluorotelomer carboxylate	8.9 U	18	8.9	4.0	ng/l	
914637-49-3	5:3 Fluorotelomer carboxylate	18 U	89	18	7.8	ng/l	
812-70-4	7:3 Fluorotelomer carboxylate	18 U	89	18	7.0	ng/l	

CAS No.	ID Standard Recoveries	Run# 1	Run# 2	Limits
---------	------------------------	--------	--------	--------

	13C4-PFBA	101%		20-150%
	13C5-PFPeA	110%		20-150%
	13C5-PFHxA	113%		20-150%
	13C4-PFHpA	115%		20-150%
	13C8-PFOA	109%		20-150%
	13C9-PFNA	97%		20-150%
	13C6-PFDA	110%		20-150%
	13C7-PFUnDA	103%		20-150%
	13C2-PFDoDA	91%		20-150%
	13C2-PFTeDA	77%		20-150%
	13C3-PFBS	111%		20-150%
	13C3-PFHxS	105%		20-150%

U = Not detected LOD = Limit of Detection J = Indicates an estimated value
 LOQ = Limit of Quantitation DL = Detection Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	AF-RHMW04-WGN01LF-2305W1		Date Sampled:	05/01/23
Lab Sample ID:	FC5726-3		Date Received:	05/02/23
Matrix:	AQ - Ground Water		Percent Solids:	n/a
Method:	EPA DRAFT 1633 EPA 1633 DRAFT			
Project:	N6274223F0104 RH Fire Suppression System			

CAS No.	ID Standard Recoveries	Run# 1	Run# 2	Limits
	13C8-PFOS	101%		20-150%
	13C8-FOSA	73%		20-150%
	d3-MeFOSA	71%		20-150%
	d5-EtFOSA	77%		20-150%
	d3-MeFOSAA	109%		20-150%
	d5-EtFOSAA	111%		20-150%
	d7-MeFOSE	53%		20-150%
	d9-EtFOSE	58%		20-150%
	13C2-4:2FTS	134%		20-180%
	13C2-6:2FTS	146%		20-180%
	13C2-8:2FTS	140%		20-180%
	13C3-HFPO-DA	103%		20-150%

U = Not detected LOD = Limit of Detection J = Indicates an estimated value
 LOQ = Limit of Quantitation DL = Detection Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Page 1 of 3

Client Sample ID:	AF-RHMW06-WGN01LF-2305W1		
Lab Sample ID:	FC5726-4	Date Sampled:	05/01/23
Matrix:	AQ - Ground Water	Date Received:	05/02/23
Method:	EPA DRAFT 1633 EPA 1633 DRAFT	Percent Solids:	n/a
Project:	N6274223F0104 RH Fire Suppression System		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4Q43976.D	1	05/04/23 17:59	NG	05/03/23 11:00	OP96701	S4Q635
Run #2							

Run #	Initial Volume	Final Volume
Run #1	570 ml	5.0 ml
Run #2		

CAS No.	Compound	Result	LOQ	LOD	DL	Units	Q
---------	----------	--------	-----	-----	----	-------	---

PERFLUOROALKYL CARBOXYLIC ACIDS

375-22-4	Perfluorobutanoic acid	3.5 U	14	3.5	1.7	ng/l	
2706-90-3	Perfluoropentanoic acid	1.8 U	7.0	1.8	0.82	ng/l	
307-24-4	Perfluorohexanoic acid	1.8 U	3.5	1.8	0.44	ng/l	
375-85-9	Perfluoroheptanoic acid	1.8 U	3.5	1.8	0.44	ng/l	
335-67-1	Perfluorooctanoic acid	0.88 U	3.5	0.88	0.44	ng/l	
375-95-1	Perfluorononanoic acid	1.8 U	3.5	1.8	0.54	ng/l	
335-76-2	Perfluorodecanoic acid	1.8 U	3.5	1.8	0.44	ng/l	
2058-94-8	Perfluoroundecanoic acid	1.8 U	3.5	1.8	0.53	ng/l	
307-55-1	Perfluorododecanoic acid	1.8 U	3.5	1.8	0.53	ng/l	
72629-94-8	Perfluorotridecanoic acid	1.8 U	3.5	1.8	0.74	ng/l	
376-06-7	Perfluorotetradecanoic acid	1.8 U	3.5	1.8	0.44	ng/l	

PERFLUOROALKYL SULFONIC ACIDS

375-73-5	Perfluorobutanesulfonic acid	1.8 U	3.5	1.8	0.44	ng/l	
2706-91-4	Perfluoropentanesulfonic acid	3.5 U	4.4	3.5	0.98	ng/l	
355-46-4	Perfluorohexanesulfonic acid	1.8 U	3.5	1.8	0.61	ng/l	
375-92-8	Perfluoroheptanesulfonic acid	1.8 U	3.5	1.8	0.44	ng/l	
1763-23-1	Perfluorooctanesulfonic acid	1.8 U	3.5	1.8	0.47	ng/l	
68259-12-1	Perfluorononanesulfonic acid	1.8 U	3.5	1.8	0.50	ng/l	
335-77-3	Perfluorodecanesulfonic acid	1.8 U	3.5	1.8	0.56	ng/l	
79780-39-5	Perfluorododecanesulfonic aci	3.5 U	4.4	3.5	1.0	ng/l	

FLUOROTELOMER SULFONIC ACIDS

757124-72-4	4:2 Fluorotelomer sulfonate	7.0 U	18	7.0	2.8	ng/l	
27619-97-2	6:2 Fluorotelomer sulfonate	7.0 U	18	7.0	3.0	ng/l	
39108-34-4	8:2 Fluorotelomer sulfonate	7.0 U	18	7.0	3.6	ng/l	

PERFLUOROOCCTANE SULFONAMIDES

754-91-6	PFOSA	1.8 U	3.5	1.8	0.59	ng/l	
31506-32-8	MeFOSA	3.5 U	7.0	3.5	0.88	ng/l	
4151-50-2	EtFOSA	3.5 U	7.0	3.5	0.88	ng/l	

U = Not detected

LOD = Limit of Detection

J = Indicates an estimated value

LOQ = Limit of Quantitation

DL = Detection Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	AF-RHMW06-WGN01LF-2305W1		
Lab Sample ID:	FC5726-4	Date Sampled:	05/01/23
Matrix:	AQ - Ground Water	Date Received:	05/02/23
Method:	EPA DRAFT 1633 EPA 1633 DRAFT	Percent Solids:	n/a
Project:	N6274223F0104 RH Fire Suppression System		

CAS No.	Compound	Result	LOQ	LOD	DL	Units	Q
---------	----------	--------	-----	-----	----	-------	---

PERFLUOROOCCTANE SULFONAMIDOACETIC ACIDS

2355-31-9	MeFOSAA	3.5 U	4.4	3.5	0.88	ng/l	
2991-50-6	EtFOSAA	3.5 U	4.4	3.5	1.2	ng/l	

PERFLUOROOCCTANE SULFONAMIDO ETHANOLS

24448-09-7	MeFOSE	18 U	35	18	3.8	ng/l	
1691-99-2	EtFOSE	18 U	35	18	6.5	ng/l	

PER and POLYFLUOROETHER CARBOXYLIC ACIDS

13252-13-6	HFPO-DA (GenX)	1.8 U	3.5	1.8	0.88	ng/l	
919005-14-4	ADONA	3.5 U	7.0	3.5	1.6	ng/l	
377-73-1	PFMPA	1.8 U	7.0	1.8	0.88	ng/l	
863090-89-5	PFMBA	3.5 U	7.0	3.5	1.0	ng/l	
151772-58-6	NFDHA	3.5 U	7.0	3.5	1.1	ng/l	

PER and POLYFLUOROETHER SULFONIC ACIDS

756426-58-1	9Cl-PF3ONS (F-53B Major)	3.5 U	7.0	3.5	1.2	ng/l	
763051-92-9	11Cl-PF3OUdS (F-53B Minor)	3.5 U	7.0	3.5	1.5	ng/l	
113507-82-7	PFEESA	1.8 U	7.0	1.8	0.68	ng/l	

FLUOROTELOMER CARBOXYLIC ACIDS

356-02-5	3:3 Fluorotelomer carboxylate	8.8 U	18	8.8	4.0	ng/l	
914637-49-3	5:3 Fluorotelomer carboxylate	18 U	88	18	7.7	ng/l	
812-70-4	7:3 Fluorotelomer carboxylate	18 U	88	18	6.9	ng/l	

CAS No.	ID Standard Recoveries	Run# 1	Run# 2	Limits
---------	------------------------	--------	--------	--------

	13C4-PFBA	103%		20-150%
	13C5-PFPeA	106%		20-150%
	13C5-PFHxA	109%		20-150%
	13C4-PFHpA	110%		20-150%
	13C8-PFOA	103%		20-150%
	13C9-PFNA	108%		20-150%
	13C6-PFDA	102%		20-150%
	13C7-PFUnDA	103%		20-150%
	13C2-PFDoDA	94%		20-150%
	13C2-PFTeDA	82%		20-150%
	13C3-PFBS	99%		20-150%
	13C3-PFHxS	101%		20-150%

U = Not detected LOD = Limit of Detection J = Indicates an estimated value
 LOQ = Limit of Quantitation DL = Detection Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.4
 4

Report of Analysis

Client Sample ID:	AF-RHMW06-WGN01LF-2305W1	
Lab Sample ID:	FC5726-4	Date Sampled: 05/01/23
Matrix:	AQ - Ground Water	Date Received: 05/02/23
Method:	EPA DRAFT 1633 EPA 1633 DRAFT	Percent Solids: n/a
Project:	N6274223F0104 RH Fire Suppression System	

CAS No.	ID Standard Recoveries	Run# 1	Run# 2	Limits
	13C8-PFOS	100%		20-150%
	13C8-FOSA	62%		20-150%
	d3-MeFOSA	73%		20-150%
	d5-EtFOSA	79%		20-150%
	d3-MeFOSAA	116%		20-150%
	d5-EtFOSAA	118%		20-150%
	d7-MeFOSE	54%		20-150%
	d9-EtFOSE	59%		20-150%
	13C2-4:2FTS	123%		20-180%
	13C2-6:2FTS	124%		20-180%
	13C2-8:2FTS	137%		20-180%
	13C3-HFPO-DA	98%		20-150%

U = Not detected LOD = Limit of Detection J = Indicates an estimated value
 LOQ = Limit of Quantitation DL = Detection Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

SGS North America Inc.

Report of Analysis

Page 1 of 3

Client Sample ID:	AF-RHMW16-WGN01LF-2305W1		
Lab Sample ID:	FC5726-5	Date Sampled:	05/01/23
Matrix:	AQ - Ground Water	Date Received:	05/02/23
Method:	EPA DRAFT 1633 EPA 1633 DRAFT	Percent Solids:	n/a
Project:	N6274223F0104 RH Fire Suppression System		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4Q43977.D	1	05/04/23 18:13	NG	05/03/23 11:00	OP96701	S4Q635
Run #2							

Run #	Initial Volume	Final Volume
Run #1	520 ml	5.0 ml
Run #2		

CAS No.	Compound	Result	LOQ	LOD	DL	Units	Q
---------	----------	--------	-----	-----	----	-------	---

PERFLUOROALKYL CARBOXYLIC ACIDS

375-22-4	Perfluorobutanoic acid	3.8 U	15	3.8	1.8	ng/l	
2706-90-3	Perfluoropentanoic acid	1.9 U	7.7	1.9	0.90	ng/l	
307-24-4	Perfluorohexanoic acid	1.9 U	3.8	1.9	0.48	ng/l	
375-85-9	Perfluoroheptanoic acid	1.9 U	3.8	1.9	0.48	ng/l	
335-67-1	Perfluorooctanoic acid	0.96 U	3.8	0.96	0.48	ng/l	
375-95-1	Perfluorononanoic acid	1.9 U	3.8	1.9	0.59	ng/l	
335-76-2	Perfluorodecanoic acid	1.9 U	3.8	1.9	0.48	ng/l	
2058-94-8	Perfluoroundecanoic acid	1.9 U	3.8	1.9	0.58	ng/l	
307-55-1	Perfluorododecanoic acid	1.9 U	3.8	1.9	0.58	ng/l	
72629-94-8	Perfluorotridecanoic acid	1.9 U	3.8	1.9	0.81	ng/l	
376-06-7	Perfluorotetradecanoic acid	1.9 U	3.8	1.9	0.48	ng/l	

PERFLUOROALKYL SULFONIC ACIDS

375-73-5	Perfluorobutanesulfonic acid	1.9 U	3.8	1.9	0.48	ng/l	
2706-91-4	Perfluoropentanesulfonic acid	3.8 U	4.8	3.8	1.1	ng/l	
355-46-4	Perfluorohexanesulfonic acid	1.9 U	3.8	1.9	0.67	ng/l	
375-92-8	Perfluoroheptanesulfonic acid	1.9 U	3.8	1.9	0.48	ng/l	
1763-23-1	Perfluorooctanesulfonic acid	1.9 U	3.8	1.9	0.52	ng/l	
68259-12-1	Perfluorononanesulfonic acid	1.9 U	3.8	1.9	0.55	ng/l	
335-77-3	Perfluorodecanesulfonic acid	1.9 U	3.8	1.9	0.62	ng/l	
79780-39-5	Perfluorododecanesulfonic aci	3.8 U	4.8	3.8	1.1	ng/l	

FLUOROTELOMER SULFONIC ACIDS

757124-72-4	4:2 Fluorotelomer sulfonate	7.7 U	19	7.7	3.1	ng/l	
27619-97-2	6:2 Fluorotelomer sulfonate	7.7 U	19	7.7	3.3	ng/l	
39108-34-4	8:2 Fluorotelomer sulfonate	7.7 U	19	7.7	4.0	ng/l	

PERFLUOROOCCTANE SULFONAMIDES

754-91-6	PFOSA	1.9 U	3.8	1.9	0.64	ng/l	
31506-32-8	MeFOSA	3.8 U	7.7	3.8	0.96	ng/l	
4151-50-2	EtFOSA	3.8 U	7.7	3.8	0.96	ng/l	

U = Not detected

LOD = Limit of Detection

J = Indicates an estimated value

LOQ = Limit of Quantitation

DL = Detection Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	AF-RHMW16-WGN01LF-2305W1		
Lab Sample ID:	FC5726-5	Date Sampled:	05/01/23
Matrix:	AQ - Ground Water	Date Received:	05/02/23
Method:	EPA DRAFT 1633 EPA 1633 DRAFT	Percent Solids:	n/a
Project:	N6274223F0104 RH Fire Suppression System		

CAS No.	Compound	Result	LOQ	LOD	DL	Units	Q
---------	----------	--------	-----	-----	----	-------	---

PERFLUOROOCCTANE SULFONAMIDOACETIC ACIDS

2355-31-9	MeFOSAA	3.8 U	4.8	3.8	0.96	ng/l	
2991-50-6	EtFOSAA	3.8 U	4.8	3.8	1.3	ng/l	

PERFLUOROOCCTANE SULFONAMIDO ETHANOLS

24448-09-7	MeFOSE	19 U	38	19	4.2	ng/l	
1691-99-2	EtFOSE	19 U	38	19	7.1	ng/l	

PER and POLYFLUOROETHER CARBOXYLIC ACIDS

13252-13-6	HFPO-DA (GenX)	1.9 U	3.8	1.9	0.96	ng/l	
919005-14-4	ADONA	3.8 U	7.7	3.8	1.8	ng/l	
377-73-1	PFMPA	1.9 U	7.7	1.9	0.96	ng/l	
863090-89-5	PFMBA	3.8 U	7.7	3.8	1.1	ng/l	
151772-58-6	NFDHA	3.8 U	7.7	3.8	1.2	ng/l	

PER and POLYFLUOROETHER SULFONIC ACIDS

756426-58-1	9Cl-PF3ONS (F-53B Major)	3.8 U	7.7	3.8	1.3	ng/l	
763051-92-9	11Cl-PF3OUdS (F-53B Minor)	3.8 U	7.7	3.8	1.7	ng/l	
113507-82-7	PFEESA	1.9 U	7.7	1.9	0.75	ng/l	

FLUOROTELOMER CARBOXYLIC ACIDS

356-02-5	3:3 Fluorotelomer carboxylate	9.6 U	19	9.6	4.3	ng/l	
914637-49-3	5:3 Fluorotelomer carboxylate	19 U	96	19	8.4	ng/l	
812-70-4	7:3 Fluorotelomer carboxylate	19 U	96	19	7.5	ng/l	

CAS No.	ID Standard Recoveries	Run# 1	Run# 2	Limits
---------	------------------------	--------	--------	--------

13C4-PFBA	98%	20-150%
13C5-PFPeA	111%	20-150%
13C5-PFHxA	113%	20-150%
13C4-PFHpA	115%	20-150%
13C8-PFOA	109%	20-150%
13C9-PFNA	105%	20-150%
13C6-PFDA	109%	20-150%
13C7-PFUnDA	108%	20-150%
13C2-PFDoDA	101%	20-150%
13C2-PFTeDA	89%	20-150%
13C3-PFBS	108%	20-150%
13C3-PFHxS	108%	20-150%

U = Not detected LOD = Limit of Detection J = Indicates an estimated value
 LOQ = Limit of Quantitation DL = Detection Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.5
4

Report of Analysis

Client Sample ID:	AF-RHMW16-WGN01LF-2305W1	
Lab Sample ID:	FC5726-5	Date Sampled: 05/01/23
Matrix:	AQ - Ground Water	Date Received: 05/02/23
Method:	EPA DRAFT 1633 EPA 1633 DRAFT	Percent Solids: n/a
Project:	N6274223F0104 RH Fire Suppression System	

CAS No.	ID Standard Recoveries	Run# 1	Run# 2	Limits
	13C8-PFOS	103%		20-150%
	13C8-FOSA	85%		20-150%
	d3-MeFOSA	96%		20-150%
	d5-EtFOSA	94%		20-150%
	d3-MeFOSAA	127%		20-150%
	d5-EtFOSAA	127%		20-150%
	d7-MeFOSE	68%		20-150%
	d9-EtFOSE	74%		20-150%
	13C2-4:2FTS	128%		20-180%
	13C2-6:2FTS	138%		20-180%
	13C2-8:2FTS	141%		20-180%
	13C3-HFPO-DA	105%		20-150%

U = Not detected LOD = Limit of Detection J = Indicates an estimated value
 LOQ = Limit of Quantitation DL = Detection Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody
- QC Evaluation: DOD QSM5.x Limits



SGS North America Inc - Orlando

Chain of Custody

4405 Vineland Road, Suite C-15 Orlando, FL 32811
TEL: 407-425-6700 FAX: 407-425-0707
www.sgs.com

FC5726

COC #: 2305W1AFSG05

SGS - ORLANDO JOB # :

PAGE 1 OF 1

Client / Reporting Information		Project Information										Analytical Information										Matrix Codes							
Company Name: AECOM		Project Name: N6274223F0104 RH Fire Suppression System																				DW - Drinking Water GW - Ground Water WW - Water SW - Surface Water SO - Soil SL - Sludge OI - Oil LIQ - Other Liquid AIR - Air SOL - Other Solid WP - Wipe							
Address: 1001 Bishop St. ste 1600		Street																											
City: Honolulu State: HI Zip: 96813		City Honolulu State Hawaii																											
Project Contact: Katie Abbott Email: katie.abbott@aecom.com		Project # 60697810										PFAS EPA Draft 163										LAB USE ONLY							
Project Manager: Watson Tanji Email: watson.tanji@aecom.com		Fax #																											
Phone #: 303-796-4624 / 806-954-4512		Client Purchase Order #																											
Sampler(s) Name(s) (Printed)																													
Sampler 1: Matt Kim		Sampler 2: Gabriel Allen																											
SGS Orlando Sample #	Field ID / Point of Collection	COLLECTION			CONTAINER INFORMATION												PFAS EPA Draft 163	LAB USE ONLY											
		DATE	TIME	SAMPLED BY	MATRIX	TOTAL # OF BOTTLES	OTHER	PHONE	RED	MSGH	PANCS	PERSON	MACHINAC	WATER	MICH														
1	AF-RHMMW12A-WGN01LF-2305W1	5/11/23	0945	MV, CA	GW	3		X									X												
2	AF-RHMMW12A-WGFD01LF-2305W1	5/11/23	0945	MV, CA	GW	3		X									X												
		N.Y. 5/11/23																											
												INITIAL ASSESSMENT										SP							
												LABEL VERIFICATION										SP							
Turnaround Time (Business days)										Data Deliverable Information										Comments / Remarks									
10 Day (Business) Approved By: / Date: 7 Day <input checked="" type="checkbox"/> 5 Day 3 Day RUSH 2 Day RUSH 1 Day RUSH Other										<input type="checkbox"/> COMMERCIAL "A" (RESULTS ONLY) <input type="checkbox"/> COMMERCIAL "B" (RESULTS PLUS QC) <input type="checkbox"/> REDT1 (EPA LEVEL 3) <input checked="" type="checkbox"/> FULLT1 (EPA LEVEL 4) <input checked="" type="checkbox"/> EDD'S										EDMS upload database: JBPHE EDMS Coverage: AFFF Assessment Sampling GW United RWB 016-15697371									
Rush T/A Data Available VIA Email or Lablink										Sample Custody must be documented below each time samples change possession, including courier delivery.																			
Relinquished by Sampler/Affiliation		Date Time:		Received By/Affiliation		Relinquished By/Affiliation		Date Time:		Received By/Affiliation		Relinquished by Sampler/Affiliation		Date Time:		Received By/Affiliation		Relinquished by Sampler/Affiliation		Date Time:		Received By/Affiliation							
1 Matt Kim AECOM		5/11/23 1340		2 [Signature] AECOM		3 [Signature] AECOM		5/11/23 1400		4 United Cargo		5 United Cargo		5/11/23		6 [Signature] 05/10/23 1428		7 1		5/11/23		8							
Lab Use Only: Cooler Temperature (s) Celsius (corrected):																													

PFAS_COCs_ALL.xls Rev 031318

2.8 IR #1

FC5726: Chain of Custody

Page 1 of 5





SGS North America Inc - Orlando

Chain of Custody

4405 Vineland Road, Suite C-15 Orlando, FL 32811
TEL: 407-425-6700 FAX: 407-425-0707
www.sgs.com

FC5726

COC #: 2305W1AFSG08

SGS - ORLANDO JOB # :

PAGE 1 OF 1

Client / Reporting Information		Project Information		Analytical Information												Matrix Codes			
Company Name: AECOM		Project Name: N6274223F0104 RH Fire Suppression System		<div style="display: flex; justify-content: space-between;"> PFAS EPA Draft 1633 5/11/23 </div>												DW - Drinking Water GW - Ground Water WW - Water SW - Surface Water SO - Soil SL - Sludge OJ - Oil LIQ - Other Liquid AIR - Air SOL - Other Solid WP - Wipe			
Address: 1001 Bishop St. ste 1600		Street																	
City: Honolulu	State: HI	Zip: 96813	City: Honolulu														State: Hawaii		
Project Contact: Katie Abbott Email: katie.abbott@aecom.com		Project # 60697810																	
Project Manager: Watson Tanji Email: watson.tanji@aecom.com		Fax #																	
Phone #: 303-796-4624 / 800-954-4512		Client Purchase Order #																	
Sampler(s) Name(s) (Printed) Sampler 1: Avic, Ishii Sampler 2: Andy Young																			
SGS Orlando Sample #	Field ID / Point of Collection	DATE	TIME	SAMPLED BY	MATRIX	TOTAL # OF BOTTLES	CONTAINER INFORMATION											LAB USE ONLY	
							OTHER	ROUSE	HOI	NaOH	HNO3	H2SO4	NACH-ZNAC	DI WATER	MICH	PFAS EPA Draft 1633			
3	AF-RHMMW04-WGN01LF-2305W1	5/11/23	1015	AV, AI	GW	3		X											
								<div style="display: flex; justify-content: center;"> 5/11/23 </div>											
Turnaround Time (Business days)				Data Deliverable Information						Comments / Remarks									
10 Day (Business) 7 Day <input checked="" type="checkbox"/> 5 Day 3 Day RUSH 2 Day RUSH 1 Day RUSH Other _____		Approved By: / Date:		<input type="checkbox"/> COMMERCIAL "A" (RESULTS ONLY) <input type="checkbox"/> COMMERCIAL "B" (RESULTS PLUS QC) <input type="checkbox"/> REDT1 (EPA LEVEL 3) <input checked="" type="checkbox"/> FULLT1 (EPA LEVEL 4) <input checked="" type="checkbox"/> EDD'S						EDMS upload database: JBPHE EDMS Coverage: AFFF Assessment Sampling GW Unted AWB 016 15697371									
Rush T/A Data Available VIA Email or Lablink				Sample Custody must be documented below each time samples change possession, including courier delivery.															
1 Relinquished by Sampler/Affiliation Andy Young / AECOM		Date Time: 5/11/23 1245		2 Received By/Affiliation Brittany Tommez / AECOM				3 Relinquished By/Affiliation Brittany Tommez / AECOM				Date Time: 05/10/23 1600		4 Received By/Affiliation United Cargo					
5 Relinquished by/Affiliation United Cargo		Date Time:		6 Received By/Affiliation [Signature] / [Signature]				7 Relinquished By/Affiliation				Date Time:		8 Received By/Affiliation					
Lab Use Only: Cooler Temperature (s) Celsius (corrected):				http://www.sgs.com/en/terms-and-conditions															

PFAS_COCs_ALL.xls Rev 031318



5.1
5



SGS North America Inc - Orlando

Chain of Custody

4405 Vineland Road, Suite C-15 Orlando, FL 32811
TEL: 407-425-6700 FAX: 407-425-0707
www.sgs.com

FC5726

COC #: 2305W1AFSG09

SGS - ORLANDO JOB #:

PAGE 1 OF 1

Client / Reporting Information		Project Information		Analytical Information										Matrix Codes					
Company Name: AECOM		Project Name: N6274223F0104 RH Fire Suppression System		<div style="text-align: center; font-size: 2em; opacity: 0.5;"> </div>										DW - Drinking Water GW - Ground Water WW - Water SW - Surface Water SO - Soil SL - Sludge OL - Oil LIQ - Other Liquid AIR - Air SOL - Other Solid WP - Wipe					
Address: 1001 Bishop St. ste 1600		Street																	
City: Honolulu	State: HI	Zip: 96813	City: Honolulu												State: Hawaii				
Project Contact: Katie Abbott Project Manager: Watson Tani Phone #: 303-796-4624 / 808-954-4512		Email: katie.abbott@aecom.com Email: watson.tani@aecom.com													Project # 60697810		Fax #		
Sampler(s) Name(s) (Printed) Sampler 1: <u>Andy Young</u> Sampler 2: <u>Andy Young</u>		Client Purchase Order #																	
SGS Orlando Sample #	Field ID / Point of Collection	DATE	TIME	SAMPLED BY:	MATRIX	TOTAL # OF BOTTLES	OTHER	NAME	PC	NICH	NHCS	MSDA	NACH-NAC	DI WATER	MESH	PFAS EPA Draft 1633	LAB USE ONLY		
4	AF-RHMMW06-WGN01LF-2305W1	5/1/23	1140	AY, AY	GW	3		X								X			
Turnaround Time (Business days)		Data Deliverable Information				Comments / Remarks													
10 Day (Business) 7 Day <input checked="" type="checkbox"/> 5 Day 3 Day RUSH 2 Day RUSH 1 Day RUSH Other		Approved By: / Date:				<input type="checkbox"/> COMMERCIAL "A" (RESULTS ONLY) <input type="checkbox"/> COMMERCIAL "B" (RESULTS PLUS QC) <input type="checkbox"/> REDT1 (EPA LEVEL 3) <input checked="" type="checkbox"/> FULLT1 (EPA LEVEL 4) <input checked="" type="checkbox"/> EDD'S				EDMS upload database: JBPHE EDMS Coverage: AFFF Assessment Sampling GW United AWA 016 15497371									
Rush T/A Data Available VIA Email or Lablink																			
Sample Custody must be documented below each time samples change possession, including courier delivery.																			
Relinquished by Sampler/Affiliation		Date Time:		Received By/Affiliation		Date Time:		Relinquished By/Affiliation		Date Time:		Received By/Affiliation							
1 Andy Young / AECOM		5/1/23 1249		2 Brittany Tommez / AECOM		5/1/23 1600		3 Brittany Tommez / AECOM		5/1/23 1600		4 United Cargo							
5 United Cargo				6 [Signature] 05/02/23 1428				7				8							
Lab Use Only: Cooler Temperature (c) Celsius (corrected):																			

PFAS_COCS_ALL.xls Rev 031318

http://www.sgs.com/en/terms-and-conditions



5.1
5



SGS North America Inc - Orlando

Chain of Custody

4405 Vineland Road, Suite C-15 Orlando, FL 32811
TEL: 407-425-6700 FAX: 407-425-0707
www.sgs.com

FC 5726

COC #: 2305W1AFSG06

SGS - ORLANDO JOB # :

PAGE 1 OF 1

Client / Reporting Information			Project Information			Analytical Information										Matrix Codes	
Company Name: AECOM			Project Name: N6274223F0104 RH Fire Suppression System													DW - Drinking Water GW - Ground Water WW - Water SW - Surface Water SO - Soil SL - Sludge OI - Oil LIQ - Other Liquid AIR - Air SOL - Other Solid WP - Wipe	
Address: 1001 Bishop St. ste 1600			Street														
City: Honolulu		State: HI	Zip: 96813	City: Honolulu													State: Hawaii
Project Contact: Katie Abbott Project Manager: Watson Tanji Phone #: 303-796-4624 / 808-954-4512			Email: katie.abbott@aecom.com Email: watson.tanji@aecom.com														Project # 60697810
Sampler(s) Name(s) (Printed) Sampler 1: GABRIEL RUBEN Sampler 2: MATT YAM			Client Purchase Order #			PFAS EPA Draft 1633 											
SGS Orlando Sample #	Field ID / Point of Collection	DATE	TIME	SAMPLED BY:	MATRIX	INITIAL # OF BOTTLES	OTHER	NIHNE	PCO	NIPOH	FINCS	PERSCA	MACHZINC	DI WATER	MEDH	LAB USE ONLY	
5	AF-RHMMW16-WGN01LF-2305W1	05/22/23	11:55	MATT YAM	GW	3			X								
Turnaround Time (Business days)			Data Deliverable Information			Comments / Remarks											
10 Day (Business) Approved By: / Date: _____ 7 Day _____ <input checked="" type="checkbox"/> 5 Day _____ 3 Day RUSH _____ 2 Day RUSH _____ 1 Day RUSH _____ Other _____ Rush T/A Data Available VIA Email or Lablink			<input type="checkbox"/> COMMERCIAL "A" (RESULTS ONLY) <input type="checkbox"/> COMMERCIAL "B" (RESULTS PLUS QC) <input type="checkbox"/> REDT1 (EPA LEVEL 3) <input checked="" type="checkbox"/> FULLT1 (EPA LEVEL 4) <input checked="" type="checkbox"/> EDD'S			EDMS upload database: JBPHE EDMS Coverage: AFFF Assessment Sampling GW United AWB 016 15297371											
Sample Custody must be documented below each time samples change possession, including courier delivery.																	
Relinquished by/Sampler/Affiliation		Date Time:		Received By/Affiliation		Date Time:		Relinquished By/Affiliation		Date Time:		Received By/Affiliation					
1 Gabriel Ruben/AECOM		05/22/23 12:10		2 Matt Yam/AECOM		05/22/23 14:28		3 Matt Yam/AECOM		05/22/23 14:28		4 United Cargo					
5 United Cargo				6 Matt Yam/AECOM		05/22/23 14:28		7 United Cargo				8 United Cargo					
Lab Use Only: Cooler Temperature (s) Celsius (corrected): _____																	

PFAS_COCS_ALL.xls Rev 031318

<http://www.sgs.com/en/terms-and-conditions>

FC5726: Chain of Custody

Page 4 of 5



SGS Sample Receipt Summary

Job Number: FC5726

Client: AECOM

Project: N6274223F0104 RH Fire Suppression System

Date / Time Received: 5/2/2023 2:28:00 PM

Delivery Method: United Cargo/Airspace

Airbill #'s: United Cargo AWB #: 016-15697371

Therm ID: IR 1;

Therm CF: -0.1;

of Coolers: 1

Cooler Temps (Raw Measured) °C: Cooler 1: (2.9);

Cooler Temps (Corrected) °C: Cooler 1: (2.8);

Cooler Information

Y or N

- 1. Custody Seals Present
- 2. Custody Seals Intact
- 3. Temp criteria achieved
- 4. Cooler temp verification IR Gun
- 5. Cooler media Ice (Bag)

Trip Blank Information

Y or N N/A

- 1. Trip Blank present / cooler
 - 2. Trip Blank listed on COC
- W or S N/A
- 3. Type Of TB Received

Sample Information

Y or N N/A

- 1. Sample labels present on bottles
- 2. Samples preserved properly
- 3. Sufficient volume/containers recvd for analysis:
- 4. Condition of sample Intact
- 5. Sample recvd within HT
- 6. Dates/Times/IDs on COC match Sample Label
- 7. VOCs have headspace
- 8. Bottles received for unspecified tests
- 9. Compositing instructions clear
- 10. Voa Soil Kits/Jars received past 48hrs?
- 11. % Solids Jar received?
- 12. Residual Chlorine Present?

Misc. Information

Number of Encores: 25-Gram _____ 5-Gram _____
 Test Strip Lot #s: pH 0-3 230320
 Residual Chlorine Test Strip Lot #: _____

Number of 5035 Field Kits: _____
 pH 10-12 25BDH07

Number of Lab Filtered Metals: _____
 Other: (Specify) pH 1.0 - 12.0 222221

Comments

SM001
Rev. Date 05/24/17

Technician: SHAYLAP

Date: 5/2/2023 2:28:00 PM

Reviewer: SP

Date: 5/3/2023

FC5726: Chain of Custody

Page 5 of 5

5.1
5

QC Evaluation: DOD QSM5.x Limits

Job Number: FC5726
Account: AECOM, INC.
Project: N6274223F0104 RH Fire Suppression System
Collected: 05/01/23

QC Sample ID	CAS#	Analyte	Sample Result Type	Result Type	Units	Limits
--------------	------	---------	--------------------	-------------	-------	--------

No DOD QSM5.x Limits found for methods in this job.

* Sample used for QC is not from job FC5726

5.2
5

MS Semi-volatiles

QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries
- Injection Standard Area Summaries
- TDCA Retention Time Checks
- Ion Ratio Summaries
- Isotope Dilution Standard Recovery Summaries
- Initial and Continuing Calibration Summaries
- Run Sequence Reports

Instrument Blank

Job Number: FC5726
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
S4Q635-IBLK	4Q43953.D	1	05/04/23	NG	n/a	n/a	S4Q635

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC5726-1, FC5726-2, FC5726-3, FC5726-4, FC5726-5

CAS No.	Compound	Result	RL	MDL	Units	Q
375-22-4	Perfluorobutanoic acid	ND	0.016	0.0019	ug/l	
2706-90-3	Perfluoropentanoic acid	ND	0.0080	0.00094	ug/l	
307-24-4	Perfluorohexanoic acid	ND	0.0040	0.00050	ug/l	
375-85-9	Perfluoroheptanoic acid	ND	0.0040	0.00050	ug/l	
335-67-1	Perfluorooctanoic acid	ND	0.0040	0.00050	ug/l	
375-95-1	Perfluorononanoic acid	ND	0.0040	0.00061	ug/l	
335-76-2	Perfluorodecanoic acid	ND	0.0040	0.00050	ug/l	
2058-94-8	Perfluoroundecanoic acid	ND	0.0040	0.00060	ug/l	
307-55-1	Perfluorododecanoic acid	ND	0.0040	0.00060	ug/l	
72629-94-8	Perfluorotridecanoic acid	ND	0.0040	0.00084	ug/l	
376-06-7	Perfluorotetradecanoic acid	ND	0.0040	0.00050	ug/l	
375-73-5	Perfluorobutanesulfonic acid	ND	0.0040	0.00050	ug/l	
2706-91-4	Perfluoropentanesulfonic acid	ND	0.0050	0.0011	ug/l	
355-46-4	Perfluorohexanesulfonic acid	ND	0.0040	0.00070	ug/l	
375-92-8	Perfluoroheptanesulfonic acid	ND	0.0040	0.00050	ug/l	
1763-23-1	Perfluorooctanesulfonic acid	ND	0.0040	0.00054	ug/l	
68259-12-1	Perfluorononanesulfonic acid	ND	0.0040	0.00057	ug/l	
335-77-3	Perfluorodecanesulfonic acid	ND	0.0040	0.00064	ug/l	
79780-39-5	Perfluorododecanesulfonic aci	ND	0.0050	0.0011	ug/l	
757124-72-44:2	Fluorotelomer sulfonate	ND	0.020	0.0032	ug/l	
27619-97-2	6:2 Fluorotelomer sulfonate	ND	0.020	0.0035	ug/l	
39108-34-4	8:2 Fluorotelomer sulfonate	ND	0.020	0.0041	ug/l	
754-91-6	PFOSA	ND	0.0040	0.00067	ug/l	
31506-32-8	MeFOSA	ND	0.0080	0.0010	ug/l	
4151-50-2	EtFOSA	ND	0.0080	0.0010	ug/l	
2355-31-9	MeFOSAA	ND	0.0050	0.0010	ug/l	
2991-50-6	EtFOSAA	ND	0.0050	0.0013	ug/l	
24448-09-7	MeFOSE	ND	0.040	0.0044	ug/l	
1691-99-2	EtFOSE	ND	0.040	0.0074	ug/l	
13252-13-6	HFPO-DA (GenX)	ND	0.0040	0.0010	ug/l	
919005-14-4	ADONA	ND	0.0080	0.0019	ug/l	
377-73-1	PFMPA	ND	0.0080	0.0010	ug/l	
863090-89-5	PFMBA	ND	0.0080	0.0011	ug/l	
151772-58-6	NFDHA	ND	0.0080	0.0012	ug/l	
756426-58-19	Cl-PF3ONS (F-53B Major)	ND	0.0080	0.0014	ug/l	
763051-92-91	Cl-PF3OUdS (F-53B Minor)	ND	0.0080	0.0018	ug/l	

Instrument Blank

Job Number: FC5726
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
S4Q635-IBLK	4Q43953.D	1	05/04/23	NG	n/a	n/a	S4Q635

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC5726-1, FC5726-2, FC5726-3, FC5726-4, FC5726-5

CAS No.	Compound	Result	RL	MDL	Units	Q
113507-82-7	PFEESA	ND	0.0080	0.00078	ug/l	
356-02-5	3:3 Fluorotelomer carboxylate	ND	0.020	0.0045	ug/l	
914637-49-35:3	Fluorotelomer carboxylate	ND	0.10	0.0087	ug/l	
812-70-4	7:3 Fluorotelomer carboxylate	ND	0.10	0.0079	ug/l	

CAS No.	ID Standard Recoveries	Limits
	13C4-PFBA	100% 20-150%
	13C5-PFPeA	106% 20-150%
	13C5-PFHxA	102% 20-150%
	13C4-PFHpA	102% 20-150%
	13C8-PFOA	101% 20-150%
	13C9-PFNA	96% 20-150%
	13C6-PFDA	101% 20-150%
	13C7-PFUnDA	100% 20-150%
	13C2-PFDoDA	97% 20-150%
	13C2-PFTeDA	93% 20-150%
	13C3-PFBS	99% 20-150%
	13C3-PFHxS	92% 20-150%
	13C8-PFOS	102% 20-150%
	13C8-FOSA	93% 20-150%
	d3-MeFOSA	94% 20-150%
	d5-EtFOSA	96% 20-150%
	d3-MeFOSAA	103% 20-150%
	d5-EtFOSAA	100% 20-150%
	d7-MeFOSE	82% 20-150%
	d9-EtFOSE	81% 20-150%
	13C2-4:2FTS	117% 20-180%
	13C2-6:2FTS	119% 20-180%
	13C2-8:2FTS	127% 20-180%
	13C3-HFPO-DA	101% 20-150%

6.1.1
6

Continuing Calibration Blank

Job Number: FC5726
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
S4Q635-ICCB	4Q43967.D	1	05/04/23	NG	n/a	n/a	S4Q635

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC5726-1, FC5726-2, FC5726-3, FC5726-4, FC5726-5

CAS No.	Compound	Result	RL	MDL	Units	Q
375-22-4	Perfluorobutanoic acid	ND	0.016	0.0019	ug/l	
2706-90-3	Perfluoropentanoic acid	ND	0.0080	0.00094	ug/l	
307-24-4	Perfluorohexanoic acid	ND	0.0040	0.00050	ug/l	
375-85-9	Perfluoroheptanoic acid	ND	0.0040	0.00050	ug/l	
335-67-1	Perfluorooctanoic acid	ND	0.0040	0.00050	ug/l	
375-95-1	Perfluorononanoic acid	ND	0.0040	0.00061	ug/l	
335-76-2	Perfluorodecanoic acid	ND	0.0040	0.00050	ug/l	
2058-94-8	Perfluoroundecanoic acid	ND	0.0040	0.00060	ug/l	
307-55-1	Perfluorododecanoic acid	ND	0.0040	0.00060	ug/l	
72629-94-8	Perfluorotridecanoic acid	ND	0.0040	0.00084	ug/l	
376-06-7	Perfluorotetradecanoic acid	ND	0.0040	0.00050	ug/l	
375-73-5	Perfluorobutanesulfonic acid	ND	0.0040	0.00050	ug/l	
2706-91-4	Perfluoropentanesulfonic acid	ND	0.0050	0.0011	ug/l	
355-46-4	Perfluorohexanesulfonic acid	ND	0.0040	0.00070	ug/l	
375-92-8	Perfluoroheptanesulfonic acid	ND	0.0040	0.00050	ug/l	
1763-23-1	Perfluorooctanesulfonic acid	ND	0.0040	0.00054	ug/l	
68259-12-1	Perfluorononanesulfonic acid	ND	0.0040	0.00057	ug/l	
335-77-3	Perfluorodecanesulfonic acid	ND	0.0040	0.00064	ug/l	
79780-39-5	Perfluorododecanesulfonic aci	ND	0.0050	0.0011	ug/l	
757124-72-44:2	Fluorotelomer sulfonate	ND	0.020	0.0032	ug/l	
27619-97-2	6:2 Fluorotelomer sulfonate	ND	0.020	0.0035	ug/l	
39108-34-4	8:2 Fluorotelomer sulfonate	ND	0.020	0.0041	ug/l	
754-91-6	PFOSA	ND	0.0040	0.00067	ug/l	
31506-32-8	MeFOSA	ND	0.0080	0.0010	ug/l	
4151-50-2	EtFOSA	ND	0.0080	0.0010	ug/l	
2355-31-9	MeFOSAA	ND	0.0050	0.0010	ug/l	
2991-50-6	EtFOSAA	ND	0.0050	0.0013	ug/l	
24448-09-7	MeFOSE	ND	0.040	0.0044	ug/l	
1691-99-2	EtFOSE	ND	0.040	0.0074	ug/l	
13252-13-6	HFPO-DA (GenX)	ND	0.0040	0.0010	ug/l	
919005-14-4	ADONA	ND	0.0080	0.0019	ug/l	
377-73-1	PFMPA	ND	0.0080	0.0010	ug/l	
863090-89-5	PFMBA	ND	0.0080	0.0011	ug/l	
151772-58-6	NFDHA	ND	0.0080	0.0012	ug/l	
756426-58-19	Cl-PF3ONS (F-53B Major)	ND	0.0080	0.0014	ug/l	
763051-92-91	Cl-PF3OUdS (F-53B Minor)	ND	0.0080	0.0018	ug/l	

Continuing Calibration Blank

Job Number: FC5726
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
S4Q635-ICCB	4Q43967.D	1	05/04/23	NG	n/a	n/a	S4Q635

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC5726-1, FC5726-2, FC5726-3, FC5726-4, FC5726-5

CAS No.	Compound	Result	RL	MDL	Units	Q
113507-82-7	PFEESA	ND	0.0080	0.00078	ug/l	
356-02-5	3:3 Fluorotelomer carboxylate	ND	0.020	0.0045	ug/l	
914637-49-35:3	Fluorotelomer carboxylate	ND	0.10	0.0087	ug/l	
812-70-4	7:3 Fluorotelomer carboxylate	ND	0.10	0.0079	ug/l	

CAS No.	ID Standard Recoveries	Limits
	13C4-PFBA	102% 20-150%
	13C5-PFPeA	100% 20-150%
	13C5-PFHxA	99% 20-150%
	13C4-PFHpA	103% 20-150%
	13C8-PFOA	105% 20-150%
	13C9-PFNA	99% 20-150%
	13C6-PFDA	100% 20-150%
	13C7-PFUnDA	100% 20-150%
	13C2-PFDoDA	104% 20-150%
	13C2-PFTeDA	91% 20-150%
	13C3-PFBS	97% 20-150%
	13C3-PFHxS	100% 20-150%
	13C8-PFOS	94% 20-150%
	13C8-FOSA	91% 20-150%
	d3-MeFOSA	90% 20-150%
	d5-EtFOSA	95% 20-150%
	d3-MeFOSAA	108% 20-150%
	d5-EtFOSAA	108% 20-150%
	d7-MeFOSE	77% 20-150%
	d9-EtFOSE	77% 20-150%
	13C2-4:2FTS	127% 20-180%
	13C2-6:2FTS	130% 20-180%
	13C2-8:2FTS	121% 20-180%
	13C3-HFPO-DA	94% 20-150%

Method Blank Summary

Job Number: FC5726
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP96701-MB	4Q43970.D	1	05/04/23	NG	05/03/23	OP96701	S4Q635

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC5726-1, FC5726-2, FC5726-3, FC5726-4, FC5726-5

CAS No.	Compound	Result	RL	MDL	Units	Q
375-22-4	Perfluorobutanoic acid	ND	0.016	0.0019	ug/l	
2706-90-3	Perfluoropentanoic acid	ND	0.0080	0.00094	ug/l	
307-24-4	Perfluorohexanoic acid	0.00063	0.0040	0.00050	ug/l	J
375-85-9	Perfluoroheptanoic acid	ND	0.0040	0.00050	ug/l	
335-67-1	Perfluorooctanoic acid	ND	0.0040	0.00050	ug/l	
375-95-1	Perfluorononanoic acid	ND	0.0040	0.00061	ug/l	
335-76-2	Perfluorodecanoic acid	ND	0.0040	0.00050	ug/l	
2058-94-8	Perfluoroundecanoic acid	ND	0.0040	0.00060	ug/l	
307-55-1	Perfluorododecanoic acid	ND	0.0040	0.00060	ug/l	
72629-94-8	Perfluorotridecanoic acid	ND	0.0040	0.00084	ug/l	
376-06-7	Perfluorotetradecanoic acid	ND	0.0040	0.00050	ug/l	
375-73-5	Perfluorobutanesulfonic acid	ND	0.0040	0.00050	ug/l	
2706-91-4	Perfluoropentanesulfonic acid	ND	0.0050	0.0011	ug/l	
355-46-4	Perfluorohexanesulfonic acid	ND	0.0040	0.00070	ug/l	
375-92-8	Perfluoroheptanesulfonic acid	ND	0.0040	0.00050	ug/l	
1763-23-1	Perfluorooctanesulfonic acid	ND	0.0040	0.00054	ug/l	
68259-12-1	Perfluorononanesulfonic acid	ND	0.0040	0.00057	ug/l	
335-77-3	Perfluorodecanesulfonic acid	ND	0.0040	0.00064	ug/l	
79780-39-5	Perfluorododecanesulfonic aci	ND	0.0050	0.0011	ug/l	
757124-72-44:2	Fluorotelomer sulfonate	ND	0.020	0.0032	ug/l	
27619-97-2	6:2 Fluorotelomer sulfonate	ND	0.020	0.0035	ug/l	
39108-34-4	8:2 Fluorotelomer sulfonate	ND	0.020	0.0041	ug/l	
754-91-6	PFOSA	ND	0.0040	0.00067	ug/l	
31506-32-8	MeFOSA	ND	0.0080	0.0010	ug/l	
4151-50-2	EtFOSA	ND	0.0080	0.0010	ug/l	
2355-31-9	MeFOSAA	ND	0.0050	0.0010	ug/l	
2991-50-6	EtFOSAA	ND	0.0050	0.0013	ug/l	
24448-09-7	MeFOSE	ND	0.040	0.0044	ug/l	
1691-99-2	EtFOSE	ND	0.040	0.0074	ug/l	
13252-13-6	HFPO-DA (GenX)	ND	0.0040	0.0010	ug/l	
919005-14-4	ADONA	ND	0.0080	0.0019	ug/l	
377-73-1	PFMPA	ND	0.0080	0.0010	ug/l	
863090-89-5	PFMBA	ND	0.0080	0.0011	ug/l	
151772-58-6	NFDHA	ND	0.0080	0.0012	ug/l	
756426-58-19	Cl-PF3ONS (F-53B Major)	ND	0.0080	0.0014	ug/l	
763051-92-91	Cl-PF3OUdS (F-53B Minor)	ND	0.0080	0.0018	ug/l	

Method Blank Summary

Job Number: FC5726
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP96701-MB	4Q43970.D	1	05/04/23	NG	05/03/23	OP96701	S4Q635

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC5726-1, FC5726-2, FC5726-3, FC5726-4, FC5726-5

CAS No.	Compound	Result	RL	MDL	Units	Q
113507-82-7	PFEESA	ND	0.0080	0.00078	ug/l	
356-02-5	3:3 Fluorotelomer carboxylate	ND	0.020	0.0045	ug/l	
914637-49-35:3	Fluorotelomer carboxylate	ND	0.10	0.0087	ug/l	
812-70-4	7:3 Fluorotelomer carboxylate	ND	0.10	0.0079	ug/l	

CAS No.	ID Standard Recoveries	Limits
	13C4-PFBA	114% 20-150%
	13C5-PFPeA	115% 20-150%
	13C5-PFHxA	116% 20-150%
	13C4-PFHpA	117% 20-150%
	13C8-PFOA	106% 20-150%
	13C9-PFNA	112% 20-150%
	13C6-PFDA	108% 20-150%
	13C7-PFUnDA	115% 20-150%
	13C2-PFDoDA	99% 20-150%
	13C2-PFTeDA	82% 20-150%
	13C3-PFBS	105% 20-150%
	13C3-PFHxS	105% 20-150%
	13C8-PFOS	110% 20-150%
	13C8-FOSA	75% 20-150%
	d3-MeFOSA	65% 20-150%
	d5-EtFOSA	73% 20-150%
	d3-MeFOSAA	116% 20-150%
	d5-EtFOSAA	102% 20-150%
	d7-MeFOSE	57% 20-150%
	d9-EtFOSE	64% 20-150%
	13C2-4:2FTS	124% 20-180%
	13C2-6:2FTS	128% 20-180%
	13C2-8:2FTS	133% 20-180%
	13C3-HFPO-DA	109% 20-150%

6.1.3
6

Blank Spike Summary

Job Number: FC5726
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP96701-LLBS	4Q43969.D	1	05/04/23	NG	05/03/23	OP96701	S4Q635

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC5726-1, FC5726-2, FC5726-3, FC5726-4, FC5726-5

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
375-22-4	Perfluorobutanoic acid	0.03	0.0271	90	40-150
2706-90-3	Perfluoropentanoic acid	0.015	0.0136	91	40-150
307-24-4	Perfluorohexanoic acid	0.0075	0.0069	92	40-150
375-85-9	Perfluoroheptanoic acid	0.0075	0.0064	85	40-150
335-67-1	Perfluorooctanoic acid	0.0075	0.0065	87	40-150
375-95-1	Perfluorononanoic acid	0.0075	0.0062	83	40-150
335-76-2	Perfluorodecanoic acid	0.0075	0.0064	85	40-150
2058-94-8	Perfluoroundecanoic acid	0.0075	0.0066	88	40-150
307-55-1	Perfluorododecanoic acid	0.0075	0.0066	88	40-150
72629-94-8	Perfluorotridecanoic acid	0.0075	0.0060	80	40-150
376-06-7	Perfluorotetradecanoic acid	0.0075	0.0068	91	40-150
375-73-5	Perfluorobutanesulfonic acid	0.00665	0.0063	95	40-150
2706-91-4	Perfluoropentanesulfonic acid	0.00706	0.0076	108	40-150
355-46-4	Perfluorohexanesulfonic acid	0.00686	0.0070	102	40-150
375-92-8	Perfluoroheptanesulfonic acid	0.00715	0.0069	97	40-150
1763-23-1	Perfluorooctanesulfonic acid	0.00696	0.0066	95	40-150
68259-12-1	Perfluorononanesulfonic acid	0.00722	0.0060	83	40-150
335-77-3	Perfluorodecanesulfonic acid	0.00724	0.0064	88	40-150
79780-39-5	Perfluorododecanesulfonic aci	0.00728	0.0054	74	40-150
757124-72-44:2	Fluorotelomer sulfonate	0.0281	0.0248	88	40-150
27619-97-2	6:2 Fluorotelomer sulfonate	0.0285	0.0291	102	40-150
39108-34-4	8:2 Fluorotelomer sulfonate	0.0288	0.0259	90	40-150
754-91-6	PFOSA	0.0075	0.0071	95	40-150
31506-32-8	MeFOSA	0.015	0.0154	103	40-150
4151-50-2	EtFOSA	0.015	0.0146	97	40-150
2355-31-9	MeFOSAA	0.0075	0.0060	80	40-150
2991-50-6	EtFOSAA	0.0075	0.0066	88	40-150
24448-09-7	MeFOSE	0.0375	0.0373	99	40-150
1691-99-2	EtFOSE	0.0375	0.0344	92	40-150
13252-13-6	HFPO-DA (GenX)	0.015	0.0139	93	40-150
919005-14-4	ADONA	0.0142	0.0138	97	40-150
377-73-1	PFMPA	0.015	0.0141	94	40-150
863090-89-5	PFMBA	0.015	0.0139	93	40-150
151772-58-6	NFDHA	0.015	0.0145	97	40-150
756426-58-19	Cl-PF3ONS (F-53B Major)	0.014	0.0131	93	40-150
763051-92-91	Cl-PF3OUdS (F-53B Minor)	0.0142	0.0125	88	40-150

* = Outside of Control Limits.

Blank Spike Summary

Job Number: FC5726
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP96701-LLBS	4Q43969.D	1	05/04/23	NG	05/03/23	OP96701	S4Q635

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC5726-1, FC5726-2, FC5726-3, FC5726-4, FC5726-5

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
113507-82-7	PFEESA	0.0134	0.0117	88	40-150
356-02-5	3:3 Fluorotelomer carboxylate	0.0375	0.0234	62	40-150
914637-49-35:3	Fluorotelomer carboxylate	0.188	0.144	77	40-150
812-70-4	7:3 Fluorotelomer carboxylate	0.188	0.172	92	40-150

CAS No.	ID Standard Recoveries	BSP	Limits
	13C4-PFBA	106%	20-150%
	13C5-PFPeA	106%	20-150%
	13C5-PFHxA	104%	20-150%
	13C4-PFHpA	109%	20-150%
	13C8-PFOA	102%	20-150%
	13C9-PFNA	106%	20-150%
	13C6-PFDA	102%	20-150%
	13C7-PFUnDA	100%	20-150%
	13C2-PFDoDA	92%	20-150%
	13C2-PFTeDA	75%	20-150%
	13C3-PFBS	106%	20-150%
	13C3-PFHxS	103%	20-150%
	13C8-PFOS	98%	20-150%
	13C8-FOSA	59%	20-150%
	d3-MeFOSA	56%	20-150%
	d5-EtFOSA	60%	20-150%
	d3-MeFOSAA	110%	20-150%
	d5-EtFOSAA	106%	20-150%
	d7-MeFOSE	43%	20-150%
	d9-EtFOSE	52%	20-150%
	13C2-4:2FTS	136%	20-180%
	13C2-6:2FTS	131%	20-180%
	13C2-8:2FTS	136%	20-180%
	13C3-HFPO-DA	99%	20-150%

* = Outside of Control Limits.

Blank Spike Summary

Job Number: FC5726
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP96701-BS	4Q43968.D	1	05/04/23	NG	05/03/23	OP96701	S4Q635

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC5726-1, FC5726-2, FC5726-3, FC5726-4, FC5726-5

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
375-22-4	Perfluorobutanoic acid	0.1	0.0924	92	40-150
2706-90-3	Perfluoropentanoic acid	0.05	0.0469	94	40-150
307-24-4	Perfluorohexanoic acid	0.025	0.0233	93	40-150
375-85-9	Perfluoroheptanoic acid	0.025	0.0225	90	40-150
335-67-1	Perfluorooctanoic acid	0.025	0.0222	89	40-150
375-95-1	Perfluorononanoic acid	0.025	0.0216	86	40-150
335-76-2	Perfluorodecanoic acid	0.025	0.0225	90	40-150
2058-94-8	Perfluoroundecanoic acid	0.025	0.0241	96	40-150
307-55-1	Perfluorododecanoic acid	0.025	0.0232	93	40-150
72629-94-8	Perfluorotridecanoic acid	0.025	0.0216	86	40-150
376-06-7	Perfluorotetradecanoic acid	0.025	0.0247	99	40-150
375-73-5	Perfluorobutanesulfonic acid	0.0222	0.0208	94	40-150
2706-91-4	Perfluoropentanesulfonic acid	0.0235	0.0212	90	40-150
355-46-4	Perfluorohexanesulfonic acid	0.0229	0.0202	88	40-150
375-92-8	Perfluoroheptanesulfonic acid	0.0238	0.0232	97	40-150
1763-23-1	Perfluorooctanesulfonic acid	0.0232	0.0231	100	40-150
68259-12-1	Perfluorononanesulfonic acid	0.0241	0.0201	84	40-150
335-77-3	Perfluorodecanesulfonic acid	0.0241	0.0204	85	40-150
79780-39-5	Perfluorododecanesulfonic aci	0.0243	0.0189	78	40-150
757124-72-44:2	Fluorotelomer sulfonate	0.0938	0.0834	89	40-150
27619-97-2	6:2 Fluorotelomer sulfonate	0.095	0.0935	98	40-150
39108-34-4	8:2 Fluorotelomer sulfonate	0.096	0.101	105	40-150
754-91-6	PFOSA	0.025	0.0215	86	40-150
31506-32-8	MeFOSA	0.05	0.0557	111	40-150
4151-50-2	EtFOSA	0.05	0.0458	92	40-150
2355-31-9	MeFOSAA	0.025	0.0238	95	40-150
2991-50-6	EtFOSAA	0.025	0.0222	89	40-150
24448-09-7	MeFOSE	0.125	0.122	98	40-150
1691-99-2	EtFOSE	0.125	0.116	93	40-150
13252-13-6	HFPO-DA (GenX)	0.05	0.0505	101	40-150
919005-14-4	ADONA	0.0473	0.0489	103	40-150
377-73-1	PFMPA	0.05	0.0477	95	40-150
863090-89-5	PFMBA	0.05	0.0472	94	40-150
151772-58-6	NFDHA	0.05	0.0466	93	40-150
756426-58-19	Cl-PF3ONS (F-53B Major)	0.0468	0.0445	95	40-150
763051-92-91	Cl-PF3OUdS (F-53B Minor)	0.0473	0.0405	86	40-150

* = Outside of Control Limits.

Blank Spike Summary

Job Number: FC5726
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP96701-BS	4Q43968.D	1	05/04/23	NG	05/03/23	OP96701	S4Q635

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC5726-1, FC5726-2, FC5726-3, FC5726-4, FC5726-5

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
113507-82-7	PFEESA	0.0445	0.0407	91	40-150
356-02-5	3:3 Fluorotelomer carboxylate	0.125	0.0772	62	40-150
914637-49-35:3	Fluorotelomer carboxylate	0.625	0.517	83	40-150
812-70-4	7:3 Fluorotelomer carboxylate	0.625	0.553	88	40-150

CAS No.	ID Standard Recoveries	BSP	Limits
	13C4-PFBA	108%	20-150%
	13C5-PFPeA	109%	20-150%
	13C5-PFHxA	108%	20-150%
	13C4-PFHpA	110%	20-150%
	13C8-PFOA	105%	20-150%
	13C9-PFNA	103%	20-150%
	13C6-PFDA	103%	20-150%
	13C7-PFUnDA	96%	20-150%
	13C2-PFDoDA	89%	20-150%
	13C2-PFTeDA	76%	20-150%
	13C3-PFBS	98%	20-150%
	13C3-PFHxS	101%	20-150%
	13C8-PFOS	103%	20-150%
	13C8-FOSA	71%	20-150%
	d3-MeFOSA	58%	20-150%
	d5-EtFOSA	75%	20-150%
	d3-MeFOSAA	113%	20-150%
	d5-EtFOSAA	111%	20-150%
	d7-MeFOSE	53%	20-150%
	d9-EtFOSE	61%	20-150%
	13C2-4:2FTS	116%	20-180%
	13C2-6:2FTS	119%	20-180%
	13C2-8:2FTS	114%	20-180%
	13C3-HFPO-DA	101%	20-150%

* = Outside of Control Limits.

Matrix Spike Summary

Job Number: FC5726
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP96701-MS	4Q43973.D	1	05/04/23	NG	05/03/23	OP96701	S4Q635
FC5726-2	4Q43972.D	1	05/04/23	NG	05/03/23	OP96701	S4Q635

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC5726-1, FC5726-2, FC5726-3, FC5726-4, FC5726-5

CAS No.	Compound	FC5726-2 ug/l	Spike Q	MS ug/l	MS %	Limits	
375-22-4	Perfluorobutanoic acid	0.015 U		0.0926	0.0878	95	40-150
2706-90-3	Perfluoropentanoic acid	0.0032 J		0.0463	0.0472	95	40-150
307-24-4	Perfluorohexanoic acid	0.0011 J		0.0231	0.0217	89	40-150
375-85-9	Perfluoroheptanoic acid	0.0038 U		0.0231	0.0218	94	40-150
335-67-1	Perfluorooctanoic acid	0.0038 U		0.0231	0.0213	92	40-150
375-95-1	Perfluorononanoic acid	0.0038 U		0.0231	0.0214	92	40-150
335-76-2	Perfluorodecanoic acid	0.0038 U		0.0231	0.0236	102	40-150
2058-94-8	Perfluoroundecanoic acid	0.0038 U		0.0231	0.0220	95	40-150
307-55-1	Perfluorododecanoic acid	0.0038 U		0.0231	0.0213	92	40-150
72629-94-8	Perfluorotridecanoic acid	0.0038 U		0.0231	0.0213	92	40-150
376-06-7	Perfluorotetradecanoic acid	0.0038 U		0.0231	0.0224	97	40-150
375-73-5	Perfluorobutanesulfonic acid	0.0038 U		0.0205	0.0195	95	40-150
2706-91-4	Perfluoropentanesulfonic acid	0.0048 U		0.0218	0.0202	93	40-150
355-46-4	Perfluorohexanesulfonic acid	0.0038 U		0.0212	0.0194	92	40-150
375-92-8	Perfluoroheptanesulfonic acid	0.0038 U		0.0221	0.0226	102	40-150
1763-23-1	Perfluorooctanesulfonic acid	0.0038 U		0.0215	0.0221	103	40-150
68259-12-1	Perfluorononanesulfonic acid	0.0038 U		0.0223	0.0189	85	40-150
335-77-3	Perfluorodecanesulfonic acid	0.0038 U		0.0223	0.0184	82	40-150
79780-39-5	Perfluorododecanesulfonic aci	0.0048 U		0.0225	0.0167	74	40-150
757124-72-44:2	Fluorotelomer sulfonate	0.019 U		0.0868	0.0895	103	40-150
27619-97-2	6:2 Fluorotelomer sulfonate	0.019 U		0.088	0.0797	91	40-150
39108-34-4	8:2 Fluorotelomer sulfonate	0.019 U		0.0889	0.0997	112	40-150
754-91-6	PFOSA	0.0038 U		0.0231	0.0219	95	40-150
31506-32-8	MeFOSA	0.0077 U		0.0463	0.0448	97	40-150
4151-50-2	EtFOSA	0.0077 U		0.0463	0.0475	103	40-150
2355-31-9	MeFOSAA	0.0048 U		0.0231	0.0203	88	40-150
2991-50-6	EtFOSAA	0.0048 U		0.0231	0.0203	88	40-150
24448-09-7	MeFOSE	0.038 U		0.116	0.113	98	40-150
1691-99-2	EtFOSE	0.038 U		0.116	0.111	96	40-150
13252-13-6	HFPO-DA (GenX)	0.0038 U		0.0463	0.0441	95	40-150
919005-14-4	ADONA	0.0077 U		0.0438	0.0447	102	40-150
377-73-1	PFMPA	0.0077 U		0.0463	0.0389	84	40-150
863090-89-5	PFMBA	0.0077 U		0.0463	0.0447	97	40-150
151772-58-6	NFDHA	0.0077 U		0.0463	0.0395	85	40-150
756426-58-19	Cl-PF3ONS (F-53B Major)	0.0077 U		0.0433	0.0401	93	40-150
763051-92-91	Cl-PF3OUdS (F-53B Minor)	0.0077 U		0.0438	0.0338	77	40-150

* = Outside of Control Limits.

Matrix Spike Summary

Job Number: FC5726
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP96701-MS	4Q43973.D	1	05/04/23	NG	05/03/23	OP96701	S4Q635
FC5726-2	4Q43972.D	1	05/04/23	NG	05/03/23	OP96701	S4Q635

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC5726-1, FC5726-2, FC5726-3, FC5726-4, FC5726-5

CAS No.	Compound	FC5726-2 ug/l	Spike Q	MS ug/l	MS %	Limits
113507-82-7	PFEESA	0.0077 U	0.0412	0.0365	89	40-150
356-02-5	3:3 Fluorotelomer carboxylate	0.019 U	0.116	0.0609	53	40-150
914637-49-35:3	Fluorotelomer carboxylate	0.096 U	0.579	0.488	84	40-150
812-70-4	7:3 Fluorotelomer carboxylate	0.096 U	0.579	0.537	93	40-150

CAS No.	ID Standard Recoveries	MS	FC5726-2	Limits
	13C4-PFBA	55%	59%	20-150%
	13C5-PFPeA	105%	107%	20-150%
	13C5-PFHxA	110%	112%	20-150%
	13C4-PFHpA	109%	110%	20-150%
	13C8-PFOA	106%	106%	20-150%
	13C9-PFNA	99%	99%	20-150%
	13C6-PFDA	94%	101%	20-150%
	13C7-PFUnDA	87%	103%	20-150%
	13C2-PFDoDA	80%	94%	20-150%
	13C2-PFTeDA	70%	80%	20-150%
	13C3-PFBS	95%	106%	20-150%
	13C3-PFHxS	94%	105%	20-150%
	13C8-PFOS	91%	102%	20-150%
	13C8-FOSA	75%	82%	20-150%
	d3-MeFOSA	73%	84%	20-150%
	d5-EtFOSA	72%	84%	20-150%
	d3-MeFOSAA	102%	106%	20-150%
	d5-EtFOSAA	93%	110%	20-150%
	d7-MeFOSE	51%	62%	20-150%
	d9-EtFOSE	57%	67%	20-150%
	13C2-4:2FTS	102%	121%	20-180%
	13C2-6:2FTS	122%	129%	20-180%
	13C2-8:2FTS	99%	124%	20-180%
	13C3-HFPO-DA	102%	101%	20-150%

* = Outside of Control Limits.

Duplicate Summary

Job Number: FC5726
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP96701-DUP	4Q43975.D	1	05/04/23	NG	05/03/23	OP96701	S4Q635
FC5726-3	4Q43974.D	1	05/04/23	NG	05/03/23	OP96701	S4Q635

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC5726-1, FC5726-2, FC5726-3, FC5726-4, FC5726-5

CAS No.	Compound	FC5726-3 ug/l	DUP Q ug/l	Q	RPD	Limits
375-22-4	Perfluorobutanoic acid	0.014 U	ND		nc	30
2706-90-3	Perfluoropentanoic acid	0.0071 U	ND		nc	30
307-24-4	Perfluorohexanoic acid	0.0036 U	ND		nc	30
375-85-9	Perfluoroheptanoic acid	0.0036 U	ND		nc	30
335-67-1	Perfluorooctanoic acid	0.0036 U	ND		nc	30
375-95-1	Perfluorononanoic acid	0.0036 U	ND		nc	30
335-76-2	Perfluorodecanoic acid	0.0036 U	ND		nc	30
2058-94-8	Perfluoroundecanoic acid	0.0036 U	ND		nc	30
307-55-1	Perfluorododecanoic acid	0.0036 U	ND		nc	30
72629-94-8	Perfluorotridecanoic acid	0.0036 U	ND		nc	30
376-06-7	Perfluorotetradecanoic acid	0.0036 U	ND		nc	30
375-73-5	Perfluorobutanesulfonic acid	0.0036 U	ND		nc	30
2706-91-4	Perfluoropentanesulfonic acid	0.0045 U	ND		nc	30
355-46-4	Perfluorohexanesulfonic acid	0.0036 U	ND		nc	30
375-92-8	Perfluoroheptanesulfonic acid	0.0036 U	ND		nc	30
1763-23-1	Perfluorooctanesulfonic acid	0.0036 U	ND		nc	30
68259-12-1	Perfluorononanesulfonic acid	0.0036 U	ND		nc	30
335-77-3	Perfluorodecanesulfonic acid	0.0036 U	ND		nc	30
79780-39-5	Perfluorododecanesulfonic aci	0.0045 U	ND		nc	30
757124-72-44:2	Fluorotelomer sulfonate	0.018 U	ND		nc	30
27619-97-2	6:2 Fluorotelomer sulfonate	0.018 U	ND		nc	30
39108-34-4	8:2 Fluorotelomer sulfonate	0.018 U	ND		nc	30
754-91-6	PFOSA	0.0036 U	ND		nc	30
31506-32-8	MeFOSA	0.0071 U	ND		nc	30
4151-50-2	EtFOSA	0.0071 U	ND		nc	30
2355-31-9	MeFOSAA	0.0045 U	ND		nc	30
2991-50-6	EtFOSAA	0.0045 U	ND		nc	30
24448-09-7	MeFOSE	0.036 U	ND		nc	30
1691-99-2	EtFOSE	0.036 U	ND		nc	30
13252-13-6	HFPO-DA (GenX)	0.0036 U	ND		nc	30
919005-14-4	ADONA	0.0071 U	ND		nc	30
377-73-1	PFMPA	0.0071 U	ND		nc	30
863090-89-5	PFMBA	0.0071 U	ND		nc	30
151772-58-6	NFDHA	0.0071 U	ND		nc	30
756426-58-19	Cl-PF3ONS (F-53B Major)	0.0071 U	ND		nc	30
763051-92-91	Cl-PF3OUdS (F-53B Minor)	0.0071 U	ND		nc	30

* = Outside of Control Limits.

Duplicate Summary

Job Number: FC5726
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP96701-DUP	4Q43975.D	1	05/04/23	NG	05/03/23	OP96701	S4Q635
FC5726-3	4Q43974.D	1	05/04/23	NG	05/03/23	OP96701	S4Q635

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC5726-1, FC5726-2, FC5726-3, FC5726-4, FC5726-5

CAS No.	Compound	FC5726-3 ug/l	DUP Q	ug/l	Q	RPD	Limits
113507-82-7PFEESA		0.0071 U	ND			nc	30
356-02-5	3:3 Fluorotelomer carboxylate	0.018 U	ND			nc	30
914637-49-35:3	Fluorotelomer carboxylate	0.089 U	ND			nc	30
812-70-4	7:3 Fluorotelomer carboxylate	0.089 U	ND			nc	30

CAS No.	ID Standard Recoveries	DUP	FC5726-3	Limits
	13C4-PFBA	99%	101%	20-150%
	13C5-PFPeA	104%	110%	20-150%
	13C5-PFHxA	106%	113%	20-150%
	13C4-PFHpA	106%	115%	20-150%
	13C8-PFOA	99%	109%	20-150%
	13C9-PFNA	103%	97%	20-150%
	13C6-PFDA	95%	110%	20-150%
	13C7-PFUnDA	95%	103%	20-150%
	13C2-PFDoDA	85%	91%	20-150%
	13C2-PFTeDA	73%	77%	20-150%
	13C3-PFBS	105%	111%	20-150%
	13C3-PFHxS	107%	105%	20-150%
	13C8-PFOS	97%	101%	20-150%
	13C8-FOSA	74%	73%	20-150%
	d3-MeFOSA	69%	71%	20-150%
	d5-EtFOSA	73%	77%	20-150%
	d3-MeFOSAA	103%	109%	20-150%
	d5-EtFOSAA	106%	111%	20-150%
	d7-MeFOSE	54%	53%	20-150%
	d9-EtFOSE	58%	58%	20-150%
	13C2-4:2FTS	117%	134%	20-180%
	13C2-6:2FTS	132%	146%	20-180%
	13C2-8:2FTS	127%	140%	20-180%
	13C3-HFPO-DA	97%	103%	20-150%

* = Outside of Control Limits.

Injection Standard Area Summary

Job Number: FC5726
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Check Std:	S4Q635-CC634	Injection Date:	05/04/23
Lab File ID:	4Q43966.D	Injection Time:	15:38
Instrument ID:	GCMS4Q	Method:	EPA DRAFT 1633

	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT
Initial Cal ^b	68618	2.93	45028	5.54	53770	7.12	24678	7.68	18492	8.18
Check Std ^c	72273	2.93	43263	5.56	54405	7.16	26533	7.71	18499	8.22
Upper Limit ^d	137236	3.33	90056	5.96	107540	7.56	49356	8.11	36984	8.62
Lower Limit ^e	20585	2.53	13508	5.16	16131	6.76	7403	7.31	5548	7.82

Lab Sample ID	IS 1 AREA	RT	IS 2 AREA	RT	IS 3 AREA	RT	IS 4 AREA	RT	IS 5 AREA	RT	DF ^a
S4Q635-ICCB	69038	2.93	42856	5.56	50061	7.16	24386	7.71	17765	8.22	1
OP96701-BS	63560	2.92	38893	5.56	48319	7.16	23452	7.71	16790	8.22	1
OP96701-LLBS	64203	2.93	39320	5.56	48229	7.16	22917	7.71	16677	8.22	1
OP96701-MB	60006	2.93	36518	5.56	46318	7.16	21992	7.71	15478	8.22	1
FC5726-1	62052	2.93	38616	5.56	48802	7.16	22958	7.72	15883	8.22	1
FC5726-2	63715	2.92	38945	5.56	49185	7.16	23007	7.71	16025	8.22	1
OP96701-MS	63140	2.93	39138	5.56	47787	7.18	22960	7.72	16532	8.22	1
FC5726-3	63442	2.93	38943	5.56	48164	7.16	23783	7.72	15654	8.22	1
OP96701-DUP	65641	2.93	40960	5.56	50381	7.16	23365	7.71	17738	8.22	1
FC5726-4	63824	2.93	39280	5.56	50116	7.16	22431	7.70	16516	8.22	1
FC5726-5	63385	2.93	38900	5.57	47495	7.18	23123	7.72	16215	8.22	1

- IS 1 = 13C3-PFBA
- IS 2 = 13C2-PFHxA
- IS 3 = 13C4-PFOA
- IS 4 = 13C5-PFNA
- IS 5 = 13C2-PFDA

- (a) Sample areas corrected for dilution where applicable.
- (b) Initial Cal is: S4Q634-ICC634 4Q43887.D 05/03/23 11:54. Area is AVERAGE of initial cal points.
- (c) Check Std Limit = -70 to +100% of initial cal area.
- (d) Upper Limit = +100% of initial standard area; Retention time +0.4 minutes of check standard.
- (e) Lower Limit = -70% of initial standard area; Retention time -0.4 minutes of check standard.

6.5.1
6

Injection Standard Area Summary

Job Number: FC5726
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Check Std:	S4Q635-CC634	Injection Date:	05/04/23
Lab File ID:	4Q43966.D	Injection Time:	15:38
Instrument ID:	GCMS4Q	Method:	EPA DRAFT 1633

	IS 6 AREA	RT	IS 7 AREA	RT
Initial Cal ^b	5105	7.23	11432	8.33
Check Std ^c	5509	7.25	11850	8.35
Upper Limit ^d	10210	7.65	22864	8.75
Lower Limit ^e	1532	6.85	3430	7.95

Lab Sample ID	IS 6 AREA	RT	IS 7 AREA	RT	DF ^a
S4Q635-ICCB	4847	7.25	11349	8.35	1
OP96701-BS	4752	7.25	9785	8.35	1
OP96701-LLBS	4288	7.25	10448	8.37	1
OP96701-MB	4467	7.25	9913	8.37	1
FC5726-1	4683	7.26	9677	8.37	1
FC5726-2	4597	7.25	10352	8.37	1
OP96701-MS	4837	7.26	10375	8.37	1
FC5726-3	4392	7.26	10118	8.37	1
OP96701-DUP	4435	7.26	10898	8.37	1
FC5726-4	4560	7.25	9976	8.37	1
FC5726-5	4441	7.26	9602	8.37	1

IS 6 = 1802-PFHXS
 IS 7 = 13C4-PFOS

- (a) Sample areas corrected for dilution where applicable.
- (b) Initial Cal is: S4Q634-ICC634 4Q43887.D 05/03/23 11:54. Area is AVERAGE of initial cal points.
- (c) Check Std Limit = -70 to + 100% of initial cal area.
- (d) Upper Limit = + 100% of initial standard area; Retention time + 0.4 minutes of check standard.
- (e) Lower Limit = -70% of initial standard area; Retention time -0.4 minutes of check standard.

TDCA Retention Time Check

Job Number: FC5726
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample:	S4Q634-RT	Injection Date:	05/03/23
Lab File ID:	4Q43881.D	Injection Time:	10:23
Instrument ID:	GCMS4Q		

Compound	RT (min)	RT Difference	Low Limit
PFOS	8.305	--	--
TDCA	6.847	1.458	1.000
TCDCA	6.686	1.619	1.000
TUDCA	5.842	2.463	1.000

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
S4Q634-IC634	4Q43883.D	05/03/23	10:58	00:35	Mass Calibration Verification
S4Q634-IC634	4Q43884.D	05/03/23	11:12	00:49	Initial cal 1
S4Q634-IC634	4Q43885.D	05/03/23	11:26	01:03	Initial cal 2
S4Q634-IC634	4Q43886.D	05/03/23	11:40	01:17	Initial cal 3
S4Q634-ICC634	4Q43887.D	05/03/23	11:54	01:31	Initial cal 4
S4Q634-IC634	4Q43888.D	05/03/23	12:08	01:45	Initial cal 5
S4Q634-IC634	4Q43889.D	05/03/23	12:22	01:59	Initial cal 6
S4Q634-IC634	4Q43890.D	05/03/23	12:36	02:13	Initial cal 7
S4Q634-IC634	4Q43891.D	05/03/23	12:50	02:27	Initial cal 8
S4Q634-IBLK	4Q43892.D	05/03/23	13:04	02:41	Instrument Blank
S4Q634-IBLK	4Q43892.D	05/03/23	13:04	02:41	Instrument Blank
S4Q634-ICV634	4Q43894.D	05/03/23	13:20	02:57	Initial cal verification 20
S4Q634-ICV634	4Q43895.D	05/03/23	13:35	03:12	Initial cal verification 4
S4Q634-CC634	4Q43897.D	05/03/23	13:51	03:28	Continuing cal 1.0LL
OP96662-BS	4Q43898.D	05/03/23	14:05	03:42	Blank Spike
OP96662-LLBS	4Q43899.D	05/03/23	14:19	03:56	Blank Spike
OP96662-MB	4Q43900.D	05/03/23	14:33	04:10	Method Blank
ZZZZZZ	4Q43901.D	05/03/23	14:47	04:24	(unrelated sample)
ZZZZZZ	4Q43902.D	05/03/23	15:01	04:38	(unrelated sample)
ZZZZZZ	4Q43903.D	05/03/23	15:15	04:52	(unrelated sample)
ZZZZZZ	4Q43904.D	05/03/23	15:29	05:06	(unrelated sample)
FC5685-3	4Q43905.D	05/03/23	15:43	05:20	(used for QC only; not part of job FC5726)
OP96662-MS	4Q43906.D	05/03/23	15:57	05:34	Matrix Spike
S4Q634-CC634	4Q43907.D	05/03/23	16:11	05:48	Continuing cal 4
S4Q634-ICCB	4Q43908.D	05/03/23	16:25	06:02	Continuing Calibration Blank
FC5685-4	4Q43909.D	05/03/23	16:39	06:16	(used for QC only; not part of job FC5726)
OP96662-DUP	4Q43910.D	05/03/23	16:54	06:31	Duplicate
ZZZZZZ	4Q43911.D	05/03/23	17:08	06:45	(unrelated sample)
OP96659-BS	4Q43912.D	05/03/23	17:22	06:59	Blank Spike
OP96659-LLBS	4Q43913.D	05/03/23	17:36	07:13	Blank Spike
OP96659-MB	4Q43914.D	05/03/23	17:50	07:27	Method Blank
ZZZZZZ	4Q43916.D	05/03/23	18:18	07:55	(unrelated sample)
S4Q634-CC634	4Q43917.D	05/03/23	18:32	08:09	Continuing cal 4
S4Q634-ICCB	4Q43918.D	05/03/23	18:46	08:23	Continuing Calibration Blank

TDCA Retention Time Check

Job Number: FC5726
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample:	S4Q634-RT	Injection Date:	05/03/23
Lab File ID:	4Q43881.D	Injection Time:	10:23
Instrument ID:	GCMS4Q		

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
S4Q634-ICCB	4Q43918.D	05/03/23	18:46	08:23	Continuing Calibration Blank
ZZZZZZ	4Q43919.D	05/03/23	19:00	08:37	(unrelated sample)
ZZZZZZ	4Q43920.D	05/03/23	19:14	08:51	(unrelated sample)
ZZZZZZ	4Q43921.D	05/03/23	19:28	09:05	(unrelated sample)
ZZZZZZ	4Q43922.D	05/03/23	19:42	09:19	(unrelated sample)
OP96657-BS	4Q43923.D	05/03/23	19:56	09:33	Blank Spike
OP96657-LLBS	4Q43924.D	05/03/23	20:10	09:47	Blank Spike
OP96657-MB	4Q43925.D	05/03/23	20:24	10:01	Method Blank
ZZZZZZ	4Q43926.D	05/03/23	20:38	10:15	(unrelated sample)
S4Q634-CC634	4Q43927.D	05/03/23	20:53	10:30	Continuing cal 4
S4Q634-ICCB	4Q43928.D	05/03/23	21:07	10:44	Continuing Calibration Blank
S4Q634-ICCB	4Q43928.D	05/03/23	21:07	10:44	Continuing Calibration Blank
FC5371-11	4Q43929.D	05/03/23	21:21	10:58	(used for QC only; not part of job FC5726)
OP96657-MS	4Q43930.D	05/03/23	21:35	11:12	Matrix Spike
OP96657-MSD	4Q43931.D	05/03/23	21:49	11:26	Matrix Spike Duplicate
ZZZZZZ	4Q43932.D	05/03/23	22:03	11:40	(unrelated sample)
ZZZZZZ	4Q43933.D	05/03/23	22:17	11:54	(unrelated sample)
ZZZZZZ	4Q43935.D	05/03/23	22:45	12:22	(unrelated sample)
ZZZZZZ	4Q43936.D	05/03/23	22:59	12:36	(unrelated sample)
ZZZZZZ	4Q43938.D	05/03/23	23:27	13:04	(unrelated sample)
S4Q634-CC634	4Q43939.D	05/03/23	23:41	13:18	Continuing cal 4
S4Q634-ICCB	4Q43940.D	05/03/23	23:55	13:32	Continuing Calibration Blank
S4Q634-ICCB	4Q43940.D	05/03/23	23:55	13:32	Continuing Calibration Blank
ZZZZZZ	4Q43941.D	05/04/23	00:09	13:46	(unrelated sample)
FC5371-20	4Q43942.D	05/04/23	00:23	14:00	(used for QC only; not part of job FC5726)
OP96657-MS2	4Q43943.D	05/04/23	00:37	14:14	Matrix Spike
OP96657-MSD2	4Q43944.D	05/04/23	00:51	14:28	Matrix Spike Duplicate
ZZZZZZ	4Q43945.D	05/04/23	01:05	14:42	(unrelated sample)
S4Q634-ECC634	4Q43946.D	05/04/23	01:19	14:56	Ending cal 4
S4Q634-ICCB	4Q43947.D	05/04/23	01:34	15:11	Continuing Calibration Blank
S4Q634-ICCB	4Q43947.D	05/04/23	01:34	15:11	Continuing Calibration Blank

6.6.1

6

TDCA Retention Time Check

Job Number: FC5726
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample:	S4Q635-RT	Injection Date:	05/04/23
Lab File ID:	4Q43950.D	Injection Time:	11:51
Instrument ID:	GCMS4Q		

Compound	RT (min)	RT Difference	Low Limit
PFOS	8.305	--	--
TDCA	6.835	1.470	1.000
TCDCA	6.686	1.619	1.000
TUDCA	5.842	2.463	1.000

This check applies to the following Samples, MS, MSD, Blanks, and Standards:

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
S4Q635-IBLK	4Q43953.D	05/04/23	12:33	00:42	Instrument Blank
S4Q635-IBLK	4Q43953.D	05/04/23	12:33	00:42	Instrument Blank
S4Q635-CC634	4Q43954.D	05/04/23	12:47	00:56	Continuing cal 4
S4Q635-CC634	4Q43955.D	05/04/23	13:02	01:11	Continuing cal 1.0LL
OP96698-BS	4Q43956.D	05/04/23	13:16	01:25	Blank Spike
OP96698-LLBS	4Q43957.D	05/04/23	13:30	01:39	Blank Spike
OP96698-MB	4Q43958.D	05/04/23	13:44	01:53	Method Blank
ZZZZZZ	4Q43959.D	05/04/23	13:58	02:07	(unrelated sample)
ZZZZZZ	4Q43960.D	05/04/23	14:12	02:21	(unrelated sample)
ZZZZZZ	4Q43961.D	05/04/23	14:28	02:37	(unrelated sample)
ZZZZZZ	4Q43963.D	05/04/23	14:56	03:05	(unrelated sample)
ZZZZZZ	4Q43965.D	05/04/23	15:24	03:33	(unrelated sample)
S4Q635-CC634	4Q43966.D	05/04/23	15:38	03:47	Continuing cal 4
S4Q635-ICCB	4Q43967.D	05/04/23	15:52	04:01	Continuing Calibration Blank
OP96701-BS	4Q43968.D	05/04/23	16:06	04:15	Blank Spike
OP96701-LLBS	4Q43969.D	05/04/23	16:20	04:29	Blank Spike
OP96701-MB	4Q43970.D	05/04/23	16:35	04:44	Method Blank
FC5726-1	4Q43971.D	05/04/23	16:49	04:58	AF-RHMW12A-WGN01LF-2305W1
FC5726-2	4Q43972.D	05/04/23	17:03	05:12	AF-RHMW12A-WGFD01LF-2305W1
OP96701-MS	4Q43973.D	05/04/23	17:17	05:26	Matrix Spike
FC5726-3	4Q43974.D	05/04/23	17:31	05:40	AF-RHMW04-WGN01LF-2305W1
OP96701-DUP	4Q43975.D	05/04/23	17:45	05:54	Duplicate
FC5726-4	4Q43976.D	05/04/23	17:59	06:08	AF-RHMW06-WGN01LF-2305W1
FC5726-5	4Q43977.D	05/04/23	18:13	06:22	AF-RHMW16-WGN01LF-2305W1
S4Q635-CC634	4Q43978.D	05/04/23	18:27	06:36	Continuing cal 4
S4Q635-ICCB	4Q43979.D	05/04/23	18:41	06:50	Continuing Calibration Blank
S4Q635-ICCB	4Q43979.D	05/04/23	18:41	06:50	Continuing Calibration Blank
FC5685-4	4Q43980.D	05/04/23	18:55	07:04	(used for QC only; not part of job FC5726)
OP96657-BS	4Q43982.D	05/04/23	19:23	07:32	Blank Spike
OP96657-LLBS	4Q43983.D	05/04/23	19:37	07:46	Blank Spike
ZZZZZZ	4Q43984.D	05/04/23	19:51	08:00	(unrelated sample)
ZZZZZZ	4Q43985.D	05/04/23	20:05	08:14	(unrelated sample)
ZZZZZZ	4Q43986.D	05/04/23	20:20	08:29	(unrelated sample)
ZZZZZZ	4Q43987.D	05/04/23	20:34	08:43	(unrelated sample)

TDCA Retention Time Check

Job Number: FC5726
Account: AECOMCOD AECOM, INC.
Project: N6274223F0104 RH Fire Suppression System

Sample: S4Q635-RT	Injection Date: 05/04/23
Lab File ID: 4Q43950.D	Injection Time: 11:51
Instrument ID: GCMS4Q	

Lab Sample ID	Lab File ID	Date Analyzed	Time Analyzed	Hours Lapsed	Client Sample ID
ZZZZZZ	4Q43988.D	05/04/23	20:48	08:57	(unrelated sample)
S4Q635-ECC634	4Q43989.D	05/04/23	21:02	09:11	Ending cal 4
S4Q635-ICCB	4Q43990.D	05/04/23	21:16	09:25	Continuing Calibration Blank
S4Q635-ICCB	4Q43990.D	05/04/23	21:16	09:25	Continuing Calibration Blank

6.6.2

6

Ion Ratio Summary

Job Number: FC5726
Account: AECOMCOD AECOM, INC.
Project: N6274223F0104 RH Fire Suppression System

Run ID: S4Q635	Method: EPA DRAFT 1633
----------------	------------------------

Lab Sample ID	Lab File ID	Ion Ratios	
		PFPeA	PFHxA
S4Q634-ICC634	4Q43887.D	0	2.9
FC5726-1	4Q43971.D	0	3.5
FC5726-2	4Q43972.D	0	4.7
FC5726-3	4Q43974.D		
FC5726-4	4Q43976.D		
FC5726-5	4Q43977.D		

Isotope Dilution Standard Recovery Summary

Job Number: FC5726
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Method: EPA DRAFT 1633	Matrix: AQ
------------------------	------------

Samples and QC shown here apply to the above method

Lab Sample ID	Lab File ID	S1	S2	S3	S4	S5	S6	S7	S8
FC5726-1	4Q43971.D	71	110	108	109	105	102	105	102
FC5726-2	4Q43972.D	59	107	112	110	106	99	101	103
FC5726-3	4Q43974.D	101	110	113	115	109	97	110	103
FC5726-4	4Q43976.D	103	106	109	110	103	108	102	103
FC5726-5	4Q43977.D	98	111	113	115	109	105	109	108
OP96701-BS	4Q43968.D	108	109	108	110	105	103	103	96
OP96701-DUP	4Q43975.D	99	104	106	106	99	103	95	95
OP96701-LLBS	4Q43969.D	106	106	104	109	102	106	102	100
OP96701-MB	4Q43970.D	114	115	116	117	106	112	108	115
OP96701-MS	4Q43973.D	55	105	110	109	106	99	94	87
S4Q635-IBLK	4Q43953.D	100	106	102	102	101	96	101	100
S4Q635-ICCB	4Q43967.D	102	100	99	103	105	99	100	100

Isotope Dilution Standards	Recovery Limits
S1 = 13C4-PFBA	20-150%
S2 = 13C5-PFPeA	20-150%
S3 = 13C5-PFHxA	20-150%
S4 = 13C4-PFHpA	20-150%
S5 = 13C8-PFOA	20-150%
S6 = 13C9-PFNA	20-150%
S7 = 13C6-PFDA	20-150%
S8 = 13C7-PFUnDA	20-150%

6.8.1

6

Isotope Dilution Standard Recovery Summary

Job Number: FC5726
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Method: EPA DRAFT 1633	Matrix: AQ
------------------------	------------

Samples and QC shown here apply to the above method

Lab Sample ID	Lab File ID	S9	S10	S11	S12	S13	S14	S15	S16
FC5726-1	4Q43971.D	91	77	102	101	109	83	85	84
FC5726-2	4Q43972.D	94	80	106	105	102	82	84	84
FC5726-3	4Q43974.D	91	77	111	105	101	73	71	77
FC5726-4	4Q43976.D	94	82	99	101	100	62	73	79
FC5726-5	4Q43977.D	101	89	108	108	103	85	96	94
OP96701-BS	4Q43968.D	89	76	98	101	103	71	58	75
OP96701-DUP	4Q43975.D	85	73	105	107	97	74	69	73
OP96701-LLBS	4Q43969.D	92	75	106	103	98	59	56	60
OP96701-MB	4Q43970.D	99	82	105	105	110	75	65	73
OP96701-MS	4Q43973.D	80	70	95	94	91	75	73	72
S4Q635-IBLK	4Q43953.D	97	93	99	92	102	93	94	96
S4Q635-ICCB	4Q43967.D	104	91	97	100	94	91	90	95

Isotope Dilution Standards **Recovery Limits**

S9 = 13C2-PFDoDA	20-150%
S10 = 13C2-PFTeDA	20-150%
S11 = 13C3-PFBS	20-150%
S12 = 13C3-PFHxS	20-150%
S13 = 13C8-PFOS	20-150%
S14 = 13C8-FOSA	20-150%
S15 = d3-MeFOSA	20-150%
S16 = d5-EtFOSA	20-150%

6.8.1

6

Isotope Dilution Standard Recovery Summary

Job Number: FC5726
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Method: EPA DRAFT 1633	Matrix: AQ
------------------------	------------

Samples and QC shown here apply to the above method

Lab Sample ID	Lab File ID	S17	S18	S19	S20	S21	S22	S23	S24
FC5726-1	4Q43971.D	106	117	60	67	105	130	114	100
FC5726-2	4Q43972.D	106	110	62	67	121	129	124	101
FC5726-3	4Q43974.D	109	111	53	58	134	146	140	103
FC5726-4	4Q43976.D	116	118	54	59	123	124	137	98
FC5726-5	4Q43977.D	127	127	68	74	128	138	141	105
OP96701-BS	4Q43968.D	113	111	53	61	116	119	114	101
OP96701-DUP	4Q43975.D	103	106	54	58	117	132	127	97
OP96701-LLBS	4Q43969.D	110	106	43	52	136	131	136	99
OP96701-MB	4Q43970.D	116	102	57	64	124	128	133	109
OP96701-MS	4Q43973.D	102	93	51	57	102	122	99	102
S4Q635-IBLK	4Q43953.D	103	100	82	81	117	119	127	101
S4Q635-ICCB	4Q43967.D	108	108	77	77	127	130	121	94

Isotope Dilution Standards	Recovery Limits
-----------------------------------	------------------------

S17 = d3-MeFOSAA	20-150%
S18 = d5-EtFOSAA	20-150%
S19 = d7-MeFOSE	20-150%
S20 = d9-EtFOSE	20-150%
S21 = 13C2-4:2FTS	20-180%
S22 = 13C2-6:2FTS	20-180%
S23 = 13C2-8:2FTS	20-180%
S24 = 13C3-HFPO-DA	20-150%

6.8.1

6

Initial Calibration Summary

Job Number: FC5726
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample: S4Q634-ICC634
 Lab FileID: 4Q43887.D

Initial Calibration Report

Method Path	D:\MassHunter\methods											
Method File	1633_050323_S4Q634.quantmethod.xml											
Batch Name	D:\MassHunter\Data\050323_1633_S4Q634\QuantResults\4q634.batch.bin											
Last Calib Update	5/3/2023 2:36:06 PM											
Level Name	Calibration Files	Curve Fit	1	2	3	4	5	6	7	8	Avg RF	%RSD
1	D:\MassHunter\Data\050323_1633_S4Q634\4Q43884.d	Avg RF	0.2504	0.2538	0.2537	0.2602	0.2588	0.2798	0.2885	0.2970	0.2678	6.711
2	D:\MassHunter\Data\050323_1633_S4Q634\4Q43885.d	Avg RF	0.5750	0.6115	0.6080	0.6163	0.6026	0.6527	0.6722	0.6921	0.6288	6.286
3	D:\MassHunter\Data\050323_1633_S4Q634\4Q43886.d	Avg RF	0.0478	0.0517	0.0503	0.0510	0.0495	0.0540	0.0565	0.0626	0.0529	9.003
4	D:\MassHunter\Data\050323_1633_S4Q634\4Q43887.d	Avg RF	1.0898	1.1688	1.1491	1.1980	1.1723	1.2688	1.2816	1.2954	1.2030	6.035
5	D:\MassHunter\Data\050323_1633_S4Q634\4Q43888.d	Avg RF	0.6517	0.6614	0.6512	0.6538	0.6369	0.6931	0.7034	0.7197	0.6714	4.441
6	D:\MassHunter\Data\050323_1633_S4Q634\4Q43889.d	Avg RF	0.0674	0.0747	0.0720	0.0724	0.0661	0.0716	0.0707	0.0647	0.0699	4.965
7	D:\MassHunter\Data\050323_1633_S4Q634\4Q43890.d	Avg RF	0.9533	0.9081	0.9479	0.9673	0.9184	1.0146	1.0493	1.0780	0.9796	6.279
8	D:\MassHunter\Data\050323_1633_S4Q634\4Q43891.d	Avg RF	0.6957	0.7073	0.7124	0.7334	0.6927	0.7903	0.7981	0.8015	0.7414	6.397
I M4-PFBA		Avg RF	1.206	0.1232	0.1300	0.1350	0.1268	0.1392	0.1434	0.1450	0.1329	6.915
T PFBA		Avg RF	0.0620	0.0637	0.0665	0.0702	0.0670	0.0722	0.0752	0.0756	0.0691	7.359
I M5-PFPeA		Avg RF	1.3498	1.5110	1.5459	1.5452	1.5753	1.7086	1.6655	1.7394	1.5801	7.913
T PFPeA		Avg RF	1.3945	1.3613	1.3697	1.5034	1.3513	1.5014	1.5441	1.5125	1.4423	5.553
I M6-PFNA		Avg RF	0.9948	0.9058	0.8803	0.8935	0.9013	0.9685	0.9454	0.9220	0.9264	4.296
T PFNA		Avg RF	0.8758	0.8681	0.9454	0.9120	0.9343	1.0187	0.9840	1.0488	0.9484	6.852
I M7-PFUnDA		Avg RF	0.7913	0.7501	0.8195	0.8568	0.8063	0.9016	0.9386	0.9278	0.8490	8.072
T PFUnDA		Avg RF										
I M2-PFDODA		Avg RF										

Generated at 2:36 PM on 5/3/2023

Page 1 of 4



Initial Calibration Summary

Job Number: FC5726
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample: S4Q634-ICC634
 Lab FileID: 4Q43887.D

Initial Calibration Report

Compound	Curve Fit	1	2	3	4	5	6	7	8	Avg RF	%RSD
T PFDoDA	Avg RF	1.0517	0.9317	0.9713	0.9511	0.9772	1.0612	1.0552	1.0246	1.0030	5.111
T PFTfDA	Avg RF	1.5121	1.2188	1.3516	1.3026	1.3355	1.3884	1.3320	1.2823	1.3404	6.405
I M2-PFTeDA	Avg RF	1.0874	1.1761	1.1742	1.2028	1.2067	1.2859	1.3553	1.3005	1.2236	6.981
T PFTeDA	Avg RF	1.0199	1.0337	1.0399	1.0094	0.9598	1.0939	1.0715	1.1528	1.0476	5.585
I M8-FOSA	Avg RF	0.9762	0.9895	0.9259	1.0263	0.9986	1.0891	1.0880	1.1104	1.0255	6.333
T FOSA	Avg RF	0.8228	0.9177	0.8171	0.8943	0.8276	0.8739	0.9197	0.9591	0.8790	5.998
I M3-PFBS	Avg RF	0.9489	0.9500	0.9507	1.0599	1.0278	1.0253	1.0789	1.1563	1.0247	7.219
T PFBS	Avg RF	0.9069	0.7781	0.9593	0.8466	0.8745	0.9619	0.8979	0.9794	0.9006	7.515
I M3-PFHxS	Avg RF	1.3089	1.0233	1.2520	1.2364	1.1129	1.3196	1.3138	1.2207	1.2235	8.626
T PFHxS	Avg RF	0.5375	0.5103	0.6127	0.5196	0.5189	0.5548	0.5302	0.5821	0.5488	6.514
I M8-PFOS	Avg RF	0.5712	0.6140	0.6741	0.6171	0.5955	0.6407	0.5899	0.6518	0.6193	5.558
T PFOS	Avg RF	0.5744	0.4802	0.5883	0.5423	0.5478	0.5826	0.5373	0.5686	0.5527	6.308
I M2-4:2FTS	Avg RF	7.7011	8.0461	8.0228	8.3503	7.8109	7.4550	8.9479	8.0189	8.0441	5.620
T 4:2FTS	Avg RF	4.5824	4.8856	4.7997	5.3724	4.4974	4.7330	5.1432	4.6215	4.8294	6.168
I M2-6:2FTS	Avg RF	2.6507	2.3592	2.9342	3.0041	2.9492	2.7714	3.0994	2.5303	2.7873	9.201
T 6:2FTS	Avg RF	1.0154	0.8321	0.7942	0.7955	0.8322	0.9054	0.8576	0.9393	0.8715	8.835
I M2-8:2FTS	Avg RF	0.9249	0.9004	0.9267	0.9394	0.9088	1.0230	1.0020	1.0195	0.9556	5.314
T 8:2FTS	Avg RF	9.9265	9.9475	9.8908	10.01	9.7701	10.46	10.24	10.20	10.06	2.258
I M3-MeFOSAA	Avg RF	4.3417	4.5268	4.6403	4.5503	4.4417	4.8388	4.6559	4.6434	4.5799	3.302
T MeFOSAA	Avg RF	3.2726	3.4845	3.4936	3.6619	3.6116	3.8301	3.7290	3.6859	3.5961	4.847
I M3-HFO-DA	Avg RF	0.9545	0.9537	0.9862	0.8150	0.9424	0.9961	1.0072	1.0294	0.9605	6.864
T HFO-DA	Avg RF	1.1230	1.0416	0.9123	1.0158	0.8815	1.0215	1.0555	1.1636	1.0268	9.268
I M7-MeFOSE	Avg RF	0.9071	0.9448	0.9234	0.9458	0.9337	0.9977	1.0397	1.0504	0.9678	5.623
T MeFOSE	Avg RF	0.9071	0.9448	0.9234	0.9458	0.9337	0.9977	1.0397	1.0504	0.9678	5.623

Generated at 2:36 PM on 5/3/2023

Page 2 of 4

Initial Calibration Summary

Job Number: FC5726
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample: S4Q634-ICC634
 Lab FileID: 4Q43887.D

Initial Calibration Report

Compound	Curve Fit	1	2	3	4	5	6	7	8	Avg RF	%RSD
I M5-EFOSA											
T EtFOSA	Avg RF	0.8263	1.0054	1.0110	1.0788	0.9993	1.1318	1.1661	1.1600	1.0473	10.776
I M3-MeFOSA											
T MeFOSA	Avg RF	0.8291	0.8709	0.9209	0.9057	0.9259	1.0268	1.0333	1.0217	0.9418	8.196
I 13C4-PFOS											
S d3-MeFOSAA	Linear	0.5858	0.6032	0.6022	0.6539	0.6144	0.6079	0.6982	0.6828	0.6311	6.608
S 13C8-PFOS	Linear	0.8673	0.9865	0.8358	0.9730	0.9142	0.9282	1.0539	0.9710	0.9412	7.418
S d5-EFOSAA	Linear	0.4472	0.4981	0.4701	0.5664	0.5250	0.5192	0.5559	0.5754	0.5197	8.850
S 13C8-FOSA	Linear	1.4476	1.5207	1.4801	1.7116	1.7515	1.5014	1.5770	1.5524	1.5678	6.968
S d7-MeFOSE	Linear	0.6942	0.7871	0.8307	0.9697	0.9467	0.6923	0.6787	0.6234	0.7778	16.563
S d3-MeFOSA	Linear	0.9149	0.9977	0.9568	1.0593	0.9573	0.9404	0.9859	1.0311	0.9804	4.890
S d9-EFOSE	Linear	1.0482	1.1457	1.1884	1.3249	1.2785	0.9836	0.9499	0.8920	1.1014	14.328
S d5-EFOSA	Linear	1.0190	1.0393	1.0002	1.0300	1.0340	1.0444	1.0900	1.0808	1.0422	2.880
I 13C3-PFBA											
S 13C4-PFBA	Linear	0.9419	0.9424	0.9441	0.9489	0.9425	0.9416	0.9399	0.9258	0.9409	0.708
I 1802-PFHxS											
S 13C2-4:2FTS	Linear	0.1148	0.1010	0.1095	0.0977	0.1033	0.1072	0.0917	0.0877	0.1016	8.935
S 13C3-PFBS	Linear	2.4774	2.3246	2.6089	2.2592	2.3778	2.2863	2.3961	2.1298	2.3575	6.150
S 13C2-6:2FTS	Linear	0.2018	0.1846	0.1959	0.1742	0.1956	0.1866	0.1682	0.1585	0.1832	8.231
S 13C3-PFHxS	Linear	1.5780	1.5174	1.6873	1.4849	1.5504	1.5703	1.5824	1.4264	1.5496	4.979
S 13C2-8:2FTS	Linear	0.3000	0.2936	0.2924	0.2737	0.2876	0.2969	0.2645	0.2787	0.2859	4.357
I 13C4-PFOA											
S 13C8-PFOA	Linear	0.8048	0.8379	0.8309	0.8093	0.8265	0.8219	0.8063	0.8294	0.8209	1.528
I 13C2-PFDA											
S 13C6-PFDA	Linear	1.0744	1.0307	1.0830	1.0667	1.0646	1.0841	1.1362	1.0251	1.0706	3.228
S 13C7-PFUDA	Linear	1.1430	1.0538	1.1673	1.1173	1.1842	1.1414	1.0804	1.0247	1.1140	5.044
S 13C2-PFDODA	Linear	1.1355	1.1282	1.2168	1.2688	1.2865	1.2138	1.2274	1.2123	1.2112	4.621
S 13C2-PFTeDA	Linear	0.9810	0.9567	1.0416	1.0420	1.0806	0.9685	0.9062	0.9075	0.9855	6.520
I 13C5-PFNA											
S 13C9-PFNA	Linear	0.8245	0.8755	0.8324	0.8282	0.8204	0.8292	0.8848	0.9024	0.8497	3.812
I 13C2-PFHxA											
S 13C5-PPeA	Linear	0.7803	0.7635	0.7594	0.7761	0.7821	0.7803	0.7656	0.7531	0.7701	1.435
S 13C5-PFHxA	Linear	1.1387	1.0991	1.0961	1.0805	1.1224	1.1056	1.0817	1.0850	1.1011	1.874
S 13C3-HPOdA	Linear	0.1628	0.1588	0.1598	0.1632	0.1644	0.1655	0.1701	0.1711	0.1645	2.681
S 13C4-PFHpA	Linear	0.6701	0.6325	0.6289	0.6410	0.6353	0.6389	0.6604	0.6415	0.6436	2.218

(RedFont and #) = Outlier Flag; (T) = Target; (S) = Surrogate; (M) = Matrix Spike

Initial Calibration Summary

Job Number: FC5726
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample: S4Q634-ICC634
 Lab FileID: 4Q43887.D

Initial Calibration Report

Compounds with Curve fitting not using Avg Response Factor:

Compound	Curve Fit	Curve Fit Formula	%RSE
S 13C4-PFBA	Linear	$y = 0.940892 * x$	
S 13C5-PFPeA	Linear	$y = 0.770055 * x$	
S 13C2-4:2FTS	Linear	$y = 0.101613 * x$	
S 13C3-PFBS	Linear	$y = 2.357511 * x$	
S 13C5-PFHxA	Linear	$y = 1.101142 * x$	
S 13C3-HFPO-DA	Linear	$y = 0.164465 * x$	
S 13C4-PFHpA	Linear	$y = 0.643569 * x$	
S 13C8-PFOA	Linear	$y = 0.183170 * x$	
S 13C3-PFHxS	Linear	$y = 0.820904 * x$	
S 13C9-PFNA	Linear	$y = 1.549646 * x$	
S 13C2-8:2FTS	Linear	$y = 0.849685 * x$	
S 13C6-PEDA	Linear	$y = 0.285923 * x$	
S d3-MeFOSAA	Linear	$y = 1.070585 * x$	
S 13C8-PFOS	Linear	$y = 0.631061 * x$	
S d5-EFOSAA	Linear	$y = 0.941239 * x$	
S 13C7-PFUInDA	Linear	$y = 0.519656 * x$	
S 13C2-PFDODA	Linear	$y = 1.114017 * x$	
S 13C8-FOSA	Linear	$y = 1.211165 * x$	
S 13C2-PFTeDA	Linear	$y = 1.567785 * x$	
S d7-MeFOSE	Linear	$y = 0.985520 * x$	
S d3-MeFOSA	Linear	$y = 0.777842 * x$	
S d9-EFOSE	Linear	$y = 0.980410 * x$	
S d5-EFOSA	Linear	$y = 1.101380 * x$	
	Linear	$y = 1.042215 * x$	

(RedFont and #) = Outlier Flag; (I) = Internal Standard; (T) = Target; (S) = Surrogate; (M) = Matrix Spike

Initial Calibration Verification

Job Number: FC5726
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample: S4Q634-ICV634
 Lab FileID: 4Q43894.D

Continuing Calibration Report

Batch: D:\MassHunter\Data\050323_1633_S4Q634\s4q634.batch.bin

Level ID: Calibration File

1:D:\MassHunter\Data\050323_1633_S4Q634\4Q43884.d
 2:D:\MassHunter\Data\050323_1633_S4Q634\4Q43885.d
 3:D:\MassHunter\Data\050323_1633_S4Q634\4Q43886.d
 4:D:\MassHunter\Data\050323_1633_S4Q634\4Q43887.d
 5:D:\MassHunter\Data\050323_1633_S4Q634\4Q43888.d
 6:D:\MassHunter\Data\050323_1633_S4Q634\4Q43889.d
 7:D:\MassHunter\Data\050323_1633_S4Q634\4Q43890.d
 8:D:\MassHunter\Data\050323_1633_S4Q634\4Q43891.d

Data File: 4Q43894
 Type : QC
 Level : 20

Cpnd Name	Exp. Conc	Final Conc	Dev %	Area %
13C2-4:2FTS	5.000	5.232	4.6	104.6
13C2-6:2FTS	5.000	5.310	6.2	106.2
13C2-8:2FTS	5.000	5.361	7.2	107.2
13C2-PFDoDA	1.250	1.329	6.3	106.3
13C2-PFTeDA	1.250	1.210	-3.2	96.8
13C3-PFBS	2.500	2.370	-5.2	94.8
13C3-PFHxS	2.500	2.439	-2.4	97.6
13C4-PFBA	10.000	10.101	1.0	101.0
13C4-PFHpA	2.500	2.581	3.2	103.2
13C5-PFHxA	2.500	2.494	-0.2	99.8
13C5-PFPeA	5.000	5.155	3.1	103.1
13C6-PFDA	1.250	1.317	5.4	105.4
13C7-PFUnDA	1.250	1.264	1.1	101.1
13C8-FOSA	2.500	2.395	-4.2	95.8
13C8-PFOA	2.500	2.593	3.7	103.7
13C8-PFOS	2.500	2.590	3.6	103.6
13C9-PFNA	1.250	1.283	2.6	102.6
4:2FTS	20.000	21.008	5.0	105.0
6:2FTS	20.000	19.784	-1.1	98.9
8:2FTS	20.000	19.681	-1.6	98.4
d3-MeFOSAA	5.000	5.156	3.1	103.1
EtFOSAA	20.000	19.622	-1.9	98.1
FOSA	20.000	21.189	5.9	105.9
MeFOSAA	20.000	21.188	5.9	105.9
PFBA	20.000	19.285	-3.6	96.4
PFBS	20.000	21.672	8.4	108.4
PFDA	20.000	21.489	7.4	107.4
PFDoDA	20.000	18.483	-7.6	92.4
PFDS	20.000	20.356	1.8	101.8
PFHpA	20.000	20.571	2.9	102.9
PFHpS	20.000	20.453	2.3	102.3
PFHxA	20.000	21.781	8.9	108.9
PFHxS	20.000	21.628	8.1	108.1
PFNA	20.000	21.766	8.8	108.8
PFNS	20.000	19.676	-1.6	98.4
PFOA	20.000	20.675	3.4	103.4
PFOS	20.000	17.958	-10.2	89.8

Initial Calibration Verification

Job Number: FC5726
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample: S4Q634-ICV634
 Lab FileID: 4Q43894.D

PFPeA	20.000	22.207	11.0	111.0
PFPeS	20.000	21.124	5.6	105.6
PFTeDA	20.000	22.200	11.0	111.0
PFTrDA	20.000	17.597	-12.0	88.0
PFUnDA	20.000	21.187	5.9	105.9
M4-PFBA	---	--ISTD--		
M5-PFPeA	---	--ISTD--		
M5-PFHxA	---	--ISTD--		
M4-PFHpA	---	--ISTD--		
M8-PFOA	---	--ISTD--		
M9-PFNA	---	--ISTD--		
M6-PFDA	---	--ISTD--		
M7-PFUnDA	---	--ISTD--		
M2-PFDoDA	---	--ISTD--		
M2-PFTeDA	---	--ISTD--		
M8-FOSA	---	--ISTD--		
M3-PFBS	---	--ISTD--		
M3-PFHxS	---	--ISTD--		
M8-PFOS	---	--ISTD--		
M2-4:2FTS	---	--ISTD--		
M2-6:2FTS	---	--ISTD--		
M2-8:2FTS	---	--ISTD--		
M3-MeFOSAA	---	--ISTD--		
11C1-PF3OUdS	20.000	20.956	4.8	104.8
13C3-HFPO-DA	10.000	10.436	4.4	104.4
9C1-PF3ONS	20.000	20.003	0.0	100.0
ADONA	20.000	20.063	0.3	100.3
HFPO-DA	20.000	19.289	-3.6	96.4
M3-HFPO-DA	---	--ISTD--		
3:3FTCA	20.000	20.642	3.2	103.2
5:3FTCA	20.000	21.505	7.5	107.5
7:3FTCA	20.000	19.966	-0.2	99.8
d3-MeFOSA	2.500	2.334	-6.6	93.4
M5-EtFOSAA	---	--ISTD--		
M7-MeFOSE	---	--ISTD--		
M9-EtFOSE	---	--ISTD--		
M5-EtFOSA	---	--ISTD--		
EtFOSA	20.000	22.087	10.4	110.4
EtFOSE	100.000	117.541	17.5	117.5
MeFOSA	20.000	21.625	8.1	108.1
MeFOSE	100.000	115.447	15.4	115.4
PFDoDS	20.000	18.910	-5.4	94.6
M3-MeFOSA	---	--ISTD--		
d5-EtFOSAA	5.000	5.377	7.5	107.5
d7-MeFOSE	25.000	19.407	-22.4	77.6
d9-EtFOSE	25.000	19.443	-22.2	77.8
d5-EtFOSA	2.500	2.486	-0.6	99.4
NFDHA	20.000	22.218	11.1	111.1
PFMBA	20.000	21.080	5.4	105.4
PFMPA	20.000	21.251	6.3	106.3
13C4-PFOS	---	--ISTD--		
13C3-PFBA	---	--ISTD--		
18O2-PFHxS	---	--ISTD--		
13C4-PFOA	---	--ISTD--		
13C2-PFDA	---	--ISTD--		
13C5-PFNA	---	--ISTD--		
13C2-PFHxA	---	--ISTD--		
PFEEESA	20.000	19.156	-4.2	95.8

CC Criteria: +/- 30%

Initial Calibration Verification

Job Number: FC5726
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample: S4Q634-ICV634
 Lab FileID: 4Q43895.D

Continuing Calibration Report

Batch: D:\MassHunter\Data\050323_1633_S4Q634\s4q634.batch.bin

Level ID: Calibration File

1:D:\MassHunter\Data\050323_1633_S4Q634\4Q43884.d
 2:D:\MassHunter\Data\050323_1633_S4Q634\4Q43885.d
 3:D:\MassHunter\Data\050323_1633_S4Q634\4Q43886.d
 4:D:\MassHunter\Data\050323_1633_S4Q634\4Q43887.d
 5:D:\MassHunter\Data\050323_1633_S4Q634\4Q43888.d
 6:D:\MassHunter\Data\050323_1633_S4Q634\4Q43889.d
 7:D:\MassHunter\Data\050323_1633_S4Q634\4Q43890.d
 8:D:\MassHunter\Data\050323_1633_S4Q634\4Q43891.d

Data File: 4Q43895
 Type : QC
 Level : 4

Cpnd Name	Exp. Conc	Final Conc	Dev %	Area %
13C2-4:2FTS	5.000	5.225	4.5	104.5
13C2-6:2FTS	5.000	5.427	8.5	108.5
13C2-8:2FTS	5.000	5.503	10.1	110.1
13C2-PFDoDA	1.250	1.352	8.2	108.2
13C2-PFTeDA	1.250	1.175	-6.0	94.0
13C3-PFBS	2.500	2.446	-2.2	97.8
13C3-PFHxS	2.500	2.501	0.0	100.0
13C4-PFBA	10.000	9.953	-0.5	99.5
13C4-PFHpA	2.500	2.507	0.3	100.3
13C5-PFHxA	2.500	2.463	-1.5	98.5
13C5-PFPeA	5.000	5.107	2.1	102.1
13C6-PFDA	1.250	1.390	11.2	111.2
13C7-PFUnDA	1.250	1.321	5.7	105.7
13C8-FOSA	2.500	2.358	-5.7	94.3
13C8-PFOA	2.500	2.569	2.8	102.8
13C8-PFOS	2.500	2.663	6.5	106.5
13C9-PFNA	1.250	1.253	0.2	100.2
4:2FTS	9.375	9.629	2.7	102.7
6:2FTS	9.500	9.570	0.7	100.7
8:2FTS	9.600	9.305	-3.1	96.9
d3-MeFOSAA	5.000	5.122	2.4	102.4
EtFOSAA	2.500	2.476	-1.0	99.0
FOSA	2.500	2.374	-5.0	95.0
MeFOSAA	2.500	2.411	-3.5	96.5
PFBA	10.000	9.658	-3.4	96.6
PFBS	2.218	2.126	-4.2	95.8
PFDA	2.500	2.394	-4.3	95.7
PFDoDA	2.500	2.428	-2.9	97.1
PFDS	2.413	2.127	-11.9	88.1
PFHpA	2.500	2.493	-0.3	99.7
PFHpS	2.383	2.285	-4.1	95.9
PFHxA	2.500	2.426	-2.9	97.1
PFHxS	2.285	2.247	-1.7	98.3
PFNA	2.500	2.420	-3.2	96.8
PFNS	2.405	2.162	-10.1	89.9
PFOA	2.500	2.445	-2.2	97.8
PFOS	2.320	2.145	-7.6	92.4

Initial Calibration Verification

Job Number: FC5726
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample: S4Q634-ICV634
 Lab FileID: 4Q43895.D

PFPeA	5.000	4.862	-2.8	97.2
PFPeS	2.353	2.157	-8.3	91.7
PFTeDA	2.500	2.573	2.9	102.9
PFTTrDA	2.500	2.326	-6.9	93.1
PFUnDA	2.500	2.535	1.4	101.4
M4-PFBA	---	--ISTD--		
M5-PFPeA	---	--ISTD--		
M5-PFHxA	---	--ISTD--		
M4-PFHpA	---	--ISTD--		
M8-PFOA	---	--ISTD--		
M9-PFNA	---	--ISTD--		
M6-PFDA	---	--ISTD--		
M7-PFUnDA	---	--ISTD--		
M2-PFDoDA	---	--ISTD--		
M2-PFTeDA	---	--ISTD--		
M8-FOSA	---	--ISTD--		
M3-PFBS	---	--ISTD--		
M3-PFHxS	---	--ISTD--		
M8-PFOS	---	--ISTD--		
M2-4:2FTS	---	--ISTD--		
M2-6:2FTS	---	--ISTD--		
M2-8:2FTS	---	--ISTD--		
M3-MeFOSAA	---	--ISTD--		
11C1-PF3OUdS	4.725	4.708	-0.4	99.6
13C3-HFPO-DA	10.000	9.782	-2.2	97.8
9C1-PF3ONS	4.675	4.643	-0.7	99.3
ADONA	4.725	4.705	-0.4	99.6
HFPO-DA	5.000	5.194	3.9	103.9
M3-HFPO-DA	---	--ISTD--		
3:3FTCA	12.480	12.478	0.0	100.0
5:3FTCA	62.400	61.286	-1.8	98.2
7:3FTCA	62.400	63.299	1.4	101.4
d3-MeFOSA	2.500	2.227	-10.9	89.1
M5-EtFOSAA	---	--ISTD--		
M7-MeFOSE	---	--ISTD--		
M9-EtFOSE	---	--ISTD--		
M5-EtFOSA	---	--ISTD--		
EtFOSA	5.000	4.831	-3.4	96.6
EtFOSE	12.500	12.331	-1.3	98.7
MeFOSA	5.000	5.497	9.9	109.9
MeFOSE	12.500	11.966	-4.3	95.7
PFDoDS	2.425	2.184	-9.9	90.1
M3-MeFOSA	---	--ISTD--		
d5-EtFOSAA	5.000	5.122	2.4	102.4
d7-MeFOSE	25.000	19.955	-20.2	79.8
d9-EtFOSE	25.000	19.264	-22.9	77.1
d5-EtFOSA	2.500	2.483	-0.7	99.3
NFDHA	5.000	4.925	-1.5	98.5
PFMBA	5.000	4.790	-4.2	95.8
PFMPA	5.000	4.814	-3.7	96.3
13C4-PFOS	---	--ISTD--		
13C3-PFBA	---	--ISTD--		
18O2-PFHxS	---	--ISTD--		
13C4-PFOA	---	--ISTD--		
13C2-PFDA	---	--ISTD--		
13C5-PFNA	---	--ISTD--		
13C2-PFHxA	---	--ISTD--		
PFEEESA	4.450	4.399	-1.1	98.9

CC Criteria: +/- 30%

Continuing Calibration Summary

Job Number: FC5726
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample: S4Q635-CC634
 Lab FileID: 4Q43955.D

Continuing Calibration Report

Batch: D:\MassHunter\Data\050423_1633_S4Q635\s4q635.batch.bin

Level ID: Calibration File

1:D:\MassHunter\Data\050323_1633_S4Q634\4Q43884.d
 2:D:\MassHunter\Data\050323_1633_S4Q634\4Q43885.d
 3:D:\MassHunter\Data\050323_1633_S4Q634\4Q43886.d
 4:D:\MassHunter\Data\050323_1633_S4Q634\4Q43887.d
 5:D:\MassHunter\Data\050323_1633_S4Q634\4Q43888.d
 6:D:\MassHunter\Data\050323_1633_S4Q634\4Q43889.d
 7:D:\MassHunter\Data\050323_1633_S4Q634\4Q43890.d
 8:D:\MassHunter\Data\050323_1633_S4Q634\4Q43891.d

Data File: 4Q43955
 Type : QC
 Level : 1

Cpnd Name	Exp. Conc	Final Conc	Dev %	Area %
13C2-4:2FTS	5.000	5.749	15.0	115.0
13C2-6:2FTS	5.000	5.895	17.9	117.9
13C2-8:2FTS	5.000	5.710	14.2	114.2
13C2-PFDoDA	1.250	1.242	-0.7	99.3
13C2-PFTeDA	1.250	1.130	-9.6	90.4
13C3-PFBS	2.500	2.378	-4.9	95.1
13C3-PFHxS	2.500	2.380	-4.8	95.2
13C4-PFBA	10.000	10.018	0.2	100.2
13C4-PFHpA	2.500	2.678	7.1	107.1
13C5-PFHxA	2.500	2.522	0.9	100.9
13C5-PFPeA	5.000	5.351	7.0	107.0
13C6-PFDA	1.250	1.297	3.8	103.8
13C7-PFUnDA	1.250	1.253	0.2	100.2
13C8-FOSA	2.500	2.337	-6.5	93.5
13C8-PFOA	2.500	2.578	3.1	103.1
13C8-PFOS	2.500	2.409	-3.6	96.4
13C9-PFNA	1.250	1.269	1.6	101.6
4:2FTS	0.750	0.666	-11.1	88.9
6:2FTS	0.760	0.741	-2.5	97.5
8:2FTS	0.768	0.692	-9.9	90.1
d3-MeFOSAA	5.000	5.231	4.6	104.6
EtFOSAA	0.200	0.145	-27.4	72.6
FOSA	0.200	0.219	9.4	109.4
MeFOSAA	0.200	0.175	-12.6	87.4
PFBA	0.800	0.770	-3.7	96.3
PFBS	0.177	0.172	-3.1	96.9
PFDA	0.200	0.160	-20.2	79.8
PFDoDA	0.200	0.187	-6.3	93.7
PFDS	0.193	0.191	-0.8	99.2
PFHpA	0.200	0.189	-5.5	94.5
PFHpS	0.191	0.170	-10.8	89.2
PFHxA	0.200	0.182	-8.8	91.2
PFHxS	0.183	0.154	-15.7	84.3
PFNA	0.200	0.179	-10.6	89.4
PFNS	0.192	0.226	17.6	117.6
PFOA	0.200	0.171	-14.7	85.3
PFOS	0.186	0.197	5.7	105.7

Continuing Calibration Summary

Job Number: FC5726
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample: S4Q635-CC634
 Lab FileID: 4Q43955.D

PFPeA	0.400	0.372	-6.9	93.1
PFPeS	0.188	0.203	7.9	107.9
PFTeDA	0.200	0.196	-2.0	98.0
PFTTrDA	0.200	0.197	-1.4	98.6
PFUnDA	0.200	0.214	6.9	106.9
M4-PFBA	---	--ISTD--		
M5-PFPeA	---	--ISTD--		
M5-PFHxA	---	--ISTD--		
M4-PFHpA	---	--ISTD--		
M8-PFOA	---	--ISTD--		
M9-PFNA	---	--ISTD--		
M6-PFDA	---	--ISTD--		
M7-PFUnDA	---	--ISTD--		
M2-PFDoDA	---	--ISTD--		
M2-PFTeDA	---	--ISTD--		
M8-FOSA	---	--ISTD--		
M3-PFBS	---	--ISTD--		
M3-PFHxS	---	--ISTD--		
M8-PFOS	---	--ISTD--		
M2-4:2FTS	---	--ISTD--		
M2-6:2FTS	---	--ISTD--		
M2-8:2FTS	---	--ISTD--		
M3-MeFOSAA	---	--ISTD--		
11C1-PF3OUdS	0.378	0.352	-6.9	93.1
13C3-HFPO-DA	10.000	9.922	-0.8	99.2
9C1-PF3ONS	0.367	0.363	-1.1	98.9
ADONA	0.378	0.359	-5.0	95.0
HFPO-DA	0.400	0.419	4.8	104.8
M3-HFPO-DA	---	--ISTD--		
3:3FTCA	0.998	0.922	-7.6	92.4
5:3FTCA	4.992	4.668	-6.5	93.5
7:3FTCA	4.992	5.107	2.3	102.3
d3-MeFOSA	2.500	2.243	-10.3	89.7
M5-EtFOSAA	---	--ISTD--		
M7-MeFOSE	---	--ISTD--		
M9-EtFOSE	---	--ISTD--		
M5-EtFOSA	---	--ISTD--		
EtFOSA	0.400	0.355	-11.2	88.8
EtFOSE	1.000	0.832	-16.8	83.2
MeFOSA	0.400	0.427	6.7	106.7
MeFOSE	1.000	1.040	4.0	104.0
PFDoDS	0.194	0.206	6.2	106.2
M3-MeFOSA	---	--ISTD--		
d5-EtFOSAA	5.000	5.542	10.8	110.8
d7-MeFOSE	25.000	19.149	-23.4	76.6
d9-EtFOSE	25.000	20.039	-19.8	80.2
d5-EtFOSA	2.500	2.546	1.8	101.8
NFDHA	0.400	0.378	-5.5	94.5
PFMBA	0.400	0.365	-8.7	91.3
PFMPA	0.400	0.369	-7.8	92.2
13C4-PFOS	---	--ISTD--		
13C3-PFBA	---	--ISTD--		
18O2-PFHxS	---	--ISTD--		
13C4-PFOA	---	--ISTD--		
13C2-PFDA	---	--ISTD--		
13C5-PFNA	---	--ISTD--		
13C2-PFHxA	---	--ISTD--		
PFEEESA	0.356	0.324	-8.9	91.1

CC Criteria: +/- 30%

Continuing Calibration Summary

Job Number: FC5726
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample: S4Q635-CC634
 Lab FileID: 4Q43966.D

Continuing Calibration Report

Batch: D:\MassHunter\Data\050423_1633_S4Q635\s4q635.batch.bin

Level ID: Calibration File

1:D:\MassHunter\Data\050323_1633_S4Q634\4Q43884.d
 2:D:\MassHunter\Data\050323_1633_S4Q634\4Q43885.d
 3:D:\MassHunter\Data\050323_1633_S4Q634\4Q43886.d
 4:D:\MassHunter\Data\050323_1633_S4Q634\4Q43887.d
 5:D:\MassHunter\Data\050323_1633_S4Q634\4Q43888.d
 6:D:\MassHunter\Data\050323_1633_S4Q634\4Q43889.d
 7:D:\MassHunter\Data\050323_1633_S4Q634\4Q43890.d
 8:D:\MassHunter\Data\050323_1633_S4Q634\4Q43891.d

Data File: 4Q43966
 Type : QC
 Level : 4

Cpnd Name	Exp. Conc	Final Conc	Dev %	Area %
13C2-4:2FTS	5.000	5.212	4.2	104.2
13C2-6:2FTS	5.000	5.306	6.1	106.1
13C2-8:2FTS	5.000	5.299	6.0	106.0
13C2-PFDoDA	1.250	1.292	3.3	103.3
13C2-PFTeDA	1.250	1.160	-7.2	92.8
13C3-PFBS	2.500	2.146	-14.2	85.8
13C3-PFHxS	2.500	2.219	-11.3	88.7
13C4-PFBA	10.000	10.022	0.2	100.2
13C4-PFHpA	2.500	2.636	5.4	105.4
13C5-PFHxA	2.500	2.609	4.4	104.4
13C5-PFPeA	5.000	5.250	5.0	105.0
13C6-PFDA	1.250	1.248	-0.1	99.9
13C7-PFUnDA	1.250	1.308	4.6	104.6
13C8-FOSA	2.500	2.264	-9.5	90.5
13C8-PFOA	2.500	2.503	0.1	100.1
13C8-PFOS	2.500	2.435	-2.6	97.4
13C9-PFNA	1.250	1.189	-4.9	95.1
4:2FTS	9.375	9.331	-0.5	99.5
6:2FTS	9.500	10.007	5.3	105.3
8:2FTS	9.600	10.932	13.9	113.9
d3-MeFOSAA	5.000	5.314	6.3	106.3
EtFOSAA	2.500	2.632	5.3	105.3
FOSA	2.500	2.595	3.8	103.8
MeFOSAA	2.500	2.471	-1.2	98.8
PFBA	10.000	9.811	-1.9	98.1
PFBS	2.218	2.340	5.5	105.5
PFDA	2.500	2.488	-0.5	99.5
PFDoDA	2.500	2.394	-4.2	95.8
PFDS	2.413	2.266	-6.1	93.9
PFHpA	2.500	2.438	-2.5	97.5
PFHpS	2.383	2.256	-5.3	94.7
PFHxA	2.500	2.338	-6.5	93.5
PFHxS	2.285	2.373	3.9	103.9
PFNA	2.500	2.497	-0.1	99.9
PFNS	2.405	2.406	0.0	100.0
PFOA	2.500	2.395	-4.2	95.8
PFOS	2.320	2.419	4.3	104.3

Continuing Calibration Summary

Job Number: FC5726
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample: S4Q635-CC634
 Lab FileID: 4Q43966.D

PFPeA	5.000	4.938	-1.2	98.8
PFPeS	2.353	2.304	-2.1	97.9
PFTeDA	2.500	2.389	-4.5	95.5
PFTTrDA	2.500	2.415	-3.4	96.6
PFUnDA	2.500	2.462	-1.5	98.5
M4-PFBA	---	--ISTD--		
M5-PFPeA	---	--ISTD--		
M5-PFHxA	---	--ISTD--		
M4-PFHpA	---	--ISTD--		
M8-PFOA	---	--ISTD--		
M9-PFNA	---	--ISTD--		
M6-PFDA	---	--ISTD--		
M7-PFUnDA	---	--ISTD--		
M2-PFDODA	---	--ISTD--		
M2-PFTeDA	---	--ISTD--		
M8-FOSA	---	--ISTD--		
M3-PFBS	---	--ISTD--		
M3-PFHxS	---	--ISTD--		
M8-PFOS	---	--ISTD--		
M2-4:2FTS	---	--ISTD--		
M2-6:2FTS	---	--ISTD--		
M2-8:2FTS	---	--ISTD--		
M3-MeFOSAA	---	--ISTD--		
11C1-PF3OUdS	4.725	5.034	6.5	106.5
13C3-HFPO-DA	10.000	9.653	-3.5	96.5
9C1-PF3ONS	4.675	4.933	5.5	105.5
ADONA	4.725	4.996	5.7	105.7
HFPO-DA	5.000	5.228	4.6	104.6
M3-HFPO-DA	---	--ISTD--		
3:3FTCA	12.480	12.358	-1.0	99.0
5:3FTCA	62.400	62.404	0.0	100.0
7:3FTCA	62.400	64.899	4.0	104.0
d3-MeFOSA	2.500	2.314	-7.4	92.6
M5-EtFOSAA	---	--ISTD--		
M7-MeFOSE	---	--ISTD--		
M9-EtFOSE	---	--ISTD--		
M5-EtFOSA	---	--ISTD--		
EtFOSA	5.000	5.070	1.4	101.4
EtFOSE	12.500	12.025	-3.8	96.2
MeFOSA	5.000	5.055	1.1	101.1
MeFOSE	12.500	10.664	-14.7	85.3
PFDODS	2.425	2.236	-7.8	92.2
M3-MeFOSA	---	--ISTD--		
d5-EtFOSAA	5.000	5.056	1.1	101.1
d7-MeFOSE	25.000	20.577	-17.7	82.3
d9-EtFOSE	25.000	19.747	-21.0	79.0
d5-EtFOSA	2.500	2.404	-3.8	96.2
NFDHA	5.000	4.491	-10.2	89.8
PFMBA	5.000	4.788	-4.2	95.8
PFMPA	5.000	4.903	-1.9	98.1
13C4-PFOS	---	--ISTD--		
13C3-PFBA	---	--ISTD--		
18O2-PFHxS	---	--ISTD--		
13C4-PFOA	---	--ISTD--		
13C2-PFDA	---	--ISTD--		
13C5-PFNA	---	--ISTD--		
13C2-PFHxA	---	--ISTD--		
PFEEESA	4.450	4.175	-6.2	93.8

CC Criteria: +/- 30%

Continuing Calibration Summary

Job Number: FC5726
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample: S4Q635-CC634
 Lab FileID: 4Q43978.D

Continuing Calibration Report

Batch: D:\MassHunter\Data\050423_1633_S4Q635\s4q635.batch.bin

Level ID: Calibration File

1:D:\MassHunter\Data\050323_1633_S4Q634\4Q43884.d
 2:D:\MassHunter\Data\050323_1633_S4Q634\4Q43885.d
 3:D:\MassHunter\Data\050323_1633_S4Q634\4Q43886.d
 4:D:\MassHunter\Data\050323_1633_S4Q634\4Q43887.d
 5:D:\MassHunter\Data\050323_1633_S4Q634\4Q43888.d
 6:D:\MassHunter\Data\050323_1633_S4Q634\4Q43889.d
 7:D:\MassHunter\Data\050323_1633_S4Q634\4Q43890.d
 8:D:\MassHunter\Data\050323_1633_S4Q634\4Q43891.d

Data File: 4Q43978
 Type : QC
 Level : 4

Cpnd Name	Exp. Conc	Final Conc	Dev %	Area %
13C2-4:2FTS	5.000	6.145	22.9	122.9
13C2-6:2FTS	5.000	6.170	23.4	123.4
13C2-8:2FTS	5.000	6.009	20.2	120.2
13C2-PFDoDA	1.250	1.266	1.3	101.3
13C2-PFTeDA	1.250	1.166	-6.7	93.3
13C3-PFBS	2.500	2.440	-2.4	97.6
13C3-PFHxS	2.500	2.372	-5.1	94.9
13C4-PFBA	10.000	10.168	1.7	101.7
13C4-PFHpA	2.500	2.613	4.5	104.5
13C5-PFHxA	2.500	2.552	2.1	102.1
13C5-PFPeA	5.000	5.056	1.1	101.1
13C6-PFDA	1.250	1.359	8.7	108.7
13C7-PFUnDA	1.250	1.353	8.2	108.2
13C8-FOSA	2.500	2.417	-3.3	96.7
13C8-PFOA	2.500	2.536	1.4	101.4
13C8-PFOS	2.500	2.527	1.1	101.1
13C9-PFNA	1.250	1.213	-2.9	97.1
4:2FTS	9.375	8.950	-4.5	95.5
6:2FTS	9.500	9.695	2.0	102.0
8:2FTS	9.600	10.612	10.5	110.5
d3-MeFOSAA	5.000	5.838	16.8	116.8
EtFOSAA	2.500	2.377	-4.9	95.1
FOSA	2.500	2.434	-2.6	97.4
MeFOSAA	2.500	2.312	-7.5	92.5
PFBA	10.000	9.636	-3.6	96.4
PFBS	2.218	2.196	-1.0	99.0
PFDA	2.500	2.237	-10.5	89.5
PFDoDA	2.500	2.475	-1.0	99.0
PFDS	2.413	2.321	-3.8	96.2
PFHpA	2.500	2.385	-4.6	95.4
PFHpS	2.383	2.417	1.4	101.4
PFHxA	2.500	2.354	-5.8	94.2
PFHxS	2.285	2.268	-0.7	99.3
PFNA	2.500	2.408	-3.7	96.3
PFNS	2.405	2.198	-8.6	91.4
PFOA	2.500	2.405	-3.8	96.2
PFOS	2.320	2.288	-1.4	98.6

Continuing Calibration Summary

Job Number: FC5726
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample: S4Q635-CC634
 Lab FileID: 4Q43978.D

PFPeA	5.000	5.045	0.9	100.9
PFPeS	2.353	2.236	-5.0	95.0
PFTeDA	2.500	2.517	0.7	100.7
PFTTrDA	2.500	2.541	1.6	101.6
PFUnDA	2.500	2.420	-3.2	96.8
M4-PFBA	---	--ISTD--		
M5-PFPeA	---	--ISTD--		
M5-PFHxA	---	--ISTD--		
M4-PFHpA	---	--ISTD--		
M8-PFOA	---	--ISTD--		
M9-PFNA	---	--ISTD--		
M6-PFDA	---	--ISTD--		
M7-PFUnDA	---	--ISTD--		
M2-PFDoDA	---	--ISTD--		
M2-PFTeDA	---	--ISTD--		
M8-FOSA	---	--ISTD--		
M3-PFBS	---	--ISTD--		
M3-PFHxS	---	--ISTD--		
M8-PFOS	---	--ISTD--		
M2-4:2FTS	---	--ISTD--		
M2-6:2FTS	---	--ISTD--		
M2-8:2FTS	---	--ISTD--		
M3-MeFOSAA	---	--ISTD--		
11C1-PF3OUdS	4.725	5.449	15.3	115.3
13C3-HFPO-DA	10.000	9.104	-9.0	91.0
9C1-PF3ONS	4.675	5.274	12.8	112.8
ADONA	4.725	5.385	14.0	114.0
HFPO-DA	5.000	5.159	3.2	103.2
M3-HFPO-DA	---	--ISTD--		
3:3FTCA	12.480	12.391	-0.7	99.3
5:3FTCA	62.400	63.233	1.3	101.3
7:3FTCA	62.400	64.383	3.2	103.2
d3-MeFOSA	2.500	2.435	-2.6	97.4
M5-EtFOSAA	---	--ISTD--		
M7-MeFOSE	---	--ISTD--		
M9-EtFOSE	---	--ISTD--		
M5-EtFOSA	---	--ISTD--		
EtFOSA	5.000	5.013	0.3	100.3
EtFOSE	12.500	13.692	9.5	109.5
MeFOSA	5.000	4.906	-1.9	98.1
MeFOSE	12.500	11.240	-10.1	89.9
PFDoDS	2.425	2.153	-11.2	88.8
M3-MeFOSA	---	--ISTD--		
d5-EtFOSAA	5.000	6.041	20.8	120.8
d7-MeFOSE	25.000	21.185	-15.3	84.7
d9-EtFOSE	25.000	19.412	-22.4	77.6
d5-EtFOSA	2.500	2.447	-2.1	97.9
NFDHA	5.000	4.529	-9.4	90.6
PFMBA	5.000	5.020	0.4	100.4
PFMPA	5.000	5.168	3.4	103.4
13C4-PFOS	---	--ISTD--		
13C3-PFBA	---	--ISTD--		
18O2-PFHxS	---	--ISTD--		
13C4-PFOA	---	--ISTD--		
13C2-PFDA	---	--ISTD--		
13C5-PFNA	---	--ISTD--		
13C2-PFHxA	---	--ISTD--		
PFEEESA	4.450	4.262	-4.2	95.8

CC Criteria: +/- 30%

Run Sequence Report

Job Number: FC5726
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Run ID: S4Q634	Method: EPA DRAFT 1633	Instrument ID: GCMS4Q		
Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
S4Q634-RT	4Q43881.D	05/03/23 10:23	n/a	Retention Time Marker
S4Q634-RT	4Q43882.D	05/03/23 10:37	n/a	Retention Time Marker
S4Q634-IC634	4Q43883.D	05/03/23 10:58	n/a	Mass Calibration Verification
S4Q634-IC634	4Q43884.D	05/03/23 11:12	n/a	Initial cal 1
S4Q634-IC634	4Q43885.D	05/03/23 11:26	n/a	Initial cal 2
S4Q634-IC634	4Q43886.D	05/03/23 11:40	n/a	Initial cal 3
S4Q634-ICC634	4Q43887.D	05/03/23 11:54	n/a	Initial cal 4
S4Q634-IC634	4Q43888.D	05/03/23 12:08	n/a	Initial cal 5
S4Q634-IC634	4Q43889.D	05/03/23 12:22	n/a	Initial cal 6
S4Q634-IC634	4Q43890.D	05/03/23 12:36	n/a	Initial cal 7
S4Q634-IC634	4Q43891.D	05/03/23 12:50	n/a	Initial cal 8
S4Q634-IBLK	4Q43892.D	05/03/23 13:04	n/a	Instrument Blank
S4Q634-IBLK	4Q43892.D	05/03/23 13:04	n/a	Instrument Blank
S4Q634-ICV634	4Q43894.D	05/03/23 13:20	n/a	Initial cal verification 20
S4Q634-ICV634	4Q43895.D	05/03/23 13:35	n/a	Initial cal verification 4
S4Q634-CC634	4Q43897.D	05/03/23 13:51	n/a	Continuing cal 1.0LL
OP96662-BS	4Q43898.D	05/03/23 14:05	OP96662	Blank Spike
OP96662-LLBS	4Q43899.D	05/03/23 14:19	OP96662	Blank Spike
OP96662-MB	4Q43900.D	05/03/23 14:33	OP96662	Method Blank
ZZZZZZ	4Q43901.D	05/03/23 14:47	OP96662	(unrelated sample)
ZZZZZZ	4Q43902.D	05/03/23 15:01	OP96662	(unrelated sample)
ZZZZZZ	4Q43903.D	05/03/23 15:15	OP96662	(unrelated sample)
ZZZZZZ	4Q43904.D	05/03/23 15:29	OP96662	(unrelated sample)
FC5685-3	4Q43905.D	05/03/23 15:43	OP96662	(used for QC only; not part of job FC5726)
OP96662-MS	4Q43906.D	05/03/23 15:57	OP96662	Matrix Spike
S4Q634-CC634	4Q43907.D	05/03/23 16:11	n/a	Continuing cal 4
S4Q634-ICCB	4Q43908.D	05/03/23 16:25	n/a	Continuing Calibration Blank
FC5685-4	4Q43909.D	05/03/23 16:39	OP96662	(used for QC only; not part of job FC5726)
OP96662-DUP	4Q43910.D	05/03/23 16:54	OP96662	Duplicate
ZZZZZZ	4Q43911.D	05/03/23 17:08	OP96662	(unrelated sample)
OP96659-BS	4Q43912.D	05/03/23 17:22	OP96659	Blank Spike
OP96659-LLBS	4Q43913.D	05/03/23 17:36	OP96659	Blank Spike
OP96659-MB	4Q43914.D	05/03/23 17:50	OP96659	Method Blank
ZZZZZZ	4Q43916.D	05/03/23 18:18	OP96659	(unrelated sample)
S4Q634-CC634	4Q43917.D	05/03/23 18:32	n/a	Continuing cal 4
S4Q634-ICCB	4Q43918.D	05/03/23 18:46	n/a	Continuing Calibration Blank
S4Q634-ICCB	4Q43918.D	05/03/23 18:46	n/a	Continuing Calibration Blank
ZZZZZZ	4Q43919.D	05/03/23 19:00	OP96659	(unrelated sample)
ZZZZZZ	4Q43920.D	05/03/23 19:14	OP96659	(unrelated sample)
ZZZZZZ	4Q43921.D	05/03/23 19:28	OP96659	(unrelated sample)
ZZZZZZ	4Q43922.D	05/03/23 19:42	OP96659	(unrelated sample)
OP96657-BS	4Q43923.D	05/03/23 19:56	OP96657	Blank Spike
OP96657-LLBS	4Q43924.D	05/03/23 20:10	OP96657	Blank Spike
OP96657-MB	4Q43925.D	05/03/23 20:24	OP96657	Method Blank
ZZZZZZ	4Q43926.D	05/03/23 20:38	OP96657	(unrelated sample)
S4Q634-CC634	4Q43927.D	05/03/23 20:53	n/a	Continuing cal 4

Run Sequence Report

Job Number: FC5726
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Run ID: S4Q634	Method: EPA DRAFT 1633	Instrument ID: GCMS4Q
----------------	------------------------	-----------------------

Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
S4Q634-ICCB	4Q43928.D	05/03/23 21:07	n/a	Continuing Calibration Blank
S4Q634-ICCB	4Q43928.D	05/03/23 21:07	n/a	Continuing Calibration Blank
FC5371-11	4Q43929.D	05/03/23 21:21	OP96657	(used for QC only; not part of job FC5726)
OP96657-MS	4Q43930.D	05/03/23 21:35	OP96657	Matrix Spike
OP96657-MSD	4Q43931.D	05/03/23 21:49	OP96657	Matrix Spike Duplicate
ZZZZZZ	4Q43932.D	05/03/23 22:03	OP96657	(unrelated sample)
ZZZZZZ	4Q43933.D	05/03/23 22:17	OP96657	(unrelated sample)
ZZZZZZ	4Q43935.D	05/03/23 22:45	OP96657	(unrelated sample)
ZZZZZZ	4Q43936.D	05/03/23 22:59	OP96657	(unrelated sample)
ZZZZZZ	4Q43938.D	05/03/23 23:27	OP96657	(unrelated sample)
S4Q634-CC634	4Q43939.D	05/03/23 23:41	n/a	Continuing cal 4
S4Q634-ICCB	4Q43940.D	05/03/23 23:55	n/a	Continuing Calibration Blank
S4Q634-ICCB	4Q43940.D	05/03/23 23:55	n/a	Continuing Calibration Blank
ZZZZZZ	4Q43941.D	05/04/23 00:09	OP96657	(unrelated sample)
FC5371-20	4Q43942.D	05/04/23 00:23	OP96657	(used for QC only; not part of job FC5726)
OP96657-MS2	4Q43943.D	05/04/23 00:37	OP96657	Matrix Spike
OP96657-MSD2	4Q43944.D	05/04/23 00:51	OP96657	Matrix Spike Duplicate
ZZZZZZ	4Q43945.D	05/04/23 01:05	OP96657	(unrelated sample)
S4Q634-ECC634	4Q43946.D	05/04/23 01:19	n/a	Ending cal 4
S4Q634-ICCB	4Q43947.D	05/04/23 01:34	n/a	Continuing Calibration Blank
S4Q634-ICCB	4Q43947.D	05/04/23 01:34	n/a	Continuing Calibration Blank

6.10.1
6

Run Sequence Report

Job Number: FC5726
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Run ID: S4Q635	Method: EPA DRAFT 1633	Instrument ID: GCMS4Q		
Lab Sample ID	Lab File ID	Date/Time Analyzed	Prep QC Batch	Client Sample ID
S4Q635-RT	4Q43950.D	05/04/23 11:51	n/a	Retention Time Marker
S4Q635-RT	4Q43951.D	05/04/23 12:05	n/a	Retention Time Marker
S4Q635-IBLK	4Q43953.D	05/04/23 12:33	n/a	Instrument Blank
S4Q635-IBLK	4Q43953.D	05/04/23 12:33	n/a	Instrument Blank
S4Q635-CC634	4Q43954.D	05/04/23 12:47	n/a	Continuing cal 4
S4Q635-CC634	4Q43955.D	05/04/23 13:02	n/a	Continuing cal 1.0LL
OP96698-BS	4Q43956.D	05/04/23 13:16	OP96698	Blank Spike
OP96698-LLBS	4Q43957.D	05/04/23 13:30	OP96698	Blank Spike
OP96698-MB	4Q43958.D	05/04/23 13:44	OP96698	Method Blank
ZZZZZZ	4Q43959.D	05/04/23 13:58	OP96698	(unrelated sample)
ZZZZZZ	4Q43960.D	05/04/23 14:12	OP96698	(unrelated sample)
ZZZZZZ	4Q43961.D	05/04/23 14:28	OP96698	(unrelated sample)
ZZZZZZ	4Q43963.D	05/04/23 14:56	OP96698	(unrelated sample)
ZZZZZZ	4Q43965.D	05/04/23 15:24	OP96698	(unrelated sample)
S4Q635-CC634	4Q43966.D	05/04/23 15:38	n/a	Continuing cal 4
S4Q635-ICCB	4Q43967.D	05/04/23 15:52	n/a	Continuing Calibration Blank
OP96701-BS	4Q43968.D	05/04/23 16:06	OP96701	Blank Spike
OP96701-LLBS	4Q43969.D	05/04/23 16:20	OP96701	Blank Spike
OP96701-MB	4Q43970.D	05/04/23 16:35	OP96701	Method Blank
FC5726-1	4Q43971.D	05/04/23 16:49	OP96701	AF-RHMW12A-WGN01LF-2305W1
FC5726-2	4Q43972.D	05/04/23 17:03	OP96701	AF-RHMW12A-WGFD01LF-2305W1
OP96701-MS	4Q43973.D	05/04/23 17:17	OP96701	Matrix Spike
FC5726-3	4Q43974.D	05/04/23 17:31	OP96701	AF-RHMW04-WGN01LF-2305W1
OP96701-DUP	4Q43975.D	05/04/23 17:45	OP96701	Duplicate
FC5726-4	4Q43976.D	05/04/23 17:59	OP96701	AF-RHMW06-WGN01LF-2305W1
FC5726-5	4Q43977.D	05/04/23 18:13	OP96701	AF-RHMW16-WGN01LF-2305W1
S4Q635-CC634	4Q43978.D	05/04/23 18:27	n/a	Continuing cal 4
S4Q635-ICCB	4Q43979.D	05/04/23 18:41	n/a	Continuing Calibration Blank
S4Q635-ICCB	4Q43979.D	05/04/23 18:41	n/a	Continuing Calibration Blank
FC5685-4	4Q43980.D	05/04/23 18:55	OP96662	(used for QC only; not part of job FC5726)
OP96657-BS	4Q43982.D	05/04/23 19:23	OP96657	Blank Spike
OP96657-LLBS	4Q43983.D	05/04/23 19:37	OP96657	Blank Spike
ZZZZZZ	4Q43984.D	05/04/23 19:51	OP96657	(unrelated sample)
ZZZZZZ	4Q43985.D	05/04/23 20:05	OP96657	(unrelated sample)
ZZZZZZ	4Q43986.D	05/04/23 20:20	OP96657	(unrelated sample)
ZZZZZZ	4Q43987.D	05/04/23 20:34	OP96657	(unrelated sample)
ZZZZZZ	4Q43988.D	05/04/23 20:48	OP96657	(unrelated sample)
S4Q635-ECC634	4Q43989.D	05/04/23 21:02	n/a	Ending cal 4
S4Q635-ICCB	4Q43990.D	05/04/23 21:16	n/a	Continuing Calibration Blank
S4Q635-ICCB	4Q43990.D	05/04/23 21:16	n/a	Continuing Calibration Blank

MS Semi-volatiles

Raw Data

Perfluorinated Compounds by LC/MS/MS

Data File : 4Q43971.d
 Operator : natashag
 Acq. Method : 1633full_4Q.m
 Acq. Date-Time : 5/4/2023 4:49:09 PM
 Sample Name : fc5726-1
 Vial : P2-B5
 DA Method File : 1633_050323_S4Q634.quantmethod.xml
 Batch Name : s4q635.batch.bin
 Sample Information : OP96701,S4Q635,520,,,5.0,1,water

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Internal Standards					
M4-PFBA	2.936	216.8 -> 171.9	82497	10.00 µg/L	0.013
M5-PFPeA	4.387	268.3 -> 223.0	65524	5.00 µg/L	0.025
M5-PFHxA	5.572	318.0 -> 273.0	45839	2.50 µg/L	0.037
M4-PFHpA	6.504	367.1 -> 322.0	27068	2.50 µg/L	0.037
M8-PFOA	7.163	421.1 -> 376.0	42251	2.50 µg/L	0.039
M9-PFNA	7.721	472.1 -> 427.0	19877	1.25 µg/L	0.051
M6-PFDA	8.216	519.1 -> 474.1	17937	1.25 µg/L	0.038
M7-PFUnDA	8.685	570.0 -> 525.1	18104	1.25 µg/L	0.038
M2-PFDoDA	9.143	615.1 -> 570.0	17409	1.25 µg/L	0.037
M2-PFTeDA	9.936	715.2 -> 670.0	12012	1.25 µg/L	0.037
M8-FOSA	9.796	506.1 -> 77.8	12532	2.50 µg/L	0.025
M3-PFBS	5.464	302.1 -> 79.9	11234	2.50 µg/L	0.037
M3-PFHxS	7.254	402.1 -> 79.9	7312	2.50 µg/L	0.025
M8-PFOS	8.366	507.1 -> 79.9	9923	2.50 µg/L	0.037
M2-4:2FTS	5.260	329.1 -> 80.9	1002	5.00 µg/L	0.037
M2-6:2FTS	6.936	429.1 -> 80.9	2235	5.00 µg/L	0.037
M2-8:2FTS	8.003	529.1 -> 80.9	3046	5.00 µg/L	0.037
M3-MeFOSAA	8.273	573.2 -> 419.0	12967	5.00 µg/L	0.037
M3-HFPO-DA	5.927	286.9 -> 168.9	25418	10.00 µg/L	0.037
M5-EtFOSAA	8.483	589.2 -> 419.0	11816	5.00 µg/L	0.037
M7-MeFOSE	10.972	623.2 -> 58.9	44906	25.00 µg/L	0.025
M9-EtFOSE	11.281	639.2 -> 58.9	71627	25.00 µg/L	0.025
M5-EtFOSA	11.373	531.1 -> 219.0	8499	2.50 µg/L	0.025
M3-MeFOSA	11.089	515.0 -> 219.0	8032	2.50 µg/L	0.025
13C4-PFOS	8.367	502.8 -> 79.9	9677	2.50 µg/L	0.037
13C3-PFBA	2.928	216.0 -> 172.0	62052	5.00 µg/L	0.000
18O2-PFHxS	7.265	403.0 -> 83.9	4683	2.50 µg/L	0.037
13C4-PFOA	7.163	417.1 -> 372.0	48802	2.50 µg/L	0.039
13C2-PFDA	8.216	515.1 -> 470.1	15883	1.25 µg/L	0.038
13C5-PFNA	7.721	468.0 -> 423.0	22958	1.25 µg/L	0.037
13C2-PFHxA	5.560	315.1 -> 270.0	38616	2.50 µg/L	0.025
System Monitoring Compounds					
13C2-4:2FTS	5.260	329.1 -> 80.9	1002	5.27 µg/L	0.037
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 105.3%		
13C2-6:2FTS	6.936	429.1 -> 80.9	2235	6.51 µg/L	0.037
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 130.3%		
13C2-8:2FTS	8.003	529.1 -> 80.9	3046	5.69 µg/L	0.037
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 113.7%		
13C2-PFDoDA	9.143	615.1 -> 570.0	17409	1.13 µg/L	0.037
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 90.5%		
13C2-PFTeDA	9.936	715.2 -> 670.0	12012	0.96 µg/L	0.037
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 76.7%		
13C3-PFBS	5.464	302.1 -> 79.9	11234	2.54 µg/L	0.037
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 101.8%		
13C3-PFHxS	7.254	402.1 -> 79.9	7312	2.52 µg/L	0.025

7.1.1
7

Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 100.8%	
13C4-PFBA	2.936	216.8 -> 171.9	82497	7.07 µg/L	0.013
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 70.7%	
13C4-PFHpA	6.504	367.1 -> 322.0	27068	2.72 µg/L	0.037
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 108.9%	
13C5-PFHxA	5.572	318.0 -> 273.0	45839	2.70 µg/L	0.037
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 107.8%	
13C5-PFPeA	4.387	268.3 -> 223.0	65524	5.51 µg/L	0.025
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 110.2%	
13C6-PFDA	8.216	519.1 -> 474.1	17937	1.32 µg/L	0.038
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 105.5%	
13C7-PFUnDA	8.685	570.0 -> 525.1	18104	1.28 µg/L	0.038
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 102.3%	
13C8-FOSA	9.796	506.1 -> 77.8	12532	2.06 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 82.6%	
13C8-PFOA	7.163	421.1 -> 376.0	42251	2.64 µg/L	0.039
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 105.5%	
13C8-PFOS	8.366	507.1 -> 79.9	9923	2.72 µg/L	0.037
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 108.9%	
13C9-PFNA	7.721	472.1 -> 427.0	19877	1.27 µg/L	0.051
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 101.9%	
d3-MeFOSAA	8.273	573.2 -> 419.0	12967	5.31 µg/L	0.037
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 106.2%	
13C3-HFPO-DA	5.927	286.9 -> 168.9	25418	10.01 µg/L	0.037
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 100.1%	
d3-MeFOSA	11.089	515.0 -> 219.0	8032	2.12 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 84.7%	
d5-EtFOSAA	8.483	589.2 -> 419.0	11816	5.87 µg/L	0.037
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 117.5%	
d7-MeFOSE	10.972	623.2 -> 58.9	44906	14.91 µg/L	0.025
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 59.7%	
d9-EtFOSE	11.281	639.2 -> 58.9	71627	16.80 µg/L	0.025
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 67.2%	
d5-EtFOSA	11.373	531.1 -> 219.0	8499	2.11 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 84.3%	

Target Compounds

Target Compounds	RT	Transition	Response	Conc. Units	QValue
4:2FTS	-	327.1 -> 307.0	-	N.D.	
		327.1 -> 80.9			
6:2FTS	-	427.1 -> 407.0	-	N.D.	
		427.1 -> 80.9			
8:2FTS	-	527.1 -> 507.0	-	N.D.	
		527.1 -> 80.8			
EtFOSAA	-	584.2 -> 419.1	-	N.D.	
		584.2 -> 526.0			
FOSA	-	498.1 -> 77.9	-	N.D.	
		498.1 -> 478.0			
MeFOSAA	-	570.1 -> 419.0	-	N.D.	
		570.1 -> 483.0			
PFBA	-	212.8 -> 168.9	-	N.D.	
PFBS	-	298.7 -> 79.9	-	N.D.	
		298.7 -> 98.8			
PFDA	-	512.9 -> 469.0	-	N.D.	
		512.9 -> 219.0			
PFDODA	-	613.1 -> 569.0	-	N.D.	
		613.1 -> 319.0			
PFDS	-	599.0 -> 79.9	-	N.D.	

Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
		599.0 -> 98.8			
PFHpA	-	363.1 -> 319.0	-	N.D.	
		363.1 -> 169.0			
PFHpS	-	449.0 -> 79.9	-	N.D.	
		449.0 -> 98.9			
PFHxA	5.575	313.0 -> 269.0	1571	0.09 µg/L	98
		313.0 -> 118.9	55		
PFHxS	-	398.7 -> 79.9	-	N.D.	
		398.7 -> 98.9			
PFNA	-	463.0 -> 419.0	-	N.D.	
		463.0 -> 219.0			
PFNS	-	548.8 -> 79.9	-	N.D.	
		548.8 -> 98.9			
PFOA	-	413.0 -> 369.0	-	N.D.	
		413.0 -> 169.0			
PFOS	-	498.9 -> 79.9	-	N.D.	
		498.9 -> 98.8			
PFPeA	4.389	263.0 -> 219.0	5260	0.33 µg/L	100
PFPeS	-	349.1 -> 79.9	-	N.D.	
		349.1 -> 98.9			
PFTeDA	-	713.1 -> 669.0	-	N.D.	
		713.1 -> 168.9			
PFTTrDA	-	663.0 -> 619.0	-	N.D.	
		663.0 -> 168.9			
PFUnDA	-	563.1 -> 519.0	-	N.D.	
		563.1 -> 269.1			
11Cl-PF3OUdS	-	630.9 -> 450.9	-	N.D.	
		632.9 -> 452.9			
9Cl-PF3ONS	-	530.8 -> 351.0	-	N.D.	
		532.8 -> 353.0			
ADONA	-	376.9 -> 250.9	-	N.D.	
		376.9 -> 84.8			
HFPO-DA	-	284.9 -> 168.9	-	N.D.	
		284.9 -> 184.9			
3:3FTCA	-	241.0 -> 177.0	-	N.D.	
		241.0 -> 117.0			
5:3FTCA	-	341.0 -> 237.1	-	N.D.	
		341.0 -> 217.0			
7:3FTCA	-	441.0 -> 316.9	-	N.D.	
		441.0 -> 336.9			
EtFOSA	-	526.0 -> 219.0	-	N.D.	
		526.0 -> 169.0			
EtFOSE	-	630.0 -> 58.9	-	N.D.	
MeFOSA	-	511.9 -> 219.0	-	N.D.	
		511.9 -> 169.0			
MeFOSE	-	616.1 -> 58.9	-	N.D.	
PFDoDS	-	699.1 -> 79.9	-	N.D.	
		699.1 -> 98.8			
NFDHA	-	295.0 -> 201.0	-	N.D.	
		295.0 -> 84.9			
PFMBA	-	279.0 -> 85.1	-	N.D.	
PFMPA	-	229.0 -> 84.9	-	N.D.	
PFEESA	-	314.8 -> 134.9	-	N.D.	
		314.8 -> 82.9			

= Qualifier out of range, m = manually integrated, + = Area summed





Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
----------	----	------------	----------	-------------	----------





7.1.1
7







Perfluorinated Compounds by LC/MS/MS




Perfluorinated Compounds by LC/MS/MS



Perfluorinated Compounds by LC/MS/MS




Perfluorinated Compounds by LC/MS/MS







7.1.1
7




Perfluorinated Compounds by LC/MS/MS



Perfluorinated Compounds by LC/MS/MS



Perfluorinated Compounds by LC/MS/MS



7.1.1

7

Perfluorinated Compounds by LC/MS/MS

Data File : 4Q43972.d
 Operator : natashag
 Acq. Method : 1633full_4Q.m
 Acq. Date-Time : 5/4/2023 5:03:11 PM
 Sample Name : fc5726-2
 Vial : P2-B6
 DA Method File : 1633_050323_S4Q634.quantmethod.xml
 Batch Name : s4q635.batch.bin
 Sample Information : OP96701,S4Q635,520,,,5.0,1,water

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Internal Standards					
M4-PFBA	2.924	216.8 -> 171.9	70706	10.00 µg/L	0.000
M5-PFPeA	4.387	268.3 -> 223.0	64334	5.00 µg/L	0.025
M5-PFHxA	5.559	318.0 -> 273.0	47891	2.50 µg/L	0.025
M4-PFHpA	6.504	367.1 -> 322.0	27632	2.50 µg/L	0.037
M8-PFOA	7.163	421.1 -> 376.0	42684	2.50 µg/L	0.039
M9-PFNA	7.709	472.1 -> 427.0	19423	1.25 µg/L	0.038
M6-PFDA	8.216	519.1 -> 474.1	17319	1.25 µg/L	0.038
M7-PFUnDA	8.685	570.0 -> 525.1	18432	1.25 µg/L	0.038
M2-PFDoDA	9.143	615.1 -> 570.0	18167	1.25 µg/L	0.037
M2-PFTeDA	9.924	715.2 -> 670.0	12660	1.25 µg/L	0.025
M8-FOSA	9.796	506.1 -> 77.8	13307	2.50 µg/L	0.025
M3-PFBS	5.464	302.1 -> 79.9	11460	2.50 µg/L	0.037
M3-PFHxS	7.254	402.1 -> 79.9	7452	2.50 µg/L	0.025
M8-PFOS	8.366	507.1 -> 79.9	9973	2.50 µg/L	0.037
M2-4:2FTS	5.247	329.1 -> 80.9	1132	5.00 µg/L	0.025
M2-6:2FTS	6.936	429.1 -> 80.9	2168	5.00 µg/L	0.037
M2-8:2FTS	8.003	529.1 -> 80.9	3260	5.00 µg/L	0.037
M3-MeFOSAA	8.273	573.2 -> 419.0	13831	5.00 µg/L	0.037
M3-HFPO-DA	5.927	286.9 -> 168.9	26001	10.00 µg/L	0.037
M5-EtFOSAA	8.483	589.2 -> 419.0	11832	5.00 µg/L	0.037
M7-MeFOSE	10.972	623.2 -> 58.9	49984	25.00 µg/L	0.025
M9-EtFOSE	11.281	639.2 -> 58.9	76869	25.00 µg/L	0.025
M5-EtFOSA	11.373	531.1 -> 219.0	9058	2.50 µg/L	0.025
M3-MeFOSA	11.089	515.0 -> 219.0	8531	2.50 µg/L	0.025
13C4-PFOS	8.367	502.8 -> 79.9	10352	2.50 µg/L	0.037
13C3-PFBA	2.916	216.0 -> 172.0	63715	5.00 µg/L	-0.012
18O2-PFHxS	7.253	403.0 -> 83.9	4597	2.50 µg/L	0.025
13C4-PFOA	7.163	417.1 -> 372.0	49185	2.50 µg/L	0.039
13C2-PFDA	8.216	515.1 -> 470.1	16025	1.25 µg/L	0.038
13C5-PFNA	7.709	468.0 -> 423.0	23007	1.25 µg/L	0.025
13C2-PFHxA	5.560	315.1 -> 270.0	38945	2.50 µg/L	0.025
System Monitoring Compounds					
13C2-4:2FTS	5.247	329.1 -> 80.9	1132	6.06 µg/L	0.025
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 121.2%		
13C2-6:2FTS	6.936	429.1 -> 80.9	2168	6.44 µg/L	0.037
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 128.7%		
13C2-8:2FTS	8.003	529.1 -> 80.9	3260	6.20 µg/L	0.037
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 124.0%		
13C2-PFDoDA	9.143	615.1 -> 570.0	18167	1.17 µg/L	0.037
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 93.6%		
13C2-PFTeDA	9.924	715.2 -> 670.0	12660	1.00 µg/L	0.025
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 80.2%		
13C3-PFBS	5.464	302.1 -> 79.9	11460	2.64 µg/L	0.037
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 105.7%		
13C3-PFHxS	7.254	402.1 -> 79.9	7452	2.62 µg/L	0.025

7.12
7

Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 104.6%	
13C4-PFBA	2.924	216.8 -> 171.9	70706	5.90 µg/L	0.000
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 59.0%	
13C4-PFHpA	6.504	367.1 -> 322.0	27632	2.76 µg/L	0.037
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 110.2%	
13C5-PFHxA	5.559	318.0 -> 273.0	47891	2.79 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 111.7%	
13C5-PFPeA	4.387	268.3 -> 223.0	64334	5.36 µg/L	0.025
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 107.3%	
13C6-PFDA	8.216	519.1 -> 474.1	17319	1.26 µg/L	0.038
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 101.0%	
13C7-PFUnDA	8.685	570.0 -> 525.1	18432	1.29 µg/L	0.038
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 103.3%	
13C8-FOSA	9.796	506.1 -> 77.8	13307	2.05 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 82.0%	
13C8-PFOA	7.163	421.1 -> 376.0	42684	2.64 µg/L	0.039
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 105.7%	
13C8-PFOS	8.366	507.1 -> 79.9	9973	2.56 µg/L	0.037
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 102.4%	
13C9-PFNA	7.709	472.1 -> 427.0	19423	1.24 µg/L	0.038
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 99.4%	
d3-MeFOSAA	8.273	573.2 -> 419.0	13831	5.29 µg/L	0.037
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 105.9%	
13C3-HFPO-DA	5.927	286.9 -> 168.9	26001	10.15 µg/L	0.037
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 101.5%	
d3-MeFOSA	11.089	515.0 -> 219.0	8531	2.10 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 84.1%	
d5-EtFOSAA	8.483	589.2 -> 419.0	11832	5.50 µg/L	0.037
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 110.0%	
d7-MeFOSE	10.972	623.2 -> 58.9	49984	15.52 µg/L	0.025
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 62.1%	
d9-EtFOSE	11.281	639.2 -> 58.9	76869	16.85 µg/L	0.025
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 67.4%	
d5-EtFOSA	11.373	531.1 -> 219.0	9058	2.10 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 83.9%	

Target Compounds

Compound	RT	Transition	Response	Conc. Units	QValue
4:2FTS	-	327.1 -> 307.0	-	N.D.	
		327.1 -> 80.9			
6:2FTS	-	427.1 -> 407.0	-	N.D.	
		427.1 -> 80.9			
8:2FTS	-	527.1 -> 507.0	-	N.D.	
		527.1 -> 80.8			
EtFOSAA	-	584.2 -> 419.1	-	N.D.	
		584.2 -> 526.0			
FOSA	-	498.1 -> 77.9	-	N.D.	
		498.1 -> 478.0			
MeFOSAA	-	570.1 -> 419.0	-	N.D.	
		570.1 -> 483.0			
PFBA	-	212.8 -> 168.9	-	N.D.	
PFBS	-	298.7 -> 79.9	-	N.D.	
		298.7 -> 98.8			
PFDA	8.303	512.9 -> 469.0	0	µg/L m	1
		512.9 -> 219.0	0		
PFDODA	-	613.1 -> 569.0	-	N.D.	
		613.1 -> 319.0			
PFDS	-	599.0 -> 79.9	-	N.D.	



Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc.	Units	Dev(Min)
PFHpA	-	599.0 -> 98.8	-	N.D.		
		363.1 -> 319.0				
PFHpS	-	363.1 -> 169.0	-	N.D.		
		449.0 -> 79.9				
PFHxA	5.562	449.0 -> 98.9	2072	0.11 µg/L	#	95
		313.0 -> 269.0				
PFHxS	-	313.0 -> 118.9	-	N.D.		
		398.7 -> 79.9				
PFNA	-	398.7 -> 98.9	-	N.D.		
		463.0 -> 419.0				
PFNS	-	463.0 -> 219.0	-	N.D.		
		548.8 -> 79.9				
PFOA	7.527	548.8 -> 98.9	0	µg/L	m	1
		413.0 -> 369.0				
PFOS	-	413.0 -> 169.0	-	N.D.		
		498.9 -> 79.9				
PFPeA	4.389	498.9 -> 98.8	5114	0.33 µg/L		100
		263.0 -> 219.0				
PFPeS	-	349.1 -> 79.9	-	N.D.		
		349.1 -> 98.9				
PFTeDA	9.564	713.1 -> 669.0	0	µg/L	m	1
		713.1 -> 168.9				
PFTrDA	-	663.0 -> 619.0	-	N.D.		
		663.0 -> 168.9				
PFUnDA	8.934	563.1 -> 519.0	0	µg/L	m	1
		563.1 -> 269.1				
11CI-PF3OUdS	-	630.9 -> 450.9	-	N.D.		
		632.9 -> 452.9				
9CI-PF3ONS	-	530.8 -> 351.0	-	N.D.		
		532.8 -> 353.0				
ADONA	-	376.9 -> 250.9	-	N.D.		
		376.9 -> 84.8				
HFPO-DA	-	284.9 -> 168.9	-	N.D.		
		284.9 -> 184.9				
3:3FTCA	-	241.0 -> 177.0	-	N.D.		
		241.0 -> 117.0				
5:3FTCA	-	341.0 -> 237.1	-	N.D.		
		341.0 -> 217.0				
7:3FTCA	-	441.0 -> 316.9	-	N.D.		
		441.0 -> 336.9				
EtFOSA	-	526.0 -> 219.0	-	N.D.		
		526.0 -> 169.0				
EtFOSE	-	630.0 -> 58.9	-	N.D.		
		511.9 -> 219.0				
MeFOSA	-	511.9 -> 169.0	-	N.D.		
		616.1 -> 58.9				
MeFOSE	-	699.1 -> 79.9	-	N.D.		
		699.1 -> 98.8				
PFDoDS	-	295.0 -> 201.0	-	N.D.		
		295.0 -> 84.9				
NFDHA	-	279.0 -> 85.1	-	N.D.		
		229.0 -> 84.9				
PFMBA	-	314.8 -> 134.9	-	N.D.		
		314.8 -> 82.9				

= Qualifier out of range, m = manually integrated, + = Area summed





Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
----------	----	------------	----------	-------------	----------





7.1.2
7



Perfluorinated Compounds by LC/MS/MS







Perfluorinated Compounds by LC/MS/MS




7.1.2

7

Perfluorinated Compounds by LC/MS/MS




Perfluorinated Compounds by LC/MS/MS







7.12
7





Perfluorinated Compounds by LC/MS/MS




Perfluorinated Compounds by LC/MS/MS



Perfluorinated Compounds by LC/MS/MS



Perfluorinated Compounds by LC/MS/MS



7.1.2

7

Perfluorinated Compounds by LC/MS/MS

Data File : 4Q43974.d
 Operator : natashag
 Acq. Method : 1633full_4Q.m
 Acq. Date-Time : 5/4/2023 5:31:16 PM
 Sample Name : fc5726-3
 Vial : P2-B8
 DA Method File : 1633_050323_S4Q634.quantmethod.xml
 Batch Name : s4q635.batch.bin
 Sample Information : OP96701,S4Q635,560,,,5.0,1,water

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Internal Standards					
M4-PFBA	2.924	216.8 -> 171.9	120697	10.00 µg/L	0.000
M5-PFPeA	4.375	268.3 -> 223.0	66013	5.00 µg/L	0.012
M5-PFHxA	5.559	318.0 -> 273.0	48455	2.50 µg/L	0.025
M4-PFHpA	6.504	367.1 -> 322.0	28755	2.50 µg/L	0.037
M8-PFOA	7.163	421.1 -> 376.0	43182	2.50 µg/L	0.039
M9-PFNA	7.721	472.1 -> 427.0	19620	1.25 µg/L	0.051
M6-PFDA	8.216	519.1 -> 474.1	18484	1.25 µg/L	0.038
M7-PFUnDA	8.697	570.0 -> 525.1	17885	1.25 µg/L	0.050
M2-PFDoDA	9.143	615.1 -> 570.0	17293	1.25 µg/L	0.037
M2-PFTeDA	9.924	715.2 -> 670.0	11855	1.25 µg/L	0.025
M8-FOSA	9.796	506.1 -> 77.8	11516	2.50 µg/L	0.025
M3-PFBS	5.452	302.1 -> 79.9	11481	2.50 µg/L	0.025
M3-PFHxS	7.254	402.1 -> 79.9	7132	2.50 µg/L	0.025
M8-PFOS	8.366	507.1 -> 79.9	9642	2.50 µg/L	0.037
M2-4:2FTS	5.247	329.1 -> 80.9	1200	5.00 µg/L	0.025
M2-6:2FTS	6.936	429.1 -> 80.9	2350	5.00 µg/L	0.037
M2-8:2FTS	8.003	529.1 -> 80.9	3522	5.00 µg/L	0.037
M3-MeFOSAA	8.286	573.2 -> 419.0	13969	5.00 µg/L	0.049
M3-HFPO-DA	5.927	286.9 -> 168.9	26321	10.00 µg/L	0.037
M5-EtFOSAA	8.495	589.2 -> 419.0	11696	5.00 µg/L	0.050
M7-MeFOSE	10.972	623.2 -> 58.9	42046	25.00 µg/L	0.025
M9-EtFOSE	11.281	639.2 -> 58.9	65105	25.00 µg/L	0.025
M5-EtFOSA	11.373	531.1 -> 219.0	8089	2.50 µg/L	0.025
M3-MeFOSA	11.089	515.0 -> 219.0	7077	2.50 µg/L	0.025
13C4-PFOS	8.367	502.8 -> 79.9	10118	2.50 µg/L	0.037
13C3-PFBA	2.928	216.0 -> 172.0	63442	5.00 µg/L	0.000
18O2-PFHxS	7.265	403.0 -> 83.9	4392	2.50 µg/L	0.037
13C4-PFOA	7.163	417.1 -> 372.0	48164	2.50 µg/L	0.039
13C2-PFDA	8.216	515.1 -> 470.1	15654	1.25 µg/L	0.038
13C5-PFNA	7.721	468.0 -> 423.0	23783	1.25 µg/L	0.037
13C2-PFHxA	5.560	315.1 -> 270.0	38943	2.50 µg/L	0.025
System Monitoring Compounds					
13C2-4:2FTS	5.247	329.1 -> 80.9	1200	6.72 µg/L	0.025
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 134.4%		
13C2-6:2FTS	6.936	429.1 -> 80.9	2350	7.30 µg/L	0.037
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 146.1%		
13C2-8:2FTS	8.003	529.1 -> 80.9	3522	7.01 µg/L	0.037
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 140.2%		
13C2-PFDoDA	9.143	615.1 -> 570.0	17293	1.14 µg/L	0.037
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 91.2%		
13C2-PFTeDA	9.924	715.2 -> 670.0	11855	0.96 µg/L	0.025
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 76.8%		
13C3-PFBS	5.452	302.1 -> 79.9	11481	2.77 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 110.9%		
13C3-PFHxS	7.254	402.1 -> 79.9	7132	2.62 µg/L	0.025

7.1.3
7

Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 104.8%	
13C4-PFBA	2.924	216.8 -> 171.9	120697	10.11 µg/L	0.000
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 101.1%	
13C4-PFHpA	6.504	367.1 -> 322.0	28755	2.87 µg/L	0.037
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 114.7%	
13C5-PFHxA	5.559	318.0 -> 273.0	48455	2.82 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 113.0%	
13C5-PFPeA	4.375	268.3 -> 223.0	66013	5.50 µg/L	0.012
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 110.1%	
13C6-PFDA	8.216	519.1 -> 474.1	18484	1.38 µg/L	0.038
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 110.3%	
13C7-PFUnDA	8.697	570.0 -> 525.1	17885	1.28 µg/L	0.050
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 102.6%	
13C8-FOSA	9.796	506.1 -> 77.8	11516	1.81 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 72.6%	
13C8-PFOA	7.163	421.1 -> 376.0	43182	2.73 µg/L	0.039
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 109.2%	
13C8-PFOS	8.366	507.1 -> 79.9	9642	2.53 µg/L	0.037
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 101.2%	
13C9-PFNA	7.721	472.1 -> 427.0	19620	1.21 µg/L	0.051
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 97.1%	
d3-MeFOSAA	8.286	573.2 -> 419.0	13969	5.47 µg/L	0.049
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 109.4%	
13C3-HFPO-DA	5.927	286.9 -> 168.9	26321	10.27 µg/L	0.037
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 102.7%	
d3-MeFOSA	11.089	515.0 -> 219.0	7077	1.78 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 71.3%	
d5-EtFOSAA	8.495	589.2 -> 419.0	11696	5.56 µg/L	0.050
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 111.2%	
d7-MeFOSE	10.972	623.2 -> 58.9	42046	13.36 µg/L	0.025
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 53.4%	
d9-EtFOSE	11.281	639.2 -> 58.9	65105	14.61 µg/L	0.025
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 58.4%	
d5-EtFOSA	11.373	531.1 -> 219.0	8089	1.92 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 76.7%	

Target Compounds

Compound	RT	Transition	Response	Conc. Units	QValue
4:2FTS	-	327.1 -> 307.0	-	N.D.	
		327.1 -> 80.9			
6:2FTS	-	427.1 -> 407.0	-	N.D.	
		427.1 -> 80.9			
8:2FTS	-	527.1 -> 507.0	-	N.D.	
		527.1 -> 80.8			
EtFOSAA	-	584.2 -> 419.1	-	N.D.	
		584.2 -> 526.0			
FOSA	-	498.1 -> 77.9	-	N.D.	
		498.1 -> 478.0			
MeFOSAA	-	570.1 -> 419.0	-	N.D.	
		570.1 -> 483.0			
PFBA	-	212.8 -> 168.9	-	N.D.	
PFBS	-	298.7 -> 79.9	-	N.D.	
		298.7 -> 98.8			
PFDA	8.502	512.9 -> 469.0	0	µg/L m	1
		512.9 -> 219.0	0		
PFDODA	-	613.1 -> 569.0	-	N.D.	
		613.1 -> 319.0			
PFDS	-	599.0 -> 79.9	-	N.D.	

7.13
7

Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc.	Units	Dev(Min)
PFHpA	-	599.0 -> 98.8	-	N.D.		
		363.1 -> 319.0				
PFHpS	-	363.1 -> 169.0	-	N.D.		
		449.0 -> 79.9				
PFHxA	-	449.0 -> 98.9	-	N.D.		
		313.0 -> 269.0				
PFHxS	-	313.0 -> 118.9	-	N.D.		
		398.7 -> 79.9				
PFNA	-	398.7 -> 98.9	-	N.D.		
		463.0 -> 419.0				
PFNS	-	463.0 -> 219.0	-	N.D.		
		548.8 -> 79.9				
PFOA	-	548.8 -> 98.9	-	N.D.		
		413.0 -> 369.0				
PFOS	-	413.0 -> 169.0	-	N.D.		
		498.9 -> 79.9				
PFPeA	-	498.9 -> 98.8	-	N.D.		
		263.0 -> 219.0				
PFPeS	-	349.1 -> 79.9	-	N.D.		
		349.1 -> 98.9				
PFTeDA	9.439	713.1 -> 669.0	0	µg/L	m	1
PFTrDA	-	713.1 -> 168.9	0	N.D.		
		663.0 -> 619.0				
PFUnDA	8.934	663.0 -> 168.9	0	µg/L	m	1
		563.1 -> 519.0				
11Cl-PF3OUdS	-	563.1 -> 269.1	0	N.D.		
		630.9 -> 450.9				
9Cl-PF3ONS	-	632.9 -> 452.9	-	N.D.		
		530.8 -> 351.0				
ADONA	-	532.8 -> 353.0	-	N.D.		
		376.9 -> 250.9				
HFPO-DA	-	376.9 -> 84.8	-	N.D.		
		284.9 -> 168.9				
3:3FTCA	-	284.9 -> 184.9	-	N.D.		
		241.0 -> 177.0				
5:3FTCA	-	241.0 -> 117.0	-	N.D.		
		341.0 -> 237.1				
7:3FTCA	-	341.0 -> 217.0	-	N.D.		
		441.0 -> 316.9				
EtFOSA	-	441.0 -> 336.9	-	N.D.		
		526.0 -> 219.0				
EtFOSE	-	526.0 -> 169.0	-	N.D.		
		630.0 -> 58.9				
MeFOSA	-	511.9 -> 219.0	-	N.D.		
		511.9 -> 169.0				
MeFOSE	-	616.1 -> 58.9	-	N.D.		
		699.1 -> 79.9				
PFDoDS	-	699.1 -> 98.8	-	N.D.		
		295.0 -> 201.0				
NFDHA	-	295.0 -> 84.9	-	N.D.		
		279.0 -> 85.1				
PFMBA	-	229.0 -> 84.9	-	N.D.		
PFMPA	-	314.8 -> 134.9	-	N.D.		
PFEESA	-	314.8 -> 82.9	-	N.D.		

= Qualifier out of range, m = manually integrated, + = Area summed



7.1.3
7





Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
----------	----	------------	----------	-------------	----------





7.1.3
7




Perfluorinated Compounds by LC/MS/MS



Perfluorinated Compounds by LC/MS/MS







Perfluorinated Compounds by LC/MS/MS







7.1.3

7





Perfluorinated Compounds by LC/MS/MS







Perfluorinated Compounds by LC/MS/MS



Perfluorinated Compounds by LC/MS/MS



Perfluorinated Compounds by LC/MS/MS



Perfluorinated Compounds by LC/MS/MS

Data File : 4Q43976.d
 Operator : natashag
 Acq. Method : 1633full_4Q.m
 Acq. Date-Time : 5/4/2023 5:59:23 PM
 Sample Name : fc5726-4
 Vial : P2-C1
 DA Method File : 1633_050323_S4Q634.quantmethod.xml
 Batch Name : s4q635.batch.bin
 Sample Information : OP96701,S4Q635,570,,,5.0,1,water

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Internal Standards					
M4-PFBA	2.936	216.8 -> 171.9	124062	10.00 µg/L	0.013
M5-PFPeA	4.387	268.3 -> 223.0	64132	5.00 µg/L	0.025
M5-PFHxA	5.559	318.0 -> 273.0	47051	2.50 µg/L	0.025
M4-PFHpA	6.492	367.1 -> 322.0	27880	2.50 µg/L	0.025
M8-PFOA	7.163	421.1 -> 376.0	42500	2.50 µg/L	0.039
M9-PFNA	7.696	472.1 -> 427.0	20618	1.25 µg/L	0.026
M6-PFDA	8.216	519.1 -> 474.1	18081	1.25 µg/L	0.038
M7-PFUnDA	8.685	570.0 -> 525.1	19041	1.25 µg/L	0.038
M2-PFDoDA	9.143	615.1 -> 570.0	18854	1.25 µg/L	0.037
M2-PFTeDA	9.924	715.2 -> 670.0	13275	1.25 µg/L	0.025
M8-FOSA	9.796	506.1 -> 77.8	9723	2.50 µg/L	0.025
M3-PFBS	5.464	302.1 -> 79.9	10668	2.50 µg/L	0.037
M3-PFHxS	7.254	402.1 -> 79.9	7152	2.50 µg/L	0.025
M8-PFOS	8.366	507.1 -> 79.9	9364	2.50 µg/L	0.037
M2-4:2FTS	5.260	329.1 -> 80.9	1136	5.00 µg/L	0.037
M2-6:2FTS	6.936	429.1 -> 80.9	2065	5.00 µg/L	0.037
M2-8:2FTS	7.990	529.1 -> 80.9	3562	5.00 µg/L	0.025
M3-MeFOSAA	8.273	573.2 -> 419.0	14595	5.00 µg/L	0.037
M3-HFPO-DA	5.914	286.9 -> 168.9	25309	10.00 µg/L	0.025
M5-EtFOSAA	8.483	589.2 -> 419.0	12265	5.00 µg/L	0.037
M7-MeFOSE	10.972	623.2 -> 58.9	41652	25.00 µg/L	0.025
M9-EtFOSE	11.269	639.2 -> 58.9	64490	25.00 µg/L	0.012
M5-EtFOSA	11.373	531.1 -> 219.0	8260	2.50 µg/L	0.025
M3-MeFOSA	11.089	515.0 -> 219.0	7164	2.50 µg/L	0.025
13C4-PFOS	8.367	502.8 -> 79.9	9976	2.50 µg/L	0.037
13C3-PFBA	2.928	216.0 -> 172.0	63824	5.00 µg/L	0.000
18O2-PFHxS	7.253	403.0 -> 83.9	4560	2.50 µg/L	0.025
13C4-PFOA	7.163	417.1 -> 372.0	50116	2.50 µg/L	0.039
13C2-PFDA	8.216	515.1 -> 470.1	16516	1.25 µg/L	0.038
13C5-PFNA	7.697	468.0 -> 423.0	22431	1.25 µg/L	0.012
13C2-PFHxA	5.560	315.1 -> 270.0	39280	2.50 µg/L	0.025
System Monitoring Compounds					
13C2-4:2FTS	5.260	329.1 -> 80.9	1136	6.13 µg/L	0.037
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 122.6%		
13C2-6:2FTS	6.936	429.1 -> 80.9	2065	6.18 µg/L	0.037
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 123.6%		
13C2-8:2FTS	7.990	529.1 -> 80.9	3562	6.83 µg/L	0.025
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 136.6%		
13C2-PFDoDA	9.143	615.1 -> 570.0	18854	1.18 µg/L	0.037
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 94.3%		
13C2-PFTeDA	9.924	715.2 -> 670.0	13275	1.02 µg/L	0.025
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 81.6%		
13C3-PFBS	5.464	302.1 -> 79.9	10668	2.48 µg/L	0.037
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 99.2%		
13C3-PFHxS	7.254	402.1 -> 79.9	7152	2.53 µg/L	0.025

7.14
7

Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 101.2%	
13C4-PFBA	2.936	216.8 -> 171.9	124062	10.33 µg/L	0.013
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 103.3%	
13C4-PFHpA	6.492	367.1 -> 322.0	27880	2.76 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 110.3%	
13C5-PFHxA	5.559	318.0 -> 273.0	47051	2.72 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 108.8%	
13C5-PFPeA	4.387	268.3 -> 223.0	64132	5.30 µg/L	0.025
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 106.0%	
13C6-PFDA	8.216	519.1 -> 474.1	18081	1.28 µg/L	0.038
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 102.3%	
13C7-PFUnDA	8.685	570.0 -> 525.1	19041	1.29 µg/L	0.038
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 103.5%	
13C8-FOSA	9.796	506.1 -> 77.8	9723	1.55 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 62.2%	
13C8-PFOA	7.163	421.1 -> 376.0	42500	2.58 µg/L	0.039
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 103.3%	
13C8-PFOS	8.366	507.1 -> 79.9	9364	2.49 µg/L	0.037
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 99.7%	
13C9-PFNA	7.696	472.1 -> 427.0	20618	1.35 µg/L	0.026
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 108.2%	
d3-MeFOSAA	8.273	573.2 -> 419.0	14595	5.80 µg/L	0.037
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 115.9%	
13C3-HFPO-DA	5.914	286.9 -> 168.9	25309	9.79 µg/L	0.025
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 97.9%	
d3-MeFOSA	11.089	515.0 -> 219.0	7164	1.83 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 73.2%	
d5-EtFOSAA	8.483	589.2 -> 419.0	12265	5.91 µg/L	0.037
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 118.3%	
d7-MeFOSE	10.972	623.2 -> 58.9	41652	13.42 µg/L	0.025
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 53.7%	
d9-EtFOSE	11.269	639.2 -> 58.9	64490	14.67 µg/L	0.012
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 58.7%	
d5-EtFOSA	11.373	531.1 -> 219.0	8260	1.99 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 79.4%	

Target Compounds

Compound	RT	Transition	Response	Conc. Units	QValue
4:2FTS	-	327.1 -> 307.0	-	N.D.	
		327.1 -> 80.9			
6:2FTS	-	427.1 -> 407.0	-	N.D.	
		427.1 -> 80.9			
8:2FTS	-	527.1 -> 507.0	-	N.D.	
		527.1 -> 80.8			
EtFOSAA	-	584.2 -> 419.1	-	N.D.	
		584.2 -> 526.0			
FOSA	-	498.1 -> 77.9	-	N.D.	
		498.1 -> 478.0			
MeFOSAA	-	570.1 -> 419.0	-	N.D.	
		570.1 -> 483.0			
PFBA	-	212.8 -> 168.9	-	N.D.	
PFBS	-	298.7 -> 79.9	-	N.D.	
		298.7 -> 98.8			
PFDA	-	512.9 -> 469.0	-	N.D.	
		512.9 -> 219.0			
PFDODA	-	613.1 -> 569.0	-	N.D.	
		613.1 -> 319.0			
PFDS	-	599.0 -> 79.9	-	N.D.	

Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc.	Units	Dev(Min)
PFHpA	-	599.0 -> 98.8	-	N.D.		
		363.1 -> 319.0				
PFHpS	-	363.1 -> 169.0	-	N.D.		
		449.0 -> 79.9				
PFHxA	-	449.0 -> 98.9	-	N.D.		
		313.0 -> 269.0				
PFHxS	-	313.0 -> 118.9	-	N.D.		
		398.7 -> 79.9				
PFNA	-	398.7 -> 98.9	-	N.D.		
		463.0 -> 419.0				
PFNS	-	463.0 -> 219.0	-	N.D.		
		548.8 -> 79.9				
PFOA	7.551	548.8 -> 98.9	0	µg/L	m	1
		413.0 -> 369.0				
PFOS	-	413.0 -> 169.0	-	N.D.		
		498.9 -> 79.9				
PFPeA	-	498.9 -> 98.8	-	N.D.		
		263.0 -> 219.0				
PFPeS	-	349.1 -> 79.9	-	N.D.		
		349.1 -> 98.9				
PFTeDA	-	713.1 -> 669.0	-	N.D.		
		713.1 -> 168.9				
PFTrDA	-	663.0 -> 619.0	-	N.D.		
		663.0 -> 168.9				
PFUnDA	8.922	563.1 -> 519.0	0	µg/L	m	1
		563.1 -> 269.1				
11Cl-PF3OUdS	-	630.9 -> 450.9	-	N.D.		
		632.9 -> 452.9				
9Cl-PF3ONS	-	530.8 -> 351.0	-	N.D.		
		532.8 -> 353.0				
ADONA	-	376.9 -> 250.9	-	N.D.		
		376.9 -> 84.8				
HFPO-DA	-	284.9 -> 168.9	-	N.D.		
		284.9 -> 184.9				
3:3FTCA	-	241.0 -> 177.0	-	N.D.		
		241.0 -> 117.0				
5:3FTCA	-	341.0 -> 237.1	-	N.D.		
		341.0 -> 217.0				
7:3FTCA	-	441.0 -> 316.9	-	N.D.		
		441.0 -> 336.9				
EtFOSA	-	526.0 -> 219.0	-	N.D.		
		526.0 -> 169.0				
EtFOSE	-	630.0 -> 58.9	-	N.D.		
		511.9 -> 219.0				
MeFOSA	-	511.9 -> 169.0	-	N.D.		
		616.1 -> 58.9				
MeFOSE	-	699.1 -> 79.9	-	N.D.		
		699.1 -> 98.8				
PFDoDS	-	295.0 -> 201.0	-	N.D.		
		295.0 -> 84.9				
NFDHA	-	279.0 -> 85.1	-	N.D.		
		229.0 -> 84.9				
PFMBA	-	314.8 -> 134.9	-	N.D.		
		314.8 -> 82.9				

= Qualifier out of range, m = manually integrated, + = Area summed





Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
----------	----	------------	----------	-------------	----------





7.1.4
7







Perfluorinated Compounds by LC/MS/MS







Perfluorinated Compounds by LC/MS/MS







Perfluorinated Compounds by LC/MS/MS







Perfluorinated Compounds by LC/MS/MS




Perfluorinated Compounds by LC/MS/MS



Perfluorinated Compounds by LC/MS/MS



Perfluorinated Compounds by LC/MS/MS



7.1.4

7



Perfluorinated Compounds by LC/MS/MS

Data File : 4Q43977.d
 Operator : natashag
 Acq. Method : 1633full_4Q.m
 Acq. Date-Time : 5/4/2023 6:13:30 PM
 Sample Name : fc5726-5
 Vial : P2-C2
 DA Method File : 1633_050323_S4Q634.quantmethod.xml
 Batch Name : s4q635.batch.bin
 Sample Information : OP96701,S4Q635,520,,5.0,1,water

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Internal Standards					
M4-PFBA	2.924	216.8 -> 171.9	117037	10.00 µg/L	0.000
M5-PFPeA	4.387	268.3 -> 223.0	66372	5.00 µg/L	0.025
M5-PFHxA	5.572	318.0 -> 273.0	48286	2.50 µg/L	0.037
M4-PFHpA	6.504	367.1 -> 322.0	28693	2.50 µg/L	0.037
M8-PFOA	7.175	421.1 -> 376.0	42641	2.50 µg/L	0.052
M9-PFNA	7.721	472.1 -> 427.0	20720	1.25 µg/L	0.051
M6-PFDA	8.216	519.1 -> 474.1	18879	1.25 µg/L	0.038
M7-PFUnDA	8.697	570.0 -> 525.1	19424	1.25 µg/L	0.050
M2-PFDoDA	9.143	615.1 -> 570.0	19854	1.25 µg/L	0.037
M2-PFTeDA	9.936	715.2 -> 670.0	14235	1.25 µg/L	0.037
M8-FOSA	9.796	506.1 -> 77.8	12728	2.50 µg/L	0.025
M3-PFBS	5.464	302.1 -> 79.9	11356	2.50 µg/L	0.037
M3-PFHxS	7.266	402.1 -> 79.9	7421	2.50 µg/L	0.037
M8-PFOS	8.366	507.1 -> 79.9	9291	2.50 µg/L	0.037
M2-4:2FTS	5.260	329.1 -> 80.9	1151	5.00 µg/L	0.037
M2-6:2FTS	6.936	429.1 -> 80.9	2239	5.00 µg/L	0.037
M2-8:2FTS	8.015	529.1 -> 80.9	3580	5.00 µg/L	0.050
M3-MeFOSAA	8.286	573.2 -> 419.0	15333	5.00 µg/L	0.049
M3-HFPO-DA	5.939	286.9 -> 168.9	26744	10.00 µg/L	0.049
M5-EtFOSAA	8.495	589.2 -> 419.0	12664	5.00 µg/L	0.050
M7-MeFOSE	10.984	623.2 -> 58.9	51139	25.00 µg/L	0.037
M9-EtFOSE	11.281	639.2 -> 58.9	78230	25.00 µg/L	0.025
M5-EtFOSA	11.373	531.1 -> 219.0	9372	2.50 µg/L	0.025
M3-MeFOSA	11.089	515.0 -> 219.0	9069	2.50 µg/L	0.025
13C4-PFOS	8.367	502.8 -> 79.9	9602	2.50 µg/L	0.037
13C3-PFBA	2.928	216.0 -> 172.0	63385	5.00 µg/L	0.000
18O2-PFHxS	7.265	403.0 -> 83.9	4441	2.50 µg/L	0.037
13C4-PFOA	7.176	417.1 -> 372.0	47495	2.50 µg/L	0.052
13C2-PFDA	8.216	515.1 -> 470.1	16215	1.25 µg/L	0.038
13C5-PFNA	7.721	468.0 -> 423.0	23123	1.25 µg/L	0.037
13C2-PFHxA	5.573	315.1 -> 270.0	38900	2.50 µg/L	0.037
System Monitoring Compounds					
13C2-4:2FTS	5.260	329.1 -> 80.9	1151	6.38 µg/L	0.037
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 127.6%		
13C2-6:2FTS	6.936	429.1 -> 80.9	2239	6.88 µg/L	0.037
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 137.6%		
13C2-8:2FTS	8.015	529.1 -> 80.9	3580	7.05 µg/L	0.050
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 141.0%		
13C2-PFDoDA	9.143	615.1 -> 570.0	19854	1.26 µg/L	0.037
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 101.1%		
13C2-PFTeDA	9.936	715.2 -> 670.0	14235	1.11 µg/L	0.037
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 89.1%		
13C3-PFBS	5.464	302.1 -> 79.9	11356	2.71 µg/L	0.037
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 108.5%		
13C3-PFHxS	7.266	402.1 -> 79.9	7421	2.70 µg/L	0.037

7.15
7

Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 107.8%	
13C4-PFBA	2.924	216.8 -> 171.9	117037	9.81 µg/L	0.000
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 98.1%	
13C4-PFHpA	6.504	367.1 -> 322.0	28693	2.87 µg/L	0.037
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 114.6%	
13C5-PFHxA	5.572	318.0 -> 273.0	48286	2.82 µg/L	0.037
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 112.7%	
13C5-PFPeA	4.387	268.3 -> 223.0	66372	5.54 µg/L	0.025
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 110.8%	
13C6-PFDA	8.216	519.1 -> 474.1	18879	1.36 µg/L	0.038
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 108.8%	
13C7-PFUnDA	8.697	570.0 -> 525.1	19424	1.34 µg/L	0.050
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 107.5%	
13C8-FOSA	9.796	506.1 -> 77.8	12728	2.11 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 84.6%	
13C8-PFOA	7.175	421.1 -> 376.0	42641	2.73 µg/L	0.052
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 109.4%	
13C8-PFOS	8.366	507.1 -> 79.9	9291	2.57 µg/L	0.037
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 102.8%	
13C9-PFNA	7.721	472.1 -> 427.0	20720	1.32 µg/L	0.051
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 105.5%	
d3-MeFOSAA	8.286	573.2 -> 419.0	15333	6.33 µg/L	0.049
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 126.5%	
13C3-HFPO-DA	5.939	286.9 -> 168.9	26744	10.45 µg/L	0.049
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 104.5%	
d3-MeFOSA	11.089	515.0 -> 219.0	9069	2.41 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 96.3%	
d5-EtFOSAA	8.495	589.2 -> 419.0	12664	6.35 µg/L	0.050
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 126.9%	
d7-MeFOSE	10.984	623.2 -> 58.9	51139	17.12 µg/L	0.037
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 68.5%	
d9-EtFOSE	11.281	639.2 -> 58.9	78230	18.49 µg/L	0.025
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 74.0%	
d5-EtFOSA	11.373	531.1 -> 219.0	9372	2.34 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 93.7%	

Target Compounds

Compound	RT	Transition	Response	Conc. Units	QValue
4:2FTS	-	327.1 -> 307.0	-	N.D.	
		327.1 -> 80.9			
6:2FTS	-	427.1 -> 407.0	-	N.D.	
		427.1 -> 80.9			
8:2FTS	-	527.1 -> 507.0	-	N.D.	
		527.1 -> 80.8			
EtFOSAA	-	584.2 -> 419.1	-	N.D.	
		584.2 -> 526.0			
FOSA	-	498.1 -> 77.9	-	N.D.	
		498.1 -> 478.0			
MeFOSAA	-	570.1 -> 419.0	-	N.D.	
		570.1 -> 483.0			
PFBA	-	212.8 -> 168.9	-	N.D.	
PFBS	-	298.7 -> 79.9	-	N.D.	
		298.7 -> 98.8			
PFDA	-	512.9 -> 469.0	-	N.D.	
		512.9 -> 219.0			
PFDODA	-	613.1 -> 569.0	-	N.D.	
		613.1 -> 319.0			
PFDS	-	599.0 -> 79.9	-	N.D.	

Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc.	Units	Dev(Min)
PFHpA	-	599.0 -> 98.8	-	N.D.		
		363.1 -> 319.0				
PFHpS	-	363.1 -> 169.0	-	N.D.		
		449.0 -> 79.9				
PFHxA	-	449.0 -> 98.9	-	N.D.		
		313.0 -> 269.0				
PFHxS	-	313.0 -> 118.9	-	N.D.		
		398.7 -> 79.9				
PFNA	-	398.7 -> 98.9	-	N.D.		
		463.0 -> 419.0				
PFNS	-	463.0 -> 219.0	-	N.D.		
		548.8 -> 79.9				
PFOA	7.477	548.8 -> 98.9	0	µg/L	m	1
		413.0 -> 369.0				
PFOS	-	413.0 -> 169.0	-	N.D.		
		498.9 -> 79.9				
PFPeA	-	498.9 -> 98.8	-	N.D.		
		263.0 -> 219.0				
PFPeS	-	349.1 -> 79.9	-	N.D.		
		349.1 -> 98.9				
PFTeDA	-	713.1 -> 669.0	-	N.D.		
		713.1 -> 168.9				
PFTrDA	-	663.0 -> 619.0	-	N.D.		
		663.0 -> 168.9				
PFUnDA	-	563.1 -> 519.0	-	N.D.		
		563.1 -> 269.1				
11Cl-PF3OUdS	-	630.9 -> 450.9	-	N.D.		
		632.9 -> 452.9				
9Cl-PF3ONS	-	530.8 -> 351.0	-	N.D.		
		532.8 -> 353.0				
ADONA	-	376.9 -> 250.9	-	N.D.		
		376.9 -> 84.8				
HFPO-DA	-	284.9 -> 168.9	-	N.D.		
		284.9 -> 184.9				
3:3FTCA	-	241.0 -> 177.0	-	N.D.		
		241.0 -> 117.0				
5:3FTCA	-	341.0 -> 237.1	-	N.D.		
		341.0 -> 217.0				
7:3FTCA	-	441.0 -> 316.9	-	N.D.		
		441.0 -> 336.9				
EtFOSA	-	526.0 -> 219.0	-	N.D.		
		526.0 -> 169.0				
EtFOSE	-	630.0 -> 58.9	-	N.D.		
		511.9 -> 219.0				
MeFOSA	-	511.9 -> 169.0	-	N.D.		
		616.1 -> 58.9				
MeFOSE	-	699.1 -> 79.9	-	N.D.		
		699.1 -> 98.8				
PFDoDS	-	295.0 -> 201.0	-	N.D.		
		295.0 -> 84.9				
NFDHA	-	279.0 -> 85.1	-	N.D.		
		229.0 -> 84.9				
PFMBA	-	314.8 -> 134.9	-	N.D.		
		314.8 -> 82.9				

= Qualifier out of range, m = manually integrated, + = Area summed





Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
----------	----	------------	----------	-------------	----------





7.1.5
7



Perfluorinated Compounds by LC/MS/MS




Perfluorinated Compounds by LC/MS/MS



7.1.5

7

Perfluorinated Compounds by LC/MS/MS




7.1.5

7



Perfluorinated Compounds by LC/MS/MS







7.15

7

Perfluorinated Compounds by LC/MS/MS


Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
13C8-PFOS	2.57	8.37	0.04	9291				
d5-EtFOSAA	6.35	8.50	0.05	12664				
13C7-PFUnDA	1.34	8.70	0.05	19424				
13C2-PFDoDA	1.26	9.14	0.04	19854				

Perfluorinated Compounds by LC/MS/MS




Perfluorinated Compounds by LC/MS/MS

Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d9-EtFOSE	18.49	11.28	0.02	78230				



Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d5-EtFOSA	2.34	11.37	0.02	9372				



7.1.5

7

Perfluorinated Compounds by LC/MS/MS

Data File : 4Q43970.d
 Operator : natashag
 Acq. Method : 1633full_4Q.m
 Acq. Date-Time : 5/4/2023 4:35:02 PM
 Sample Name : op96701-mb
 Vial : P2-B4
 DA Method File : 1633_050323_S4Q634.quantmethod.xml
 Batch Name : s4q635.batch.bin
 Sample Information : OP96701,S4Q635,500,,,5.0,1,water

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Internal Standards					
M4-PFBA	2.924	216.8 -> 171.9	128666	10.00 µg/L	0.000
M5-PFPeA	4.387	268.3 -> 223.0	64623	5.00 µg/L	0.025
M5-PFHxA	5.559	318.0 -> 273.0	46578	2.50 µg/L	0.025
M4-PFHpA	6.492	367.1 -> 322.0	27473	2.50 µg/L	0.025
M8-PFOA	7.163	421.1 -> 376.0	40492	2.50 µg/L	0.039
M9-PFNA	7.709	472.1 -> 427.0	20860	1.25 µg/L	0.038
M6-PFDA	8.216	519.1 -> 474.1	17896	1.25 µg/L	0.038
M7-PFUnDA	8.685	570.0 -> 525.1	19812	1.25 µg/L	0.038
M2-PFDoDA	9.143	615.1 -> 570.0	18584	1.25 µg/L	0.037
M2-PFTeDA	9.924	715.2 -> 670.0	12447	1.25 µg/L	0.025
M8-FOSA	9.796	506.1 -> 77.8	11732	2.50 µg/L	0.025
M3-PFBS	5.464	302.1 -> 79.9	11013	2.50 µg/L	0.037
M3-PFHxS	7.254	402.1 -> 79.9	7294	2.50 µg/L	0.025
M8-PFOS	8.366	507.1 -> 79.9	10252	2.50 µg/L	0.037
M2-4:2FTS	5.247	329.1 -> 80.9	1124	5.00 µg/L	0.025
M2-6:2FTS	6.936	429.1 -> 80.9	2094	5.00 µg/L	0.037
M2-8:2FTS	8.003	529.1 -> 80.9	3403	5.00 µg/L	0.037
M3-MeFOSAA	8.273	573.2 -> 419.0	14545	5.00 µg/L	0.037
M3-HFPO-DA	5.927	286.9 -> 168.9	26068	10.00 µg/L	0.037
M5-EtFOSAA	8.483	589.2 -> 419.0	10503	5.00 µg/L	0.037
M7-MeFOSE	10.972	623.2 -> 58.9	43718	25.00 µg/L	0.025
M9-EtFOSE	11.281	639.2 -> 58.9	69762	25.00 µg/L	0.025
M5-EtFOSA	11.373	531.1 -> 219.0	7542	2.50 µg/L	0.025
M3-MeFOSA	11.089	515.0 -> 219.0	6329	2.50 µg/L	0.025
13C4-PFOS	8.367	502.8 -> 79.9	9913	2.50 µg/L	0.037
13C3-PFBA	2.928	216.0 -> 172.0	60006	5.00 µg/L	0.000
18O2-PFHxS	7.253	403.0 -> 83.9	4467	2.50 µg/L	0.025
13C4-PFOA	7.163	417.1 -> 372.0	46318	2.50 µg/L	0.039
13C2-PFDA	8.216	515.1 -> 470.1	15478	1.25 µg/L	0.038
13C5-PFNA	7.709	468.0 -> 423.0	21992	1.25 µg/L	0.025
13C2-PFHxA	5.560	315.1 -> 270.0	36518	2.50 µg/L	0.025
System Monitoring Compounds					
13C2-4:2FTS	5.247	329.1 -> 80.9	1124	6.19 µg/L	0.025
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 123.8%		
13C2-6:2FTS	6.936	429.1 -> 80.9	2094	6.40 µg/L	0.037
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 128.0%		
13C2-8:2FTS	8.003	529.1 -> 80.9	3403	6.66 µg/L	0.037
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 133.2%		
13C2-PFDoDA	9.143	615.1 -> 570.0	18584	1.24 µg/L	0.037
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 99.1%		
13C2-PFTeDA	9.924	715.2 -> 670.0	12447	1.02 µg/L	0.025
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 81.6%		
13C3-PFBS	5.464	302.1 -> 79.9	11013	2.61 µg/L	0.037
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 104.6%		
13C3-PFHxS	7.254	402.1 -> 79.9	7294	2.63 µg/L	0.025

7.2.1
7

Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 105.4%	
13C4-PFBA	2.924	216.8 -> 171.9	128666	11.39 µg/L	0.000
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 113.9%	
13C4-PFHpA	6.492	367.1 -> 322.0	27473	2.92 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 116.9%	
13C5-PFHxA	5.559	318.0 -> 273.0	46578	2.90 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 115.8%	
13C5-PFPeA	4.387	268.3 -> 223.0	64623	5.75 µg/L	0.025
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 114.9%	
13C6-PFDA	8.216	519.1 -> 474.1	17896	1.35 µg/L	0.038
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 108.0%	
13C7-PFUnDA	8.685	570.0 -> 525.1	19812	1.44 µg/L	0.038
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 114.9%	
13C8-FOSA	9.796	506.1 -> 77.8	11732	1.89 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 75.5%	
13C8-PFOA	7.163	421.1 -> 376.0	40492	2.66 µg/L	0.039
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 106.5%	
13C8-PFOS	8.366	507.1 -> 79.9	10252	2.75 µg/L	0.037
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 109.9%	
13C9-PFNA	7.709	472.1 -> 427.0	20860	1.40 µg/L	0.038
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 111.6%	
d3-MeFOSAA	8.273	573.2 -> 419.0	14545	5.81 µg/L	0.037
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 116.3%	
13C3-HFPO-DA	5.927	286.9 -> 168.9	26068	10.85 µg/L	0.037
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 108.5%	
d3-MeFOSA	11.089	515.0 -> 219.0	6329	1.63 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 65.1%	
d5-EtFOSAA	8.483	589.2 -> 419.0	10503	5.10 µg/L	0.037
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 102.0%	
d7-MeFOSE	10.972	623.2 -> 58.9	43718	14.18 µg/L	0.025
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 56.7%	
d9-EtFOSE	11.281	639.2 -> 58.9	69762	15.97 µg/L	0.025
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 63.9%	
d5-EtFOSA	11.373	531.1 -> 219.0	7542	1.83 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 73.0%	

Target Compounds

QValue

4:2FTS	-	327.1 -> 307.0 327.1 -> 80.9	-	N.D.	
6:2FTS	-	427.1 -> 407.0 427.1 -> 80.9	-	N.D.	
8:2FTS	-	527.1 -> 507.0 527.1 -> 80.8	-	N.D.	
EtFOSAA	-	584.2 -> 419.1 584.2 -> 526.0	-	N.D.	
FOSA	-	498.1 -> 77.9 498.1 -> 478.0	-	N.D.	
MeFOSAA	-	570.1 -> 419.0 570.1 -> 483.0	-	N.D.	
PFBA	-	212.8 -> 168.9	-	N.D.	
PFBS	-	298.7 -> 79.9 298.7 -> 98.8	-	N.D.	
PFDA	8.528	512.9 -> 469.0 512.9 -> 219.0	0 0	µg/L	m 1
PFDODA	-	613.1 -> 569.0 613.1 -> 319.0	-	N.D.	
PFDS	-	599.0 -> 79.9	-	N.D.	

Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc.	Units	Dev(Min)
PFHpA	-	599.0 -> 98.8	-	N.D.		
		363.1 -> 319.0				
PFHpS	-	363.1 -> 169.0	-	N.D.		
		449.0 -> 79.9				
PFHxA	5.562	449.0 -> 98.9	1141	0.06	µg/L	98
		313.0 -> 269.0				
PFHxS	-	313.0 -> 118.9	40	N.D.		
		398.7 -> 79.9				
PFNA	-	398.7 -> 98.9	-	N.D.		
		463.0 -> 419.0				
PFNS	-	463.0 -> 219.0	-	N.D.		
		548.8 -> 79.9				
PFOA	-	548.8 -> 98.9	-	N.D.		
		413.0 -> 369.0				
PFOS	-	413.0 -> 169.0	-	N.D.		
		498.9 -> 79.9				
PFPeA	-	498.9 -> 98.8	-	N.D.		
		263.0 -> 219.0				
PFPeS	-	349.1 -> 79.9	-	N.D.		
		349.1 -> 98.9				
PFTeDA	-	713.1 -> 669.0	-	N.D.		
		713.1 -> 168.9				
PFTrDA	-	663.0 -> 619.0	-	N.D.		
		663.0 -> 168.9				
PFUnDA	8.934	563.1 -> 519.0	0	µg/L	m	1
		563.1 -> 269.1				
11Cl-PF3OUdS	-	630.9 -> 450.9	-	N.D.		
		632.9 -> 452.9				
9Cl-PF3ONS	-	530.8 -> 351.0	-	N.D.		
		532.8 -> 353.0				
ADONA	-	376.9 -> 250.9	-	N.D.		
		376.9 -> 84.8				
HFPO-DA	-	284.9 -> 168.9	-	N.D.		
		284.9 -> 184.9				
3:3FTCA	-	241.0 -> 177.0	-	N.D.		
		241.0 -> 117.0				
5:3FTCA	-	341.0 -> 237.1	-	N.D.		
		341.0 -> 217.0				
7:3FTCA	-	441.0 -> 316.9	-	N.D.		
		441.0 -> 336.9				
EtFOSA	-	526.0 -> 219.0	-	N.D.		
		526.0 -> 169.0				
EtFOSE	-	630.0 -> 58.9	-	N.D.		
		511.9 -> 219.0				
MeFOSA	-	511.9 -> 169.0	-	N.D.		
		616.1 -> 58.9				
MeFOSE	-	699.1 -> 79.9	-	N.D.		
		699.1 -> 98.8				
PFDoDS	-	295.0 -> 201.0	-	N.D.		
		295.0 -> 84.9				
NFDHA	-	279.0 -> 85.1	-	N.D.		
		229.0 -> 84.9				
PFMBA	-	314.8 -> 134.9	-	N.D.		
		314.8 -> 82.9				

= Qualifier out of range, m = manually integrated, + = Area summed

7.2.1
7





Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
----------	----	------------	----------	-------------	----------

7.2.1


7

Perfluorinated Compounds by LC/MS/MS




7.2.1
7

Perfluorinated Compounds by LC/MS/MS







7.2.1
7

Perfluorinated Compounds by LC/MS/MS




7.2.1
7

Perfluorinated Compounds by LC/MS/MS







Perfluorinated Compounds by LC/MS/MS



7.2.1
7


Perfluorinated Compounds by LC/MS/MS



7.2.1

7

Perfluorinated Compounds by LC/MS/MS



7.2.1
7

Perfluorinated Compounds by LC/MS/MS

Data File : 4Q43953.d
 Operator : natashag
 Acq. Method : 1633full_4Q.m
 Acq. Date-Time : 5/4/2023 12:33:55 PM
 Sample Name : iblk
 Vial : P1-A1
 DA Method File : 1633_050323_S4Q634.quantmethod.xml
 Batch Name : s4q635.batch.bin
 Sample Information : OP96548,S4Q635,500,,,5.0,1,water

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Internal Standards					
M4-PFBA	2.936	216.8 -> 171.9	127527	10.00 µg/L	0.013
M5-PFPeA	4.375	268.3 -> 223.0	68156	5.00 µg/L	0.012
M5-PFHxA	5.522	318.0 -> 273.0	47063	2.50 µg/L	-0.012
M4-PFHpA	6.455	367.1 -> 322.0	27381	2.50 µg/L	-0.012
M8-PFOA	7.111	421.1 -> 376.0	42584	2.50 µg/L	-0.012
M9-PFNA	7.658	472.1 -> 427.0	20496	1.25 µg/L	-0.012
M6-PFDA	8.166	519.1 -> 474.1	18925	1.25 µg/L	-0.012
M7-PFUnDA	8.635	570.0 -> 525.1	19609	1.25 µg/L	-0.012
M2-PFDoDA	9.081	615.1 -> 570.0	20487	1.25 µg/L	-0.025
M2-PFTeDA	9.874	715.2 -> 670.0	16028	1.25 µg/L	-0.025
M8-FOSA	9.746	506.1 -> 77.8	16224	2.50 µg/L	-0.025
M3-PFBS	5.427	302.1 -> 79.9	11356	2.50 µg/L	0.000
M3-PFHxS	7.217	402.1 -> 79.9	6926	2.50 µg/L	-0.012
M8-PFOS	8.316	507.1 -> 79.9	10594	2.50 µg/L	-0.013
M2-4:2FTS	5.222	329.1 -> 80.9	1158	5.00 µg/L	0.000
M2-6:2FTS	6.886	429.1 -> 80.9	2127	5.00 µg/L	-0.012
M2-8:2FTS	7.953	529.1 -> 80.9	3524	5.00 µg/L	-0.012
M3-MeFOSAA	8.224	573.2 -> 419.0	14349	5.00 µg/L	-0.012
M3-HFPO-DA	5.877	286.9 -> 168.9	27846	10.00 µg/L	-0.012
M5-EtFOSAA	8.433	589.2 -> 419.0	11549	5.00 µg/L	-0.012
M7-MeFOSE	10.934	623.2 -> 58.9	70863	25.00 µg/L	-0.012
M9-EtFOSE	11.244	639.2 -> 58.9	98354	25.00 µg/L	-0.012
M5-EtFOSA	11.348	531.1 -> 219.0	11090	2.50 µg/L	0.000
M3-MeFOSA	11.051	515.0 -> 219.0	10257	2.50 µg/L	-0.012
13C4-PFOS	8.305	502.8 -> 79.9	11078	2.50 µg/L	-0.025
13C3-PFBA	2.941	216.0 -> 172.0	67911	5.00 µg/L	0.012
18O2-PFHxS	7.216	403.0 -> 83.9	4863	2.50 µg/L	-0.012
13C4-PFOA	7.112	417.1 -> 372.0	51248	2.50 µg/L	-0.012
13C2-PFDA	8.166	515.1 -> 470.1	17518	1.25 µg/L	-0.012
13C5-PFNA	7.658	468.0 -> 423.0	25033	1.25 µg/L	-0.026
13C2-PFHxA	5.523	315.1 -> 270.0	41866	2.50 µg/L	-0.012
System Monitoring Compounds					
13C2-4:2FTS	5.222	329.1 -> 80.9	1158	5.86 µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 117.2%		
13C2-6:2FTS	6.886	429.1 -> 80.9	2127	5.97 µg/L	-0.012
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 119.4%		
13C2-8:2FTS	7.953	529.1 -> 80.9	3524	6.34 µg/L	-0.012
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 126.7%		
13C2-PFDoDA	9.081	615.1 -> 570.0	20487	1.21 µg/L	-0.025
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 96.6%		
13C2-PFTeDA	9.874	715.2 -> 670.0	16028	1.16 µg/L	-0.025
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 92.8%		
13C3-PFBS	5.427	302.1 -> 79.9	11356	2.48 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 99.1%		
13C3-PFHxS	7.217	402.1 -> 79.9	6926	2.30 µg/L	-0.012

7.22
7

Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 91.9%	
13C4-PFBA	2.936	216.8 -> 171.9	127527	9.98 µg/L	0.013
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 99.8%	
13C4-PFHpA	6.455	367.1 -> 322.0	27381	2.54 µg/L	-0.012
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 101.6%	
13C5-PFHxA	5.522	318.0 -> 273.0	47063	2.55 µg/L	-0.012
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 102.1%	
13C5-PFPeA	4.375	268.3 -> 223.0	68156	5.29 µg/L	0.012
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 105.7%	
13C6-PFDA	8.166	519.1 -> 474.1	18925	1.26 µg/L	-0.012
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 100.9%	
13C7-PFUnDA	8.635	570.0 -> 525.1	19609	1.26 µg/L	-0.012
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 100.5%	
13C8-FOSA	9.746	506.1 -> 77.8	16224	2.34 µg/L	-0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 93.4%	
13C8-PFOA	7.111	421.1 -> 376.0	42584	2.53 µg/L	-0.012
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 101.2%	
13C8-PFOS	8.316	507.1 -> 79.9	10594	2.54 µg/L	-0.013
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 101.6%	
13C9-PFNA	7.658	472.1 -> 427.0	20496	1.20 µg/L	-0.012
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 96.4%	
d3-MeFOSAA	8.224	573.2 -> 419.0	14349	5.13 µg/L	-0.012
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 102.6%	
13C3-HFPO-DA	5.877	286.9 -> 168.9	27846	10.11 µg/L	-0.012
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 101.1%	
d3-MeFOSA	11.051	515.0 -> 219.0	10257	2.36 µg/L	-0.012
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 94.4%	
d5-EtFOSAA	8.433	589.2 -> 419.0	11549	5.02 µg/L	-0.012
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 100.3%	
d7-MeFOSE	10.934	623.2 -> 58.9	70863	20.56 µg/L	-0.012
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 82.2%	
d9-EtFOSE	11.244	639.2 -> 58.9	98354	20.15 µg/L	-0.012
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 80.6%	
d5-EtFOSA	11.348	531.1 -> 219.0	11090	2.40 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 96.1%	

7.22
7

Target Compounds	RT	Transition	Response	Conc. Units	QValue
4:2FTS	-	327.1 -> 307.0	-	N.D.	
		327.1 -> 80.9			
6:2FTS	-	427.1 -> 407.0	-	N.D.	
		427.1 -> 80.9			
8:2FTS	-	527.1 -> 507.0	-	N.D.	
		527.1 -> 80.8			
EtFOSAA	-	584.2 -> 419.1	-	N.D.	
		584.2 -> 526.0			
FOSA	-	498.1 -> 77.9	-	N.D.	
		498.1 -> 478.0			
MeFOSAA	-	570.1 -> 419.0	-	N.D.	
		570.1 -> 483.0			
PFBA	-	212.8 -> 168.9	-	N.D.	
PFBS	-	298.7 -> 79.9	-	N.D.	
		298.7 -> 98.8			
PFDA	-	512.9 -> 469.0	-	N.D.	
		512.9 -> 219.0			
PFDODA	-	613.1 -> 569.0	-	N.D.	
		613.1 -> 319.0			
PFDS	-	599.0 -> 79.9	-	N.D.	



Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
		599.0 -> 98.8			
PFHpA	-	363.1 -> 319.0	-	N.D.	
		363.1 -> 169.0			
PFHpS	-	449.0 -> 79.9	-	N.D.	
		449.0 -> 98.9			
PFHxA	-	313.0 -> 269.0	-	N.D.	
		313.0 -> 118.9			
PFHxS	-	398.7 -> 79.9	-	N.D.	
		398.7 -> 98.9			
PFNA	-	463.0 -> 419.0	-	N.D.	
		463.0 -> 219.0			
PFNS	-	548.8 -> 79.9	-	N.D.	
		548.8 -> 98.9			
PFOA	-	413.0 -> 369.0	-	N.D.	
		413.0 -> 169.0			
PFOS	-	498.9 -> 79.9	-	N.D.	
		498.9 -> 98.8			
PFPeA	-	263.0 -> 219.0	-	N.D.	
PFPeS	-	349.1 -> 79.9	-	N.D.	
		349.1 -> 98.9			
PFTeDA	-	713.1 -> 669.0	-	N.D.	
		713.1 -> 168.9			
PFTTrDA	-	663.0 -> 619.0	-	N.D.	
		663.0 -> 168.9			
PFUnDA	-	563.1 -> 519.0	-	N.D.	
		563.1 -> 269.1			
11Cl-PF3OUdS	-	630.9 -> 450.9	-	N.D.	
		632.9 -> 452.9			
9Cl-PF3ONS	-	530.8 -> 351.0	-	N.D.	
		532.8 -> 353.0			
ADONA	-	376.9 -> 250.9	-	N.D.	
		376.9 -> 84.8			
HFPO-DA	-	284.9 -> 168.9	-	N.D.	
		284.9 -> 184.9			
3:3FTCA	-	241.0 -> 177.0	-	N.D.	
		241.0 -> 117.0			
5:3FTCA	-	341.0 -> 237.1	-	N.D.	
		341.0 -> 217.0			
7:3FTCA	-	441.0 -> 316.9	-	N.D.	
		441.0 -> 336.9			
EtFOSA	-	526.0 -> 219.0	-	N.D.	
		526.0 -> 169.0			
EtFOSE	-	630.0 -> 58.9	-	N.D.	
MeFOSA	-	511.9 -> 219.0	-	N.D.	
		511.9 -> 169.0			
MeFOSE	-	616.1 -> 58.9	-	N.D.	
PFDoDS	-	699.1 -> 79.9	-	N.D.	
		699.1 -> 98.8			
NFDHA	-	295.0 -> 201.0	-	N.D.	
		295.0 -> 84.9			
PFMBA	-	279.0 -> 85.1	-	N.D.	
PFMPA	-	229.0 -> 84.9	-	N.D.	
PFEESA	-	314.8 -> 134.9	-	N.D.	
		314.8 -> 82.9			

= Qualifier out of range, m = manually integrated, + = Area summed

7.2.2
7





Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
----------	----	------------	----------	-------------	----------

7.2.2

7

Perfluorinated Compounds by LC/MS/MS



7.2.2
7


Perfluorinated Compounds by LC/MS/MS

Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
13C3-PFBS	2.48	5.43	0.00	11356				
13C5-PFHxA	2.55	5.52	-0.01	47063				
13C3-HFPO-DA	10.11	5.88	-0.01	27846				
13C4-PFHpA	2.54	6.45	-0.01	27381				

7.2.2
7




Perfluorinated Compounds by LC/MS/MS



7.2.2
7




Perfluorinated Compounds by LC/MS/MS




7.2.2
7

Perfluorinated Compounds by LC/MS/MS



7.2.2
7


Perfluorinated Compounds by LC/MS/MS



7.2.2
7



Perfluorinated Compounds by LC/MS/MS



7.2.2

7

Perfluorinated Compounds by LC/MS/MS

Data File : 4Q43967.d
 Operator : natashag
 Acq. Method : 1633full_4Q.m
 Acq. Date-Time : 5/4/2023 3:52:53 PM
 Sample Name : iccb
 Vial : P1-A1
 DA Method File : 1633_050323_S4Q634.quantmethod.xml
 Batch Name : s4q635.batch.bin
 Sample Information : OP96548,S4Q635,500,,,5.0,1,water

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Internal Standards					
M4-PFBA	2.924	216.8 -> 171.9	132812	10.00 µg/L	0.000
M5-PFPeA	4.387	268.3 -> 223.0	65853	5.00 µg/L	0.025
M5-PFHxA	5.560	318.0 -> 273.0	46564	2.50 µg/L	0.025
M4-PFHpA	6.492	367.1 -> 322.0	28451	2.50 µg/L	0.025
M8-PFOA	7.163	421.1 -> 376.0	42993	2.50 µg/L	0.039
M9-PFNA	7.709	472.1 -> 427.0	20427	1.25 µg/L	0.038
M6-PFDA	8.216	519.1 -> 474.1	19101	1.25 µg/L	0.038
M7-PFUnDA	8.685	570.0 -> 525.1	19839	1.25 µg/L	0.038
M2-PFDoDA	9.130	615.1 -> 570.0	22302	1.25 µg/L	0.025
M2-PFTeDA	9.924	715.2 -> 670.0	15955	1.25 µg/L	0.025
M8-FOSA	9.796	506.1 -> 77.8	16253	2.50 µg/L	0.025
M3-PFBS	5.452	302.1 -> 79.9	11085	2.50 µg/L	0.025
M3-PFHxS	7.254	402.1 -> 79.9	7516	2.50 µg/L	0.025
M8-PFOS	8.366	507.1 -> 79.9	10038	2.50 µg/L	0.037
M2-4:2FTS	5.247	329.1 -> 80.9	1252	5.00 µg/L	0.025
M2-6:2FTS	6.923	429.1 -> 80.9	2303	5.00 µg/L	0.025
M2-8:2FTS	8.003	529.1 -> 80.9	3353	5.00 µg/L	0.037
M3-MeFOSAA	8.273	573.2 -> 419.0	15451	5.00 µg/L	0.037
M3-HFPO-DA	5.927	286.9 -> 168.9	26489	10.00 µg/L	0.037
M5-EtFOSAA	8.483	589.2 -> 419.0	12790	5.00 µg/L	0.037
M7-MeFOSE	10.972	623.2 -> 58.9	68381	25.00 µg/L	0.025
M9-EtFOSE	11.281	639.2 -> 58.9	96126	25.00 µg/L	0.025
M5-EtFOSA	11.373	531.1 -> 219.0	11271	2.50 µg/L	0.025
M3-MeFOSA	11.089	515.0 -> 219.0	10042	2.50 µg/L	0.025
13C4-PFOS	8.354	502.8 -> 79.9	11349	2.50 µg/L	0.025
13C3-PFBA	2.928	216.0 -> 172.0	69038	5.00 µg/L	0.000
18O2-PFHxS	7.253	403.0 -> 83.9	4847	2.50 µg/L	0.025
13C4-PFOA	7.163	417.1 -> 372.0	50061	2.50 µg/L	0.039
13C2-PFDA	8.216	515.1 -> 470.1	17765	1.25 µg/L	0.038
13C5-PFNA	7.709	468.0 -> 423.0	24386	1.25 µg/L	0.025
13C2-PFHxA	5.560	315.1 -> 270.0	42856	2.50 µg/L	0.025
System Monitoring Compounds					
13C2-4:2FTS	5.247	329.1 -> 80.9	1252	6.36 µg/L	0.025
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 127.1%		
13C2-6:2FTS	6.923	429.1 -> 80.9	2303	6.48 µg/L	0.025
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 129.7%		
13C2-8:2FTS	8.003	529.1 -> 80.9	3353	6.05 µg/L	0.037
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 121.0%		
13C2-PFDoDA	9.130	615.1 -> 570.0	22302	1.30 µg/L	0.025
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 103.7%		
13C2-PFTeDA	9.924	715.2 -> 670.0	15955	1.14 µg/L	0.025
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 91.1%		
13C3-PFBS	5.452	302.1 -> 79.9	11085	2.43 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 97.0%		
13C3-PFHxS	7.254	402.1 -> 79.9	7516	2.50 µg/L	0.025

7.2.3
7

Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 100.1%	
13C4-PFBA	2.924	216.8 -> 171.9	132812	10.22 µg/L	0.000
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 102.2%	
13C4-PFHpA	6.492	367.1 -> 322.0	28451	2.58 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 103.2%	
13C5-PFHxA	5.560	318.0 -> 273.0	46564	2.47 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 98.7%	
13C5-PFPeA	4.387	268.3 -> 223.0	65853	4.99 µg/L	0.025
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 99.8%	
13C6-PFDA	8.216	519.1 -> 474.1	19101	1.26 µg/L	0.038
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 100.4%	
13C7-PFUnDA	8.685	570.0 -> 525.1	19839	1.25 µg/L	0.038
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 100.2%	
13C8-FOSA	9.796	506.1 -> 77.8	16253	2.28 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 91.3%	
13C8-PFOA	7.163	421.1 -> 376.0	42993	2.62 µg/L	0.039
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 104.6%	
13C8-PFOS	8.366	507.1 -> 79.9	10038	2.35 µg/L	0.037
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 94.0%	
13C9-PFNA	7.709	472.1 -> 427.0	20427	1.23 µg/L	0.038
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 98.6%	
d3-MeFOSAA	8.273	573.2 -> 419.0	15451	5.39 µg/L	0.037
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 107.9%	
13C3-HFPO-DA	5.927	286.9 -> 168.9	26489	9.40 µg/L	0.037
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 94.0%	
d3-MeFOSA	11.089	515.0 -> 219.0	10042	2.26 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 90.3%	
d5-EtFOSAA	8.483	589.2 -> 419.0	12790	5.42 µg/L	0.037
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 108.4%	
d7-MeFOSE	10.972	623.2 -> 58.9	68381	19.37 µg/L	0.025
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 77.5%	
d9-EtFOSE	11.281	639.2 -> 58.9	96126	19.23 µg/L	0.025
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 76.9%	
d5-EtFOSA	11.373	531.1 -> 219.0	11271	2.38 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 95.3%	

Target Compounds

QValue

4:2FTS	-	327.1 -> 307.0	-	N.D.	
		327.1 -> 80.9			
6:2FTS	-	427.1 -> 407.0	-	N.D.	
		427.1 -> 80.9			
8:2FTS	-	527.1 -> 507.0	-	N.D.	
		527.1 -> 80.8			
EtFOSAA	-	584.2 -> 419.1	-	N.D.	
		584.2 -> 526.0			
FOSA	-	498.1 -> 77.9	-	N.D.	
		498.1 -> 478.0			
MeFOSAA	-	570.1 -> 419.0	-	N.D.	
		570.1 -> 483.0			
PFBA	-	212.8 -> 168.9	-	N.D.	
PFBS	-	298.7 -> 79.9	-	N.D.	
		298.7 -> 98.8			
PFDA	-	512.9 -> 469.0	-	N.D.	
		512.9 -> 219.0			
PFDODA	-	613.1 -> 569.0	-	N.D.	
		613.1 -> 319.0			
PFDS	-	599.0 -> 79.9	-	N.D.	



7.2.3
7

Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc.	Units	Dev(Min)
PFHpA	6.869	599.0 -> 98.8				
		363.1 -> 319.0	0	µg/L	m	1
PFHpS	-	363.1 -> 169.0	0			
		449.0 -> 79.9	-	N.D.		
PFHxA	-	449.0 -> 98.9				
		313.0 -> 269.0	-	N.D.		
PFHxS	-	313.0 -> 118.9				
		398.7 -> 79.9	-	N.D.		
PFNA	8.047	398.7 -> 98.9				
		463.0 -> 419.0	0	µg/L	m	1
PFNS	-	463.0 -> 219.0	0			
		548.8 -> 79.9	-	N.D.		
PFOA	7.150	548.8 -> 98.9				
		413.0 -> 369.0	0	µg/L	m	1
PFOS	-	413.0 -> 169.0	0			
		498.9 -> 79.9	-	N.D.		
PFPeA	-	498.9 -> 98.8				
		263.0 -> 219.0	-	N.D.		
PFPeS	-	349.1 -> 79.9	-	N.D.		
		349.1 -> 98.9				
PFTeDA	-	713.1 -> 669.0	-	N.D.		
		713.1 -> 168.9				
PFTrDA	-	663.0 -> 619.0	-	N.D.		
		663.0 -> 168.9				
PFUnDA	8.922	563.1 -> 519.0	0	µg/L	m	1
		563.1 -> 269.1	0			
11Cl-PF3OUdS	-	630.9 -> 450.9	-	N.D.		
		632.9 -> 452.9				
9Cl-PF3ONS	-	530.8 -> 351.0	-	N.D.		
		532.8 -> 353.0				
ADONA	-	376.9 -> 250.9	-	N.D.		
		376.9 -> 84.8				
HFPO-DA	-	284.9 -> 168.9	-	N.D.		
		284.9 -> 184.9				
3:3FTCA	-	241.0 -> 177.0	-	N.D.		
		241.0 -> 117.0				
5:3FTCA	-	341.0 -> 237.1	-	N.D.		
		341.0 -> 217.0				
7:3FTCA	-	441.0 -> 316.9	-	N.D.		
		441.0 -> 336.9				
EtFOSA	-	526.0 -> 219.0	-	N.D.		
		526.0 -> 169.0				
EtFOSE	-	630.0 -> 58.9	-	N.D.		
		511.9 -> 219.0	-	N.D.		
MeFOSA	-	511.9 -> 169.0				
		616.1 -> 58.9	-	N.D.		
MeFOSE	-	699.1 -> 79.9	-	N.D.		
		699.1 -> 98.8				
PFDoDS	-	295.0 -> 201.0	-	N.D.		
		295.0 -> 84.9				
NFDHA	-	279.0 -> 85.1	-	N.D.		
		229.0 -> 84.9	-	N.D.		
PFMBA	-	314.8 -> 134.9	-	N.D.		
		314.8 -> 82.9				
PFMPA	-					
PFEESA	-					

= Qualifier out of range, m = manually integrated, + = Area summed

7.2.3
7





Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
----------	----	------------	----------	-------------	----------

7.2.3

7

Perfluorinated Compounds by LC/MS/MS




7.2.3

7







Perfluorinated Compounds by LC/MS/MS



7.2.3
7


Perfluorinated Compounds by LC/MS/MS



7.2.3





7

Perfluorinated Compounds by LC/MS/MS



7.2.3
7





Perfluorinated Compounds by LC/MS/MS



7.2.3

7





Perfluorinated Compounds by LC/MS/MS




7.2.3

7

Perfluorinated Compounds by LC/MS/MS



Perfluorinated Compounds by LC/MS/MS



7.2.3

7

Perfluorinated Compounds by LC/MS/MS

Data File : 4Q43968.d
 Operator : natashag
 Acq. Method : 1633full_4Q.m
 Acq. Date-Time : 5/4/2023 4:06:54 PM
 Sample Name : op96701-bs
 Vial : P2-B2
 DA Method File : 1633_050323_S4Q634.quantmethod.xml
 Batch Name : s4q635.batch.bin
 Sample Information : OP96701,S4Q635,500,,,5.0,1,water

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Internal Standards					
M4-PFBA	2.924	216.8 -> 171.9	128851	10.00 µg/L	0.000
M5-PFPeA	4.387	268.3 -> 223.0	65147	5.00 µg/L	0.025
M5-PFHxA	5.559	318.0 -> 273.0	46257	2.50 µg/L	0.025
M4-PFHpA	6.492	367.1 -> 322.0	27551	2.50 µg/L	0.025
M8-PFOA	7.163	421.1 -> 376.0	41652	2.50 µg/L	0.039
M9-PFNA	7.709	472.1 -> 427.0	20614	1.25 µg/L	0.038
M6-PFDA	8.216	519.1 -> 474.1	18517	1.25 µg/L	0.038
M7-PFUnDA	8.685	570.0 -> 525.1	17910	1.25 µg/L	0.038
M2-PFDoDA	9.130	615.1 -> 570.0	18103	1.25 µg/L	0.025
M2-PFTeDA	9.924	715.2 -> 670.0	12552	1.25 µg/L	0.025
M8-FOSA	9.796	506.1 -> 77.8	10951	2.50 µg/L	0.025
M3-PFBS	5.464	302.1 -> 79.9	10979	2.50 µg/L	0.037
M3-PFHxS	7.254	402.1 -> 79.9	7403	2.50 µg/L	0.025
M8-PFOS	8.354	507.1 -> 79.9	9496	2.50 µg/L	0.025
M2-4:2FTS	5.247	329.1 -> 80.9	1116	5.00 µg/L	0.025
M2-6:2FTS	6.936	429.1 -> 80.9	2072	5.00 µg/L	0.037
M2-8:2FTS	8.003	529.1 -> 80.9	3103	5.00 µg/L	0.037
M3-MeFOSAA	8.273	573.2 -> 419.0	13990	5.00 µg/L	0.037
M3-HFPO-DA	5.927	286.9 -> 168.9	25812	10.00 µg/L	0.037
M5-EtFOSAA	8.483	589.2 -> 419.0	11238	5.00 µg/L	0.037
M7-MeFOSE	10.972	623.2 -> 58.9	40448	25.00 µg/L	0.025
M9-EtFOSE	11.269	639.2 -> 58.9	65955	25.00 µg/L	0.012
M5-EtFOSA	11.373	531.1 -> 219.0	7689	2.50 µg/L	0.025
M3-MeFOSA	11.089	515.0 -> 219.0	5526	2.50 µg/L	0.025
13C4-PFOS	8.354	502.8 -> 79.9	9785	2.50 µg/L	0.025
13C3-PFBA	2.916	216.0 -> 172.0	63560	5.00 µg/L	-0.013
18O2-PFHxS	7.253	403.0 -> 83.9	4752	2.50 µg/L	0.025
13C4-PFOA	7.163	417.1 -> 372.0	48319	2.50 µg/L	0.039
13C2-PFDA	8.216	515.1 -> 470.1	16790	1.25 µg/L	0.038
13C5-PFNA	7.709	468.0 -> 423.0	23452	1.25 µg/L	0.025
13C2-PFHxA	5.560	315.1 -> 270.0	38893	2.50 µg/L	0.025
System Monitoring Compounds					
13C2-4:2FTS	5.247	329.1 -> 80.9	1116	5.78 µg/L	0.025
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 115.6%		
13C2-6:2FTS	6.936	429.1 -> 80.9	2072	5.95 µg/L	0.037
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 119.0%		
13C2-8:2FTS	8.003	529.1 -> 80.9	3103	5.71 µg/L	0.037
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 114.2%		
13C2-PFDoDA	9.130	615.1 -> 570.0	18103	1.11 µg/L	0.025
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 89.0%		
13C2-PFTeDA	9.924	715.2 -> 670.0	12552	0.95 µg/L	0.025
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 75.9%		
13C3-PFBS	5.464	302.1 -> 79.9	10979	2.45 µg/L	0.037
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 98.0%		
13C3-PFHxS	7.254	402.1 -> 79.9	7403	2.51 µg/L	0.025

7.31
7

Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 100.5%	
13C4-PFBA	2.924	216.8 -> 171.9	128851	10.77 µg/L	0.000
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 107.7%	
13C4-PFHpA	6.492	367.1 -> 322.0	27551	2.75 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 110.1%	
13C5-PFHxA	5.559	318.0 -> 273.0	46257	2.70 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 108.0%	
13C5-PFPeA	4.387	268.3 -> 223.0	65147	5.44 µg/L	0.025
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 108.8%	
13C6-PFDA	8.216	519.1 -> 474.1	18517	1.29 µg/L	0.038
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 103.0%	
13C7-PFUnDA	8.685	570.0 -> 525.1	17910	1.20 µg/L	0.038
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 95.8%	
13C8-FOSA	9.796	506.1 -> 77.8	10951	1.78 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 71.4%	
13C8-PFOA	7.163	421.1 -> 376.0	41652	2.63 µg/L	0.039
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 105.0%	
13C8-PFOS	8.354	507.1 -> 79.9	9496	2.58 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 103.1%	
13C9-PFNA	7.709	472.1 -> 427.0	20614	1.29 µg/L	0.038
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 103.4%	
d3-MeFOSAA	8.273	573.2 -> 419.0	13990	5.66 µg/L	0.037
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 113.3%	
13C3-HFPO-DA	5.927	286.9 -> 168.9	25812	10.09 µg/L	0.037
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 100.9%	
d3-MeFOSA	11.089	515.0 -> 219.0	5526	1.44 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 57.6%	
d5-EtFOSAA	8.483	589.2 -> 419.0	11238	5.53 µg/L	0.037
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 110.5%	
d7-MeFOSE	10.972	623.2 -> 58.9	40448	13.29 µg/L	0.025
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 53.1%	
d9-EtFOSE	11.269	639.2 -> 58.9	65955	15.30 µg/L	0.012
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 61.2%	
d5-EtFOSA	11.373	531.1 -> 219.0	7689	1.88 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 75.4%	
Target Compounds					QValue
4:2FTS	5.248	327.1 -> 307.0	14980	8.34 µg/L	99
		327.1 -> 80.9	6896		
6:2FTS	6.936	427.1 -> 407.0	18706	9.35 µg/L	98
		427.1 -> 80.9	8132		
8:2FTS	8.003	527.1 -> 507.0	17430	10.08 µg/L	94
		527.1 -> 80.8	6640		
EtFOSAA	8.483	584.2 -> 419.1	4788	2.22 µg/L	m 99
		584.2 -> 526.0	2392		
FOSA	9.799	498.1 -> 77.9	9871	2.15 µg/L	99
		498.1 -> 478.0	294		
MeFOSAA	8.274	570.1 -> 419.0	5806	2.38 µg/L	m 98
		570.1 -> 483.0	1310		
PFBA	2.920	212.8 -> 168.9	31879	9.24 µg/L	100
PFBS	5.453	298.7 -> 79.9	9369	2.08 µg/L	99
		298.7 -> 98.8	3731		
PFDA	8.216	512.9 -> 469.0	31633	2.25 µg/L	98
		512.9 -> 219.0	6538		
PFDODA	9.131	613.1 -> 569.0	33643	2.32 µg/L	97
		613.1 -> 319.0	4552		
PFDS	9.294	599.0 -> 79.9	4808	2.04 µg/L	100

7.3.1
7

Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc.	Units	Dev(Min)
PFHpA	6.492	599.0 -> 98.8	2242	2.25	µg/L	97
		363.1 -> 319.0	39206			
PFHpS	7.836	363.1 -> 169.0	7511	2.32	µg/L	95
		449.0 -> 79.9	7931			
PFHxA	5.562	449.0 -> 98.9	4500	2.33	µg/L	100
		313.0 -> 269.0	42197			
PFHxS	7.255	313.0 -> 118.9	1178	2.02	µg/L	91
		398.7 -> 79.9	6132			
PFNA	7.709	398.7 -> 98.9	3450	2.16	µg/L	100
		463.0 -> 419.0	32998			
PFNS	8.848	463.0 -> 219.0	8196	2.01	µg/L	93
		548.8 -> 79.9	4164			
PFOA	7.164	548.8 -> 98.9	1967	2.22	µg/L	96
		413.0 -> 369.0	53406			
PFOS	8.355	413.0 -> 169.0	11166	2.31	µg/L	96
		498.9 -> 79.9	10715			
PFPeA	4.389	498.9 -> 98.8	4969	4.69	µg/L	100
		263.0 -> 219.0	73562			
PFPeS	6.531	349.1 -> 79.9	5524	2.12	µg/L	100
		349.1 -> 98.9	2543			
PFTeDA	9.924	713.1 -> 669.0	30296	2.47	µg/L	99
		713.1 -> 168.9	2532			
PFTrDA	9.554	663.0 -> 619.0	41951	2.16	µg/L	97
		663.0 -> 168.9	4131			
PFUnDA	8.685	563.1 -> 519.0	29267	2.41	µg/L	94
		563.1 -> 269.1	5402			
11Cl-PF3OUdS	9.593	630.9 -> 450.9	37596	4.05	µg/L	98
		632.9 -> 452.9	10617			
9Cl-PF3ONS	8.712	530.8 -> 351.0	52592	4.45	µg/L	99
		532.8 -> 353.0	15783			
ADONA	6.756	376.9 -> 250.9	126919	4.89	µg/L	98
		376.9 -> 84.8	34475			
HFPO-DA	5.928	284.9 -> 168.9	12448	5.05	µg/L	100
		284.9 -> 184.9	1423			
3:3FTCA	3.848	241.0 -> 177.0	5320	7.71	µg/L	98
		241.0 -> 117.0	499			
5:3FTCA	6.231	341.0 -> 237.1	127242	51.74	µg/L	98
		341.0 -> 217.0	84917			
7:3FTCA	7.686	441.0 -> 316.9	70653	55.29	µg/L	98
		441.0 -> 336.9	171215			
EtFOSA	11.375	526.0 -> 219.0	14768	4.58	µg/L	98
		526.0 -> 169.0	20929			
EtFOSE	11.295	630.0 -> 58.9	29727	11.64	µg/L	100
		511.9 -> 219.0	11588			
MeFOSA	11.090	511.9 -> 169.0	17920	5.57	µg/L	95
		616.1 -> 58.9	20237			
MeFOSE	10.997	699.1 -> 79.9	3967	12.18	µg/L	100
		699.1 -> 98.8	2139			
PFDoDS	10.064	295.0 -> 201.0	6035	1.89	µg/L	100
		295.0 -> 84.9	1523			
NFDHA	5.441	279.0 -> 85.1	41280	4.72	µg/L	100
		229.0 -> 84.9	39086			
PFMBA	3.528	314.8 -> 134.9	55888	4.77	µg/L	100
		314.8 -> 82.9	1929			
PFEESA	5.997			4.07	µg/L	99

= Qualifier out of range, m = manually integrated, + = Area summed

7.3.1
7





Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
----------	----	------------	----------	-------------	----------


7.3.1

7

Perfluorinated Compounds by LC/MS/MS




Perfluorinated Compounds by LC/MS/MS



7.3.1

7

Perfluorinated Compounds by LC/MS/MS






7.3.1




7

Perfluorinated Compounds by LC/MS/MS




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFBS	2.08	5.45	0.02	9369	298.7 -> 98.8	39.8	20.3	60.9






Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
13C5-PFHxA	2.70	5.56	0.02	46257	318.0 -> 273.0	2.8	1.5	4.4







Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFHxA	2.33	5.56	0.02	42197	313.0 -> 118.9	2.8	1.5	4.4



Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
13C3-HFPO-DA	10.09	5.93	0.04	25812	286.9 -> 168.9	2.8	1.5	4.4




Perfluorinated Compounds by LC/MS/MS



7.3.1

7

Perfluorinated Compounds by LC/MS/MS




7.3.1

7



Perfluorinated Compounds by LC/MS/MS







7.3.1


7



Perfluorinated Compounds by LC/MS/MS



Perfluorinated Compounds by LC/MS/MS







7.3.1





7




Perfluorinated Compounds by LC/MS/MS



Perfluorinated Compounds by LC/MS/MS




Perfluorinated Compounds by LC/MS/MS



7.3.1

7


Perfluorinated Compounds by LC/MS/MS



7.3.1

7

Perfluorinated Compounds by LC/MS/MS




7.3.1


7

Perfluorinated Compounds by LC/MS/MS


Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFDoS	1.89	10.06	0.02	3967	699.1 -> 98.8	53.9	26.9	80.6




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d7-MeFOSE	13.29	10.97	0.02	40448				



Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
MeFOSE	12.18	11.00	0.02	20237 (m)				




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d3-MeFOSA	1.44	11.09	0.02	5526				




Perfluorinated Compounds by LC/MS/MS


Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
MeFOSA	5.57	11.09	0.02	11588 (m)	511.9 -> 169.0	154.6	73.9	221.8




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d9-EtFOSE	15.30	11.27	0.01	65955				




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
EtFOSE	11.64	11.29	0.01	29727				



Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d5-EtFOSA	1.88	11.37	0.02	7689				



Perfluorinated Compounds by LC/MS/MS



7.3.1

7

Manual Integration Approval Summary

Sample Number: OP96701-BS Method: EPA DRAFT 1633
Lab FileID: 4Q43968.D Analyst approved: 05/05/23 07:50 Natasha Gumtie
Injection Time: 05/04/23 16:06 Supervisor approved: 05/05/23 16:38 Mike Eger

Parameter	CAS	Sig#	R.T. (min.)	Reason
Perfluorohexanesulfonic acid	355-46-4		7.25	Split peak
MeFOSAA	2355-31-9		8.27	Split peak
Perfluorooctanesulfonic acid	1763-23-1		8.36	Split peak
EtFOSAA	2991-50-6		8.48	Split peak
MeFOSE	24448-09-7		11.00	Split peak
MeFOSA	31506-32-8		11.09	Split peak

7.3.1.1
7

Perfluorinated Compounds by LC/MS/MS

Data File : 4Q43969.d
 Operator : natashag
 Acq. Method : 1633full_4Q.m
 Acq. Date-Time : 5/4/2023 4:20:58 PM
 Sample Name : op96701-llbs:3
 Vial : P2-B3
 DA Method File : 1633_050323_S4Q634.quantmethod.xml
 Batch Name : s4q635.batch.bin
 Sample Information : OP96701,S4Q635,500,,,5.0,1,water

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Internal Standards					
M4-PFBA	2.924	216.8 -> 171.9	127580	10.00 µg/L	0.000
M5-PFPeA	4.387	268.3 -> 223.0	64309	5.00 µg/L	0.025
M5-PFHxA	5.559	318.0 -> 273.0	44880	2.50 µg/L	0.025
M4-PFHpA	6.492	367.1 -> 322.0	27585	2.50 µg/L	0.025
M8-PFOA	7.163	421.1 -> 376.0	40233	2.50 µg/L	0.039
M9-PFNA	7.709	472.1 -> 427.0	20643	1.25 µg/L	0.038
M6-PFDA	8.216	519.1 -> 474.1	18275	1.25 µg/L	0.038
M7-PFUnDA	8.685	570.0 -> 525.1	18589	1.25 µg/L	0.038
M2-PFDoDA	9.143	615.1 -> 570.0	18584	1.25 µg/L	0.037
M2-PFTeDA	9.924	715.2 -> 670.0	12306	1.25 µg/L	0.025
M8-FOSA	9.796	506.1 -> 77.8	9697	2.50 µg/L	0.025
M3-PFBS	5.452	302.1 -> 79.9	10722	2.50 µg/L	0.025
M3-PFHxS	7.254	402.1 -> 79.9	6822	2.50 µg/L	0.025
M8-PFOS	8.366	507.1 -> 79.9	9643	2.50 µg/L	0.037
M2-4:2FTS	5.247	329.1 -> 80.9	1183	5.00 µg/L	0.025
M2-6:2FTS	6.936	429.1 -> 80.9	2055	5.00 µg/L	0.037
M2-8:2FTS	8.003	529.1 -> 80.9	3337	5.00 µg/L	0.037
M3-MeFOSAA	8.273	573.2 -> 419.0	14513	5.00 µg/L	0.037
M3-HFPO-DA	5.927	286.9 -> 168.9	25650	10.00 µg/L	0.037
M5-EtFOSAA	8.483	589.2 -> 419.0	11502	5.00 µg/L	0.037
M7-MeFOSE	10.972	623.2 -> 58.9	34738	25.00 µg/L	0.025
M9-EtFOSE	11.281	639.2 -> 58.9	59633	25.00 µg/L	0.025
M5-EtFOSA	11.373	531.1 -> 219.0	6490	2.50 µg/L	0.025
M3-MeFOSA	11.089	515.0 -> 219.0	5692	2.50 µg/L	0.025
13C4-PFOS	8.367	502.8 -> 79.9	10448	2.50 µg/L	0.037
13C3-PFBA	2.928	216.0 -> 172.0	64203	5.00 µg/L	0.000
18O2-PFHxS	7.253	403.0 -> 83.9	4288	2.50 µg/L	0.025
13C4-PFOA	7.163	417.1 -> 372.0	48229	2.50 µg/L	0.039
13C2-PFDA	8.216	515.1 -> 470.1	16677	1.25 µg/L	0.038
13C5-PFNA	7.709	468.0 -> 423.0	22917	1.25 µg/L	0.025
13C2-PFHxA	5.560	315.1 -> 270.0	39320	2.50 µg/L	0.025
System Monitoring Compounds					
13C2-4:2FTS	5.247	329.1 -> 80.9	1183	6.79 µg/L	0.025
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 135.8%		
13C2-6:2FTS	6.936	429.1 -> 80.9	2055	6.54 µg/L	0.037
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 130.8%		
13C2-8:2FTS	8.003	529.1 -> 80.9	3337	6.80 µg/L	0.037
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 136.1%		
13C2-PFDoDA	9.143	615.1 -> 570.0	18584	1.15 µg/L	0.037
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 92.0%		
13C2-PFTeDA	9.924	715.2 -> 670.0	12306	0.94 µg/L	0.025
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 74.9%		
13C3-PFBS	5.452	302.1 -> 79.9	10722	2.65 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 106.1%		
13C3-PFHxS	7.254	402.1 -> 79.9	6822	2.57 µg/L	0.025

7.32
7

Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 102.7%	
13C4-PFBA	2.924	216.8 -> 171.9	127580	10.56 µg/L	0.000
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 105.6%	
13C4-PFHpA	6.492	367.1 -> 322.0	27585	2.73 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 109.0%	
13C5-PFHxA	5.559	318.0 -> 273.0	44880	2.59 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 103.7%	
13C5-PFPeA	4.387	268.3 -> 223.0	64309	5.31 µg/L	0.025
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 106.2%	
13C6-PFDA	8.216	519.1 -> 474.1	18275	1.28 µg/L	0.038
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 102.4%	
13C7-PFUnDA	8.685	570.0 -> 525.1	18589	1.25 µg/L	0.038
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 100.1%	
13C8-FOSA	9.796	506.1 -> 77.8	9697	1.48 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 59.2%	
13C8-PFOA	7.163	421.1 -> 376.0	40233	2.54 µg/L	0.039
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 101.6%	
13C8-PFOS	8.366	507.1 -> 79.9	9643	2.45 µg/L	0.037
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 98.1%	
13C9-PFNA	7.709	472.1 -> 427.0	20643	1.33 µg/L	0.038
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 106.0%	
d3-MeFOSAA	8.273	573.2 -> 419.0	14513	5.50 µg/L	0.037
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 110.1%	
13C3-HFPO-DA	5.927	286.9 -> 168.9	25650	9.92 µg/L	0.037
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 99.2%	
d3-MeFOSA	11.089	515.0 -> 219.0	5692	1.39 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 55.6%	
d5-EtFOSAA	8.483	589.2 -> 419.0	11502	5.30 µg/L	0.037
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 105.9%	
d7-MeFOSE	10.972	623.2 -> 58.9	34738	10.69 µg/L	0.025
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 42.7%	
d9-EtFOSE	11.281	639.2 -> 58.9	59633	12.96 µg/L	0.025
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 51.8%	
d5-EtFOSA	11.373	531.1 -> 219.0	6490	1.49 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 59.6%	
Target Compounds					QValue
4:2FTS	5.248	327.1 -> 307.0	4724	2.48 µg/L	97
		327.1 -> 80.9	2318		
6:2FTS	6.924	427.1 -> 407.0	5766	2.91 µg/L	99
		427.1 -> 80.9	2388		
8:2FTS	8.003	527.1 -> 507.0	4813	2.59 µg/L	89
		527.1 -> 80.8	2368		
EtFOSAA	8.496	584.2 -> 419.1	1462	0.66 µg/L	m 100
		584.2 -> 526.0	744		
FOSA	9.799	498.1 -> 77.9	2871	0.71 µg/L	98
		498.1 -> 478.0	114		
MeFOSAA	8.274	570.1 -> 419.0	1522	0.60 µg/L	m 100
		570.1 -> 483.0	363		
PFBA	2.920	212.8 -> 168.9	9249	2.71 µg/L	100
PFBS	5.453	298.7 -> 79.9	2782	0.63 µg/L	95
		298.7 -> 98.8	1035		
PFDA	8.216	512.9 -> 469.0	8836	0.64 µg/L	100
		512.9 -> 219.0	1889		
PFDODA	9.131	613.1 -> 569.0	9806	0.66 µg/L	99
		613.1 -> 319.0	1386		
PFDS	9.294	599.0 -> 79.9	1533	0.64 µg/L	99

7.3.2
7

Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc.	Units	Dev(Min)
PFHpA	6.492	599.0 -> 98.8	705	0.64	µg/L	97
		363.1 -> 319.0	11177			
PFHpS	7.836	363.1 -> 169.0	2133	0.69	µg/L	99
		449.0 -> 79.9	2393			
PFHxA	5.562	449.0 -> 98.9	1268	0.69	µg/L	99
		313.0 -> 269.0	12215			
PFHxS	7.255	313.0 -> 118.9	407	0.70	µg/L	m
		398.7 -> 79.9	1957			
PFNA	7.709	398.7 -> 98.9	1025	0.62	µg/L	95
		463.0 -> 419.0	9446			
PFNS	8.848	463.0 -> 219.0	2125	0.60	µg/L	91
		548.8 -> 79.9	1270			
PFOA	7.164	548.8 -> 98.9	741	0.65	µg/L	98
		413.0 -> 369.0	15159			
PFOS	8.355	413.0 -> 169.0	3030	0.66	µg/L	m
		498.9 -> 79.9	3112			
PFPeA	4.389	498.9 -> 98.8	1567	1.36	µg/L	100
		263.0 -> 219.0	21061			
PFPeS	6.519	349.1 -> 79.9	1830	0.76	µg/L	91
		349.1 -> 98.9	741			
PFTeDA	9.924	713.1 -> 669.0	8230	0.68	µg/L	97
		713.1 -> 168.9	791			
PFTrDA	9.554	663.0 -> 619.0	12023	0.60	µg/L	100
		663.0 -> 168.9	1281			
PFUnDA	8.685	563.1 -> 519.0	8390	0.66	µg/L	99
		563.1 -> 269.1	1776			
11CI-PF3OUdS	9.593	630.9 -> 450.9	11541	1.25	µg/L	94
		632.9 -> 452.9	3708			
9CI-PF3ONS	8.712	530.8 -> 351.0	15380	1.31	µg/L	100
		532.8 -> 353.0	4691			
ADONA	6.756	376.9 -> 250.9	35628	1.38	µg/L	98
		376.9 -> 84.8	9647			
HFPO-DA	5.928	284.9 -> 168.9	3406	1.39	µg/L	96
		284.9 -> 184.9	337			
3:3FTCA	3.867	241.0 -> 177.0	1593	2.34	µg/L	90
		241.0 -> 117.0	195			
5:3FTCA	6.217	341.0 -> 237.1	34408	14.42	µg/L	97
		341.0 -> 217.0	24291			
7:3FTCA	7.686	441.0 -> 316.9	21350	17.22	µg/L	93
		441.0 -> 336.9	48576			
EtFOSA	11.375	526.0 -> 219.0	3981	1.46	µg/L	m
		526.0 -> 169.0	5309			
EtFOSE	11.295	630.0 -> 58.9	7944	3.44	µg/L	100
		511.9 -> 219.0	3303			
MeFOSA	11.090	511.9 -> 169.0	4662	1.54	µg/L	m
		616.1 -> 58.9	5317			
MeFOSE	10.997	699.1 -> 79.9	1147	3.73	µg/L	m
		699.1 -> 98.8	706			
PFDoDS	10.064	295.0 -> 201.0	1826	0.54	µg/L	89
		295.0 -> 84.9	462			
NFDHA	5.441	279.0 -> 85.1	12037	1.45	µg/L	96
		229.0 -> 84.9	11420			
PFMBA	4.791	314.8 -> 134.9	15612	1.39	µg/L	100
		314.8 -> 82.9	528			
PFMPA	3.528			1.41	µg/L	100
PFEESA	5.984			1.17	µg/L	99

= Qualifier out of range, m = manually integrated, + = Area summed

7.3.2
7





Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
----------	----	------------	----------	-------------	----------


7.3.2

7

Perfluorinated Compounds by LC/MS/MS




Perfluorinated Compounds by LC/MS/MS



7.3.2
7




Perfluorinated Compounds by LC/MS/MS




7.3.2
7

Perfluorinated Compounds by LC/MS/MS


Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFBS	0.63	5.45	0.02	2782	298.7 -> 98.8	37.2	20.3	60.9




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
13C5-PFHxA	2.59	5.56	0.02	44880	318.0 -> 273.0	3.3	1.5	4.4




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFHxA	0.69	5.56	0.02	12215	313.0 -> 118.9	3.3	1.5	4.4



Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
13C3-HFPO-DA	9.92	5.93	0.04	25650	286.9 -> 168.9	3.3	1.5	4.4




Perfluorinated Compounds by LC/MS/MS



7.3.2
7

Perfluorinated Compounds by LC/MS/MS




7.3.2

7







Perfluorinated Compounds by LC/MS/MS




7.3.2
7

Perfluorinated Compounds by LC/MS/MS







Perfluorinated Compounds by LC/MS/MS







7.3.2

7


Perfluorinated Compounds by LC/MS/MS



Perfluorinated Compounds by LC/MS/MS




Perfluorinated Compounds by LC/MS/MS



7.3.2

7


Perfluorinated Compounds by LC/MS/MS



7.3.2
7




Perfluorinated Compounds by LC/MS/MS




7.3.2
7

Perfluorinated Compounds by LC/MS/MS


Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFDoDS	0.54	10.06	0.02	1147	699.1 -> 98.8	61.5	26.9	80.6




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d7-MeFOSE	10.69	10.97	0.02	34738				



Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
MeFOSE	3.73	11.00	0.02	5317 (m)				




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d3-MeFOSA	1.39	11.09	0.02	5692				




Perfluorinated Compounds by LC/MS/MS


Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
MeFOSA	1.54	11.09	0.02	3303 (m)	511.9 -> 169.0	141.1	73.9	221.8




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d9-EtFOSE	12.96	11.28	0.02	59633				




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
EtFOSE	3.44	11.29	0.01	7944				



Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d5-EtFOSA	1.49	11.37	0.02	6490				



Perfluorinated Compounds by LC/MS/MS



7.3.2
7

Manual Integration Approval Summary

Sample Number: OP96701-LLBS Method: EPA DRAFT 1633
Lab FileID: 4Q43969.D Analyst approved: 05/05/23 07:50 Natasha Gumtie
Injection Time: 05/04/23 16:20 Supervisor approved: 05/05/23 16:38 Mike Eger

Parameter	CAS	Sig#	R.T. (min.)	Reason
Perfluorohexanesulfonic acid	355-46-4		7.25	Split peak
MeFOSAA	2355-31-9		8.27	Split peak
Perfluorooctanesulfonic acid	1763-23-1		8.36	Split peak
EtFOSAA	2991-50-6		8.50	Split peak
MeFOSE	24448-09-7		11.00	Split peak
MeFOSA	31506-32-8		11.09	Split peak
EtFOSA	4151-50-2		11.38	Split peak

7.3.2.1
7

Perfluorinated Compounds by LC/MS/MS

Data File : 4Q43973.d
 Operator : natashag
 Acq. Method : 1633full_4Q.m
 Acq. Date-Time : 5/4/2023 5:17:13 PM
 Sample Name : op96701-ms
 Vial : P2-B7
 DA Method File : 1633_050323_S4Q634.quantmethod.xml
 Batch Name : s4q635.batch.bin
 Sample Information : OP96701,S4Q635,540,,,5.0,1,water

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Internal Standards					
M4-PFBA	2.924	216.8 -> 171.9	65098	10.00 µg/L	0.000
M5-PFPeA	4.387	268.3 -> 223.0	63348	5.00 µg/L	0.025
M5-PFHxA	5.559	318.0 -> 273.0	47244	2.50 µg/L	0.025
M4-PFHpA	6.504	367.1 -> 322.0	27505	2.50 µg/L	0.037
M8-PFOA	7.175	421.1 -> 376.0	41420	2.50 µg/L	0.052
M9-PFNA	7.721	472.1 -> 427.0	19303	1.25 µg/L	0.051
M6-PFDA	8.216	519.1 -> 474.1	16652	1.25 µg/L	0.038
M7-PFUnDA	8.697	570.0 -> 525.1	15959	1.25 µg/L	0.050
M2-PFDoDA	9.143	615.1 -> 570.0	16035	1.25 µg/L	0.037
M2-PFTeDA	9.924	715.2 -> 670.0	11395	1.25 µg/L	0.025
M8-FOSA	9.796	506.1 -> 77.8	12235	2.50 µg/L	0.025
M3-PFBS	5.464	302.1 -> 79.9	10842	2.50 µg/L	0.037
M3-PFHxS	7.266	402.1 -> 79.9	7072	2.50 µg/L	0.037
M8-PFOS	8.366	507.1 -> 79.9	8883	2.50 µg/L	0.037
M2-4:2FTS	5.260	329.1 -> 80.9	1004	5.00 µg/L	0.037
M2-6:2FTS	6.936	429.1 -> 80.9	2159	5.00 µg/L	0.037
M2-8:2FTS	8.003	529.1 -> 80.9	2738	5.00 µg/L	0.037
M3-MeFOSAA	8.286	573.2 -> 419.0	13309	5.00 µg/L	0.049
M3-HFPO-DA	5.927	286.9 -> 168.9	26191	10.00 µg/L	0.037
M5-EtFOSAA	8.495	589.2 -> 419.0	10024	5.00 µg/L	0.050
M7-MeFOSE	10.972	623.2 -> 58.9	41427	25.00 µg/L	0.025
M9-EtFOSE	11.269	639.2 -> 58.9	64998	25.00 µg/L	0.012
M5-EtFOSA	11.360	531.1 -> 219.0	7823	2.50 µg/L	0.012
M3-MeFOSA	11.089	515.0 -> 219.0	7465	2.50 µg/L	0.025
13C4-PFOS	8.367	502.8 -> 79.9	10375	2.50 µg/L	0.037
13C3-PFBA	2.928	216.0 -> 172.0	63140	5.00 µg/L	0.000
18O2-PFHxS	7.265	403.0 -> 83.9	4837	2.50 µg/L	0.037
13C4-PFOA	7.176	417.1 -> 372.0	47787	2.50 µg/L	0.052
13C2-PFDA	8.216	515.1 -> 470.1	16532	1.25 µg/L	0.038
13C5-PFNA	7.721	468.0 -> 423.0	22960	1.25 µg/L	0.037
13C2-PFHxA	5.560	315.1 -> 270.0	39138	2.50 µg/L	0.025
System Monitoring Compounds					
13C2-4:2FTS	5.260	329.1 -> 80.9	1004	5.10 µg/L	0.037
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 102.1%		
13C2-6:2FTS	6.936	429.1 -> 80.9	2159	6.09 µg/L	0.037
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 121.8%		
13C2-8:2FTS	8.003	529.1 -> 80.9	2738	4.95 µg/L	0.037
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 99.0%		
13C2-PFDoDA	9.143	615.1 -> 570.0	16035	1.00 µg/L	0.037
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 80.1%		
13C2-PFTeDA	9.924	715.2 -> 670.0	11395	0.87 µg/L	0.025
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 69.9%		
13C3-PFBS	5.464	302.1 -> 79.9	10842	2.38 µg/L	0.037
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 95.1%		
13C3-PFHxS	7.266	402.1 -> 79.9	7072	2.36 µg/L	0.037

7.4.1
7

Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 94.4%		
13C4-PFBA	2.924	216.8 -> 171.9	65098	5.48 µg/L	0.000
Spiked Amount: 10.00	Range: 50.0 - 150.0%		Recovery = 54.8%		
13C4-PFHpA	6.504	367.1 -> 322.0	27505	2.73 µg/L	0.037
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 109.2%		
13C5-PFHxA	5.559	318.0 -> 273.0	47244	2.74 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 109.6%		
13C5-PFPeA	4.387	268.3 -> 223.0	63348	5.25 µg/L	0.025
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 105.1%		
13C6-PFDA	8.216	519.1 -> 474.1	16652	1.18 µg/L	0.038
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 94.1%		
13C7-PFUnDA	8.697	570.0 -> 525.1	15959	1.08 µg/L	0.050
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 86.7%		
13C8-FOSA	9.796	506.1 -> 77.8	12235	1.88 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 75.2%		
13C8-PFOA	7.175	421.1 -> 376.0	41420	2.64 µg/L	0.052
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 105.6%		
13C8-PFOS	8.366	507.1 -> 79.9	8883	2.27 µg/L	0.037
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 91.0%		
13C9-PFNA	7.721	472.1 -> 427.0	19303	1.24 µg/L	0.051
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 98.9%		
d3-MeFOSAA	8.286	573.2 -> 419.0	13309	5.08 µg/L	0.049
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 101.6%		
13C3-HFPO-DA	5.927	286.9 -> 168.9	26191	10.17 µg/L	0.037
Spiked Amount: 10.00	Range: 50.0 - 150.0%		Recovery = 101.7%		
d3-MeFOSA	11.089	515.0 -> 219.0	7465	1.83 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 73.4%		
d5-EtFOSAA	8.495	589.2 -> 419.0	10024	4.65 µg/L	0.050
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 93.0%		
d7-MeFOSE	10.972	623.2 -> 58.9	41427	12.83 µg/L	0.025
Spiked Amount: 25.00	Range: 50.0 - 150.0%		Recovery = 51.3%		
d9-EtFOSE	11.269	639.2 -> 58.9	64998	14.22 µg/L	0.012
Spiked Amount: 25.00	Range: 50.0 - 150.0%		Recovery = 56.9%		
d5-EtFOSA	11.360	531.1 -> 219.0	7823	1.81 µg/L	0.012
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 72.3%		
Target Compounds					QValue
4:2FTS	5.248	327.1 -> 307.0	15611	9.67 µg/L	94
		327.1 -> 80.9	6745		
6:2FTS	6.936	427.1 -> 407.0	17952	8.61 µg/L	96
		427.1 -> 80.9	7967		
8:2FTS	8.003	527.1 -> 507.0	16435	10.77 µg/L	100
		527.1 -> 80.8	6923		
EtFOSAA	8.496	584.2 -> 419.1	4226	2.19 µg/L	m 94
		584.2 -> 526.0	2338		
FOSA	9.799	498.1 -> 77.9	12103	2.36 µg/L	99
		498.1 -> 478.0	371		
MeFOSAA	8.286	570.1 -> 419.0	5088	2.19 µg/L	m 99
		570.1 -> 483.0	1223		
PFBA	2.920	212.8 -> 168.9	16526	9.48 µg/L	100
PFBS	5.465	298.7 -> 79.9	9377	2.11 µg/L	95
		298.7 -> 98.8	3526		
PFDA	8.216	512.9 -> 469.0	32263	2.55 µg/L	95
		512.9 -> 219.0	6132		
PFDODA	9.144	613.1 -> 569.0	29607	2.30 µg/L	100
		613.1 -> 319.0	4326		
PFDS	9.294	599.0 -> 79.9	4367	1.98 µg/L	92

7.4.1
7

Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc.	Units	Dev(Min)
		599.0 -> 98.8	2245			
PFHpA	6.505	363.1 -> 319.0	40838	2.35	µg/L	99
		363.1 -> 169.0	7158			
PFHpS	7.848	449.0 -> 79.9	7819	2.44	µg/L	97
		449.0 -> 98.9	3985			
PFHxA	5.562	313.0 -> 269.0	43404	2.34	µg/L	99
		313.0 -> 118.9	1350			
PFHxS	7.267	398.7 -> 79.9	6085	2.10	µg/L	m 94
		398.7 -> 98.9	3299			
PFNA	7.722	463.0 -> 419.0	33091	2.31	µg/L	97
		463.0 -> 219.0	8726			
PFNS	8.861	548.8 -> 79.9	3951	2.04	µg/L	99
		548.8 -> 98.9	2090			
PFOA	7.176	413.0 -> 369.0	54899	2.30	µg/L	96
		413.0 -> 169.0	11584			
PFOS	8.367	498.9 -> 79.9	10389	2.39	µg/L	m 100
		498.9 -> 98.8	5119			
PFPeA	4.389	263.0 -> 219.0	77661	5.10	µg/L	100
PFPeS	6.531	349.1 -> 79.9	5434	2.19	µg/L	95
		349.1 -> 98.9	2324			
PFTeDA	9.924	713.1 -> 669.0	26965	2.42	µg/L	100
		713.1 -> 168.9	2287			
PFTrDA	9.554	663.0 -> 619.0	39602	2.30	µg/L	96
		663.0 -> 168.9	3693			
PFUnDA	8.698	563.1 -> 519.0	25780	2.38	µg/L	100
		563.1 -> 269.1	5493			
11CI-PF3OUdS	9.593	630.9 -> 450.9	34341	3.65	µg/L	95
		632.9 -> 452.9	10853			
9CI-PF3ONS	8.712	530.8 -> 351.0	51920	4.33	µg/L	99
		532.8 -> 353.0	15605			
ADONA	6.768	376.9 -> 250.9	127206	4.83	µg/L	99
		376.9 -> 84.8	33783			
HFPO-DA	5.928	284.9 -> 168.9	11926	4.76	µg/L	96
		284.9 -> 184.9	1552			
3:3FTCA	3.867	241.0 -> 177.0	4413	6.58	µg/L	98
		241.0 -> 117.0	415			
5:3FTCA	6.231	341.0 -> 237.1	132452	52.73	µg/L	99
		341.0 -> 217.0	89673			
7:3FTCA	7.686	441.0 -> 316.9	75701	58.00	µg/L	99
		441.0 -> 336.9	182487			
EtFOSA	11.375	526.0 -> 219.0	16822	5.13	µg/L	m 99
		526.0 -> 169.0	23141			
EtFOSE	11.295	630.0 -> 58.9	30060	11.95	µg/L	100
MeFOSA	11.090	511.9 -> 219.0	13602	4.84	µg/L	m 99
		511.9 -> 169.0	20325			
MeFOSE	10.997	616.1 -> 58.9	20793	12.22	µg/L	m 100
PFDoDS	10.064	699.1 -> 79.9	3548	1.81	µg/L	92
		699.1 -> 98.8	2109			
NFDHA	5.453	295.0 -> 201.0	5639	4.27	µg/L	97
		295.0 -> 84.9	1460			
PFMBA	4.791	279.0 -> 85.1	41078	4.83	µg/L	100
PFMPA	3.528	229.0 -> 84.9	33482	4.20	µg/L	100
PFEESA	5.997	314.8 -> 134.9	55226	3.94	µg/L	100
		314.8 -> 82.9	2037			

= Qualifier out of range, m = manually integrated, + = Area summed

7.4.1
7





Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
----------	----	------------	----------	-------------	----------

7.4.1


7

Perfluorinated Compounds by LC/MS/MS




7.4.1
7

Perfluorinated Compounds by LC/MS/MS



7.4.1
7


Perfluorinated Compounds by LC/MS/MS




7.4.1
7

Perfluorinated Compounds by LC/MS/MS


Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFBS	2.11	5.46	0.04	9377	298.7 -> 98.8	37.6	20.3	60.9




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
13C5-PFHxA	2.74	5.56	0.02	47244				




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFHxA	2.34	5.56	0.02	43404	313.0 -> 118.9	3.1	1.5	4.4



Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
13C3-HFPO-DA	10.17	5.93	0.04	26191				




Perfluorinated Compounds by LC/MS/MS




7.4.1
7

Perfluorinated Compounds by LC/MS/MS



7.4.1
7





Perfluorinated Compounds by LC/MS/MS



7.4.1

7


Perfluorinated Compounds by LC/MS/MS



7.4.1

7





Perfluorinated Compounds by LC/MS/MS



7.4.1

7





Perfluorinated Compounds by LC/MS/MS




7.4.1

7

Perfluorinated Compounds by LC/MS/MS



Perfluorinated Compounds by LC/MS/MS




7.4.1

7




Perfluorinated Compounds by LC/MS/MS



7.4.1
7

Perfluorinated Compounds by LC/MS/MS




7.4.1


7

Perfluorinated Compounds by LC/MS/MS


Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFDoDS	1.81	10.06	0.02	3548	699.1 -> 98.8	59.4	26.9	80.6




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d7-MeFOSE	12.83	10.97	0.02	41427				




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
MeFOSE	12.22	11.00	0.02	20793 (m)				



Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d3-MeFOSA	1.83	11.09	0.02	7465				




Perfluorinated Compounds by LC/MS/MS



7.4.1

7

Perfluorinated Compounds by LC/MS/MS



7.4.1

7

Manual Integration Approval Summary

Sample Number: OP96701-MS Method: EPA DRAFT 1633
Lab FileID: 4Q43973.D Analyst approved: 05/05/23 07:59 Natasha Gumtie
Injection Time: 05/04/23 17:17 Supervisor approved: 05/05/23 16:38 Mike Eger

Parameter	CAS	Sig#	R.T. (min.)	Reason
Perfluorohexanesulfonic acid	355-46-4		7.27	Split peak
MeFOSAA	2355-31-9		8.29	Split peak
Perfluorooctanesulfonic acid	1763-23-1		8.37	Split peak
EtFOSAA	2991-50-6		8.50	Split peak
MeFOSE	24448-09-7		11.00	Split peak
MeFOSA	31506-32-8		11.09	Split peak
EtFOSA	4151-50-2		11.38	Split peak

7.4.1.1
7

Perfluorinated Compounds by LC/MS/MS

Data File : 4Q43975.d
 Operator : natashag
 Acq. Method : 1633full_4Q.m
 Acq. Date-Time : 5/4/2023 5:45:19 PM
 Sample Name : op96701-dup
 Vial : P2-B9
 DA Method File : 1633_050323_S4Q634.quantmethod.xml
 Batch Name : s4q635.batch.bin
 Sample Information : OP96701,S4Q635,570,,,5.0,1,water

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Internal Standards					
M4-PFBA	2.924	216.8 -> 171.9	122900	10.00 µg/L	0.000
M5-PFPeA	4.387	268.3 -> 223.0	65320	5.00 µg/L	0.025
M5-PFHxA	5.559	318.0 -> 273.0	47722	2.50 µg/L	0.025
M4-PFHpA	6.504	367.1 -> 322.0	27921	2.50 µg/L	0.037
M8-PFOA	7.175	421.1 -> 376.0	40874	2.50 µg/L	0.052
M9-PFNA	7.709	472.1 -> 427.0	20393	1.25 µg/L	0.038
M6-PFDA	8.216	519.1 -> 474.1	18019	1.25 µg/L	0.038
M7-PFUnDA	8.697	570.0 -> 525.1	18676	1.25 µg/L	0.050
M2-PFDoDA	9.143	615.1 -> 570.0	18167	1.25 µg/L	0.037
M2-PFTeDA	9.936	715.2 -> 670.0	12730	1.25 µg/L	0.037
M8-FOSA	9.796	506.1 -> 77.8	12631	2.50 µg/L	0.025
M3-PFBS	5.452	302.1 -> 79.9	10961	2.50 µg/L	0.025
M3-PFHxS	7.266	402.1 -> 79.9	7341	2.50 µg/L	0.037
M8-PFOS	8.366	507.1 -> 79.9	9989	2.50 µg/L	0.037
M2-4:2FTS	5.247	329.1 -> 80.9	1057	5.00 µg/L	0.025
M2-6:2FTS	6.936	429.1 -> 80.9	2146	5.00 µg/L	0.037
M2-8:2FTS	8.003	529.1 -> 80.9	3211	5.00 µg/L	0.037
M3-MeFOSAA	8.286	573.2 -> 419.0	14100	5.00 µg/L	0.049
M3-HFPO-DA	5.927	286.9 -> 168.9	26243	10.00 µg/L	0.037
M5-EtFOSAA	8.495	589.2 -> 419.0	11966	5.00 µg/L	0.050
M7-MeFOSE	10.972	623.2 -> 58.9	45463	25.00 µg/L	0.025
M9-EtFOSE	11.269	639.2 -> 58.9	70070	25.00 µg/L	0.012
M5-EtFOSA	11.360	531.1 -> 219.0	8245	2.50 µg/L	0.012
M3-MeFOSA	11.076	515.0 -> 219.0	7404	2.50 µg/L	0.012
13C4-PFOS	8.367	502.8 -> 79.9	10898	2.50 µg/L	0.037
13C3-PFBA	2.928	216.0 -> 172.0	65641	5.00 µg/L	0.000
18O2-PFHxS	7.265	403.0 -> 83.9	4435	2.50 µg/L	0.037
13C4-PFOA	7.163	417.1 -> 372.0	50381	2.50 µg/L	0.039
13C2-PFDA	8.216	515.1 -> 470.1	17738	1.25 µg/L	0.038
13C5-PFNA	7.709	468.0 -> 423.0	23365	1.25 µg/L	0.025
13C2-PFHxA	5.560	315.1 -> 270.0	40960	2.50 µg/L	0.025
System Monitoring Compounds					
13C2-4:2FTS	5.247	329.1 -> 80.9	1057	5.86 µg/L	0.025
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 117.3%		
13C2-6:2FTS	6.936	429.1 -> 80.9	2146	6.61 µg/L	0.037
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 132.1%		
13C2-8:2FTS	8.003	529.1 -> 80.9	3211	6.33 µg/L	0.037
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 126.6%		
13C2-PFDoDA	9.143	615.1 -> 570.0	18167	1.06 µg/L	0.037
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 84.6%		
13C2-PFTeDA	9.936	715.2 -> 670.0	12730	0.91 µg/L	0.037
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 72.8%		
13C3-PFBS	5.452	302.1 -> 79.9	10961	2.62 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 104.8%		
13C3-PFHxS	7.266	402.1 -> 79.9	7341	2.67 µg/L	0.037

7.5.1
7

Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 106.8%	
13C4-PFBA	2.924	216.8 -> 171.9	122900	9.95 µg/L	0.000
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 99.5%	
13C4-PFHpA	6.504	367.1 -> 322.0	27921	2.65 µg/L	0.037
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 105.9%	
13C5-PFHxA	5.559	318.0 -> 273.0	47722	2.65 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 105.8%	
13C5-PFPeA	4.387	268.3 -> 223.0	65320	5.18 µg/L	0.025
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 103.5%	
13C6-PFDA	8.216	519.1 -> 474.1	18019	1.19 µg/L	0.038
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 94.9%	
13C7-PFUnDA	8.697	570.0 -> 525.1	18676	1.18 µg/L	0.050
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 94.5%	
13C8-FOSA	9.796	506.1 -> 77.8	12631	1.85 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 73.9%	
13C8-PFOA	7.175	421.1 -> 376.0	40874	2.47 µg/L	0.052
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 98.8%	
13C8-PFOS	8.366	507.1 -> 79.9	9989	2.43 µg/L	0.037
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 97.4%	
13C9-PFNA	7.709	472.1 -> 427.0	20393	1.28 µg/L	0.038
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 102.7%	
d3-MeFOSAA	8.286	573.2 -> 419.0	14100	5.13 µg/L	0.049
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 102.5%	
13C3-HFPO-DA	5.927	286.9 -> 168.9	26243	9.74 µg/L	0.037
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 97.4%	
d3-MeFOSA	11.076	515.0 -> 219.0	7404	1.73 µg/L	0.012
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 69.3%	
d5-EtFOSAA	8.495	589.2 -> 419.0	11966	5.28 µg/L	0.050
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 105.6%	
d7-MeFOSE	10.972	623.2 -> 58.9	45463	13.41 µg/L	0.025
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 53.6%	
d9-EtFOSE	11.269	639.2 -> 58.9	70070	14.59 µg/L	0.012
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 58.4%	
d5-EtFOSA	11.360	531.1 -> 219.0	8245	1.81 µg/L	0.012
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 72.6%	

Target Compounds	RT	Transition	Response	Conc. Units	QValue
4:2FTS	-	327.1 -> 307.0	-	N.D.	
		327.1 -> 80.9			
6:2FTS	-	427.1 -> 407.0	-	N.D.	
		427.1 -> 80.9			
8:2FTS	-	527.1 -> 507.0	-	N.D.	
		527.1 -> 80.8			
EtFOSAA	-	584.2 -> 419.1	-	N.D.	
		584.2 -> 526.0			
FOSA	-	498.1 -> 77.9	-	N.D.	
		498.1 -> 478.0			
MeFOSAA	-	570.1 -> 419.0	-	N.D.	
		570.1 -> 483.0			
PFBA	-	212.8 -> 168.9	-	N.D.	
PFBS	-	298.7 -> 79.9	-	N.D.	
		298.7 -> 98.8			
PFDA	-	512.9 -> 469.0	-	N.D.	
		512.9 -> 219.0			
PFDODA	-	613.1 -> 569.0	-	N.D.	
		613.1 -> 319.0			
PFDS	-	599.0 -> 79.9	-	N.D.	

7.5.1
7

Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc.	Units	Dev(Min)
PFHpA	-	599.0 -> 98.8	-	N.D.		
		363.1 -> 319.0				
PFHpS	-	363.1 -> 169.0	-	N.D.		
		449.0 -> 79.9				
PFHxA	-	449.0 -> 98.9	-	N.D.		
		313.0 -> 269.0				
PFHxS	-	313.0 -> 118.9	-	N.D.		
		398.7 -> 79.9				
PFNA	-	398.7 -> 98.9	-	N.D.		
		463.0 -> 419.0				
PFNS	-	463.0 -> 219.0	-	N.D.		
		548.8 -> 79.9				
PFOA	-	548.8 -> 98.9	-	N.D.		
		413.0 -> 369.0				
PFOS	-	413.0 -> 169.0	-	N.D.		
		498.9 -> 79.9				
PFPeA	-	498.9 -> 98.8	-	N.D.		
		263.0 -> 219.0				
PFPeS	-	349.1 -> 79.9	-	N.D.		
		349.1 -> 98.9				
PFTeDA	-	713.1 -> 669.0	-	N.D.		
		713.1 -> 168.9				
PFTrDA	-	663.0 -> 619.0	-	N.D.		
		663.0 -> 168.9				
PFUnDA	8.934	563.1 -> 519.0	0		µg/L	m
		563.1 -> 269.1	0			
11Cl-PF3OUdS	-	630.9 -> 450.9	-	N.D.		
		632.9 -> 452.9				
9Cl-PF3ONS	-	530.8 -> 351.0	-	N.D.		
		532.8 -> 353.0				
ADONA	-	376.9 -> 250.9	-	N.D.		
		376.9 -> 84.8				
HFPO-DA	-	284.9 -> 168.9	-	N.D.		
		284.9 -> 184.9				
3:3FTCA	-	241.0 -> 177.0	-	N.D.		
		241.0 -> 117.0				
5:3FTCA	-	341.0 -> 237.1	-	N.D.		
		341.0 -> 217.0				
7:3FTCA	-	441.0 -> 316.9	-	N.D.		
		441.0 -> 336.9				
EtFOSA	-	526.0 -> 219.0	-	N.D.		
		526.0 -> 169.0				
EtFOSE	-	630.0 -> 58.9	-	N.D.		
		511.9 -> 219.0				
MeFOSA	-	511.9 -> 169.0	-	N.D.		
		616.1 -> 58.9				
MeFOSE	-	699.1 -> 79.9	-	N.D.		
		699.1 -> 98.8				
PFDoDS	-	295.0 -> 201.0	-	N.D.		
		295.0 -> 84.9				
NFDHA	-	279.0 -> 85.1	-	N.D.		
		229.0 -> 84.9				
PFMBA	-	314.8 -> 134.9	-	N.D.		
		314.8 -> 82.9				

= Qualifier out of range, m = manually integrated, + = Area summed

7.5.1
7





Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
----------	----	------------	----------	-------------	----------





7.5.1

7


Perfluorinated Compounds by LC/MS/MS



Perfluorinated Compounds by LC/MS/MS




Perfluorinated Compounds by LC/MS/MS




7.5.1
7

Perfluorinated Compounds by LC/MS/MS



7.5.1
7

Perfluorinated Compounds by LC/MS/MS




7.5.1

7



Perfluorinated Compounds by LC/MS/MS




7.5.1


7

Perfluorinated Compounds by LC/MS/MS

Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d9-EtFOSE	14.59	11.27	0.01	70070				



Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d5-EtFOFA	1.81	11.36	0.01	8245				



7.5.1

7

Perfluorinated Compounds by LC/MS/MS





Data File : 4Q43881.d
 Operator : natashag
 Acq. Method : 1633full_4Q.m
 Acq. Date-Time : 5/3/2023 10:23:06 AM
 Sample Name : RT TDCA
 Vial : P1-B1
 DA Method File : TDCA.quantmethod.xml
 Batch Name : s4q634_TDCA.batch.bin
 Sample Information : OP96548,S4Q634,500,,,5.0,1,water

Compound	RT	Transition	Response	Conc.	Units	Dev(Min)	QValue
Internal Standards							
M8-PFOS	8.304	507.1 -> 79.9	14500	2.50	µg/L	-0.062	
13C4-PFOS	8.305	502.8 -> 79.9	17051	2.50	µg/L	-0.062	
System Monitoring Compounds							
13C8-PFOS	8.304	507.1 -> 79.9	14500	2.16	µg/L	-0.062	
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 86.3%				
Target Compounds							
PFOS	8.305	498.9 -> 79.9	15511	3.13	µg/L	m	96
		498.9 -> 98.8	7886				
TCDCa	6.686	498.9 -> 79.9	5407	8.08	ng/ml		100
TDCA	6.847	498.9 -> 79.9	7334	12.10	ng/ml		100
TUDCA	5.842	498.9 -> 79.9	10209	7.94	ng/ml		100

= Qualifier out of range, m = manually integrated, + = Area summed


7.6.1
7

Perfluorinated Compounds by LC/MS/MS




Perfluorinated Compounds by LC/MS/MS

Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
13C8-PFOS	2.16	8.30	-0.06	14500				



Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFOS	3.13	8.31	-0.06	15511 (m)	498.9 -> 98.8	50.8	27.9	67.9



7.6.1

7



Manual Integration Approval Summary

Sample Number: S4Q634-RT Method: EPA DRAFT 1633
Lab FileID: 4Q43881.D Analyst approved: 05/04/23 11:23 Natasha Gumtie
Injection Time: 05/03/23 10:23 Supervisor approved: 05/04/23 17:44 Norman Farmer

Parameter	CAS	Sig#	R.T. (min.)	Reason
Perfluorooctanesulfonic acid	1763-23-1		8.30	Split peak

7.6.1.1

7

Perfluorinated Compounds by LC/MS/MS

Data File : 4Q43882.d
 Operator : natashag
 Acq. Method : 1633full_4Q.m
 Acq. Date-Time : 5/3/2023 10:37:09 AM
 Sample Name : RT br/lr
 Vial : P1-B2
 DA Method File : 1633_050323_S4Q634.quantmethod.xml
 Batch Name : s4q634.batch.bin
 Sample Information : OP96548,S4Q634,500,,,5.0,1,water

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Internal Standards					
M4-PFBA	2.911	216.8 -> 171.9	119654	10.00 µg/L	-0.012
M5-PFPeA	4.350	268.3 -> 223.0	67757	5.00 µg/L	-0.012
M5-PFHxA	5.510	318.0 -> 273.0	49354	2.50 µg/L	-0.025
M4-PFHpA	6.455	367.1 -> 322.0	29875	2.50 µg/L	-0.012
M8-PFOA	7.111	421.1 -> 376.0	43497	2.50 µg/L	-0.012
M9-PFNA	7.658	472.1 -> 427.0	20317	1.25 µg/L	-0.012
M6-PFDA	8.166	519.1 -> 474.1	20346	1.25 µg/L	-0.012
M7-PFUnDA	8.635	570.0 -> 525.1	21156	1.25 µg/L	-0.012
M2-PFDoDA	9.081	615.1 -> 570.0	22468	1.25 µg/L	-0.025
M2-PFTeDA	9.886	715.2 -> 670.0	18596	1.25 µg/L	-0.012
M8-FOSA	9.758	506.1 -> 77.8	16919	2.50 µg/L	-0.012
M3-PFBS	5.414	302.1 -> 79.9	11687	2.50 µg/L	-0.012
M3-PFHxS	7.217	402.1 -> 79.9	7599	2.50 µg/L	-0.012
M8-PFOS	8.316	507.1 -> 79.9	10335	2.50 µg/L	-0.013
M2-4:2FTS	5.209	329.1 -> 80.9	1135	5.00 µg/L	-0.014
M2-6:2FTS	6.886	429.1 -> 80.9	1876	5.00 µg/L	-0.012
M2-8:2FTS	7.953	529.1 -> 80.9	3057	5.00 µg/L	-0.012
M3-MeFOSAA	8.224	573.2 -> 419.0	15580	5.00 µg/L	-0.012
M3-HFPO-DA	5.877	286.9 -> 168.9	30253	10.00 µg/L	-0.012
M5-EtFOSAA	8.433	589.2 -> 419.0	12098	5.00 µg/L	-0.012
M7-MeFOSE	10.947	623.2 -> 58.9	80643	25.00 µg/L	0.000
M9-EtFOSE	11.244	639.2 -> 58.9	119872	25.00 µg/L	-0.012
M5-EtFOSA	11.348	531.1 -> 219.0	11379	2.50 µg/L	0.000
M3-MeFOSA	11.051	515.0 -> 219.0	10964	2.50 µg/L	-0.012
13C4-PFOS	8.317	502.8 -> 79.9	10254	2.50 µg/L	-0.013
13C3-PFBA	2.916	216.0 -> 172.0	63918	5.00 µg/L	-0.013
18O2-PFHxS	7.216	403.0 -> 83.9	5128	2.50 µg/L	-0.012
13C4-PFOA	7.112	417.1 -> 372.0	52496	2.50 µg/L	-0.012
13C2-PFDA	8.166	515.1 -> 470.1	18252	1.25 µg/L	-0.012
13C5-PFNA	7.658	468.0 -> 423.0	24666	1.25 µg/L	-0.026
13C2-PFHxA	5.511	315.1 -> 270.0	43755	2.50 µg/L	-0.025
System Monitoring Compounds					
13C2-4:2FTS	5.209	329.1 -> 80.9	1135	5.44 µg/L	-0.014
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 108.9%		
13C2-6:2FTS	6.886	429.1 -> 80.9	1876	4.99 µg/L	-0.012
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 99.9%		
13C2-8:2FTS	7.953	529.1 -> 80.9	3057	5.21 µg/L	-0.012
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 104.2%		
13C2-PFDoDA	9.081	615.1 -> 570.0	22468	1.27 µg/L	-0.025
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 101.6%		
13C2-PFTeDA	9.886	715.2 -> 670.0	18596	1.29 µg/L	-0.012
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 103.4%		
13C3-PFBS	5.414	302.1 -> 79.9	11687	2.42 µg/L	-0.012
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 96.7%		
13C3-PFHxS	7.217	402.1 -> 79.9	7599	2.39 µg/L	-0.012

7.6.2
7



Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 95.6%	
13C4-PFBA	2.911	216.8 -> 171.9	119654	9.95 µg/L	-0.012
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 99.5%	
13C4-PFHpA	6.455	367.1 -> 322.0	29875	2.65 µg/L	-0.012
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 106.1%	
13C5-PFHxA	5.510	318.0 -> 273.0	49354	2.56 µg/L	-0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 102.4%	
13C5-PFPeA	4.350	268.3 -> 223.0	67757	5.03 µg/L	-0.012
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 100.5%	
13C6-PFDA	8.166	519.1 -> 474.1	20346	1.30 µg/L	-0.012
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 104.1%	
13C7-PFUnDA	8.635	570.0 -> 525.1	21156	1.30 µg/L	-0.012
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 104.0%	
13C8-FOSA	9.758	506.1 -> 77.8	16919	2.63 µg/L	-0.012
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 105.2%	
13C8-PFOA	7.111	421.1 -> 376.0	43497	2.52 µg/L	-0.012
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 100.9%	
13C8-PFOS	8.316	507.1 -> 79.9	10335	2.68 µg/L	-0.013
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 107.1%	
13C9-PFNA	7.658	472.1 -> 427.0	20317	1.21 µg/L	-0.012
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 96.9%	
d3-MeFOSAA	8.224	573.2 -> 419.0	15580	6.02 µg/L	-0.012
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 120.4%	
13C3-HFPO-DA	5.877	286.9 -> 168.9	30253	10.51 µg/L	-0.012
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 105.1%	
d3-MeFOSA	11.051	515.0 -> 219.0	10964	2.73 µg/L	-0.012
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 109.1%	
d5-EtFOSAA	8.433	589.2 -> 419.0	12098	5.68 µg/L	-0.012
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 113.5%	
d7-MeFOSE	10.947	623.2 -> 58.9	80643	25.28 µg/L	0.000
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 101.1%	
d9-EtFOSE	11.244	639.2 -> 58.9	119872	26.54 µg/L	-0.012
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 106.1%	
d5-EtFOSA	11.348	531.1 -> 219.0	11379	2.66 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 106.5%	
Target Compounds					QValue
4:2FTS	5.210	327.1 -> 307.0	91008	49.85 µg/L	93
		327.1 -> 80.9	38405		
6:2FTS	6.886	427.1 -> 407.0	96692	53.36 µg/L	97
		427.1 -> 80.9	39102		
8:2FTS	7.954	527.1 -> 507.0	91390	53.63 µg/L	95
		527.1 -> 80.8	35708		
EtFOSAA	8.434	584.2 -> 419.1	29724	12.79 µg/L	m 97
		584.2 -> 526.0	14584		
FOSA	9.761	498.1 -> 77.9	215824	30.44 µg/L	m 99
		498.1 -> 478.0	6518		
MeFOSAA	8.225	570.1 -> 419.0	32953	12.14 µg/L	m 94
		570.1 -> 483.0	6799		
PFBA	2.907	212.8 -> 168.9	172708	53.90 µg/L	100
PFBS	5.415	298.7 -> 79.9	57018	11.89 µg/L	97
		298.7 -> 98.8	22261		
PFDA	8.166	512.9 -> 469.0	205207	13.29 µg/L	97
		512.9 -> 219.0	41256		
PFDoDA	9.094	613.1 -> 569.0	229603	12.74 µg/L	100
		613.1 -> 319.0	33205		
PFDS	9.244	599.0 -> 79.9	32797	12.81 µg/L	93

7.6.2
7

Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc.	Units	Dev(Min)
		599.0 -> 98.8	16772			
PFHpA	6.455	363.1 -> 319.0	251318	13.31	µg/L	98
		363.1 -> 169.0	43064			
PFHpS	7.797	449.0 -> 79.9	47137	12.66	µg/L	99
		449.0 -> 98.9	24887			
PFHxA	5.513	313.0 -> 269.0	252397	13.05	µg/L	99
		313.0 -> 118.9	7767			
PFHxS	7.218	398.7 -> 79.9	37325	11.98	µg/L	m 97
		398.7 -> 98.9	19559			
PFNA	7.659	463.0 -> 419.0	399781	26.55	µg/L	m 96
		463.0 -> 219.0	107916			
PFNS	8.799	548.8 -> 79.9	29412	13.04	µg/L	98
		548.8 -> 98.9	14968			
PFOA	7.113	413.0 -> 369.0	661230	26.35	µg/L	m 93
		413.0 -> 169.0	150084			
PFOS	8.318	498.9 -> 79.9	60984	12.06	µg/L	m 93
		498.9 -> 98.8	32611			
PFPeA	4.352	263.0 -> 219.0	435219	26.70	µg/L	100
PFPeS	6.482	349.1 -> 79.9	34058	12.75	µg/L	96
		349.1 -> 98.9	14905			
PFTeDA	9.887	713.1 -> 669.0	247298	13.59	µg/L	100
		713.1 -> 168.9	20837			
PFTrDA	9.503	663.0 -> 619.0	322406	13.38	µg/L	97
		663.0 -> 168.9	31668			
PFUnDA	8.635	563.1 -> 519.0	186826	13.00	µg/L	96
		563.1 -> 269.1	36943			
11CI-PF3OUdS	9.556	630.9 -> 450.9	263768	24.24	µg/L	96
		632.9 -> 452.9	82123			
9CI-PF3ONS	8.663	530.8 -> 351.0	338021	24.40	µg/L	99
		532.8 -> 353.0	101547			
ADONA	6.718	376.9 -> 250.9	728297	23.94	µg/L	99
		376.9 -> 84.8	194611			
HFPO-DA	5.878	284.9 -> 168.9	76483	26.46	µg/L	99
		284.9 -> 184.9	9054			
3:3FTCA	3.823	241.0 -> 177.0	45775	63.82	µg/L	99
		241.0 -> 117.0	4083			
5:3FTCA	6.180	341.0 -> 237.1	841708	320.79	µg/L	100
		341.0 -> 217.0	575949			
7:3FTCA	7.636	441.0 -> 316.9	430006	315.39	µg/L	96
		441.0 -> 336.9	997461			
EtFOSA	11.350	526.0 -> 219.0	225204	47.24	µg/L	m 99
		526.0 -> 169.0	309822			
EtFOSE	11.270	630.0 -> 58.9	402929	86.83	µg/L	100
MeFOSA	11.053	511.9 -> 219.0	191225	46.30	µg/L	m 98
		511.9 -> 169.0	278854			
MeFOSE	10.960	616.1 -> 58.9	287291	86.73	µg/L	m 100
PFDoDS	10.027	699.1 -> 79.9	29285	12.82	µg/L	98
		699.1 -> 98.8	16233			
NFDHA	5.403	295.0 -> 201.0	37035	26.82	µg/L	95
		295.0 -> 84.9	9242			
PFMBA	4.753	279.0 -> 85.1	239209	26.29	µg/L	100
PFMPA	3.515	229.0 -> 84.9	222443	26.10	µg/L	100
PFEESA	5.946	314.8 -> 134.9	340737	23.28	µg/L	100
		314.8 -> 82.9	12053			

= Qualifier out of range, m = manually integrated, + = Area summed

7.6.2
7





Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
----------	----	------------	----------	-------------	----------


7.6.2

7


Perfluorinated Compounds by LC/MS/MS



Perfluorinated Compounds by LC/MS/MS




Perfluorinated Compounds by LC/MS/MS




Perfluorinated Compounds by LC/MS/MS


Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFBS	11.89	5.42	-0.01	57018	298.7 -> 98.8	39.0	20.3	60.9




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
13C5-PFHxA	2.56	5.51	-0.02	49354	318.0 -> 273.0	3.1	1.5	4.4







Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFHxA	13.05	5.51	-0.02	252397	313.0 -> 118.9	3.1	1.5	4.4




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
13C3-HFPO-DA	10.51	5.88	-0.01	30253	286.9 -> 168.9	3.1	1.5	4.4







Perfluorinated Compounds by LC/MS/MS




Perfluorinated Compounds by LC/MS/MS



Perfluorinated Compounds by LC/MS/MS




Perfluorinated Compounds by LC/MS/MS



7.6.2

7





Perfluorinated Compounds by LC/MS/MS







7.6.2

7


Perfluorinated Compounds by LC/MS/MS




Perfluorinated Compounds by LC/MS/MS



Perfluorinated Compounds by LC/MS/MS







Perfluorinated Compounds by LC/MS/MS



7.6.2


7

Perfluorinated Compounds by LC/MS/MS




Perfluorinated Compounds by LC/MS/MS


Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFDoDS	12.82	10.03	-0.01	29285	699.1 -> 98.8	55.4	26.9	80.6




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d7-MeFOSE	25.28	10.95	0.00	80643				







Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
MeFOSE	86.73	10.96	-0.01	287291 (m)				




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d3-MeFOSA	2.73	11.05	-0.01	10964				



Perfluorinated Compounds by LC/MS/MS



Perfluorinated Compounds by LC/MS/MS



7.6.2

7

Manual Integration Approval Summary

Sample Number: S4Q634-RT Method: EPA DRAFT 1633
Lab FileID: 4Q43882.D Analyst approved: 05/04/23 11:23 Natasha Gumtie
Injection Time: 05/03/23 10:37 Supervisor approved: 05/04/23 17:44 Norman Farmer

Parameter	CAS	Sig#	R.T. (min.)	Reason
Perfluorooctanoic acid	335-67-1		7.11	Split peak
Perfluorohexanesulfonic acid	355-46-4		7.22	Split peak
Perfluorononanoic acid	375-95-1		7.66	Split peak
MeFOSAA	2355-31-9		8.22	Split peak
Perfluorooctanesulfonic acid	1763-23-1		8.32	Split peak
EtFOSAA	2991-50-6		8.43	Split peak
PFOSA	754-91-6		9.76	Split peak
MeFOSE	24448-09-7		10.96	Split peak
MeFOSA	31506-32-8		11.05	Split peak
EtFOSA	4151-50-2		11.35	Split peak

7.6.2.1
7

Manual Integrations
APPROVED
 (compounds with "m" flag)

Mike Eger
 05/05/23 16:38

Perfluorinated Compounds by LC/MS/MS

Data File : 4Q43950.d
 Operator : natashag
 Acq. Method : 1633full_4Q.m
 Acq. Date-Time : 5/4/2023 11:51:45 AM
 Sample Name : RT TDCA
 Vial : P1-B1
 DA Method File : TDCA.quantmethod.xml
 Batch Name : s4q635_TDCA.batch.bin
 Sample Information : OP96548,S4Q635,500,,,5.0,1,water





Compound	RT	Transition	Response	Conc. Units	Dev(Min)	QValue
Internal Standards						
M8-PFOS	8.304	507.1 -> 79.9	15956	2.50 µg/L	-0.062	
13C4-PFOS	8.305	502.8 -> 79.9	15779	2.50 µg/L	-0.062	
System Monitoring Compounds						
13C8-PFOS	8.304	507.1 -> 79.9	15956	2.56 µg/L	-0.062	
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 102.6%			
Target Compounds						
PFOS	8.305	498.9 -> 79.9 498.9 -> 98.8	16446 7995	3.02 µg/L m		99
TCDCa	6.686	498.9 -> 79.9	3954	5.37 ng/ml		100
TDCA	6.835	498.9 -> 79.9	5118	7.68 ng/ml		100
TUDCA	5.842	498.9 -> 79.9	7121	5.03 ng/ml		100

= Qualifier out of range, m = manually integrated, + = Area summed

7.6.3
7




Perfluorinated Compounds by LC/MS/MS




Perfluorinated Compounds by LC/MS/MS

Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
13C8-PFOS	2.56	8.30	-0.06	15956				



Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFOS	3.02	8.31	-0.06	16446 (m)	498.9 -> 98.8	48.6	27.9	67.9



7.6.3

7



Manual Integration Approval Summary

Sample Number: S4Q635-RT Method: EPA DRAFT 1633
Lab FileID: 4Q43950.D Analyst approved: 05/05/23 07:50 Natasha Gumtie
Injection Time: 05/04/23 11:51 Supervisor approved: 05/05/23 16:38 Mike Eger

Parameter	CAS	Sig#	R.T. (min.)	Reason
Perfluorooctanesulfonic acid	1763-23-1		8.30	Split peak

7.6.3.1

7

Perfluorinated Compounds by LC/MS/MS

Data File : 4Q43951.d
 Operator : natashag
 Acq. Method : 1633full_4Q.m
 Acq. Date-Time : 5/4/2023 12:05:49 PM
 Sample Name : RT br/lr
 Vial : P1-B2
 DA Method File : 1633_050323_S4Q634.quantmethod.xml
 Batch Name : s4q635.batch.bin
 Sample Information : OP96548,S4Q635,500,,,5.0,1,water

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Internal Standards					
M4-PFBA	2.936	216.8 -> 171.9	117758	10.00 µg/L	0.013
M5-PFPeA	4.375	268.3 -> 223.0	66008	5.00 µg/L	0.012
M5-PFHxA	5.522	318.0 -> 273.0	44849	2.50 µg/L	-0.012
M4-PFHpA	6.442	367.1 -> 322.0	26833	2.50 µg/L	-0.025
M8-PFOA	7.111	421.1 -> 376.0	41933	2.50 µg/L	-0.012
M9-PFNA	7.658	472.1 -> 427.0	20550	1.25 µg/L	-0.012
M6-PFDA	8.153	519.1 -> 474.1	19320	1.25 µg/L	-0.025
M7-PFUnDA	8.622	570.0 -> 525.1	19667	1.25 µg/L	-0.025
M2-PFDoDA	9.067	615.1 -> 570.0	21502	1.25 µg/L	-0.039
M2-PFTeDA	9.862	715.2 -> 670.0	15407	1.25 µg/L	-0.037
M8-FOSA	9.746	506.1 -> 77.8	16520	2.50 µg/L	-0.025
M3-PFBS	5.427	302.1 -> 79.9	10876	2.50 µg/L	0.000
M3-PFHxS	7.204	402.1 -> 79.9	6904	2.50 µg/L	-0.025
M8-PFOS	8.304	507.1 -> 79.9	10141	2.50 µg/L	-0.025
M2-4:2FTS	5.209	329.1 -> 80.9	872	5.00 µg/L	-0.014
M2-6:2FTS	6.886	429.1 -> 80.9	1715	5.00 µg/L	-0.012
M2-8:2FTS	7.941	529.1 -> 80.9	2876	5.00 µg/L	-0.025
M3-MeFOSAA	8.211	573.2 -> 419.0	13431	5.00 µg/L	-0.025
M3-HFPO-DA	5.877	286.9 -> 168.9	28105	10.00 µg/L	-0.012
M5-EtFOSAA	8.421	589.2 -> 419.0	11789	5.00 µg/L	-0.025
M7-MeFOSE	10.922	623.2 -> 58.9	68936	25.00 µg/L	-0.025
M9-EtFOSE	11.244	639.2 -> 58.9	93065	25.00 µg/L	-0.012
M5-EtFOSA	11.335	531.1 -> 219.0	10931	2.50 µg/L	-0.012
M3-MeFOSA	11.039	515.0 -> 219.0	9746	2.50 µg/L	-0.025
13C4-PFOS	8.305	502.8 -> 79.9	10706	2.50 µg/L	-0.025
13C3-PFBA	2.941	216.0 -> 172.0	64106	5.00 µg/L	0.012
18O2-PFHxS	7.203	403.0 -> 83.9	4774	2.50 µg/L	-0.025
13C4-PFOA	7.112	417.1 -> 372.0	49952	2.50 µg/L	-0.012
13C2-PFDA	8.154	515.1 -> 470.1	17333	1.25 µg/L	-0.025
13C5-PFNA	7.658	468.0 -> 423.0	21732	1.25 µg/L	-0.026
13C2-PFHxA	5.523	315.1 -> 270.0	40456	2.50 µg/L	-0.012
System Monitoring Compounds					
13C2-4:2FTS	5.209	329.1 -> 80.9	872	4.50 µg/L	-0.014
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 89.9%		
13C2-6:2FTS	6.886	429.1 -> 80.9	1715	4.90 µg/L	-0.012
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 98.1%		
13C2-8:2FTS	7.941	529.1 -> 80.9	2876	5.27 µg/L	-0.025
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 105.3%		
13C2-PFDoDA	9.067	615.1 -> 570.0	21502	1.28 µg/L	-0.039
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 102.4%		
13C2-PFTeDA	9.862	715.2 -> 670.0	15407	1.13 µg/L	-0.037
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 90.2%		
13C3-PFBS	5.427	302.1 -> 79.9	10876	2.42 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 96.6%		
13C3-PFHxS	7.204	402.1 -> 79.9	6904	2.33 µg/L	-0.025

7.6.4
7

Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 93.3%	
13C4-PFBA	2.936	216.8 -> 171.9	117758	9.76 µg/L	0.013
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 97.6%	
13C4-PFHpA	6.442	367.1 -> 322.0	26833	2.58 µg/L	-0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 103.1%	
13C5-PFHxA	5.522	318.0 -> 273.0	44849	2.52 µg/L	-0.012
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 100.7%	
13C5-PFPeA	4.375	268.3 -> 223.0	66008	5.30 µg/L	0.012
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 105.9%	
13C6-PFDA	8.153	519.1 -> 474.1	19320	1.30 µg/L	-0.025
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 104.1%	
13C7-PFUnDA	8.622	570.0 -> 525.1	19667	1.27 µg/L	-0.025
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 101.9%	
13C8-FOSA	9.746	506.1 -> 77.8	16520	2.46 µg/L	-0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 98.4%	
13C8-PFOA	7.111	421.1 -> 376.0	41933	2.56 µg/L	-0.012
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 102.3%	
13C8-PFOS	8.304	507.1 -> 79.9	10141	2.52 µg/L	-0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 100.6%	
13C9-PFNA	7.658	472.1 -> 427.0	20550	1.39 µg/L	-0.012
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 111.3%	
d3-MeFOSAA	8.211	573.2 -> 419.0	13431	4.97 µg/L	-0.025
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 99.4%	
13C3-HFPO-DA	5.877	286.9 -> 168.9	28105	10.56 µg/L	-0.012
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 105.6%	
d3-MeFOSA	11.039	515.0 -> 219.0	9746	2.32 µg/L	-0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 92.9%	
d5-EtFOSAA	8.421	589.2 -> 419.0	11789	5.30 µg/L	-0.025
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 106.0%	
d7-MeFOSE	10.922	623.2 -> 58.9	68936	20.70 µg/L	-0.025
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 82.8%	
d9-EtFOSE	11.244	639.2 -> 58.9	93065	19.73 µg/L	-0.012
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 78.9%	
d5-EtFOSA	11.335	531.1 -> 219.0	10931	2.45 µg/L	-0.012
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 98.0%	
Target Compounds					QValue
4:2FTS	5.223	327.1 -> 307.0	75937	54.12 µg/L	95
		327.1 -> 80.9	33303		
6:2FTS	6.874	427.1 -> 407.0	87112	52.58 µg/L	98
		427.1 -> 80.9	35686		
8:2FTS	7.941	527.1 -> 507.0	80219	50.04 µg/L	96
		527.1 -> 80.8	31974		
EtFOSAA	8.422	584.2 -> 419.1	29275	12.93 µg/L	m 97
		584.2 -> 526.0	14207		
FOSA	9.737	498.1 -> 77.9	200922	29.02 µg/L	m 99
		498.1 -> 478.0	5978		
MeFOSAA	8.212	570.1 -> 419.0	31950	13.65 µg/L	m 97
		570.1 -> 483.0	7047		
PFBA	2.945	212.8 -> 168.9	169857	53.87 µg/L	100
PFBS	5.428	298.7 -> 79.9	51648	11.58 µg/L	95
		298.7 -> 98.8	19438		
PFDA	8.154	512.9 -> 469.0	187201	12.77 µg/L	96
		512.9 -> 219.0	37318		
PFDoDA	9.067	613.1 -> 569.0	221654	12.85 µg/L	99
		613.1 -> 319.0	31841		
PFDS	9.233	599.0 -> 79.9	31392	12.50 µg/L	97

Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc.	Units	Dev(Min)
PFHpA	6.443	599.0 -> 98.8	15125	13.37	µg/L	100
		363.1 -> 319.0	226785			
PFHpS	7.785	363.1 -> 169.0	40628	12.42	µg/L	98
		449.0 -> 79.9	45382			
PFHxA	5.525	449.0 -> 98.9	23522	13.30	µg/L	100
		313.0 -> 269.0	233749			
PFHxS	7.205	313.0 -> 118.9	6960	12.08	µg/L	96
		398.7 -> 79.9	34191			
PFNA	7.646	398.7 -> 98.9	18159	25.21	µg/L	97
		463.0 -> 419.0	383961			
PFNS	8.787	463.0 -> 219.0	100859	11.19	µg/L	98
		548.8 -> 79.9	24763			
PFOA	7.113	548.8 -> 98.9	13285	27.66	µg/L	96
		413.0 -> 369.0	669180			
PFOS	8.305	413.0 -> 169.0	141112	12.00	µg/L	98
		498.9 -> 79.9	59566			
PFPeA	4.377	498.9 -> 98.8	29921	25.89	µg/L	100
		263.0 -> 219.0	411244			
PFPeS	6.482	349.1 -> 79.9	30597	12.60	µg/L	99
		349.1 -> 98.9	13823			
PFTeDA	9.862	713.1 -> 669.0	213450	14.15	µg/L	100
		713.1 -> 168.9	18259			
PFTrDA	9.490	663.0 -> 619.0	287860	12.48	µg/L	98
		663.0 -> 168.9	29121			
PFUnDA	8.623	563.1 -> 519.0	175568	13.14	µg/L	98
		563.1 -> 269.1	35812			
11Cl-PF3OUdS	9.531	630.9 -> 450.9	248148	24.55	µg/L	97
		632.9 -> 452.9	75818			
9Cl-PF3ONS	8.649	530.8 -> 351.0	306863	23.84	µg/L	99
		532.8 -> 353.0	91520			
ADONA	6.706	376.9 -> 250.9	672705	23.80	µg/L	98
		376.9 -> 84.8	181513			
HFPO-DA	5.878	284.9 -> 168.9	70636	26.30	µg/L	98
		284.9 -> 184.9	8586			
3:3FTCA	3.848	241.0 -> 177.0	44640	63.89	µg/L	98
		241.0 -> 117.0	4113			
5:3FTCA	6.180	341.0 -> 237.1	784556	329.04	µg/L	98
		341.0 -> 217.0	545564			
7:3FTCA	7.624	441.0 -> 316.9	425593	343.51	µg/L	97
		441.0 -> 336.9	994133			
EtFOSA	11.337	526.0 -> 219.0	214448	46.83	µg/L	98
		526.0 -> 169.0	291487			
EtFOSE	11.257	630.0 -> 58.9	299294	83.07	µg/L	100
		511.9 -> 219.0	174729			
MeFOSA	11.041	511.9 -> 169.0	252477	47.59	µg/L	97
		616.1 -> 58.9	214237			
MeFOSE	10.948	699.1 -> 79.9	28248	75.66	µg/L	100
		699.1 -> 98.8	15235			
PFDoDS	10.014	295.0 -> 201.0	32783	12.60	µg/L	100
		295.0 -> 84.9	8450			
NFDHA	5.403	279.0 -> 85.1	224523	26.13	µg/L	97
		229.0 -> 84.9	214357			
PFMBA	4.766	314.8 -> 134.9	318914	25.33	µg/L	100
		314.8 -> 82.9	10477			
PFMPA	3.540			25.82	µg/L	100
PFEESA	5.946			23.98	µg/L	99

= Qualifier out of range, m = manually integrated, + = Area summed

7.6.4
7





Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
----------	----	------------	----------	-------------	----------


7.6.4

7


Perfluorinated Compounds by LC/MS/MS



Perfluorinated Compounds by LC/MS/MS



Perfluorinated Compounds by LC/MS/MS




7.6.4


7

Perfluorinated Compounds by LC/MS/MS


Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFBS	11.58	5.43	0.00	51648	298.7 -> 98.8	37.6	20.3	60.9




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
13C5-PFHxA	2.52	5.52	-0.01	44849	318.0 -> 273.0			




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFHxA	13.30	5.53	-0.01	233749	313.0 -> 118.9	3.0	1.5	4.4



Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
13C3-HFPO-DA	10.56	5.88	-0.01	28105	286.9 -> 168.9			




Perfluorinated Compounds by LC/MS/MS



7.6.4

7





Perfluorinated Compounds by LC/MS/MS







7.6.4

7


Perfluorinated Compounds by LC/MS/MS



Perfluorinated Compounds by LC/MS/MS



Perfluorinated Compounds by LC/MS/MS







7.6.4





7




Perfluorinated Compounds by LC/MS/MS



Perfluorinated Compounds by LC/MS/MS















Perfluorinated Compounds by LC/MS/MS







7.6.4

7

Perfluorinated Compounds by LC/MS/MS


Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFDoDA	12.85	9.07	-0.04	221654	613.1 -> 319.0	14.4	7.3	22.0
								
PFDS	12.50	9.23	-0.02	31392	599.0 -> 98.8	48.2	23.2	69.5
								
PFTrDA	12.48	9.49	-0.02	287860	663.0 -> 168.9	10.1	5.4	16.2
								
11Cl-PF3OUdS	24.55	9.53	-0.04	248148	632.9 -> 452.9	30.6	14.5	43.6
								

Perfluorinated Compounds by LC/MS/MS




Perfluorinated Compounds by LC/MS/MS


Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFDoS	12.60	10.01	-0.02	28248	699.1 -> 98.8	53.9	26.9	80.6




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d7-MeFOSE	20.70	10.92	-0.02	68936				




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
MeFOSE	75.66	10.95	-0.02	214237 (m)				



Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d3-MeFOSA	2.32	11.04	-0.02	9746				



Perfluorinated Compounds by LC/MS/MS




7.6.4

7



Perfluorinated Compounds by LC/MS/MS



7.6.4

7

Manual Integration Approval Summary

Sample Number: S4Q635-RT Method: EPA DRAFT 1633
Lab FileID: 4Q43951.D Analyst approved: 05/05/23 07:50 Natasha Gumtie
Injection Time: 05/04/23 12:05 Supervisor approved: 05/05/23 16:38 Mike Eger

Parameter	CAS	Sig#	R.T. (min.)	Reason
Perfluorooctanoic acid	335-67-1		7.11	Split peak
Perfluorohexanesulfonic acid	355-46-4		7.21	Split peak
Perfluorononanoic acid	375-95-1		7.65	Split peak
MeFOSAA	2355-31-9		8.21	Split peak
Perfluorooctanesulfonic acid	1763-23-1		8.30	Split peak
EtFOSAA	2991-50-6		8.42	Split peak
PFOSA	754-91-6		9.74	Split peak
MeFOSE	24448-09-7		10.95	Split peak
MeFOSA	31506-32-8		11.04	Split peak
EtFOSA	4151-50-2		11.34	Split peak

7.6.4.1
7

QQQ Check Tune Report



Instrument Name LCMS4-Q
MS Model G6470A
MS Instrument Serial SG2004G105
Software_Firmware Version 10.0.142, FW: A.00.08.100
Tune Date & Time 30 April 2023 11:24:53
Data Path D:\MassHunter\Tune\QQQ\G6470A\atunes.TUNE.XML
Ion Source AJS ESI
Ionization Mode AJS ESI
Tuned Resolution All
Vacuum Pressure 1.76E+0 [R] (Torr); 3.64E-5 [H] (Torr)

Source Parameters

Parameter	Negative
Gas Temp (°C)	300
Gas Flow (l/min)	8
Nebulizer (psi)	15
Capillary (V)	4000
Nozzle Voltage (V)	1500
Sheath Gas Temp (°C)	250
Sheath Gas Flow (l/min)	7

7.7.1

7

QQQ Check Tune Report



Negative Results

Analyzer: MS1 Polarity: Negative Width: Unit

m/z Expected	m/z Measured	Delta	Result	FWHM Expected	FWHM Measured	Delta	Result	Abundance
112.99	112.98	-0.01	Pass	0.70	0.66	-0.04	Pass	201034
302.00	302.01	0.01	Pass	0.70	0.67	-0.03	Pass	310264
601.98	602.01	0.03	Pass	0.70	0.69	-0.01	Pass	444462
1033.99	1034.02	0.03	Pass	0.70	0.70	0.00	Pass	616104
1633.95	1633.95	0.00	Pass	0.70	0.68	-0.02	Pass	1304259
2233.91	2233.90	-0.01	Pass	0.70	0.72	0.02	Pass	724412

Analyzer: MS2 Polarity: Negative Width: Unit

m/z Expected	m/z Measured	Delta	Result	FWHM Expected	FWHM Measured	Delta	Result	Abundance
69.00	69.08	0.08	Pass	0.70	0.60	-0.10	Pass	43506
112.99	112.98	-0.01	Pass	0.70	0.71	0.01	Pass	146601
302.00	301.99	-0.01	Pass	0.70	0.66	-0.04	Pass	234306
601.98	601.92	-0.06	Pass	0.70	0.70	0.00	Pass	233181
1033.99	1033.85	-0.14	Pass	0.70	0.74	0.04	Pass	144228
1633.95	1633.70	-0.25	Adjust	0.70	0.78	0.08	Pass	201645
2233.91	2233.63	-0.28	Pass	0.70	0.79	0.09	Pass	82948

Analyzer: MS1 Polarity: Negative Width: Wide

m/z Expected	m/z Measured	Delta	Result	FWHM Expected	FWHM Measured	Delta	Result	Abundance
112.99	113.01	0.02	Pass	1.20	1.21	0.01	Pass	272389
302.00	301.98	-0.02	Pass	1.20	1.41	0.21	Pass	420909
601.98	601.99	0.01	Pass	1.20	1.44	0.24	Pass	763120
1033.99	1034.01	0.02	Pass	1.20	1.49	0.29	Pass	1327450
1633.95	1633.95	0.00	Pass	1.20	1.36	0.16	Pass	3403405
2233.91	2233.87	-0.04	Pass	1.20	1.20	0.00	Pass	1664147

Analyzer: MS2 Polarity: Negative Width: Wide

m/z Expected	m/z Measured	Delta	Result	FWHM Expected	FWHM Measured	Delta	Result	Abundance
69.00	69.08	0.08	Pass	1.20	1.10	-0.10	Pass	59945
112.99	112.96	-0.03	Pass	1.20	1.22	0.02	Pass	213730
302.00	302.00	0.00	Pass	1.20	1.45	0.25	Pass	349114
601.98	601.95	-0.03	Pass	1.20	1.53	0.33	Pass	449128
1033.99	1033.84	-0.15	Pass	1.20	1.59	0.39	Pass	302100
1633.95	1633.61	-0.34	Pass	1.20	1.55	0.35	Pass	580971
2233.91	2233.60	-0.31	Pass	1.20	1.47	0.27	Pass	324311

Analyzer: MS1 Polarity: Negative Width: Widest

m/z Expected	m/z Measured	Delta	Result	FWHM Expected	FWHM Measured	Delta	Result	Abundance
112.99	112.91	-0.08	Pass	2.50	2.53	0.03	Pass	390598
302.00	302.01	0.01	Pass	2.50	2.70	0.20	Pass	510334
601.98	602.05	0.07	Pass	2.50	2.73	0.23	Pass	1033779
1033.99	1034.01	0.02	Pass	2.50	2.75	0.25	Pass	2141360
1633.95	1633.92	-0.03	Pass	2.50	2.63	0.13	Pass	6705580
2233.91	2233.79	-0.12	Pass	2.50	2.42	-0.08	Pass	4259918

Analyzer: MS2 Polarity: Negative Width: Widest

m/z Expected	m/z Measured	Delta	Result	FWHM Expected	FWHM Measured	Delta	Result	Abundance
69.00	69.04	0.04	Pass	2.50	2.37	-0.13	Pass	76909
112.99	112.97	-0.02	Pass	2.50	2.50	0.00	Pass	286009
302.00	301.99	-0.01	Pass	2.50	2.68	0.18	Pass	456032
601.98	601.95	-0.03	Pass	2.50	2.79	0.29	Pass	609214
1033.99	1033.83	-0.16	Pass	2.50	2.85	0.35	Pass	451181
1633.95	1633.68	-0.27	Pass	2.50	2.72	0.22	Pass	1021433
2233.91	2233.59	-0.32	Pass	2.50	2.47	-0.03	Pass	789629

7.7.1
7



Perfluorinated Compounds by LC/MS/MS

Data File : 4Q43884.d
 Operator : natashag
 Acq. Method : 1633full_4Q.m
 Acq. Date-Time : 5/3/2023 11:12:11 AM
 Sample Name : ic634-1
 Vial : P1-A2
 DA Method File : 1633_050323_S4Q634.quantmethod.xml
 Batch Name : s4q634.batch.bin
 Sample Information : OP96548,S4Q634,500,,,5.0,1,water

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Internal Standards					
M4-PFBA	2.911	216.8 -> 171.9	133324	10.00 µg/L	-0.012
M5-PFPeA	4.362	268.3 -> 223.0	70436	5.00 µg/L	0.000
M5-PFHxA	5.522	318.0 -> 273.0	51396	2.50 µg/L	-0.012
M4-PFHpA	6.455	367.1 -> 322.0	30242	2.50 µg/L	-0.012
M8-PFOA	7.124	421.1 -> 376.0	42914	2.50 µg/L	0.000
M9-PFNA	7.670	472.1 -> 427.0	20504	1.25 µg/L	0.000
M6-PFDA	8.166	519.1 -> 474.1	20136	1.25 µg/L	-0.012
M7-PFUnDA	8.635	570.0 -> 525.1	21422	1.25 µg/L	-0.012
M2-PFDoDA	9.093	615.1 -> 570.0	21281	1.25 µg/L	-0.012
M2-PFTeDA	9.886	715.2 -> 670.0	18387	1.25 µg/L	-0.012
M8-FOSA	9.758	506.1 -> 77.8	17575	2.50 µg/L	-0.012
M3-PFBS	5.427	302.1 -> 79.9	12829	2.50 µg/L	0.000
M3-PFHxS	7.217	402.1 -> 79.9	8172	2.50 µg/L	-0.012
M8-PFOS	8.316	507.1 -> 79.9	10530	2.50 µg/L	-0.013
M2-4:2FTS	5.209	329.1 -> 80.9	1189	5.00 µg/L	-0.014
M2-6:2FTS	6.886	429.1 -> 80.9	2090	5.00 µg/L	-0.012
M2-8:2FTS	7.953	529.1 -> 80.9	3107	5.00 µg/L	-0.012
M3-MeFOSAA	8.224	573.2 -> 419.0	14225	5.00 µg/L	-0.012
M3-HFPO-DA	5.877	286.9 -> 168.9	29384	10.00 µg/L	-0.012
M5-EtFOSAA	8.433	589.2 -> 419.0	10858	5.00 µg/L	-0.012
M7-MeFOSE	10.947	623.2 -> 58.9	84284	25.00 µg/L	0.000
M9-EtFOSE	11.256	639.2 -> 58.9	127257	25.00 µg/L	0.000
M5-EtFOSA	11.348	531.1 -> 219.0	12371	2.50 µg/L	0.000
M3-MeFOSA	11.064	515.0 -> 219.0	11108	2.50 µg/L	0.000
13C4-PFOS	8.317	502.8 -> 79.9	12141	2.50 µg/L	-0.013
13C3-PFBA	2.916	216.0 -> 172.0	70772	5.00 µg/L	-0.013
18O2-PFHxS	7.216	403.0 -> 83.9	5179	2.50 µg/L	-0.012
13C4-PFOA	7.124	417.1 -> 372.0	53320	2.50 µg/L	0.000
13C2-PFDA	8.166	515.1 -> 470.1	18742	1.25 µg/L	-0.012
13C5-PFNA	7.671	468.0 -> 423.0	24868	1.25 µg/L	-0.013
13C2-PFHxA	5.523	315.1 -> 270.0	45134	2.50 µg/L	-0.012
System Monitoring Compounds					
13C2-4:2FTS	5.209	329.1 -> 80.9	1189	5.65 µg/L	-0.014
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 113.0%		
13C2-6:2FTS	6.886	429.1 -> 80.9	2090	5.51 µg/L	-0.012
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 110.2%		
13C2-8:2FTS	7.953	529.1 -> 80.9	3107	5.25 µg/L	-0.012
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 104.9%		
13C2-PFDoDA	9.093	615.1 -> 570.0	21281	1.17 µg/L	-0.012
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 93.8%		
13C2-PFTeDA	9.886	715.2 -> 670.0	18387	1.24 µg/L	-0.012
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 99.5%		
13C3-PFBS	5.427	302.1 -> 79.9	12829	2.63 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 105.1%		
13C3-PFHxS	7.217	402.1 -> 79.9	8172	2.55 µg/L	-0.012

7.7.2
7



Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc.	Units	Dev(Min)
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 101.8%		
13C4-PFBA	2.911	216.8 -> 171.9	133324	10.01	µg/L	-0.012
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 100.1%		
13C4-PFHpA	6.455	367.1 -> 322.0	30242	2.60	µg/L	-0.012
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 104.1%		
13C5-PFHxA	5.522	318.0 -> 273.0	51396	2.59	µg/L	-0.012
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 103.4%		
13C5-PFPeA	4.362	268.3 -> 223.0	70436	5.07	µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 101.3%		
13C6-PFDA	8.166	519.1 -> 474.1	20136	1.25	µg/L	-0.012
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 100.4%		
13C7-PFUnDA	8.635	570.0 -> 525.1	21422	1.28	µg/L	-0.012
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 102.6%		
13C8-FOSA	9.758	506.1 -> 77.8	17575	2.31	µg/L	-0.012
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 92.3%		
13C8-PFOA	7.124	421.1 -> 376.0	42914	2.45	µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 98.0%		
13C8-PFOS	8.316	507.1 -> 79.9	10530	2.30	µg/L	-0.013
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 92.1%		
13C9-PFNA	7.670	472.1 -> 427.0	20504	1.21	µg/L	0.000
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 97.0%		
d3-MeFOSAA	8.224	573.2 -> 419.0	14225	4.64	µg/L	-0.012
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 92.8%		
13C3-HFPO-DA	5.877	286.9 -> 168.9	29384	9.90	µg/L	-0.012
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 99.0%		
d3-MeFOSA	11.064	515.0 -> 219.0	11108	2.33	µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 93.3%		
d5-EtFOSAA	8.433	589.2 -> 419.0	10858	4.30	µg/L	-0.012
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 86.1%		
d7-MeFOSE	10.947	623.2 -> 58.9	84284	22.31	µg/L	0.000
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 89.3%		
d9-EtFOSE	11.256	639.2 -> 58.9	127257	23.79	µg/L	0.000
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 95.2%		
d5-EtFOSA	11.348	531.1 -> 219.0	12371	2.44	µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 97.8%		
Target Compounds						QValue
4:2FTS	5.209	327.1 -> 307.0	1373	0.72	µg/L	99
		327.1 -> 80.9	654			
6:2FTS	6.886	427.1 -> 407.0	1456	0.72	µg/L	78
		427.1 -> 80.9	820			
8:2FTS	7.954	527.1 -> 507.0	1265	0.73	µg/L	99
		527.1 -> 80.8	529			
EtFOSAA	8.446	584.2 -> 419.1	415	0.20	µg/L	m 91
		584.2 -> 526.0	236			
FOSA	9.761	498.1 -> 77.9	1434	0.19	µg/L	99
		498.1 -> 478.0	51			
MeFOSAA	8.237	570.1 -> 419.0	578	0.23	µg/L	m 93
		570.1 -> 483.0	157			
PFBA	2.920	212.8 -> 168.9	2671	0.75	µg/L	100
PFBS	5.415	298.7 -> 79.9	887	0.17	µg/L	94
		298.7 -> 98.8	396			
PFDA	8.166	512.9 -> 469.0	2822	0.18	µg/L	96
		512.9 -> 219.0	561			
PFDODA	9.094	613.1 -> 569.0	3581	0.21	µg/L	m 93
		613.1 -> 319.0	631			
PFDS	9.257	599.0 -> 79.9	464	0.18	µg/L	93

Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc.	Units	Dev(Min)
		599.0 -> 98.8	235			
PFHpA	6.455	363.1 -> 319.0	3266	0.17	µg/L	m
		363.1 -> 169.0	704			
PFHpS	7.797	449.0 -> 79.9	730	0.19	µg/L	88
		449.0 -> 98.9	450			
PFHxA	5.525	313.0 -> 269.0	3920	0.19	µg/L	98
		313.0 -> 118.9	88			
PFHxS	7.218	398.7 -> 79.9	568	0.17	µg/L	m
		398.7 -> 98.9	277			
PFNA	7.671	463.0 -> 419.0	3263	0.21	µg/L	96
		463.0 -> 219.0	753			
PFNS	8.799	548.8 -> 79.9	435	0.19	µg/L	99
		548.8 -> 98.9	230			
PFOA	7.125	413.0 -> 369.0	4788	0.19	µg/L	87
		413.0 -> 169.0	1204			
PFOS	8.305	498.9 -> 79.9	1025	0.20	µg/L	m
		498.9 -> 98.8	575			
PFPeA	4.364	263.0 -> 219.0	6141	0.36	µg/L	100
PFPeS	6.494	349.1 -> 79.9	506	0.18	µg/L	98
		349.1 -> 98.9	227			
PFTeDA	9.887	713.1 -> 669.0	3199	0.18	µg/L	99
		713.1 -> 168.9	282			
PFTrDA	9.515	663.0 -> 619.0	5149	0.23	µg/L	96
		663.0 -> 168.9	485			
PFUnDA	8.648	563.1 -> 519.0	2712	0.19	µg/L	99
		563.1 -> 269.1	564			
11Cl-PF3OUdS	9.556	630.9 -> 450.9	3635	0.34	µg/L	89
		632.9 -> 452.9	1273			
9Cl-PF3ONS	8.663	530.8 -> 351.0	4687	0.35	µg/L	95
		532.8 -> 353.0	1553			
ADONA	6.718	376.9 -> 250.9	11026	0.37	µg/L	99
		376.9 -> 84.8	2854			
HFPO-DA	5.891	284.9 -> 168.9	1087	0.39	µg/L	92
		284.9 -> 184.9	91			
3:3FTCA	3.823	241.0 -> 177.0	672	0.90	µg/L	100
		241.0 -> 117.0	57			
5:3FTCA	6.180	341.0 -> 237.1	12380	4.53	µg/L	96
		341.0 -> 217.0	8858			
7:3FTCA	7.636	441.0 -> 316.9	6366	4.48	µg/L	99
		441.0 -> 336.9	15098			
EtFOSA	11.350	526.0 -> 219.0	1635	0.32	µg/L	m
		526.0 -> 169.0	2557			
EtFOSE	11.270	630.0 -> 58.9	4617	0.94	µg/L	m
MeFOSA	11.066	511.9 -> 219.0	1473	0.35	µg/L	m
		511.9 -> 169.0	2671			
MeFOSE	10.960	616.1 -> 58.9	3786	1.09	µg/L	m
PFDoDS	10.039	699.1 -> 79.9	469	0.20	µg/L	87
		699.1 -> 98.8	207			
NFDHA	5.403	295.0 -> 201.0	554	0.39	µg/L	80
		295.0 -> 84.9	96			
PFMBA	4.766	279.0 -> 85.1	3672	0.39	µg/L	100
PFMPA	3.515	229.0 -> 84.9	3240	0.37	µg/L	100
PFEESA	5.959	314.8 -> 134.9	5092	0.33	µg/L	95
		314.8 -> 82.9	107			

= Qualifier out of range, m = manually integrated, + = Area summed





Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
----------	----	------------	----------	-------------	----------

7.7.2
7




Perfluorinated Compounds by LC/MS/MS



7.7.2

7

Perfluorinated Compounds by LC/MS/MS




7.7.2

7



Perfluorinated Compounds by LC/MS/MS






7.7.2




7

Perfluorinated Compounds by LC/MS/MS




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFBS	0.17	5.42	-0.01	887	298.7 -> 98.8	44.6	20.3	60.9






Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
13C5-PFHxA	2.59	5.52	-0.01	51396				







Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFHxA	0.19	5.53	-0.01	3920	313.0 -> 118.9	2.2	1.5	4.4




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
13C3-HFPO-DA	9.90	5.88	-0.01	29384				




Perfluorinated Compounds by LC/MS/MS



Perfluorinated Compounds by LC/MS/MS







Perfluorinated Compounds by LC/MS/MS



7.7.2

7


Perfluorinated Compounds by LC/MS/MS



7.7.2

7


Perfluorinated Compounds by LC/MS/MS



7.7.2

7

Perfluorinated Compounds by LC/MS/MS







7.7.2


7







Perfluorinated Compounds by LC/MS/MS



Perfluorinated Compounds by LC/MS/MS




Perfluorinated Compounds by LC/MS/MS



7.7.2

7

Perfluorinated Compounds by LC/MS/MS




7.7.2


7

Perfluorinated Compounds by LC/MS/MS


Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFDoDS	0.20	10.04	0.00	469	699.1 -> 98.8	44.1	26.9	80.6




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d7-MeFOSE	22.31	10.95	0.00	84284				




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
MeFOSE	1.09	10.96	-0.01	3786 (m)				



Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d3-MeFOSA	2.33	11.06	0.00	11108				




Perfluorinated Compounds by LC/MS/MS



7.7.2

7

Perfluorinated Compounds by LC/MS/MS



7.7.2

7

Manual Integration Approval Summary

Sample Number: S4Q634-IC634 **Method:** EPA DRAFT 1633
Lab FileID: 4Q43884.D **Analyst approved:** 05/04/23 11:23 Natasha Gumtie
Injection Time: 05/03/23 11:12 **Supervisor approved:** 05/04/23 17:44 Norman Farmer

Parameter	CAS	Sig#	R.T. (min.)	Reason
Perfluoroheptanoic acid	375-85-9		6.46	Poor instrument integration
Perfluorohexanesulfonic acid	355-46-4		7.22	Split peak
MeFOSAA	2355-31-9		8.24	Split peak
Perfluorooctanesulfonic acid	1763-23-1		8.30	Split peak
EtFOSAA	2991-50-6		8.45	Split peak
Perfluorododecanoic acid	307-55-1		9.09	Poor instrument integration
MeFOSE	24448-09-7		10.96	Split peak
MeFOSA	31506-32-8		11.07	Split peak
EtFOSE	1691-99-2		11.27	Split peak
EtFOSA	4151-50-2		11.35	Split peak

7.7.2.1
7

Perfluorinated Compounds by LC/MS/MS

Data File : 4Q43885.d
 Operator : natashag
 Acq. Method : 1633full_4Q.m
 Acq. Date-Time : 5/3/2023 11:26:14 AM
 Sample Name : ic634-2
 Vial : P1-A3
 DA Method File : 1633_050323_S4Q634.quantmethod.xml
 Batch Name : s4q634.batch.bin
 Sample Information : OP96548,S4Q634,500,,,5.0,1,water

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Internal Standards					
M4-PFBA	2.924	216.8 -> 171.9	137179	10.00 µg/L	0.000
M5-PFPeA	4.362	268.3 -> 223.0	72419	5.00 µg/L	0.000
M5-PFHxA	5.522	318.0 -> 273.0	52123	2.50 µg/L	-0.012
M4-PFHpA	6.455	367.1 -> 322.0	29993	2.50 µg/L	-0.012
M8-PFOA	7.124	421.1 -> 376.0	46706	2.50 µg/L	0.000
M9-PFNA	7.670	472.1 -> 427.0	22151	1.25 µg/L	0.000
M6-PFDA	8.166	519.1 -> 474.1	20112	1.25 µg/L	-0.012
M7-PFUnDA	8.647	570.0 -> 525.1	20563	1.25 µg/L	0.000
M2-PFDoDA	9.093	615.1 -> 570.0	22014	1.25 µg/L	-0.012
M2-PFTeDA	9.899	715.2 -> 670.0	18668	1.25 µg/L	0.000
M8-FOSA	9.771	506.1 -> 77.8	18230	2.50 µg/L	0.000
M3-PFBS	5.427	302.1 -> 79.9	12687	2.50 µg/L	0.000
M3-PFHxS	7.217	402.1 -> 79.9	8282	2.50 µg/L	-0.012
M8-PFOS	8.316	507.1 -> 79.9	11826	2.50 µg/L	-0.013
M2-4:2FTS	5.209	329.1 -> 80.9	1103	5.00 µg/L	-0.014
M2-6:2FTS	6.898	429.1 -> 80.9	2015	5.00 µg/L	0.000
M2-8:2FTS	7.953	529.1 -> 80.9	3205	5.00 µg/L	-0.012
M3-MeFOSAA	8.236	573.2 -> 419.0	14463	5.00 µg/L	0.000
M3-HFPO-DA	5.890	286.9 -> 168.9	30118	10.00 µg/L	0.000
M5-EtFOSAA	8.433	589.2 -> 419.0	11942	5.00 µg/L	-0.012
M7-MeFOSE	10.947	623.2 -> 58.9	94353	25.00 µg/L	0.000
M9-EtFOSE	11.256	639.2 -> 58.9	137343	25.00 µg/L	0.000
M5-EtFOSA	11.348	531.1 -> 219.0	12459	2.50 µg/L	0.000
M3-MeFOSA	11.064	515.0 -> 219.0	11960	2.50 µg/L	0.000
13C4-PFOS	8.317	502.8 -> 79.9	11988	2.50 µg/L	-0.013
13C3-PFBA	2.916	216.0 -> 172.0	72783	5.00 µg/L	-0.013
18O2-PFHxS	7.216	403.0 -> 83.9	5458	2.50 µg/L	-0.012
13C4-PFOA	7.124	417.1 -> 372.0	55739	2.50 µg/L	0.000
13C2-PFDA	8.166	515.1 -> 470.1	19514	1.25 µg/L	-0.012
13C5-PFNA	7.671	468.0 -> 423.0	25301	1.25 µg/L	-0.013
13C2-PFHxA	5.523	315.1 -> 270.0	47423	2.50 µg/L	-0.012
System Monitoring Compounds					
13C2-4:2FTS	5.209	329.1 -> 80.9	1103	4.97 µg/L	-0.014
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 99.4%		
13C2-6:2FTS	6.898	429.1 -> 80.9	2015	5.04 µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 100.8%		
13C2-8:2FTS	7.953	529.1 -> 80.9	3205	5.13 µg/L	-0.012
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 102.7%		
13C2-PFDoDA	9.093	615.1 -> 570.0	22014	1.16 µg/L	-0.012
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 93.1%		
13C2-PFTeDA	9.899	715.2 -> 670.0	18668	1.21 µg/L	0.000
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 97.1%		
13C3-PFBS	5.427	302.1 -> 79.9	12687	2.47 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 98.6%		
13C3-PFHxS	7.217	402.1 -> 79.9	8282	2.45 µg/L	-0.012

7.7.3
7

Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 97.9%		
13C4-PFBA	2.924	216.8 -> 171.9	137179	10.02 µg/L	0.000
Spiked Amount: 10.00	Range: 50.0 - 150.0%		Recovery = 100.2%		
13C4-PFHpA	6.455	367.1 -> 322.0	29993	2.46 µg/L	-0.012
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 98.3%		
13C5-PFHxA	5.522	318.0 -> 273.0	52123	2.50 µg/L	-0.012
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 99.8%		
13C5-PFPeA	4.362	268.3 -> 223.0	72419	4.96 µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 99.2%		
13C6-PFDA	8.166	519.1 -> 474.1	20112	1.20 µg/L	-0.012
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 96.3%		
13C7-PFUnDA	8.647	570.0 -> 525.1	20563	1.18 µg/L	0.000
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 94.6%		
13C8-FOSA	9.771	506.1 -> 77.8	18230	2.42 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 97.0%		
13C8-PFOA	7.124	421.1 -> 376.0	46706	2.55 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 102.1%		
13C8-PFOS	8.316	507.1 -> 79.9	11826	2.62 µg/L	-0.013
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 104.8%		
13C9-PFNA	7.670	472.1 -> 427.0	22151	1.29 µg/L	0.000
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 103.0%		
d3-MeFOSAA	8.236	573.2 -> 419.0	14463	4.78 µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 95.6%		
13C3-HFPO-DA	5.890	286.9 -> 168.9	30118	9.65 µg/L	0.000
Spiked Amount: 10.00	Range: 50.0 - 150.0%		Recovery = 96.5%		
d3-MeFOSA	11.064	515.0 -> 219.0	11960	2.54 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 101.8%		
d5-EtFOSAA	8.433	589.2 -> 419.0	11942	4.79 µg/L	-0.012
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 95.9%		
d7-MeFOSE	10.947	623.2 -> 58.9	94353	25.30 µg/L	0.000
Spiked Amount: 25.00	Range: 50.0 - 150.0%		Recovery = 101.2%		
d9-EtFOSE	11.256	639.2 -> 58.9	137343	26.01 µg/L	0.000
Spiked Amount: 25.00	Range: 50.0 - 150.0%		Recovery = 104.0%		
d5-EtFOSA	11.348	531.1 -> 219.0	12459	2.49 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 99.7%		
Target Compounds					QValue
4:2FTS	5.223	327.1 -> 307.0	2662	1.50 µg/L	99
		327.1 -> 80.9	1226		
6:2FTS	6.886	427.1 -> 407.0	2993	1.54 µg/L	98
		427.1 -> 80.9	1289		
8:2FTS	7.966	527.1 -> 507.0	2323	1.30 µg/L	94
		527.1 -> 80.8	1062		
EtFOSAA	8.446	584.2 -> 419.1	911	0.40 µg/L	m 95
		584.2 -> 526.0	435		
FOSA	9.761	498.1 -> 77.9	3015	0.39 µg/L	95
		498.1 -> 478.0	54		
MeFOSAA	8.237	570.1 -> 419.0	963	0.38 µg/L	m 91
		570.1 -> 483.0	272		
PFBA	2.920	212.8 -> 168.9	5570	1.52 µg/L	100
PFBS	5.428	298.7 -> 79.9	1783	0.34 µg/L	97
		298.7 -> 98.8	691		
PFDA	8.166	512.9 -> 469.0	5587	0.37 µg/L	m 97
		512.9 -> 219.0	1133		
PFDODA	9.094	613.1 -> 569.0	6564	0.37 µg/L	96
		613.1 -> 319.0	1053		
PFDS	9.257	599.0 -> 79.9	1121	0.38 µg/L	100

Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc.	Units	Dev(Min)
		599.0 -> 98.8	519			
PFHpA	6.455	363.1 -> 319.0	7251	0.38	µg/L	97
		363.1 -> 169.0	1400			
PFHpS	7.797	449.0 -> 79.9	1402	0.33	µg/L	87
		449.0 -> 98.9	877			
PFHxA	5.525	313.0 -> 269.0	7573	0.37	µg/L	98
		313.0 -> 118.9	281			
PFHxS	7.218	398.7 -> 79.9	1152	0.34	µg/L	m 95
		398.7 -> 98.9	535			
PFNA	7.671	463.0 -> 419.0	6420	0.39	µg/L	99
		463.0 -> 219.0	1559			
PFNS	8.811	548.8 -> 79.9	929	0.36	µg/L	97
		548.8 -> 98.9	504			
PFOA	7.125	413.0 -> 369.0	10173	0.38	µg/L	94
		413.0 -> 169.0	2260			
PFOS	8.318	498.9 -> 79.9	1796	0.31	µg/L	m 87
		498.9 -> 98.8	1033			
PFPeA	4.364	263.0 -> 219.0	13543	0.78	µg/L	100
PFPeS	6.494	349.1 -> 79.9	1143	0.39	µg/L	96
		349.1 -> 98.9	500			
PFTeDA	9.900	713.1 -> 669.0	7026	0.38	µg/L	99
		713.1 -> 168.9	586			
PFTrDA	9.515	663.0 -> 619.0	8586	0.36	µg/L	99
		663.0 -> 168.9	911			
PFUnDA	8.648	563.1 -> 519.0	4936	0.35	µg/L	96
		563.1 -> 269.1	1166			
11CI-PF3OUdS	9.556	630.9 -> 450.9	7934	0.73	µg/L	97
		632.9 -> 452.9	2438			
9CI-PF3ONS	8.675	530.8 -> 351.0	10198	0.74	µg/L	97
		532.8 -> 353.0	2949			
ADONA	6.718	376.9 -> 250.9	22650	0.75	µg/L	98
		376.9 -> 84.8	6196			
HFPO-DA	5.891	284.9 -> 168.9	2169	0.75	µg/L	93
		284.9 -> 184.9	307			
3:3FTCA	3.836	241.0 -> 177.0	1496	1.95	µg/L	99
		241.0 -> 117.0	124			
5:3FTCA	6.193	341.0 -> 237.1	25482	9.20	µg/L	100
		341.0 -> 217.0	17465			
7:3FTCA	7.649	441.0 -> 316.9	13175	9.15	µg/L	97
		441.0 -> 336.9	32090			
EtFOSA	11.350	526.0 -> 219.0	4009	0.77	µg/L	m 100
		526.0 -> 169.0	5563			
EtFOSE	11.270	630.0 -> 58.9	10380	1.95	µg/L	100
MeFOSA	11.066	511.9 -> 219.0	3333	0.74	µg/L	m 99
		511.9 -> 169.0	4985			
MeFOSE	10.973	616.1 -> 58.9	7862	2.03	µg/L	m 100
PFDoDS	10.039	699.1 -> 79.9	881	0.34	µg/L	92
		699.1 -> 98.8	524			
NFDHA	5.403	295.0 -> 201.0	1245	0.85	µg/L	87
		295.0 -> 84.9	256			
PFMBA	4.766	279.0 -> 85.1	7663	0.79	µg/L	100
PFMPA	3.515	229.0 -> 84.9	7085	0.78	µg/L	100
PFEESA	5.959	314.8 -> 134.9	10499	0.68	µg/L	100
		314.8 -> 82.9	377			

= Qualifier out of range, m = manually integrated, + = Area summed





Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
----------	----	------------	----------	-------------	----------


7.7.3

7

Perfluorinated Compounds by LC/MS/MS




Perfluorinated Compounds by LC/MS/MS



7.7.3
7


Perfluorinated Compounds by LC/MS/MS



7.7.3
7







Perfluorinated Compounds by LC/MS/MS



7.7.3
7


Perfluorinated Compounds by LC/MS/MS



7.7.3

7


Perfluorinated Compounds by LC/MS/MS



7.7.3

7

Perfluorinated Compounds by LC/MS/MS







7.7.3

7




Perfluorinated Compounds by LC/MS/MS



7.7.3

7


Perfluorinated Compounds by LC/MS/MS



7.7.3

7


Perfluorinated Compounds by LC/MS/MS



7.7.3

7


Perfluorinated Compounds by LC/MS/MS




7.7.3

7

Perfluorinated Compounds by LC/MS/MS



Perfluorinated Compounds by LC/MS/MS




7.7.3

7




Perfluorinated Compounds by LC/MS/MS



7.7.3
7





Perfluorinated Compounds by LC/MS/MS



7.7.3

7


Perfluorinated Compounds by LC/MS/MS



7.7.3

7

Perfluorinated Compounds by LC/MS/MS



7.7.3

7

Manual Integration Approval Summary

Sample Number: S4Q634-IC634 **Method:** EPA DRAFT 1633
Lab FileID: 4Q43885.D **Analyst approved:** 05/04/23 11:23 Natasha Gumtie
Injection Time: 05/03/23 11:26 **Supervisor approved:** 05/04/23 17:44 Norman Farmer

Parameter	CAS	Sig#	R.T. (min.)	Reason
Perfluorohexanesulfonic acid	355-46-4		7.22	Split peak
Perfluorodecanoic acid	335-76-2		8.17	Poor instrument integration
MeFOSAA	2355-31-9		8.24	Split peak
Perfluorooctanesulfonic acid	1763-23-1		8.32	Split peak
EtFOSAA	2991-50-6		8.45	Split peak
MeFOSE	24448-09-7		10.97	Split peak
MeFOSA	31506-32-8		11.07	Split peak
EtFOSA	4151-50-2		11.35	Split peak

7.7.3.1
7

Perfluorinated Compounds by LC/MS/MS

Data File : 4Q43886.d
 Operator : natashag
 Acq. Method : 1633full_4Q.m
 Acq. Date-Time : 5/3/2023 11:40:17 AM
 Sample Name : ic634-3
 Vial : P1-A4
 DA Method File : 1633_050323_S4Q634.quantmethod.xml
 Batch Name : s4q634.batch.bin
 Sample Information : OP96548,S4Q634,500,,,5.0,1,water

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Internal Standards					
M4-PFBA	2.924	216.8 -> 171.9	137252	10.00 µg/L	0.000
M5-PFPeA	4.362	268.3 -> 223.0	71771	5.00 µg/L	0.000
M5-PFHxA	5.522	318.0 -> 273.0	51796	2.50 µg/L	-0.012
M4-PFHpA	6.467	367.1 -> 322.0	29720	2.50 µg/L	0.000
M8-PFOA	7.124	421.1 -> 376.0	46449	2.50 µg/L	0.000
M9-PFNA	7.670	472.1 -> 427.0	21605	1.25 µg/L	0.000
M6-PFDA	8.178	519.1 -> 474.1	20369	1.25 µg/L	0.000
M7-PFUnDA	8.647	570.0 -> 525.1	21956	1.25 µg/L	0.000
M2-PFDoDA	9.106	615.1 -> 570.0	22886	1.25 µg/L	0.000
M2-PFTeDA	9.899	715.2 -> 670.0	19592	1.25 µg/L	0.000
M8-FOSA	9.771	506.1 -> 77.8	18365	2.50 µg/L	0.000
M3-PFBS	5.427	302.1 -> 79.9	12905	2.50 µg/L	0.000
M3-PFHxS	7.217	402.1 -> 79.9	8347	2.50 µg/L	-0.012
M8-PFOS	8.329	507.1 -> 79.9	10370	2.50 µg/L	0.000
M2-4:2FTS	5.222	329.1 -> 80.9	1084	5.00 µg/L	0.000
M2-6:2FTS	6.898	429.1 -> 80.9	1938	5.00 µg/L	0.000
M2-8:2FTS	7.966	529.1 -> 80.9	2893	5.00 µg/L	0.000
M3-MeFOSAA	8.236	573.2 -> 419.0	14943	5.00 µg/L	0.000
M3-HFPO-DA	5.890	286.9 -> 168.9	30209	10.00 µg/L	0.000
M5-EtFOSAA	8.446	589.2 -> 419.0	11666	5.00 µg/L	0.000
M7-MeFOSE	10.947	623.2 -> 58.9	103075	25.00 µg/L	0.000
M9-EtFOSE	11.256	639.2 -> 58.9	147452	25.00 µg/L	0.000
M5-EtFOSA	11.348	531.1 -> 219.0	12410	2.50 µg/L	0.000
M3-MeFOSA	11.064	515.0 -> 219.0	11872	2.50 µg/L	0.000
13C4-PFOS	8.317	502.8 -> 79.9	12408	2.50 µg/L	-0.013
13C3-PFBA	2.916	216.0 -> 172.0	72692	5.00 µg/L	-0.013
18O2-PFHxS	7.228	403.0 -> 83.9	4947	2.50 µg/L	0.000
13C4-PFOA	7.124	417.1 -> 372.0	55898	2.50 µg/L	0.000
13C2-PFDA	8.178	515.1 -> 470.1	18809	1.25 µg/L	0.000
13C5-PFNA	7.671	468.0 -> 423.0	25955	1.25 µg/L	-0.013
13C2-PFHxA	5.523	315.1 -> 270.0	47256	2.50 µg/L	-0.012
System Monitoring Compounds					
13C2-4:2FTS	5.222	329.1 -> 80.9	1084	5.39 µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 107.8%		
13C2-6:2FTS	6.898	429.1 -> 80.9	1938	5.35 µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 107.0%		
13C2-8:2FTS	7.966	529.1 -> 80.9	2893	5.11 µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 102.3%		
13C2-PFDoDA	9.106	615.1 -> 570.0	22886	1.26 µg/L	0.000
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 100.5%		
13C2-PFTeDA	9.899	715.2 -> 670.0	19592	1.32 µg/L	0.000
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 105.7%		
13C3-PFBS	5.427	302.1 -> 79.9	12905	2.77 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 110.7%		
13C3-PFHxS	7.217	402.1 -> 79.9	8347	2.72 µg/L	-0.012

7.7.4
7

Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 108.9%	
13C4-PFBA	2.924	216.8 -> 171.9	137252	10.03 µg/L	0.000
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 100.3%	
13C4-PFHpA	6.467	367.1 -> 322.0	29720	2.44 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 97.7%	
13C5-PFHxA	5.522	318.0 -> 273.0	51796	2.49 µg/L	-0.012
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 99.5%	
13C5-PFPeA	4.362	268.3 -> 223.0	71771	4.93 µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 98.6%	
13C6-PFDA	8.178	519.1 -> 474.1	20369	1.26 µg/L	0.000
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 101.2%	
13C7-PFUnDA	8.647	570.0 -> 525.1	21956	1.31 µg/L	0.000
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 104.8%	
13C8-FOSA	9.771	506.1 -> 77.8	18365	2.36 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 94.4%	
13C8-PFOA	7.124	421.1 -> 376.0	46449	2.53 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 101.2%	
13C8-PFOS	8.329	507.1 -> 79.9	10370	2.22 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 88.8%	
13C9-PFNA	7.670	472.1 -> 427.0	21605	1.22 µg/L	0.000
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 98.0%	
d3-MeFOSAA	8.236	573.2 -> 419.0	14943	4.77 µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 95.4%	
13C3-HFPO-DA	5.890	286.9 -> 168.9	30209	9.72 µg/L	0.000
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 97.2%	
d3-MeFOSA	11.064	515.0 -> 219.0	11872	2.44 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 97.6%	
d5-EtFOSAA	8.446	589.2 -> 419.0	11666	4.52 µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 90.5%	
d7-MeFOSE	10.947	623.2 -> 58.9	103075	26.70 µg/L	0.000
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 106.8%	
d9-EtFOSE	11.256	639.2 -> 58.9	147452	26.97 µg/L	0.000
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 107.9%	
d5-EtFOSA	11.348	531.1 -> 219.0	12410	2.40 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 96.0%	
Target Compounds					QValue
4:2FTS	5.223	327.1 -> 307.0	8153	4.68 µg/L	93
		327.1 -> 80.9	3436		
6:2FTS	6.899	427.1 -> 407.0	8839	4.72 µg/L	95
		427.1 -> 80.9	4012		
8:2FTS	7.966	527.1 -> 507.0	8150	5.05 µg/L	98
		527.1 -> 80.8	3536		
EtFOSAA	8.446	584.2 -> 419.1	2876	1.28 µg/L	m 96
		584.2 -> 526.0	1387		
FOSA	9.761	498.1 -> 77.9	9549	1.24 µg/L	98
		498.1 -> 478.0	238		
MeFOSAA	8.237	570.1 -> 419.0	2967	1.14 µg/L	m 100
		570.1 -> 483.0	697		
PFBA	2.920	212.8 -> 168.9	17412	4.74 µg/L	100
PFBS	5.428	298.7 -> 79.9	5301	1.00 µg/L	97
		298.7 -> 98.8	2251		
PFDA	8.179	512.9 -> 469.0	19257	1.25 µg/L	97
		512.9 -> 219.0	3926		
PFDODA	9.094	613.1 -> 569.0	22231	1.21 µg/L	97
		613.1 -> 319.0	3534		
PFDS	9.257	599.0 -> 79.9	3372	1.31 µg/L	96

Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc.	Units	Dev(Min)
		599.0 -> 98.8	1658			
PFHpA	6.468	363.1 -> 319.0	22972	1.22	µg/L	99
		363.1 -> 169.0	4191			
PFHpS	7.811	449.0 -> 79.9	4739	1.27	µg/L	95
		449.0 -> 98.9	2366			
PFHxA	5.525	313.0 -> 269.0	24548	1.21	µg/L	99
		313.0 -> 118.9	755			
PFHxS	7.218	398.7 -> 79.9	3628	1.06	µg/L	m 90
		398.7 -> 98.9	2056			
PFNA	7.671	463.0 -> 419.0	19018	1.19	µg/L	95
		463.0 -> 219.0	5179			
PFNS	8.811	548.8 -> 79.9	3057	1.35	µg/L	93
		548.8 -> 98.9	1450			
PFOA	7.125	413.0 -> 369.0	31811	1.19	µg/L	99
		413.0 -> 169.0	6346			
PFOS	8.330	498.9 -> 79.9	6025	1.19	µg/L	m 93
		498.9 -> 98.8	3234			
PFPeA	4.364	263.0 -> 219.0	41238	2.39	µg/L	100
PFPeS	6.494	349.1 -> 79.9	3208	1.09	µg/L	98
		349.1 -> 98.9	1440			
PFTeDA	9.900	713.1 -> 669.0	23005	1.20	µg/L	98
		713.1 -> 168.9	1851			
PFTrDA	9.515	663.0 -> 619.0	30932	1.26	µg/L	98
		663.0 -> 168.9	3083			
PFUnDA	8.648	563.1 -> 519.0	17992	1.21	µg/L	95
		563.1 -> 269.1	3457			
11Cl-PF3OUdS	9.556	630.9 -> 450.9	24933	2.30	µg/L	94
		632.9 -> 452.9	8060			
9Cl-PF3ONS	8.675	530.8 -> 351.0	32766	2.37	µg/L	94
		532.8 -> 353.0	8890			
ADONA	6.718	376.9 -> 250.9	70589	2.32	µg/L	99
		376.9 -> 84.8	18818			
HFPO-DA	5.891	284.9 -> 168.9	6999	2.42	µg/L	95
		284.9 -> 184.9	919			
3:3FTCA	3.836	241.0 -> 177.0	4501	5.92	µg/L	95
		241.0 -> 117.0	469			
5:3FTCA	6.193	341.0 -> 237.1	84055	30.52	µg/L	98
		341.0 -> 217.0	56171			
7:3FTCA	7.649	441.0 -> 316.9	43011	30.06	µg/L	96
		441.0 -> 336.9	100210			
EtFOSA	11.350	526.0 -> 219.0	12547	2.41	µg/L	m 97
		526.0 -> 169.0	17949			
EtFOSE	11.270	630.0 -> 58.9	34039	5.96	µg/L	100
MeFOSA	11.065	511.9 -> 219.0	10932	2.44	µg/L	m 99
		511.9 -> 169.0	16340			
MeFOSE	10.973	616.1 -> 58.9	23509	5.55	µg/L	m 100
PFDoDS	10.039	699.1 -> 79.9	2960	1.29	µg/L	97
		699.1 -> 98.8	1646			
NFDHA	5.416	295.0 -> 201.0	3731	2.57	µg/L	96
		295.0 -> 84.9	945			
PFMBA	4.766	279.0 -> 85.1	23367	2.42	µg/L	100
PFMPA	3.515	229.0 -> 84.9	21818	2.42	µg/L	100
PFEESA	5.959	314.8 -> 134.9	32841	2.14	µg/L	99
		314.8 -> 82.9	1144			

= Qualifier out of range, m = manually integrated, + = Area summed





Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
----------	----	------------	----------	-------------	----------


7.7.4

7

Perfluorinated Compounds by LC/MS/MS




Perfluorinated Compounds by LC/MS/MS



7.7.4
7


Perfluorinated Compounds by LC/MS/MS



7.7.4


7

Perfluorinated Compounds by LC/MS/MS




7.7.4
7

Perfluorinated Compounds by LC/MS/MS



7.7.4
7


Perfluorinated Compounds by LC/MS/MS



7.7.4
7




Perfluorinated Compounds by LC/MS/MS



7.7.4
7


Perfluorinated Compounds by LC/MS/MS



7.7.4
7




Perfluorinated Compounds by LC/MS/MS




7.7.4
7

Perfluorinated Compounds by LC/MS/MS




7.7.4
7

Perfluorinated Compounds by LC/MS/MS



7.7.4
7


Perfluorinated Compounds by LC/MS/MS



7.7.4
7




Perfluorinated Compounds by LC/MS/MS



7.7.4

7

Perfluorinated Compounds by LC/MS/MS




7.7.4


7

Perfluorinated Compounds by LC/MS/MS


Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFDoS	1.29	10.04	0.00	2960	699.1 -> 98.8	55.6	26.9	80.6




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d7-MeFOSE	26.70	10.95	0.00	103075				




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
MeFOSE	5.55	10.97	0.00	23509 (m)				



Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d3-MeFOSA	2.44	11.06	0.00	11872				




Perfluorinated Compounds by LC/MS/MS



7.7.4
7

Perfluorinated Compounds by LC/MS/MS



7.7.4

7

Manual Integration Approval Summary

Sample Number: S4Q634-IC634 Method: EPA DRAFT 1633
Lab FileID: 4Q43886.D Analyst approved: 05/04/23 11:23 Natasha Gumtie
Injection Time: 05/03/23 11:40 Supervisor approved: 05/04/23 17:44 Norman Farmer

Parameter	CAS	Sig#	R.T. (min.)	Reason
Perfluorohexanesulfonic acid	355-46-4		7.22	Split peak
MeFOSAA	2355-31-9		8.24	Split peak
Perfluorooctanesulfonic acid	1763-23-1		8.33	Split peak
EtFOSAA	2991-50-6		8.45	Split peak
MeFOSE	24448-09-7		10.97	Split peak
MeFOSA	31506-32-8		11.06	Split peak
EtFOSA	4151-50-2		11.35	Split peak

7.7.4.1
7

Manual Integrations
APPROVED
 (compounds with "m" flag)

Norman Farmer
 05/04/23 17:44

Perfluorinated Compounds by LC/MS/MS

Data File : 4Q43887.d
 Operator : natashag
 Acq. Method : 1633full_4Q.m
 Acq. Date-Time : 5/3/2023 11:54:24 AM
 Sample Name : icc634-4
 Vial : P1-A5
 DA Method File : 1633_050323_S4Q634.quantmethod.xml
 Batch Name : s4q634.batch.bin
 Sample Information : OP96548,S4Q634,500,,,5.0,1,water

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Internal Standards					
M4-PFBA	2.924	216.8 -> 171.9	136945	10.00 µg/L	0.000
M5-PFPeA	4.362	268.3 -> 223.0	71702	5.00 µg/L	0.000
M5-PFHxA	5.535	318.0 -> 273.0	49910	2.50 µg/L	0.000
M4-PFHpA	6.467	367.1 -> 322.0	29610	2.50 µg/L	0.000
M8-PFOA	7.124	421.1 -> 376.0	44424	2.50 µg/L	0.000
M9-PFNA	7.670	472.1 -> 427.0	21310	1.25 µg/L	0.000
M6-PFDA	8.178	519.1 -> 474.1	20739	1.25 µg/L	0.000
M7-PFUnDA	8.647	570.0 -> 525.1	21721	1.25 µg/L	0.000
M2-PFDoDA	9.106	615.1 -> 570.0	24668	1.25 µg/L	0.000
M2-PFTeDA	9.899	715.2 -> 670.0	20258	1.25 µg/L	0.000
M8-FOSA	9.771	506.1 -> 77.8	19470	2.50 µg/L	0.000
M3-PFBS	5.427	302.1 -> 79.9	12093	2.50 µg/L	0.000
M3-PFHxS	7.229	402.1 -> 79.9	7948	2.50 µg/L	0.000
M8-PFOS	8.329	507.1 -> 79.9	11069	2.50 µg/L	0.000
M2-4:2FTS	5.222	329.1 -> 80.9	1045	5.00 µg/L	0.000
M2-6:2FTS	6.898	429.1 -> 80.9	1865	5.00 µg/L	0.000
M2-8:2FTS	7.966	529.1 -> 80.9	2930	5.00 µg/L	0.000
M3-MeFOSAA	8.236	573.2 -> 419.0	14878	5.00 µg/L	0.000
M3-HFPO-DA	5.890	286.9 -> 168.9	30150	10.00 µg/L	0.000
M5-EtFOSAA	8.446	589.2 -> 419.0	12886	5.00 µg/L	0.000
M7-MeFOSE	10.947	623.2 -> 58.9	110308	25.00 µg/L	0.000
M9-EtFOSE	11.256	639.2 -> 58.9	150711	25.00 µg/L	0.000
M5-EtFOSA	11.348	531.1 -> 219.0	11717	2.50 µg/L	0.000
M3-MeFOSA	11.064	515.0 -> 219.0	12050	2.50 µg/L	0.000
13C4-PFOS	8.330	502.8 -> 79.9	11376	2.50 µg/L	0.000
13C3-PFBA	2.928	216.0 -> 172.0	72159	5.00 µg/L	0.000
18O2-PFHxS	7.228	403.0 -> 83.9	5353	2.50 µg/L	0.000
13C4-PFOA	7.124	417.1 -> 372.0	54891	2.50 µg/L	0.000
13C2-PFDA	8.178	515.1 -> 470.1	19442	1.25 µg/L	0.000
13C5-PFNA	7.684	468.0 -> 423.0	25730	1.25 µg/L	0.000
13C2-PFHxA	5.536	315.1 -> 270.0	46191	2.50 µg/L	0.000
System Monitoring Compounds					
13C2-4:2FTS	5.222	329.1 -> 80.9	1045	4.81 µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 96.1%		
13C2-6:2FTS	6.898	429.1 -> 80.9	1865	4.76 µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 95.1%		
13C2-8:2FTS	7.966	529.1 -> 80.9	2930	4.79 µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 95.7%		
13C2-PFDoDA	9.106	615.1 -> 570.0	24668	1.31 µg/L	0.000
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 104.8%		
13C2-PFTeDA	9.899	715.2 -> 670.0	20258	1.32 µg/L	0.000
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 105.7%		
13C3-PFBS	5.427	302.1 -> 79.9	12093	2.40 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 95.8%		
13C3-PFHxS	7.229	402.1 -> 79.9	7948	2.40 µg/L	0.000

7.7.5
7

Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 95.8%	
13C4-PFBA	2.924	216.8 -> 171.9	136945	10.09 µg/L	0.000
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 100.9%	
13C4-PFHpA	6.467	367.1 -> 322.0	29610	2.49 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 99.6%	
13C5-PFHxA	5.535	318.0 -> 273.0	49910	2.45 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 98.1%	
13C5-PFPeA	4.362	268.3 -> 223.0	71702	5.04 µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 100.8%	
13C6-PFDA	8.178	519.1 -> 474.1	20739	1.25 µg/L	0.000
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 99.6%	
13C7-PFUnDA	8.647	570.0 -> 525.1	21721	1.25 µg/L	0.000
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 100.3%	
13C8-FOSA	9.771	506.1 -> 77.8	19470	2.73 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 109.2%	
13C8-PFOA	7.124	421.1 -> 376.0	44424	2.46 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 98.6%	
13C8-PFOS	8.329	507.1 -> 79.9	11069	2.58 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 103.4%	
13C9-PFNA	7.670	472.1 -> 427.0	21310	1.22 µg/L	0.000
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 97.5%	
d3-MeFOSAA	8.236	573.2 -> 419.0	14878	5.18 µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 103.6%	
13C3-HFPO-DA	5.890	286.9 -> 168.9	30150	9.92 µg/L	0.000
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 99.2%	
d3-MeFOSA	11.064	515.0 -> 219.0	12050	2.70 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 108.0%	
d5-EtFOSAA	8.446	589.2 -> 419.0	12886	5.45 µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 109.0%	
d7-MeFOSE	10.947	623.2 -> 58.9	110308	31.17 µg/L	0.000
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 124.7%	
d9-EtFOSE	11.256	639.2 -> 58.9	150711	30.07 µg/L	0.000
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 120.3%	
d5-EtFOSA	11.348	531.1 -> 219.0	11717	2.47 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 98.8%	
Target Compounds					QValue
4:2FTS	5.223	327.1 -> 307.0	16368	9.73 µg/L	100
		327.1 -> 80.9	7675		
6:2FTS	6.899	427.1 -> 407.0	19037	10.57 µg/L	100
		427.1 -> 80.9	8009		
8:2FTS	7.966	527.1 -> 507.0	16898	10.35 µg/L	100
		527.1 -> 80.8	7139		
EtFOSAA	8.446	584.2 -> 419.1	5251	2.12 µg/L	m 100
		584.2 -> 526.0	2672		
FOSA	9.774	498.1 -> 77.9	19654	2.41 µg/L	100
		498.1 -> 478.0	646		
MeFOSAA	8.237	570.1 -> 419.0	5917	2.28 µg/L	m 100
		570.1 -> 483.0	1394		
PFBA	2.932	212.8 -> 168.9	35630	9.72 µg/L	100
PFBS	5.428	298.7 -> 79.9	11011	2.22 µg/L	100
		298.7 -> 98.8	4473		
PFDA	8.179	512.9 -> 469.0	37828	2.40 µg/L	100
		512.9 -> 219.0	8158		
PFDODA	9.106	613.1 -> 569.0	46925	2.37 µg/L	100
		613.1 -> 319.0	6874		
PFDS	9.257	599.0 -> 79.9	6593	2.40 µg/L	100

Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc.	Units	Dev(Min)
		599.0 -> 98.8	3053			
PFHpA	6.468	363.1 -> 319.0	45754	2.44	µg/L	100
		363.1 -> 169.0	8131			
PFHpS	7.811	449.0 -> 79.9	8932	2.24	µg/L	100
		449.0 -> 98.9	4767			
PFHxA	5.538	313.0 -> 269.0	48280	2.47	µg/L	100
		313.0 -> 118.9	1419			
PFHxS	7.230	398.7 -> 79.9	7700	2.36	µg/L	m 100
		398.7 -> 98.9	3861			
PFNA	7.685	463.0 -> 419.0	38083	2.41	µg/L	100
		463.0 -> 219.0	9466			
PFNS	8.811	548.8 -> 79.9	5533	2.29	µg/L	100
		548.8 -> 98.9	2894			
PFOA	7.125	413.0 -> 369.0	66788	2.61	µg/L	100
		413.0 -> 169.0	12884			
PFOS	8.330	498.9 -> 79.9	12700	2.34	µg/L	m 100
		498.9 -> 98.8	6227			
PFPeA	4.364	263.0 -> 219.0	85901	4.98	µg/L	100
PFPeS	6.494	349.1 -> 79.9	6690	2.39	µg/L	100
		349.1 -> 98.9	3083			
PFTeDA	9.900	713.1 -> 669.0	48732	2.46	µg/L	100
		713.1 -> 168.9	4176			
PFTrDA	9.515	663.0 -> 619.0	64267	2.43	µg/L	100
		663.0 -> 168.9	6945			
PFUnDA	8.648	563.1 -> 519.0	37222	2.52	µg/L	100
		563.1 -> 269.1	7998			
11CI-PF3OUdS	9.568	630.9 -> 450.9	52167	4.81	µg/L	100
		632.9 -> 452.9	15156			
9CI-PF3ONS	8.675	530.8 -> 351.0	64137	4.64	µg/L	100
		532.8 -> 353.0	19505			
ADONA	6.731	376.9 -> 250.9	142578	4.70	µg/L	100
		376.9 -> 84.8	37314			
HFPO-DA	5.891	284.9 -> 168.9	14161	4.92	µg/L	100
		284.9 -> 184.9	1610			
3:3FTCA	3.836	241.0 -> 177.0	9126	12.02	µg/L	100
		241.0 -> 117.0	789			
5:3FTCA	6.193	341.0 -> 237.1	168151	63.37	µg/L	100
		341.0 -> 217.0	114841			
7:3FTCA	7.649	441.0 -> 316.9	87477	63.45	µg/L	100
		441.0 -> 336.9	209338			
EtFOSA	11.362	526.0 -> 219.0	25279	5.15	µg/L	100
		526.0 -> 169.0	35104			
EtFOSE	11.282	630.0 -> 58.9	71271	12.22	µg/L	100
MeFOSA	11.065	511.9 -> 219.0	21827	4.81	µg/L	m 100
		511.9 -> 169.0	32269			
MeFOSE	10.973	616.1 -> 58.9	56025	12.37	µg/L	m 100
PFDoDS	10.039	699.1 -> 79.9	5823	2.38	µg/L	100
		699.1 -> 98.8	3130			
NFDHA	5.416	295.0 -> 201.0	7223	5.17	µg/L	100
		295.0 -> 84.9	1983			
PFMBA	4.778	279.0 -> 85.1	46882	4.87	µg/L	100
PFMPA	3.528	229.0 -> 84.9	44190	4.90	µg/L	100
PFEESA	5.959	314.8 -> 134.9	65159	4.40	µg/L	100
		314.8 -> 82.9	2381			

= Qualifier out of range, m = manually integrated, + = Area summed





Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
----------	----	------------	----------	-------------	----------


7.7.5

7

Perfluorinated Compounds by LC/MS/MS




Perfluorinated Compounds by LC/MS/MS



7.7.5
7

Perfluorinated Compounds by LC/MS/MS




7.7.5


7

Perfluorinated Compounds by LC/MS/MS


Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFBS	2.22	5.43	0.00	11011	298.7 -> 98.8	40.6	20.3	60.9




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
13C5-PFHxA	2.45	5.53	0.00	49910	318.0 -> 273.0			



Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFHxA	2.47	5.54	0.00	48280	313.0 -> 118.9	2.9	1.5	4.4




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
13C3-HFPO-DA	9.92	5.89	0.00	30150	286.9 -> 168.9			



7.7.5
7


Perfluorinated Compounds by LC/MS/MS



7.7.5

7


Perfluorinated Compounds by LC/MS/MS



7.7.5

7


Perfluorinated Compounds by LC/MS/MS



7.7.5

7


Perfluorinated Compounds by LC/MS/MS



7.7.5
7




Perfluorinated Compounds by LC/MS/MS



7.7.5
7


Perfluorinated Compounds by LC/MS/MS



7.7.5

7


Perfluorinated Compounds by LC/MS/MS




7.7.5

7

Perfluorinated Compounds by LC/MS/MS




Perfluorinated Compounds by LC/MS/MS



7.7.5


7

Perfluorinated Compounds by LC/MS/MS




7.7.5
7

Perfluorinated Compounds by LC/MS/MS




7.7.5
7

Perfluorinated Compounds by LC/MS/MS



7.7.5
7

Perfluorinated Compounds by LC/MS/MS



7.7.5

7

Manual Integration Approval Summary

Sample Number: S4Q634-ICC634 Method: EPA DRAFT 1633
Lab FileID: 4Q43887.D Analyst approved: 05/04/23 11:23 Natasha Gumtie
Injection Time: 05/03/23 11:54 Supervisor approved: 05/04/23 17:44 Norman Farmer

Parameter	CAS	Sig#	R.T. (min.)	Reason
Perfluorohexanesulfonic acid	355-46-4		7.23	Split peak
MeFOSAA	2355-31-9		8.24	Split peak
Perfluorooctanesulfonic acid	1763-23-1		8.33	Split peak
EtFOSAA	2991-50-6		8.45	Split peak
MeFOSE	24448-09-7		10.97	Split peak
MeFOSA	31506-32-8		11.06	Split peak

7.7.5.1
7

Perfluorinated Compounds by LC/MS/MS

Data File : 4Q43888.d
 Operator : natashag
 Acq. Method : 1633full_4Q.m
 Acq. Date-Time : 5/3/2023 12:08:27 PM
 Sample Name : ic634-5
 Vial : P1-A6
 DA Method File : 1633_050323_S4Q634.quantmethod.xml
 Batch Name : s4q634.batch.bin
 Sample Information : OP96548,S4Q634,500,,,5.0,1,water

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Internal Standards					
M4-PFBA	2.924	216.8 -> 171.9	134804	10.00 µg/L	0.000
M5-PFPeA	4.362	268.3 -> 223.0	72823	5.00 µg/L	0.000
M5-PFHxA	5.535	318.0 -> 273.0	52258	2.50 µg/L	0.000
M4-PFHpA	6.467	367.1 -> 322.0	29578	2.50 µg/L	0.000
M8-PFOA	7.124	421.1 -> 376.0	47154	2.50 µg/L	0.000
M9-PFNA	7.684	472.1 -> 427.0	21268	1.25 µg/L	0.013
M6-PFDA	8.178	519.1 -> 474.1	20452	1.25 µg/L	0.000
M7-PFUnDA	8.647	570.0 -> 525.1	22750	1.25 µg/L	0.000
M2-PFDoDA	9.106	615.1 -> 570.0	24715	1.25 µg/L	0.000
M2-PFTeDA	9.899	715.2 -> 670.0	20759	1.25 µg/L	0.000
M8-FOSA	9.771	506.1 -> 77.8	21043	2.50 µg/L	0.000
M3-PFBS	5.427	302.1 -> 79.9	12398	2.50 µg/L	0.000
M3-PFHxS	7.229	402.1 -> 79.9	8084	2.50 µg/L	0.000
M8-PFOS	8.329	507.1 -> 79.9	10984	2.50 µg/L	0.000
M2-4:2FTS	5.222	329.1 -> 80.9	1077	5.00 µg/L	0.000
M2-6:2FTS	6.898	429.1 -> 80.9	2039	5.00 µg/L	0.000
M2-8:2FTS	7.966	529.1 -> 80.9	3000	5.00 µg/L	0.000
M3-MeFOSAA	8.236	573.2 -> 419.0	14764	5.00 µg/L	0.000
M3-HFPO-DA	5.890	286.9 -> 168.9	30622	10.00 µg/L	0.000
M5-EtFOSAA	8.446	589.2 -> 419.0	12616	5.00 µg/L	0.000
M7-MeFOSE	10.947	623.2 -> 58.9	113735	25.00 µg/L	0.000
M9-EtFOSE	11.256	639.2 -> 58.9	153598	25.00 µg/L	0.000
M5-EtFOSA	11.348	531.1 -> 219.0	12423	2.50 µg/L	0.000
M3-MeFOSA	11.064	515.0 -> 219.0	11501	2.50 µg/L	0.000
13C4-PFOS	8.330	502.8 -> 79.9	12014	2.50 µg/L	0.000
13C3-PFBA	2.916	216.0 -> 172.0	71515	5.00 µg/L	-0.012
18O2-PFHxS	7.228	403.0 -> 83.9	5214	2.50 µg/L	0.000
13C4-PFOA	7.124	417.1 -> 372.0	57051	2.50 µg/L	0.000
13C2-PFDA	8.178	515.1 -> 470.1	19211	1.25 µg/L	0.000
13C5-PFNA	7.684	468.0 -> 423.0	25924	1.25 µg/L	0.000
13C2-PFHxA	5.536	315.1 -> 270.0	46558	2.50 µg/L	0.000
System Monitoring Compounds					
13C2-4:2FTS	5.222	329.1 -> 80.9	1077	5.08 µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 101.6%		
13C2-6:2FTS	6.898	429.1 -> 80.9	2039	5.34 µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 106.8%		
13C2-8:2FTS	7.966	529.1 -> 80.9	3000	5.03 µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 100.6%		
13C2-PFDoDA	9.106	615.1 -> 570.0	24715	1.33 µg/L	0.000
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 106.2%		
13C2-PFTeDA	9.899	715.2 -> 670.0	20759	1.37 µg/L	0.000
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 109.6%		
13C3-PFBS	5.427	302.1 -> 79.9	12398	2.52 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 100.9%		
13C3-PFHxS	7.229	402.1 -> 79.9	8084	2.50 µg/L	0.000

Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 100.0%		
13C4-PFBA	2.924	216.8 -> 171.9	134804	10.02 µg/L	0.000
Spiked Amount: 10.00	Range: 50.0 - 150.0%		Recovery = 100.2%		
13C4-PFHpA	6.467	367.1 -> 322.0	29578	2.47 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 98.7%		
13C5-PFHxA	5.535	318.0 -> 273.0	52258	2.55 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 101.9%		
13C5-PFPeA	4.362	268.3 -> 223.0	72823	5.08 µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 101.6%		
13C6-PFDA	8.178	519.1 -> 474.1	20452	1.24 µg/L	0.000
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 99.4%		
13C7-PFUnDA	8.647	570.0 -> 525.1	22750	1.33 µg/L	0.000
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 106.3%		
13C8-FOSA	9.771	506.1 -> 77.8	21043	2.79 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 111.7%		
13C8-PFOA	7.124	421.1 -> 376.0	47154	2.52 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 100.7%		
13C8-PFOS	8.329	507.1 -> 79.9	10984	2.43 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 97.1%		
13C9-PFNA	7.684	472.1 -> 427.0	21268	1.21 µg/L	0.013
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 96.6%		
d3-MeFOSAA	8.236	573.2 -> 419.0	14764	4.87 µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 97.4%		
13C3-HFPO-DA	5.890	286.9 -> 168.9	30622	10.00 µg/L	0.000
Spiked Amount: 10.00	Range: 50.0 - 150.0%		Recovery = 100.0%		
d3-MeFOSA	11.064	515.0 -> 219.0	11501	2.44 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 97.6%		
d5-EtFOSAA	8.446	589.2 -> 419.0	12616	5.05 µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 101.0%		
d7-MeFOSE	10.947	623.2 -> 58.9	113735	30.43 µg/L	0.000
Spiked Amount: 25.00	Range: 50.0 - 150.0%		Recovery = 121.7%		
d9-EtFOSE	11.256	639.2 -> 58.9	153598	29.02 µg/L	0.000
Spiked Amount: 25.00	Range: 50.0 - 150.0%		Recovery = 116.1%		
d5-EtFOSA	11.348	531.1 -> 219.0	12423	2.48 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 99.2%		
Target Compounds					QValue
4:2FTS	5.223	327.1 -> 307.0	31539	18.21 µg/L	93
		327.1 -> 80.9	13355		
6:2FTS	6.899	427.1 -> 407.0	34855	17.69 µg/L	97
		427.1 -> 80.9	15248		
8:2FTS	7.966	527.1 -> 507.0	33969	20.32 µg/L	96
		527.1 -> 80.8	13558		
EtFOSAA	8.459	584.2 -> 419.1	11889	4.91 µg/L	m 86
		584.2 -> 526.0	4874		
FOSA	9.774	498.1 -> 77.9	40395	4.58 µg/L	100
		498.1 -> 478.0	1299		
MeFOSAA	8.249	570.1 -> 419.0	12287	4.77 µg/L	m 94
		570.1 -> 483.0	2551		
PFBA	2.920	212.8 -> 168.9	69778	19.33 µg/L	100
PFBS	5.428	298.7 -> 79.9	21965	4.32 µg/L	95
		298.7 -> 98.8	8210		
PFDA	8.179	512.9 -> 469.0	76434	4.93 µg/L	96
		512.9 -> 219.0	15009		
PFDoDA	9.106	613.1 -> 569.0	96603	4.87 µg/L	98
		613.1 -> 319.0	13468		
PFDS	9.269	599.0 -> 79.9	12625	4.64 µg/L	96

Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc.	Units	Dev(Min)
		599.0 -> 98.8	6186			
PFHpA	6.468	363.1 -> 319.0	93191	4.98	µg/L	97
		363.1 -> 169.0	15263			
PFHpS	7.811	449.0 -> 79.9	18307	4.63	µg/L	98
		449.0 -> 98.9	9503			
PFHxA	5.538	313.0 -> 269.0	95984	4.69	µg/L	99
		313.0 -> 118.9	3021			
PFHxS	7.230	398.7 -> 79.9	15189	4.58	µg/L	m 100
		398.7 -> 98.9	7586			
PFNA	7.685	463.0 -> 419.0	76679	4.86	µg/L	98
		463.0 -> 219.0	18428			
PFNS	8.811	548.8 -> 79.9	10967	4.57	µg/L	99
		548.8 -> 98.9	5623			
PFOA	7.125	413.0 -> 369.0	127443	4.68	µg/L	98
		413.0 -> 169.0	25603			
PFOS	8.330	498.9 -> 79.9	22688	4.22	µg/L	m 92
		498.9 -> 98.8	12327			
PFPeA	4.364	263.0 -> 219.0	170747	9.75	µg/L	100
PFPeS	6.494	349.1 -> 79.9	12591	4.43	µg/L	97
		349.1 -> 98.9	5579			
PFTeDA	9.900	713.1 -> 669.0	100204	4.93	µg/L	100
		713.1 -> 168.9	8586			
PFTrDA	9.515	663.0 -> 619.0	132030	4.98	µg/L	98
		663.0 -> 168.9	13100			
PFUnDA	8.648	563.1 -> 519.0	73373	4.75	µg/L	97
		563.1 -> 269.1	14796			
11Cl-PF3OUdS	9.568	630.9 -> 450.9	104514	9.49	µg/L	99
		632.9 -> 452.9	31228			
9Cl-PF3ONS	8.675	530.8 -> 351.0	127175	9.07	µg/L	99
		532.8 -> 353.0	37776			
ADONA	6.731	376.9 -> 250.9	282729	9.18	µg/L	99
		376.9 -> 84.8	74836			
HFPO-DA	5.891	284.9 -> 168.9	27831	9.51	µg/L	99
		284.9 -> 184.9	3310			
3:3FTCA	3.836	241.0 -> 177.0	18002	23.35	µg/L	98
		241.0 -> 117.0	1663			
5:3FTCA	6.193	341.0 -> 237.1	330806	119.07	µg/L	99
		341.0 -> 217.0	227780			
7:3FTCA	7.649	441.0 -> 316.9	174758	121.06	µg/L	98
		441.0 -> 336.9	410856			
EtFOSA	11.362	526.0 -> 219.0	49660	9.54	µg/L	99
		526.0 -> 169.0	68360			
EtFOSE	11.282	630.0 -> 58.9	143421	24.12	µg/L	100
MeFOSA	11.066	511.9 -> 219.0	42597	9.83	µg/L	m 96
		511.9 -> 169.0	65145			
MeFOSE	10.973	616.1 -> 58.9	100255	21.46	µg/L	m 100
PFDoDS	10.039	699.1 -> 79.9	11673	4.81	µg/L	95
		699.1 -> 98.8	6646			
NFDHA	5.416	295.0 -> 201.0	13821	9.45	µg/L	95
		295.0 -> 84.9	3465			
PFMBA	4.778	279.0 -> 85.1	92755	9.49	µg/L	100
PFMPA	3.528	229.0 -> 84.9	87763	9.58	µg/L	100
PFEESA	5.959	314.8 -> 134.9	128861	8.31	µg/L	99
		314.8 -> 82.9	4504			

= Qualifier out of range, m = manually integrated, + = Area summed





Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
----------	----	------------	----------	-------------	----------

7.7.6


7

Perfluorinated Compounds by LC/MS/MS




7.7.6
7

Perfluorinated Compounds by LC/MS/MS




7.7.6
7

Perfluorinated Compounds by LC/MS/MS




7.7.6
7

Perfluorinated Compounds by LC/MS/MS




7.7.6
7

Perfluorinated Compounds by LC/MS/MS




7.7.6
7

Perfluorinated Compounds by LC/MS/MS




7.7.6
7

Perfluorinated Compounds by LC/MS/MS




7.7.6
7

Perfluorinated Compounds by LC/MS/MS



7.7.6
7


Perfluorinated Compounds by LC/MS/MS



7.7.6


7

Perfluorinated Compounds by LC/MS/MS




7.7.6
7

Perfluorinated Compounds by LC/MS/MS



7.7.6
7


Perfluorinated Compounds by LC/MS/MS



7.7.6


7

Perfluorinated Compounds by LC/MS/MS




7.7.6
7

Perfluorinated Compounds by LC/MS/MS



7.7.6
7





Perfluorinated Compounds by LC/MS/MS



7.7.6
7



Perfluorinated Compounds by LC/MS/MS




7.7.6

7



Perfluorinated Compounds by LC/MS/MS



7.7.6

7

Manual Integration Approval Summary

Sample Number: S4Q634-IC634 Method: EPA DRAFT 1633
Lab FileID: 4Q43888.D Analyst approved: 05/04/23 11:23 Natasha Gumtie
Injection Time: 05/03/23 12:08 Supervisor approved: 05/04/23 17:44 Norman Farmer

Parameter	CAS	Sig#	R.T. (min.)	Reason
Perfluorohexanesulfonic acid	355-46-4		7.23	Split peak
MeFOSAA	2355-31-9		8.25	Split peak
Perfluorooctanesulfonic acid	1763-23-1		8.33	Split peak
EtFOSAA	2991-50-6		8.46	Split peak
MeFOSE	24448-09-7		10.97	Split peak
MeFOSA	31506-32-8		11.07	Split peak

7.7.6.1

7

Manual Integrations
APPROVED
 (compounds with "m" flag)

Norman Farmer
 05/04/23 17:44

Perfluorinated Compounds by LC/MS/MS

Data File : 4Q43889.d
 Operator : natashag
 Acq. Method : 1633full_4Q.m
 Acq. Date-Time : 5/3/2023 12:22:30 PM
 Sample Name : ic634-6
 Vial : P1-A7
 DA Method File : 1633_050323_S4Q634.quantmethod.xml
 Batch Name : s4q634.batch.bin
 Sample Information : OP96548,S4Q634,500,,,5.0,1,water

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Internal Standards					
M4-PFBA	2.924	216.8 -> 171.9	128713	10.00 µg/L	0.000
M5-PFPeA	4.362	268.3 -> 223.0	69264	5.00 µg/L	0.000
M5-PFHxA	5.535	318.0 -> 273.0	49069	2.50 µg/L	0.000
M4-PFHpA	6.467	367.1 -> 322.0	28355	2.50 µg/L	0.000
M8-PFOA	7.136	421.1 -> 376.0	44315	2.50 µg/L	0.012
M9-PFNA	7.684	472.1 -> 427.0	20413	1.25 µg/L	0.013
M6-PFDA	8.178	519.1 -> 474.1	19410	1.25 µg/L	0.000
M7-PFUnDA	8.647	570.0 -> 525.1	20436	1.25 µg/L	0.000
M2-PFDoDA	9.106	615.1 -> 570.0	21733	1.25 µg/L	0.000
M2-PFTeDA	9.899	715.2 -> 670.0	17340	1.25 µg/L	0.000
M8-FOSA	9.771	506.1 -> 77.8	17130	2.50 µg/L	0.000
M3-PFBS	5.439	302.1 -> 79.9	11741	2.50 µg/L	0.012
M3-PFHxS	7.229	402.1 -> 79.9	8064	2.50 µg/L	0.000
M8-PFOS	8.329	507.1 -> 79.9	10590	2.50 µg/L	0.000
M2-4:2FTS	5.222	329.1 -> 80.9	1101	5.00 µg/L	0.000
M2-6:2FTS	6.898	429.1 -> 80.9	1916	5.00 µg/L	0.000
M2-8:2FTS	7.966	529.1 -> 80.9	3050	5.00 µg/L	0.000
M3-MeFOSAA	8.236	573.2 -> 419.0	13872	5.00 µg/L	0.000
M3-HFPO-DA	5.890	286.9 -> 168.9	29381	10.00 µg/L	0.000
M5-EtFOSAA	8.446	589.2 -> 419.0	11848	5.00 µg/L	0.000
M7-MeFOSE	10.947	623.2 -> 58.9	78988	25.00 µg/L	0.000
M9-EtFOSE	11.256	639.2 -> 58.9	112230	25.00 µg/L	0.000
M5-EtFOSA	11.348	531.1 -> 219.0	11917	2.50 µg/L	0.000
M3-MeFOSA	11.064	515.0 -> 219.0	10730	2.50 µg/L	0.000
13C4-PFOS	8.330	502.8 -> 79.9	11410	2.50 µg/L	0.000
13C3-PFBA	2.916	216.0 -> 172.0	68345	5.00 µg/L	-0.013
18O2-PFHxS	7.228	403.0 -> 83.9	5135	2.50 µg/L	0.000
13C4-PFOA	7.136	417.1 -> 372.0	53915	2.50 µg/L	0.012
13C2-PFDA	8.178	515.1 -> 470.1	17904	1.25 µg/L	0.000
13C5-PFNA	7.684	468.0 -> 423.0	24617	1.25 µg/L	0.000
13C2-PFHxA	5.536	315.1 -> 270.0	44383	2.50 µg/L	0.000
System Monitoring Compounds					
13C2-4:2FTS	5.222	329.1 -> 80.9	1101	5.28 µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 105.5%		
13C2-6:2FTS	6.898	429.1 -> 80.9	1916	5.09 µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 101.9%		
13C2-8:2FTS	7.966	529.1 -> 80.9	3050	5.19 µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 103.8%		
13C2-PFDoDA	9.106	615.1 -> 570.0	21733	1.25 µg/L	0.000
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 100.2%		
13C2-PFTeDA	9.899	715.2 -> 670.0	17340	1.23 µg/L	0.000
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 98.3%		
13C3-PFBS	5.439	302.1 -> 79.9	11741	2.42 µg/L	0.012
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 97.0%		
13C3-PFHxS	7.229	402.1 -> 79.9	8064	2.53 µg/L	0.000

7.7.7
7



Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 101.3%	
13C4-PFBA	2.924	216.8 -> 171.9	128713	10.01 µg/L	0.000
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 100.1%	
13C4-PFHpA	6.467	367.1 -> 322.0	28355	2.48 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 99.3%	
13C5-PFHxA	5.535	318.0 -> 273.0	49069	2.51 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 100.4%	
13C5-PFPeA	4.362	268.3 -> 223.0	69264	5.07 µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 101.3%	
13C6-PFDA	8.178	519.1 -> 474.1	19410	1.27 µg/L	0.000
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 101.3%	
13C7-PFUnDA	8.647	570.0 -> 525.1	20436	1.28 µg/L	0.000
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 102.5%	
13C8-FOSA	9.771	506.1 -> 77.8	17130	2.39 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 95.8%	
13C8-PFOA	7.136	421.1 -> 376.0	44315	2.50 µg/L	0.012
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 100.1%	
13C8-PFOS	8.329	507.1 -> 79.9	10590	2.47 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 98.6%	
13C9-PFNA	7.684	472.1 -> 427.0	20413	1.22 µg/L	0.013
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 97.6%	
d3-MeFOSAA	8.236	573.2 -> 419.0	13872	4.82 µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 96.3%	
13C3-HFPO-DA	5.890	286.9 -> 168.9	29381	10.06 µg/L	0.000
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 100.6%	
d3-MeFOSA	11.064	515.0 -> 219.0	10730	2.40 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 95.9%	
d5-EtFOSAA	8.446	589.2 -> 419.0	11848	5.00 µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 99.9%	
d7-MeFOSE	10.947	623.2 -> 58.9	78988	22.25 µg/L	0.000
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 89.0%	
d9-EtFOSE	11.256	639.2 -> 58.9	112230	22.33 µg/L	0.000
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 89.3%	
d5-EtFOSA	11.348	531.1 -> 219.0	11917	2.51 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 100.2%	
Target Compounds					QValue
4:2FTS	5.223	327.1 -> 307.0	76961	43.44 µg/L	94
		327.1 -> 80.9	32830		
6:2FTS	6.899	427.1 -> 407.0	86158	46.55 µg/L	99
		427.1 -> 80.9	35567		
8:2FTS	7.966	527.1 -> 507.0	81135	47.73 µg/L	98
		527.1 -> 80.8	32973		
EtFOSAA	8.459	584.2 -> 419.1	29503	12.96 µg/L	m 95
		584.2 -> 526.0	14022		
FOSA	9.774	498.1 -> 77.9	93693	13.05 µg/L	98
		498.1 -> 478.0	2566		
MeFOSAA	8.249	570.1 -> 419.0	31400	12.99 µg/L	m 97
		570.1 -> 483.0	6893		
PFBA	2.920	212.8 -> 168.9	180069	52.24 µg/L	100
PFBS	5.440	298.7 -> 79.9	56713	11.78 µg/L	94
		298.7 -> 98.8	20771		
PFDA	8.179	512.9 -> 469.0	197729	13.43 µg/L	95
		512.9 -> 219.0	38436		
PFDoDA	9.106	613.1 -> 569.0	230624	13.22 µg/L	99
		613.1 -> 319.0	32458		
PFDS	9.269	599.0 -> 79.9	32741	12.48 µg/L	95

Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc.	Units	Dev(Min)
		599.0 -> 98.8	16222			
PFHpA	6.468	363.1 -> 319.0	242238	13.52	µg/L	98
		363.1 -> 169.0	41387			
PFHpS	7.811	449.0 -> 79.9	48544	12.72	µg/L	95
		449.0 -> 98.9	24110			
PFHxA	5.538	313.0 -> 269.0	248936	12.95	µg/L	100
		313.0 -> 118.9	7161			
PFHxS	7.230	398.7 -> 79.9	37785	11.43	µg/L	m 98
		398.7 -> 98.9	19513			
PFNA	7.685	463.0 -> 419.0	197700	13.07	µg/L	98
		463.0 -> 219.0	47530			
PFNS	8.811	548.8 -> 79.9	28263	12.22	µg/L	98
		548.8 -> 98.9	14381			
PFOA	7.137	413.0 -> 369.0	332675	13.01	µg/L	100
		413.0 -> 169.0	64573			
PFOS	8.330	498.9 -> 79.9	64846	12.51	µg/L	m 98
		498.9 -> 98.8	30733			
PFPeA	4.364	263.0 -> 219.0	439404	26.37	µg/L	100
PFPeS	6.494	349.1 -> 79.9	33156	11.69	µg/L	96
		349.1 -> 98.9	14416			
PFTeDA	9.900	713.1 -> 669.0	222966	13.14	µg/L	99
		713.1 -> 168.9	18397			
PFTrDA	9.515	663.0 -> 619.0	301738	12.95	µg/L	98
		663.0 -> 168.9	30099			
PFUnDA	8.648	563.1 -> 519.0	184252	13.27	µg/L	97
		563.1 -> 269.1	36980			
11Cl-PF3OUdS	9.568	630.9 -> 450.9	265861	25.16	µg/L	98
		632.9 -> 452.9	80306			
9Cl-PF3ONS	8.675	530.8 -> 351.0	332327	24.70	µg/L	100
		532.8 -> 353.0	100643			
ADONA	6.731	376.9 -> 250.9	726148	24.58	µg/L	99
		376.9 -> 84.8	193928			
HFPO-DA	5.891	284.9 -> 168.9	75140	26.76	µg/L	100
		284.9 -> 184.9	8692			
3:3FTCA	3.836	241.0 -> 177.0	46712	63.71	µg/L	99
		241.0 -> 117.0	4223			
5:3FTCA	6.193	341.0 -> 237.1	852354	326.73	µg/L	99
		341.0 -> 217.0	591774			
7:3FTCA	7.649	441.0 -> 316.9	442038	326.10	µg/L	99
		441.0 -> 336.9	1050456			
EtFOSA	11.362	526.0 -> 219.0	134876	27.02	µg/L	m 99
		526.0 -> 169.0	185812			
EtFOSE	11.282	630.0 -> 58.9	279923	64.43	µg/L	100
MeFOSA	11.065	511.9 -> 219.0	110174	27.26	µg/L	m 98
		511.9 -> 169.0	159475			
MeFOSE	10.973	616.1 -> 58.9	201716	62.18	µg/L	m 100
PFDoDS	10.039	699.1 -> 79.9	29923	12.78	µg/L	97
		699.1 -> 98.8	15349			
NFDHA	5.416	295.0 -> 201.0	35115	25.58	µg/L	94
		295.0 -> 84.9	8578			
PFMBA	4.778	279.0 -> 85.1	240040	25.81	µg/L	100
PFMPA	3.528	229.0 -> 84.9	226056	25.95	µg/L	100
PFEESA	5.959	314.8 -> 134.9	345119	23.72	µg/L	99
		314.8 -> 82.9	11323			





= Qualifier out of range, m = manually integrated, + = Area summed

Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
----------	----	------------	----------	-------------	----------


7.7.7
7

Perfluorinated Compounds by LC/MS/MS



7.7.7
7


Perfluorinated Compounds by LC/MS/MS



7.7.7


7

Perfluorinated Compounds by LC/MS/MS




7.7.7
7

Perfluorinated Compounds by LC/MS/MS



7.7.7
7


Perfluorinated Compounds by LC/MS/MS



7.7.7

7


Perfluorinated Compounds by LC/MS/MS



7.7.7

7


Perfluorinated Compounds by LC/MS/MS



7.7.7


7

Perfluorinated Compounds by LC/MS/MS



7.7.7


Perfluorinated Compounds by LC/MS/MS



7.7.7





7

Perfluorinated Compounds by LC/MS/MS




7.7.7
7

Perfluorinated Compounds by LC/MS/MS




Perfluorinated Compounds by LC/MS/MS



7.7.7
7





Perfluorinated Compounds by LC/MS/MS







7.7.7

7


Perfluorinated Compounds by LC/MS/MS



Perfluorinated Compounds by LC/MS/MS




Perfluorinated Compounds by LC/MS/MS



7.7.7
7

Perfluorinated Compounds by LC/MS/MS



7.7.7

7

Manual Integration Approval Summary

Sample Number: S4Q634-IC634 Method: EPA DRAFT 1633
Lab FileID: 4Q43889.D Analyst approved: 05/04/23 11:23 Natasha Gumtie
Injection Time: 05/03/23 12:22 Supervisor approved: 05/04/23 17:44 Norman Farmer

Parameter	CAS	Sig#	R.T. (min.)	Reason
Perfluorohexanesulfonic acid	355-46-4		7.23	Split peak
MeFOSAA	2355-31-9		8.25	Split peak
Perfluorooctanesulfonic acid	1763-23-1		8.33	Split peak
EtFOSAA	2991-50-6		8.46	Split peak
MeFOSE	24448-09-7		10.97	Split peak
MeFOSA	31506-32-8		11.06	Split peak
EtFOSA	4151-50-2		11.36	Split peak

7.7.7.1
7

Manual Integrations
APPROVED
 (compounds with "m" flag)

Norman Farmer
 05/04/23 17:44

Perfluorinated Compounds by LC/MS/MS

Data File : 4Q43890.d
 Operator : natashag
 Acq. Method : 1633full_4Q.m
 Acq. Date-Time : 5/3/2023 12:36:33 PM
 Sample Name : ic634-7
 Vial : P1-A8
 DA Method File : 1633_050323_S4Q634.quantmethod.xml
 Batch Name : s4q634.batch.bin
 Sample Information : OP96548,S4Q634,500,,,5.0,1,water

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Internal Standards					
M4-PFBA	2.911	216.8 -> 171.9	120121	10.00 µg/L	-0.012
M5-PFPeA	4.362	268.3 -> 223.0	66273	5.00 µg/L	0.000
M5-PFHxA	5.535	318.0 -> 273.0	46821	2.50 µg/L	0.000
M4-PFHpA	6.467	367.1 -> 322.0	28586	2.50 µg/L	0.000
M8-PFOA	7.136	421.1 -> 376.0	41636	2.50 µg/L	0.012
M9-PFNA	7.684	472.1 -> 427.0	20543	1.25 µg/L	0.013
M6-PFDA	8.178	519.1 -> 474.1	19612	1.25 µg/L	0.000
M7-PFUnDA	8.647	570.0 -> 525.1	18650	1.25 µg/L	0.000
M2-PFDoDA	9.106	615.1 -> 570.0	21188	1.25 µg/L	0.000
M2-PFTeDA	9.899	715.2 -> 670.0	15643	1.25 µg/L	0.000
M8-FOSA	9.771	506.1 -> 77.8	16278	2.50 µg/L	0.000
M3-PFBS	5.439	302.1 -> 79.9	11395	2.50 µg/L	0.012
M3-PFHxS	7.229	402.1 -> 79.9	7525	2.50 µg/L	0.000
M8-PFOS	8.329	507.1 -> 79.9	10878	2.50 µg/L	0.000
M2-4:2FTS	5.235	329.1 -> 80.9	872	5.00 µg/L	0.012
M2-6:2FTS	6.898	429.1 -> 80.9	1599	5.00 µg/L	0.000
M2-8:2FTS	7.978	529.1 -> 80.9	2515	5.00 µg/L	0.012
M3-MeFOSAA	8.236	573.2 -> 419.0	14413	5.00 µg/L	0.000
M3-HFPO-DA	5.890	286.9 -> 168.9	29456	10.00 µg/L	0.000
M5-EtFOSAA	8.446	589.2 -> 419.0	11475	5.00 µg/L	0.000
M7-MeFOSE	10.959	623.2 -> 58.9	70051	25.00 µg/L	0.012
M9-EtFOSE	11.256	639.2 -> 58.9	98044	25.00 µg/L	0.000
M5-EtFOSA	11.348	531.1 -> 219.0	11250	2.50 µg/L	0.000
M3-MeFOSA	11.064	515.0 -> 219.0	10176	2.50 µg/L	0.000
13C4-PFOS	8.330	502.8 -> 79.9	10322	2.50 µg/L	0.000
13C3-PFBA	2.916	216.0 -> 172.0	63898	5.00 µg/L	-0.012
18O2-PFHxS	7.228	403.0 -> 83.9	4756	2.50 µg/L	0.000
13C4-PFOA	7.136	417.1 -> 372.0	51637	2.50 µg/L	0.012
13C2-PFDA	8.178	515.1 -> 470.1	17262	1.25 µg/L	0.000
13C5-PFNA	7.684	468.0 -> 423.0	23219	1.25 µg/L	0.000
13C2-PFHxA	5.536	315.1 -> 270.0	43283	2.50 µg/L	0.000
System Monitoring Compounds					
13C2-4:2FTS	5.235	329.1 -> 80.9	872	4.51 µg/L	0.012
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 90.2%		
13C2-6:2FTS	6.898	429.1 -> 80.9	1599	4.59 µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 91.8%		
13C2-8:2FTS	7.978	529.1 -> 80.9	2515	4.62 µg/L	0.012
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 92.5%		
13C2-PFDoDA	9.106	615.1 -> 570.0	21188	1.27 µg/L	0.000
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 101.3%		
13C2-PFTeDA	9.899	715.2 -> 670.0	15643	1.15 µg/L	0.000
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 92.0%		
13C3-PFBS	5.439	302.1 -> 79.9	11395	2.54 µg/L	0.012
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 101.6%		
13C3-PFHxS	7.229	402.1 -> 79.9	7525	2.55 µg/L	0.000

7.7.8
7



Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 102.1%	
13C4-PFBA	2.911	216.8 -> 171.9	120121	9.99 µg/L	-0.012
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 99.9%	
13C4-PFHpA	6.467	367.1 -> 322.0	28586	2.57 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 102.6%	
13C5-PFHxA	5.535	318.0 -> 273.0	46821	2.46 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 98.2%	
13C5-PFPeA	4.362	268.3 -> 223.0	66273	4.97 µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 99.4%	
13C6-PFDA	8.178	519.1 -> 474.1	19612	1.33 µg/L	0.000
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 106.1%	
13C7-PFUnDA	8.647	570.0 -> 525.1	18650	1.21 µg/L	0.000
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 97.0%	
13C8-FOSA	9.771	506.1 -> 77.8	16278	2.51 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 100.6%	
13C8-PFOA	7.136	421.1 -> 376.0	41636	2.46 µg/L	0.012
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 98.2%	
13C8-PFOS	8.329	507.1 -> 79.9	10878	2.80 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 112.0%	
13C9-PFNA	7.684	472.1 -> 427.0	20543	1.30 µg/L	0.013
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 104.1%	
d3-MeFOSAA	8.236	573.2 -> 419.0	14413	5.53 µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 110.6%	
13C3-HFPO-DA	5.890	286.9 -> 168.9	29456	10.34 µg/L	0.000
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 103.4%	
d3-MeFOSA	11.064	515.0 -> 219.0	10176	2.51 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 100.6%	
d5-EtFOSAA	8.446	589.2 -> 419.0	11475	5.35 µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 107.0%	
d7-MeFOSE	10.959	623.2 -> 58.9	70051	21.81 µg/L	0.012
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 87.2%	
d9-EtFOSE	11.256	639.2 -> 58.9	98044	21.56 µg/L	0.000
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 86.2%	
d5-EtFOSA	11.348	531.1 -> 219.0	11250	2.61 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 104.6%	
Target Compounds					QValue
4:2FTS	5.223	327.1 -> 307.0	146301	104.28 µg/L	92
		327.1 -> 80.9	60380		
6:2FTS	6.899	427.1 -> 407.0	156292	101.17 µg/L	98
		427.1 -> 80.9	64052		
8:2FTS	7.966	527.1 -> 507.0	149695	106.75 µg/L	95
		527.1 -> 80.8	58775		
EtFOSAA	8.459	584.2 -> 419.1	57787	26.21 µg/L	m 94
		584.2 -> 526.0	26926		
FOSA	9.774	498.1 -> 77.9	174421	25.57 µg/L	99
		498.1 -> 478.0	4957		
MeFOSAA	8.249	570.1 -> 419.0	61802	24.60 µg/L	m 99
		570.1 -> 483.0	14322		
PFBA	2.920	212.8 -> 168.9	346581	107.75 µg/L	100
PFBS	5.440	298.7 -> 79.9	109963	23.53 µg/L	95
		298.7 -> 98.8	41302		
PFDA	8.179	512.9 -> 469.0	385953	25.94 µg/L	97
		512.9 -> 219.0	77211		
PFDoDA	9.106	613.1 -> 569.0	447161	26.30 µg/L	100
		613.1 -> 319.0	64881		
PFDS	9.269	599.0 -> 79.9	61928	22.98 µg/L	95

Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc.	Units	Dev(Min)
		599.0 -> 98.8	30537			
PFHpA	6.468	363.1 -> 319.0	476095	26.35	µg/L	99
		363.1 -> 169.0	82464			
PFHpS	7.811	449.0 -> 79.9	93082	23.75	µg/L	98
		449.0 -> 98.9	48374			
PFHxA	5.538	313.0 -> 269.0	491297	26.78	µg/L	100
		313.0 -> 118.9	14658			
PFHxS	7.230	398.7 -> 79.9	74205	24.06	µg/L	m 98
		398.7 -> 98.9	38246			
PFNA	7.685	463.0 -> 419.0	388441	25.51	µg/L	99
		463.0 -> 219.0	95620			
PFNS	8.811	548.8 -> 79.9	55484	23.36	µg/L	97
		548.8 -> 98.9	28020			
PFOA	7.137	413.0 -> 369.0	642884	26.76	µg/L	97
		413.0 -> 169.0	131407			
PFOS	8.330	498.9 -> 79.9	132624	24.91	µg/L	m 98
		498.9 -> 98.8	62946			
PFPeA	4.364	263.0 -> 219.0	849369	53.27	µg/L	100
PFPeS	6.507	349.1 -> 79.9	65126	24.61	µg/L	96
		349.1 -> 98.9	28467			
PFTeDA	9.900	713.1 -> 669.0	424000	27.69	µg/L	99
		713.1 -> 168.9	34965			
PFTrDA	9.529	663.0 -> 619.0	564435	24.84	µg/L	98
		663.0 -> 168.9	56187			
PFUnDA	8.648	563.1 -> 519.0	350086	27.64	µg/L	97
		563.1 -> 269.1	70679			
11CI-PF3OUdS	9.568	630.9 -> 450.9	519008	49.00	µg/L	97
		632.9 -> 452.9	159065			
9CI-PF3ONS	8.675	530.8 -> 351.0	641153	47.53	µg/L	99
		532.8 -> 353.0	197012			
ADONA	6.731	376.9 -> 250.9	1425503	48.12	µg/L	100
		376.9 -> 84.8	372213			
HFPO-DA	5.891	284.9 -> 168.9	147577	52.43	µg/L	100
		284.9 -> 184.9	16918			
3:3FTCA	3.836	241.0 -> 177.0	93481	133.25	µg/L	99
		241.0 -> 117.0	8317			
5:3FTCA	6.193	341.0 -> 237.1	1676151	673.37	µg/L	100
		341.0 -> 217.0	1146237			
7:3FTCA	7.649	441.0 -> 316.9	878718	679.38	µg/L	97
		441.0 -> 336.9	2052834			
EtFOSA	11.362	526.0 -> 219.0	262384	55.67	µg/L	m 98
		526.0 -> 169.0	357124			
EtFOSE	11.282	630.0 -> 58.9	509704	134.29	µg/L	100
MeFOSA	11.066	511.9 -> 219.0	210295	54.86	µg/L	m 98
		511.9 -> 169.0	316383			
MeFOSE	10.973	616.1 -> 58.9	369686	128.49	µg/L	m 100
PFDoDS	10.052	699.1 -> 79.9	56691	23.57	µg/L	99
		699.1 -> 98.8	31005			
NFDHA	5.416	295.0 -> 201.0	66188	50.53	µg/L	95
		295.0 -> 84.9	16643			
PFMBA	4.778	279.0 -> 85.1	466141	52.38	µg/L	100
PFMPA	3.515	229.0 -> 84.9	445482	53.45	µg/L	100
PFEESA	5.971	314.8 -> 134.9	665147	47.90	µg/L	99
		314.8 -> 82.9	22108			





= Qualifier out of range, m = manually integrated, + = Area summed

Perfluorinated Compounds by LC/MS/MS


Compound	RT	Transition	Response	Conc. Units	Dev(Min)
----------	----	------------	----------	-------------	----------

7.7.8
7

Perfluorinated Compounds by LC/MS/MS




Perfluorinated Compounds by LC/MS/MS



7.7.8

7

Perfluorinated Compounds by LC/MS/MS




7.7.8
7




Perfluorinated Compounds by LC/MS/MS


Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFBS	23.53	5.44	0.01	109963	298.7 -> 98.8	37.6	20.3	60.9




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
13C5-PFHxA	2.46	5.53	0.00	46821				



Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFHxA	26.78	5.54	0.00	491297	313.0 -> 118.9	3.0	1.5	4.4




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
13C3-HFPO-DA	10.34	5.89	0.00	29456				



7.7.8
7


Perfluorinated Compounds by LC/MS/MS



7.7.8

7


Perfluorinated Compounds by LC/MS/MS



7.7.8





7

Perfluorinated Compounds by LC/MS/MS



7.7.8
7


Perfluorinated Compounds by LC/MS/MS



7.7.8

7

Perfluorinated Compounds by LC/MS/MS




7.7.8


7

Perfluorinated Compounds by LC/MS/MS


Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFDA	25.94	8.18	0.00	385953	512.9 -> 219.0	20.0	10.8	32.4




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d3-MeFOSAA	5.53	8.24	0.00	14413				



Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
MeFOSAA	24.60	8.25	0.01	61802 (m)	570.1 -> 483.0	23.2	11.8	35.3







Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
13C8-PFOS	2.80	8.33	0.00	10878				




7.7.8
7

Perfluorinated Compounds by LC/MS/MS




Perfluorinated Compounds by LC/MS/MS



7.7.8
7




Perfluorinated Compounds by LC/MS/MS



7.7.8
7

Perfluorinated Compounds by LC/MS/MS




7.7.8
7




Perfluorinated Compounds by LC/MS/MS


Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFDoDS	23.57	10.05	0.01	56691	699.1 -> 98.8	54.7	26.9	80.6




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d7-MeFOSE	21.81	10.96	0.01	70051				



Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
MeFOSE	128.49	10.97	0.00	369686 (m)				







Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d3-MeFOSA	2.51	11.06	0.00	10176				



7.7.8
7


Perfluorinated Compounds by LC/MS/MS



7.7.8

7

Perfluorinated Compounds by LC/MS/MS



7.7.8

7

Manual Integration Approval Summary

Sample Number: S4Q634-IC634 Method: EPA DRAFT 1633
Lab FileID: 4Q43890.D Analyst approved: 05/04/23 11:23 Natasha Gumtie
Injection Time: 05/03/23 12:36 Supervisor approved: 05/04/23 17:44 Norman Farmer

Parameter	CAS	Sig#	R.T. (min.)	Reason
Perfluorohexanesulfonic acid	355-46-4		7.23	Split peak
MeFOSAA	2355-31-9		8.25	Split peak
Perfluorooctanesulfonic acid	1763-23-1		8.33	Split peak
EtFOSAA	2991-50-6		8.46	Split peak
MeFOSE	24448-09-7		10.97	Split peak
MeFOSA	31506-32-8		11.07	Split peak
EtFOSA	4151-50-2		11.36	Split peak

7.7.8.1
7

Perfluorinated Compounds by LC/MS/MS

Data File : 4Q43891.d
 Operator : natashag
 Acq. Method : 1633full_4Q.m
 Acq. Date-Time : 5/3/2023 12:50:36 PM
 Sample Name : ic634-8
 Vial : P1-A9
 DA Method File : 1633_050323_S4Q634.quantmethod.xml
 Batch Name : s4q634.batch.bin
 Sample Information : OP96548,S4Q634,500,,,5.0,1,water

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Internal Standards					
M4-PFBA	2.911	216.8 -> 171.9	105134	10.00 µg/L	-0.012
M5-PFPeA	4.362	268.3 -> 223.0	60246	5.00 µg/L	0.000
M5-PFHxA	5.535	318.0 -> 273.0	43396	2.50 µg/L	0.000
M4-PFHpA	6.467	367.1 -> 322.0	25658	2.50 µg/L	0.000
M8-PFOA	7.136	421.1 -> 376.0	39570	2.50 µg/L	0.012
M9-PFNA	7.684	472.1 -> 427.0	19681	1.25 µg/L	0.013
M6-PFDA	8.178	519.1 -> 474.1	17478	1.25 µg/L	0.000
M7-PFUnDA	8.647	570.0 -> 525.1	17471	1.25 µg/L	0.000
M2-PFDoDA	9.106	615.1 -> 570.0	20670	1.25 µg/L	0.000
M2-PFTeDA	9.899	715.2 -> 670.0	15473	1.25 µg/L	0.000
M8-FOSA	9.771	506.1 -> 77.8	15213	2.50 µg/L	0.000
M3-PFBS	5.439	302.1 -> 79.9	10217	2.50 µg/L	0.012
M3-PFHxS	7.229	402.1 -> 79.9	6843	2.50 µg/L	0.000
M8-PFOS	8.329	507.1 -> 79.9	9515	2.50 µg/L	0.000
M2-4:2FTS	5.222	329.1 -> 80.9	842	5.00 µg/L	0.000
M2-6:2FTS	6.898	429.1 -> 80.9	1521	5.00 µg/L	0.000
M2-8:2FTS	7.966	529.1 -> 80.9	2674	5.00 µg/L	0.000
M3-MeFOSAA	8.236	573.2 -> 419.0	13382	5.00 µg/L	0.000
M3-HFPO-DA	5.890	286.9 -> 168.9	27378	10.00 µg/L	0.000
M5-EtFOSAA	8.446	589.2 -> 419.0	11277	5.00 µg/L	0.000
M7-MeFOSE	10.959	623.2 -> 58.9	61091	25.00 µg/L	0.012
M9-EtFOSE	11.256	639.2 -> 58.9	87409	25.00 µg/L	0.000
M5-EtFOSA	11.360	531.1 -> 219.0	10591	2.50 µg/L	0.012
M3-MeFOSA	11.064	515.0 -> 219.0	10104	2.50 µg/L	0.000
13C4-PFOS	8.330	502.8 -> 79.9	9799	2.50 µg/L	0.000
13C3-PFBA	2.916	216.0 -> 172.0	56782	5.00 µg/L	-0.013
18O2-PFHxS	7.228	403.0 -> 83.9	4797	2.50 µg/L	0.000
13C4-PFOA	7.136	417.1 -> 372.0	47709	2.50 µg/L	0.012
13C2-PFDA	8.178	515.1 -> 470.1	17050	1.25 µg/L	0.000
13C5-PFNA	7.684	468.0 -> 423.0	21809	1.25 µg/L	0.000
13C2-PFHxA	5.536	315.1 -> 270.0	39998	2.50 µg/L	0.000
System Monitoring Compounds					
13C2-4:2FTS	5.222	329.1 -> 80.9	842	4.32 µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 86.4%		
13C2-6:2FTS	6.898	429.1 -> 80.9	1521	4.33 µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 86.5%		
13C2-8:2FTS	7.966	529.1 -> 80.9	2674	4.87 µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 97.5%		
13C2-PFDoDA	9.106	615.1 -> 570.0	20670	1.25 µg/L	0.000
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 100.1%		
13C2-PFTeDA	9.899	715.2 -> 670.0	15473	1.15 µg/L	0.000
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 92.1%		
13C3-PFBS	5.439	302.1 -> 79.9	10217	2.26 µg/L	0.012
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 90.3%		
13C3-PFHxS	7.229	402.1 -> 79.9	6843	2.30 µg/L	0.000

7.7.9
7

Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 92.0%	
13C4-PFBA	2.911	216.8 -> 171.9	105134	9.84 µg/L	-0.012
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 98.4%	
13C4-PFHpA	6.467	367.1 -> 322.0	25658	2.49 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 99.7%	
13C5-PFHxA	5.535	318.0 -> 273.0	43396	2.46 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 98.5%	
13C5-PFPeA	4.362	268.3 -> 223.0	60246	4.89 µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 97.8%	
13C6-PFDA	8.178	519.1 -> 474.1	17478	1.20 µg/L	0.000
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 95.8%	
13C7-PFUnDA	8.647	570.0 -> 525.1	17471	1.15 µg/L	0.000
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 92.0%	
13C8-FOSA	9.771	506.1 -> 77.8	15213	2.48 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 99.0%	
13C8-PFOA	7.136	421.1 -> 376.0	39570	2.53 µg/L	0.012
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 101.0%	
13C8-PFOS	8.329	507.1 -> 79.9	9515	2.58 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 103.2%	
13C9-PFNA	7.684	472.1 -> 427.0	19681	1.33 µg/L	0.013
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 106.2%	
d3-MeFOSAA	8.236	573.2 -> 419.0	13382	5.41 µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 108.2%	
13C3-HFPO-DA	5.890	286.9 -> 168.9	27378	10.40 µg/L	0.000
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 104.0%	
d3-MeFOSA	11.064	515.0 -> 219.0	10104	2.63 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 105.2%	
d5-EtFOSAA	8.446	589.2 -> 419.0	11277	5.54 µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 110.7%	
d7-MeFOSE	10.959	623.2 -> 58.9	61091	20.04 µg/L	0.012
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 80.1%	
d9-EtFOSE	11.256	639.2 -> 58.9	87409	20.25 µg/L	0.000
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 81.0%	
d5-EtFOSA	11.360	531.1 -> 219.0	10591	2.59 µg/L	0.012
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 103.7%	
Target Compounds					QValue
4:2FTS	5.223	327.1 -> 307.0	316462	233.64 µg/L	93
		327.1 -> 80.9	134287		
6:2FTS	6.899	427.1 -> 407.0	333858	227.27 µg/L	97
		427.1 -> 80.9	133307		
8:2FTS	7.966	527.1 -> 507.0	324709	217.87 µg/L	93
		527.1 -> 80.8	121732		
EtFOSAA	8.459	584.2 -> 419.1	145113	66.98 µg/L	m 92
		584.2 -> 526.0	66283		
FOSA	9.774	498.1 -> 77.9	438428	68.77 µg/L	98
		498.1 -> 478.0	11984		
MeFOSAA	8.249	570.1 -> 419.0	157123	67.37 µg/L	m 97
		570.1 -> 483.0	34451		
PFBA	2.920	212.8 -> 168.9	780608	277.27 µg/L	100
PFBS	5.440	298.7 -> 79.9	251571	60.03 µg/L	95
		298.7 -> 98.8	94993		
PFDA	8.179	512.9 -> 469.0	916605	69.12 µg/L	96
		512.9 -> 219.0	178851		
PFDoDA	9.106	613.1 -> 569.0	1058949	63.85 µg/L	100
		613.1 -> 319.0	155967		
PFDS	9.269	599.0 -> 79.9	149623	63.48 µg/L	95

7.7.9
7



Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc.	Units	Dev(Min)
		599.0 -> 98.8	74022			
PFHpA	6.468	363.1 -> 319.0	1115770	68.80	µg/L	99
		363.1 -> 169.0	195581			
PFHpS	7.811	449.0 -> 79.9	222028	64.78	µg/L	97
		449.0 -> 98.9	113217			
PFHxA	5.538	313.0 -> 269.0	1169490	68.78	µg/L	100
		313.0 -> 118.9	34560			
PFHxS	7.230	398.7 -> 79.9	180803	64.46	µg/L	m 98
		398.7 -> 98.9	92773			
PFNA	7.685	463.0 -> 419.0	907289	62.20	µg/L	99
		463.0 -> 219.0	222637			
PFNS	8.823	548.8 -> 79.9	133198	64.12	µg/L	99
		548.8 -> 98.9	68994			
PFOA	7.138	413.0 -> 369.0	1496248	65.54	µg/L	98
		413.0 -> 169.0	302844			
PFOS	8.330	498.9 -> 79.9	269483	57.87	µg/L	m 93
		498.9 -> 98.8	144658			
PFPeA	4.364	263.0 -> 219.0	1951040	134.60	µg/L	100
PFPeS	6.507	349.1 -> 79.9	154398	64.17	µg/L	96
		349.1 -> 98.9	66746			
PFTeDA	9.900	713.1 -> 669.0	1006100	66.43	µg/L	99
		713.1 -> 168.9	83501			
PFTrDA	9.515	663.0 -> 619.0	1325238	59.79	µg/L	98
		663.0 -> 168.9	134887			
PFUnDA	8.648	563.1 -> 519.0	810524	68.30	µg/L	97
		563.1 -> 269.1	163751			
11Cl-PF3OUdS	9.568	630.9 -> 450.9	1192020	121.07	µg/L	97
		632.9 -> 452.9	368570			
9Cl-PF3ONS	8.675	530.8 -> 351.0	1485788	118.50	µg/L	99
		532.8 -> 353.0	458667			
ADONA	6.731	376.9 -> 250.9	3300217	119.87	µg/L	99
		376.9 -> 84.8	880949			
HFPO-DA	5.891	284.9 -> 168.9	348903	133.36	µg/L	99
		284.9 -> 184.9	40667			
3:3FTCA	3.836	241.0 -> 177.0	235825	369.78	µg/L	99
		241.0 -> 117.0	20747			
5:3FTCA	6.193	341.0 -> 237.1	3927001	1702.10	µg/L	99
		341.0 -> 217.0	2700284			
7:3FTCA	7.649	441.0 -> 316.9	2048322	1708.63	µg/L	94
		441.0 -> 336.9	4708575			
EtFOSA	11.362	526.0 -> 219.0	614296	138.45	µg/L	m 98
		526.0 -> 169.0	840549			
EtFOSE	11.282	630.0 -> 58.9	1147731	339.18	µg/L	m 100
MeFOSA	11.066	511.9 -> 219.0	516182	135.61	µg/L	m 96
		511.9 -> 169.0	735589			
MeFOSE	10.973	616.1 -> 58.9	888597	354.13	µg/L	m 100
PFDoDS	10.052	699.1 -> 79.9	131199	62.37	µg/L	97
		699.1 -> 98.8	73404			
NFDHA	5.416	295.0 -> 201.0	140318	115.59	µg/L	95
		295.0 -> 84.9	35181			
PFMBA	4.766	279.0 -> 85.1	1083924	133.99	µg/L	100
PFMPA	3.515	229.0 -> 84.9	1042459	137.59	µg/L	100
PFEESA	5.971	314.8 -> 134.9	1547810	120.26	µg/L	99
		314.8 -> 82.9	53143			

= Qualifier out of range, m = manually integrated, + = Area summed

7.7.9

7





Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
----------	----	------------	----------	-------------	----------


7.7.9

7

Perfluorinated Compounds by LC/MS/MS




Perfluorinated Compounds by LC/MS/MS



7.7.9
7

Perfluorinated Compounds by LC/MS/MS




7.7.9
7




Perfluorinated Compounds by LC/MS/MS


Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFBS	60.03	5.44	0.01	251571	298.7 -> 98.8	37.8	20.3	60.9




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
13C5-PFHxA	2.46	5.53	0.00	43396				




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFHxA	68.78	5.54	0.00	1169490	313.0 -> 118.9	3.0	1.5	4.4



Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
13C3-HFPO-DA	10.40	5.89	0.00	27378				




Perfluorinated Compounds by LC/MS/MS



7.7.9
7


Perfluorinated Compounds by LC/MS/MS



7.7.9
7



Perfluorinated Compounds by LC/MS/MS







7.7.9

7



Perfluorinated Compounds by LC/MS/MS







7.7.9





7







Perfluorinated Compounds by LC/MS/MS



Perfluorinated Compounds by LC/MS/MS




Perfluorinated Compounds by LC/MS/MS



7.7.9
7

Perfluorinated Compounds by LC/MS/MS




7.7.9

7




Perfluorinated Compounds by LC/MS/MS



7.7.9
7

Perfluorinated Compounds by LC/MS/MS




7.7.9

7




Perfluorinated Compounds by LC/MS/MS


Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFDoS	62.37	10.05	0.01	131199	699.1 -> 98.8	55.9	26.9	80.6




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d7-MeFOSE	20.04	10.96	0.01	61091				



Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
MeFOSE	354.13	10.97	0.00	888597 (m)				




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d3-MeFOSA	2.63	11.06	0.00	10104				




Perfluorinated Compounds by LC/MS/MS


Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
MeFOSA	135.61	11.07	0.00	516182 (m)	511.9 -> 169.0	142.5	73.9	221.8




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d9-EtFOSE	20.25	11.26	0.00	87409				



Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
EtFOSE	339.18	11.28	0.00	1147731 (m)				




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d5-EtFOSA	2.59	11.36	0.01	10591				



7.7.9
7

Perfluorinated Compounds by LC/MS/MS



7.7.9

7

Manual Integration Approval Summary

Sample Number: S4Q634-IC634
Lab FileID: 4Q43891.D
Injection Time: 05/03/23 12:50

Method: EPA DRAFT 1633
Analyst approved: 05/04/23 11:23 Natasha Gumtie
Supervisor approved: 05/04/23 17:44 Norman Farmer

Parameter	CAS	Sig#	R.T. (min.)	Reason
Perfluorohexanesulfonic acid	355-46-4		7.23	Split peak
MeFOSAA	2355-31-9		8.25	Split peak
Perfluorooctanesulfonic acid	1763-23-1		8.33	Split peak
EtFOSAA	2991-50-6		8.46	Split peak
MeFOSE	24448-09-7		10.97	Split peak
MeFOSA	31506-32-8		11.07	Split peak
EtFOSE	1691-99-2		11.28	Split peak
EtFOSA	4151-50-2		11.36	Split peak

7.7.9.1
7

Perfluorinated Compounds by LC/MS/MS

Data File : 4Q43894.d
 Operator : natashag
 Acq. Method : 1633full_4Q.m
 Acq. Date-Time : 5/3/2023 1:20:27 PM
 Sample Name : icv634-20
 Vial : P1-B4
 DA Method File : 1633_050323_S4Q634.quantmethod.xml
 Batch Name : s4q634.batch.bin
 Sample Information : OP96548,S4Q634,500,,,5.0,1,water

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Internal Standards					
M4-PFBA	2.961	216.8 -> 171.9	130791	10.00 µg/L	0.037
M5-PFPeA	4.387	268.3 -> 223.0	66851	5.00 µg/L	0.025
M5-PFHxA	5.547	318.0 -> 273.0	46251	2.50 µg/L	0.012
M4-PFHpA	6.480	367.1 -> 322.0	27970	2.50 µg/L	0.012
M8-PFOA	7.136	421.1 -> 376.0	42684	2.50 µg/L	0.012
M9-PFNA	7.684	472.1 -> 427.0	20224	1.25 µg/L	0.013
M6-PFDA	8.191	519.1 -> 474.1	18744	1.25 µg/L	0.013
M7-PFUnDA	8.660	570.0 -> 525.1	18716	1.25 µg/L	0.013
M2-PFDoDA	9.106	615.1 -> 570.0	21397	1.25 µg/L	0.000
M2-PFTeDA	9.911	715.2 -> 670.0	15850	1.25 µg/L	0.012
M8-FOSA	9.783	506.1 -> 77.8	15950	2.50 µg/L	0.012
M3-PFBS	5.452	302.1 -> 79.9	11303	2.50 µg/L	0.025
M3-PFHxS	7.242	402.1 -> 79.9	7645	2.50 µg/L	0.012
M8-PFOS	8.341	507.1 -> 79.9	10355	2.50 µg/L	0.012
M2-4:2FTS	5.247	329.1 -> 80.9	1075	5.00 µg/L	0.025
M2-6:2FTS	6.911	429.1 -> 80.9	1967	5.00 µg/L	0.012
M2-8:2FTS	7.978	529.1 -> 80.9	3100	5.00 µg/L	0.012
M3-MeFOSAA	8.249	573.2 -> 419.0	13820	5.00 µg/L	0.012
M3-HFPO-DA	5.902	286.9 -> 168.9	28905	10.00 µg/L	0.012
M5-EtFOSAA	8.458	589.2 -> 419.0	11868	5.00 µg/L	0.012
M7-MeFOSE	10.959	623.2 -> 58.9	64121	25.00 µg/L	0.012
M9-EtFOSE	11.256	639.2 -> 58.9	90962	25.00 µg/L	0.000
M5-EtFOSA	11.360	531.1 -> 219.0	11004	2.50 µg/L	0.012
M3-MeFOSA	11.064	515.0 -> 219.0	9720	2.50 µg/L	0.000
13C4-PFOS	8.342	502.8 -> 79.9	10619	2.50 µg/L	0.012
13C3-PFBA	2.966	216.0 -> 172.0	68812	5.00 µg/L	0.037
18O2-PFHxS	7.228	403.0 -> 83.9	5057	2.50 µg/L	0.000
13C4-PFOA	7.136	417.1 -> 372.0	50127	2.50 µg/L	0.012
13C2-PFDA	8.191	515.1 -> 470.1	16617	1.25 µg/L	0.013
13C5-PFNA	7.684	468.0 -> 423.0	23190	1.25 µg/L	0.000
13C2-PFHxA	5.548	315.1 -> 270.0	42103	2.50 µg/L	0.012
System Monitoring Compounds					
13C2-4:2FTS	5.247	329.1 -> 80.9	1075	5.23 µg/L	0.025
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 104.6%		
13C2-6:2FTS	6.911	429.1 -> 80.9	1967	5.31 µg/L	0.012
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 106.2%		
13C2-8:2FTS	7.978	529.1 -> 80.9	3100	5.36 µg/L	0.012
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 107.2%		
13C2-PFDoDA	9.106	615.1 -> 570.0	21397	1.33 µg/L	0.000
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 106.3%		
13C2-PFTeDA	9.911	715.2 -> 670.0	15850	1.21 µg/L	0.012
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 96.8%		
13C3-PFBS	5.452	302.1 -> 79.9	11303	2.37 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 94.8%		
13C3-PFHxS	7.242	402.1 -> 79.9	7645	2.44 µg/L	0.012

7.7.10
7



Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 97.6%		
13C4-PFBA	2.961	216.8 -> 171.9	130791	10.10 µg/L	0.037
Spiked Amount: 10.00	Range: 50.0 - 150.0%		Recovery = 101.0%		
13C4-PFHpA	6.480	367.1 -> 322.0	27970	2.58 µg/L	0.012
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 103.2%		
13C5-PFHxA	5.547	318.0 -> 273.0	46251	2.49 µg/L	0.012
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 99.8%		
13C5-PFPeA	4.387	268.3 -> 223.0	66851	5.15 µg/L	0.025
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 103.1%		
13C6-PFDA	8.191	519.1 -> 474.1	18744	1.32 µg/L	0.013
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 105.4%		
13C7-PFUnDA	8.660	570.0 -> 525.1	18716	1.26 µg/L	0.013
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 101.1%		
13C8-FOSA	9.783	506.1 -> 77.8	15950	2.40 µg/L	0.012
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 95.8%		
13C8-PFOA	7.136	421.1 -> 376.0	42684	2.59 µg/L	0.012
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 103.7%		
13C8-PFOS	8.341	507.1 -> 79.9	10355	2.59 µg/L	0.012
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 103.6%		
13C9-PFNA	7.684	472.1 -> 427.0	20224	1.28 µg/L	0.013
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 102.6%		
d3-MeFOSAA	8.249	573.2 -> 419.0	13820	5.16 µg/L	0.012
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 103.1%		
13C3-HFPO-DA	5.902	286.9 -> 168.9	28905	10.44 µg/L	0.012
Spiked Amount: 10.00	Range: 50.0 - 150.0%		Recovery = 104.4%		
d3-MeFOSA	11.064	515.0 -> 219.0	9720	2.33 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 93.4%		
d5-EtFOSAA	8.458	589.2 -> 419.0	11868	5.38 µg/L	0.012
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 107.5%		
d7-MeFOSE	10.959	623.2 -> 58.9	64121	19.41 µg/L	0.012
Spiked Amount: 25.00	Range: 50.0 - 150.0%		Recovery = 77.6%		
d9-EtFOSE	11.256	639.2 -> 58.9	90962	19.44 µg/L	0.000
Spiked Amount: 25.00	Range: 50.0 - 150.0%		Recovery = 77.8%		
d5-EtFOSA	11.360	531.1 -> 219.0	11004	2.49 µg/L	0.012
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 99.4%		
Target Compounds					QValue
4:2FTS	5.236	327.1 -> 307.0	36343	21.01 µg/L	93
		327.1 -> 80.9	15405		
6:2FTS	6.911	427.1 -> 407.0	37596	19.78 µg/L	98
		427.1 -> 80.9	15426		
8:2FTS	7.978	527.1 -> 507.0	34017	19.68 µg/L	99
		527.1 -> 80.8	14554		
EtFOSAA	8.459	584.2 -> 419.1	44738	19.62 µg/L	m 97
		584.2 -> 526.0	21689		
FOSA	9.774	498.1 -> 77.9	141624	21.19 µg/L	98
		498.1 -> 478.0	3779		
MeFOSAA	8.249	570.1 -> 419.0	51036	21.19 µg/L	m 95
		570.1 -> 483.0	10701		
PFBA	2.957	212.8 -> 168.9	67542	19.28 µg/L	100
PFBS	5.453	298.7 -> 79.9	100483	21.67 µg/L	95
		298.7 -> 98.8	37786		
PFDA	8.192	512.9 -> 469.0	305610	21.49 µg/L	96
		512.9 -> 219.0	60753		
PFDoDA	9.106	613.1 -> 569.0	317329	18.48 µg/L	96
		613.1 -> 319.0	41610		
PFDS	9.269	599.0 -> 79.9	52213	20.36 µg/L	96

7.7.10
7

Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc.	Units	Dev(Min)
PFHpA	6.480	599.0 -> 98.8	25568	20.57	µg/L	99
		363.1 -> 319.0	363659			
PFHpS	7.823	363.1 -> 169.0	63506	20.45	µg/L	96
		449.0 -> 79.9	76288			
PFHxA	5.550	449.0 -> 98.9	38819	21.78	µg/L	100
		313.0 -> 269.0	394737			
PFHxS	7.230	313.0 -> 118.9	11460	21.63	µg/L	99
		398.7 -> 79.9	67769			
PFNA	7.685	398.7 -> 98.9	33658	21.77	µg/L	99
		463.0 -> 419.0	326243			
PFNS	8.823	463.0 -> 219.0	79570	19.68	µg/L	100
		548.8 -> 79.9	44477			
PFOA	7.138	548.8 -> 98.9	23137	20.68	µg/L	99
		413.0 -> 369.0	509126			
PFOS	8.343	413.0 -> 169.0	101566	17.96	µg/L	97
		498.9 -> 79.9	91001			
PFPeA	4.389	498.9 -> 98.8	42607	22.21	µg/L	100
		263.0 -> 219.0	357175			
PFPeS	6.507	349.1 -> 79.9	56780	21.12	µg/L	97
		349.1 -> 98.9	25166			
PFTeDA	9.912	713.1 -> 669.0	344427	22.20	µg/L	99
		713.1 -> 168.9	28576			
PFTrDA	9.529	663.0 -> 619.0	403759	17.60	µg/L	98
		663.0 -> 168.9	40559			
PFUnDA	8.660	563.1 -> 519.0	269334	21.19	µg/L	96
		563.1 -> 269.1	53065			
11Cl-PF3OUdS	9.568	630.9 -> 450.9	217826	20.96	µg/L	97
		632.9 -> 452.9	67365			
9Cl-PF3ONS	8.687	530.8 -> 351.0	264806	20.00	µg/L	100
		532.8 -> 353.0	80138			
ADONA	6.731	376.9 -> 250.9	583198	20.06	µg/L	99
		376.9 -> 84.8	155449			
HFPO-DA	5.903	284.9 -> 168.9	53279	19.29	µg/L	97
		284.9 -> 184.9	6640			
3:3FTCA	3.879	241.0 -> 177.0	14608	20.64	µg/L	98
		241.0 -> 117.0	1379			
5:3FTCA	6.217	341.0 -> 237.1	52878	21.50	µg/L	100
		341.0 -> 217.0	36203			
7:3FTCA	7.661	441.0 -> 316.9	25510	19.97	µg/L	94
		441.0 -> 336.9	63644			
EtFOSA	11.362	526.0 -> 219.0	101818	22.09	µg/L	78
		526.0 -> 169.0	114269			
EtFOSE	11.282	630.0 -> 58.9	413915	117.54	µg/L	100
MeFOSA	11.078	511.9 -> 219.0	79178	21.62	µg/L	76
		511.9 -> 169.0	93425			
MeFOSE	10.973	616.1 -> 58.9	304054	115.45	µg/L	100
PFDoDS	10.052	699.1 -> 79.9	43287	18.91	µg/L	99
		699.1 -> 98.8	23566			
NFDHA	5.428	295.0 -> 201.0	28746	22.22	µg/L	94
		295.0 -> 84.9	6982			
PFMBA	4.791	279.0 -> 85.1	189220	21.08	µg/L	100
PFMPA	3.553	229.0 -> 84.9	178659	21.25	µg/L	100
PFEESA	5.984	314.8 -> 134.9	262758	19.16	µg/L	98
		314.8 -> 82.9	8347			

7.7.10
7

= Qualifier out of range, m = manually integrated, + = Area summed







Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
----------	----	------------	----------	-------------	----------


7.7.10

7

Perfluorinated Compounds by LC/MS/MS




Perfluorinated Compounds by LC/MS/MS



7.7.10 7



Perfluorinated Compounds by LC/MS/MS




7.7.10
7




Perfluorinated Compounds by LC/MS/MS


Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFBS	21.67	5.45	0.02	100483	298.7 -> 98.8	37.6	20.3	60.9




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
13C5-PFHxA	2.49	5.55	0.01	46251				



Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFHxA	21.78	5.55	0.01	394737	313.0 -> 118.9	2.9	1.5	4.4




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
13C3-HFPO-DA	10.44	5.90	0.01	28905				



7.7.10 7

Perfluorinated Compounds by LC/MS/MS




7.7.10 7




Perfluorinated Compounds by LC/MS/MS


Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFHpA	20.57	6.48	0.01	363659	363.1 -> 169.0	17.5	8.9	26.7




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFPeS	21.12	6.51	0.01	56780	349.1 -> 98.9	44.3	23.0	69.1




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
ADONA	20.06	6.73	0.00	583198	376.9 -> 84.8	26.7	13.1	39.3



Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
13C2-6:2FTS	5.31	6.91	0.01	1967	429.1 -> 80.9			




Perfluorinated Compounds by LC/MS/MS




7.7.10 7

Perfluorinated Compounds by LC/MS/MS


Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFHxS	21.63	7.23	0.00	67769 (m)	398.7 -> 98.9	49.7	25.1	75.2




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
7:3FTCA	19.97	7.66	0.01	25510	441.0 -> 336.9	249.5	119.7	359.0



Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
13C9-PFNA	1.28	7.68	0.01	20224	472.1 -> 427.0			




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFNA	21.77	7.68	0.00	326243	463.0 -> 219.0	24.4	12.4	37.3




7.7.10 7

Perfluorinated Compounds by LC/MS/MS



7.7.10 7

Perfluorinated Compounds by LC/MS/MS




7.7.10
7




Perfluorinated Compounds by LC/MS/MS


Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFOS	17.96	8.34	0.01	91001 (m)	498.9 -> 98.8	46.8	24.5	73.5




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d5-EtFOSAA	5.38	8.46	0.01	11868				




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
EtFOSAA	19.62	8.46	0.01	44738 (m)	584.2 -> 526.0	48.5	25.4	76.3



Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
13C7-PFUnDA	1.26	8.66	0.01	18716				




Perfluorinated Compounds by LC/MS/MS



7.7.10 7




Perfluorinated Compounds by LC/MS/MS



7.7.10 7




Perfluorinated Compounds by LC/MS/MS



7.7.10 7

Perfluorinated Compounds by LC/MS/MS




7.7.10
7




Perfluorinated Compounds by LC/MS/MS


Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
MeFOSA	21.62	11.08	0.01	79178	511.9 -> 169.0	118.0	73.9	221.8




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d9-EtFOSE	19.44	11.26	0.00	90962				




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
EtFOSE	117.54	11.28	0.00	413915				



Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d5-EtFOSA	2.49	11.36	0.01	11004				



Perfluorinated Compounds by LC/MS/MS



7.7.10
7

Manual Integration Approval Summary

Sample Number: S4Q634-ICV634 Method: EPA DRAFT 1633
Lab FileID: 4Q43894.D Analyst approved: 05/04/23 11:23 Natasha Gumtie
Injection Time: 05/03/23 13:20 Supervisor approved: 05/04/23 17:44 Norman Farmer

Parameter	CAS	Sig#	R.T. (min.)	Reason
Perfluorohexanesulfonic acid	355-46-4		7.23	Split peak
MeFOSAA	2355-31-9		8.25	Split peak
Perfluorooctanesulfonic acid	1763-23-1		8.34	Split peak
EtFOSAA	2991-50-6		8.46	Split peak

7.7.10.1

7

Perfluorinated Compounds by LC/MS/MS

Data File : 4Q43895.d
 Operator : natashag
 Acq. Method : 1633full_4Q.m
 Acq. Date-Time : 5/3/2023 1:35:25 PM
 Sample Name : icv634-4
 Vial : P1-B3
 DA Method File : 1633_050323_S4Q634.quantmethod.xml
 Batch Name : s4q634.batch.bin
 Sample Information : OP96548,S4Q634,500,,,5.0,1,water

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Internal Standards					
M4-PFBA	2.990	216.8 -> 171.9	136957	10.00 µg/L	0.066
M5-PFPeA	4.400	268.3 -> 223.0	70717	5.00 µg/L	0.037
M5-PFHxA	5.547	318.0 -> 273.0	48764	2.50 µg/L	0.012
M4-PFHpA	6.480	367.1 -> 322.0	29013	2.50 µg/L	0.012
M8-PFOA	7.136	421.1 -> 376.0	46078	2.50 µg/L	0.012
M9-PFNA	7.684	472.1 -> 427.0	21117	1.25 µg/L	0.013
M6-PFDA	8.191	519.1 -> 474.1	20281	1.25 µg/L	0.013
M7-PFUnDA	8.660	570.0 -> 525.1	20063	1.25 µg/L	0.013
M2-PFDoDA	9.106	615.1 -> 570.0	22329	1.25 µg/L	0.000
M2-PFTeDA	9.911	715.2 -> 670.0	15785	1.25 µg/L	0.012
M8-FOSA	9.783	506.1 -> 77.8	17104	2.50 µg/L	0.012
M3-PFBS	5.452	302.1 -> 79.9	11932	2.50 µg/L	0.025
M3-PFHxS	7.242	402.1 -> 79.9	8020	2.50 µg/L	0.012
M8-PFOS	8.341	507.1 -> 79.9	11596	2.50 µg/L	0.012
M2-4:2FTS	5.247	329.1 -> 80.9	1099	5.00 µg/L	0.025
M2-6:2FTS	6.911	429.1 -> 80.9	2057	5.00 µg/L	0.012
M2-8:2FTS	7.978	529.1 -> 80.9	3256	5.00 µg/L	0.012
M3-MeFOSAA	8.249	573.2 -> 419.0	14953	5.00 µg/L	0.012
M3-HFPO-DA	5.914	286.9 -> 168.9	28932	10.00 µg/L	0.025
M5-EtFOSAA	8.458	589.2 -> 419.0	12315	5.00 µg/L	0.012
M7-MeFOSE	10.959	623.2 -> 58.9	71810	25.00 µg/L	0.012
M9-EtFOSE	11.256	639.2 -> 58.9	98159	25.00 µg/L	0.000
M5-EtFOSA	11.360	531.1 -> 219.0	11972	2.50 µg/L	0.012
M3-MeFOSA	11.064	515.0 -> 219.0	10103	2.50 µg/L	0.000
13C4-PFOS	8.342	502.8 -> 79.9	11566	2.50 µg/L	0.012
13C3-PFBA	2.993	216.0 -> 172.0	73121	5.00 µg/L	0.065
18O2-PFHxS	7.241	403.0 -> 83.9	5173	2.50 µg/L	0.012
13C4-PFOA	7.136	417.1 -> 372.0	54623	2.50 µg/L	0.012
13C2-PFDA	8.191	515.1 -> 470.1	17040	1.25 µg/L	0.013
13C5-PFNA	7.684	468.0 -> 423.0	24797	1.25 µg/L	0.000
13C2-PFHxA	5.548	315.1 -> 270.0	44958	2.50 µg/L	0.012
System Monitoring Compounds					
13C2-4:2FTS	5.247	329.1 -> 80.9	1099	5.23 µg/L	0.025
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 104.5%		
13C2-6:2FTS	6.911	429.1 -> 80.9	2057	5.43 µg/L	0.012
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 108.5%		
13C2-8:2FTS	7.978	529.1 -> 80.9	3256	5.50 µg/L	0.012
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 110.1%		
13C2-PFDoDA	9.106	615.1 -> 570.0	22329	1.35 µg/L	0.000
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 108.2%		
13C2-PFTeDA	9.911	715.2 -> 670.0	15785	1.17 µg/L	0.012
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 94.0%		
13C3-PFBS	5.452	302.1 -> 79.9	11932	2.45 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 97.8%		
13C3-PFHxS	7.242	402.1 -> 79.9	8020	2.50 µg/L	0.012

7.7.11
7



Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 100.0%	
13C4-PFBA	2.990	216.8 -> 171.9	136957	9.95 µg/L	0.066
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 99.5%	
13C4-PFHpA	6.480	367.1 -> 322.0	29013	2.51 µg/L	0.012
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 100.3%	
13C5-PFHxA	5.547	318.0 -> 273.0	48764	2.46 µg/L	0.012
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 98.5%	
13C5-PFPeA	4.400	268.3 -> 223.0	70717	5.11 µg/L	0.037
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 102.1%	
13C6-PFDA	8.191	519.1 -> 474.1	20281	1.39 µg/L	0.013
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 111.2%	
13C7-PFUnDA	8.660	570.0 -> 525.1	20063	1.32 µg/L	0.013
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 105.7%	
13C8-FOSA	9.783	506.1 -> 77.8	17104	2.36 µg/L	0.012
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 94.3%	
13C8-PFOA	7.136	421.1 -> 376.0	46078	2.57 µg/L	0.012
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 102.8%	
13C8-PFOS	8.341	507.1 -> 79.9	11596	2.66 µg/L	0.012
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 106.5%	
13C9-PFNA	7.684	472.1 -> 427.0	21117	1.25 µg/L	0.013
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 100.2%	
d3-MeFOSAA	8.249	573.2 -> 419.0	14953	5.12 µg/L	0.012
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 102.4%	
13C3-HFPO-DA	5.914	286.9 -> 168.9	28932	9.78 µg/L	0.025
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 97.8%	
d3-MeFOSA	11.064	515.0 -> 219.0	10103	2.23 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 89.1%	
d5-EtFOSAA	8.458	589.2 -> 419.0	12315	5.12 µg/L	0.012
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 102.4%	
d7-MeFOSE	10.959	623.2 -> 58.9	71810	19.96 µg/L	0.012
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 79.8%	
d9-EtFOSE	11.256	639.2 -> 58.9	98159	19.26 µg/L	0.000
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 77.1%	
d5-EtFOSA	11.360	531.1 -> 219.0	11972	2.48 µg/L	0.012
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 99.3%	
Target Compounds					QValue
4:2FTS	5.248	327.1 -> 307.0	17022	9.63 µg/L	92
		327.1 -> 80.9	7103		
6:2FTS	6.911	427.1 -> 407.0	19013	9.57 µg/L	100
		427.1 -> 80.9	7983		
8:2FTS	7.978	527.1 -> 507.0	16889	9.30 µg/L	93
		527.1 -> 80.8	7840		
EtFOSAA	8.459	584.2 -> 419.1	5858	2.48 µg/L	m 90
		584.2 -> 526.0	2583		
FOSA	9.774	498.1 -> 77.9	17018	2.37 µg/L	99
		498.1 -> 478.0	486		
MeFOSAA	8.249	570.1 -> 419.0	6285	2.41 µg/L	m 90
		570.1 -> 483.0	1173		
PFBA	2.996	212.8 -> 168.9	35422	9.66 µg/L	100
PFBS	5.453	298.7 -> 79.9	10405	2.13 µg/L	98
		298.7 -> 98.8	4122		
PFDA	8.192	512.9 -> 469.0	36831	2.39 µg/L	97
		512.9 -> 219.0	7422		
PFDODA	9.106	613.1 -> 569.0	43500	2.43 µg/L	99
		613.1 -> 319.0	6222		
PFDS	9.269	599.0 -> 79.9	6110	2.13 µg/L	97

7.7.11
7

Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc.	Units	Dev(Min)
PFHpA	6.480	599.0 -> 98.8	2952	2.49	µg/L	100
		363.1 -> 319.0	45710			
PFHpS	7.823	363.1 -> 169.0	8223	2.29	µg/L	98
		449.0 -> 79.9	9547			
PFHxA	5.550	449.0 -> 98.9	4967	2.43	µg/L	99
		313.0 -> 269.0	46362			
PFHxS	7.243	313.0 -> 118.9	1480	2.25	µg/L	m
		398.7 -> 79.9	7386			
PFNA	7.685	398.7 -> 98.9	3843	2.42	µg/L	100
		463.0 -> 419.0	37870			
PFNS	8.823	463.0 -> 219.0	9515	2.16	µg/L	99
		548.8 -> 79.9	5473			
PFOA	7.137	548.8 -> 98.9	2902	2.44	µg/L	99
		413.0 -> 369.0	64985			
PFOS	8.343	413.0 -> 169.0	12350	2.14	µg/L	m
		498.9 -> 79.9	12171			
PFPeA	4.402	498.9 -> 98.8	6199	4.86	µg/L	100
		263.0 -> 219.0	82728			
PFPeS	6.519	349.1 -> 79.9	6083	2.16	µg/L	99
		349.1 -> 98.9	2767			
PFTeDA	9.912	713.1 -> 669.0	39752	2.57	µg/L	98
		713.1 -> 168.9	3141			
PFTrDA	9.529	663.0 -> 619.0	55701	2.33	µg/L	99
		663.0 -> 168.9	5752			
PFUnDA	8.660	563.1 -> 519.0	34545	2.54	µg/L	95
		563.1 -> 269.1	6627			
11CI-PF3OUdS	9.568	630.9 -> 450.9	48981	4.71	µg/L	97
		632.9 -> 452.9	14928			
9CI-PF3ONS	8.687	530.8 -> 351.0	61516	4.64	µg/L	98
		532.8 -> 353.0	18165			
ADONA	6.743	376.9 -> 250.9	136907	4.71	µg/L	99
		376.9 -> 84.8	36276			
HFPO-DA	5.915	284.9 -> 168.9	14361	5.19	µg/L	98
		284.9 -> 184.9	1759			
3:3FTCA	3.892	241.0 -> 177.0	9341	12.48	µg/L	98
		241.0 -> 117.0	863			
5:3FTCA	6.217	341.0 -> 237.1	158885	61.29	µg/L	99
		341.0 -> 217.0	109735			
7:3FTCA	7.661	441.0 -> 316.9	85269	63.30	µg/L	99
		441.0 -> 336.9	203049			
EtFOSA	11.362	526.0 -> 219.0	24230	4.83	µg/L	m
		526.0 -> 169.0	33119			
EtFOSE	11.282	630.0 -> 58.9	46860	12.33	µg/L	100
MeFOSA	11.078	511.9 -> 219.0	20921	5.50	µg/L	m
		511.9 -> 169.0	29592			
MeFOSE	10.973	616.1 -> 58.9	35294	11.97	µg/L	m
PFDoDS	10.052	699.1 -> 79.9	5598	2.18	µg/L	97
		699.1 -> 98.8	3120			
NFDHA	5.441	295.0 -> 201.0	6718	4.92	µg/L	99
		295.0 -> 84.9	1820			
PFMBA	4.791	279.0 -> 85.1	45480	4.79	µg/L	100
PFMPA	3.565	229.0 -> 84.9	42809	4.81	µg/L	100
PFEESA	5.984	314.8 -> 134.9	63619	4.40	µg/L	100
		314.8 -> 82.9	2308			

= Qualifier out of range, m = manually integrated, + = Area summed





Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc.	Units	Dev(Min)
----------	----	------------	----------	-------	-------	----------

7.7.11


7

Perfluorinated Compounds by LC/MS/MS




Perfluorinated Compounds by LC/MS/MS


Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
3:3FTCA	12.48	3.89	0.06	9341	241.0 -> 117.0	9.2	4.3	13.0




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
13C5-PFPeA	5.11	4.40	0.04	70717				




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFPeA	4.86	4.40	0.04	82728				



Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFMBA	4.79	4.79	0.01	45480				



Perfluorinated Compounds by LC/MS/MS




7.7.11


7

Perfluorinated Compounds by LC/MS/MS


Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFBS	2.13	5.45	0.02	10405	298.7 -> 98.8	39.6	20.3	60.9




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
13C5-PFHxA	2.46	5.55	0.01	48764				




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFHxA	2.43	5.55	0.01	46362	313.0 -> 118.9	3.2	1.5	4.4



Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
13C3-HFPO-DA	9.78	5.91	0.02	28932				




Perfluorinated Compounds by LC/MS/MS



7.7.11
7




Perfluorinated Compounds by LC/MS/MS



7.7.11
7


Perfluorinated Compounds by LC/MS/MS



7.7.11
7




Perfluorinated Compounds by LC/MS/MS







7.7.11

Perfluorinated Compounds by LC/MS/MS



7.7.11


Perfluorinated Compounds by LC/MS/MS




7.7.11
7

Perfluorinated Compounds by LC/MS/MS


Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFOS	2.14	8.34	0.01	12171 (m)	498.9 -> 98.8	50.9	24.5	73.5




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d5-EtFOSAA	5.12	8.46	0.01	12315				




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
EtFOSAA	2.48	8.46	0.01	5858 (m)	584.2 -> 526.0	44.1	25.4	76.3



Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
13C7-PFUnDA	1.32	8.66	0.01	20063				



Perfluorinated Compounds by LC/MS/MS




7.7.11

7




Perfluorinated Compounds by LC/MS/MS



7.7.11



Perfluorinated Compounds by LC/MS/MS




7.7.11


7

Perfluorinated Compounds by LC/MS/MS


Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFDoDS	2.18	10.05	0.01	5598	699.1 -> 98.8	55.7	26.9	80.6




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d7-MeFOSE	19.96	10.96	0.01	71810				







Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
MeFOSE	11.97	10.97	0.00	35294 (m)				



Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d3-MeFOSA	2.23	11.06	0.00	10103				




Perfluorinated Compounds by LC/MS/MS



7.7.11
7



Perfluorinated Compounds by LC/MS/MS



7.7.11

7

Manual Integration Approval Summary

Sample Number: S4Q634-ICV634 Method: EPA DRAFT 1633
Lab FileID: 4Q43895.D Analyst approved: 05/04/23 11:23 Natasha Gumtie
Injection Time: 05/03/23 13:35 Supervisor approved: 05/04/23 17:44 Norman Farmer

Parameter	CAS	Sig#	R.T. (min.)	Reason
Perfluorohexanesulfonic acid	355-46-4		7.24	Split peak
MeFOSAA	2355-31-9		8.25	Split peak
Perfluorooctanesulfonic acid	1763-23-1		8.34	Split peak
EtFOSAA	2991-50-6		8.46	Split peak
MeFOSE	24448-09-7		10.97	Split peak
MeFOSA	31506-32-8		11.08	Split peak
EtFOSA	4151-50-2		11.36	Split peak

7.7.11.1
7

Perfluorinated Compounds by LC/MS/MS

Data File : 4Q43955.d
 Operator : natashag
 Acq. Method : 1633full_4Q.m
 Acq. Date-Time : 5/4/2023 1:02:00 PM
 Sample Name : cc634-1.0LL
 Vial : P1-A2
 DA Method File : 1633_050323_S4Q634.quantmethod.xml
 Batch Name : s4q635.batch.bin
 Sample Information : OP96548,S4Q635,500,,,5.0,1,water

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Internal Standards					
M4-PFBA	2.936	216.8 -> 171.9	130446	10.00 µg/L	0.013
M5-PFPeA	4.375	268.3 -> 223.0	69171	5.00 µg/L	0.012
M5-PFHxA	5.522	318.0 -> 273.0	46614	2.50 µg/L	-0.012
M4-PFHpA	6.455	367.1 -> 322.0	28931	2.50 µg/L	-0.012
M8-PFOA	7.124	421.1 -> 376.0	44965	2.50 µg/L	0.000
M9-PFNA	7.670	472.1 -> 427.0	21172	1.25 µg/L	0.000
M6-PFDA	8.178	519.1 -> 474.1	19590	1.25 µg/L	0.000
M7-PFUnDA	8.647	570.0 -> 525.1	19681	1.25 µg/L	0.000
M2-PFDoDA	9.106	615.1 -> 570.0	21210	1.25 µg/L	0.000
M2-PFTeDA	9.899	715.2 -> 670.0	15711	1.25 µg/L	0.000
M8-FOSA	9.771	506.1 -> 77.8	16175	2.50 µg/L	0.000
M3-PFBS	5.427	302.1 -> 79.9	11453	2.50 µg/L	0.000
M3-PFHxS	7.217	402.1 -> 79.9	7534	2.50 µg/L	-0.012
M8-PFOS	8.329	507.1 -> 79.9	10010	2.50 µg/L	0.000
M2-4:2FTS	5.222	329.1 -> 80.9	1194	5.00 µg/L	0.000
M2-6:2FTS	6.898	429.1 -> 80.9	2206	5.00 µg/L	0.000
M2-8:2FTS	7.966	529.1 -> 80.9	3336	5.00 µg/L	0.000
M3-MeFOSAA	8.236	573.2 -> 419.0	14574	5.00 µg/L	0.000
M3-HFPO-DA	5.890	286.9 -> 168.9	27391	10.00 µg/L	0.000
M5-EtFOSAA	8.446	589.2 -> 419.0	12714	5.00 µg/L	0.000
M7-MeFOSE	10.959	623.2 -> 58.9	65758	25.00 µg/L	0.012
M9-EtFOSE	11.256	639.2 -> 58.9	97434	25.00 µg/L	0.000
M5-EtFOSA	11.360	531.1 -> 219.0	11714	2.50 µg/L	0.012
M3-MeFOSA	11.064	515.0 -> 219.0	9709	2.50 µg/L	0.000
13C4-PFOS	8.330	502.8 -> 79.9	11037	2.50 µg/L	0.000
13C3-PFBA	2.941	216.0 -> 172.0	69196	5.00 µg/L	0.012
18O2-PFHxS	7.216	403.0 -> 83.9	5108	2.50 µg/L	-0.012
13C4-PFOA	7.124	417.1 -> 372.0	53115	2.50 µg/L	0.000
13C2-PFDA	8.178	515.1 -> 470.1	17629	1.25 µg/L	0.000
13C5-PFNA	7.671	468.0 -> 423.0	24537	1.25 µg/L	-0.013
13C2-PFHxA	5.523	315.1 -> 270.0	41966	2.50 µg/L	-0.012
System Monitoring Compounds					
13C2-4:2FTS	5.222	329.1 -> 80.9	1194	5.75 µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 115.0%		
13C2-6:2FTS	6.898	429.1 -> 80.9	2206	5.90 µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 117.9%		
13C2-8:2FTS	7.966	529.1 -> 80.9	3336	5.71 µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 114.2%		
13C2-PFDoDA	9.106	615.1 -> 570.0	21210	1.24 µg/L	0.000
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 99.3%		
13C2-PFTeDA	9.899	715.2 -> 670.0	15711	1.13 µg/L	0.000
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 90.4%		
13C3-PFBS	5.427	302.1 -> 79.9	11453	2.38 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 95.1%		
13C3-PFHxS	7.217	402.1 -> 79.9	7534	2.38 µg/L	-0.012

7.7.12
7

Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 95.2%	
13C4-PFBA	2.936	216.8 -> 171.9	130446	10.02 µg/L	0.013
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 100.2%	
13C4-PFHpA	6.455	367.1 -> 322.0	28931	2.68 µg/L	-0.012
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 107.1%	
13C5-PFHxA	5.522	318.0 -> 273.0	46614	2.52 µg/L	-0.012
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 100.9%	
13C5-PFPeA	4.375	268.3 -> 223.0	69171	5.35 µg/L	0.012
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 107.0%	
13C6-PFDA	8.178	519.1 -> 474.1	19590	1.30 µg/L	0.000
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 103.8%	
13C7-PFUnDA	8.647	570.0 -> 525.1	19681	1.25 µg/L	0.000
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 100.2%	
13C8-FOSA	9.771	506.1 -> 77.8	16175	2.34 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 93.5%	
13C8-PFOA	7.124	421.1 -> 376.0	44965	2.58 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 103.1%	
13C8-PFOS	8.329	507.1 -> 79.9	10010	2.41 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 96.4%	
13C9-PFNA	7.670	472.1 -> 427.0	21172	1.27 µg/L	0.000
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 101.6%	
d3-MeFOSAA	8.236	573.2 -> 419.0	14574	5.23 µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 104.6%	
13C3-HFPO-DA	5.890	286.9 -> 168.9	27391	9.92 µg/L	0.000
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 99.2%	
d3-MeFOSA	11.064	515.0 -> 219.0	9709	2.24 µg/L	0.000
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 89.7%	
d5-EtFOSAA	8.446	589.2 -> 419.0	12714	5.54 µg/L	0.000
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 110.8%	
d7-MeFOSE	10.959	623.2 -> 58.9	65758	19.15 µg/L	0.012
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 76.6%	
d9-EtFOSE	11.256	639.2 -> 58.9	97434	20.04 µg/L	0.000
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 80.2%	
d5-EtFOSA	11.360	531.1 -> 219.0	11714	2.55 µg/L	0.012
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 101.8%	
Target Compounds					QValue
4:2FTS	5.223	327.1 -> 307.0	1280	0.67 µg/L	97
		327.1 -> 80.9	624		
6:2FTS	6.899	427.1 -> 407.0	1579	0.74 µg/L	98
		427.1 -> 80.9	643		
8:2FTS	7.966	527.1 -> 507.0	1287	0.69 µg/L	77
		527.1 -> 80.8	732		
EtFOSAA	8.446	584.2 -> 419.1	354	0.15 µg/L	m 72
		584.2 -> 526.0	250		
FOSA	9.761	498.1 -> 77.9	1482	0.22 µg/L	# 93
		498.1 -> 478.0	13		
MeFOSAA	8.249	570.1 -> 419.0	444	0.17 µg/L	m 90
		570.1 -> 483.0	82		
PFBA	2.945	212.8 -> 168.9	2691	0.77 µg/L	100
PFBS	5.428	298.7 -> 79.9	806	0.17 µg/L	85
		298.7 -> 98.8	250		
PFDA	8.179	512.9 -> 469.0	2371	0.16 µg/L	92
		512.9 -> 219.0	602		
PFDODA	9.106	613.1 -> 569.0	3189	0.19 µg/L	96
		613.1 -> 319.0	519		
PFDS	9.257	599.0 -> 79.9	475	0.19 µg/L	90

7.7.12
7



Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc.	Units	Dev(Min)
		599.0 -> 98.8	252			
PFHpA	6.455	363.1 -> 319.0	3456	0.19	µg/L	96
		363.1 -> 169.0	555			
PFHpS	7.811	449.0 -> 79.9	614	0.17	µg/L	100
		449.0 -> 98.9	327			
PFHxA	5.525	313.0 -> 269.0	3333	0.18	µg/L	# 95
		313.0 -> 118.9	151			
PFHxS	7.218	398.7 -> 79.9	476	0.15	µg/L	m 72
		398.7 -> 98.9	331			
PFNA	7.671	463.0 -> 419.0	2805	0.18	µg/L	92
		463.0 -> 219.0	590			
PFNS	8.811	548.8 -> 79.9	493	0.23	µg/L	95
		548.8 -> 98.9	240			
PFOA	7.125	413.0 -> 369.0	4425	0.17	µg/L	87
		413.0 -> 169.0	1116			
PFOS	8.330	498.9 -> 79.9	963	0.20	µg/L	m 95
		498.9 -> 98.8	503			
PFPeA	4.377	263.0 -> 219.0	6199	0.37	µg/L	100
PFPeS	6.494	349.1 -> 79.9	537	0.20	µg/L	90
		349.1 -> 98.9	211			
PFTeDA	9.900	713.1 -> 669.0	3013	0.20	µg/L	98
		713.1 -> 168.9	277			
PFTrDA	9.515	663.0 -> 619.0	4485	0.20	µg/L	97
		663.0 -> 168.9	425			
PFUnDA	8.648	563.1 -> 519.0	2858	0.21	µg/L	93
		563.1 -> 269.1	526			
11CI-PF3OUdS	9.556	630.9 -> 450.9	3465	0.35	µg/L	96
		632.9 -> 452.9	1074			
9CI-PF3ONS	8.675	530.8 -> 351.0	4557	0.36	µg/L	98
		532.8 -> 353.0	1327			
ADONA	6.718	376.9 -> 250.9	9891	0.36	µg/L	98
		376.9 -> 84.8	2479			
HFPO-DA	5.891	284.9 -> 168.9	1097	0.42	µg/L	99
		284.9 -> 184.9	129			
3:3FTCA	3.848	241.0 -> 177.0	675	0.92	µg/L	# 84
		241.0 -> 117.0	96			
5:3FTCA	6.180	341.0 -> 237.1	11568	4.67	µg/L	99
		341.0 -> 217.0	7799			
7:3FTCA	7.649	441.0 -> 316.9	6576	5.11	µg/L	88
		441.0 -> 336.9	14448			
EtFOSA	11.362	526.0 -> 219.0	1744	0.36	µg/L	m 94
		526.0 -> 169.0	2559			
EtFOSE	11.282	630.0 -> 58.9	3138	0.83	µg/L	m 100
MeFOSA	11.078	511.9 -> 219.0	1561	0.43	µg/L	m 91
		511.9 -> 169.0	2131			
MeFOSE	10.973	616.1 -> 58.9	2810	1.04	µg/L	100
PFDoDS	10.039	699.1 -> 79.9	456	0.21	µg/L	95
		699.1 -> 98.8	229			
NFDHA	5.416	295.0 -> 201.0	493	0.38	µg/L	95
		295.0 -> 84.9	148			
PFMBA	4.778	279.0 -> 85.1	3393	0.37	µg/L	100
PFMPA	3.540	229.0 -> 84.9	3207	0.37	µg/L	100
PFEESA	5.959	314.8 -> 134.9	4481	0.32	µg/L	96
		314.8 -> 82.9	227			

= Qualifier out of range, m = manually integrated, + = Area summed





Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
----------	----	------------	----------	-------------	----------


7.7.12

7

Perfluorinated Compounds by LC/MS/MS




Perfluorinated Compounds by LC/MS/MS




7.7.12
7

Perfluorinated Compounds by LC/MS/MS



7.7.12
7

Perfluorinated Compounds by LC/MS/MS




7.7.12
7




Perfluorinated Compounds by LC/MS/MS


Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
HFPO-DA	0.42	5.89	0.00	1097	284.9 -> 184.9	11.8	5.7	17.1




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFEESA	0.32	5.96	0.00	4481	314.8 -> 82.9	5.1	1.8	5.5



Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
5:3FTCA	4.67	6.18	-0.01	11568	341.0 -> 217.0	67.4	34.1	102.4




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
13C4-PFHpA	2.68	6.45	-0.01	28931	367.1 -> 322.0			



7.7.12
7


Perfluorinated Compounds by LC/MS/MS



7.7.12
7







Perfluorinated Compounds by LC/MS/MS




7.7.12

Perfluorinated Compounds by LC/MS/MS







Perfluorinated Compounds by LC/MS/MS




7.7.12

Perfluorinated Compounds by LC/MS/MS



7.7.12 7


Perfluorinated Compounds by LC/MS/MS



7.7.12
7




Perfluorinated Compounds by LC/MS/MS



7.7.12

7


Perfluorinated Compounds by LC/MS/MS




7.7.12
7

Perfluorinated Compounds by LC/MS/MS


Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
13C8-FOSA	2.34	9.77	0.00	16175				




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
FOSA	0.22	9.76	-0.01	1482	498.1 -> 478.0	0.9	1.6	4.9



Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
13C2-PFTeDA	1.13	9.90	0.00	15711				




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFTeDA	0.20	9.90	0.00	3013	713.1 -> 168.9	9.2	4.3	12.9




7.7.12
7

Perfluorinated Compounds by LC/MS/MS


Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFDoDS	0.21	10.04	0.00	456	699.1 -> 98.8	50.3	26.9	80.6




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d7-MeFOSE	19.15	10.96	0.01	65758				







Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
MeFOSE	1.04	10.97	0.00	2810				



Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d3-MeFOSA	2.24	11.06	0.00	9709				




Perfluorinated Compounds by LC/MS/MS



7.7.12
7

Perfluorinated Compounds by LC/MS/MS



7.7.12

7

Manual Integration Approval Summary

Sample Number: S4Q635-CC634 Method: EPA DRAFT 1633
Lab FileID: 4Q43955.D Analyst approved: 05/05/23 07:50 Natasha Gumtie
Injection Time: 05/04/23 13:02 Supervisor approved: 05/05/23 16:38 Mike Eger

Parameter	CAS	Sig#	R.T. (min.)	Reason
Perfluorohexanesulfonic acid	355-46-4		7.22	Split peak
MeFOSAA	2355-31-9		8.25	Split peak
Perfluorooctanesulfonic acid	1763-23-1		8.33	Split peak
EtFOSAA	2991-50-6		8.45	Split peak
MeFOSA	31506-32-8		11.08	Split peak
EtFOSE	1691-99-2		11.28	Split peak
EtFOSA	4151-50-2		11.36	Split peak

7.7.12.1
7

Perfluorinated Compounds by LC/MS/MS

Data File : 4Q43966.d
 Operator : natashag
 Acq. Method : 1633full_4Q.m
 Acq. Date-Time : 5/4/2023 3:38:49 PM
 Sample Name : cc634-4
 Vial : P1-A5
 DA Method File : 1633_050323_S4Q634.quantmethod.xml
 Batch Name : s4q635.batch.bin
 Sample Information : OP96548,S4Q635,500,,,5.0,1,water

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Internal Standards					
M4-PFBA	2.924	216.8 -> 171.9	136305	10.00 µg/L	0.000
M5-PFPeA	4.387	268.3 -> 223.0	69960	5.00 µg/L	0.025
M5-PFHxA	5.559	318.0 -> 273.0	49718	2.50 µg/L	0.025
M4-PFHpA	6.492	367.1 -> 322.0	29359	2.50 µg/L	0.025
M8-PFOA	7.148	421.1 -> 376.0	44708	2.50 µg/L	0.025
M9-PFNA	7.709	472.1 -> 427.0	21438	1.25 µg/L	0.038
M6-PFDA	8.216	519.1 -> 474.1	19775	1.25 µg/L	0.038
M7-PFUnDA	8.685	570.0 -> 525.1	21560	1.25 µg/L	0.038
M2-PFDoDA	9.130	615.1 -> 570.0	23153	1.25 µg/L	0.025
M2-PFTeDA	9.924	715.2 -> 670.0	16923	1.25 µg/L	0.025
M8-FOSA	9.796	506.1 -> 77.8	16822	2.50 µg/L	0.025
M3-PFBS	5.452	302.1 -> 79.9	11149	2.50 µg/L	0.025
M3-PFHxS	7.254	402.1 -> 79.9	7576	2.50 µg/L	0.025
M8-PFOS	8.354	507.1 -> 79.9	10865	2.50 µg/L	0.025
M2-4:2FTS	5.235	329.1 -> 80.9	1167	5.00 µg/L	0.012
M2-6:2FTS	6.923	429.1 -> 80.9	2142	5.00 µg/L	0.025
M2-8:2FTS	7.990	529.1 -> 80.9	3338	5.00 µg/L	0.025
M3-MeFOSAA	8.273	573.2 -> 419.0	15896	5.00 µg/L	0.037
M3-HFPO-DA	5.914	286.9 -> 168.9	27472	10.00 µg/L	0.025
M5-EtFOSAA	8.483	589.2 -> 419.0	12454	5.00 µg/L	0.037
M7-MeFOSE	10.972	623.2 -> 58.9	75867	25.00 µg/L	0.025
M9-EtFOSE	11.281	639.2 -> 58.9	103090	25.00 µg/L	0.025
M5-EtFOSA	11.373	531.1 -> 219.0	11875	2.50 µg/L	0.025
M3-MeFOSA	11.089	515.0 -> 219.0	10755	2.50 µg/L	0.025
13C4-PFOS	8.354	502.8 -> 79.9	11850	2.50 µg/L	0.025
13C3-PFBA	2.928	216.0 -> 172.0	72273	5.00 µg/L	0.000
18O2-PFHxS	7.253	403.0 -> 83.9	5509	2.50 µg/L	0.025
13C4-PFOA	7.163	417.1 -> 372.0	54405	2.50 µg/L	0.039
13C2-PFDA	8.216	515.1 -> 470.1	18499	1.25 µg/L	0.038
13C5-PFNA	7.709	468.0 -> 423.0	26533	1.25 µg/L	0.025
13C2-PFHxA	5.560	315.1 -> 270.0	43263	2.50 µg/L	0.025
System Monitoring Compounds					
13C2-4:2FTS	5.235	329.1 -> 80.9	1167	5.21 µg/L	0.012
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 104.2%		
13C2-6:2FTS	6.923	429.1 -> 80.9	2142	5.31 µg/L	0.025
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 106.1%		
13C2-8:2FTS	7.990	529.1 -> 80.9	3338	5.30 µg/L	0.025
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 106.0%		
13C2-PFDoDA	9.130	615.1 -> 570.0	23153	1.29 µg/L	0.025
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 103.3%		
13C2-PFTeDA	9.924	715.2 -> 670.0	16923	1.16 µg/L	0.025
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 92.8%		
13C3-PFBS	5.452	302.1 -> 79.9	11149	2.15 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 85.8%		
13C3-PFHxS	7.254	402.1 -> 79.9	7576	2.22 µg/L	0.025

7.7.13
7

Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 88.7%	
13C4-PFBA	2.924	216.8 -> 171.9	136305	10.02 µg/L	0.000
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 100.2%	
13C4-PFHpA	6.492	367.1 -> 322.0	29359	2.64 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 105.4%	
13C5-PFHxA	5.559	318.0 -> 273.0	49718	2.61 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 104.4%	
13C5-PFPeA	4.387	268.3 -> 223.0	69960	5.25 µg/L	0.025
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 105.0%	
13C6-PFDA	8.216	519.1 -> 474.1	19775	1.25 µg/L	0.038
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 99.9%	
13C7-PFUnDA	8.685	570.0 -> 525.1	21560	1.31 µg/L	0.038
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 104.6%	
13C8-FOSA	9.796	506.1 -> 77.8	16822	2.26 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 90.5%	
13C8-PFOA	7.148	421.1 -> 376.0	44708	2.50 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 100.1%	
13C8-PFOS	8.354	507.1 -> 79.9	10865	2.44 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 97.4%	
13C9-PFNA	7.709	472.1 -> 427.0	21438	1.19 µg/L	0.038
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 95.1%	
d3-MeFOSAA	8.273	573.2 -> 419.0	15896	5.31 µg/L	0.037
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 106.3%	
13C3-HFPO-DA	5.914	286.9 -> 168.9	27472	9.65 µg/L	0.025
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 96.5%	
d3-MeFOSA	11.089	515.0 -> 219.0	10755	2.31 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 92.6%	
d5-EtFOSAA	8.483	589.2 -> 419.0	12454	5.06 µg/L	0.037
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 101.1%	
d7-MeFOSE	10.972	623.2 -> 58.9	75867	20.58 µg/L	0.025
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 82.3%	
d9-EtFOSE	11.281	639.2 -> 58.9	103090	19.75 µg/L	0.025
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 79.0%	
d5-EtFOSA	11.373	531.1 -> 219.0	11875	2.40 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 96.2%	
Target Compounds					QValue
4:2FTS	5.236	327.1 -> 307.0	17520	9.33 µg/L	95
		327.1 -> 80.9	7670		
6:2FTS	6.924	427.1 -> 407.0	20701	10.01 µg/L	100
		427.1 -> 80.9	8712		
8:2FTS	7.991	527.1 -> 507.0	20345	10.93 µg/L	94
		527.1 -> 80.8	7783		
EtFOSAA	8.483	584.2 -> 419.1	6296	2.63 µg/L	m 94
		584.2 -> 526.0	2922		
FOSA	9.786	498.1 -> 77.9	18294	2.60 µg/L	97
		498.1 -> 478.0	434		
MeFOSAA	8.274	570.1 -> 419.0	6847	2.47 µg/L	m 94
		570.1 -> 483.0	1415		
PFBA	2.932	212.8 -> 168.9	35812	9.81 µg/L	100
PFBS	5.453	298.7 -> 79.9	10701	2.34 µg/L	94
		298.7 -> 98.8	3964		
PFDA	8.216	512.9 -> 469.0	37335	2.49 µg/L	94
		512.9 -> 219.0	6948		
PFDODA	9.131	613.1 -> 569.0	44474	2.39 µg/L	98
		613.1 -> 319.0	6095		
PFDS	9.294	599.0 -> 79.9	6100	2.27 µg/L	92

7.7.13
7



Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc.	Units	Dev(Min)
PFHpA	6.492	599.0 -> 98.8	3159	2.44	µg/L	98
		363.1 -> 319.0	45233			
PFHpS	7.836	363.1 -> 169.0	7723	2.26	µg/L	91
		449.0 -> 79.9	8830			
PFHxA	5.550	449.0 -> 98.9	5257	2.34	µg/L	99
		313.0 -> 269.0	45544			
PFHxS	7.255	313.0 -> 118.9	1438	2.37	µg/L	96
		398.7 -> 79.9	7370			
PFNA	7.709	398.7 -> 98.9	3890	2.50	µg/L	100
		463.0 -> 419.0	39676			
PFNS	8.848	463.0 -> 219.0	9780	2.41	µg/L	94
		548.8 -> 79.9	5707			
PFOA	7.164	548.8 -> 98.9	2747	2.39	µg/L	98
		413.0 -> 369.0	61764			
PFOS	8.355	413.0 -> 169.0	12430	2.42	µg/L	99
		498.9 -> 79.9	12862			
PFPeA	4.389	498.9 -> 98.8	6366	4.94	µg/L	100
		263.0 -> 219.0	83119			
PFPeS	6.519	349.1 -> 79.9	6137	2.30	µg/L	99
		349.1 -> 98.9	2870			
PFTeDA	9.924	713.1 -> 669.0	39569	2.39	µg/L	98
		713.1 -> 168.9	3620			
PFTrDA	9.541	663.0 -> 619.0	59965	2.42	µg/L	94
		663.0 -> 168.9	5181			
PFUnDA	8.685	563.1 -> 519.0	36049	2.46	µg/L	97
		563.1 -> 269.1	7208			
11CI-PF3OUdS	9.593	630.9 -> 450.9	49735	5.03	µg/L	97
		632.9 -> 452.9	15269			
9CI-PF3ONS	8.712	530.8 -> 351.0	62070	4.93	µg/L	99
		532.8 -> 353.0	18468			
ADONA	6.756	376.9 -> 250.9	138020	5.00	µg/L	100
		376.9 -> 84.8	36169			
HFPO-DA	5.915	284.9 -> 168.9	13725	5.23	µg/L	100
		284.9 -> 184.9	1588			
3:3FTCA	3.867	241.0 -> 177.0	9152	12.36	µg/L	96
		241.0 -> 117.0	929			
5:3FTCA	6.217	341.0 -> 237.1	164950	62.40	µg/L	99
		341.0 -> 217.0	113482			
7:3FTCA	7.673	441.0 -> 316.9	89136	64.90	µg/L	100
		441.0 -> 336.9	212774			
EtFOSA	11.375	526.0 -> 219.0	25222	5.07	µg/L	99
		526.0 -> 169.0	34788			
EtFOSE	11.295	630.0 -> 58.9	47991	12.02	µg/L	100
		511.9 -> 219.0	20479			
MeFOSA	11.090	511.9 -> 169.0	29960	5.05	µg/L	99
		616.1 -> 58.9	33231			
MeFOSE	10.997	699.1 -> 79.9	5370	10.66	µg/L	100
		699.1 -> 98.8	3099			
PFDoDS	10.064	295.0 -> 201.0	6246	2.24	µg/L	94
		295.0 -> 84.9	1587			
NFDHA	5.441	279.0 -> 85.1	44975	4.49	µg/L	96
		229.0 -> 84.9	43138			
PFMBA	4.778	314.8 -> 134.9	61562	4.90	µg/L	100
		314.8 -> 82.9	2123			
PFMPA	3.540			4.18	µg/L	99
PFEESA	5.984					

= Qualifier out of range, m = manually integrated, + = Area summed

7.7.13
7





Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
----------	----	------------	----------	-------------	----------


7.7.13

7

Perfluorinated Compounds by LC/MS/MS




Perfluorinated Compounds by LC/MS/MS



7.7.13 7




Perfluorinated Compounds by LC/MS/MS



7.7.13
7



Perfluorinated Compounds by LC/MS/MS




7.7.13

7




Perfluorinated Compounds by LC/MS/MS


Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
HFPO-DA	5.23	5.92	0.02	13725	284.9 -> 184.9	11.6	5.7	17.1




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFEESA	4.18	5.98	0.02	61562	314.8 -> 82.9	3.4	1.8	5.5




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
5:3FTCA	62.40	6.22	0.02	164950	341.0 -> 217.0	68.8	34.1	102.4



Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
13C4-PFHpA	2.64	6.49	0.02	29359	367.1 -> 322.0	-	-	-




Perfluorinated Compounds by LC/MS/MS



7.7.13
7




Perfluorinated Compounds by LC/MS/MS



7.7.13


7

Perfluorinated Compounds by LC/MS/MS



7.7.13
7

Perfluorinated Compounds by LC/MS/MS




7.7.13 7




Perfluorinated Compounds by LC/MS/MS


Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFDA	2.49	8.22	0.04	37335	512.9 -> 219.0	18.6	10.8	32.4




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d3-MeFOSAA	5.31	8.27	0.04	15896				



Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
MeFOSAA	2.47	8.27	0.04	6847 (m)	570.1 -> 483.0	20.7	11.8	35.3







Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
13C8-PFOS	2.44	8.35	0.02	10865				




7.7.13
7

Perfluorinated Compounds by LC/MS/MS




7.7.13
7

Perfluorinated Compounds by LC/MS/MS




Perfluorinated Compounds by LC/MS/MS



7.7.13
7



Perfluorinated Compounds by LC/MS/MS




7.7.13
7




Perfluorinated Compounds by LC/MS/MS


Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFD _o DS	2.24	10.06	0.02	5370	699.1 -> 98.8	57.7	26.9	80.6




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d7-MeFOSE	20.58	10.97	0.02	75867				



Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
MeFOSE	10.66	11.00	0.02	33231 (m)				




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d3-MeFOSA	2.31	11.09	0.02	10755				




7.7.13
7

Perfluorinated Compounds by LC/MS/MS


Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
MeFOSA	5.05	11.09	0.02	20479 (m)	511.9 -> 169.0	146.3	73.9	221.8




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d9-EtFOSE	19.75	11.28	0.02	103090				



Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
EtFOSE	12.02	11.29	0.01	47991				




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d5-EtFOSA	2.40	11.37	0.02	11875				



7.7.13
7

Perfluorinated Compounds by LC/MS/MS



7.7.13

7

Manual Integration Approval Summary

Sample Number: S4Q635-CC634
Lab FileID: 4Q43966.D
Injection Time: 05/04/23 15:38

Method: EPA DRAFT 1633
Analyst approved: 05/05/23 07:50 Natasha Gumtie
Supervisor approved: 05/05/23 16:38 Mike Eger

Parameter	CAS	Sig#	R.T. (min.)	Reason
Perfluorohexanesulfonic acid	355-46-4		7.25	Split peak
MeFOSAA	2355-31-9		8.27	Split peak
Perfluorooctanesulfonic acid	1763-23-1		8.36	Split peak
EtFOSAA	2991-50-6		8.48	Split peak
MeFOSE	24448-09-7		11.00	Split peak
MeFOSA	31506-32-8		11.09	Split peak
EtFOSA	4151-50-2		11.38	Split peak

7.7.13.1

7

Perfluorinated Compounds by LC/MS/MS

Data File : 4Q43978.d
 Operator : natashag
 Acq. Method : 1633full_4Q.m
 Acq. Date-Time : 5/4/2023 6:27:32 PM
 Sample Name : cc634-4
 Vial : P1-A5
 DA Method File : 1633_050323_S4Q634.quantmethod.xml
 Batch Name : s4q635.batch.bin
 Sample Information : OP96548,S4Q635,500,,,5.0,1,water

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Internal Standards					
M4-PFBA	2.924	216.8 -> 171.9	140224	10.00 µg/L	0.000
M5-PFPeA	4.387	268.3 -> 223.0	68791	5.00 µg/L	0.025
M5-PFHxA	5.572	318.0 -> 273.0	49640	2.50 µg/L	0.037
M4-PFHpA	6.504	367.1 -> 322.0	29714	2.50 µg/L	0.037
M8-PFOA	7.175	421.1 -> 376.0	45596	2.50 µg/L	0.052
M9-PFNA	7.721	472.1 -> 427.0	21748	1.25 µg/L	0.051
M6-PFDA	8.216	519.1 -> 474.1	21058	1.25 µg/L	0.038
M7-PFUnDA	8.697	570.0 -> 525.1	21817	1.25 µg/L	0.050
M2-PFDoDA	9.143	615.1 -> 570.0	22203	1.25 µg/L	0.037
M2-PFTeDA	9.936	715.2 -> 670.0	16632	1.25 µg/L	0.037
M8-FOSA	9.796	506.1 -> 77.8	17558	2.50 µg/L	0.025
M3-PFBS	5.464	302.1 -> 79.9	12079	2.50 µg/L	0.037
M3-PFHxS	7.266	402.1 -> 79.9	7719	2.50 µg/L	0.037
M8-PFOS	8.366	507.1 -> 79.9	11023	2.50 µg/L	0.037
M2-4:2FTS	5.247	329.1 -> 80.9	1311	5.00 µg/L	0.025
M2-6:2FTS	6.936	429.1 -> 80.9	2374	5.00 µg/L	0.037
M2-8:2FTS	8.003	529.1 -> 80.9	3608	5.00 µg/L	0.037
M3-MeFOSAA	8.286	573.2 -> 419.0	17074	5.00 µg/L	0.049
M3-HFPO-DA	5.927	286.9 -> 168.9	26454	10.00 µg/L	0.037
M5-EtFOSAA	8.495	589.2 -> 419.0	14549	5.00 µg/L	0.050
M7-MeFOSE	10.984	623.2 -> 58.9	76366	25.00 µg/L	0.037
M9-EtFOSE	11.281	639.2 -> 58.9	99082	25.00 µg/L	0.025
M5-EtFOSA	11.373	531.1 -> 219.0	11821	2.50 µg/L	0.025
M3-MeFOSA	11.089	515.0 -> 219.0	11065	2.50 µg/L	0.025
13C4-PFOS	8.367	502.8 -> 79.9	11586	2.50 µg/L	0.037
13C3-PFBA	2.928	216.0 -> 172.0	73288	5.00 µg/L	0.000
18O2-PFHxS	7.265	403.0 -> 83.9	5251	2.50 µg/L	0.037
13C4-PFOA	7.176	417.1 -> 372.0	54765	2.50 µg/L	0.052
13C2-PFDA	8.216	515.1 -> 470.1	18096	1.25 µg/L	0.038
13C5-PFNA	7.721	468.0 -> 423.0	26372	1.25 µg/L	0.037
13C2-PFHxA	5.573	315.1 -> 270.0	44170	2.50 µg/L	0.037
System Monitoring Compounds					
13C2-4:2FTS	5.247	329.1 -> 80.9	1311	6.15 µg/L	0.025
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 122.9%		
13C2-6:2FTS	6.936	429.1 -> 80.9	2374	6.17 µg/L	0.037
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 123.4%		
13C2-8:2FTS	8.003	529.1 -> 80.9	3608	6.01 µg/L	0.037
Spiked Amount: 5.00	Range: 50.0 - 150.0%		Recovery = 120.2%		
13C2-PFDoDA	9.143	615.1 -> 570.0	22203	1.27 µg/L	0.037
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 101.3%		
13C2-PFTeDA	9.936	715.2 -> 670.0	16632	1.17 µg/L	0.037
Spiked Amount: 1.25	Range: 50.0 - 150.0%		Recovery = 93.3%		
13C3-PFBS	5.464	302.1 -> 79.9	12079	2.44 µg/L	0.037
Spiked Amount: 2.50	Range: 50.0 - 150.0%		Recovery = 97.6%		
13C3-PFHxS	7.266	402.1 -> 79.9	7719	2.37 µg/L	0.037

7.7.14
7



Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 94.9%	
13C4-PFBA	2.924	216.8 -> 171.9	140224	10.17 µg/L	0.000
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 101.7%	
13C4-PFHpA	6.504	367.1 -> 322.0	29714	2.61 µg/L	0.037
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 104.5%	
13C5-PFHxA	5.572	318.0 -> 273.0	49640	2.55 µg/L	0.037
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 102.1%	
13C5-PFPeA	4.387	268.3 -> 223.0	68791	5.06 µg/L	0.025
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 101.1%	
13C6-PFDA	8.216	519.1 -> 474.1	21058	1.36 µg/L	0.038
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 108.7%	
13C7-PFUnDA	8.697	570.0 -> 525.1	21817	1.35 µg/L	0.050
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 108.2%	
13C8-FOSA	9.796	506.1 -> 77.8	17558	2.42 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 96.7%	
13C8-PFOA	7.175	421.1 -> 376.0	45596	2.54 µg/L	0.052
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 101.4%	
13C8-PFOS	8.366	507.1 -> 79.9	11023	2.53 µg/L	0.037
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 101.1%	
13C9-PFNA	7.721	472.1 -> 427.0	21748	1.21 µg/L	0.051
Spiked Amount: 1.25	Range: 50.0 - 150.0%			Recovery = 97.1%	
d3-MeFOSAA	8.286	573.2 -> 419.0	17074	5.84 µg/L	0.049
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 116.8%	
13C3-HFPO-DA	5.927	286.9 -> 168.9	26454	9.10 µg/L	0.037
Spiked Amount: 10.00	Range: 50.0 - 150.0%			Recovery = 91.0%	
d3-MeFOSA	11.089	515.0 -> 219.0	11065	2.44 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 97.4%	
d5-EtFOSAA	8.495	589.2 -> 419.0	14549	6.04 µg/L	0.050
Spiked Amount: 5.00	Range: 50.0 - 150.0%			Recovery = 120.8%	
d7-MeFOSE	10.984	623.2 -> 58.9	76366	21.18 µg/L	0.037
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 84.7%	
d9-EtFOSE	11.281	639.2 -> 58.9	99082	19.41 µg/L	0.025
Spiked Amount: 25.00	Range: 50.0 - 150.0%			Recovery = 77.6%	
d5-EtFOSA	11.373	531.1 -> 219.0	11821	2.45 µg/L	0.025
Spiked Amount: 2.50	Range: 50.0 - 150.0%			Recovery = 97.9%	
Target Compounds					QValue
4:2FTS	5.248	327.1 -> 307.0	18884	8.95 µg/L	93
		327.1 -> 80.9	8001		
6:2FTS	6.936	427.1 -> 407.0	22226	9.69 µg/L	96
		427.1 -> 80.9	9857		
8:2FTS	8.003	527.1 -> 507.0	21345	10.61 µg/L	97
		527.1 -> 80.8	8575		
EtFOSAA	8.496	584.2 -> 419.1	6643	2.38 µg/L	m 95
		584.2 -> 526.0	3129		
FOSA	9.799	498.1 -> 77.9	17909	2.43 µg/L	100
		498.1 -> 478.0	570		
MeFOSAA	8.286	570.1 -> 419.0	6879	2.31 µg/L	m 99
		570.1 -> 483.0	1589		
PFBA	2.920	212.8 -> 168.9	36183	9.64 µg/L	100
PFBS	5.465	298.7 -> 79.9	10883	2.20 µg/L	97
		298.7 -> 98.8	4205		
PFDA	8.216	512.9 -> 469.0	35744	2.24 µg/L	98
		512.9 -> 219.0	7992		
PFDODA	9.144	613.1 -> 569.0	44087	2.47 µg/L	98
		613.1 -> 319.0	6050		
PFDS	9.307	599.0 -> 79.9	6337	2.32 µg/L	94

7.7.14
7

Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc.	Units	Dev(Min)
PFHpA	6.505	599.0 -> 98.8	3176	2.38	µg/L	98
		363.1 -> 319.0	44785			
PFHpS	7.848	363.1 -> 169.0	7675	2.42	µg/L	95
		449.0 -> 79.9	9599			
PFHxA	5.575	449.0 -> 98.9	4763	2.35	µg/L	100
		313.0 -> 269.0	45790			
PFHxS	7.267	313.0 -> 118.9	1289	2.27	µg/L	92
		398.7 -> 79.9	7176			
PFNA	7.722	398.7 -> 98.9	3998	2.41	µg/L	97
		463.0 -> 419.0	38815			
PFNS	8.848	463.0 -> 219.0	9078	2.20	µg/L	98
		548.8 -> 79.9	5288			
PFOA	7.176	548.8 -> 98.9	2827	2.40	µg/L	99
		413.0 -> 369.0	63257			
PFOS	8.367	413.0 -> 169.0	12541	2.29	µg/L	98
		498.9 -> 79.9	12345			
PFPeA	4.389	498.9 -> 98.8	5890	5.04	µg/L	100
		263.0 -> 219.0	83496			
PFPeS	6.531	349.1 -> 79.9	6069	2.24	µg/L	100
		349.1 -> 98.9	2790			
PFTeDA	9.937	713.1 -> 669.0	40974	2.52	µg/L	99
		713.1 -> 168.9	3357			
PFTrDA	9.554	663.0 -> 619.0	60499	2.54	µg/L	98
		663.0 -> 168.9	6005			
PFUnDA	8.698	563.1 -> 519.0	35861	2.42	µg/L	96
		563.1 -> 269.1	7082			
11CI-PF3OUdS	9.593	630.9 -> 450.9	51839	5.45	µg/L	97
		632.9 -> 452.9	14279			
9CI-PF3ONS	8.712	530.8 -> 351.0	63898	5.27	µg/L	98
		532.8 -> 353.0	20082			
ADONA	6.768	376.9 -> 250.9	143266	5.39	µg/L	98
		376.9 -> 84.8	38688			
HFPO-DA	5.928	284.9 -> 168.9	13042	5.16	µg/L	99
		284.9 -> 184.9	1424			
3:3FTCA	3.867	241.0 -> 177.0	9023	12.39	µg/L	96
		241.0 -> 117.0	895			
5:3FTCA	6.231	341.0 -> 237.1	166877	63.23	µg/L	98
		341.0 -> 217.0	116640			
7:3FTCA	7.686	441.0 -> 316.9	88288	64.38	µg/L	96
		441.0 -> 336.9	216831			
EtFOSA	11.375	526.0 -> 219.0	24824	5.01	µg/L	98
		526.0 -> 169.0	35038			
EtFOSE	11.295	630.0 -> 58.9	52519	13.69	µg/L	100
		511.9 -> 219.0	20449			
MeFOSA	11.090	511.9 -> 169.0	30416	4.91	µg/L	99
		616.1 -> 58.9	35255			
MeFOSE	10.997	699.1 -> 79.9	5246	11.24	µg/L	100
		699.1 -> 98.8	2917			
PFDoDS	10.076	295.0 -> 201.0	6289	2.15	µg/L	97
		295.0 -> 84.9	1659			
NFDHA	5.453	279.0 -> 85.1	46366	4.53	µg/L	98
		229.0 -> 84.9	44712			
PFMBA	4.791	314.8 -> 134.9	62742	5.02	µg/L	100
		314.8 -> 82.9	2360			
PFMPA	3.528			5.17	µg/L	100
PFEESA	5.997			4.26	µg/L	100

= Qualifier out of range, m = manually integrated, + = Area summed

7.7.14
7







Perfluorinated Compounds by LC/MS/MS

Compound	RT	Transition	Response	Conc. Units	Dev(Min)
----------	----	------------	----------	-------------	----------

7.7.14


7

Perfluorinated Compounds by LC/MS/MS



7.7.14
7


Perfluorinated Compounds by LC/MS/MS



7.7.14

7


Perfluorinated Compounds by LC/MS/MS




7.7.14

Perfluorinated Compounds by LC/MS/MS


Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFBS	2.20	5.46	0.04	10883	298.7 -> 98.8	38.6	20.3	60.9




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
13C5-PFHxA	2.55	5.57	0.04	49640				







Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFHxA	2.35	5.57	0.04	45790	313.0 -> 118.9	2.8	1.5	4.4



Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
13C3-HFPO-DA	9.10	5.93	0.04	26454				




Perfluorinated Compounds by LC/MS/MS




7.7.14
7

Perfluorinated Compounds by LC/MS/MS


Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFHpA	2.38	6.50	0.04	44785	363.1 -> 169.0	17.1	8.9	26.7




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFPeS	2.24	6.53	0.04	6069	349.1 -> 98.9	46.0	23.0	69.1




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
ADONA	5.39	6.77	0.04	143266	376.9 -> 84.8	27.0	13.1	39.3



Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
13C2-6:2FTS	6.17	6.94	0.04	2374	429.1 -> 80.9	-	-	-




Perfluorinated Compounds by LC/MS/MS



7.7.14




Perfluorinated Compounds by LC/MS/MS




7.7.14

Perfluorinated Compounds by LC/MS/MS




7.7.14

Perfluorinated Compounds by LC/MS/MS




7.7.14
7

Perfluorinated Compounds by LC/MS/MS




7.7.14
7

Perfluorinated Compounds by LC/MS/MS



7.7.14
7

Perfluorinated Compounds by LC/MS/MS



7.7.14

7



Perfluorinated Compounds by LC/MS/MS


Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
13C8-FOSA	2.42	9.80	0.02	17558				
FOSA	2.43	9.80	0.02	17909	498.1 -> 478.0	3.2	1.6	4.9
13C2-PFTeDA	1.17	9.94	0.04	16632				
PFTeDA	2.52	9.94	0.04	40974	713.1 -> 168.9	8.2	4.3	12.9

7.7.14




Perfluorinated Compounds by LC/MS/MS


Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
PFDoS	2.15	10.08	0.04	5246	699.1 -> 98.8	55.6	26.9	80.6




Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d7-MeFOSE	21.18	10.98	0.04	76366				







Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
MeFOSE	11.24	11.00	0.02	35255 (m)				



Compound	Conc.	RT	Dev(Min)	Resp.	QIon	QRatio	Min.	Max.
d3-MeFOSA	2.44	11.09	0.02	11065				




Perfluorinated Compounds by LC/MS/MS



7.7.14
7



Perfluorinated Compounds by LC/MS/MS



7.7.14
7

Manual Integration Approval Summary

Sample Number: S4Q635-CC634
Lab FileID: 4Q43978.D
Injection Time: 05/04/23 18:27

Method: EPA DRAFT 1633
Analyst approved: 05/05/23 07:50 Natasha Gumtie
Supervisor approved: 05/05/23 16:38 Mike Eger

Parameter	CAS	Sig#	R.T. (min.)	Reason
Perfluorohexanesulfonic acid	355-46-4		7.27	Split peak
MeFOSAA	2355-31-9		8.29	Split peak
Perfluorooctanesulfonic acid	1763-23-1		8.37	Split peak
EtFOSAA	2991-50-6		8.50	Split peak
MeFOSE	24448-09-7		11.00	Split peak
MeFOSA	31506-32-8		11.09	Split peak
EtFOSA	4151-50-2		11.38	Split peak

7.7.14.1

7

SGS ORLANDO

DATE:	05/03/23
COLUMN TYPE:	Poroshell EC18
AMOUNT INJ:	6 ul
INSTRUMENT:	LCMS4-4Q

LCMS4-4Q ANALYSIS LOG

METHODS:	1633
PROC. METH:	1633_050323_S4Q634
CAL DATE:	05/03/23
ANALYST:	NG
RUN BATCH:	S4Q634

ELUENT A LOT #:	224863 W5%ACN 214785 2mMAMAC.11387
ELUENT B LOT #:	ACN 214785
IC/CC STD LOT #:	LCMS 2098
ICV STD LOT #:	LCMS 2098B/2100B
ISTD/D STD LOT #:	11615/11636

	Data File	Sample	Sample Name	Method	Sample Type	Level	Misc. Info	Comments
1	4Q43879.d	P1-A1	CCB	1633full_4Q.m	Sample		OP96548,S4Q634,500,,,5.0,1,water	ND
2	4Q43880.d	P1-A1	CCB	1633full_4Q.m	Sample		OP96548,S4Q634,500,,,5.0,1,water	ND
3	4Q43881.d	P1-B1	RT TDCA	1633full_4Q.m	Sample		OP96548,S4Q634,500,,,5.0,1,water	✓
4	4Q43882.d	P1-B2	RT br/h	1633full_4Q.m	Sample		OP96548,S4Q634,500,,,5.0,1,water	✓
5	4Q43883.d	P1-A1	ic634-0	1633full_4Q.m	Sample		OP96548,S4Q634,500,,,5.0,1,water	Check Tune File
6	4Q43884.d	P1-A2	ic634-1	1633full_4Q.m	Calibration	1.6/500	OP96548,S4Q634,500,,,5.0,1,water	PASS
7	4Q43885.d	P1-A3	ic634-2	1633full_4Q.m	Calibration	3.2/500	OP96548,S4Q634,500,,,5.0,1,water	PASS
8	4Q43886.d	P1-A4	ic634-3	1633full_4Q.m	Calibration	10/500	OP96548,S4Q634,500,,,5.0,1,water	PASS
9	4Q43887.d	P1-A5	ic634-4	1633full_4Q.m	Calibration	20/500	OP96548,S4Q634,500,,,5.0,1,water	PASS
10	4Q43888.d	P1-A6	ic634-5	1633full_4Q.m	Calibration	40/500	OP96548,S4Q634,500,,,5.0,1,water	PASS
11	4Q43889.d	P1-A7	ic634-6	1633full_4Q.m	Calibration	100/500	OP96548,S4Q634,500,,,5.0,1,water	PASS
12	4Q43890.d	P1-A8	ic634-7	1633full_4Q.m	Calibration	200/500	OP96548,S4Q634,500,,,5.0,1,water	PASS
13	4Q43891.d	P1-A9	ic634-8	1633full_4Q.m	Calibration	1x	OP96548,S4Q634,500,,,5.0,1,water	PASS
14	4Q43892.d	P1-A1	iblk	1633full_4Q.m	Sample		OP96548,S4Q634,500,,,5.0,1,water	ND
15	4Q43893.d	P1-B3	icv634-4	1633full_4Q.m	Sample		OP96548,S4Q634,500,,,5.0,1,water	wrong vial position, rerun icv
16	4Q43894.d	P1-B4	icv634-20	1633full_4Q.m	QC	100/500	OP96548,S4Q634,500,,,5.0,1,water	PASS
17	4Q43895.d	P1-B3	icv634-4	1633full_4Q.m	QC	20/500	OP96548,S4Q634,500,,,5.0,1,water	PASS
18	4Q43896.d	P1-A5	cc634-4	1633full_4Q.m	Sample		OP96548,S4Q634,500,,,5.0,1,water	wrong vial position, (incorrect tray #)
19	4Q43897.d	P1-A2	cc634-1.0LL	1633full_4Q.m	QC	1.6/500	OP96548,S4Q634,500,,,5.0,1,water	PASS
20	4Q43898.d	P1-B5	op96662-bs	1633full_4Q.m	Sample		OP96662,S4Q634,500,,,5.0,1,water	✓
21	4Q43899.d	P1-B6	op96662-llbs:3	1633full_4Q.m	Sample		OP96662,S4Q634,500,,,5.0,1,water	✓
22	4Q43900.d	P1-B7	op96662-mb	1633full_4Q.m	Sample		OP96662,S4Q634,500,,,5.0,1,water	✓
23	4Q43901.d	P1-B8	fc5652-1	1633full_4Q.m	Sample		OP96662,S4Q634,530,,,5.0,1,water	✓
24	4Q43902.d	P1-B9	fc5652-2	1633full_4Q.m	Sample		OP96662,S4Q634,530,,,5.0,1,water	✓
25	4Q43903.d	P1-C1	fc5685-1	1633full_4Q.m	Sample		OP96662,S4Q634,550,,,5.0,1,water	✓
26	4Q43904.d	P1-C2	fc5685-2	1633full_4Q.m	Sample		OP96662,S4Q634,530,,,5.0,1,water	✓
27	4Q43905.d	P1-C3	fc5685-3	1633full_4Q.m	Sample		OP96662,S4Q634,560,,,5.0,1,water	✓
28	4Q43906.d	P1-C4	op96662-ms	1633full_4Q.m	Sample		OP96662,S4Q634,520,,,5.0,1,water	✓
29	4Q43907.d	P1-A5	cc634-4	1633full_4Q.m	QC	20/500	OP96548,S4Q634,500,,,5.0,1,water	PASS
30	4Q43908.d	P1-A1	iccb	1633full_4Q.m	Sample		OP96548,S4Q634,500,,,5.0,1,water	ND
31	4Q43909.d	P1-C5	fc5685-4	1633full_4Q.m	Sample		OP96662,S4Q634,570,,,5.0,1,water	rr 5x high and low EIS
32	4Q43910.d	P1-C6	op96662-dup	1633full_4Q.m	Sample		OP96662,S4Q634,570,,,5.0,1,water	rr 5x high and low EIS
33	4Q43911.d	P1-C7	fc5685-5	1633full_4Q.m	Sample		OP96662,S4Q634,550,,,5.0,1,water	✓
34	4Q43912.d	P1-C8	op96659-bs	1633full_4Q.m	Sample		OP96659,S4Q634,500,,,5.0,1,water	✓
35	4Q43913.d	P1-C9	op96659-llbs:2	1633full_4Q.m	Sample		OP96659,S4Q634,500,,,5.0,1,water	✓

Printed 5/4/2023 @ 2:21 PM



LCMS4-4Q ANALYSIS LOG

SGS ORLANDO

36	4Q43914.d	P1-D1	op96659-mb	1633full_4Q.m	Sample		OP96659,S4Q634,500,,,5.0,1,water	✓
37	4Q43915.d	P1-D2	j63879-1	1633full_4Q.m	Sample		OP96659,S4Q634,60,,,5.0,1,water	✓
38	4Q43916.d	P1-D3	j63879-1	1633full_4Q.m	Sample	50/500	OP96659,S4Q634,60,,,5.0,10,water	✓
39	4Q43917.d	P1-A5	cc634-4	1633full_4Q.m	QC	20/500	OP96548,S4Q634,500,,,5.0,1,water	PASS
40	4Q43918.d	P1-A1	iccb	1633full_4Q.m	Sample		OP96548,S4Q634,500,,,5.0,1,water	ND
41	4Q43919.d	P1-D4	fc5212-1	1633full_4Q.m	Sample		OP96659,S4Q634,500,,,5.0,1,water	✓
42	4Q43920.d	P1-D5	fc5212-1A	1633full_4Q.m	Sample		OP96659,S4Q634,500,,,5.0,1,water	✓
43	4Q43921.d	P1-D6	fc5214-1	1633full_4Q.m	Sample		OP96659,S4Q634,500,,,5.0,1,water	✓
44	4Q43922.d	P1-D7	fc5214-1A	1633full_4Q.m	Sample		OP96659,S4Q634,500,,,5.0,1,water	✓
45	4Q43923.d	P1-D8	op96657-bs	1633full_4Q.m	Sample		OP96657,S4Q634,5.00,,,5.0,1,soil	DoDS low rerun BS
46	4Q43924.d	P1-D9	op96657-llbs:3	1633full_4Q.m	Sample		OP96657,S4Q634,5.00,,,5.0,1,soil	DoDS low rerun LLBS
47	4Q43925.d	P1-E1	op96657-mb	1633full_4Q.m	Sample		OP96657,S4Q634,5.00,,,5.0,1,soil	✓
48	4Q43926.d	P1-E2	fc5371-10	1633full_4Q.m	Sample		OP96657,S4Q634,4.98,,,5.0,1,soil	✓
49	4Q43927.d	P1-A5	cc634-4	1633full_4Q.m	QC	20/500	OP96548,S4Q634,500,,,5.0,1,water	PASS
50	4Q43928.d	P1-A1	iccb	1633full_4Q.m	Sample		OP96548,S4Q634,500,,,5.0,1,water	ND
51	4Q43929.d	P1-E3	fc5371-11	1633full_4Q.m	Sample		OP96657,S4Q634,5.02,,,5.0,1,soil	✓
52	4Q43930.d	P1-E4	op96657-ms	1633full_4Q.m	Sample		OP96657,S4Q634,5.01,,,5.0,1,soil	✓
53	4Q43931.d	P1-E5	op96657-msd	1633full_4Q.m	Sample		OP96657,S4Q634,5.03,,,5.0,1,soil	✓
54	4Q43932.d	P1-E6	fc5371-12	1633full_4Q.m	Sample		OP96657,S4Q634,5.02,,,5.0,1,soil	✓
55	4Q43933.d	P1-E7	fc5371-13	1633full_4Q.m	Sample		OP96657,S4Q634,5.04,,,5.0,1,soil	rr 10x
56	4Q43934.d	P1-E8	fc5371-14	1633full_4Q.m	Sample		OP96657,S4Q634,5.02,,,5.0,1,soil	rr 1x c/o
57	4Q43935.d	P1-E9	fc5371-15	1633full_4Q.m	Sample		OP96657,S4Q634,5.05,,,5.0,1,soil	✓
58	4Q43936.d	P1-F1	fc5371-16	1633full_4Q.m	Sample		OP96657,S4Q634,4.97,,,5.0,1,soil	rr 10x
59	4Q43937.d	P1-F2	fc5371-17	1633full_4Q.m	Sample		OP96657,S4Q634,5.03,,,5.0,1,soil	rr 1x c/o
60	4Q43938.d	P1-F3	fc5371-18	1633full_4Q.m	Sample		OP96657,S4Q634,5.03,,,5.0,1,soil	rr 10x
61	4Q43939.d	P1-A5	cc634-4	1633full_4Q.m	QC	20/500	OP96548,S4Q634,500,,,5.0,1,water	PASS
62	4Q43940.d	P1-A1	iccb	1633full_4Q.m	Sample		OP96548,S4Q634,500,,,5.0,1,water	ND
63	4Q43941.d	P1-F4	fc5371-19	1633full_4Q.m	Sample		OP96657,S4Q634,4.96,,,5.0,1,soil	✓
64	4Q43942.d	P1-F5	fc5371-20	1633full_4Q.m	Sample		OP96657,S4Q634,5.05,,,5.0,1,soil	✓
65	4Q43943.d	P1-F6	op96657-ms2	1633full_4Q.m	Sample		OP96657,S4Q634,4.96,,,5.0,1,soil	✓
66	4Q43944.d	P1-F7	op96657-msd2	1633full_4Q.m	Sample		OP96657,S4Q634,5.05,,,5.0,1,soil	✓
67	4Q43945.d	P1-F8	fc5371-21	1633full_4Q.m	Sample		OP96657,S4Q634,4.99,,,5.0,1,soil	✓
68	4Q43946.d	P1-A5	ecc634-4	1633full_4Q.m	QC	20/500	OP96548,S4Q634,500,,,5.0,1,water	PASS
69	4Q43947.d	P1-A1	iccb	1633full_4Q.m	Sample		OP96548,S4Q634,500,,,5.0,1,water	ND

SGS ORLANDO

DATE:	05/04/23
COLUMN TYPE:	Poroshell EC18
AMOUNT INJ:	6 ul
INSTRUMENT:	LCMS4-4Q

LCMS4-4Q ANALYSIS LOG

METHODS:	1633
PROC. METH:	1633_050323_S4Q634
CAL DATE:	05/03/23
ANALYST:	NG
RUN BATCH:	S4Q635

ELUENT A LOT #:	224863 W5%ACN 214785 2mMAMAC.11387
ELUENT B LOT #:	ACN 214785
IC/CC STD LOT #:	LCMS 2098
ICV STD LOT #:	LCMS 2098B/2100B
ISTD/ID STD LOT #:	11615/11636

	Data File	Sample	Sample Name	Method	Sample Type	Level	Misc. Info	Comments
1	4Q43948.d	P1-A1	CCB	1633full_4Q.m	Sample		OP96548,S4Q635,500,,,5.0,1,water	ND
2	4Q43949.d	P1-A1	CCB	1633full_4Q.m	Sample		OP96548,S4Q635,500,,,5.0,1,water	ND
3	4Q43950.d	P1-B1	RT TDCA	1633full_4Q.m	Sample		OP96548,S4Q635,500,,,5.0,1,water	✓
4	4Q43951.d	P1-B2	RT br/h	1633full_4Q.m	Sample		OP96548,S4Q635,500,,,5.0,1,water	✓
5	4Q43952.d	P1-A9	high std	1633full_4Q.m	Sample		OP96548,S4Q635,500,,,5.0,1,water	✓
6	4Q43953.d	P1-A1	iblk	1633full_4Q.m	Sample		OP96548,S4Q635,500,,,5.0,1,water	ND
7	4Q43954.d	P1-A5	cc634-4	1633full_4Q.m	QC	20/500	OP96548,S4Q635,500,,,5.0,1,water	PASS
8	4Q43955.d	P1-A2	cc634-1.0LL	1633full_4Q.m	QC	1.6/500	OP96548,S4Q635,500,,,5.0,1,water	PASS
9	4Q43956.d	P2-A1	op96698-bs	1633full_4Q.m	Sample		OP96698,S4Q635,500,,,5.0,1,water	✓
10	4Q43957.d	P2-A2	op96698-llbs:3	1633full_4Q.m	Sample		OP96698,S4Q635,500,,,5.0,1,water	✓
11	4Q43958.d	P2-A3	op96698-mb	1633full_4Q.m	Sample		OP96698,S4Q635,500,,,5.0,1,water	✓
12	4Q43959.d	P2-A4	fc5578-1	1633full_4Q.m	Sample		OP96698,S4Q635,540,,,5.0,1,water	✓
13	4Q43960.d	P2-A5	fc5063-1	1633full_4Q.m	Sample		OP96698,S4Q635,565,,,5.0,1,water	✓
14	4Q43961.d	P2-A6	fc5063-2	1633full_4Q.m	Sample		OP96698,S4Q635,565,,,5.0,1,water	✓
15	4Q43962.d	P2-A7	fc5240-5	1633full_4Q.m	Sample		OP96698,S4Q635,60,,,5.0,1,water	✓
16	4Q43963.d	P2-A8	fc5240-5	1633full_4Q.m	Sample	50/500	OP96698,S4Q635,60,,,5.0,1,water	✓
17	4Q43964.d	P2-A9	fc5240-6	1633full_4Q.m	Sample		OP96698,S4Q635,60,,,5.0,1,water	✓
18	4Q43965.d	P2-B1	fc5240-6	1633full_4Q.m	Sample	50/500	OP96698,S4Q635,60,,,5.0,1,water	✓
19	4Q43966.d	P1-A5	cc634-4	1633full_4Q.m	QC	20/500	OP96548,S4Q635,500,,,5.0,1,water	PASS
20	4Q43967.d	P1-A1	iccb	1633full_4Q.m	Sample		OP96548,S4Q635,500,,,5.0,1,water	ND
21	4Q43968.d	P2-B2	op96701-bs	1633full_4Q.m	Sample		OP96701,S4Q635,500,,,5.0,1,water	✓
22	4Q43969.d	P2-B3	op96701-llbs:3	1633full_4Q.m	Sample		OP96701,S4Q635,500,,,5.0,1,water	✓
23	4Q43970.d	P2-B4	op96701-mb	1633full_4Q.m	Sample		OP96701,S4Q635,500,,,5.0,1,water	✓
24	4Q43971.d	P2-B5	fc5726-1	1633full_4Q.m	Sample		OP96701,S4Q635,520,,,5.0,1,water	✓
25	4Q43972.d	P2-B6	fc5726-2	1633full_4Q.m	Sample		OP96701,S4Q635,520,,,5.0,1,water	✓
26	4Q43973.d	P2-B7	op96701-ms	1633full_4Q.m	Sample		OP96701,S4Q635,540,,,5.0,1,water	✓
27	4Q43974.d	P2-B8	fc5726-3	1633full_4Q.m	Sample		OP96701,S4Q635,560,,,5.0,1,water	✓
28	4Q43975.d	P2-B9	op96701-dup	1633full_4Q.m	Sample		OP96701,S4Q635,570,,,5.0,1,water	✓
29	4Q43976.d	P2-C1	fc5726-4	1633full_4Q.m	Sample		OP96701,S4Q635,570,,,5.0,1,water	✓
30	4Q43977.d	P2-C2	fc5726-5	1633full_4Q.m	Sample		OP96701,S4Q635,520,,,5.0,1,water	✓
31	4Q43978.d	P1-A5	cc634-4	1633full_4Q.m	QC	20/500	OP96548,S4Q635,500,,,5.0,1,water	PASS
32	4Q43979.d	P1-A1	iccb	1633full_4Q.m	Sample		OP96548,S4Q635,500,,,5.0,1,water	ND
33	4Q43980.d	P2-C3	fc5685-4	1633full_4Q.m	Sample	100/500	OP96662,S4Q635,570,,,5.0,5,water	✓
34	4Q43981.d	P2-C4	op96662-dup	1633full_4Q.m	Sample	100/500	OP96662,S4Q635,570,,,5.0,5,water	✓
35	4Q43982.d	P2-C5	op96657-bs	1633full_4Q.m	Sample		OP96657,S4Q635,500,,,5.0,1,soil	✓

SGS ORLANDO LCMS4-4Q ANALYSIS LOG

36	4Q43983.d	P2-C6	op96657-llbs:3	1633full_4Q.m	Sample	OP96657,S4Q635,5.00,,,5.0,1,soil	✓
37	4Q43984.d	P2-C7	fc5371-13	1633full_4Q.m	Sample	OP96657,S4Q635,5.04,,,5.0,10,soil	✓
38	4Q43985.d	P2-C8	fc5371-14	1633full_4Q.m	Sample	OP96657,S4Q635,5.02,,,5.0,1,soil	✓
39	4Q43986.d	P2-C9	fc5371-16	1633full_4Q.m	Sample	OP96657,S4Q635,4.97,,,5.0,10,soil	✓
40	4Q43987.d	P2-D1	fc5371-17	1633full_4Q.m	Sample	OP96657,S4Q635,5.03,,,5.0,1,soil	✓
41	4Q43988.d	P2-D2	fc5371-18	1633full_4Q.m	Sample	OP96657,S4Q635,5.03,,,5.0,10,soil	✓
42	4Q43989.d	P1-A5	ecc634-4	1633full_4Q.m	QC	OP96548,S4Q635,500,,,5.0,1,water	PASS
43	4Q43990.d	P1-A1	iccb	1633full_4Q.m	Sample	OP96548,S4Q635,500,,,5.0,1,water	ND

Organic Standards Preparation Log

SGS - Orlando Std. #	Name Description	Parent Std. #	Parent Name	Parent Vendor	Vendor Exp. Date	Lab* Exp. Date	Parent Conc.	Vol. Used	Final Vol.	Final Conc.	Diluent Lot	Prep. Date	Exp. Date	Initials
LCMS 2098A	1033 SPIKE Cal std.	11672A	PFAC	Wellington	8/18/27	3/23/24	1-4 ppm	2.50uL	4mL	0.25 ppm	1033 MIX	4/6/23	10/6/23	MW
		11672B	MXH			4/16/24				250ppb				
		LCMS 2097	Br-In Et, Me	Sgs	9/1	10/28/23	3ppm	250uL		312.5ppb				
		11674B	PFAC MXF	Wellington	1/11/25	3/30/24	2ppm	250uL		350ppb				
		11675	PFAC MXG		12/1/27	3/30/24	2ppm	250uL		125ppb				
		11672B	PFAC MXJ		9/14/26	3/23/24	4-20 ppm	312uL		312/1000 ppb				
LCMS 2099	537.1 Du std. (INTERNAL)	11070	MBP-PEA	Wellington Labs	07/06/25	04/06/24	50ppm	80uL	4mL	1.0ppm	2011MEH 41, H2O	04/13/23	06/15/23	NG
		10428A	Mw:2 FTS		11/05/25	04/06/24		80uL		1.0ppm				NG
		10528	d3-N-NECOAA		10/22/25	05/15/23		160uL		2.0ppm				NG
		10498A	M:PFOS		11/02/25	03/22/24		80uL		1.0ppm				NG
		11069	M:PFDA		12/09/26	03/22/24		80uL		1.0ppm				NG
LCMS 2100	Full List (90)	11626	PFOR 28 Comp.	Absolute	11/19/27	4/11/24	1.0ppm	400uL	4.0mL	100ppb	75% MeOH 5% H2O	4/11/23	7/24/23	MW
2101	List 40 spike (Std)	LCMS 2067	40 List ADD ON #1	Sgs wld.		8/23/23	1.0ppm	400uL			(2, 40031)			
		LCMS 2070	40 List ADD ON #2			5/12/23	1.0ppm	400uL						
		LCMS 2054	Fose Std.			7/24/23	5.0ppm	400uL		50ppb				
LCMS 2101	Fose std.	11336	N-et Fose	Wellington	5/13/27	9/19/23	50ppm	200uL	2.0mL	5ppm	95% MeOH 5% H2O	9/11/23	9/19/23	MW
		11338	N-me Fose		5/13/27	9/19/23	50ppm	200uL						

* A
* B/C
* D
* E
* F
* G
* H
* I
* J
* K
* L
* M
* N
* O
* P
* Q
* R
* S
* T
* U
* V
* W
* X
* Y
* Z
* AA
* AB
* AC
* AD
* AE
* AF
* AG
* AH
* AI
* AJ
* AK
* AL
* AM
* AN
* AO
* AP
* AQ
* AR
* AS
* AT
* AU
* AV
* AW
* AX
* AY
* AZ
* BA
* BB
* BC
* BD
* BE
* BF
* BG
* BH
* BI
* BJ
* BK
* BL
* BM
* BN
* BO
* BP
* BQ
* BR
* BS
* BT
* BU
* BV
* BV
* BW
* BX
* BY
* BZ
* CA
* CB
* CC
* CD
* CE
* CF
* CG
* CH
* CI
* CJ
* CK
* CL
* CM
* CN
* CO
* CP
* CQ
* CR
* CS
* CT
* CU
* CV
* CW
* CX
* CY
* CZ
* DA
* DB
* DC
* DD
* DE
* DF
* DG
* DH
* DI
* DJ
* DK
* DL
* DM
* DN
* DO
* DP
* DQ
* DR
* DS
* DT
* DU
* DV
* DV
* DW
* DX
* DY
* DZ
* EA
* EB
* EC
* ED
* EE
* EF
* EG
* EH
* EI
* EJ
* EK
* EL
* EM
* EN
* EO
* EP
* EQ
* ER
* ES
* ET
* EU
* EV
* EV
* EW
* EX
* EY
* EZ
* FA
* FB
* FC
* FD
* FE
* FF
* FG
* FH
* FI
* FJ
* FK
* FL
* FM
* FN
* FO
* FP
* FQ
* FR
* FS
* FT
* FU
* FV
* FV
* FW
* FX
* FY
* FZ
* GA
* GB
* GC
* GD
* GE
* GF
* GG
* GH
* GI
* GJ
* GK
* GL
* GM
* GN
* GO
* GP
* GQ
* GR
* GS
* GT
* GU
* GV
* GV
* GW
* GX
* GY
* GZ
* HA
* HB
* HC
* HD
* HE
* HF
* HG
* HH
* HI
* HJ
* HK
* HL
* HM
* HN
* HO
* HP
* HQ
* HR
* HS
* HT
* HU
* HV
* HV
* HW
* HX
* HY
* HZ
* IA
* IB
* IC
* ID
* IE
* IF
* IG
* IH
* II
* IJ
* IK
* IL
* IM
* IN
* IO
* IP
* IQ
* IR
* IS
* IT
* IU
* IY
* IV
* IW
* IX
* IY
* IZ
* JA
* JB
* JC
* JD
* JE
* JF
* JG
* JH
* JI
* JJ
* JK
* JL
* JM
* JN
* JO
* JP
* JQ
* JR
* JS
* JT
* JU
* JY
* JY
* JW
* JX
* JY
* JZ
* KA
* KB
* KC
* KD
* KE
* KF
* KG
* KH
* KI
* KJ
* KK
* KL
* KM
* KN
* KO
* KP
* KQ
* KR
* KS
* KT
* KU
* KY
* KY
* KW
* KX
* KY
* KZ
* LA
* LB
* LC
* LD
* LE
* LF
* LG
* LH
* LI
* LJ
* LK
* LL
* LM
* LN
* LO
* LP
* LQ
* LR
* LS
* LT
* LU
* LY
* LY
* LW
* LX
* LY
* LZ
* MA
* MB
* MC
* MD
* ME
* MF
* MG
* MH
* MI
* MJ
* MK
* ML
* MN
* MO
* MP
* MQ
* MR
* MS
* MT
* MU
* MV
* MV
* MW
* MX
* MY
* MZ
* NA
* NB
* NC
* ND
* NE
* NF
* NG
* NH
* NI
* NJ
* NK
* NL
* NM
* NN
* NO
* NP
* NQ
* NR
* NS
* NT
* NU
* NY
* NY
* NW
* NX
* NY
* NZ
* OA
* OB
* OC
* OD
* OE
* OF
* OG
* OH
* OI
* OJ
* OK
* OL
* OM
* ON
* OO
* OP
* OQ
* OR
* OS
* OT
* OU
* OY
* OY
* OW
* OX
* OY
* OZ
* PA
* PB
* PC
* PD
* PE
* PF
* PG
* PH
* PI
* PJ
* PK
* PL
* PM
* PN
* PO
* PP
* PQ
* PR
* PS
* PT
* PU
* PY
* PY
* PW
* PX
* PY
* PZ
* QA
* QB
* QC
* QD
* QE
* QF
* QG
* QH
* QI
* QJ
* QK
* QL
* QM
* QN
* QO
* QP
* QQ
* QR
* QS
* QT
* QU
* QY
* QY
* QW
* QX
* QY
* QZ
* RA
* RB
* RC
* RD
* RE
* RF
* RG
* RH
* RI
* RJ
* RK
* RL
* RM
* RN
* RO
* RP
* RQ
* RR
* RS
* RT
* RU
* RY
* RY
* RW
* RX
* RY
* RZ
* SA
* SB
* SC
* SD
* SE
* SF
* SG
* SH
* SI
* SJ
* SK
* SL
* SM
* SN
* SO
* SP
* SQ
* SR
* SS
* ST
* SU
* SY
* SY
* SW
* SX
* SY
* SZ
* TA
* TB
* TC
* TD
* TE
* TF
* TG
* TH
* TI
* TJ
* TK
* TL
* TM
* TN
* TO
* TP
* TQ
* TR
* TS
* TU
* TY
* TY
* TW
* TX
* TY
* TZ
* UA
* UB
* UC
* UD
* UE
* UF
* UG
* UH
* UI
* UJ
* UK
* UL
* UM
* UN
* UO
* UP
* UQ
* UR
* US
* UT
* UY
* UY
* UW
* UX
* UY
* UZ
* VA
* VB
* VC
* VD
* VE
* VF
* VG
* VH
* VI
* VJ
* VK
* VL
* VM
* VN
* VO
* VP
* VQ
* VR
* VS
* VT
* VY
* VY
* VW
* VX
* VY
* VZ
* WA
* WB
* WC
* WD
* WE
* WF
* WG
* WH
* WI
* WJ
* WK
* WL
* WM
* WN
* WO
* WP
* WQ
* WR
* WS
* WT
* WY
* WY
* WW
* WX
* WY
* WZ
* XA
* XB
* XC
* XD
* XE
* XF
* XG
* XH
* XI
* XJ
* XK
* XL
* XM
* XN
* XO
* XP
* XQ
* XR
* XS
* XT
* XU
* XY
* XY
* XW
* XX
* XY
* XZ
* YA
* YB
* YC
* YD
* YE
* YF
* YG
* YH
* YI
* YJ
* YK
* YL
* YM
* YN
* YO
* YP
* YQ
* YR
* YS
* YT
* YU
* YY
* YY
* YW
* YX
* YY
* YZ
* ZA
* ZB
* ZC
* ZD
* ZE
* ZF
* ZG
* ZH
* ZI
* ZJ
* ZK
* ZL
* ZM
* ZN
* ZO
* ZP
* ZQ
* ZR
* ZS
* ZT
* ZY
* ZY
* ZW
* ZX
* ZY
* ZZ

* based on date opened as specified in each SGS - Orlando SOP. (1,000)



Organic Standards Preparation Log

SGS - Orlando Std. #	Name Description	Parent Std. #	Parent Name	Parent Vendor	Vendor Exp. Date	Lab* Exp. Date	Parent Conc.	Vol. Used	Final Vol.	Final Conc.	Diluent Lot	Prep. Date	Exp. Date	Initials
LCMS 2095A-J	(10ppb) PFC ID SURF	A-J 11669	MPFAC-2YES	Wellington Labs	01/15/23	03/28/24	1.0ppm	2.4mL	~50mL	0.5ppm	05/10/23	03/28/23	09/26/23	NS
↓	↓	11585	M2HFO-DA	↓	11/08/23	01/26/24	50ppm	48uL	↓	↓	↓	↓	↓	NS
↓	↓	11431	d-N-METOSA	↓	05/06/27	03/13/24	50ppm	48uL	↓	↓	↓	↓	↓	NS
LCMS 2096A-B	1033 spike Cal cert.	11672	PFAC-MxH	Wellington Labs	8/15/27	3/23/24	1-4 ppm	250uL	4mL	0.25 1.25 2.50ppb	1033 MIX	3/30/23	9/30/23	MUJ
↓	↓	11686	PFAC-MxI	↓	2/27/28	3/30/24	170 ppm	250uL	↓	0.25 0.25ppb	↓	↓	↓	↓
↓	↓	11674A	PFAC-MxG	↓	11/1/25	3/23/29	2ppm	500uL	↓	250ppb	↓	↓	↓	↓
↓	↓	11674B	PFAC-MxH	↓	12/1/27	3/30/24	2ppm	250uL	↓	125ppb	↓	↓	↓	↓
↓	↓	11675	PFAC-MxG	↓	9/14/26	3/30/24	4-20 ppm	312uL	↓	312/100 ppb	↓	↓	↓	↓
↓	↓	11642B	PFAC-MxJ	↓	10/28/23	10/28/23	50ppm	200uL	5mL	2ppm	1033 MIX	4/16/23	10/28/23	MUJ
LCMS 2097A-B	BR-LN metet for 1033	11497	br-N metosa	Wellington Labs	08/23/27	10/28/23	50ppm	200uL	↓	2ppm	↓	↓	↓	↓
↓	↓	11498	br-N Effosa	↓	10/07/27	10/28/23	50ppm	200uL	↓	5ppm	↓	↓	↓	↓
↓	↓	11495	br-N metose	↓	10/28/23	10/28/23	50ppm	500uL	↓	5ppm	↓	↓	↓	↓
↓	↓	11494	br-N Effose	↓	10/17/27	10/28/23	50ppm	500uL	↓	5ppm	↓	↓	↓	↓
↓	↓					4/6/24								

* tested & used on 3/20/24

** based on date opened as specified in each SGS - Orlando SOP.

Organic Standards Preparation Log

SGS - Orlando Std. #	Name Description	Parent Std. #	Parent Name	Parent Vendor	Vendor Exp. Date	Lab* Exp. Date	Parent Conc.	Vol. Used	Final Vol.	Final Conc.	Diluent Lot	Prep. Date	Exp. Date	Initials
LCMS 2067	40 List Std. ADD-ON #1	10726A	10:2 FTS	Wellington	3/3/26	3/21/23	50 ppm	80 uL	4.0 mL	1 ppm	95% meth	2/8/23	3/21/23	MV
		10840	L ⁻ PFDOS		7/9/26	10/18/23							8/23/23	
		10829	N ⁻ McFOSA		8/3/26	8/23/23								
		10837	N ⁻ EtFOSA		8/3/26	8/23/23								
		10842	PFHxDA		9/3/26	10/18/23								
		10841	PFODA		5/7/26	10/18/23								
		11116 B	3:3 FTCA PFP2PA		2/3/27	2/8/24								
		10685A	5:3 FTCA PFP2PA		11/11/25	8/23/23								
		11116 A	7:3 FTCA FHP2PA		11/12/25	2/8/24								
		11332	PFECHS		3/2/27	10/18/23								
		10762B	PFEESA		5/13/25	10/18/23								
		10763B	PFMBA PF50HxA		3/31/25	10/18/23								
		10764	PFMPA PF406A		3/31/25	2/8/24								
		10765B	NFHDA 3.6-08P2PA		3/31/25	10/18/23								
					NS	02/10/23								

* based on date opened as specified in each SGS - Orlando SOP.

ORLD-QAC-0017-6-03-FORM-lcms std prep log.xls 030819



Organic Standards Preparation Log

SGS - Orlando Std. #	Name Description	Parent Std. #	Parent Name	Parent Vendor	Vendor Exp. Date	Lab* Exp. Date	Parent Conc.	Vol. Used	Final Vol.	Final Conc.	Diluent Lot	Prep. Date	Exp. Date	Initials
* 2074 A-B LCMS 2074 A-B	PFC SPIKE	11613	PROA-SD C8000MS	Absolute	11/09/23	02/23/24	1.0ppm	2mL	5mL	400ppb	95% MeOH 5% H2O	02/23/23	02/23/23	UG
↓	↓	10829	N-Me- FSA-M	Wellington Labs	02/23/26	02/23/23	50ppm	40uL	↓	↓	↓	↓	↓	NG
↓	↓	11250	FBSA-1	↓	11/10/26	11/08/23	↓	↓	↓	↓	↓	↓	↓	NG
↓	↓	11249	FHSA-1	↓	12/29/26	11/03/23	↓	↓	↓	↓	↓	↓	↓	NG
↓	↓	11332	FTECS	↓	03/28/27	10/18/23	↓	↓	↓	↓	↓	↓	↓	NG
* 2075 A-F LCMS 2075 A-F	(10 PPB) PFC ID SURC	11639	MPAC- 24ES	Wellington Labs	03/24/27	02/23/24	1.0ppm	2.4mL	~50 mL	0.5ppm	95% MeOH 5% H2O	02/23/23	02/23/23	NG
↓	↓	11585	N2HFO- DA	Wellington Labs	11/08/23	01/26/24	50ppm	48uL	↓	↓	↓	↓	↓	NG
↓	↓	11385	A-N- NFCO-SAM	Wellington Labs	05/10/27	01/01/24	50ppm	48uL	↓	↓	↓	↓	↓	NG
LCMS 2076	40 List std. ADDON #2	11250	FBSA-1	Wellington Labs	11/10/26	11/8/23	50ppm	80uL	4.0mL	1ppm	95% MeOH 5% H2O	2/17/23	5/19/26	MV
↓	↓	11249	FHSA-1	↓	2/29/26	11/3/23	50ppm	80uL	↓	↓	↓	↓	↓	↓
↓	↓	11140	L-PFAS	↓	7/12/26	5/26/23	50ppm	80uL	↓	↓	↓	↓	↓	↓
LCMS 2077A-B	1633 Solvent B	11387	Ammonium Acetate	Sigmall drich	---	1/25/24	99.9%	0.62g	4L	2mM	MA	2/28/23	4/28/23	MV
↓	↓	224870	HPLC water	Fisher	---	2/28/23	↓	3,800ml	↓	95%	↓	↓	↓	↓
↓	↓	220225	Acetonil trile	↓	---	2/20/24	↓	200mL	↓	5%	↓	↓	↓	↓
↓	↓					n/a	n/a	n/a	2/28/23					
↓	↓					Continue next page #1								

* based on date opened as specified in each SGS - Orlando SOP.

ORLD-QAC-0017-6-03-FORM-icms std prep log.xls 030819

Organic Standards Preparation Log

SGS - Orlando Std. #	Name Description	Parent Std. #	Parent Name	Parent Vendor	Vendor Exp. Date	Lab* Exp. Date	Parent Conc.	Vol. Used	Final Vol.	Final Conc.	Diluent Lot	Prep. Date	Exp. Date	Initials
LCMS 2052	1633 prep mix	Lot: 221044	MeOH	Fisher	—	1/4/24	99.9%	92 mL	100 mL	92%	N/A	1/19/23	2/19/23	MV
↓	↓	Lot: 219481	NH4OH	↓	—	9/19/23	100%	3.3 mL	↓	1%	↓	↓	↓	↓
↓	↓	Lot: 224863	H2O	↓	—	1/17/24	100%	1.7 mL	↓	4%	↓	↓	↓	↓
↓	↓	Lot: 224297	Acetic ACID	↓	—	6/24	99.7%	0.625 mL	↓	.625%	↓	↓	↓	↓
LCMS 2053	(spike) Full list std	11568	PF6A 200 28	SGS standards	11/9/27	1/10/24	1.0 ppm	400 NL	4.0 mL	100 ppb	95% MeOH 5% H2O	12/4/23	3/21/23	MV
↓	↓	LCMS 1987	40 list add-on #1	↓	—	3/21/23	1.0 ppm	400 NL	↓	↓	↓	↓	↓	↓
↓	↓	LCMS 1986	40 list add-on #2	↓	—	4/8/23	1.0 ppm	400 NL	↓	↓	↓	↓	↓	↓
↓	↓	LCMS 2054	FOSC std.	↓	—	7/24/23	5.0 ppm	400 NL	↓	500 ppb	↓	↓	↓	↓
LCMS 2054	FOSC std.	11336	N-Et-FOSE	Wellington	5/13/27	9/19/23	50 ppm	200 NL	2.0 mL	5 ppm	95% MeOH 5% H2O	12/4/23	7/24/23	MV
↓	↓	11338	N-ME FOSE	↓	5/13/27	9/19/23	50 ppm	200 NL	↓	↓	↓	↓	↓	↓
LCMS 2055	1633 Cal std.	10855	PFAC-MxH	Wellington	9/14/26	1/17/24	1-4 ppm	250 NL	4 mL	62.5 125 250 ppb	1633 MIX	1/24/23	7/24/23	MV
↓	↓	10853I	PFAC-MxI	↓	9/14/26	1/11/24	1-10 ppm	250 NL	↓	62.5 125 250 ppb	↓	↓	↓	↓
↓	↓	11579B	PFAC-MxF	↓	11/1/25	1/11/24	2 ppm	500 NL	↓	250 ppb	↓	↓	↓	↓
↓	↓	11607A	PFAC-MxG	↓	3/4/25	1/24/24	2 ppm	250 NL	↓	125 ppb	↓	↓	↓	↓
↓	↓	10854I	PFAC-MxJ	↓	9/14/26	1/11/24	4-20 ppm	312 NL	↓	312/100 ppb	↓	↓	↓	↓
↓	↓	11492	PFAC-MxJ	↓	9/14/26	1/24/24	4-20 ppm	312 NL	↓	312/100 ppb	↓	↓	↓	↓
↓	↓	11603	PFAC-MxJ	↓	9/14/26	1/24/24	4-20 ppm	312 NL	↓	312/100 ppb	↓	↓	↓	↓
↓	↓			↓										

* based on date opened as specified in each SGS - Orlando SOP.

ORLD-QAC-0017-6-03-FORM-icms std prep log.xls 030819

11494



WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

br-NMeFOSE

2-(N-Methylperfluorooctanesulfonamido)ethanol Isomeric Mix

<u>PRODUCT CODE:</u>	br-NMeFOSE
<u>LOT NUMBER:</u>	brNMeFOSE0922
<u>CONCENTRATION:</u>	50.0 ± 2.5 µg/mL
<u>SOLVENT(S):</u>	Methanol
<u>DATE PREPARED:</u> (mm/dd/yyyy)	09/02/2022
<u>LAST TESTED:</u> (mm/dd/yyyy)	09/07/2022 (HRGC/LRMS) 10/07/2022 (LC/MS)
<u>EXPIRY DATE:</u> (mm/dd/yyyy)	10/07/2027
<u>RECOMMENDED STORAGE:</u>	Store ampoule in a cool, dark place

DESCRIPTION:

The chemical purity has been determined to be ≥98% 2-(N-methylperfluorooctanesulfonamido)ethanol linear and branched isomers. The full name, structure, and percent composition for each of the isomeric components are given in Table A.

DOCUMENTATION/ DATA ATTACHED:

Table A: Isomeric Components and Percent Composition by ¹⁹F-NMR
 Figure 1: HRGC/LRMS Data (Full Scan and Mass Spectrum)
 Figure 2: LC/MS Data (Full Scan and Mass Spectrum)
 Figure 3: LC/MS Data (SIR)
 Figure 4: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- CAS #: 24448-09-7 (for linear isomer).

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Form#:13, Issued 2004-11-10
Revision#:9, Revised 2020-12-23

brNMeFOSE0922 (1 of 7)
rev1

7.9.1

7

11495



WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

br-NEtFOSE

**2-(N-Ethylperfluorooctanesulfonamido)ethanol
Isomeric Mix**

<u>PRODUCT CODE:</u>	br-NEtFOSE
<u>LOT NUMBER:</u>	brNEtFOSE1022
<u>CONCENTRATION:</u>	50.0 ± 2.5 µg/mL
<u>SOLVENT(S):</u>	Methanol
<u>DATE PREPARED:</u> (mm/dd/yyyy)	09/12/2022
<u>LAST TESTED:</u> (mm/dd/yyyy)	09/12/2022 (HRGC/LRMS) 10/07/2022 (LC/MS)
<u>EXPIRY DATE:</u> (mm/dd/yyyy)	10/07/2027
<u>RECOMMENDED STORAGE:</u>	Store ampoule in a cool, dark place

DESCRIPTION:

The chemical purity has been determined to be ≥98% 2-(N-ethylperfluorooctanesulfonamido)ethanol linear and branched isomers. The full name, structure, and percent composition for each of the isomeric components are given in Table A.

DOCUMENTATION/ DATA ATTACHED:

- Table A: Isomeric Components and Percent Composition by ¹⁹F-NMR
- Figure 1: HRGC/LRMS Data (Full Scan and Mass Spectrum)
- Figure 2: LC/MS Data (Full Scan and Mass Spectrum)
- Figure 3: LC/MS Data (SIR)
- Figure 4: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- CAS #: 1691-99-2 (for linear isomer).

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

**Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com**

Form#:13, Issued 2004-11-10
Revision#:9, Revised 2020-12-23

brNEtFOSE1022 (1 of 7)
rev1

7.9.1

7

11497



**WELLINGTON
LABORATORIES**

**CERTIFICATE OF ANALYSIS
DOCUMENTATION**

br-NMeFOSA

**N-Methylperfluorooctanesulfonamide
Isomeric Mix**

PRODUCT CODE: br-NMeFOSA
LOT NUMBER: brNMeFOSA0822
CONCENTRATION: 50.0 ± 2.5 µg/mL
SOLVENT(S): Methanol
DATE PREPARED: (mm/dd/yyyy) 08/18/2022
LAST TESTED: (mm/dd/yyyy) 08/23/2022
EXPIRY DATE: (mm/dd/yyyy) 08/23/2027
RECOMMENDED STORAGE: Store ampoule in a cool, dark place

DESCRIPTION:

The chemical purity has been determined to be ≥98% N-methylperfluorooctanesulfonamide (linear and branched isomers). The full name, structure, and percent composition for each of the identified isomeric components are given in Table A.

DOCUMENTATION/ DATA ATTACHED:

Table A: Isomeric Components and Percent Composition by ¹⁹F-NMR
Figure 1: LC/MS Data (Full Scan and Mass Spectrum)
Figure 2: LC/MS Data (SIR)
Figure 3: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- CAS #: 31506-32-8 (for linear isomer).

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

**Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com**

Form#:13, Issued 2004-11-10
Revision#:9, Revised 2020-12-23

brNMeFOSA0822 (1 of 6)
rev1

11498



WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

br-NEtFOSA

N-Ethylperfluorooctanesulfonamide Isomeric Mix

PRODUCT CODE:	br-NEtFOSA
LOT NUMBER:	brNEtFOSA0922
CONCENTRATION:	50.0 ± 2.5 µg/mL
SOLVENT(S):	Methanol
DATE PREPARED: (mm/dd/yyyy)	08/23/2022
LAST TESTED: (mm/dd/yyyy)	10/07/2022
EXPIRY DATE: (mm/dd/yyyy)	10/07/2027
RECOMMENDED STORAGE:	Store ampoule in a cool, dark place

DESCRIPTION:

The chemical purity has been determined to be ≥98% N-ethylperfluorooctanesulfonamide (linear and branched isomers). The full name, structure, and percent composition for each of the identified isomeric components are given in Table A.

DOCUMENTATION/ DATA ATTACHED:

- Table A: Isomeric Components and Percent Composition by ¹⁹F-NMR
- Figure 1: LC/MS Data (Full Scan and Mass Spectrum)
- Figure 2: LC/MS Data (SIR)
- Figure 3: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- CAS #: 4151-50-2 (for linear isomer).

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Form#:13, Issued 2004-11-10
Revision#:9, Revised 2020-12-23

brNEtFOSA0922 (1 of 6)
rev1

7.9.1

7

11642 A-B
rec'd: 02/06/23



WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PFAC-MXJ

Native X:3 Fluorotelomer Carboxylic
Acid Solution/Mixture

<u>PRODUCT CODE:</u>	PFAC-MXJ
<u>LOT NUMBER:</u>	PFACMXJ0921
<u>SOLVENT(S):</u>	Methanol
<u>DATE PREPARED:</u> (mm/dd/yyyy)	09/08/2021
<u>LAST TESTED:</u> (mm/dd/yyyy)	09/14/2021
<u>EXPIRY DATE:</u> (mm/dd/yyyy)	09/14/2026
<u>RECOMMENDED STORAGE:</u>	Store ampoule in a cool, dark place

DESCRIPTION:

PFAC-MXJ is a solution/mixture of three native X:3 fluorotelomer carboxylic acids. The components and their concentrations are given in Table A.

The individual components have a chemical purity of >98%.

DOCUMENTATION/ DATA ATTACHED:

Table A: Components and Concentrations of the Solution/Mixture
Figure 1: LC/MS Data (SIR)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Form#:13, Issued 2004-11-10
Revision#:9, Revised 2020-12-23


PFACMXJ:0921 (1 of 5)
rev1

7.9.1
7

Table A: PFAC-MXJ; Components and Concentrations ($\mu\text{g}/\text{mL}$; $\pm 5\%$ in methanol)

Compound	Acronym	Concentration ($\mu\text{g}/\text{mL}$)
3-Perfluoropropyl propanoic acid	FPrPA	4.00
3-Perfluoropentyl propanoic acid	FPePA	20.0
3-Perfluoroheptyl propanoic acid	FHpPA	20.0

Certified By:


B.G. Chittim, General Manager

Date: 10/02/2021
(m/mcd/yyyy)

11672
rec'd: 02/23/23



WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PFAC-MXH

**Native PFAS
Solution/Mixture**

PRODUCT CODE: PFAC-MXH
LOT NUMBER: PFACMXH0822
SOLVENT(S): Methanol/Isopropanol (2%)/Water (<1%)
DATE PREPARED: (mm/dd/yyyy) 08/05/2022
LAST TESTED: (mm/dd/yyyy) 08/08/2022
EXPIRY DATE: (mm/dd/yyyy) 08/08/2027
RECOMMENDED STORAGE: Refrigerate ampoule

DESCRIPTION:

PFAC-MXH is a solution/mixture of 11 native linear perfluoroalkylcarboxylic acids (C₄-C₁₄), eight native perfluoroalkanesulfonates (C₄, C₅, C₇, C₉, C₁₀ and C₁₂ linear; C₆ and C₈ linear and branched), three native fluorotelomer sulfonates (4:2, 6:2, and 8:2), two native linear and branched perfluorooctanesulfonamidoacetic acids, and perfluoro-1-octanesulfonamide (FOSA). The components and their concentrations are given in Table A.

The individual components of this mixture all have chemical purities of >98%.

DOCUMENTATION/ DATA ATTACHED:

Table A: Components and Concentrations of the Solution/Mixture
Table B: Isomeric Components and Percent Composition of N-MeFOSAA
Table C: Isomeric Components and Percent Composition of N-EtFOSAA
Table D: Isomeric Components and Percent Composition of PFHxSK
Table E: Isomeric Components and Percent Composition of PFOSK
Figure 1: LC/MS Data (SIR)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acids to their respective methyl esters.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

**Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com**

Form# 13, Issued 2004-11-10
Revision# 9, Revised 2020-12-23

PFACMXH0822 1 of 11
rev0

7.9.1


7

Table A: PFAC-MXH; Components and Concentrations
(ng/mL, ± 5% in methanol/isopropanol (2%)/water (<1%))

Compound	Acronym	Concentration* (ng/mL)		Peak Assignment in Figure 1
		as the salt	as the acid	
Perfluoro-n-butanoic acid	PFBA	4000		1
Perfluoro-n-pentanoic acid	PFPeA	2000		2
Perfluoro-n-hexanoic acid	PFHxA	1000		5
Perfluoro-n-heptanoic acid	PFHpA	1000		7
Perfluoro-n-octanoic acid	PFOA	1000		11
Perfluoro-n-nonanoic acid	PFNA	1000		14
Perfluoro-n-decanoic acid	PFDA	1000		18
Perfluoro-n-undecanoic acid	PFUdA	1000		24
Perfluoro-n-dodecanoic acid	PFDoA	1000		26
Perfluoro-n-tridecanoic acid	PFTrDA	1000		27
Perfluoro-n-tetradecanoic acid	PFTeDA	1000		29
Perfluoro-1-octanesulfonamide	FOSA	1000		23
N-methylperfluorooctanesulfonamidoacetic acid ^a	N-MeFOSAA: linear isomer	760		20
	N-MeFOSAA: ∑ branched isomers	240		17
N-ethylperfluorooctanesulfonamidoacetic acid ^a	N-EtFOSAA: linear isomer	775		22
	N-EtFOSAA: ∑ branched isomers	225		21
Compound	Acronym	Concentration* (ng/mL)		Peak Assignment in Figure 1
		as the salt	as the acid	
Potassium perfluoro-1-butanesulfonate	L-PFBS	1000	887	3
Sodium perfluoro-1-pentanesulfonate	L-PFPeS	1000	941	6
Potassium perfluorohexanesulfonate ^c	PFHxSK: linear isomer	811	741	9
	PFHxSK: ∑ branched isomers	189	173	8
Sodium perfluoro-1-heptanesulfonate	L-PFHpS	1000	953	12
Potassium perfluorooctanesulfonate ^d	PFOSK: linear isomer	788	732	15
	PFOSK: ∑ branched isomers	211	196	13
Sodium perfluoro-1-nonanesulfonate	L-PFNS	1000	962	19
Sodium perfluoro-1-decanesulfonate	L-PFDS	1000	965	25
Sodium perfluoro-1-dodecanesulfonate	L-PFDoS	1000	970	28
Sodium 1H,1H,2H,2H-perfluorohexanesulfonate	4:2FTS	4000	3750	4
Sodium 1H,1H,2H,2H-perfluorooctanesulfonate	6:2FTS	4000	3800	10
Sodium 1H,1H,2H,2H-perfluorodecanesulfonate	8:2FTS	4000	3840	16

^a See Table B for percent composition of linear and branched N-MeFOSAA isomers.
^b See Table C for percent composition of linear and branched N-EtFOSAA isomers.
^c See Table D for percent composition of linear and branched PFHxSK isomers.
^d See Table E for percent composition of linear and branched PFOSK isomers.

* Concentrations have been rounded to three significant figures.

Certified By: 
 B.G. Chittim, General Manager

Date: 08/09/2022
(mm/dd/yyyy)

11674 A-B
rec'd: 02/23/23



WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PFAC-MXF

Native Replacement PFAS Solution/Mixture

PRODUCT CODE:	PFAC-MXF
LOT NUMBER:	PFACMXF0122
SOLVENT(S):	Methanol / Water (<1%)
DATE PREPARED: (mm/dd/yyyy)	01/10/2022
LAST TESTED: (mm/dd/yyyy)	01/11/2022
EXPIRY DATE: (mm/dd/yyyy)	01/11/2025
RECOMMENDED STORAGE:	Refrigerate ampoule

DESCRIPTION:

PFAC-MXF is a solution/mixture of sodium dodecafluoro-3H-4,8-dioxanonanoate (NaDONA), the major and minor components of F-53B (9CI-PF3ONS and 11CI-PF3OUDS), and GenX (HFPO-DA). The components and their concentrations are given in Table A.

The individual native components of this mixture all have chemical purities of >98%.

DOCUMENTATION/ DATA ATTACHED:

Table A: Components and Concentrations of the Solution/Mixture
Figure 1: LC/MS Data (SIR)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com


Table A:

PFAC-MXF; Components and Concentrations (ng/mL; ± 5% in Methanol/Water (<1%))

Compound	Acronym	Concentration* (ng/ml)		Peak Assignment in Figure 1
		as the salt	as the acid	
2,3,3,3-Tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoropropoxy)-propanoic acid	HFPO-DA	2000		A
Sodium dodecafluoro-3H-4,8-dioxananoate	NaDONA	2000	1890	B
Potassium 9-chlorohexadecafluoro-3-oxanonane-1-sulfonate	9Cl-PF3ONS	2000	1870	C
Potassium 11-chloroeicosafluoro-3-oxaundecane-1-sulfonate	11Cl-PF3OUdS	2000	1890	D

* Concentrations have been rounded to three significant figures.

Certified By:



B.G. Chittim, General Manager

Date: 01/12/2022

(mm/dd/yyyy)

11675
rec'd: 02/23/23



WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PFAC-MXG

Native Perfluoroalkyl Ether Carboxylic Acids and Sulfonate Solution/Mixture

PRODUCT CODE: PFAC-MXG
LOT NUMBER: PFACMXG1122
SOLVENT(S): Methanol/Water (<1%)
DATE PREPARED: (mm/dd/yyyy) 11/30/2022
LAST TESTED: (mm/dd/yyyy) 12/01/2022
EXPIRY DATE: (mm/dd/yyyy) 12/01/2027
RECOMMENDED STORAGE: Store ampoule in a cool, dark place

DESCRIPTION:

PFAC-MXG is a solution/mixture of three native perfluoroalkyl ether carboxylic acids and a native perfluoroalkyl ether sulfonate. The components and their concentrations are given in Table A.

The individual components all have chemical purities of >98%.

DOCUMENTATION/ DATA ATTACHED:

Table A: Components and Concentrations of the Solution/Mixture
Figure 1: LC/MS Data (SIR)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acids to their respective methyl esters.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com


7.9.1
7

PFAC-MXG; Components and Concentrations (ng/mL; ± 5% in methanol/water (<1%))

Table A

Compound	Acronym	Concentration (ng/mL)		Peak Assignment in Figure 1
		as the salt	as the acid	
Perfluoro-4-oxapentanoic acid	PF4OPeA	2000		A
Perfluoro-5-oxahexanoic acid	PF5OHxA	2000		B
Perfluoro-3,6-dioxaheptanoic acid	3,6-OPFHpA	2000		D
Compound	Acronym	Concentration* (ng/mL)		Peak Assignment in Figure 1
		as the salt	as the acid	
Potassium perfluoro(2-ethoxyethane)sulfonate	PFEESA	2000	1780	C

* Concentrations have been rounded to three significant figures.

Certified By:  Date: 12/09/2022
(mm/dd/yyyy)
 B.G. Chittim, General Manager

7.9.1
7

10685A



WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE:

FPePA

LOT NUMBER:

FPePA1120


COMPOUND:

3-Perfluoropentyl propanoic acid

STRUCTURE:

CAS #:

914637-49-3



MOLECULAR FORMULA:

C₈H₅F₁₁O₂

MOLECULAR WEIGHT:

342.11

CONCENTRATION:

50.0 ± 2.5 µg/mL

SOLVENT(S):

Methanol

CHEMICAL PURITY:

>98%

LAST TESTED: (mm/dd/yyyy)

11/11/2020

EXPIRY DATE: (mm/dd/yyyy)

11/11/2025

RECOMMENDED STORAGE:

Refrigerate ampoule

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)


Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains <1% of the unsaturated 5:3 telomer acid (C₈H₃F₁₁O₂) as an impurity determined by ¹⁹F NMR.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By:


B.G. Chittim, General Manager



Date: 11/27/2020
(mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Form#:27, Issued 2004-11-10
Revision#:8, Revised 2020-09-10

FPePA1120 (1 of 4)
rev0

Figure 1: FPePA; LC/MS Data (TIC and Mass Spectrum)



Conditions for Figure 1:

Waters Acquity Ultra Performance LC
Waters Xevo TQ-S micro MS

Chromatographic Conditions:

Column: Acquity UPLC BEH Shield RP_{1a}
1.7 μm, 2.1 x 100 mm

Mobile phase: Gradient
Start: 45% H₂O / 55% (80:20 MeOH:ACN)
(both with 10 mM NH₄OAc buffer)
Ramp to 90% organic over 8 min and hold for
2 min before returning to initial conditions in 0.75 min.
Time: 12 min

Flow: 300 μL/min

MS Parameters:

Experiment: Full Scan (225 - 850 amu)

Source: Electrospray (negative)
Capillary Voltage (kV) = 0.50
Cone Voltage (V) = 18.50
Desolvation Temperature (°C) = 500
Desolvation Gas Flow (L/hr) = 1000

10726 A




WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE: 10:2FTS **LOT NUMBER:** 102FTS0221
COMPOUND: Sodium 1H,1H,2H,2H-perfluorododecanesulfonate

STRUCTURE: **CAS #:** 108026-35-3



MOLECULAR FORMULA: C₁₂H₄F₂₁SO₃Na **MOLECULAR WEIGHT:** 650.18
CONCENTRATION: 50.0 ± 2.5 µg/mL (Na salt) **SOLVENT(S):** Methanol
48.3 ± 2.4 µg/mL (10:2FTS acid)
48.2 ± 2.4 µg/mL (10:2FTS anion)
CHEMICAL PURITY: >98%
LAST TESTED: (mm/dd/yyyy) 03/03/2021
EXPIRY DATE: (mm/dd/yyyy) 03/03/2026
RECOMMENDED STORAGE: Refrigerate ampoule


DOCUMENTATION/ DATA ATTACHED:

- Figure 1: LC/MS Data (Full Scan and Mass Spectrum)
- Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By:  **Date:** 03/05/2021
B.G. Chittim, General Manager (mm/dd/yyyy)



Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Form#: 27, Issued 2004-11-10
Revision#: 9, Revised 2020-12-23

7.9.1

7

Figure 1: 10:2FTS; LC/MS Data (Full Scan and Mass Spectrum)



Conditions for Figure 1:

Waters Acquity Ultra Performance LC
Waters Xevo TQ-S micro MS

Chromatographic Conditions:

Column: Acquity UPLC BEH Shield RP₁₈
1.7 μ m, 2.1 x 100 mm

Mobile phase: Gradient
Start: 40% H₂O / 60% (80:20 MeOH:ACN)
(both with 10 mM NH₄OAc buffer)
Ramp to 90% organic over 7 min and hold for 3 min
before returning to initial conditions in 0.75 min.
Time: 12 min

Flow: 300 μ L/min

MS Parameters:

Experiment: Full Scan (250 - 850 amu)
Source: Electrospray (negative)
Capillary Voltage (kV) = 2.00
Cone Voltage (V) = 25.00
Desolvation Temperature ($^{\circ}$ C) = 500
Desolvation Gas Flow (L/hr) = 1000

10762 A-B



WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE:

PFEESA


LOT NUMBER:

PFEESA0520

COMPOUND:

Potassium perfluoro(2-ethoxyethane)sulfonate

STRUCTURE:



CAS #:

117205-07-9

MOLECULAR FORMULA:

C₄F₉SO₄K

MOLECULAR WEIGHT:

354.19

CONCENTRATION:

50.0 ± 2.5 µg/ml (K salt)
44.6 ± 2.2 µg/ml (PFEESA acid)
44.5 ± 2.2 µg/ml (PFEESA anion)

SOLVENT(S):

Methanol

CHEMICAL PURITY:

>98%

LAST TESTED: (mm/dd/yyyy)

05/13/2020

EXPIRY DATE: (mm/dd/yyyy)

05/13/2025

RECOMMENDED STORAGE:

Store ampoule in a cool, dark place

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)

Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains ~ 0.2% of perfluoro-n-octanoic acid (PFOA).

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By:

B.G. Chittim, General Manager

Date: 05/29/2020
(mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

10763 A-B



WELLINGTON LABORATORIES


CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE: PF5OHxA *res'd with 8/20/21* **LOT NUMBER:** PF5OHxA0320

COMPOUND: Perfluoro-5-oxahexanoic acid

SYNONYM: Perfluoro-4-methoxybutanoic acid (PFMBA)

STRUCTURE: **CAS #:** 863090-89-5



MOLECULAR FORMULA: C₅HF₉O₃ **MOLECULAR WEIGHT:** 280.05

CONCENTRATION: 50.0 ± 2.5 µg/mL **SOLVENT(S):** Methanol
Water (<1%)

CHEMICAL PURITY: >98%

LAST TESTED: (mm/dd/yyyy) 03/31/2020

EXPIRY DATE: (mm/dd/yyyy) 03/31/2025

RECOMMENDED STORAGE: Store ampoule in a cool, dark place


DOCUMENTATION/ DATA ATTACHED:

- Figure 1: LC/MS Data (TIC and Mass Spectrum)
- Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By:  **Date:** 12/21/2020
(mm/dd/yyyy)

B.G. Chittim, General Manager

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Form#: 27, Issued 2004-11-10
Revision#: 8, Revised 2020-09-10

PF5OHxA0320 (1 of 4)
rev1

7.9.1
7

10764A-B



WELLINGTON LABORATORIES


CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE: PF4OPeA *rec'd
WPH
8/20/21* **LOT NUMBER:** PF4OPeA0320

COMPOUND: Perfluoro-4-oxapentanoic acid

SYNONYM: Perfluoro-3-methoxypropanoic acid (PFMPA)

STRUCTURE: **CAS #:** 377-73-1



MOLECULAR FORMULA: C₄HF₇O₃ **MOLECULAR WEIGHT:** 230.04

CONCENTRATION: 50.0 ± 2.5 µg/mL **SOLVENT(S):** Methanol
Water (<1%)

CHEMICAL PURITY: >98%

LAST TESTED: (mm/dd/yyyy) 03/31/2020

EXPIRY DATE: (mm/dd/yyyy) 03/31/2025

RECOMMENDED STORAGE: Store ampoule in a cool, dark place


DOCUMENTATION/ DATA ATTACHED:

- Figure 1: LC/MS Data (TIC and Mass Spectrum)
- Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: 
B.G. Chittim, General Manager

Date: 12/21/2020
(mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Form#: 27, Issued 2004-11-10
Revision#: 8, Revised 2020-09-10

PF4OPeA0320 (1 of 4)
rev1

7.9.1

7

10765 A-13



WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE:

3,6-OPFHpA

rec'd
WPH
8/20/21

LOT NUMBER:

36OPFHpA0320


COMPOUND:

Perfluoro-3,6-dioxaheptanoic acid

STRUCTURE:

CAS #:

151772-58-6



MOLECULAR FORMULA:

C₆H₂F₉O₄

MOLECULAR WEIGHT:

296.04

CONCENTRATION:

50.0 ± 2.5 µg/ml

SOLVENT(S):

Methanol
Water (<1%)

CHEMICAL PURITY:

>98%

LAST TESTED: (mm/dd/yyyy)

03/31/2020

EXPIRY DATE: (mm/dd/yyyy)

03/31/2025

RECOMMENDED STORAGE:

Store ampoule in a cool, dark place

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)

Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By:

B.G. Chittim, General Manager

Date: 05/27/2020
(mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com



WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE:

N-EtFOSA-M

10837


LOT NUMBER: NEtFOSA0821M

COMPOUND:

N-ethylperfluoro-1-octanesulfonamide

STRUCTURE:

CAS #: 4151-50-2



MOLECULAR FORMULA:

C₁₀H₉F₁₇NO₂S

MOLECULAR WEIGHT:

527.20

CONCENTRATION:

50.0 ± 2.5 µg/mL

SOLVENT(S):

Methanol

CHEMICAL PURITY:

>98%

LAST TESTED: (mm/dd/yyyy)

08/12/2021

EXPIRY DATE: (mm/dd/yyyy)

08/12/2026

RECOMMENDED STORAGE:

Store ampoule in a cool, dark place

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (Full Scan and Mass Spectrum)


Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By:


B.G. Chittim, General Manager

Date: 08/16/2021

(mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA

7.9.1
7



WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION


10840

PRODUCT CODE: L-PFDoS
COMPOUND: Sodium perfluoro-1-dodecanesulfonate

LOT NUMBER: LPFDoS0721

STRUCTURE:

CAS #: 1260224-54-1



MOLECULAR FORMULA: C₁₂F₂₅SO₃Na
CONCENTRATION: 50.0 ± 2.5 µg/mL (Na salt)
48.5 ± 2.4 µg/mL (PFDoS acid)
48.4 ± 2.4 µg/mL (PFDoS anion)
CHEMICAL PURITY: >98%
LAST TESTED: (mm/dd/yyyy) 07/09/2021
EXPIRY DATE: (mm/dd/yyyy) 07/09/2026
RECOMMENDED STORAGE: Store ampoule in a cool, dark place

MOLECULAR WEIGHT: 722.14
SOLVENT(S): Methanol

DOCUMENTATION/ DATA ATTACHED:

- Figure 1: LC/MS Data (Full Scan and Mass Spectrum)
- Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains ~0.2% of perfluoro-n-dodecanoic acid (PFDoA).

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: 
B.G. Chittim, General Manager

Date: 07/16/2021
(mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com



WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE:

PFODA

10847 NS 01/18/23

LOT NUMBER:

PFODA0821


COMPOUND:

Perfluoro-n-octadecanoic acid

STRUCTURE:

CAS #:

16517-11-6



MOLECULAR FORMULA:

C₁₈H₃₅O₂

MOLECULAR WEIGHT:

914.14

CONCENTRATION:

50.0 ± 2.5 µg/mL

SOLVENT(S):

Methanol
Water (<1%)

CHEMICAL PURITY:

>98%

LAST TESTED: (mm/dd/yyyy)

09/03/2021

EXPIRY DATE: (mm/dd/yyyy)

09/03/2026

RECOMMENDED STORAGE:

Store ampoules at ambient temperature in a dark place

DOCUMENTATION/ DATA ATTACHED:

- Figure 1: LC/MS Data (Full Scan and Mass Spectrum)
- Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.
- The solubility of this product in methanol is very sensitive to storage conditions and solvent composition. The stated validity period applies to the sealed ampoules stored at ambient temperature.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By:

B.G. Chittim, General Manager

Date: 09/28/2021

(mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

7.9.1
7



WELLINGTON LABORATORIES


CERTIFICATE OF ANALYSIS DOCUMENTATION

10842 * NG 01/18/23

PRODUCT CODE: PFHxDA **LOT NUMBER:** PFHxDA0421

COMPOUND: Perfluoro-n-hexadecanoic acid

STRUCTURE: **CAS #:** 67905-19-5



MOLECULAR FORMULA: C₁₆HF₃₁O₂ **MOLECULAR WEIGHT:** 814.13
CONCENTRATION: 50.0 ± 2.5 µg/mL **SOLVENT(S):** Methanol
 Water (<1%)

CHEMICAL PURITY: >98%
LAST TESTED: (mm/dd/yyyy) 05/07/2021
EXPIRY DATE: (mm/dd/yyyy) 05/07/2026
RECOMMENDED STORAGE: Store ampoule in a cool, dark place


DOCUMENTATION/ DATA ATTACHED:

- Figure 1: LC/MS Data (Full Scan and Mass Spectrum)
- Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acid to the methyl ester.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: 
 B.G. Chittim, General Manager **Date:** 05/25/2021
 (mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
 519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Form#:27, Issued 2004-11-10
 Revision#:9, Revised 2020-12-23

PFHxDA0421 (1 of 4)
 rev0

7.9.1
7

1116 A/B NW

1116B on the back NW



WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE:

FHpPA

LOT NUMBER:

FHpPA1020


COMPOUND:

3-Perfluoroheptyl propanoic acid

STRUCTURE:

CAS #:

812-70-4



MOLECULAR FORMULA:

C₁₀H₅F₁₅O₂

MOLECULAR WEIGHT:

442.12

CONCENTRATION:

50.0 ± 2.5 µg/mL

SOLVENT(S):

Methanol

CHEMICAL PURITY:

>98%

LAST TESTED: (mm/dd/yyyy)

11/12/2020

EXPIRY DATE: (mm/dd/yyyy)

11/12/2025

RECOMMENDED STORAGE:

Refrigerate ampoule

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (TIC and Mass Spectrum)

Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By:

B.G. Chittim, General Manager



Date: 11/27/2020

(mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Form#: 27, Issued 2004-11-10
Revision#: 8, Revised 2020-09-10

FHpPA1020 (1 of 4)
rev0

Figure 1: FHpPA; LC/MS Data (TIC and Mass Spectrum)**Conditions for Figure 1:**

Waters Acquity Ultra Performance LC
Waters Xevo TQ-S micro MS

Chromatographic Conditions:

Column: Acquity UPLC BEH Shield RP₁₈
1.7 μ m, 2.1 x 100 mm

Mobile phase: Gradient
Start: 45% H₂O / 55% (80:20 MeOH:ACN)
(both with 10 mM NH₄OAc buffer)
Ramp to 90% organic over 8 min and hold for
2 min before returning to initial conditions in 0.75 min.
Time: 12 min

Flow: 300 μ L/min

MS Parameters:

Experiment: Full Scan (225 - 850 amu)

Source: Electrospray (negative)
Capillary Voltage (kV) = 0.50
Cone Voltage (V) = 28.50
Desolvation Temperature ($^{\circ}$ C) = 500
Desolvation Gas Flow (L/hr) = 1000

FPPrPA(3:3FTCA) 1116 B



WELLINGTON
LABORATORIES


CERTIFICATE OF ANALYSIS
DOCUMENTATION

PRODUCT CODE: FPPrPA
COMPOUND: 3-Perfluoropropyl propanoic acid

LOT NUMBER: FPPrPA0122

STRUCTURE:

CAS #: 356-02-5



MOLECULAR FORMULA: C₆H₅F₇O₂
CONCENTRATION: 50.0 ± 2.5 µg/mL
CHEMICAL PURITY: >98%
LAST TESTED: (mm/dd/yyyy) 02/03/2022
EXPIRY DATE: (mm/dd/yyyy) 02/03/2027
RECOMMENDED STORAGE: Refrigerate ampoule

MOLECULAR WEIGHT: 242.09
SOLVENT(S): Methanol


DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (Full Scan and Mass Spectrum)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains <1% of the unsaturated 3:3 telomer acid (C₆H₃F₇O₂) as an impurity determined by ¹⁹F NMR.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By: 
B.G. Chittim, General Manager

Date: 02/04/2022
(mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

11140



WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE:

L-PFPrS

LOT NUMBER:

LPFPrS0721


COMPOUND:

Sodium perfluoro-1-propanesulfonate

STRUCTURE:

CAS #:

Not available



MOLECULAR FORMULA:

C₃F₇SO₃Na

MOLECULAR WEIGHT:

272.07

CONCENTRATION:

50.0 ± 2.5 µg/mL (Na salt)

46.0 ± 2.3 µg/mL (PFPrS acid)

45.8 ± 2.3 µg/mL (PFPrS anion)

SOLVENT(S):

Methanol

CHEMICAL PURITY:

>98%

LAST TESTED: (mm/dd/yyyy)

07/12/2021

EXPIRY DATE: (mm/dd/yyyy)

07/12/2026

RECOMMENDED STORAGE:

Store ampoule in a cool, dark place

DOCUMENTATION/ DATA ATTACHED:

Figure 1: LC/MS Data (Full Scan and Mass Spectrum)

Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By:

B.G. Chittim, General Manager

Date: 08/04/2021

(mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

11252 11249
7/1/22 KA



WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE:

FHxSA-I

LOT NUMBER:

FHxSA12211


COMPOUND:

Perfluoro-1-hexanesulfonamide

STRUCTURE:

CAS #:

41997-13-1



MOLECULAR FORMULA:

C₆H₂F₁₃NO₂S

MOLECULAR WEIGHT:

399.13

CONCENTRATION:

50.0 ± 2.5 µg/mL

SOLVENT(S):

isopropanol

CHEMICAL PURITY:

>98%

LAST TESTED: (mm/dd/yyyy)

12/29/2021

EXPIRY DATE: (mm/dd/yyyy)

12/29/2026

RECOMMENDED STORAGE:

Refrigerate ampoule

DOCUMENTATION/ DATA ATTACHED:


- Figure 1: LC/MS Data (Full Scan and Mass Spectrum)
- Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By:


B.G. Chittim, General Manager

Date: 01/10/2022

(mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

11250 LK 7/11/22



WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE:

FBSA-I

LOT NUMBER:

FBSA11211


COMPOUND:

Perfluoro-1-butananesulfonamide

STRUCTURE:

CAS #:

30334-69-1



MOLECULAR FORMULA:

C₄H₂F₉NO₂S

MOLECULAR WEIGHT:

299.11

CONCENTRATION:

50.0 ± 2.5 µg/mL

SOLVENT(S):

Isopropanol

CHEMICAL PURITY:

>98%

LAST TESTED: (mm/dd/yyyy)

11/10/2021

EXPIRY DATE: (mm/dd/yyyy)

11/10/2026

RECOMMENDED STORAGE:

Refrigerate ampoule

DOCUMENTATION/ DATA ATTACHED:

- Figure 1: LC/MS Data (Full Scan and Mass Spectrum)
- Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By:

B.G. Chittim, General Manager

Date: 11/10/2021

(mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

11332



WELLINGTON LABORATORIES


CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE:
COMPOUND:

PFECHS
Potassium perfluoro-4-ethylcyclohexanesulfonate (isomeric mixture)

LOT NUMBER: PFECHS0222

STRUCTURE:



CAS #: 335-24-0

MOLECULAR FORMULA:
CONCENTRATION:

$C_8F_{15}SO_3K$
50.0 ± 2.5 µg/mL (K salt)
46.2 ± 2.3 µg/mL (PFECHS acid)
46.1 ± 2.3 µg/mL (PFECHS anion)
>98%

MOLECULAR WEIGHT: 500.22
SOLVENT(S): Methanol

CHEMICAL PURITY:

LAST TESTED: (mm/dd/yyyy)

03/28/2022

EXPIRY DATE: (mm/dd/yyyy)

03/28/2027

RECOMMENDED STORAGE:

Store ampoule in a cool, dark place

DOCUMENTATION/ DATA ATTACHED:

- Figure 1: LC/MS Data (Full Scan and Mass Spectrum)
- Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains a mixture of the *cis/trans* isomers of PFECHS at a ratio of 1:1.27 (*cis:trans*).

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By:

B.G. Chittim, General Manager

Date: 03/30/2022
(mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Form#:27, Issued 2004-11-10
Revision#:9, Revised 2020-12-23

PFECHS0222 (1 of 4)
rev0

11338



WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

PRODUCT CODE:

N-MeFOSE-M

LOT NUMBER:


NMeFOSE0522M

COMPOUND:

2-(N-methylperfluoro-1-octanesulfonamido)ethanol

STRUCTURE:**CAS #:**

24448-09-7

**MOLECULAR FORMULA:**C₁₁H₈F₁₇NO₃S**MOLECULAR WEIGHT:**

557.22

CONCENTRATION:

50.0 ± 2.5 µg/mL

SOLVENT(S):

Methanol

CHEMICAL PURITY:

>98%

LAST TESTED: (mm/dd/yyyy)

05/13/2022 (HRGC/LRMS)

05/13/2022 (LC/MS)

EXPIRY DATE: (mm/dd/yyyy)

05/13/2027

RECOMMENDED STORAGE:

Store ampoule in a cool, dark place

DOCUMENTATION/ DATA ATTACHED:

Figure 1: HRGC/LRMS Data (Full Scan and Mass Spectrum)

Figure 2: LC/MS Data (Full Scan and Mass Spectrum)

Figure 3: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- In order to see the molecular ion (adduct free), the LC mobile phase should be free of ammonium acetate buffer.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Certified By:

B.G. Chittim, General Manager

Date: 06/14/2022

(mm/dd/yyyy)

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

11615 A-5
rec'd 01/19/23



WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

MPFAC-HIF-IS

Mass-Labelled PFAS Injection
Standard Solution/Mixture

PRODUCT CODE: MPFAC-HIF-IS
LOT NUMBER: MPFACHIFIS1122
SOLVENT(S): Methanol/Water (<1%)
DATE PREPARED: (mm/dd/yyyy) 11/28/2022
LAST TESTED: (mm/dd/yyyy) 11/29/2022
EXPIRY DATE: (mm/dd/yyyy) 11/29/2027
RECOMMENDED STORAGE: Store ampoule in a cool, dark place

DESCRIPTION:

MPFAC-HIF-IS is a solution/mixture of five mass-labelled (^{13}C) perfluoroalkylcarboxylic acids (C_4 , C_6 , C_8 - C_{10}) and two mass-labelled (^{18}O and ^{13}C) perfluoroalkanesulfonates (C_6 and C_8). The components and their concentrations are given in Table A.

The individual mass-labelled perfluoroalkylcarboxylic acids and mass-labelled perfluoroalkanesulfonates all have chemical purities of >98% and isotopic purities of $\geq 99\%$ per ^{13}C or >94% per ^{18}O .

DOCUMENTATION/ DATA ATTACHED:

Table A: Components and Concentrations of the Solution/Mixture
Figure 1: LC/MS Data (SIR)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acids to their respective methyl esters.

FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Form#: 13 Issued 2004-11-10
Revision#: 9, Revised 2020-12-23

MPFACHIFIS1122 (1 of 5)
rev0


7.9.1

7

Table A: MPFAC-HIF-IS; Components and Concentrations (ng/mL, ± 5% in methanol/water (<1%))

Compound	Acronym	Concentration (ng/mL)		Peak Assignment in Figure 1
		as the salt	as the acid	
Perfluoro-n-(2,3,4- ¹³ C ₃)butanoic acid	M3PFBA	1000		1
Perfluoro-n-(1,2- ¹³ C ₂)hexanoic acid	MPFHxA	500		2
Perfluoro-n-(1,2,3,4- ¹³ C ₄)octanoic acid	MPFOA	500		4
Perfluoro-n-(1,2,3,4,5- ¹³ C ₅)nonanoic acid	MPFNA	250		5
Perfluoro-n-(1,2- ¹³ C ₂)decanoic acid	MPFDA	250		7
Compound	Acronym	Concentration* (ng/mL)		Peak Assignment in Figure 1
		as the salt	as the acid	
Sodium perfluoro-1-hexane(¹⁸ O ₂)sulfonate	MPFHxS	500	474	3
Sodium perfluoro-1-(1,2,3,4- ¹³ C ₄)octanesulfonate	MPFOS	500	479	6

* Concentrations have been rounded to three significant figures.

Certified By: 
B.G. Chittim, General Manager

Date: 12/05/2022
(mm/dd/yyyy)



11626
rec'd 01/26/23

CERTIFIED WEIGHT REPORT

Part Number: **64029A**
Lot Number: **110922**
Description: **PFOA - DOD**
28 components
Expiration Date: **110827**
Recommended Storage: **Freezer (0 °C)**
Nominal Concentration (µg/mL): **1.0**
NIST Test ID#: **6UTB**

Solvent(s): **Methanol (1 mM KOH)**
2-Propanol
Lot# **102722 (98%)**
32500 (2%)

Formulated By: <i>P. S. Chauhan</i>	110922
Prepared By: <i>Prashant Chauhan</i>	DATE
Reviewed By: <i>Prashant Chauhan</i>	110922
Reviewed By: <i>Prashant Chauhan</i>	DATE

Volume(s) shown below were combined and diluted to (mL):
Note: All assigned values are anion concentrations.

Compound	Part Number	Lot Number	Dilution Factor	Initial Vol. (mL)	Uncertainty Pipette (mL)	Initial Conc. (µg/mL)	Final Conc. (µg/mL)	Expanded Uncertainty (+/-) µg/mL	SDS Information (Solvent Safety Info. On Attached pg.)		
									Free Acid CAS#	OSHA PEL (TWA)	LD50
1. Perfluoro-n-butanoic acid (PFBA)	99542	110922	0.02	2.00	0.017	50.1	1.00	0.02	375-22-4	N/A	N/A
2. Perfluoro-n-pentanoic acid (PFPeA)	99543	050222	0.02	2.00	0.017	50.3	1.01	0.02	2706-90-3	N/A	N/A
3. Perfluorohexanoic acid (PFHxA)	99199	071122	0.02	2.00	0.017	50.2	1.00	0.02	307-24-4	N/A	N/A
4. Perfluoroheptanoic acid (PFHpA)	99197	110922	0.02	2.00	0.017	50.1	1.00	0.02	375-85-9	N/A	N/A
5. Perfluorooctanoic acid (br-PFOA)*	99202	080522	0.02	2.00	0.017	50.2	1.00	0.02	335-67-1 (L)	N/A	ip-rat 189mg/kg
6. Perfluorononanoic acid (PFNA)	99200	110922	0.02	2.00	0.017	50.1	1.00	0.02	375-95-1	N/A	N/A
7. Perfluorodecanoic acid (PFDA)	99195	110922	0.02	2.00	0.017	50.0	1.00	0.02	335-76-2	N/A	rat 57mg/kg
8. Perfluoroundecanoic acid (PFUnA)	99205	071522	0.02	2.00	0.017	50.2	1.00	0.02	2058-94-8	N/A	N/A
9. Perfluorododecanoic acid (PFDoA)	99196	071522	0.02	2.00	0.017	50.1	1.00	0.02	307-55-1	N/A	N/A
10. Perfluorotridecanoic acid (PTTDA)	99204	110922	0.02	2.00	0.017	50.1	1.00	0.02	72629-94-8	N/A	N/A
11. Perfluorotetradecanoic acid (PTeDA)	99203	033022	0.02	2.00	0.017	50.1	1.00	0.02	376-06-7	N/A	N/A
12. Perfluoro-1-octanesulfonamide (FOSA)	3677	FOSA03221	0.02	2.00	0.017	50.0	1.00	0.05	2355-31-9 (L)	N/A	N/A
13. N-Methylperfluoro-1-octanesulfonamidoacetic acid (br-NMeFOSAA)*	4162	brNMeFOSAA0422	0.02	2.00	0.017	50.0	1.00	0.05	2991-50-6 (L)	N/A	N/A
14. N-Ethylperfluoro-1-octanesulfonamidoacetic acid (br-NEFOSAA)*	4163	brNEFOSAA1121	0.02	2.00	0.017	50.0	1.00	0.05	2991-50-6 (L)	N/A	N/A
15. Perfluorobutanesulfonic acid (PFBS)	99194	080522	0.02	2.00	0.017	50.2	1.00	0.02	375-73-5	N/A	N/A
16. Perfluoro-1-pentanesulfonic acid (PFPeS)	99544	032422	0.02	2.00	0.017	50.1	1.00	0.02	2706-91-4	N/A	N/A
17. Perfluorohexanesulfonic acid (br-PFHxS)*	99198	071522	0.02	2.00	0.017	50.2	1.00	0.02	355-46-4 (L)	N/A	N/A
18. Perfluoro-1-heptanesulfonic acid (PFHpS)	3672	LPFHPS0822	0.021	2.10	0.017	47.6	1.00	0.05	375-92-8	N/A	N/A
19. Heptadecafluorooctanesulfonic acid (br-PFOS)*	99201	033022	0.02	2.00	0.017	50.1	1.00	0.02	1763-23-1 (L)	N/A	N/A
20. Perfluoro-1-nonanesulfonic acid (PFNS)	3957	LPFN1021	0.021	2.10	0.017	48.0	1.01	0.05	68259-12-1	N/A	N/A
21. Perfluoro-1-decanesulfonic acid (PFDS)	3671	LPFDS0222	0.021	2.10	0.017	48.2	1.01	0.05	335-77-3	N/A	N/A
22. 1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2FTS)	65271	080522	0.02	2.00	0.017	50.2	1.00	0.05	757124-72-4	N/A	N/A
23. 1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2FTS)	65272	071522	0.02	2.00	0.017	50.2	1.00	0.05	29108-34-4	N/A	N/A
24. 1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2FTS)	3662	82FTS0822	0.021	2.10	0.017	47.9	1.01	0.05	3763-23-1 (L)	N/A	N/A
25. 2-(Heptafluoropropoxy)-2,3,3,3-tetrafluoropropanoic acid (HFPO-DA)	99666	080522	0.02	2.00	0.017	50.1	1.00	0.02	13252-13-6	N/A	N/A
26. 11-Chlorooctadecafluoro-3-oxadecane-1-sulfonic acid (11Cl-PF3OUdS)	4165	11ClPF3OUdS0522	0.021	2.12	0.017	47.1	1.00	0.05	763051-92-9	N/A	N/A
27. 9-Chlorooctadecafluoro-3-oxanone-1-sulfonic acid (9Cl-PF3ONS)	4164	9ClPF3ONS0522	0.021	2.14	0.017	46.8	1.00	0.05	756426-58-1	N/A	N/A
28. Dodecafluoro-3H-4,8-dioxanonanoic acid (ADONA)	4103	NaDONA0922	0.021	2.12	0.017	47.1	1.00	0.05	919005-14-4	N/A	N/A
Perfluorooctanoic acid (linear)*	99202	080522	0.02	2.00	0.004	49.6	0.99	0.010	335-67-1 (L)	N/A	ip-rat 189mg/kg
Perfluorooctanoic acid (branched isomer)*	99202	080522	0.02	2.00	0.004	0.6	0.01	0.001	335-67-1 (L)	N/A	ip-rat 189mg/kg
Perfluorohexanesulfonic acid (linear)*	99198	071522	0.02	2.00	0.017	44.2	0.88	0.02	355-46-4 (L)	N/A	N/A
Perfluorohexanesulfonic acid (branched isomer)*	99198	071522	0.02	2.00	0.017	6.0	0.12	0.0021	355-46-4 (L)	N/A	N/A
Heptadecafluorooctanesulfonic acid (linear)*	99201	033022	0.02	2.00	0.017	38.1	0.76	0.02	1763-23-1 (L)	N/A	N/A
Heptadecafluorooctanesulfonic acid (branched isomer)*	99201	033022	0.02	2.00	0.017	7.5	0.15	0.003	1763-23-1 (L)	N/A	N/A
Heptadecafluorooctanesulfonic acid (branched isomer)*	99201	033022	0.02	2.00	0.017	4.0	0.08	0.002	1763-23-1 (L)	N/A	N/A
Heptadecafluorooctanesulfonic acid (branched isomer)*	99201	033022	0.02	2.00	0.017	0.5	0.010	0.0002	1763-23-1 (L)	N/A	N/A
N-Methylperfluoro-1-octanesulfonamidoacetic acid (linear)*	4162	brNMeFOSAA0422	0.02	2.00	0.017	36.0	0.72	0.04	2355-31-9 (L)	N/A	N/A
N-Methylperfluoro-1-octanesulfonamidoacetic acid (branched)*	4162	brNMeFOSAA0422	0.02	2.00	0.017	6.5	0.13	0.011	2355-31-9 (L)	N/A	N/A
N-Methylperfluoro-1-octanesulfonamidoacetic acid (branched)*	4162	brNMeFOSAA0422	0.02	2.00	0.017	5.0	0.10	0.005	2355-31-9 (L)	N/A	N/A
N-Methylperfluoro-1-octanesulfonamidoacetic acid (branched)*	4162	brNMeFOSAA0422	0.02	2.00	0.017	2.5	0.05	0.0009	2355-31-9 (L)	N/A	N/A
N-Ethylperfluoro-1-octanesulfonamidoacetic acid (linear)*	4163	brNEFOSAA1121	0.02	2.00	0.017	36.6	0.73	0.04	2991-50-6 (L)	N/A	N/A
N-Ethylperfluoro-1-octanesulfonamidoacetic acid (branched)*	4163	brNEFOSAA1121	0.02	2.00	0.017	7.7	0.15	0.009	2991-50-6 (L)	N/A	N/A
N-Ethylperfluoro-1-octanesulfonamidoacetic acid (branched)*	4163	brNEFOSAA1121	0.02	2.00	0.017	6.3	0.11	0.005	2991-50-6 (L)	N/A	N/A
N-Ethylperfluoro-1-octanesulfonamidoacetic acid (branched)*	4163	brNEFOSAA1121	0.02	2.00	0.017	0.4	0.007	0.0006	2991-50-6 (L)	N/A	N/A

*Concentrations for branched and linear isomers are based on LCMS chromatographic analysis only.

A qualitative standard (Sect. 3.19) is available for PFOA that contains the linear and branched isomers (Wellington Labs, Cat. No. T-PFOA, or equivalent). This qualitative PFOA standard must be purchased and used to identify the retention times of the branched PFOA isomers, but the linear only PFOA standard must be used for quantitation (Sect. 12.2) until a quantitative PFOA standard containing the branched and linear isomers becomes commercially available.

The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
All Standards, after opening ampule, should be stored with caps tight and under appropriate laboratory conditions.
Uncertainty Reference: Taylor, B.N. and Kaye, C.E. "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Results," NIST Technical Note 1297, U.S. Government Printing Office, Washington, DC, (1994).

11636 A-J
rec'd 02/06/23



WELLINGTON LABORATORIES

CERTIFICATE OF ANALYSIS DOCUMENTATION

MPFAC-HIF-ES

Mass-Labelled PFAS Extraction Standard Solution/Mixture

PRODUCT CODE: MPFAC-HIF-ES
LOT NUMBER: MPFACHIFES1022
SOLVENT(S): Methanol/Isopropanol (1%)/Water (<1%)
DATE PREPARED: (mm/dd/yyyy) 10/28/2022
LAST TESTED: (mm/dd/yyyy) 11/23/2022
EXPIRY DATE: (mm/dd/yyyy) 11/23/2025
RECOMMENDED STORAGE: Refrigerate ampoule

DESCRIPTION:

MPFAC-HIF-ES is a solution/mixture of ten mass-labelled (^{13}C) perfluoroalkylcarboxylic acids (C_4 - C_{12} , C_{14}), three mass-labelled (^{13}C) perfluoroalkanesulfonates (C_4 , C_6 , and C_8), three mass-labelled (one ^{13}C and two ^2H) perfluoro-1-octanesulfonamides, three mass-labelled (^{13}C) fluorotelomer sulfonates (4:2, 6:2, and 8:2), two mass-labelled (^2H) perfluorooctanesulfonamidoacetic acids, two mass-labelled (^2H) perfluorooctanesulfonamidoethanols, and mass-labelled (^{13}C) hexafluoropropylene oxide dimer acid (GenX, M3HFPO-DA). The components and their concentrations are given in Table A.

The individual ^{13}C -labelled components all have chemical purities >98% and isotopic purities of $\geq 99\%$. The individual ^2H -labelled components all have chemical purities >98% and isotopic purities of $\geq 98\%$.

DOCUMENTATION/ DATA ATTACHED:

Table A: Components and Concentrations of the Solution/Mixture
Figure 1: LC/MS Data (SIR)
Figure 2: LC/MS/MS Data (Selected MRM Transitions)

ADDITIONAL INFORMATION:

- See page 2 for further details.
- Contains 4 mole eq. of NaOH to prevent conversion of the carboxylic acids to their respective methyl esters.


FOR LABORATORY USE ONLY: NOT FOR HUMAN OR DRUG USE

Wellington Laboratories Inc., 345 Southgate Dr. Guelph ON N1G 3M5 CANADA
519-822-2436 • Fax: 519-822-2849 • info@well-labs.com

Table A: MPFAC-HIF-ES; Components and Concentrations (ng/mL, ± 5% in methanol/isopropanol (1%)/water (<1%))

Compound	Acronym	Concentration (ng/mL)		Peak Assignment in Figure 1
		as the salt	as the acid	
Perfluoro-n-(¹³ C ₄)butanoic acid	MPFBA	2000		1
Perfluoro-n-(¹³ C ₅)pentanoic acid	M5PFPeA	1000		2
Perfluoro-n-(1,2,3,4,6- ¹³ C ₅)hexanoic acid	M5PFHxA	500		5
Perfluoro-n-(1,2,3,4- ¹³ C ₅)heptanoic acid	M4PFHpA	500		7
Perfluoro-n-(¹³ C ₈)octanoic acid	M8PFOA	500		10
Perfluoro-n-(¹³ C ₉)nonanoic acid	M9PFNA	250		11
Perfluoro-n-(1,2,3,4,5,6- ¹³ C ₉)decanoic acid	M6PFDA	250		14
Perfluoro-n-(1,2,3,4,5,6,7- ¹³ C ₉)undecanoic acid	M7PFUdA	250		18
Perfluoro-n-(1,2- ¹³ C ₁₂)dodecanoic acid	MPFDoA	250		19
Perfluoro-n-(1,2- ¹³ C ₁₄)tetradecanoic acid	M2PFTeDA	250		22
Perfluoro-1-(¹³ C ₈)octanesulfonamide	M8FOSA	500		17
N-methyl-d ₃ -perfluoro-1-octanesulfonamide	d-N-MeFOSA	500		21
N-ethyl-d ₅ -perfluoro-1-octanesulfonamide	d-N-EtFOSA	500		24
N-methyl-d ₃ -perfluoro-1-octanesulfonamidoacetic acid	d3-N-MeFOSAA	1000		15
N-ethyl-d ₅ -perfluoro-1-octanesulfonamidoacetic acid	d5-N-EtFOSAA	1000		16
2-(N-methyl-d ₃ -perfluoro-1-octanesulfonamido)ethan-d ₃ -ol	d7-N-MeFOSE	5000		20
2-(N-ethyl-d ₅ -perfluoro-1-octanesulfonamido)ethan-d ₃ -ol	d9-N-EtFOSE	5000		23
2,3,3,3-Tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoropropoxy)(¹³ C ₃)propanoic acid	M3HFPO-DA	2000		6
Compound	Acronym	Concentration* (ng/mL)		Peak Assignment in Figure 1
		as the salt	as the acid	
Sodium perfluoro-1-(2,3,4- ¹³ C ₃)butanesulfonate	M3PFBS	500	466	3
Sodium perfluoro-1-(1,2,3- ¹³ C ₃)hexanesulfonate	M3PFHxS	500	474	8
Sodium perfluoro-1-(¹³ C ₈)octanesulfonate	M8PFOS	500	479	12
Sodium 1H,1H,2H,2H-perfluoro-(1,2- ¹³ C ₂)hexanesulfonate	M2-4:2FTS	1000	938	4
Sodium 1H,1H,2H,2H-perfluoro-(1,2- ¹³ C ₂)octanesulfonate	M2-6:2FTS	1000	951	9
Sodium 1H,1H,2H,2H-perfluoro-(1,2- ¹³ C ₂)decanesulfonate	M2-8:2FTS	1000	960	13

* Concentrations have been rounded to three significant figures.

Certified By: 
B.G. Chittim, General Manager

Date: 11/24/2022
(mm/dd/yyyy)

SGS - ORLANDO

SPE LIQUID SAMPLE PREP REPORT

Date/Time Started: 05/03/23 11:00
(mm/dd/yy 24:00)

Method: EPA 1633 Draft (QSM) 1:5+46

Date/Time Finished: 05/04/23 10:45
(mm/dd/yy 24:00)

Balance ID: _____

Batch#: OP96701 Ext. By: GH

Conc. By: _____ Viald By: _____

GH
5/03/23

Sample ID	Bottle Number	Amount Extracted (ml)	Initial pH	Adjusted pH	Surrogate Amount (ul)	Spike Amount (ul)	Final Volume (ml)	Manifold ID	Comments
OP 96701MB	/	500	7	N/A	25		5	AL	
OP 96701BS	/	500	7			200			
OP 96701LBS	/	500	7			60			
FC5726-1	2	520	6						
	2	520							
	3	560							
	4	570							
	5	520	6	N/A	25		5	AL	
OP FC5726-2MS	3	540	6	N/A	25	200	5	AL	
OP FC5726-3DUP	3	570	6	N/A	25		5	AL	

Comments:

EIS (SURR) ID: 117710-F Conc: 250-5000 ng/ml Exp. Date: 05/1/24 Inj. By: GH Ver. By: DBL
 SPIKE.1 ID: LCMS2107A Conc: VARIED Exp. Date: 10/27/23 Inj. By: GH Ver. By: DBL
 SPIKE.2 ID: _____ Conc: _____ Exp. Date: _____ Inj. By: _____ Ver. By: _____
 NIS (ISTD) ID: 11764G-J Conc: 250-1000 ng/ml Exp. Date: 04/27/24 Inj. By: NG Ver. By: MV

TurboVap Temp (Therm ID): _____ N-Evap Temp (Therm ID): _____
 Observed Temp °C: _____ Corr. Temp °C: _____ Observed Temp °C: _____ Corr. Temp °C: _____

Methanol Lot # 224231 1% NH4OH MeOH PF383 SPE Lot # 6723930-02
 Water Lot# OP96255 0.3M Formic Acid PF375 Syringe filter Lot #
 Acetic Acid# 194003 3% NH4OH Sol pH paper Lot# 215322
 0.1M Formic PF382 5% Formic Acid Carbon Lot# 160898

Relinquished By: Helmuth Fackel
 Accepted By: NS

Date: 05/03/23
 Date: 05/04/23

7.10.1
7