

The results set forth herein are provided by SGS North America Inc.

e-Hardcopy 2.0
Automated Report

Technical Report for

AECOM, INC.

N6274223F0104 RH Fire Suppression System

60697810

SGS Job Number: FC6649A

Sampling Date: 06/05/23



Report to:

AECOM, Inc
7595 Technology Way
Denver, CO 80237
katie.abbott@aecom.com; mark.kromis@aecom.com;
watson.tanji@aecom.com; kristin.rutherford@aecom.com
ATTN: Katie Abbott

Total number of pages in report: 46



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

Norm Farmer
Technical Director

Client Service contact: Elvin Kumar 407-425-6700

Certifications: FL(E83510), LA(03051), KS(E-10327), NC(573), NJ(FL002), NY(12022), SC(96038001)
DoD ELAP(ANAB L2229), AZ(AZ0806), CA(2937), TX(T104704404), PA(68-03573), VA(460177),
AL, AK, AR, CT, IA, KY, MA, MI, MS, ND, NH, NV, OK, OR, IL, UT, VT, WA, WI, WV

This report shall not be reproduced, except in its entirety, without the written approval of SGS.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Case Narrative/Conformance Summary	4
Section 3: Summary of Hits	5
Section 4: Sample Results	6
4.1: FC6649-3: AF-RHMW10-WGN01LF-2306	7
4.2: FC6649-4: AF-RHMW04-WGN01LF-2306	10
4.3: FC6649-5: AF-RHMW16-WGN01LF-2306	13
4.4: FC6649-6: AF-RHMW06-WGN01LF-2306	16
Section 5: Misc. Forms	19
5.1: Chain of Custody	20
5.2: QC Evaluation: DOD QSM5.x Limits	29
Section 6: MS Semi-volatiles - QC Data Summaries	30
6.1: Method Blank Summary	31
6.2: Blank Spike Summary	39
6.3: Matrix Spike Summary	43
6.4: Duplicate Summary	45

1

2

3

4

5

6



Sample Summary

AECOM, INC.

Job No: FC6649A

N6274223F0104 RH Fire Suppression System
Project No: 60697810

Sample Number	Collected Date	Time By	Received	Matrix Code	Type	Client Sample ID
FC6649-3	06/05/23	10:40	G MAY 06/06/23	AQ	Ground Water	AF-RHMW10-WGN01LF-2306
FC6649-4	06/05/23	11:05	CH 06/06/23	AQ	Ground Water	AF-RHMW04-WGN01LF-2306
FC6649-5	06/05/23	12:50	CPAY 06/06/23	AQ	Ground Water	AF-RHMW16-WGN01LF-2306
FC6649-6	06/05/23	15:00	CH 06/06/23	AQ	Ground Water	AF-RHMW06-WGN01LF-2306

SAMPLE DELIVERY GROUP CASE NARRATIVE

Client: AECOM, INC.

Job No: FC6649A

Site: N6274223F0104 RH Fire Suppression System

Report Date: 6/14/2023 2:54:16 PM

On 06/06/2023, 4 Sample(s), 0 Trip Blank(s) and 0 Field Blank(s) were received at SGS North America Inc - Orlando. at a maximum corrected temperature of 4.2 C. Samples were intact and chemically preserved, unless noted below. A SGS North America Inc. - Orlando Job Number of FC6649A was assigned to the project.

Laboratory sample ID, client sample ID and dates of sample collection are detailed in the report's Results Summary Section. Specified quality control criteria were achieved for this job except as noted below. For more information, please refer to the analytical results and QC summary pages.

MS Semi-volatiles By Method EPA DRAFT 1633

Matrix: AQ

Batch ID: OP97275

Sample(s) FC6649-1MS, FC6649-4DUP, FC6649-1MS were used as the QC samples indicated.

Blank Spike Recovery(s) for 3:3 Fluorotelomer carboxylate are outside control limits.

Matrix Spike Recovery(s) for 3:3 Fluorotelomer carboxylate, PFMPA are outside control limits. Probable cause is due to matrix interference.

RPD(s) for Duplicate for 6:2 Fluorotelomer sulfonate are outside control limits for sample OP97275-DUP. Probable cause is due to sample non-homogeneity.

FC6649-3 for 3:3 Fluorotelomer carboxylate: Associated BS recovery outside control limits.

FC6649-3 for MeFOSAA: Associated Low Level CCV outside of control limits high, sample was ND.

FC6649-3 for Perfluorodecanesulfonic acid: Associated Low Level CCV outside of control limits high, sample was ND.

FC6649-3 for PFEESA: Associated Low Level CCV outside of control limits high, sample was ND.

FC6649-4 for 3:3 Fluorotelomer carboxylate: Associated BS recovery outside control limits.

FC6649-4 for MeFOSAA: Associated Low Level CCV outside of control limits high, sample was ND.

FC6649-4 for Perfluorodecanesulfonic acid: Associated Low Level CCV outside of control limits high, sample was ND.

FC6649-4 for PFEESA: Associated Low Level CCV outside of control limits high, sample was ND.

FC6649-5 for 3:3 Fluorotelomer carboxylate: Associated BS recovery outside control limits.

FC6649-5 for MeFOSAA: Associated Low Level CCV outside of control limits high, sample was ND.

FC6649-5 for Perfluorodecanesulfonic acid: Associated Low Level CCV outside of control limits high, sample was ND.

FC6649-5 for PFEESA: Associated Low Level CCV outside of control limits high, sample was ND.

FC6649-6 for 3:3 Fluorotelomer carboxylate: Associated BS recovery outside control limits.

FC6649-6 for MeFOSAA: Associated Low Level CCV outside of control limits high, sample was ND.

FC6649-6 for Perfluorodecanesulfonic acid: Associated Low Level CCV outside of control limits high, sample was ND.

FC6649-6 for PFEESA: Associated Low Level CCV outside of control limits high, sample was ND.

SGS North America Inc. - Orlando certifies that data reported for samples received, listed on the associated custody chain or analytical task order, were produced to specifications meeting the Quality System precision, accuracy and completeness objectives except as noted. Estimated non-standard method measurement uncertainty data is available on request, based on quality control bias and implicit for standard methods. Acceptable uncertainty requires tested parameter quality control data to meet method criteria. SGS North America Inc.- Orlando is not responsible for data quality assumptions if partial reports are used and recommends that this report be used in its entirety.

Narrative prepared by:

Kim Benham, Client Services *(Signature on File)*

Summary of Hits

Job Number: FC6649A
Account: AECOM, INC.
Project: N6274223F0104 RH Fire Suppression System
Collected: 06/05/23



Lab Sample ID	Client Sample ID	Result/ Qual	LOQ	LOD	Units	Method
---------------	------------------	-----------------	-----	-----	-------	--------

FC6649-3 AF-RHMW10-WGN01LF-2306

No hits reported in this sample.

FC6649-4 AF-RHMW04-WGN01LF-2306

6:2 Fluorotelomer sulfonate	8.5 J	19	7.5	ng/l	EPA DRAFT 1633
-----------------------------	-------	----	-----	------	----------------

FC6649-5 AF-RHMW16-WGN01LF-2306

No hits reported in this sample.

FC6649-6 AF-RHMW06-WGN01LF-2306

No hits reported in this sample.

Sample Results

Report of Analysis

Report of Analysis

Client Sample ID:	AF-RHMW10-WGN01LF-2306		
Lab Sample ID:	FC6649-3	Date Sampled:	06/05/23
Matrix:	AQ - Ground Water	Date Received:	06/06/23
Method:	EPA DRAFT 1633 EPA 1633 DRAFT	Percent Solids:	n/a
Project:	N6274223F0104 RH Fire Suppression System		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	6Q19271.D	1	06/12/23 23:01	MV	06/09/23 11:30	OP97275	S6Q287
Run #2							

Run #	Initial Volume	Final Volume
Run #1	570 ml	5.0 ml
Run #2		

CAS No.	Compound	Result	LOQ	LOD	DL	Units	Q
---------	----------	--------	-----	-----	----	-------	---

PERFLUOROALKYL CARBOXYLIC ACIDS

375-22-4	Perfluorobutanoic acid	3.5 U	14	3.5	1.7	ng/l	
2706-90-3	Perfluoropentanoic acid	1.8 U	7.0	1.8	0.82	ng/l	
307-24-4	Perfluorohexanoic acid	1.8 U	3.5	1.8	0.44	ng/l	
375-85-9	Perfluoroheptanoic acid	1.8 U	3.5	1.8	0.44	ng/l	
335-67-1	Perfluorooctanoic acid	0.88 U	3.5	0.88	0.44	ng/l	
375-95-1	Perfluorononanoic acid	1.8 U	3.5	1.8	0.54	ng/l	
335-76-2	Perfluorodecanoic acid	1.8 U	3.5	1.8	0.44	ng/l	
2058-94-8	Perfluoroundecanoic acid	1.8 U	3.5	1.8	0.53	ng/l	
307-55-1	Perfluorododecanoic acid	1.8 U	3.5	1.8	0.53	ng/l	
72629-94-8	Perfluorotridecanoic acid	1.8 U	3.5	1.8	0.74	ng/l	
376-06-7	Perfluorotetradecanoic acid	1.8 U	3.5	1.8	0.44	ng/l	

PERFLUOROALKYL SULFONIC ACIDS

375-73-5	Perfluorobutanesulfonic acid	1.8 U	3.5	1.8	0.44	ng/l	
2706-91-4	Perfluoropentanesulfonic acid	3.5 U	4.4	3.5	0.98	ng/l	
355-46-4	Perfluorohexanesulfonic acid	1.8 U	3.5	1.8	0.61	ng/l	
375-92-8	Perfluoroheptanesulfonic acid	1.8 U	3.5	1.8	0.44	ng/l	
1763-23-1	Perfluorooctanesulfonic acid	1.8 U	3.5	1.8	0.47	ng/l	
68259-12-1	Perfluorononanesulfonic acid	1.8 U	3.5	1.8	0.50	ng/l	
335-77-3	Perfluorodecanesulfonic acid ^a	1.8 U	3.5	1.8	0.56	ng/l	
79780-39-5	Perfluorododecanesulfonic aci	3.5 U	4.4	3.5	1.0	ng/l	

FLUOROTELOMER SULFONIC ACIDS

757124-72-4	4:2 Fluorotelomer sulfonate	7.0 U	18	7.0	2.8	ng/l	
27619-97-2	6:2 Fluorotelomer sulfonate	7.0 U	18	7.0	3.0	ng/l	
39108-34-4	8:2 Fluorotelomer sulfonate	7.0 U	18	7.0	3.6	ng/l	

PERFLUOROOCCTANE SULFONAMIDES

754-91-6	PFOSA	1.8 U	3.5	1.8	0.59	ng/l	
31506-32-8	MeFOSA	3.5 U	7.0	3.5	0.88	ng/l	
4151-50-2	EtFOSA	3.5 U	7.0	3.5	0.88	ng/l	

U = Not detected LOD = Limit of Detection J = Indicates an estimated value
 LOQ = Limit of Quantitation DL = Detection Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	AF-RHMW10-WGN01LF-2306		
Lab Sample ID:	FC6649-3	Date Sampled:	06/05/23
Matrix:	AQ - Ground Water	Date Received:	06/06/23
Method:	EPA DRAFT 1633 EPA 1633 DRAFT	Percent Solids:	n/a
Project:	N6274223F0104 RH Fire Suppression System		

CAS No.	Compound	Result	LOQ	LOD	DL	Units	Q
---------	----------	--------	-----	-----	----	-------	---

PERFLUOROOCCTANE SULFONAMIDOACETIC ACIDS

2355-31-9	MeFOSAA ^a	3.5 U	4.4	3.5	0.88	ng/l	
2991-50-6	EtFOSAA	3.5 U	4.4	3.5	1.2	ng/l	

PERFLUOROOCCTANE SULFONAMIDO ETHANOLS

24448-09-7	MeFOSE	18 U	35	18	3.8	ng/l	
1691-99-2	EtFOSE	18 U	35	18	6.5	ng/l	

PER and POLYFLUOROETHER CARBOXYLIC ACIDS

13252-13-6	HFPO-DA (GenX)	1.8 U	3.5	1.8	0.88	ng/l	
919005-14-4	ADONA	3.5 U	7.0	3.5	1.6	ng/l	
377-73-1	PFMPA	1.8 U	7.0	1.8	0.88	ng/l	
863090-89-5	PFMBA	3.5 U	7.0	3.5	1.0	ng/l	
151772-58-6	NFDHA	3.5 U	7.0	3.5	1.1	ng/l	

PER and POLYFLUOROETHER SULFONIC ACIDS

756426-58-1	9Cl-PF3ONS (F-53B Major)	3.5 U	7.0	3.5	1.2	ng/l	
763051-92-9	11Cl-PF3OUdS (F-53B Minor)	3.5 U	7.0	3.5	1.5	ng/l	
113507-82-7	PFEESA ^a	1.8 U	7.0	1.8	0.68	ng/l	

FLUOROTELOMER CARBOXYLIC ACIDS

356-02-5	3:3 Fluorotelomer carboxylat ^b	8.8 U	18	8.8	4.0	ng/l	
914637-49-3	5:3 Fluorotelomer carboxylate	18 U	88	18	7.7	ng/l	
812-70-4	7:3 Fluorotelomer carboxylate	18 U	88	18	6.9	ng/l	

CAS No.	ID Standard Recoveries	Run# 1	Run# 2	Limits
	13C4-PFBA	117%		20-150%
	13C5-PFPeA	118%		20-150%
	13C5-PFHxA	113%		20-150%
	13C4-PFHpA	114%		20-150%
	13C8-PFOA	128%		20-150%
	13C9-PFNA	113%		20-150%
	13C6-PFDA	123%		20-150%
	13C7-PFUnDA	113%		20-150%
	13C2-PFDoDA	115%		20-150%
	13C2-PFTeDA	102%		20-150%
	13C3-PFBS	120%		20-150%
	13C3-PFHxS	121%		20-150%

U = Not detected LOD = Limit of Detection J = Indicates an estimated value
 LOQ = Limit of Quantitation DL = Detection Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	AF-RHMW10-WGN01LF-2306	
Lab Sample ID:	FC6649-3	Date Sampled: 06/05/23
Matrix:	AQ - Ground Water	Date Received: 06/06/23
Method:	EPA DRAFT 1633 EPA 1633 DRAFT	Percent Solids: n/a
Project:	N6274223F0104 RH Fire Suppression System	

CAS No.	ID Standard Recoveries	Run# 1	Run# 2	Limits
	13C8-PFOS	120%		20-150%
	13C8-FOSA	102%		20-150%
	d3-MeFOSA	94%		20-150%
	d5-EtFOSA	98%		20-150%
	d3-MeFOSAA	115%		20-150%
	d5-EtFOSAA	117%		20-150%
	d7-MeFOSE	82%		20-150%
	d9-EtFOSE	84%		20-150%
	13C2-4:2FTS	138%		20-180%
	13C2-6:2FTS	132%		20-180%
	13C2-8:2FTS	119%		20-180%
	13C3-HFPO-DA	117%		20-150%

- (a) Associated Low Level CCV outside of control limits high, sample was ND.
- (b) Associated BS recovery outside control limits.

U = Not detected LOD = Limit of Detection J = Indicates an estimated value
 LOQ = Limit of Quantitation DL = Detection Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	AF-RHMW04-WGN01LF-2306		
Lab Sample ID:	FC6649-4	Date Sampled:	06/05/23
Matrix:	AQ - Ground Water	Date Received:	06/06/23
Method:	EPA DRAFT 1633 EPA 1633 DRAFT	Percent Solids:	n/a
Project:	N6274223F0104 RH Fire Suppression System		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	6Q19274.D	1	06/12/23 23:43	MV	06/09/23 11:30	OP97275	S6Q287
Run #2							

Run #	Initial Volume	Final Volume
Run #1	530 ml	5.0 ml
Run #2		

CAS No. Compound Result LOQ LOD DL Units Q

PERFLUOROALKYL CARBOXYLIC ACIDS

375-22-4	Perfluorobutanoic acid	3.8 U	15	3.8	1.8	ng/l	
2706-90-3	Perfluoropentanoic acid	1.9 U	7.5	1.9	0.89	ng/l	
307-24-4	Perfluorohexanoic acid	1.9 U	3.8	1.9	0.47	ng/l	
375-85-9	Perfluoroheptanoic acid	1.9 U	3.8	1.9	0.47	ng/l	
335-67-1	Perfluorooctanoic acid	0.94 U	3.8	0.94	0.47	ng/l	
375-95-1	Perfluorononanoic acid	1.9 U	3.8	1.9	0.58	ng/l	
335-76-2	Perfluorodecanoic acid	1.9 U	3.8	1.9	0.47	ng/l	
2058-94-8	Perfluoroundecanoic acid	1.9 U	3.8	1.9	0.57	ng/l	
307-55-1	Perfluorododecanoic acid	1.9 U	3.8	1.9	0.57	ng/l	
72629-94-8	Perfluorotridecanoic acid	1.9 U	3.8	1.9	0.79	ng/l	
376-06-7	Perfluorotetradecanoic acid	1.9 U	3.8	1.9	0.47	ng/l	

PERFLUOROALKYL SULFONIC ACIDS

375-73-5	Perfluorobutanesulfonic acid	1.9 U	3.8	1.9	0.47	ng/l	
2706-91-4	Perfluoropentanesulfonic acid	3.8 U	4.7	3.8	1.1	ng/l	
355-46-4	Perfluorohexanesulfonic acid	1.9 U	3.8	1.9	0.66	ng/l	
375-92-8	Perfluoroheptanesulfonic acid	1.9 U	3.8	1.9	0.47	ng/l	
1763-23-1	Perfluorooctanesulfonic acid	1.9 U	3.8	1.9	0.51	ng/l	
68259-12-1	Perfluorononanesulfonic acid	1.9 U	3.8	1.9	0.54	ng/l	
335-77-3	Perfluorodecanesulfonic acid ^a	1.9 U	3.8	1.9	0.60	ng/l	
79780-39-5	Perfluorododecanesulfonic aci	3.8 U	4.7	3.8	1.1	ng/l	

FLUOROTELOMER SULFONIC ACIDS

757124-72-4	4:2 Fluorotelomer sulfonate	7.5 U	19	7.5	3.0	ng/l	
27619-97-2	6:2 Fluorotelomer sulfonate	8.5	19	7.5	3.3	ng/l	J
39108-34-4	8:2 Fluorotelomer sulfonate	7.5 U	19	7.5	3.9	ng/l	

PERFLUOROOCCTANE SULFONAMIDES

754-91-6	PFOSA	1.9 U	3.8	1.9	0.63	ng/l	
31506-32-8	MeFOSA	3.8 U	7.5	3.8	0.94	ng/l	
4151-50-2	EtFOSA	3.8 U	7.5	3.8	0.94	ng/l	

U = Not detected LOD = Limit of Detection J = Indicates an estimated value
 LOQ = Limit of Quantitation DL = Detection Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID:	AF-RHMW04-WGN01LF-2306	
Lab Sample ID:	FC6649-4	Date Sampled: 06/05/23
Matrix:	AQ - Ground Water	Date Received: 06/06/23
Method:	EPA DRAFT 1633 EPA 1633 DRAFT	Percent Solids: n/a
Project:	N6274223F0104 RH Fire Suppression System	

CAS No.	Compound	Result	LOQ	LOD	DL	Units	Q
---------	----------	--------	-----	-----	----	-------	---

PERFLUOROOCCTANE SULFONAMIDOACETIC ACIDS

2355-31-9	MeFOSAA ^a	3.8 U	4.7	3.8	0.94	ng/l	
2991-50-6	EtFOSAA	3.8 U	4.7	3.8	1.3	ng/l	

PERFLUOROOCCTANE SULFONAMIDO ETHANOLS

24448-09-7	MeFOSE	19 U	38	19	4.1	ng/l	
1691-99-2	EtFOSE	19 U	38	19	7.0	ng/l	

PER and POLYFLUOROETHER CARBOXYLIC ACIDS

13252-13-6	HFPO-DA (GenX)	1.9 U	3.8	1.9	0.94	ng/l	
919005-14-4	ADONA	3.8 U	7.5	3.8	1.8	ng/l	
377-73-1	PFMPA	1.9 U	7.5	1.9	0.94	ng/l	
863090-89-5	PFMBA	3.8 U	7.5	3.8	1.1	ng/l	
151772-58-6	NFDHA	3.8 U	7.5	3.8	1.1	ng/l	

PER and POLYFLUOROETHER SULFONIC ACIDS

756426-58-1	9Cl-PF3ONS (F-53B Major)	3.8 U	7.5	3.8	1.3	ng/l	
763051-92-9	11Cl-PF3OUdS (F-53B Minor)	3.8 U	7.5	3.8	1.7	ng/l	
113507-82-7	PFEESA ^a	1.9 U	7.5	1.9	0.74	ng/l	

FLUOROTELOMER CARBOXYLIC ACIDS

356-02-5	3:3 Fluorotelomer carboxylat ^b	9.4 U	19	9.4	4.3	ng/l	
914637-49-3	5:3 Fluorotelomer carboxylate	19 U	94	19	8.2	ng/l	
812-70-4	7:3 Fluorotelomer carboxylate	19 U	94	19	7.4	ng/l	

CAS No.	ID Standard Recoveries	Run# 1	Run# 2	Limits
---------	------------------------	--------	--------	--------

	13C4-PFBA	107%		20-150%
	13C5-PFPeA	113%		20-150%
	13C5-PFHxA	117%		20-150%
	13C4-PFHpA	110%		20-150%
	13C8-PFOA	116%		20-150%
	13C9-PFNA	107%		20-150%
	13C6-PFDA	101%		20-150%
	13C7-PFUnDA	95%		20-150%
	13C2-PFDoDA	88%		20-150%
	13C2-PFTeDA	84%		20-150%
	13C3-PFBS	118%		20-150%
	13C3-PFHxS	114%		20-150%

U = Not detected LOD = Limit of Detection J = Indicates an estimated value
 LOQ = Limit of Quantitation DL = Detection Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	AF-RHMW04-WGN01LF-2306		Date Sampled:	06/05/23
Lab Sample ID:	FC6649-4		Date Received:	06/06/23
Matrix:	AQ - Ground Water		Percent Solids:	n/a
Method:	EPA DRAFT 1633 EPA 1633 DRAFT			
Project:	N6274223F0104 RH Fire Suppression System			

CAS No.	ID Standard Recoveries	Run# 1	Run# 2	Limits
	13C8-PFOS	105%		20-150%
	13C8-FOSA	92%		20-150%
	d3-MeFOSA	79%		20-150%
	d5-EtFOSA	80%		20-150%
	d3-MeFOSAA	102%		20-150%
	d5-EtFOSAA	97%		20-150%
	d7-MeFOSE	67%		20-150%
	d9-EtFOSE	69%		20-150%
	13C2-4:2FTS	135%		20-180%
	13C2-6:2FTS	127%		20-180%
	13C2-8:2FTS	109%		20-180%
	13C3-HFPO-DA	102%		20-150%

- (a) Associated Low Level CCV outside of control limits high, sample was ND.
- (b) Associated BS recovery outside control limits.

U = Not detected LOD = Limit of Detection J = Indicates an estimated value
 LOQ = Limit of Quantitation DL = Detection Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	AF-RHMW16-WGN01LF-2306		
Lab Sample ID:	FC6649-5	Date Sampled:	06/05/23
Matrix:	AQ - Ground Water	Date Received:	06/06/23
Method:	EPA DRAFT 1633 EPA 1633 DRAFT	Percent Solids:	n/a
Project:	N6274223F0104 RH Fire Suppression System		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	6Q19276.D	1	06/13/23 00:11	MV	06/09/23 11:30	OP97275	S6Q287
Run #2							

Run #	Initial Volume	Final Volume
Run #1	560 ml	5.0 ml
Run #2		

CAS No.	Compound	Result	LOQ	LOD	DL	Units	Q
---------	----------	--------	-----	-----	----	-------	---

PERFLUOROALKYL CARBOXYLIC ACIDS

375-22-4	Perfluorobutanoic acid	3.6 U	14	3.6	1.7	ng/l	
2706-90-3	Perfluoropentanoic acid	1.8 U	7.1	1.8	0.84	ng/l	
307-24-4	Perfluorohexanoic acid	1.8 U	3.6	1.8	0.45	ng/l	
375-85-9	Perfluoroheptanoic acid	1.8 U	3.6	1.8	0.45	ng/l	
335-67-1	Perfluorooctanoic acid	0.89 U	3.6	0.89	0.45	ng/l	
375-95-1	Perfluorononanoic acid	1.8 U	3.6	1.8	0.54	ng/l	
335-76-2	Perfluorodecanoic acid	1.8 U	3.6	1.8	0.45	ng/l	
2058-94-8	Perfluoroundecanoic acid	1.8 U	3.6	1.8	0.54	ng/l	
307-55-1	Perfluorododecanoic acid	1.8 U	3.6	1.8	0.54	ng/l	
72629-94-8	Perfluorotridecanoic acid	1.8 U	3.6	1.8	0.75	ng/l	
376-06-7	Perfluorotetradecanoic acid	1.8 U	3.6	1.8	0.45	ng/l	

PERFLUOROALKYL SULFONIC ACIDS

375-73-5	Perfluorobutanesulfonic acid	1.8 U	3.6	1.8	0.45	ng/l	
2706-91-4	Perfluoropentanesulfonic acid	3.6 U	4.5	3.6	1.0	ng/l	
355-46-4	Perfluorohexanesulfonic acid	1.8 U	3.6	1.8	0.62	ng/l	
375-92-8	Perfluoroheptanesulfonic acid	1.8 U	3.6	1.8	0.45	ng/l	
1763-23-1	Perfluorooctanesulfonic acid	1.8 U	3.6	1.8	0.48	ng/l	
68259-12-1	Perfluorononanesulfonic acid	1.8 U	3.6	1.8	0.51	ng/l	
335-77-3	Perfluorodecanesulfonic acid ^a	1.8 U	3.6	1.8	0.57	ng/l	
79780-39-5	Perfluorododecanesulfonic aci	3.6 U	4.5	3.6	1.0	ng/l	

FLUOROTELOMER SULFONIC ACIDS

757124-72-4	4:2 Fluorotelomer sulfonate	7.1 U	18	7.1	2.9	ng/l	
27619-97-2	6:2 Fluorotelomer sulfonate	7.1 U	18	7.1	3.1	ng/l	
39108-34-4	8:2 Fluorotelomer sulfonate	7.1 U	18	7.1	3.7	ng/l	

PERFLUOROOCCTANE SULFONAMIDES

754-91-6	PFOSA	1.8 U	3.6	1.8	0.60	ng/l	
31506-32-8	MeFOSA	3.6 U	7.1	3.6	0.89	ng/l	
4151-50-2	EtFOSA	3.6 U	7.1	3.6	0.89	ng/l	

U = Not detected LOD = Limit of Detection J = Indicates an estimated value
 LOQ = Limit of Quantitation DL = Detection Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	AF-RHMW16-WGN01LF-2306		
Lab Sample ID:	FC6649-5	Date Sampled:	06/05/23
Matrix:	AQ - Ground Water	Date Received:	06/06/23
Method:	EPA DRAFT 1633 EPA 1633 DRAFT	Percent Solids:	n/a
Project:	N6274223F0104 RH Fire Suppression System		

CAS No.	Compound	Result	LOQ	LOD	DL	Units	Q
---------	----------	--------	-----	-----	----	-------	---

PERFLUOROOCCTANE SULFONAMIDOACETIC ACIDS

2355-31-9	MeFOSAA ^a	3.6 U	4.5	3.6	0.89	ng/l	
2991-50-6	EtFOSAA	3.6 U	4.5	3.6	1.2	ng/l	

PERFLUOROOCCTANE SULFONAMIDO ETHANOLS

24448-09-7	MeFOSE	18 U	36	18	3.9	ng/l	
1691-99-2	EtFOSE	18 U	36	18	6.6	ng/l	

PER and POLYFLUOROETHER CARBOXYLIC ACIDS

13252-13-6	HFPO-DA (GenX)	1.8 U	3.6	1.8	0.89	ng/l	
919005-14-4	ADONA	3.6 U	7.1	3.6	1.7	ng/l	
377-73-1	PFMPA	1.8 U	7.1	1.8	0.89	ng/l	
863090-89-5	PFMBA	3.6 U	7.1	3.6	1.0	ng/l	
151772-58-6	NFDHA	3.6 U	7.1	3.6	1.1	ng/l	

PER and POLYFLUOROETHER SULFONIC ACIDS

756426-58-1	9Cl-PF3ONS (F-53B Major)	3.6 U	7.1	3.6	1.2	ng/l	
763051-92-9	11Cl-PF3OUdS (F-53B Minor)	3.6 U	7.1	3.6	1.6	ng/l	
113507-82-7	PFEESA ^a	1.8 U	7.1	1.8	0.70	ng/l	

FLUOROTELOMER CARBOXYLIC ACIDS

356-02-5	3:3 Fluorotelomer carboxylat ^b	8.9 U	18	8.9	4.0	ng/l	
914637-49-3	5:3 Fluorotelomer carboxylate	18 U	89	18	7.8	ng/l	
812-70-4	7:3 Fluorotelomer carboxylate	18 U	89	18	7.0	ng/l	

CAS No.	ID Standard Recoveries	Run# 1	Run# 2	Limits
---------	------------------------	--------	--------	--------

	13C4-PFBA	91%		20-150%
	13C5-PFPeA	109%		20-150%
	13C5-PFHxA	107%		20-150%
	13C4-PFHpA	105%		20-150%
	13C8-PFOA	112%		20-150%
	13C9-PFNA	95%		20-150%
	13C6-PFDA	100%		20-150%
	13C7-PFUnDA	84%		20-150%
	13C2-PFDoDA	83%		20-150%
	13C2-PFTeDA	74%		20-150%
	13C3-PFBS	111%		20-150%
	13C3-PFHxS	111%		20-150%

U = Not detected LOD = Limit of Detection J = Indicates an estimated value
 LOQ = Limit of Quantitation DL = Detection Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	AF-RHMW16-WGN01LF-2306	
Lab Sample ID:	FC6649-5	Date Sampled: 06/05/23
Matrix:	AQ - Ground Water	Date Received: 06/06/23
Method:	EPA DRAFT 1633 EPA 1633 DRAFT	Percent Solids: n/a
Project:	N6274223F0104 RH Fire Suppression System	

CAS No.	ID Standard Recoveries	Run# 1	Run# 2	Limits
	13C8-PFOS	106%		20-150%
	13C8-FOSA	96%		20-150%
	d3-MeFOSA	85%		20-150%
	d5-EtFOSA	92%		20-150%
	d3-MeFOSAA	114%		20-150%
	d5-EtFOSAA	102%		20-150%
	d7-MeFOSE	72%		20-150%
	d9-EtFOSE	76%		20-150%
	13C2-4:2FTS	125%		20-180%
	13C2-6:2FTS	128%		20-180%
	13C2-8:2FTS	104%		20-180%
	13C3-HFPO-DA	110%		20-150%

- (a) Associated Low Level CCV outside of control limits high, sample was ND.
- (b) Associated BS recovery outside control limits.

U = Not detected LOD = Limit of Detection J = Indicates an estimated value
 LOQ = Limit of Quantitation DL = Detection Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	AF-RHMW06-WGN01LF-2306		
Lab Sample ID:	FC6649-6	Date Sampled:	06/05/23
Matrix:	AQ - Ground Water	Date Received:	06/06/23
Method:	EPA DRAFT 1633 EPA 1633 DRAFT	Percent Solids:	n/a
Project:	N6274223F0104 RH Fire Suppression System		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	6Q19277.D	1	06/13/23 00:25	MV	06/09/23 11:30	OP97275	S6Q287
Run #2							

Run #	Initial Volume	Final Volume
Run #1	550 ml	5.0 ml
Run #2		

CAS No.	Compound	Result	LOQ	LOD	DL	Units	Q
---------	----------	--------	-----	-----	----	-------	---

PERFLUOROALKYL CARBOXYLIC ACIDS

375-22-4	Perfluorobutanoic acid	3.6 U	15	3.6	1.7	ng/l	
2706-90-3	Perfluoropentanoic acid	1.8 U	7.3	1.8	0.85	ng/l	
307-24-4	Perfluorohexanoic acid	1.8 U	3.6	1.8	0.45	ng/l	
375-85-9	Perfluoroheptanoic acid	1.8 U	3.6	1.8	0.45	ng/l	
335-67-1	Perfluorooctanoic acid	0.91 U	3.6	0.91	0.45	ng/l	
375-95-1	Perfluorononanoic acid	1.8 U	3.6	1.8	0.55	ng/l	
335-76-2	Perfluorodecanoic acid	1.8 U	3.6	1.8	0.45	ng/l	
2058-94-8	Perfluoroundecanoic acid	1.8 U	3.6	1.8	0.55	ng/l	
307-55-1	Perfluorododecanoic acid	1.8 U	3.6	1.8	0.55	ng/l	
72629-94-8	Perfluorotridecanoic acid	1.8 U	3.6	1.8	0.76	ng/l	
376-06-7	Perfluorotetradecanoic acid	1.8 U	3.6	1.8	0.45	ng/l	

PERFLUOROALKYL SULFONIC ACIDS

375-73-5	Perfluorobutanesulfonic acid	1.8 U	3.6	1.8	0.45	ng/l	
2706-91-4	Perfluoropentanesulfonic acid	3.6 U	4.5	3.6	1.0	ng/l	
355-46-4	Perfluorohexanesulfonic acid	1.8 U	3.6	1.8	0.64	ng/l	
375-92-8	Perfluoroheptanesulfonic acid	1.8 U	3.6	1.8	0.45	ng/l	
1763-23-1	Perfluorooctanesulfonic acid	1.8 U	3.6	1.8	0.49	ng/l	
68259-12-1	Perfluorononanesulfonic acid	1.8 U	3.6	1.8	0.52	ng/l	
335-77-3	Perfluorodecanesulfonic acid ^a	1.8 U	3.6	1.8	0.58	ng/l	
79780-39-5	Perfluorododecanesulfonic aci	3.6 U	4.5	3.6	1.0	ng/l	

FLUOROTELOMER SULFONIC ACIDS

757124-72-4	4:2 Fluorotelomer sulfonate	7.3 U	18	7.3	2.9	ng/l	
27619-97-2	6:2 Fluorotelomer sulfonate	7.3 U	18	7.3	3.2	ng/l	
39108-34-4	8:2 Fluorotelomer sulfonate	7.3 U	18	7.3	3.7	ng/l	

PERFLUOROOCCTANE SULFONAMIDES

754-91-6	PFOSA	1.8 U	3.6	1.8	0.61	ng/l	
31506-32-8	MeFOSA	3.6 U	7.3	3.6	0.91	ng/l	
4151-50-2	EtFOSA	3.6 U	7.3	3.6	0.91	ng/l	

U = Not detected LOD = Limit of Detection J = Indicates an estimated value
 LOQ = Limit of Quantitation DL = Detection Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.4
4

Report of Analysis

Client Sample ID:	AF-RHMW06-WGN01LF-2306		Date Sampled:	06/05/23
Lab Sample ID:	FC6649-6	Date Received:	06/06/23	
Matrix:	AQ - Ground Water	Percent Solids:	n/a	
Method:	EPA DRAFT 1633 EPA 1633 DRAFT			
Project:	N6274223F0104 RH Fire Suppression System			

CAS No.	Compound	Result	LOQ	LOD	DL	Units	Q
---------	----------	--------	-----	-----	----	-------	---

PERFLUOROOCCTANE SULFONAMIDOACETIC ACIDS

2355-31-9	MeFOSAA ^a	3.6 U	4.5	3.6	0.91	ng/l	
2991-50-6	EtFOSAA	3.6 U	4.5	3.6	1.2	ng/l	

PERFLUOROOCCTANE SULFONAMIDO ETHANOLS

24448-09-7	MeFOSE	18 U	36	18	4.0	ng/l	
1691-99-2	EtFOSE	18 U	36	18	6.7	ng/l	

PER and POLYFLUOROETHER CARBOXYLIC ACIDS

13252-13-6	HFPO-DA (GenX)	1.8 U	3.6	1.8	0.91	ng/l	
919005-14-4	ADONA	3.6 U	7.3	3.6	1.7	ng/l	
377-73-1	PFMPA	1.8 U	7.3	1.8	0.91	ng/l	
863090-89-5	PFMBA	3.6 U	7.3	3.6	1.0	ng/l	
151772-58-6	NFDHA	3.6 U	7.3	3.6	1.1	ng/l	

PER and POLYFLUOROETHER SULFONIC ACIDS

756426-58-1	9Cl-PF3ONS (F-53B Major)	3.6 U	7.3	3.6	1.3	ng/l	
763051-92-9	11Cl-PF3OUdS (F-53B Minor)	3.6 U	7.3	3.6	1.6	ng/l	
113507-82-7	PFEESA ^a	1.8 U	7.3	1.8	0.71	ng/l	

FLUOROTELOMER CARBOXYLIC ACIDS

356-02-5	3:3 Fluorotelomer carboxylat ^b	9.1 U	18	9.1	4.1	ng/l	
914637-49-3	5:3 Fluorotelomer carboxylate	18 U	91	18	7.9	ng/l	
812-70-4	7:3 Fluorotelomer carboxylate	18 U	91	18	7.1	ng/l	

CAS No.	ID Standard Recoveries	Run# 1	Run# 2	Limits
	13C4-PFBA	117%		20-150%
	13C5-PFPeA	121%		20-150%
	13C5-PFHxA	114%		20-150%
	13C4-PFHpA	116%		20-150%
	13C8-PFOA	128%		20-150%
	13C9-PFNA	131%		20-150%
	13C6-PFDA	118%		20-150%
	13C7-PFUnDA	99%		20-150%
	13C2-PFDoDA	96%		20-150%
	13C2-PFTeDA	82%		20-150%
	13C3-PFBS	119%		20-150%
	13C3-PFHxS	115%		20-150%

U = Not detected LOD = Limit of Detection J = Indicates an estimated value
 LOQ = Limit of Quantitation DL = Detection Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	AF-RHMW06-WGN01LF-2306		Date Sampled:	06/05/23
Lab Sample ID:	FC6649-6		Date Received:	06/06/23
Matrix:	AQ - Ground Water		Percent Solids:	n/a
Method:	EPA DRAFT 1633 EPA 1633 DRAFT			
Project:	N6274223F0104 RH Fire Suppression System			

CAS No.	ID Standard Recoveries	Run# 1	Run# 2	Limits
	13C8-PFOS	117%		20-150%
	13C8-FOSA	95%		20-150%
	d3-MeFOSA	85%		20-150%
	d5-EtFOSA	90%		20-150%
	d3-MeFOSAA	116%		20-150%
	d5-EtFOSAA	104%		20-150%
	d7-MeFOSE	75%		20-150%
	d9-EtFOSE	76%		20-150%
	13C2-4:2FTS	135%		20-180%
	13C2-6:2FTS	137%		20-180%
	13C2-8:2FTS	128%		20-180%
	13C3-HFPO-DA	116%		20-150%

- (a) Associated Low Level CCV outside of control limits high, sample was ND.
- (b) Associated BS recovery outside control limits.

U = Not detected LOD = Limit of Detection J = Indicates an estimated value
 LOQ = Limit of Quantitation DL = Detection Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody
- QC Evaluation: DOD QSM5.x Limits



SGS North America Inc - Orlando

Chain of Custody

4405 Vineland Road, Suite C-15 Orlando, FL 32811
TEL: 407-425-6700 FAX: 407-425-0707
www.sgs.com

COC #: 2305W5AFSG11

PAGE 1 OF 1

SGS - ORLANDO JOB # :

SGS - ORLANDO Quote #

SKIFF #

FC6649

Client / Reporting Information			Project Information			Analytical Information										Matrix Codes	
Company Name: AECOM			Project Name: N6274223F0104 RH Fire Suppression System			<div style="text-align: center;"> </div>										DW - Drinking Water GW - Ground Water WW - Water SW - Surface Water SO - Soil SL - Sludge OI - Oil LIQ - Other Liquid AIR - Air SOL - Other Solid WP - Wipe	
Address: 1001 Bishop St. ste 1600			Street														
City: Honolulu		State: HI	Zip: 96813	City: Honolulu													State: Hawaii
Project Contact: Katie Abbott		Email: katie.abbott@aecom.com		Project # 60697810													
Project Manager: Watson Tanji		Email: watson.tanji@aecom.com		Fax #													
Sampler(s) Name(s) (Printed) Sampler 1: Anthony Lopez Sampler 2: Ben Switzer			Client Purchase Order #			PFAS EPA Draft 1633										LAB USE ONLY	
SGS Orlando Sample #	Field ID / Point of Collection	DATE	TIME	SAMPLED BY:	MATRIX	TOTAL # OF BOTTLES	OTHER	NONE	PCB	NIOSH	INDO	RESCA	NIOSH/NIAC	DI WATER	MECH		
1	AF-RHMW17D-WGN01LF-2305W5	6/2/23	1030	BS, AL	GW	3		X								X	
2	AF-RHMW17D-WQFB01-2305W5	6/2/23	1020	BS, AL	GW	3		X								X	
										INITIAL ASSESSMENT					SP		
										LABEL VERIFICATION					SP		
Turnaround Time (Business days)			Data Deliverable Information			Comments / Remarks											
10 Day (Business) Approved By: / Date: _____ 7 Day _____ <input type="checkbox"/> 5 Day _____ 3 Day RUSH _____ 2 Day RUSH _____ 1 Day RUSH _____ Other _____			<input type="checkbox"/> COMMERCIAL "A" (RESULTS ONLY) <input type="checkbox"/> COMMERCIAL "B" (RESULTS PLUS QC) <input type="checkbox"/> REDT1 (EPA LEVEL 3) <input checked="" type="checkbox"/> FULLT1 (EPA LEVEL 4) <input checked="" type="checkbox"/> EDD'S			EDMS upload database: JBPHE EDMS Coverage: AFFF Assessment Sampling GW United AWR 016-15277183											
Rush T/A Data Available VIA Email or Lablink													Sample Custody must be documented below each time samples change possession, including courier delivery.				
Relinquished by Sampler/Affiliation		Date Time:		Received By/Affiliation		Date Time:		Relinquished By/Affiliation		Date Time:		Received By/Affiliation					
1 Andy Young / AECOM		6/2/23 12:00		2 Sam Kelley / AECOM		6/15/23 1:50		3 Sam Kelley / AECOM		6/15/23 1:50		4 United Cargo					
5 United Cargo		6/15/23 17:30		6 [Signature] / [Affiliation]		7 [Signature] / [Affiliation]		7 [Signature] / [Affiliation]		8 [Signature] / [Affiliation]		8 [Signature] / [Affiliation]					
Lab Use Only: Cooler Temperature (s) Celsius (corrected): 4.2													http://www.sgs.com/en/terms-and-conditions				

PFAS_COCs_ALL.xls Rev 031318

FC6649A: Chain of Custody

Page 1 of 9





SGS North America Inc - Orlando

Chain of Custody

4405 Vineland Road, Suite C-15 Orlando, FL 32811
TEL: 407-425-6700 FAX: 407-425-0707
www.sgs.com

COC #: 2306AFSG03

SGS - ORLANDO JOB #:

PAGE 1 OF 1

FC6649

SGS - ORLANDO Quote #

SKIFF #

Form containing Client/Reporting Information, Project Information, Analytical Information, Matrix Codes, and Turnaround Time. Includes handwritten entries for sample dates, times, and signatures.

5.1 5

FC6649A: Chain of Custody

Page 2 of 9





SGS North America Inc - Orlando

Chain of Custody

4405 Vineland Road, Suite C-15 Orlando, FL 32811
 TEL: 407-425-6700 FAX: 407-425-0707
 www.sgs.com

COC #: 2306AFSG06

SGS - ORLANDO JOB #:

PAGE 1 OF 1

SGS - ORLANDO Quote #

SKIFF #

FC6649

Client / Reporting Information			Project Information			Analytical Information										Matrix Codes							
Company Name: AECOM			Project Name: N6274223F0104 RH Fire Suppression System			<div style="position: relative; height: 100px;"> X 06/05/23 </div>										DW - Drinking Water GW - Ground Water WW - Water SW - Surface Water SO - Soil SL - Sludge OL - Oil LIQ - Other Liquid AIR - Air SOL - Other Solid WP - Wipe							
Address: 1001 Bishop St. ste 1600			Street																				
City: Honolulu State: HI Zip: 96813			City: Honolulu State: Hawaii																				
Project Contact: Katie Abbott Email: katie.abboth@aecom.com			Project # 60697810																				
Project Manager: Watson Tanji Email: watson.tanji@aecom.com			Fax #																				
Phone #: 303-796-4624 / 808-954-4512			Client Purchase Order #			PFAS EPA Draft 1633																	
Sampler(s) Name(s) (Printed) Sampler 1: <i>Gina Mura</i> Sampler 2: <i>Anhy Young</i>																							
SGS Orlando Sample #	Field ID / Point of Collection	DATE	TIME	SAMPLED BY:	CONTAINER INFORMATION										LAB USE ONLY								
					MATRIX	TOTAL # OF BOTTLES	OTHER	MONO	PCB	PHEN	PHEN3	PHEN4	MAOH+ZINC	DI WATER		MEDH							
5	AF-RHWW16-WGN01LF-2306	06/05/23	1250	CP, AY	GW	3		X															
<i>06/05/23</i>																							
Turnaround Time (Business days)					Data Deliverable Information					Comments / Remarks													
10 Day (Business) 7 Day <input checked="" type="checkbox"/> 5 Day 3 Day RUSH 2 Day RUSH 1 Day RUSH Other		Approved By: / Date:			<input type="checkbox"/> COMMERCIAL "A" (RESULTS ONLY) <input type="checkbox"/> COMMERCIAL "B" (RESULTS PLUS QC) <input type="checkbox"/> REDT1 (EPA LEVEL 3) <input checked="" type="checkbox"/> FULLT1 (EPA LEVEL 4) <input checked="" type="checkbox"/> EDD'S					EDMS upload database: JBPHE EDMS Coverage: AFFF Assessment Sampling GW <i>United Cargo 016-15277183</i>													
Rush T/A Data Available VIA Email or Lablink																							
Relinquished by Sampler/Affiliation		Date Time:		Sample Custody must be documented below each time samples change possession, including courier delivery.			Relinquished By/Affiliation		Date Time:		Received By/Affiliation												
1 <i>Gina Mura AECOM</i>		06/05/23 1400		2 <i>[Signature]</i>			3 <i>[Signature]</i>		06/05/23 1700		4 <i>United Cargo</i>												
Relinquished by/Affiliation		Date Time:		Received By/Affiliation			Relinquished By/Affiliation		Date Time:		Received By/Affiliation												
5 <i>United Cargo</i>		06/06/23 1730		6 <i>[Signature]</i>			7				8												
Lab Use Only: Cooler Temperature (s) Celsius (corrected):																							

PFAS_COCS_ALL.xls Rev 031318

<http://www.sgs.com/en/terms-and-conditions>

FC6649A: Chain of Custody

Page 4 of 9

5.1 5





SGS North America Inc - Orlando
Chain of Custody

4405 Vineland Road, Suite C-15 Orlando, FL 32811
TEL: 407-425-6700 FAX: 407-425-0707
www.sgs.com

COC #: 2306AFSG09

SGS - ORLANDO JOB #: PAGE 1 OF 1

SGS - ORLANDO Quote # SKIFF # **FC6649**

Client / Reporting Information		Project Information										Analytical Information										Matrix Codes
Company Name: AECOM		Project Name: N6274223F0104 RH Fire Suppression System										 PFAS EPA Draft 1633										DW - Drinking Water GW - Ground Water WW - Water SW - Surface Water SO - Soil SL - Sludge OI - Oil LIQ - Other Liquid AIR - Air SOL - Other Solid WP - Wipe
Address: 1001 Bishop St. ste 1600		Street																				
City: Honolulu State: HI Zip: 96813		City: Honolulu State: Hawaii																				
Project Contact: Katie Abbott Email: katie.abbott@aecom.com Project Manager: Watson Tanji Email: watson.tanji@aecom.com Phone #: 303-796-4624 / 808-954-4512		Project # 60697810 Fax #																				
Sampler(s) Name(s) (Printed) Sampler 1: Sampler 2:		Client Purchase Order #																				
SGS Orlando Sample #	Field ID / Point of Collection	COLLECTION				CONTAINER INFORMATION										PFAS EPA Draft 1633	LAB USE ONLY					
		DATE	TIME	SAMPLED BY:	MATRIX	TOTAL # OF BOTTLES	OTHER	NONE	HIG	HNO3	H2SO4	MOH+2HNO3	DI WATER	MEDIA								
6	AF-RHMW06-WGN01LF-2306	6-5-23	1500	CTE	GW	3		X														
Turnaround Time (Business days)		Data Deliverable Information										Comments / Remarks										
10 Day (Business) Approved By: / Date: _____ 7 Day _____ <input checked="" type="checkbox"/> 5 Day _____ 3 Day RUSH _____ 2 Day RUSH _____ 1 Day RUSH _____ Other _____ Rush T/A Data Available VIA Email or Lablink		<input type="checkbox"/> COMMERCIAL "A" (RESULTS ONLY) <input type="checkbox"/> COMMERCIAL "B" (RESULTS PLUS QC) <input type="checkbox"/> REDT1 (EPA LEVEL 3) <input checked="" type="checkbox"/> FULLT1 (EPA LEVEL 4) <input checked="" type="checkbox"/> EDD'S										EDMS upload database: JBPHE EDMS Coverage: AFFF Assessment Sampling GW V.A. Tech 6/15/23 016 15 27 7183										
Relinquished by Sampler/Affiliation Christina Brantley		Date Time: 6-5-23		Received By/Affiliation AECOM				Relinquished By/Affiliation IC		Date Time: 5/4/23		Received By/Affiliation United Cargo		Date Time: 6/5/23		Received By/Affiliation United Cargo		Date Time: 6/5/23		Received By/Affiliation United Cargo		
Relinquished by/Affiliation United Cargo		Date Time: 6/5/23		Received By/Affiliation 1730				Relinquished By/Affiliation		Date Time: 6/5/23		Received By/Affiliation		Date Time: 6/5/23		Received By/Affiliation		Date Time: 6/5/23		Received By/Affiliation		
Lab Use Only: Cooler Temperature (s) Celsius (corrected):		Sample Custody must be documented below each time samples change possession, including courier delivery.																				

PFAS_COCS_ALL.xls Rev 031318

http://www.sgs.com/en/terms-and-conditions

FC6649A: Chain of Custody

Page 5 of 9



SGS Sample Receipt Summary

Job Number: FC6649

Client: AECOM

Project: N6274223F0104 RH Fire Suppression System

Date / Time Received: 6/6/2023 5:30:00 PM

Delivery Method: United Cargo/Airspace

Airbill #s: United Cargo AWB #: 016-15277183

Therm ID: IR 1;

Therm CF: -0.1;

of Coolers: 1

Cooler Temps (Raw Measured) °C: Cooler 1: (4.3);

Cooler Temps (Corrected) °C: Cooler 1: (4.2);

Cooler Information

Y or N

- | | | |
|-----------------------------|-------------------------------------|--------------------------|
| 1. Custody Seals Present | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2. Custody Seals Intact | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 3. Temp criteria achieved | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 4. Cooler temp verification | IR Gun | |
| 5. Cooler media | Ice (Bag) | |

Sample Information

Y or N N/A

- | | | | |
|---|-------------------------------------|-------------------------------------|-------------------------------------|
| 1. Sample labels present on bottles | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 2. Samples preserved properly | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 3. Sufficient volume/containers recvd for analysis: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 4. Condition of sample | Intact | | |
| 5. Sample recvd within HT | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 6. Dates/Times/IDs on COC match Sample Label | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 7. VOCs have headspace | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 8. Bottles received for unspecified tests | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| 9. Compositing instructions clear | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 10. Voa Soil Kits/Jars received past 48hrs? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 11. % Solids Jar received? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 12. Residual Chlorine Present? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

Trip Blank Information

Y or N N/A

- | | | | |
|--------------------------------|--------------------------|--------------------------|-------------------------------------|
| 1. Trip Blank present / cooler | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 2. Trip Blank listed on COC | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

W or S N/A

- | | | | |
|------------------------|--------------------------|--------------------------|-------------------------------------|
| 3. Type Of TB Received | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
|------------------------|--------------------------|--------------------------|-------------------------------------|

Misc. Information

Number of Encores: 25-Gram _____ 5-Gram _____ Number of 5035 Field Kits: _____ Number of Lab Filtered Metals: _____
 Test Strip Lot #s: pH 0-3 _____ 230320 _____ pH 10-12 _____ Other: (Specify) pH 1.0 - 12.0 _____ 222221 _____
 Residual Chlorine Test Strip Lot #: _____

Comments

SM001
Rev. Date 05/24/17

Technician: SHAYLAP

Date: 6/6/2023 5:30:00 PM

Reviewer: SP

Date: 6/7/2023

FC6649A: Chain of Custody

Page 6 of 9

5.1
5

Job Change Order: FC6649

Requested Date:	6/14/2023	Received Date:	6/6/2023
Account Name:	AECOM, INC.	Due Date:	6/13/2023
Project Description:	N6274223F0104 RH Fire Suppression System	Deliverable:	FULT2
CSR:	EK	TAT (Days):	7

=====
Sample #: FC6649-1 **Change:**
Dept: Sample to be reported separately for EDMS Upload to GW 2023 May Event.
TAT: Reissue report under Job FC6649
7

AF-RHMW17D-WGN01LF-2305W5
=====

=====
Sample #: FC6649-2 **Change:**
Dept: Sample to be reported separately for EDMS Upload to GW 2023 May Event
TAT: 7

AF-RHMW17D-WQFB01-2305W5
=====

FC6649A: Chain of Custody

Above Changes Per: Mark Kromis

Date/Time: 6/14/2023 3:33:00 PM

To Client: This Change Order is confirmation of the revisions, previously discussed with the Client Service Representative.

Job Change Order: FC6649A

Requested Date: 6/14/2023
Account Name: AECOM, INC.
Project Description: N6274223F0104 RH Fire Suppression System
CSR: EK
Received Date: 6/6/2023
Due Date: 6/13/2023
Deliverable: FULT2
TAT (Days): 7

=====
Sample #: FC6649A-3
Dept:
TAT: 7
Change: Sample to be reported separately for EDMS Upload to GW 2023 June Event.
Reissue report under Job FC6649A
AF-RHMW10-WGN01LF-2306
=====

=====
Sample #: FC6649A-4
Dept:
TAT: 7
Change: Sample to be reported separately for EDMS Upload to GW 2023 June Event.
Reissue report under Job FC6649A
AF-RHMW04-WGN01LF-2306
=====

=====
Sample #: FC6649A-5
Dept:
TAT: 7
Change: Sample to be reported separately for EDMS Upload to GW 2023 June Event.
Reissue report under Job FC6649A
AF-RHMW16-WGN01LF-2306
=====

=====
Sample #: FC6649A-6
Dept:
TAT: 7
Change: Sample to be reported separately for EDMS Upload to GW 2023 June Event.
Reissue report under Job FC6649A
AF-RHMW06-WGN01LF-2306
=====

FC6649A: Chain of Custody

Above Changes Per: Mark Kromis

Date/Time: 6/14/2023 3:38:23 PM

To Client: This Change Order is confirmation of the revisions, previously discussed with the Client Service Representative.



Job Change Order: FC6649A

Requested Date:	6/14/2023	Received Date:	6/6/2023
Account Name:	AECOM, INC.	Due Date:	6/13/2023
Project Description:	N6274223F0104 RH Fire Suppression System	Deliverable:	FULT2
CSR:	EK	TAT (Days):	7

5.1
5

FC6649A: Chain of Custody

Page 9 of 9

Above Changes Per: Mark Kromis

Date/Time: 6/14/2023 3:38:23 PM

To Client: This Change Order is confirmation of the revisions, previously discussed with the Client Service Representative.

Page 2 of 2

QC Evaluation: DOD QSM5.x Limits

Job Number: FC6649A
Account: AECOM, INC.
Project: N6274223F0104 RH Fire Suppression System
Collected: 06/05/23

QC Sample ID	CAS#	Analyte	Sample Result Type	Result Type	Units	Limits
--------------	------	---------	--------------------	-------------	-------	--------

No DOD QSM5.x Limits found for methods in this job.

* Sample used for QC is not from job FC6649A

5.2
5

MS Semi-volatiles

QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

Instrument Blank

Job Number: FC6649A
Account: AECOMCOD AECOM, INC.
Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
S6Q287-IBLK	6Q19248.D	1	06/12/23	MV	n/a	n/a	S6Q287

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC6649-3, FC6649-4, FC6649-5, FC6649-6

CAS No.	Compound	Result	RL	MDL	Units	Q
375-22-4	Perfluorobutanoic acid	ND	0.016	0.0019	ug/l	
2706-90-3	Perfluoropentanoic acid	ND	0.0080	0.00094	ug/l	
307-24-4	Perfluorohexanoic acid	ND	0.0040	0.00050	ug/l	
375-85-9	Perfluoroheptanoic acid	ND	0.0040	0.00050	ug/l	
335-67-1	Perfluorooctanoic acid	ND	0.0040	0.00050	ug/l	
375-95-1	Perfluorononanoic acid	ND	0.0040	0.00061	ug/l	
335-76-2	Perfluorodecanoic acid	ND	0.0040	0.00050	ug/l	
2058-94-8	Perfluoroundecanoic acid	ND	0.0040	0.00060	ug/l	
307-55-1	Perfluorododecanoic acid	ND	0.0040	0.00060	ug/l	
72629-94-8	Perfluorotridecanoic acid	ND	0.0040	0.00084	ug/l	
376-06-7	Perfluorotetradecanoic acid	ND	0.0040	0.00050	ug/l	
375-73-5	Perfluorobutanesulfonic acid	ND	0.0040	0.00050	ug/l	
2706-91-4	Perfluoropentanesulfonic acid	ND	0.0050	0.0011	ug/l	
355-46-4	Perfluorohexanesulfonic acid	ND	0.0040	0.00070	ug/l	
375-92-8	Perfluoroheptanesulfonic acid	ND	0.0040	0.00050	ug/l	
1763-23-1	Perfluorooctanesulfonic acid	ND	0.0040	0.00054	ug/l	
68259-12-1	Perfluorononanesulfonic acid	ND	0.0040	0.00057	ug/l	
335-77-3	Perfluorodecanesulfonic acid	ND	0.0040	0.00064	ug/l	
79780-39-5	Perfluorododecanesulfonic aci	ND	0.0050	0.0011	ug/l	
757124-72-44:2	Fluorotelomer sulfonate	ND	0.020	0.0032	ug/l	
27619-97-2	6:2 Fluorotelomer sulfonate	ND	0.020	0.0035	ug/l	
39108-34-4	8:2 Fluorotelomer sulfonate	ND	0.020	0.0041	ug/l	
754-91-6	PFOSA	ND	0.0040	0.00067	ug/l	
31506-32-8	MeFOSA	ND	0.0080	0.0010	ug/l	
4151-50-2	EtFOSA	ND	0.0080	0.0010	ug/l	
2355-31-9	MeFOSAA	ND	0.0050	0.0010	ug/l	
2991-50-6	EtFOSAA	ND	0.0050	0.0013	ug/l	
24448-09-7	MeFOSE	ND	0.040	0.0044	ug/l	
1691-99-2	EtFOSE	ND	0.040	0.0074	ug/l	
13252-13-6	HFPO-DA (GenX)	ND	0.0040	0.0010	ug/l	
919005-14-4	ADONA	ND	0.0080	0.0019	ug/l	
377-73-1	PFMPA	ND	0.0080	0.0010	ug/l	
863090-89-5	PFMBA	ND	0.0080	0.0011	ug/l	
151772-58-6	NFDHA	ND	0.0080	0.0012	ug/l	
756426-58-19	Cl-PF3ONS (F-53B Major)	ND	0.0080	0.0014	ug/l	
763051-92-91	Cl-PF3OUdS (F-53B Minor)	ND	0.0080	0.0018	ug/l	

Instrument Blank

Job Number: FC6649A
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
S6Q287-IBLK	6Q19248.D	1	06/12/23	MV	n/a	n/a	S6Q287

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC6649-3, FC6649-4, FC6649-5, FC6649-6

CAS No.	Compound	Result	RL	MDL	Units	Q
113507-82-7	PFEESA	ND	0.0080	0.00078	ug/l	
356-02-5	3:3 Fluorotelomer carboxylate	ND	0.020	0.0045	ug/l	
914637-49-35:3	Fluorotelomer carboxylate	ND	0.10	0.0087	ug/l	
812-70-4	7:3 Fluorotelomer carboxylate	ND	0.10	0.0079	ug/l	

CAS No.	ID Standard Recoveries	Limits
	13C4-PFBA	100% 20-150%
	13C5-PFPeA	97% 20-150%
	13C5-PFHxA	99% 20-150%
	13C4-PFHpA	100% 20-150%
	13C8-PFOA	97% 20-150%
	13C9-PFNA	100% 20-150%
	13C6-PFDA	100% 20-150%
	13C7-PFUnDA	89% 20-150%
	13C2-PFDoDA	93% 20-150%
	13C2-PFTeDA	91% 20-150%
	13C3-PFBS	103% 20-150%
	13C3-PFHxS	101% 20-150%
	13C8-PFOS	102% 20-150%
	13C8-FOSA	101% 20-150%
	d3-MeFOSA	103% 20-150%
	d5-EtFOSA	107% 20-150%
	d3-MeFOSAA	99% 20-150%
	d5-EtFOSAA	109% 20-150%
	d7-MeFOSE	100% 20-150%
	d9-EtFOSE	95% 20-150%
	13C2-4:2FTS	121% 20-180%
	13C2-6:2FTS	122% 20-180%
	13C2-8:2FTS	118% 20-180%
	13C3-HFPO-DA	93% 20-150%

6.1.1
6

Continuing Calibration Blank

Job Number: FC6649A
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
S6Q287-ICCB	6Q19262.D	1	06/12/23	MV	n/a	n/a	S6Q287

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC6649-3

CAS No.	Compound	Result	RL	MDL	Units	Q
375-22-4	Perfluorobutanoic acid	ND	0.016	0.0019	ug/l	
2706-90-3	Perfluoropentanoic acid	ND	0.0080	0.00094	ug/l	
307-24-4	Perfluorohexanoic acid	ND	0.0040	0.00050	ug/l	
375-85-9	Perfluoroheptanoic acid	ND	0.0040	0.00050	ug/l	
335-67-1	Perfluorooctanoic acid	ND	0.0040	0.00050	ug/l	
375-95-1	Perfluorononanoic acid	ND	0.0040	0.00061	ug/l	
335-76-2	Perfluorodecanoic acid	ND	0.0040	0.00050	ug/l	
2058-94-8	Perfluoroundecanoic acid	ND	0.0040	0.00060	ug/l	
307-55-1	Perfluorododecanoic acid	ND	0.0040	0.00060	ug/l	
72629-94-8	Perfluorotridecanoic acid	ND	0.0040	0.00084	ug/l	
376-06-7	Perfluorotetradecanoic acid	ND	0.0040	0.00050	ug/l	
375-73-5	Perfluorobutanesulfonic acid	ND	0.0040	0.00050	ug/l	
2706-91-4	Perfluoropentanesulfonic acid	ND	0.0050	0.0011	ug/l	
355-46-4	Perfluorohexanesulfonic acid	ND	0.0040	0.00070	ug/l	
375-92-8	Perfluoroheptanesulfonic acid	ND	0.0040	0.00050	ug/l	
1763-23-1	Perfluorooctanesulfonic acid	ND	0.0040	0.00054	ug/l	
68259-12-1	Perfluorononanesulfonic acid	ND	0.0040	0.00057	ug/l	
335-77-3	Perfluorodecanesulfonic acid	ND	0.0040	0.00064	ug/l	
79780-39-5	Perfluorododecanesulfonic aci	ND	0.0050	0.0011	ug/l	
757124-72-44:2	Fluorotelomer sulfonate	ND	0.020	0.0032	ug/l	
27619-97-2	6:2 Fluorotelomer sulfonate	ND	0.020	0.0035	ug/l	
39108-34-4	8:2 Fluorotelomer sulfonate	ND	0.020	0.0041	ug/l	
754-91-6	PFOSA	ND	0.0040	0.00067	ug/l	
31506-32-8	MeFOSA	ND	0.0080	0.0010	ug/l	
4151-50-2	EtFOSA	ND	0.0080	0.0010	ug/l	
2355-31-9	MeFOSAA	ND	0.0050	0.0010	ug/l	
2991-50-6	EtFOSAA	ND	0.0050	0.0013	ug/l	
24448-09-7	MeFOSE	ND	0.040	0.0044	ug/l	
1691-99-2	EtFOSE	ND	0.040	0.0074	ug/l	
13252-13-6	HFPO-DA (GenX)	ND	0.0040	0.0010	ug/l	
919005-14-4	ADONA	ND	0.0080	0.0019	ug/l	
377-73-1	PFMPA	ND	0.0080	0.0010	ug/l	
863090-89-5	PFMBA	ND	0.0080	0.0011	ug/l	
151772-58-6	NFDHA	ND	0.0080	0.0012	ug/l	
756426-58-19	Cl-PF3ONS (F-53B Major)	ND	0.0080	0.0014	ug/l	
763051-92-91	Cl-PF3OUdS (F-53B Minor)	ND	0.0080	0.0018	ug/l	

Continuing Calibration Blank

Job Number: FC6649A
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
S6Q287-ICCB	6Q19262.D	1	06/12/23	MV	n/a	n/a	S6Q287

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC6649-3

CAS No.	Compound	Result	RL	MDL	Units	Q
113507-82-7	PFEESA	ND	0.0080	0.00078	ug/l	
356-02-5	3:3 Fluorotelomer carboxylate	ND	0.020	0.0045	ug/l	
914637-49-35:3	Fluorotelomer carboxylate	ND	0.10	0.0087	ug/l	
812-70-4	7:3 Fluorotelomer carboxylate	ND	0.10	0.0079	ug/l	

CAS No.	ID Standard Recoveries	Limits	
	13C4-PFBA	100%	20-150%
	13C5-PFPeA	103%	20-150%
	13C5-PFHxA	98%	20-150%
	13C4-PFHpA	104%	20-150%
	13C8-PFOA	96%	20-150%
	13C9-PFNA	109%	20-150%
	13C6-PFDA	101%	20-150%
	13C7-PFUnDA	100%	20-150%
	13C2-PFDoDA	96%	20-150%
	13C2-PFTeDA	96%	20-150%
	13C3-PFBS	109%	20-150%
	13C3-PFHxS	108%	20-150%
	13C8-PFOS	104%	20-150%
	13C8-FOSA	100%	20-150%
	d3-MeFOSA	96%	20-150%
	d5-EtFOSA	99%	20-150%
	d3-MeFOSAA	105%	20-150%
	d5-EtFOSAA	101%	20-150%
	d7-MeFOSE	100%	20-150%
	d9-EtFOSE	86%	20-150%
	13C2-4:2FTS	128%	20-180%
	13C2-6:2FTS	124%	20-180%
	13C2-8:2FTS	112%	20-180%
	13C3-HFPO-DA	96%	20-150%

Continuing Calibration Blank

Job Number: FC6649A
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
S6Q287-ICCB	6Q19273.D	1	06/12/23	MV	n/a	n/a	S6Q287

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC6649-4, FC6649-5, FC6649-6

CAS No.	Compound	Result	RL	MDL	Units	Q
375-22-4	Perfluorobutanoic acid	ND	0.016	0.0019	ug/l	
2706-90-3	Perfluoropentanoic acid	ND	0.0080	0.00094	ug/l	
307-24-4	Perfluorohexanoic acid	ND	0.0040	0.00050	ug/l	
375-85-9	Perfluoroheptanoic acid	ND	0.0040	0.00050	ug/l	
335-67-1	Perfluorooctanoic acid	ND	0.0040	0.00050	ug/l	
375-95-1	Perfluorononanoic acid	ND	0.0040	0.00061	ug/l	
335-76-2	Perfluorodecanoic acid	ND	0.0040	0.00050	ug/l	
2058-94-8	Perfluoroundecanoic acid	ND	0.0040	0.00060	ug/l	
307-55-1	Perfluorododecanoic acid	ND	0.0040	0.00060	ug/l	
72629-94-8	Perfluorotridecanoic acid	ND	0.0040	0.00084	ug/l	
376-06-7	Perfluorotetradecanoic acid	ND	0.0040	0.00050	ug/l	
375-73-5	Perfluorobutanesulfonic acid	ND	0.0040	0.00050	ug/l	
2706-91-4	Perfluoropentanesulfonic acid	ND	0.0050	0.0011	ug/l	
355-46-4	Perfluorohexanesulfonic acid	ND	0.0040	0.00070	ug/l	
375-92-8	Perfluoroheptanesulfonic acid	ND	0.0040	0.00050	ug/l	
1763-23-1	Perfluorooctanesulfonic acid	ND	0.0040	0.00054	ug/l	
68259-12-1	Perfluorononanesulfonic acid	ND	0.0040	0.00057	ug/l	
335-77-3	Perfluorodecanesulfonic acid	ND	0.0040	0.00064	ug/l	
79780-39-5	Perfluorododecanesulfonic aci	ND	0.0050	0.0011	ug/l	
757124-72-44:2	Fluorotelomer sulfonate	ND	0.020	0.0032	ug/l	
27619-97-2	6:2 Fluorotelomer sulfonate	ND	0.020	0.0035	ug/l	
39108-34-4	8:2 Fluorotelomer sulfonate	ND	0.020	0.0041	ug/l	
754-91-6	PFOSA	ND	0.0040	0.00067	ug/l	
31506-32-8	MeFOSA	ND	0.0080	0.0010	ug/l	
4151-50-2	EtFOSA	ND	0.0080	0.0010	ug/l	
2355-31-9	MeFOSAA	ND	0.0050	0.0010	ug/l	
2991-50-6	EtFOSAA	ND	0.0050	0.0013	ug/l	
24448-09-7	MeFOSE	ND	0.040	0.0044	ug/l	
1691-99-2	EtFOSE	ND	0.040	0.0074	ug/l	
13252-13-6	HFPO-DA (GenX)	ND	0.0040	0.0010	ug/l	
919005-14-4	ADONA	ND	0.0080	0.0019	ug/l	
377-73-1	PFMPA	ND	0.0080	0.0010	ug/l	
863090-89-5	PFMBA	ND	0.0080	0.0011	ug/l	
151772-58-6	NFDHA	ND	0.0080	0.0012	ug/l	
756426-58-19	Cl-PF3ONS (F-53B Major)	ND	0.0080	0.0014	ug/l	
763051-92-91	Cl-PF3OUdS (F-53B Minor)	ND	0.0080	0.0018	ug/l	

Continuing Calibration Blank

Job Number: FC6649A
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
S6Q287-ICCB	6Q19273.D	1	06/12/23	MV	n/a	n/a	S6Q287

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC6649-4, FC6649-5, FC6649-6

CAS No.	Compound	Result	RL	MDL	Units	Q
113507-82-7	PFEESA	ND	0.0080	0.00078	ug/l	
356-02-5	3:3 Fluorotelomer carboxylate	ND	0.020	0.0045	ug/l	
914637-49-35:3	Fluorotelomer carboxylate	ND	0.10	0.0087	ug/l	
812-70-4	7:3 Fluorotelomer carboxylate	ND	0.10	0.0079	ug/l	

CAS No.	ID Standard Recoveries	Limits
	13C4-PFBA	100% 20-150%
	13C5-PFPeA	96% 20-150%
	13C5-PFHxA	92% 20-150%
	13C4-PFHpA	100% 20-150%
	13C8-PFOA	100% 20-150%
	13C9-PFNA	96% 20-150%
	13C6-PFDA	100% 20-150%
	13C7-PFUnDA	101% 20-150%
	13C2-PFDoDA	98% 20-150%
	13C2-PFTeDA	88% 20-150%
	13C3-PFBS	101% 20-150%
	13C3-PFHxS	102% 20-150%
	13C8-PFOS	97% 20-150%
	13C8-FOSA	100% 20-150%
	d3-MeFOSA	91% 20-150%
	d5-EtFOSA	97% 20-150%
	d3-MeFOSAA	102% 20-150%
	d5-EtFOSAA	94% 20-150%
	d7-MeFOSE	86% 20-150%
	d9-EtFOSE	82% 20-150%
	13C2-4:2FTS	113% 20-180%
	13C2-6:2FTS	123% 20-180%
	13C2-8:2FTS	108% 20-180%
	13C3-HFPO-DA	90% 20-150%

Method Blank Summary

Job Number: FC6649A
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP97275-MB	6Q19265.D	1	06/12/23	MV	06/09/23	OP97275	S6Q287

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC6649-3, FC6649-4, FC6649-5, FC6649-6

CAS No.	Compound	Result	RL	MDL	Units	Q
375-22-4	Perfluorobutanoic acid	ND	0.016	0.0019	ug/l	
2706-90-3	Perfluoropentanoic acid	ND	0.0080	0.00094	ug/l	
307-24-4	Perfluorohexanoic acid	ND	0.0040	0.00050	ug/l	
375-85-9	Perfluoroheptanoic acid	ND	0.0040	0.00050	ug/l	
335-67-1	Perfluorooctanoic acid	ND	0.0040	0.00050	ug/l	
375-95-1	Perfluorononanoic acid	ND	0.0040	0.00061	ug/l	
335-76-2	Perfluorodecanoic acid	ND	0.0040	0.00050	ug/l	
2058-94-8	Perfluoroundecanoic acid	ND	0.0040	0.00060	ug/l	
307-55-1	Perfluorododecanoic acid	ND	0.0040	0.00060	ug/l	
72629-94-8	Perfluorotridecanoic acid	ND	0.0040	0.00084	ug/l	
376-06-7	Perfluorotetradecanoic acid	ND	0.0040	0.00050	ug/l	
375-73-5	Perfluorobutanesulfonic acid	ND	0.0040	0.00050	ug/l	
2706-91-4	Perfluoropentanesulfonic acid	ND	0.0050	0.0011	ug/l	
355-46-4	Perfluorohexanesulfonic acid	ND	0.0040	0.00070	ug/l	
375-92-8	Perfluoroheptanesulfonic acid	ND	0.0040	0.00050	ug/l	
1763-23-1	Perfluorooctanesulfonic acid	ND	0.0040	0.00054	ug/l	
68259-12-1	Perfluorononanesulfonic acid	ND	0.0040	0.00057	ug/l	
335-77-3	Perfluorodecanesulfonic acid	ND	0.0040	0.00064	ug/l	
79780-39-5	Perfluorododecanesulfonic aci	ND	0.0050	0.0011	ug/l	
757124-72-44:2	Fluorotelomer sulfonate	ND	0.020	0.0032	ug/l	
27619-97-2	6:2 Fluorotelomer sulfonate	ND	0.020	0.0035	ug/l	
39108-34-4	8:2 Fluorotelomer sulfonate	ND	0.020	0.0041	ug/l	
754-91-6	PFOSA	ND	0.0040	0.00067	ug/l	
31506-32-8	MeFOSA	ND	0.0080	0.0010	ug/l	
4151-50-2	EtFOSA	ND	0.0080	0.0010	ug/l	
2355-31-9	MeFOSAA	ND	0.0050	0.0010	ug/l	
2991-50-6	EtFOSAA	ND	0.0050	0.0013	ug/l	
24448-09-7	MeFOSE	ND	0.040	0.0044	ug/l	
1691-99-2	EtFOSE	ND	0.040	0.0074	ug/l	
13252-13-6	HFPO-DA (GenX)	ND	0.0040	0.0010	ug/l	
919005-14-4	ADONA	ND	0.0080	0.0019	ug/l	
377-73-1	PFMPA	ND	0.0080	0.0010	ug/l	
863090-89-5	PFMBA	ND	0.0080	0.0011	ug/l	
151772-58-6	NFDHA	ND	0.0080	0.0012	ug/l	
756426-58-19	Cl-PF3ONS (F-53B Major)	ND	0.0080	0.0014	ug/l	
763051-92-91	Cl-PF3OUdS (F-53B Minor)	ND	0.0080	0.0018	ug/l	

Method Blank Summary

Job Number: FC6649A
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP97275-MB	6Q19265.D	1	06/12/23	MV	06/09/23	OP97275	S6Q287

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC6649-3, FC6649-4, FC6649-5, FC6649-6

CAS No.	Compound	Result	RL	MDL	Units	Q
113507-82-7	PFEESA	ND	0.0080	0.00078	ug/l	
356-02-5	3:3 Fluorotelomer carboxylate	ND	0.020	0.0045	ug/l	
914637-49-35:3	Fluorotelomer carboxylate	ND	0.10	0.0087	ug/l	
812-70-4	7:3 Fluorotelomer carboxylate	ND	0.10	0.0079	ug/l	

CAS No.	ID Standard Recoveries	Limits
	13C4-PFBA	105% 20-150%
	13C5-PFPeA	101% 20-150%
	13C5-PFHxA	99% 20-150%
	13C4-PFHpA	98% 20-150%
	13C8-PFOA	103% 20-150%
	13C9-PFNA	116% 20-150%
	13C6-PFDA	107% 20-150%
	13C7-PFUnDA	101% 20-150%
	13C2-PFDoDA	99% 20-150%
	13C2-PFTeDA	86% 20-150%
	13C3-PFBS	97% 20-150%
	13C3-PFHxS	97% 20-150%
	13C8-PFOS	101% 20-150%
	13C8-FOSA	76% 20-150%
	d3-MeFOSA	72% 20-150%
	d5-EtFOSA	81% 20-150%
	d3-MeFOSAA	104% 20-150%
	d5-EtFOSAA	92% 20-150%
	d7-MeFOSE	58% 20-150%
	d9-EtFOSE	68% 20-150%
	13C2-4:2FTS	119% 20-180%
	13C2-6:2FTS	119% 20-180%
	13C2-8:2FTS	99% 20-180%
	13C3-HFPO-DA	95% 20-150%

6.1.4
6

Blank Spike Summary

Job Number: FC6649A
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP97275-LLBS	6Q19264.D	1	06/12/23	MV	06/09/23	OP97275	S6Q287

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC6649-3, FC6649-4, FC6649-5, FC6649-6

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
375-22-4	Perfluorobutanoic acid	0.03	0.0264	88	40-150
2706-90-3	Perfluoropentanoic acid	0.015	0.0129	86	40-150
307-24-4	Perfluorohexanoic acid	0.0075	0.0068	91	40-150
375-85-9	Perfluoroheptanoic acid	0.0075	0.0060	80	40-150
335-67-1	Perfluorooctanoic acid	0.0075	0.0083	111	40-150
375-95-1	Perfluorononanoic acid	0.0075	0.0061	81	40-150
335-76-2	Perfluorodecanoic acid	0.0075	0.0059	79	40-150
2058-94-8	Perfluoroundecanoic acid	0.0075	0.0071	95	40-150
307-55-1	Perfluorododecanoic acid	0.0075	0.0063	84	40-150
72629-94-8	Perfluorotridecanoic acid	0.0075	0.0063	84	40-150
376-06-7	Perfluorotetradecanoic acid	0.0075	0.0062	83	40-150
375-73-5	Perfluorobutanesulfonic acid	0.00665	0.0053	80	40-150
2706-91-4	Perfluoropentanesulfonic acid	0.00706	0.0062	88	40-150
355-46-4	Perfluorohexanesulfonic acid	0.00686	0.0056	82	40-150
375-92-8	Perfluoroheptanesulfonic acid	0.00715	0.0060	84	40-150
1763-23-1	Perfluorooctanesulfonic acid	0.00696	0.0060	86	40-150
68259-12-1	Perfluorononanesulfonic acid	0.00722	0.0059	82	40-150
335-77-3	Perfluorodecanesulfonic acid	0.00724	0.0057	79	40-150
79780-39-5	Perfluorododecanesulfonic aci	0.00728	0.0056	77	40-150
757124-72-44:2	Fluorotelomer sulfonate	0.0281	0.0242	86	40-150
27619-97-2	6:2 Fluorotelomer sulfonate	0.0285	0.0263	92	40-150
39108-34-4	8:2 Fluorotelomer sulfonate	0.0288	0.0235	82	40-150
754-91-6	PFOSA	0.0075	0.0063	84	40-150
31506-32-8	MeFOSA	0.015	0.0134	89	40-150
4151-50-2	EtFOSA	0.015	0.0131	87	40-150
2355-31-9	MeFOSAA	0.0075	0.0067	89	40-150
2991-50-6	EtFOSAA	0.0075	0.0065	87	40-150
24448-09-7	MeFOSE	0.0375	0.0329	88	40-150
1691-99-2	EtFOSE	0.0375	0.0315	84	40-150
13252-13-6	HFPO-DA (GenX)	0.015	0.0120	80	40-150
919005-14-4	ADONA	0.0142	0.0119	84	40-150
377-73-1	PFMPA	0.015	0.0127	85	40-150
863090-89-5	PFMBA	0.015	0.0126	84	40-150
151772-58-6	NFDHA	0.015	0.0134	89	40-150
756426-58-19	Cl-PF3ONS (F-53B Major)	0.014	0.0111	79	40-150
763051-92-91	Cl-PF3OUdS (F-53B Minor)	0.0142	0.0115	81	40-150

* = Outside of Control Limits.

Blank Spike Summary

Job Number: FC6649A
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP97275-LLBS	6Q19264.D	1	06/12/23	MV	06/09/23	OP97275	S6Q287

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC6649-3, FC6649-4, FC6649-5, FC6649-6

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
113507-82-7	PFEESA	0.0134	0.0131	98	40-150
356-02-5	3:3 Fluorotelomer carboxylate	0.0375	0.0246	66	40-150
914637-49-35:3	Fluorotelomer carboxylate	0.188	0.171	91	40-150
812-70-4	7:3 Fluorotelomer carboxylate	0.188	0.170	91	40-150

CAS No.	ID Standard Recoveries	BSP	Limits
	13C4-PFBA	115%	20-150%
	13C5-PFPeA	113%	20-150%
	13C5-PFHxA	107%	20-150%
	13C4-PFHpA	114%	20-150%
	13C8-PFOA	122%	20-150%
	13C9-PFNA	116%	20-150%
	13C6-PFDA	130%	20-150%
	13C7-PFUnDA	114%	20-150%
	13C2-PFDoDA	115%	20-150%
	13C2-PFTeDA	106%	20-150%
	13C3-PFBS	113%	20-150%
	13C3-PFHxS	109%	20-150%
	13C8-PFOS	120%	20-150%
	13C8-FOSA	92%	20-150%
	d3-MeFOSA	81%	20-150%
	d5-EtFOSA	87%	20-150%
	d3-MeFOSAA	114%	20-150%
	d5-EtFOSAA	117%	20-150%
	d7-MeFOSE	68%	20-150%
	d9-EtFOSE	78%	20-150%
	13C2-4:2FTS	131%	20-180%
	13C2-6:2FTS	125%	20-180%
	13C2-8:2FTS	114%	20-180%
	13C3-HFPO-DA	116%	20-150%

* = Outside of Control Limits.

Blank Spike Summary

Job Number: FC6649A
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP97275-BS	6Q19263.D	1	06/12/23	MV	06/09/23	OP97275	S6Q287

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC6649-3, FC6649-4, FC6649-5, FC6649-6

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
375-22-4	Perfluorobutanoic acid	0.1	0.0892	89	40-150
2706-90-3	Perfluoropentanoic acid	0.05	0.0448	90	40-150
307-24-4	Perfluorohexanoic acid	0.025	0.0239	96	40-150
375-85-9	Perfluoroheptanoic acid	0.025	0.0212	85	40-150
335-67-1	Perfluorooctanoic acid	0.025	0.0256	102	40-150
375-95-1	Perfluorononanoic acid	0.025	0.0214	86	40-150
335-76-2	Perfluorodecanoic acid	0.025	0.0188	75	40-150
2058-94-8	Perfluoroundecanoic acid	0.025	0.0216	86	40-150
307-55-1	Perfluorododecanoic acid	0.025	0.0243	97	40-150
72629-94-8	Perfluorotridecanoic acid	0.025	0.0222	89	40-150
376-06-7	Perfluorotetradecanoic acid	0.025	0.0226	90	40-150
375-73-5	Perfluorobutanesulfonic acid	0.0222	0.0204	92	40-150
2706-91-4	Perfluoropentanesulfonic acid	0.0235	0.0209	89	40-150
355-46-4	Perfluorohexanesulfonic acid	0.0229	0.0192	84	40-150
375-92-8	Perfluoroheptanesulfonic acid	0.0238	0.0205	86	40-150
1763-23-1	Perfluorooctanesulfonic acid	0.0232	0.0209	90	40-150
68259-12-1	Perfluorononanesulfonic acid	0.0241	0.0211	88	40-150
335-77-3	Perfluorodecanesulfonic acid	0.0241	0.0226	94	40-150
79780-39-5	Perfluorododecanesulfonic aci	0.0243	0.0193	80	40-150
757124-72-44:2	Fluorotelomer sulfonate	0.0938	0.0859	92	40-150
27619-97-2	6:2 Fluorotelomer sulfonate	0.095	0.0985	104	40-150
39108-34-4	8:2 Fluorotelomer sulfonate	0.096	0.0865	90	40-150
754-91-6	PFOSA	0.025	0.0216	86	40-150
31506-32-8	MeFOSA	0.05	0.0459	92	40-150
4151-50-2	EtFOSA	0.05	0.0462	92	40-150
2355-31-9	MeFOSAA	0.025	0.0241	96	40-150
2991-50-6	EtFOSAA	0.025	0.0218	87	40-150
24448-09-7	MeFOSE	0.125	0.108	86	40-150
1691-99-2	EtFOSE	0.125	0.103	82	40-150
13252-13-6	HFPO-DA (GenX)	0.05	0.0418	84	40-150
919005-14-4	ADONA	0.0473	0.0411	87	40-150
377-73-1	PFMPA	0.05	0.0243	49	40-150
863090-89-5	PFMBA	0.05	0.0463	93	40-150
151772-58-6	NFDHA	0.05	0.0437	87	40-150
756426-58-19	Cl-PF3ONS (F-53B Major)	0.0468	0.0400	86	40-150
763051-92-91	Cl-PF3OUdS (F-53B Minor)	0.0473	0.0387	82	40-150

* = Outside of Control Limits.

Blank Spike Summary

Job Number: FC6649A
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP97275-BS	6Q19263.D	1	06/12/23	MV	06/09/23	OP97275	S6Q287

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC6649-3, FC6649-4, FC6649-5, FC6649-6

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
113507-82-7	PFEESA	0.0445	0.0450	101	40-150
356-02-5	3:3 Fluorotelomer carboxylate	0.125	0.0476	38*	40-150
914637-49-35:3	Fluorotelomer carboxylate	0.625	0.595	95	40-150
812-70-4	7:3 Fluorotelomer carboxylate	0.625	0.562	90	40-150

CAS No.	ID Standard Recoveries	BSP	Limits
	13C4-PFBA	30%	20-150%
	13C5-PFPeA	102%	20-150%
	13C5-PFHxA	99%	20-150%
	13C4-PFHpA	108%	20-150%
	13C8-PFOA	97%	20-150%
	13C9-PFNA	106%	20-150%
	13C6-PFDA	127%	20-150%
	13C7-PFUnDA	112%	20-150%
	13C2-PFDoDA	106%	20-150%
	13C2-PFTeDA	98%	20-150%
	13C3-PFBS	116%	20-150%
	13C3-PFHxS	117%	20-150%
	13C8-PFOS	108%	20-150%
	13C8-FOSA	86%	20-150%
	d3-MeFOSA	82%	20-150%
	d5-EtFOSA	81%	20-150%
	d3-MeFOSAA	109%	20-150%
	d5-EtFOSAA	105%	20-150%
	d7-MeFOSE	64%	20-150%
	d9-EtFOSE	73%	20-150%
	13C2-4:2FTS	135%	20-180%
	13C2-6:2FTS	119%	20-180%
	13C2-8:2FTS	120%	20-180%
	13C3-HFPO-DA	108%	20-150%

* = Outside of Control Limits.

Matrix Spike Summary

Job Number: FC6649A
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP97275-MS	6Q19269.D	1	06/12/23	MV	06/09/23	OP97275	S6Q287
FC6649-1	6Q19268.D	1	06/12/23	MV	06/09/23	OP97275	S6Q287

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC6649-3, FC6649-4, FC6649-5, FC6649-6

CAS No.	Compound	FC6649-1 ug/l	Spike Q	MS ug/l	MS %	Limits	
375-22-4	Perfluorobutanoic acid	0.015 U		0.0909	0.0740	81	40-150
2706-90-3	Perfluoropentanoic acid	0.0074 U		0.0455	0.0392	86	40-150
307-24-4	Perfluorohexanoic acid	0.0037 U		0.0227	0.0190	84	40-150
375-85-9	Perfluoroheptanoic acid	0.0037 U		0.0227	0.0195	86	40-150
335-67-1	Perfluorooctanoic acid	0.0037 U		0.0227	0.0212	93	40-150
375-95-1	Perfluorononanoic acid	0.0037 U		0.0227	0.0188	83	40-150
335-76-2	Perfluorodecanoic acid	0.0037 U		0.0227	0.0184	81	40-150
2058-94-8	Perfluoroundecanoic acid	0.0037 U		0.0227	0.0215	95	40-150
307-55-1	Perfluorododecanoic acid	0.0037 U		0.0227	0.0198	87	40-150
72629-94-8	Perfluorotridecanoic acid	0.0037 U		0.0227	0.0181	80	40-150
376-06-7	Perfluorotetradecanoic acid	0.0037 U		0.0227	0.0200	88	40-150
375-73-5	Perfluorobutanesulfonic acid	0.0037 U		0.0202	0.0173	86	40-150
2706-91-4	Perfluoropentanesulfonic acid	0.0046 U		0.0214	0.0196	92	40-150
355-46-4	Perfluorohexanesulfonic acid	0.0037 U		0.0208	0.0188	91	40-150
375-92-8	Perfluoroheptanesulfonic acid	0.0037 U		0.0217	0.0191	88	40-150
1763-23-1	Perfluorooctanesulfonic acid	0.0037 U		0.0211	0.0191	91	40-150
68259-12-1	Perfluorononanesulfonic acid	0.0037 U		0.0219	0.0193	88	40-150
335-77-3	Perfluorodecanesulfonic acid	0.0037 U		0.0219	0.0167	76	40-150
79780-39-5	Perfluorododecanesulfonic aci	0.0046 U		0.022	0.0104	47	40-150
757124-72-44:2	Fluorotelomer sulfonate	0.019 U		0.0852	0.0702	82	40-150
27619-97-2	6:2 Fluorotelomer sulfonate	0.0038 J		0.0864	0.0856	95	40-150
39108-34-4	8:2 Fluorotelomer sulfonate	0.019 U		0.0873	0.0697	80	40-150
754-91-6	PFOSA	0.0037 U		0.0227	0.0202	89	40-150
31506-32-8	MeFOSA	0.0074 U		0.0455	0.0391	86	40-150
4151-50-2	EtFOSA	0.0074 U		0.0455	0.0395	87	40-150
2355-31-9	MeFOSAA	0.0046 U		0.0227	0.0223	98	40-150
2991-50-6	EtFOSAA	0.0046 U		0.0227	0.0197	87	40-150
24448-09-7	MeFOSE	0.037 U		0.114	0.103	91	40-150
1691-99-2	EtFOSE	0.037 U		0.114	0.101	89	40-150
13252-13-6	HFPO-DA (GenX)	0.0037 U		0.0455	0.0367	81	40-150
919005-14-4	ADONA	0.0074 U		0.043	0.0446	104	40-150
377-73-1	PFMPA	0.0074 U		0.0455	0.0106	23*	40-150
863090-89-5	PFMBA	0.0074 U		0.0455	0.0645	142	40-150
151772-58-6	NFDHA	0.0074 U		0.0455	0.0342	75	40-150
756426-58-19	Cl-PF3ONS (F-53B Major)	0.0074 U		0.0425	0.0448	105	40-150
763051-92-91	Cl-PF3OUdS (F-53B Minor)	0.0074 U		0.043	0.0363	85	40-150

* = Outside of Control Limits.

Matrix Spike Summary

Job Number: FC6649A
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP97275-MS	6Q19269.D	1	06/12/23	MV	06/09/23	OP97275	S6Q287
FC6649-1	6Q19268.D	1	06/12/23	MV	06/09/23	OP97275	S6Q287

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC6649-3, FC6649-4, FC6649-5, FC6649-6

CAS No.	Compound	FC6649-1 ug/l	Spike Q	MS ug/l	MS %	Limits
113507-82-7	PFEESA	0.0074 U	0.0405	0.0396	98	40-150
356-02-5	3:3 Fluorotelomer carboxylate	0.019 U	0.114	0.0230	20*	40-150
914637-49-35:3	Fluorotelomer carboxylate	0.093 U	0.568	0.513	90	40-150
812-70-4	7:3 Fluorotelomer carboxylate	0.093 U	0.568	0.655	115	40-150

CAS No.	ID Standard Recoveries	MS	FC6649-1	Limits
	13C4-PFBA	4%* a	4%* a	20-150%
	13C5-PFPeA	26%	25%	20-150%
	13C5-PFHxA	98%	95%	20-150%
	13C4-PFHpA	107%	105%	20-150%
	13C8-PFOA	117%	115%	20-150%
	13C9-PFNA	105%	113%	20-150%
	13C6-PFDA	109%	107%	20-150%
	13C7-PFUnDA	97%	99%	20-150%
	13C2-PFDoDA	96%	102%	20-150%
	13C2-PFTeDA	70%	74%	20-150%
	13C3-PFBS	109%	105%	20-150%
	13C3-PFHxS	110%	109%	20-150%
	13C8-PFOS	100%	102%	20-150%
	13C8-FOSA	84%	91%	20-150%
	d3-MeFOSA	85%	87%	20-150%
	d5-EtFOSA	87%	98%	20-150%
	d3-MeFOSAA	114%	125%	20-150%
	d5-EtFOSAA	116%	126%	20-150%
	d7-MeFOSE	63%	69%	20-150%
	d9-EtFOSE	68%	73%	20-150%
	13C2-4:2FTS	149%	141%	20-180%
	13C2-6:2FTS	102%	97%	20-180%
	13C2-8:2FTS	114%	113%	20-180%
	13C3-HFPO-DA	90%	83%	20-150%

(a) Outside control limits.

* = Outside of Control Limits.

Duplicate Summary

Job Number: FC6649A
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP97275-DUP	6Q19275.D	1	06/12/23	MV	06/09/23	OP97275	S6Q287
FC6649-4	6Q19274.D	1	06/12/23	MV	06/09/23	OP97275	S6Q287

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC6649-3, FC6649-4, FC6649-5, FC6649-6

CAS No.	Compound	FC6649-4 ug/l	DUP Q	ug/l	Q	RPD	Limits
375-22-4	Perfluorobutanoic acid	0.015 U	ND			nc	30
2706-90-3	Perfluoropentanoic acid	0.0075 U	ND			nc	30
307-24-4	Perfluorohexanoic acid	0.0038 U	ND			nc	30
375-85-9	Perfluoroheptanoic acid	0.0038 U	ND			nc	30
335-67-1	Perfluorooctanoic acid	0.0038 U	ND			nc	30
375-95-1	Perfluorononanoic acid	0.0038 U	ND			nc	30
335-76-2	Perfluorodecanoic acid	0.0038 U	ND			nc	30
2058-94-8	Perfluoroundecanoic acid	0.0038 U	ND			nc	30
307-55-1	Perfluorododecanoic acid	0.0038 U	ND			nc	30
72629-94-8	Perfluorotridecanoic acid	0.0038 U	ND			nc	30
376-06-7	Perfluorotetradecanoic acid	0.0038 U	ND			nc	30
375-73-5	Perfluorobutanesulfonic acid	0.0038 U	ND			nc	30
2706-91-4	Perfluoropentanesulfonic acid	0.0047 U	ND			nc	30
355-46-4	Perfluorohexanesulfonic acid	0.0038 U	ND			nc	30
375-92-8	Perfluoroheptanesulfonic acid	0.0038 U	ND			nc	30
1763-23-1	Perfluorooctanesulfonic acid	0.0038 U	ND			nc	30
68259-12-1	Perfluorononanesulfonic acid	0.0038 U	ND			nc	30
335-77-3	Perfluorodecanesulfonic acid	0.0038 U	ND			nc	30
79780-39-5	Perfluorododecanesulfonic aci	0.0047 U	ND			nc	30
757124-72-44:2	Fluorotelomer sulfonate	0.019 U	ND			nc	30
27619-97-2	6:2 Fluorotelomer sulfonate	0.0085 U	J	0.0055 U	J	43*	30
39108-34-4	8:2 Fluorotelomer sulfonate	0.019 U	ND			nc	30
754-91-6	PFOSA	0.0038 U	ND			nc	30
31506-32-8	MeFOSA	0.0075 U	ND			nc	30
4151-50-2	EtFOSA	0.0075 U	ND			nc	30
2355-31-9	MeFOSAA	0.0047 U	ND			nc	30
2991-50-6	EtFOSAA	0.0047 U	ND			nc	30
24448-09-7	MeFOSE	0.038 U	ND			nc	30
1691-99-2	EtFOSE	0.038 U	ND			nc	30
13252-13-6	HFPO-DA (GenX)	0.0038 U	ND			nc	30
919005-14-4	ADONA	0.0075 U	ND			nc	30
377-73-1	PFMPA	0.0075 U	ND			nc	30
863090-89-5	PFMBA	0.0075 U	ND			nc	30
151772-58-6	NFDHA	0.0075 U	ND			nc	30
756426-58-19	Cl-PF3ONS (F-53B Major)	0.0075 U	ND			nc	30
763051-92-91	Cl-PF3OUdS (F-53B Minor)	0.0075 U	ND			nc	30

* = Outside of Control Limits.

Duplicate Summary

Job Number: FC6649A
 Account: AECOMCOD AECOM, INC.
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP97275-DUP	6Q19275.D	1	06/12/23	MV	06/09/23	OP97275	S6Q287
FC6649-4	6Q19274.D	1	06/12/23	MV	06/09/23	OP97275	S6Q287

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC6649-3, FC6649-4, FC6649-5, FC6649-6

CAS No.	Compound	FC6649-4 ug/l	DUP Q	ug/l	Q	RPD	Limits
113507-82-7	PFEESA	0.0075 U	ND			nc	30
356-02-5	3:3 Fluorotelomer carboxylate	0.019 U	ND			nc	30
914637-49-35:3	Fluorotelomer carboxylate	0.094 U	ND			nc	30
812-70-4	7:3 Fluorotelomer carboxylate	0.094 U	ND			nc	30

CAS No.	ID Standard Recoveries	DUP	FC6649-4	Limits
	13C4-PFBA	114%	107%	20-150%
	13C5-PFPeA	116%	113%	20-150%
	13C5-PFHxA	113%	117%	20-150%
	13C4-PFHpA	115%	110%	20-150%
	13C8-PFOA	110%	116%	20-150%
	13C9-PFNA	127%	107%	20-150%
	13C6-PFDA	123%	101%	20-150%
	13C7-PFUnDA	94%	95%	20-150%
	13C2-PFDoDA	94%	88%	20-150%
	13C2-PFTeDA	89%	84%	20-150%
	13C3-PFBS	119%	118%	20-150%
	13C3-PFHxS	109%	114%	20-150%
	13C8-PFOS	106%	105%	20-150%
	13C8-FOSA	94%	92%	20-150%
	d3-MeFOSA	86%	79%	20-150%
	d5-EtFOSA	97%	80%	20-150%
	d3-MeFOSAA	107%	102%	20-150%
	d5-EtFOSAA	110%	97%	20-150%
	d7-MeFOSE	71%	67%	20-150%
	d9-EtFOSE	84%	69%	20-150%
	13C2-4:2FTS	134%	135%	20-180%
	13C2-6:2FTS	130%	127%	20-180%
	13C2-8:2FTS	114%	109%	20-180%
	13C3-HFPO-DA	105%	102%	20-150%

* = Outside of Control Limits.