KENNETH S. FINK, MD, MGA, MPH DIRECTOR OF HEALTH KA LUNA HO'OKELE

JOSH GREEN, M.D. GOVERNOR OF HAWAI'I KE KIA'ĀINA O KA MOKU'ĀINA 'O HAWAI'I



STATE OF HAWAI'I DEPARTMENT OF HEALTH KA 'OIHANA OLAKINO

P. O. BOX 3378 HONOLULU, HI 96801-3378 In reply, please refer to: File:

August 4, 2023

Vice Admiral John Wade Joint Task Force, Red Hill 1025 Quincy Avenue, Suite 900 Joint Base Pearl Harbor Hickam, Hawai'i 96860-5101 [via email only: john.f.wade2.mil@us.navy.mil]

Dear Vice Admiral Wade:

SUBJECT: Third June JTF-RH Quality Validation Reports

The Hawai'i Department of Health (DOH) acknowledges receipt on June 30, 2023 of the Joint Task Force-Red Hill's (JTF-RH's) quality validation (QV) reports for 13 repairs (Repair Nos. 9, 31, 39, 96, 128, 169, 194, 221, 231, 232, and 246-248). On July 28, 2023, we received revised QV reports for Repair Nos. 9 and 96.

Based on the information submitted, the Quality Validation Engineer's certification on the completion of repairs, and the DOH's walkthrough of select repairs on June 12, 2023 and June 13, 2023, the DOH conditionally approves the submissions, provided that:

- 1. Information associated with welds 12 to 19 for Repair No. 128 is provided and acceptable to the DOH.
- 2. There are no additional changes (identified by the JTF-RH or DOH) to the Consolidated List of Repairs for Safe Defueling, received on October 24, 2022, that will affect the portion of the infrastructure for which this conditional approval applies.
- 3. Future or on-going testing or assessment performed on the infrastructure does not produce failed results or the determination of additional needed repairs.
- 4. The Fleet Logistics Center and JTF-RH follow recommendations provided to monitor potential weeping during repacking and defueling, as well as maintain drip pans and absorbents as a precautionary measure.
- 5. The DOH reserves final approval of repair completion upon submission of the final Quality Validation Report.

Vice Admiral John Wade August 4, 2023 Page 2

Should you have any questions regarding this letter, please contact Ms. Kelly Ann Lee, Red Hill Project Coordinator, at (808) 586-4226 or kellyann.lee@doh.hawaii.gov.

Sincerely,

Kathleen Ho

KATHLEEN S. HO Deputy Director for Environmental Health

c: Mr. Grant Scavello, U.S. Environmental Protection Agency [via email only] Mr. Evan Osborne, U.S. Environmental Protection Agency [via email only] BG Michelle Link, JTF-RH [via email only] LTC Noor James, JTF-RH [via email only]