

The results set forth herein are provided by SGS North America Inc.

*e-Hardcopy 2.0*  
*Automated Report*

## Technical Report for

**AECOM, INC.**

**N6274223F0104 RH Fire Suppression System**

**60697810**

**SGS Job Number: FC9666**

**Sampling Date: 09/14/23**

### Report to:

**AECOM, Inc**  
**7595 Technology Way**  
**Denver, CO 80237**  
**katie.abbott@aecom.com; mark.kromis@aecom.com;**  
**watson.tanji@aecom.com; kristin.rutherford@aecom.com**  
**ATTN: Katie Abbott**

**Total number of pages in report: 36**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable unless noted in the narrative, comments or footnotes.

**Norm Farmer**  
**Technical Director**

**Client Service contact: Elvin Kumar 407-425-6700**

Certifications: FL(E83510), LA(03051), KS(E-10327), NC(573), NJ(FL002), NY(12022), SC(96038001)

DoD ELAP(ANAB L2229), AZ(AZ0806), CA(2937), TX(T104704404), PA(68-03573), VA(460177),

AL, AK, AR, CT, IA, KY, MA, MI, MS, ND, NH, NV, OK, OR, IL, UT, VT, WA, WI, WV

This report shall not be reproduced, except in its entirety, without the written approval of SGS.

Test results relate only to samples analyzed.

# Table of Contents

-1-

<b>Section 1: Sample Summary</b> .....	<b>3</b>
<b>Section 2: Case Narrative/Conformance Summary</b> .....	<b>4</b>
<b>Section 3: Summary of Hits</b> .....	<b>5</b>
<b>Section 4: Sample Results</b> .....	<b>6</b>
<b>4.1:</b> FC9666-1: AF-RHP03-WGN01LF-2309 .....	7
<b>4.2:</b> FC9666-2: AF-RHP07-WGN01LF-2309 .....	10
<b>4.3:</b> FC9666-3: AF-RHMW05-WGN01LF-2309 .....	13
<b>Section 5: Misc. Forms</b> .....	<b>16</b>
<b>5.1:</b> Chain of Custody .....	17
<b>5.2:</b> QC Evaluation: DOD QSM5.x Limits .....	21
<b>Section 6: MS Semi-volatiles - QC Data Summaries</b> .....	<b>22</b>
<b>6.1:</b> Method Blank Summary .....	23
<b>6.2:</b> Blank Spike Summary .....	29
<b>6.3:</b> Matrix Spike Summary .....	33
<b>6.4:</b> Duplicate Summary .....	35

1

2

3

4

5

6



## Sample Summary

AECOM, INC.

Job No: FC9666

N6274223F0104 RH Fire Suppression System  
Project No: 60697810

Sample Number	Collected Date	Time By	Received	Matrix Code	Type	Client Sample ID
FC9666-1	09/14/23	13:30	LWAY09/18/23	AQ	Ground Water	AF-RHP03-WGN01LF-2309
FC9666-2	09/14/23	13:10	GA 09/18/23	AQ	Ground Water	AF-RHP07-WGN01LF-2309
FC9666-3	09/14/23	15:45	GACW09/18/23	AQ	Ground Water	AF-RHMW05-WGN01LF-2309

## SAMPLE DELIVERY GROUP CASE NARRATIVE

**Client:** AECOM, INC.

**Job No:** FC9666

**Site:** N6274223F0104 RH Fire Suppression System

**Report Date:** 9/22/2023 2:29:48 PM

On 09/18/2023, 3 Sample(s), 0 Trip Blank(s) and 0 Field Blank(s) were received at SGS North America Inc - Orlando. at a maximum corrected temperature of 17.2 C. Samples were intact and chemically preserved, unless noted below. A SGS North America Inc. - Orlando Job Number of FC9666 was assigned to the project.

Laboratory sample ID, client sample ID and dates of sample collection are detailed in the report's Results Summary Section. Specified quality control criteria were achieved for this job except as noted below. For more information, please refer to the analytical results and QC summary pages.

### MS Semi-volatiles By Method EPA DRAFT 1633

**Matrix:** AQ

**Batch ID:** OP99077

Sample(s) FC9640-1MS, FC9640-2DUP were used as the QC samples indicated.

SGS North America Inc. - Orlando certifies that data reported for samples received, listed on the associated custody chain or analytical task order, were produced to specifications meeting the Quality System precision, accuracy and completeness objectives except as noted. Estimated non-standard method measurement uncertainty data is available on request, based on quality control bias and implicit for standard methods. Acceptable uncertainty requires tested parameter quality control data to meet method criteria. SGS North America Inc.- Orlando is not responsible for data quality assumptions if partial reports are used and recommends that this report be used in its entirety.

Narrative prepared by:

---

Kim Benham, Client Services (*Signature on File*)

## Summary of Hits

Job Number: FC9666  
Account: AECOM, INC.  
Project: N6274223F0104 RH Fire Suppression System  
Collected: 09/14/23



Lab Sample ID	Client Sample ID	Result/ Analyte	LOQ	LOD	Units	Method
---------------	------------------	--------------------	-----	-----	-------	--------

**FC9666-1 AF-RHP03-WGN01LF-2309**

Perfluorobutanoic acid	6.0 J	15	3.8	ng/l	EPA DRAFT 1633
Perfluoropentanoic acid	5.7 J	7.7	1.9	ng/l	EPA DRAFT 1633
Perfluorohexanoic acid	3.1 J	3.8	1.9	ng/l	EPA DRAFT 1633
Perfluoroheptanoic acid	2.8 J	3.8	1.9	ng/l	EPA DRAFT 1633
Perfluorooctanoic acid	2.6 J	3.8	0.96	ng/l	EPA DRAFT 1633
Perfluorobutanesulfonic acid	1.9 J	3.8	1.9	ng/l	EPA DRAFT 1633
Perfluorohexanesulfonic acid	4.0	3.8	1.9	ng/l	EPA DRAFT 1633
Perfluorooctanesulfonic acid	5.1	3.8	1.9	ng/l	EPA DRAFT 1633

**FC9666-2 AF-RHP07-WGN01LF-2309**

Perfluorobutanoic acid	5.8 J	15	3.8	ng/l	EPA DRAFT 1633
Perfluoropentanoic acid	3.3 J	7.5	1.9	ng/l	EPA DRAFT 1633
Perfluorohexanoic acid	1.6 J	3.8	1.9	ng/l	EPA DRAFT 1633
Perfluoroheptanoic acid	1.5 J	3.8	1.9	ng/l	EPA DRAFT 1633
Perfluorooctanoic acid	1.8 J	3.8	0.94	ng/l	EPA DRAFT 1633
Perfluorobutanesulfonic acid	1.1 J	3.8	1.9	ng/l	EPA DRAFT 1633
Perfluorohexanesulfonic acid	3.6 J	3.8	1.9	ng/l	EPA DRAFT 1633
Perfluorooctanesulfonic acid	9.0	3.8	1.9	ng/l	EPA DRAFT 1633

**FC9666-3 AF-RHMW05-WGN01LF-2309**

No hits reported in this sample.

**Sample Results**

---

**Report of Analysis**

---

# Report of Analysis

Client Sample ID:	AF-RHP03-WGN01LF-2309		
Lab Sample ID:	FC9666-1	Date Sampled:	09/14/23
Matrix:	AQ - Ground Water	Date Received:	09/18/23
Method:	EPA DRAFT 1633 EPA 1633 DRAFT	Percent Solids:	n/a
Project:	N6274223F0104 RH Fire Suppression System		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	6Q24840.D	1	09/22/23 03:31	MV	09/19/23 10:30	OP99077	S6Q355
Run #2							

Run #	Initial Volume	Final Volume
Run #1	520 ml	5.0 ml
Run #2		

CAS No.	Compound	Result	LOQ	LOD	DL	Units	Q
---------	----------	--------	-----	-----	----	-------	---

**PERFLUOROALKYL CARBOXYLIC ACIDS**

375-22-4	Perfluorobutanoic acid	6.0	15	3.8	1.8	ng/l	J
2706-90-3	Perfluoropentanoic acid	5.7	7.7	1.9	0.90	ng/l	J
307-24-4	Perfluorohexanoic acid	3.1	3.8	1.9	0.48	ng/l	J
375-85-9	Perfluoroheptanoic acid	2.8	3.8	1.9	0.48	ng/l	J
335-67-1	Perfluorooctanoic acid	2.6	3.8	0.96	0.48	ng/l	J
375-95-1	Perfluorononanoic acid	1.9 U	3.8	1.9	0.59	ng/l	
335-76-2	Perfluorodecanoic acid	1.9 U	3.8	1.9	0.48	ng/l	
2058-94-8	Perfluoroundecanoic acid	1.9 U	3.8	1.9	0.58	ng/l	
307-55-1	Perfluorododecanoic acid	1.9 U	3.8	1.9	0.58	ng/l	
72629-94-8	Perfluorotridecanoic acid	1.9 U	3.8	1.9	0.81	ng/l	
376-06-7	Perfluorotetradecanoic acid	1.9 U	3.8	1.9	0.48	ng/l	

**PERFLUOROALKYL SULFONIC ACIDS**

375-73-5	Perfluorobutanesulfonic acid	1.9	3.8	1.9	0.48	ng/l	J
2706-91-4	Perfluoropentanesulfonic acid	3.8 U	4.8	3.8	1.1	ng/l	
355-46-4	Perfluorohexanesulfonic acid	4.0	3.8	1.9	0.67	ng/l	
375-92-8	Perfluoroheptanesulfonic acid	1.9 U	3.8	1.9	0.48	ng/l	
1763-23-1	Perfluorooctanesulfonic acid	5.1	3.8	1.9	0.52	ng/l	
68259-12-1	Perfluorononanesulfonic acid	1.9 U	3.8	1.9	0.55	ng/l	
335-77-3	Perfluorodecanesulfonic acid	1.9 U	3.8	1.9	0.62	ng/l	
79780-39-5	Perfluorododecanesulfonic aci	3.8 U	4.8	3.8	1.1	ng/l	

**FLUOROTELOMER SULFONIC ACIDS**

757124-72-4	4:2 Fluorotelomer sulfonate	7.7 U	19	7.7	3.1	ng/l	
27619-97-2	6:2 Fluorotelomer sulfonate	7.7 U	19	7.7	3.3	ng/l	
39108-34-4	8:2 Fluorotelomer sulfonate	7.7 U	19	7.7	4.0	ng/l	

**PERFLUOROOCCTANE SULFONAMIDES**

754-91-6	PFOSA	1.9 U	3.8	1.9	0.64	ng/l	
31506-32-8	MeFOSA	3.8 U	7.7	3.8	0.96	ng/l	
4151-50-2	EtFOSA	3.8 U	7.7	3.8	0.96	ng/l	

U = Not detected      LOD = Limit of Detection      J = Indicates an estimated value  
 LOQ = Limit of Quantitation      DL = Detection Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound

4.1  
4

# Report of Analysis

Client Sample ID:	AF-RHP03-WGN01LF-2309		
Lab Sample ID:	FC9666-1	Date Sampled:	09/14/23
Matrix:	AQ - Ground Water	Date Received:	09/18/23
Method:	EPA DRAFT 1633 EPA 1633 DRAFT	Percent Solids:	n/a
Project:	N6274223F0104 RH Fire Suppression System		

CAS No. Compound Result LOQ LOD DL Units Q

**PERFLUOROOCCTANE SULFONAMIDOACETIC ACIDS**

2355-31-9	MeFOSAA	3.8 U	4.8	3.8	0.96	ng/l
2991-50-6	EtFOSAA	3.8 U	4.8	3.8	1.3	ng/l

**PERFLUOROOCCTANE SULFONAMIDO ETHANOLS**

24448-09-7	MeFOSE	19 U	38	19	4.2	ng/l
1691-99-2	EtFOSE	19 U	38	19	7.1	ng/l

**PER and POLYFLUOROETHER CARBOXYLIC ACIDS**

13252-13-6	HFPO-DA (GenX)	1.9 U	3.8	1.9	0.96	ng/l
919005-14-4	ADONA	3.8 U	7.7	3.8	1.8	ng/l
377-73-1	PFMPA	1.9 U	7.7	1.9	0.96	ng/l
863090-89-5	PFMBA	3.8 U	7.7	3.8	1.1	ng/l
151772-58-6	NFDHA	3.8 U	7.7	3.8	1.2	ng/l

**PER and POLYFLUOROETHER SULFONIC ACIDS**

756426-58-1	9Cl-PF3ONS (F-53B Major)	3.8 U	7.7	3.8	1.3	ng/l
763051-92-9	11Cl-PF3OUdS (F-53B Minor)	3.8 U	7.7	3.8	1.7	ng/l
113507-82-7	PFEESA	1.9 U	7.7	1.9	0.75	ng/l

**FLUOROTELOMER CARBOXYLIC ACIDS**

356-02-5	3:3 Fluorotelomer carboxylate	9.6 U	19	9.6	4.3	ng/l
914637-49-3	5:3 Fluorotelomer carboxylate	19 U	96	19	8.4	ng/l
812-70-4	7:3 Fluorotelomer carboxylate	19 U	96	19	7.5	ng/l

CAS No. ID Standard Recoveries Run# 1 Run# 2 Limits

13C4-PFBA	100%	20-150%
13C5-PFPeA	112%	20-150%
13C5-PFHxA	112%	20-150%
13C4-PFHpA	113%	20-150%
13C8-PFOA	104%	20-150%
13C9-PFNA	109%	20-150%
13C6-PFDA	108%	20-150%
13C7-PFUnDA	109%	20-150%
13C2-PFDoDA	98%	20-150%
13C2-PFTeDA	83%	20-150%
13C3-PFBS	111%	20-150%
13C3-PFHxS	114%	20-150%

U = Not detected      LOD = Limit of Detection      J = Indicates an estimated value  
 LOQ = Limit of Quantitation      DL = Detection Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound



## Report of Analysis

<b>Client Sample ID:</b>	AF-RHP03-WGN01LF-2309	
<b>Lab Sample ID:</b>	FC9666-1	<b>Date Sampled:</b> 09/14/23
<b>Matrix:</b>	AQ - Ground Water	<b>Date Received:</b> 09/18/23
<b>Method:</b>	EPA DRAFT 1633 EPA 1633 DRAFT	<b>Percent Solids:</b> n/a
<b>Project:</b>	N6274223F0104 RH Fire Suppression System	

CAS No.	ID Standard Recoveries	Run# 1	Run# 2	Limits
	13C8-PFOS	112%		20-150%
	13C8-FOSA	83%		20-150%
	d3-MeFOSA	88%		20-150%
	d5-EtFOSA	98%		20-150%
	d3-MeFOSAA	103%		20-150%
	d5-EtFOSAA	96%		20-150%
	d7-MeFOSE	83%		20-150%
	d9-EtFOSE	86%		20-150%
	13C2-4:2FTS	116%		20-180%
	13C2-6:2FTS	117%		20-180%
	13C2-8:2FTS	115%		20-180%
	13C3-HFPO-DA	110%		20-150%

U = Not detected

LOD = Limit of Detection

J = Indicates an estimated value

LOQ = Limit of Quantitation

DL = Detection Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

# Report of Analysis

Client Sample ID:	AF-RHP07-WGN01LF-2309		
Lab Sample ID:	FC9666-2	Date Sampled:	09/14/23
Matrix:	AQ - Ground Water	Date Received:	09/18/23
Method:	EPA DRAFT 1633 EPA 1633 DRAFT	Percent Solids:	n/a
Project:	N6274223F0104 RH Fire Suppression System		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	6Q24841.D	1	09/22/23 03:45	MV	09/19/23 10:30	OP99077	S6Q355
Run #2							

Run #	Initial Volume	Final Volume
Run #1	530 ml	5.0 ml
Run #2		

CAS No.	Compound	Result	LOQ	LOD	DL	Units	Q
<b>PERFLUOROALKYL CARBOXYLIC ACIDS</b>							
375-22-4	Perfluorobutanoic acid	5.8	15	3.8	1.8	ng/l	J
2706-90-3	Perfluoropentanoic acid	3.3	7.5	1.9	0.89	ng/l	J
307-24-4	Perfluorohexanoic acid	1.6	3.8	1.9	0.47	ng/l	J
375-85-9	Perfluoroheptanoic acid	1.5	3.8	1.9	0.47	ng/l	J
335-67-1	Perfluorooctanoic acid	1.8	3.8	0.94	0.47	ng/l	J
375-95-1	Perfluorononanoic acid	1.9 U	3.8	1.9	0.58	ng/l	
335-76-2	Perfluorodecanoic acid	1.9 U	3.8	1.9	0.47	ng/l	
2058-94-8	Perfluoroundecanoic acid	1.9 U	3.8	1.9	0.57	ng/l	
307-55-1	Perfluorododecanoic acid	1.9 U	3.8	1.9	0.57	ng/l	
72629-94-8	Perfluorotridecanoic acid	1.9 U	3.8	1.9	0.79	ng/l	
376-06-7	Perfluorotetradecanoic acid	1.9 U	3.8	1.9	0.47	ng/l	
<b>PERFLUOROALKYL SULFONIC ACIDS</b>							
375-73-5	Perfluorobutanesulfonic acid	1.1	3.8	1.9	0.47	ng/l	J
2706-91-4	Perfluoropentanesulfonic acid	3.8 U	4.7	3.8	1.1	ng/l	
355-46-4	Perfluorohexanesulfonic acid	3.6	3.8	1.9	0.66	ng/l	J
375-92-8	Perfluoroheptanesulfonic acid	1.9 U	3.8	1.9	0.47	ng/l	
1763-23-1	Perfluorooctanesulfonic acid	9.0	3.8	1.9	0.51	ng/l	
68259-12-1	Perfluorononanesulfonic acid	1.9 U	3.8	1.9	0.54	ng/l	
335-77-3	Perfluorodecanesulfonic acid	1.9 U	3.8	1.9	0.60	ng/l	
79780-39-5	Perfluorododecanesulfonic aci	3.8 U	4.7	3.8	1.1	ng/l	
<b>FLUOROTELOMER SULFONIC ACIDS</b>							
757124-72-4	4:2 Fluorotelomer sulfonate	7.5 U	19	7.5	3.0	ng/l	
27619-97-2	6:2 Fluorotelomer sulfonate	7.5 U	19	7.5	3.3	ng/l	
39108-34-4	8:2 Fluorotelomer sulfonate	7.5 U	19	7.5	3.9	ng/l	
<b>PERFLUOROOCCTANE SULFONAMIDES</b>							
754-91-6	PFOSA	1.9 U	3.8	1.9	0.63	ng/l	
31506-32-8	MeFOSA	3.8 U	7.5	3.8	0.94	ng/l	
4151-50-2	EtFOSA	3.8 U	7.5	3.8	0.94	ng/l	

U = Not detected      LOD = Limit of Detection      J = Indicates an estimated value  
 LOQ = Limit of Quantitation      DL = Detection Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound

4.2  
4

# Report of Analysis

Client Sample ID:	AF-RHP07-WGN01LF-2309		
Lab Sample ID:	FC9666-2	Date Sampled:	09/14/23
Matrix:	AQ - Ground Water	Date Received:	09/18/23
Method:	EPA DRAFT 1633 EPA 1633 DRAFT	Percent Solids:	n/a
Project:	N6274223F0104 RH Fire Suppression System		

CAS No.	Compound	Result	LOQ	LOD	DL	Units	Q
---------	----------	--------	-----	-----	----	-------	---

**PERFLUOROOCCTANE SULFONAMIDOACETIC ACIDS**

2355-31-9	MeFOSAA	3.8 U	4.7	3.8	0.94	ng/l	
2991-50-6	EtFOSAA	3.8 U	4.7	3.8	1.3	ng/l	

**PERFLUOROOCCTANE SULFONAMIDO ETHANOLS**

24448-09-7	MeFOSE	19 U	38	19	4.1	ng/l	
1691-99-2	EtFOSE	19 U	38	19	7.0	ng/l	

**PER and POLYFLUOROETHER CARBOXYLIC ACIDS**

13252-13-6	HFPO-DA (GenX)	1.9 U	3.8	1.9	0.94	ng/l	
919005-14-4	ADONA	3.8 U	7.5	3.8	1.8	ng/l	
377-73-1	PFMPA	1.9 U	7.5	1.9	0.94	ng/l	
863090-89-5	PFMBA	3.8 U	7.5	3.8	1.1	ng/l	
151772-58-6	NFDHA	3.8 U	7.5	3.8	1.1	ng/l	

**PER and POLYFLUOROETHER SULFONIC ACIDS**

756426-58-1	9Cl-PF3ONS (F-53B Major)	3.8 U	7.5	3.8	1.3	ng/l	
763051-92-9	11Cl-PF3OUdS (F-53B Minor)	3.8 U	7.5	3.8	1.7	ng/l	
113507-82-7	PFEESA	1.9 U	7.5	1.9	0.74	ng/l	

**FLUOROTELOMER CARBOXYLIC ACIDS**

356-02-5	3:3 Fluorotelomer carboxylate	9.4 U	19	9.4	4.3	ng/l	
914637-49-3	5:3 Fluorotelomer carboxylate	19 U	94	19	8.2	ng/l	
812-70-4	7:3 Fluorotelomer carboxylate	19 U	94	19	7.4	ng/l	

CAS No.	ID Standard Recoveries	Run# 1	Run# 2	Limits
---------	------------------------	--------	--------	--------

	13C4-PFBA	98%		20-150%
	13C5-PFPeA	101%		20-150%
	13C5-PFHxA	106%		20-150%
	13C4-PFHpA	102%		20-150%
	13C8-PFOA	106%		20-150%
	13C9-PFNA	105%		20-150%
	13C6-PFDA	108%		20-150%
	13C7-PFUnDA	107%		20-150%
	13C2-PFDoDA	102%		20-150%
	13C2-PFTeDA	86%		20-150%
	13C3-PFBS	109%		20-150%
	13C3-PFHxS	110%		20-150%

U = Not detected      LOD = Limit of Detection      J = Indicates an estimated value  
 LOQ = Limit of Quantitation      DL = Detection Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound

4.2  
4

## Report of Analysis

<b>Client Sample ID:</b>	AF-RHP07-WGN01LF-2309		
<b>Lab Sample ID:</b>	FC9666-2	<b>Date Sampled:</b>	09/14/23
<b>Matrix:</b>	AQ - Ground Water	<b>Date Received:</b>	09/18/23
<b>Method:</b>	EPA DRAFT 1633 EPA 1633 DRAFT	<b>Percent Solids:</b>	n/a
<b>Project:</b>	N6274223F0104 RH Fire Suppression System		

CAS No.	ID Standard Recoveries	Run# 1	Run# 2	Limits
	13C8-PFOS	101%		20-150%
	13C8-FOSA	74%		20-150%
	d3-MeFOSA	86%		20-150%
	d5-EtFOSA	92%		20-150%
	d3-MeFOSAA	109%		20-150%
	d5-EtFOSAA	103%		20-150%
	d7-MeFOSE	77%		20-150%
	d9-EtFOSE	85%		20-150%
	13C2-4:2FTS	114%		20-180%
	13C2-6:2FTS	112%		20-180%
	13C2-8:2FTS	111%		20-180%
	13C3-HFPO-DA	100%		20-150%

U = Not detected      LOD = Limit of Detection      J = Indicates an estimated value  
 LOQ = Limit of Quantitation      DL = Detection Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound

# Report of Analysis

Client Sample ID:	AF-RHMW05-WGN01LF-2309		
Lab Sample ID:	FC9666-3	Date Sampled:	09/14/23
Matrix:	AQ - Ground Water	Date Received:	09/18/23
Method:	EPA DRAFT 1633 EPA 1633 DRAFT	Percent Solids:	n/a
Project:	N6274223F0104 RH Fire Suppression System		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	6Q24842.D	1	09/22/23 04:00	MV	09/19/23 10:30	OP99077	S6Q355
Run #2							

Run #	Initial Volume	Final Volume
Run #1	520 ml	5.0 ml
Run #2		

CAS No.	Compound	Result	LOQ	LOD	DL	Units	Q
---------	----------	--------	-----	-----	----	-------	---

**PERFLUOROALKYL CARBOXYLIC ACIDS**

375-22-4	Perfluorobutanoic acid	3.8 U	15	3.8	1.8	ng/l	
2706-90-3	Perfluoropentanoic acid	1.9 U	7.7	1.9	0.90	ng/l	
307-24-4	Perfluorohexanoic acid	1.9 U	3.8	1.9	0.48	ng/l	
375-85-9	Perfluoroheptanoic acid	1.9 U	3.8	1.9	0.48	ng/l	
335-67-1	Perfluorooctanoic acid	0.96 U	3.8	0.96	0.48	ng/l	
375-95-1	Perfluorononanoic acid	1.9 U	3.8	1.9	0.59	ng/l	
335-76-2	Perfluorodecanoic acid	1.9 U	3.8	1.9	0.48	ng/l	
2058-94-8	Perfluoroundecanoic acid	1.9 U	3.8	1.9	0.58	ng/l	
307-55-1	Perfluorododecanoic acid	1.9 U	3.8	1.9	0.58	ng/l	
72629-94-8	Perfluorotridecanoic acid	1.9 U	3.8	1.9	0.81	ng/l	
376-06-7	Perfluorotetradecanoic acid	1.9 U	3.8	1.9	0.48	ng/l	

**PERFLUOROALKYL SULFONIC ACIDS**

375-73-5	Perfluorobutanesulfonic acid	1.9 U	3.8	1.9	0.48	ng/l	
2706-91-4	Perfluoropentanesulfonic acid	3.8 U	4.8	3.8	1.1	ng/l	
355-46-4	Perfluorohexanesulfonic acid	1.9 U	3.8	1.9	0.67	ng/l	
375-92-8	Perfluoroheptanesulfonic acid	1.9 U	3.8	1.9	0.48	ng/l	
1763-23-1	Perfluorooctanesulfonic acid	1.9 U	3.8	1.9	0.52	ng/l	
68259-12-1	Perfluorononanesulfonic acid	1.9 U	3.8	1.9	0.55	ng/l	
335-77-3	Perfluorodecanesulfonic acid	1.9 U	3.8	1.9	0.62	ng/l	
79780-39-5	Perfluorododecanesulfonic aci	3.8 U	4.8	3.8	1.1	ng/l	

**FLUOROTELOMER SULFONIC ACIDS**

757124-72-4	4:2 Fluorotelomer sulfonate	7.7 U	19	7.7	3.1	ng/l	
27619-97-2	6:2 Fluorotelomer sulfonate	7.7 U	19	7.7	3.3	ng/l	
39108-34-4	8:2 Fluorotelomer sulfonate	7.7 U	19	7.7	4.0	ng/l	

**PERFLUOROOCCTANE SULFONAMIDES**

754-91-6	PFOSA	1.9 U	3.8	1.9	0.64	ng/l	
31506-32-8	MeFOSA	3.8 U	7.7	3.8	0.96	ng/l	
4151-50-2	EtFOSA	3.8 U	7.7	3.8	0.96	ng/l	

U = Not detected      LOD = Limit of Detection      J = Indicates an estimated value  
 LOQ = Limit of Quantitation      DL = Detection Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound

# Report of Analysis

Client Sample ID:	AF-RHMW05-WGN01LF-2309		
Lab Sample ID:	FC9666-3	Date Sampled:	09/14/23
Matrix:	AQ - Ground Water	Date Received:	09/18/23
Method:	EPA DRAFT 1633 EPA 1633 DRAFT	Percent Solids:	n/a
Project:	N6274223F0104 RH Fire Suppression System		

CAS No.	Compound	Result	LOQ	LOD	DL	Units	Q
---------	----------	--------	-----	-----	----	-------	---

**PERFLUOROOCCTANE SULFONAMIDOACETIC ACIDS**

2355-31-9	MeFOSAA	3.8 U	4.8	3.8	0.96	ng/l	
2991-50-6	EtFOSAA	3.8 U	4.8	3.8	1.3	ng/l	

**PERFLUOROOCCTANE SULFONAMIDO ETHANOLS**

24448-09-7	MeFOSE	19 U	38	19	4.2	ng/l	
1691-99-2	EtFOSE	19 U	38	19	7.1	ng/l	

**PER and POLYFLUOROETHER CARBOXYLIC ACIDS**

13252-13-6	HFPO-DA (GenX)	1.9 U	3.8	1.9	0.96	ng/l	
919005-14-4	ADONA	3.8 U	7.7	3.8	1.8	ng/l	
377-73-1	PFMPA	1.9 U	7.7	1.9	0.96	ng/l	
863090-89-5	PFMBA	3.8 U	7.7	3.8	1.1	ng/l	
151772-58-6	NFDHA	3.8 U	7.7	3.8	1.2	ng/l	

**PER and POLYFLUOROETHER SULFONIC ACIDS**

756426-58-1	9Cl-PF3ONS (F-53B Major)	3.8 U	7.7	3.8	1.3	ng/l	
763051-92-9	11Cl-PF3OUdS (F-53B Minor)	3.8 U	7.7	3.8	1.7	ng/l	
113507-82-7	PFEESA	1.9 U	7.7	1.9	0.75	ng/l	

**FLUOROTELOMER CARBOXYLIC ACIDS**

356-02-5	3:3 Fluorotelomer carboxylate	9.6 U	19	9.6	4.3	ng/l	
914637-49-3	5:3 Fluorotelomer carboxylate	19 U	96	19	8.4	ng/l	
812-70-4	7:3 Fluorotelomer carboxylate	19 U	96	19	7.5	ng/l	

CAS No.	ID Standard Recoveries	Run# 1	Run# 2	Limits
---------	------------------------	--------	--------	--------

	13C4-PFBA	106%		20-150%
	13C5-PFPeA	108%		20-150%
	13C5-PFHxA	106%		20-150%
	13C4-PFHpA	104%		20-150%
	13C8-PFOA	114%		20-150%
	13C9-PFNA	114%		20-150%
	13C6-PFDA	104%		20-150%
	13C7-PFUnDA	105%		20-150%
	13C2-PFDoDA	94%		20-150%
	13C2-PFTeDA	85%		20-150%
	13C3-PFBS	103%		20-150%
	13C3-PFHxS	105%		20-150%

U = Not detected      LOD = Limit of Detection      J = Indicates an estimated value  
 LOQ = Limit of Quantitation      DL = Detection Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound

# Report of Analysis

<b>Client Sample ID:</b>	AF-RHMW05-WGN01LF-2309		
<b>Lab Sample ID:</b>	FC9666-3	<b>Date Sampled:</b>	09/14/23
<b>Matrix:</b>	AQ - Ground Water	<b>Date Received:</b>	09/18/23
<b>Method:</b>	EPA DRAFT 1633 EPA 1633 DRAFT	<b>Percent Solids:</b>	n/a
<b>Project:</b>	N6274223F0104 RH Fire Suppression System		

CAS No.	ID Standard Recoveries	Run# 1	Run# 2	Limits
	13C8-PFOS	102%		20-150%
	13C8-FOSA	80%		20-150%
	d3-MeFOSA	89%		20-150%
	d5-EtFOSA	89%		20-150%
	d3-MeFOSAA	99%		20-150%
	d5-EtFOSAA	90%		20-150%
	d7-MeFOSE	81%		20-150%
	d9-EtFOSE	89%		20-150%
	13C2-4:2FTS	115%		20-180%
	13C2-6:2FTS	121%		20-180%
	13C2-8:2FTS	102%		20-180%
	13C3-HFPO-DA	105%		20-150%

U = Not detected      LOD = Limit of Detection      J = Indicates an estimated value  
 LOQ = Limit of Quantitation      DL = Detection Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound

**Misc. Forms**

**Custody Documents and Other Forms**

---

**Includes the following where applicable:**

- Chain of Custody
- QC Evaluation: DOD QSM5.x Limits





SGS North America Inc - Orlando

Chain of Custody

4405 Vineland Road, Suite C-15 Orlando, FL 32811  
TEL: 407-425-6700 FAX: 407-425-0707  
www.sgs.com

FC 9666

COC #: 2309AFSG23

SGS - ORLANDO JOB #:

PAGE 1 OF 1

Client / Reporting Information			Project Information			SGS - ORLANDO Quote #		SKIFF #												
Company Name: AECOM			Project Name: N6274223F0104 RH Fire Suppression System			Analytical Information		Matrix Codes DW - Drinking Water GW - Ground Water WW - Water SW - Surface Water SO - Soil SL - Sludge OI - Oil LIQ - Other Liquid AIR - Air SOL - Other Solid WP - Wipe												
Address: 1001 Bishop St. ste 1600			Street																	
City: Honolulu State: HI Zip: 96813			City Honolulu State Hawaii																	
Project Contact: Katie Abbott Email: katie.abbott@aecom.com			Project # 23FO104 - 60697810																	
Project Manager: Watson Tanji Email: watson.tanji@aecom.com			Fax #																	
Phone #: 303-796-4624 / 808-954-4512			Client Purchase Order # 151253																	
Sampler(s) Name(s) (Printed) Sampler 1: <i>Liz Walker</i> Sampler 2: <i>Andy Young</i>			PFAS EPA Draft 1683			LAB USE ONLY														
SGS Orlando Sample #	Field ID / Point of Collection	DATE	TIME	SAMPLED BY:	MATRIX					TOTAL # OF BOTTLES	OTHER	NONE	PCU	NIOSH	INCO3	PERCH	NAOHL-ZNAC	DIWATER	MECH	
6	AF-RHP03-WGN01LF-2309	9/14/23	1330	<i>Liz AY</i>	GW					3		X								
<i>ASUS</i> 9/14/23										INITIAL ASSESSMENT		<i>[Signature]</i>								
<i>[Signature]</i>										LABEL VERIFICATION		<i>[Signature]</i>								
Turnaround Time ( Business days)			Data Deliverable Information							Comments / Remarks										
10 Day (Business) Approved By: / Date: 7 Day <input checked="" type="checkbox"/> 5 Day 3 Day RUSH 2 Day RUSH 1 Day RUSH Other			<input type="checkbox"/> COMMERCIAL "A" (RESULTS ONLY) <input type="checkbox"/> COMMERCIAL "B" (RESULTS PLUS QC) <input type="checkbox"/> REDT1 (EPA LEVEL 3) <input checked="" type="checkbox"/> FULLT1 (EPA LEVEL 4) <input checked="" type="checkbox"/> EDD'S							EDMS upload database: JBPHE EDMS Coverage: AFFF Assessment Sampling GW  17.4 (6 BT ICE PACKS)										
Rush T/A Data Available VIA Email or Lablink																				
Sample Custody must be documented below each time samples change possession, including courier delivery.																				
Relinquished by Sampler/Affiliation 1 <i>Andy Young / AECOM</i>	Date Time: 9/14/23/1600	Received By/Affiliation 2 <i>Alex Edwards / AECOM</i>	Relinquished By/Affiliation 3 <i>Alex Edwards / AECOM</i>	Date Time: 9/15/23/0915	Received By/Affiliation 4 <i>[Signature] / SC5</i>					Relinquished by/Affiliation 5	Date Time:	Received By/Affiliation 6	Date Time: 9/15/23/0915	Received By/Affiliation 7 <i>[Signature] / SC5</i>						
Relinquished by/Affiliation 5	Date Time:	Received By/Affiliation 6	Relinquished By/Affiliation 7	Date Time:	Received By/Affiliation 8	Relinquished by/Affiliation 8	Date Time:	Received By/Affiliation 9	Date Time:	Received By/Affiliation 10										

PFAS\_COCS\_ALL\_09112023-AE.xls Rev 031318

FC9666: Chain of Custody

Page 1 of 4



5.1  
5



### SGS North America Inc - Orlando

### Chain of Custody



4405 Vineland Road, Suite C-15 Orlando, FL 32811  
TEL: 407-425-6700 FAX: 407-425-0707  
www.sgs.com

# FC9666

COC #: 2309AFSG29

SGS - ORLANDO JOB # :

PAGE 1 OF 1

Client / Reporting Information		Project Information		Analytical Information			Matrix Codes										
Company Name: AECOM		Project Name: N6274223F0104 RH Fire Suppression System					DW - Drinking Water GW - Ground Water WW - Water SW - Surface Water SO - Soil SL - Sludge OI - Oil LIQ - Other Liquid AIR - Air SOL - Other Solid WP - Wipe										
Address: 1001 Bishop St. ste 1600		Street															
City: Honolulu State: HI Zip: 96813		City Honolulu State Hawaii															
Project Contact: Katie Abbott Email: katie.abbott@aecom.com		Project # 23FO104 - 80697810															
Project Manager: Watson Tanji Email: watson.tanji@aecom.com		Fax #															
Phone #: 303-796-4624 / 808-954-4512		Client Purchase Order # 151253															
Sampler(s) Name(s) (Printed) Sampler 1: <i>GA BOYD</i> Sampler 2: <i>CHRIS WISNACK</i>				PFAS EPA Draft 1633													
SGS Orlando Sample #	COLLECTION			CONTAINER INFORMATION						LAB USE ONLY							
	Field ID / Point of Collection	DATE	TIME	SAMPLED BY:	MATRIX	TOTAL # OF BOTTLES	OTHER	NONE	NOI		NOH	HN03	PS03	NAOH+ZINC	BWATER	MEDIH	
2	AF-RHP07-WGN01LF-2309	09/11/23	1310	GA	GW	3			X								
																	
Turnaround Time ( Business days)			Data Deliverable Information			Comments / Remarks											
10 Day (Business) _____ Approved By: / Date: 7 Day _____ <input type="checkbox"/> 5 Day <input checked="" type="checkbox"/> 3 Day <i>RUSH</i> <input type="checkbox"/> 2 Day <i>RUSH</i> <input type="checkbox"/> 1 Day <i>RUSH</i> Other _____ Rush T/A Data Available VIA Email or Lablink			<input type="checkbox"/> COMMERCIAL "A" (RESULTS ONLY) <input type="checkbox"/> COMMERCIAL "B" (RESULTS PLUS QC) <input type="checkbox"/> REDT1 (EPA LEVEL 3) <input checked="" type="checkbox"/> FULLT1 (EPA LEVEL 4) <input checked="" type="checkbox"/> EDD'S			EDMS upload database: JBPHE EDMS Coverage: AFFF Assessment Sampling GW											
Sample Custody must be documented below each time samples change possession, including courier delivery.																	
Relinquished by Sampler/Affiliation		Date Time:	Received By/Affiliation			Date Time:	Received By/Affiliation										
1 GA BOYD AVE / AECOM		09/11/23 / 1752	2 Alex Edwards / AECOM			09/15/23	3 Alex Edwards / AECOM										
Relinquished by/Affiliation		Date Time:	Received By/Affiliation			Date Time:	Received By/Affiliation										
5 _____		6 _____	7 _____			8 _____	16 SEP 23 0915										

PFAS\_COCs\_ALL\_09112023-AE.xls Rev 031318

## FC9666: Chain of Custody

### Page 2 of 4



5.1  
5



SGS North America Inc - Orlando  
Chain of Custody

4405 Vineland Road, Suite C-15 Orlando, FL 32811  
TEL: 407-425-6700 FAX: 407-425-0707  
www.sgs.com

FC9666

COC #: 2309AFSG15

SGS - ORLANDO JOB # :

PAGE 1 OF 1

Client / Reporting Information		Project Information		Analytical Information		Matrix Codes														
Company Name: AECOM		Project Name: N6274223F0104 RH Fire Suppression System				DW - Drinking Water GW - Ground Water WW - Water SW - Surface Water SO - Soil SL - Sludge OL - Oil LIQ - Other Liquid AIR - Air SOL - Other Solid WP - Wipe														
Address: 1001 Bishop St. ste 1600		Street																		
City: Honolulu State: HI Zip: 96813		City Honolulu State Hawaii																		
Project Contact: Katie Abbott Email: katie.abbott@aecom.com		Project # 23FO104 - 60697810																		
Project Manager: Watson Tanji Email: watson.tanji@aecom.com		Fax #																		
Sampler(s) Name(s) (Printed) Sampler 1: <i>GABRIEL ALCYON</i> Sampler 2: <i>CHER WORMACK</i>		Client Purchase Order # 151253		PFAS EPA Draft 1633		LAB USE ONLY														
SGS Orlando Sample #	Field ID / Point of Collection	DATE	TIME					SAMPLED BY	MATRIX	TOTAL # OF BOTTLES	OTHER	NONE	PCB	NIOSH	IN03	MSDA	HAZ/ZNAC	B/WATER	MEDI	
3	AF-RHMW05-WGN01LF-2309	09/14/23	1545					GA, LW	GW	3	X									
Turnaround Time ( Business days)								Data Deliverable Information				Comments / Remarks								
10 Day (Business)		Approved By: / Date:						<input type="checkbox"/> COMMERCIAL "A" (RESULTS ONLY) <input type="checkbox"/> COMMERCIAL "B" (RESULTS PLUS QC) <input type="checkbox"/> REDT1 (EPA LEVEL 3) <input checked="" type="checkbox"/> FULLT1 (EPA LEVEL 4) <input checked="" type="checkbox"/> EDD'S				EDMS upload database: JBPHE EDMS Coverage: AFFF Assessment Sampling GW								
7 Day																				
5 Day																				
3 Day RUSH																				
2 Day RUSH																				
1 Day RUSH																				
Other																				
Rush T/A Data Available VIA Email or Lablink																				
Relinquished by Sampler/Affiliation		Date Time:		Received By/Affiliation				Relinquished By/Affiliation		Date Time:		Received By/Affiliation								
1 GABRIEL ALCYON/AEcom		09/14/23 1754		2 Alex Edmond AECOM				3 Alex Edmond		9/15/23 0915		4 [Signature] 0915								
Relinquished by/Affiliation		Date Time:		Received By/Affiliation				Relinquished By/Affiliation		Date Time:		Received By/Affiliation								
5				6				7				8								

PFAS\_COCs\_ALL\_09112023-AE.xls Rev 031318

FC9666: Chain of Custody

Page 3 of 4



5.1  
5

## SGS Sample Receipt Summary

Job Number: fc9666

Client: AECOM

Project: N6274223F0104 RH Fire Suppression Syst

Date / Time Received: 9/18/2023 9:15:00 AM

Delivery Method: United Cargo/Airspace

Airbill #'s: United Cargo AWB #: 016-16793685

Cooler Temps (Raw Measured) °C: Cooler 1: (17.4);

Cooler Temps (Corrected) °C: Cooler 1: (17.2);

**Cooler Informatio**

Y or N

- |                              |                                     |                                     |
|------------------------------|-------------------------------------|-------------------------------------|
| 1. Custody Seals Present:    | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| 2. Custody Seals Intact:     | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| 3. Temp criteria achieved:   | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| 4. Cooler temp verification: | IR Gun                              |                                     |
| 5. Cooler media:             | Ice (Bag)                           |                                     |

**Trip Blank Information**

Y or N N/A

- |                                 |                          |                          |                                     |
|---------------------------------|--------------------------|--------------------------|-------------------------------------|
| 1. Trip Blank present / cooler: | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 2. Trip Blank listed on COC:    | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

W or S N/A

- |                        |                          |                          |                          |
|------------------------|--------------------------|--------------------------|--------------------------|
| 3. Type of TB Received | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
|------------------------|--------------------------|--------------------------|--------------------------|

**Sample Information**

Y or N N/A

- |  |                                     |                          |                                     |
|--|-------------------------------------|--------------------------|-------------------------------------|
| 1. Sample labels present on bottles:               | <input checked="" type="checkbox"/> | <input type="checkbox"/> |                                     |
| 2. Samples presented properly                      | <input checked="" type="checkbox"/> | <input type="checkbox"/> |                                     |
| 3. Sufficient volume/containers recv'd for analysi | <input checked="" type="checkbox"/> | <input type="checkbox"/> |                                     |
| 4. Condition of sample:                            | Intact                              |                          |                                     |
| 5. Sample recv'd within HT                         | <input checked="" type="checkbox"/> | <input type="checkbox"/> |                                     |
| 6. Dates/Times/IDs on COC match sample labe        | <input checked="" type="checkbox"/> | <input type="checkbox"/> |                                     |
| 7. VOCs have headspace                             | <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 8. Bottles received for unspecified tests          | <input type="checkbox"/>            | <input type="checkbox"/> |                                     |
| 9. Compositing instructions clear                  | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/>            |
| 10. Voa Soil Kits/Jars received past 48hrs?        | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/>            |
| 11. % Solids Jar Received?                         | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/>            |
| 12. Residual Chlorine Present?                     | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/>            |

**Misc Information**

Number of Encores: 25 Gram	5 Gram	Number of Lab Filtered Metals
Test Strip Lot #s: pH 0-3: _____	pH 10-12: _____	Other: (Specify) _____
Residual Chlorine Test Strip Lot: _____		

Comments Cooler was received out of Temperature due to delayed shipment/delivery

Per Mark Kromis, proceed with sample analysis, 09/18/2023

SM001  
Rev. Date 05/04/17

Technician: TW

Date: 9/18/2023 9:40:50 AM

Reviewer: TW

Date: 09/18/2023

# QC Evaluation: DOD QSM5.x Limits

**Job Number:** FC9666  
**Account:** AECOM, INC.  
**Project:** N6274223F0104 RH Fire Suppression System  
**Collected:** 09/14/23

QC Sample ID	CAS#	Analyte	Sample Result Type	Result Type	Units	Limits
--------------	------	---------	--------------------	-------------	-------	--------

No DOD QSM5.x Limits found for methods in this job.

---

\* Sample used for QC is not from job FC9666

5.2  
5

## MS Semi-volatiles

---

### QC Data Summaries

---

#### Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

# Instrument Blank

Job Number: FC9666  
Account: AECOMCOD AECOM, INC.  
Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
S6Q355-IBLK	6Q24819.D	1	09/21/23	MV	n/a	n/a	S6Q355

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC9666-1, FC9666-2, FC9666-3

CAS No.	Compound	Result	RL	MDL	Units	Q
375-22-4	Perfluorobutanoic acid	ND	0.016	0.0019	ug/l	
2706-90-3	Perfluoropentanoic acid	ND	0.0080	0.00094	ug/l	
307-24-4	Perfluorohexanoic acid	ND	0.0040	0.00050	ug/l	
375-85-9	Perfluoroheptanoic acid	ND	0.0040	0.00050	ug/l	
335-67-1	Perfluorooctanoic acid	ND	0.0040	0.00050	ug/l	
375-95-1	Perfluorononanoic acid	ND	0.0040	0.00061	ug/l	
335-76-2	Perfluorodecanoic acid	ND	0.0040	0.00050	ug/l	
2058-94-8	Perfluoroundecanoic acid	ND	0.0040	0.00060	ug/l	
307-55-1	Perfluorododecanoic acid	ND	0.0040	0.00060	ug/l	
72629-94-8	Perfluorotridecanoic acid	ND	0.0040	0.00084	ug/l	
376-06-7	Perfluorotetradecanoic acid	ND	0.0040	0.00050	ug/l	
375-73-5	Perfluorobutanesulfonic acid	ND	0.0040	0.00050	ug/l	
2706-91-4	Perfluoropentanesulfonic acid	ND	0.0050	0.0011	ug/l	
355-46-4	Perfluorohexanesulfonic acid	ND	0.0040	0.00070	ug/l	
375-92-8	Perfluoroheptanesulfonic acid	ND	0.0040	0.00050	ug/l	
1763-23-1	Perfluorooctanesulfonic acid	ND	0.0040	0.00054	ug/l	
68259-12-1	Perfluorononanesulfonic acid	ND	0.0040	0.00057	ug/l	
335-77-3	Perfluorodecanesulfonic acid	ND	0.0040	0.00064	ug/l	
79780-39-5	Perfluorododecanesulfonic aci	ND	0.0050	0.0011	ug/l	
757124-72-44:2	Fluorotelomer sulfonate	ND	0.020	0.0032	ug/l	
27619-97-2	6:2 Fluorotelomer sulfonate	ND	0.020	0.0035	ug/l	
39108-34-4	8:2 Fluorotelomer sulfonate	ND	0.020	0.0041	ug/l	
754-91-6	PFOSA	ND	0.0040	0.00067	ug/l	
31506-32-8	MeFOSA	ND	0.0080	0.0010	ug/l	
4151-50-2	EtFOSA	ND	0.0080	0.0010	ug/l	
2355-31-9	MeFOSAA	ND	0.0050	0.0010	ug/l	
2991-50-6	EtFOSAA	ND	0.0050	0.0013	ug/l	
24448-09-7	MeFOSE	ND	0.040	0.0044	ug/l	
1691-99-2	EtFOSE	ND	0.040	0.0074	ug/l	
13252-13-6	HFPO-DA (GenX)	ND	0.0040	0.0010	ug/l	
919005-14-4	ADONA	ND	0.0080	0.0019	ug/l	
377-73-1	PFMPA	ND	0.0080	0.0010	ug/l	
863090-89-5	PFMBA	ND	0.0080	0.0011	ug/l	
151772-58-6	NFDHA	ND	0.0080	0.0012	ug/l	
756426-58-19	Cl-PF3ONS (F-53B Major)	ND	0.0080	0.0014	ug/l	
763051-92-91	Cl-PF3OUdS (F-53B Minor)	ND	0.0080	0.0018	ug/l	

# Instrument Blank

Job Number: FC9666  
 Account: AECOMCOD AECOM, INC.  
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
S6Q355-IBLK	6Q24819.D	1	09/21/23	MV	n/a	n/a	S6Q355

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC9666-1, FC9666-2, FC9666-3

CAS No.	Compound	Result	RL	MDL	Units	Q
113507-82-7	PFEESA	ND	0.0080	0.00078	ug/l	
356-02-5	3:3 Fluorotelomer carboxylate	ND	0.020	0.0045	ug/l	
914637-49-35:3	Fluorotelomer carboxylate	ND	0.10	0.0087	ug/l	
812-70-4	7:3 Fluorotelomer carboxylate	ND	0.10	0.0079	ug/l	

CAS No.	ID Standard Recoveries	Limits	
	13C4-PFBA	101%	20-150%
	13C5-PFPeA	97%	20-150%
	13C5-PFHxA	95%	20-150%
	13C4-PFHpA	98%	20-150%
	13C8-PFOA	108%	20-150%
	13C9-PFNA	113%	20-150%
	13C6-PFDA	104%	20-150%
	13C7-PFUnDA	109%	20-150%
	13C2-PFDoDA	102%	20-150%
	13C2-PFTeDA	99%	20-150%
	13C3-PFBS	104%	20-150%
	13C3-PFHxS	103%	20-150%
	13C8-PFOS	110%	20-150%
	13C8-FOSA	103%	20-150%
	d3-MeFOSAA	103%	20-150%
	d5-EtFOSAA	98%	20-150%
	13C2-4:2FTS	106%	20-180%
	13C2-6:2FTS	113%	20-180%
	13C2-8:2FTS	107%	20-180%

6.1.1  
6



# Continuing Calibration Blank

Job Number: FC9666  
 Account: AECOMCOD AECOM, INC.  
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
S6Q355-ICCB	6Q24835.D	1	09/22/23	MV	n/a	n/a	S6Q355

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC9666-1, FC9666-2, FC9666-3

CAS No.	Compound	Result	RL	MDL	Units	Q
375-22-4	Perfluorobutanoic acid	ND	0.016	0.0019	ug/l	
2706-90-3	Perfluoropentanoic acid	ND	0.0080	0.00094	ug/l	
307-24-4	Perfluorohexanoic acid	ND	0.0040	0.00050	ug/l	
375-85-9	Perfluoroheptanoic acid	ND	0.0040	0.00050	ug/l	
335-67-1	Perfluorooctanoic acid	ND	0.0040	0.00050	ug/l	
375-95-1	Perfluorononanoic acid	ND	0.0040	0.00061	ug/l	
335-76-2	Perfluorodecanoic acid	ND	0.0040	0.00050	ug/l	
2058-94-8	Perfluoroundecanoic acid	ND	0.0040	0.00060	ug/l	
307-55-1	Perfluorododecanoic acid	ND	0.0040	0.00060	ug/l	
72629-94-8	Perfluorotridecanoic acid	ND	0.0040	0.00084	ug/l	
376-06-7	Perfluorotetradecanoic acid	ND	0.0040	0.00050	ug/l	
375-73-5	Perfluorobutanesulfonic acid	ND	0.0040	0.00050	ug/l	
2706-91-4	Perfluoropentanesulfonic acid	ND	0.0050	0.0011	ug/l	
355-46-4	Perfluorohexanesulfonic acid	ND	0.0040	0.00070	ug/l	
375-92-8	Perfluoroheptanesulfonic acid	ND	0.0040	0.00050	ug/l	
1763-23-1	Perfluorooctanesulfonic acid	ND	0.0040	0.00054	ug/l	
68259-12-1	Perfluorononanesulfonic acid	ND	0.0040	0.00057	ug/l	
335-77-3	Perfluorodecanesulfonic acid	ND	0.0040	0.00064	ug/l	
79780-39-5	Perfluorododecanesulfonic aci	ND	0.0050	0.0011	ug/l	
757124-72-44:2	Fluorotelomer sulfonate	ND	0.020	0.0032	ug/l	
27619-97-2	6:2 Fluorotelomer sulfonate	ND	0.020	0.0035	ug/l	
39108-34-4	8:2 Fluorotelomer sulfonate	ND	0.020	0.0041	ug/l	
754-91-6	PFOSA	ND	0.0040	0.00067	ug/l	
31506-32-8	MeFOSA	ND	0.0080	0.0010	ug/l	
4151-50-2	EtFOSA	ND	0.0080	0.0010	ug/l	
2355-31-9	MeFOSAA	ND	0.0050	0.0010	ug/l	
2991-50-6	EtFOSAA	ND	0.0050	0.0013	ug/l	
24448-09-7	MeFOSE	ND	0.040	0.0044	ug/l	
1691-99-2	EtFOSE	ND	0.040	0.0074	ug/l	
13252-13-6	HFPO-DA (GenX)	ND	0.0040	0.0010	ug/l	
919005-14-4	ADONA	ND	0.0080	0.0019	ug/l	
377-73-1	PFMPA	ND	0.0080	0.0010	ug/l	
863090-89-5	PFMBA	ND	0.0080	0.0011	ug/l	
151772-58-6	NFDHA	ND	0.0080	0.0012	ug/l	
756426-58-19	Cl-PF3ONS (F-53B Major)	ND	0.0080	0.0014	ug/l	
763051-92-91	Cl-PF3OUdS (F-53B Minor)	ND	0.0080	0.0018	ug/l	

# Continuing Calibration Blank

Job Number: FC9666  
 Account: AECOMCOD AECOM, INC.  
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
S6Q355-ICCB	6Q24835.D	1	09/22/23	MV	n/a	n/a	S6Q355

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC9666-1, FC9666-2, FC9666-3

CAS No.	Compound	Result	RL	MDL	Units	Q
113507-82-7	PFEESA	ND	0.0080	0.00078	ug/l	
356-02-5	3:3 Fluorotelomer carboxylate	ND	0.020	0.0045	ug/l	
914637-49-35:3	Fluorotelomer carboxylate	ND	0.10	0.0087	ug/l	
812-70-4	7:3 Fluorotelomer carboxylate	ND	0.10	0.0079	ug/l	

CAS No.	ID Standard Recoveries	Limits
	13C4-PFBA	102% 20-150%
	13C5-PFPeA	100% 20-150%
	13C5-PFHxA	97% 20-150%
	13C4-PFHpA	106% 20-150%
	13C8-PFOA	98% 20-150%
	13C9-PFNA	102% 20-150%
	13C6-PFDA	108% 20-150%
	13C7-PFUnDA	111% 20-150%
	13C2-PFDoDA	97% 20-150%
	13C2-PFTeDA	105% 20-150%
	13C3-PFBS	101% 20-150%
	13C3-PFHxS	103% 20-150%
	13C8-PFOS	108% 20-150%
	13C8-FOSA	100% 20-150%
	d3-MeFOSAA	101% 20-150%
	d5-EtFOSAA	101% 20-150%
	13C2-4:2FTS	106% 20-180%
	13C2-6:2FTS	107% 20-180%
	13C2-8:2FTS	112% 20-180%

# Method Blank Summary

Job Number: FC9666  
 Account: AECOMCOD AECOM, INC.  
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP99077-MB	6Q24826.D	1	09/22/23	MV	09/19/23	OP99077	S6Q355

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC9666-1, FC9666-2, FC9666-3

CAS No.	Compound	Result	RL	MDL	Units	Q
375-22-4	Perfluorobutanoic acid	ND	0.016	0.0019	ug/l	
2706-90-3	Perfluoropentanoic acid	ND	0.0080	0.00094	ug/l	
307-24-4	Perfluorohexanoic acid	ND	0.0040	0.00050	ug/l	
375-85-9	Perfluoroheptanoic acid	ND	0.0040	0.00050	ug/l	
335-67-1	Perfluorooctanoic acid	ND	0.0040	0.00050	ug/l	
375-95-1	Perfluorononanoic acid	ND	0.0040	0.00061	ug/l	
335-76-2	Perfluorodecanoic acid	ND	0.0040	0.00050	ug/l	
2058-94-8	Perfluoroundecanoic acid	ND	0.0040	0.00060	ug/l	
307-55-1	Perfluorododecanoic acid	ND	0.0040	0.00060	ug/l	
72629-94-8	Perfluorotridecanoic acid	ND	0.0040	0.00084	ug/l	
376-06-7	Perfluorotetradecanoic acid	ND	0.0040	0.00050	ug/l	
375-73-5	Perfluorobutanesulfonic acid	ND	0.0040	0.00050	ug/l	
2706-91-4	Perfluoropentanesulfonic acid	ND	0.0050	0.0011	ug/l	
355-46-4	Perfluorohexanesulfonic acid	ND	0.0040	0.00070	ug/l	
375-92-8	Perfluoroheptanesulfonic acid	ND	0.0040	0.00050	ug/l	
1763-23-1	Perfluorooctanesulfonic acid	ND	0.0040	0.00054	ug/l	
68259-12-1	Perfluorononanesulfonic acid	ND	0.0040	0.00057	ug/l	
335-77-3	Perfluorodecanesulfonic acid	ND	0.0040	0.00064	ug/l	
79780-39-5	Perfluorododecanesulfonic aci	ND	0.0050	0.0011	ug/l	
757124-72-44:2	Fluorotelomer sulfonate	ND	0.020	0.0032	ug/l	
27619-97-2	6:2 Fluorotelomer sulfonate	ND	0.020	0.0035	ug/l	
39108-34-4	8:2 Fluorotelomer sulfonate	ND	0.020	0.0041	ug/l	
754-91-6	PFOSA	ND	0.0040	0.00067	ug/l	
31506-32-8	MeFOSA	ND	0.0080	0.0010	ug/l	
4151-50-2	EtFOSA	ND	0.0080	0.0010	ug/l	
2355-31-9	MeFOSAA	ND	0.0050	0.0010	ug/l	
2991-50-6	EtFOSAA	ND	0.0050	0.0013	ug/l	
24448-09-7	MeFOSE	ND	0.040	0.0044	ug/l	
1691-99-2	EtFOSE	ND	0.040	0.0074	ug/l	
13252-13-6	HFPO-DA (GenX)	ND	0.0040	0.0010	ug/l	
919005-14-4	ADONA	ND	0.0080	0.0019	ug/l	
377-73-1	PFMPA	ND	0.0080	0.0010	ug/l	
863090-89-5	PFMBA	ND	0.0080	0.0011	ug/l	
151772-58-6	NFDHA	ND	0.0080	0.0012	ug/l	
756426-58-19	Cl-PF3ONS (F-53B Major)	ND	0.0080	0.0014	ug/l	
763051-92-91	Cl-PF3OUdS (F-53B Minor)	ND	0.0080	0.0018	ug/l	

# Method Blank Summary

Job Number: FC9666  
 Account: AECOMCOD AECOM, INC.  
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP99077-MB	6Q24826.D	1	09/22/23	MV	09/19/23	OP99077	S6Q355

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC9666-1, FC9666-2, FC9666-3

CAS No.	Compound	Result	RL	MDL	Units	Q
113507-82-7	PFEESA	ND	0.0080	0.00078	ug/l	
356-02-5	3:3 Fluorotelomer carboxylate	ND	0.020	0.0045	ug/l	
914637-49-35:3	Fluorotelomer carboxylate	ND	0.10	0.0087	ug/l	
812-70-4	7:3 Fluorotelomer carboxylate	ND	0.10	0.0079	ug/l	

CAS No.	ID Standard Recoveries	Limits
	13C4-PFBA	112% 20-150%
	13C5-PFPeA	113% 20-150%
	13C5-PFHxA	118% 20-150%
	13C4-PFHpA	110% 20-150%
	13C8-PFOA	109% 20-150%
	13C9-PFNA	103% 20-150%
	13C6-PFDA	114% 20-150%
	13C7-PFUnDA	113% 20-150%
	13C2-PFDoDA	108% 20-150%
	13C2-PFTeDA	95% 20-150%
	13C3-PFBS	111% 20-150%
	13C3-PFHxS	111% 20-150%
	13C8-PFOS	119% 20-150%
	13C8-FOSA	70% 20-150%
	d3-MeFOSA	79% 20-150%
	d5-EtFOSA	88% 20-150%
	d3-MeFOSAA	118% 20-150%
	d5-EtFOSAA	111% 20-150%
	d7-MeFOSE	73% 20-150%
	d9-EtFOSE	85% 20-150%
	13C2-4:2FTS	120% 20-180%
	13C2-6:2FTS	125% 20-180%
	13C2-8:2FTS	117% 20-180%
	13C3-HFPO-DA	120% 20-150%

6.1.3  
6

# Blank Spike Summary

Job Number: FC9666  
 Account: AECOMCOD AECOM, INC.  
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP99077-LLBS	6Q24825.D	1	09/21/23	MV	09/19/23	OP99077	S6Q355

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC9666-1, FC9666-2, FC9666-3

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
375-22-4	Perfluorobutanoic acid	0.03	0.0312	104	40-150
2706-90-3	Perfluoropentanoic acid	0.015	0.0156	104	40-150
307-24-4	Perfluorohexanoic acid	0.0075	0.0074	99	40-150
375-85-9	Perfluoroheptanoic acid	0.0075	0.0081	108	40-150
335-67-1	Perfluorooctanoic acid	0.0075	0.0083	111	40-150
375-95-1	Perfluorononanoic acid	0.0075	0.0074	99	40-150
335-76-2	Perfluorodecanoic acid	0.0075	0.0084	112	40-150
2058-94-8	Perfluoroundecanoic acid	0.0075	0.0079	105	40-150
307-55-1	Perfluorododecanoic acid	0.0075	0.0072	96	40-150
72629-94-8	Perfluorotridecanoic acid	0.0075	0.0073	97	40-150
376-06-7	Perfluorotetradecanoic acid	0.0075	0.0075	100	40-150
375-73-5	Perfluorobutanesulfonic acid	0.00665	0.0071	107	40-150
2706-91-4	Perfluoropentanesulfonic acid	0.00706	0.0071	101	40-150
355-46-4	Perfluorohexanesulfonic acid	0.00686	0.0065	95	40-150
375-92-8	Perfluoroheptanesulfonic acid	0.00715	0.0077	108	40-150
1763-23-1	Perfluorooctanesulfonic acid	0.00696	0.0076	109	40-150
68259-12-1	Perfluorononanesulfonic acid	0.00722	0.0079	109	40-150
335-77-3	Perfluorodecanesulfonic acid	0.00724	0.0072	99	40-150
79780-39-5	Perfluorododecanesulfonic aci	0.00728	0.0070	96	40-150
757124-72-44:2	Fluorotelomer sulfonate	0.0281	0.0308	110	40-150
27619-97-2	6:2 Fluorotelomer sulfonate	0.0285	0.0299	105	40-150
39108-34-4	8:2 Fluorotelomer sulfonate	0.0288	0.0280	97	40-150
754-91-6	PFOSA	0.0075	0.0081	108	40-150
31506-32-8	MeFOSA	0.015	0.0157	105	40-150
4151-50-2	EtFOSA	0.015	0.0151	101	40-150
2355-31-9	MeFOSAA	0.0075	0.0081	108	40-150
2991-50-6	EtFOSAA	0.0075	0.0086	115	40-150
24448-09-7	MeFOSE	0.0375	0.0379	101	40-150
1691-99-2	EtFOSE	0.0375	0.0384	102	40-150
13252-13-6	HFPO-DA (GenX)	0.015	0.0155	103	40-150
919005-14-4	ADONA	0.0142	0.0157	111	40-150
377-73-1	PFMPA	0.015	0.0156	104	40-150
863090-89-5	PFMBA	0.015	0.0156	104	40-150
151772-58-6	NFDHA	0.015	0.0151	101	40-150
756426-58-19	Cl-PF3ONS (F-53B Major)	0.014	0.0146	104	40-150
763051-92-91	Cl-PF3OUdS (F-53B Minor)	0.0142	0.0140	99	40-150

\* = Outside of Control Limits.

# Blank Spike Summary

Job Number: FC9666  
 Account: AECOMCOD AECOM, INC.  
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP99077-LLBS	6Q24825.D	1	09/21/23	MV	09/19/23	OP99077	S6Q355

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC9666-1, FC9666-2, FC9666-3

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
113507-82-7	PFEESA	0.0134	0.0140	105	40-150
356-02-5	3:3 Fluorotelomer carboxylate	0.0375	0.0289	77	40-150
914637-49-35:3	Fluorotelomer carboxylate	0.188	0.181	97	40-150
812-70-4	7:3 Fluorotelomer carboxylate	0.188	0.196	105	40-150

CAS No.	ID Standard Recoveries	BSP	Limits
	13C4-PFBA	112%	20-150%
	13C5-PFPeA	111%	20-150%
	13C5-PFHxA	112%	20-150%
	13C4-PFHpA	108%	20-150%
	13C8-PFOA	107%	20-150%
	13C9-PFNA	103%	20-150%
	13C6-PFDA	108%	20-150%
	13C7-PFUnDA	115%	20-150%
	13C2-PFDoDA	112%	20-150%
	13C2-PFTeDA	107%	20-150%
	13C3-PFBS	113%	20-150%
	13C3-PFHxS	118%	20-150%
	13C8-PFOS	112%	20-150%
	13C8-FOSA	81%	20-150%
	d3-MeFOSA	84%	20-150%
	d5-EtFOSA	91%	20-150%
	d3-MeFOSAA	112%	20-150%
	d5-EtFOSAA	108%	20-150%
	d7-MeFOSE	83%	20-150%
	d9-EtFOSE	91%	20-150%
	13C2-4:2FTS	118%	20-180%
	13C2-6:2FTS	123%	20-180%
	13C2-8:2FTS	121%	20-180%
	13C3-HFPO-DA	108%	20-150%

\* = Outside of Control Limits.

# Blank Spike Summary

Job Number: FC9666  
 Account: AECOMCOD AECOM, INC.  
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP99077-BS	6Q24824.D	1	09/21/23	MV	09/19/23	OP99077	S6Q355

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC9666-1, FC9666-2, FC9666-3

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
375-22-4	Perfluorobutanoic acid	0.1	0.0976	98	40-150
2706-90-3	Perfluoropentanoic acid	0.05	0.0495	99	40-150
307-24-4	Perfluorohexanoic acid	0.025	0.0239	96	40-150
375-85-9	Perfluoroheptanoic acid	0.025	0.0241	96	40-150
335-67-1	Perfluorooctanoic acid	0.025	0.0234	94	40-150
375-95-1	Perfluorononanoic acid	0.025	0.0252	101	40-150
335-76-2	Perfluorodecanoic acid	0.025	0.0240	96	40-150
2058-94-8	Perfluoroundecanoic acid	0.025	0.0231	92	40-150
307-55-1	Perfluorododecanoic acid	0.025	0.0231	92	40-150
72629-94-8	Perfluorotridecanoic acid	0.025	0.0210	84	40-150
376-06-7	Perfluorotetradecanoic acid	0.025	0.0236	94	40-150
375-73-5	Perfluorobutanesulfonic acid	0.0222	0.0219	99	40-150
2706-91-4	Perfluoropentanesulfonic acid	0.0235	0.0232	99	40-150
355-46-4	Perfluorohexanesulfonic acid	0.0229	0.0224	98	40-150
375-92-8	Perfluoroheptanesulfonic acid	0.0238	0.0215	90	40-150
1763-23-1	Perfluorooctanesulfonic acid	0.0232	0.0214	92	40-150
68259-12-1	Perfluorononanesulfonic acid	0.0241	0.0235	98	40-150
335-77-3	Perfluorodecanesulfonic acid	0.0241	0.0225	93	40-150
79780-39-5	Perfluorododecanesulfonic aci	0.0243	0.0220	91	40-150
757124-72-44:2	Fluorotelomer sulfonate	0.0938	0.0930	99	40-150
27619-97-2	6:2 Fluorotelomer sulfonate	0.095	0.0919	97	40-150
39108-34-4	8:2 Fluorotelomer sulfonate	0.096	0.0914	95	40-150
754-91-6	PFOSA	0.025	0.0249	100	40-150
31506-32-8	MeFOSA	0.05	0.0490	98	40-150
4151-50-2	EtFOSA	0.05	0.0453	91	40-150
2355-31-9	MeFOSAA	0.025	0.0251	100	40-150
2991-50-6	EtFOSAA	0.025	0.0274	110	40-150
24448-09-7	MeFOSE	0.125	0.119	95	40-150
1691-99-2	EtFOSE	0.125	0.113	90	40-150
13252-13-6	HFPO-DA (GenX)	0.05	0.0492	98	40-150
919005-14-4	ADONA	0.0473	0.0453	96	40-150
377-73-1	PFMPA	0.05	0.0484	97	40-150
863090-89-5	PFMBA	0.05	0.0499	100	40-150
151772-58-6	NFDHA	0.05	0.0486	97	40-150
756426-58-19	Cl-PF3ONS (F-53B Major)	0.0468	0.0438	94	40-150
763051-92-91	Cl-PF3OUdS (F-53B Minor)	0.0473	0.0453	96	40-150

\* = Outside of Control Limits.

# Blank Spike Summary

Job Number: FC9666  
 Account: AECOMCOD AECOM, INC.  
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP99077-BS	6Q24824.D	1	09/21/23	MV	09/19/23	OP99077	S6Q355

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC9666-1, FC9666-2, FC9666-3

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
113507-82-7	PFEESA	0.0445	0.0439	99	40-150
356-02-5	3:3 Fluorotelomer carboxylate	0.125	0.107	86	40-150
914637-49-35:3	Fluorotelomer carboxylate	0.625	0.601	96	40-150
812-70-4	7:3 Fluorotelomer carboxylate	0.625	0.603	96	40-150

CAS No.	ID Standard Recoveries	BSP	Limits
	13C4-PFBA	86%	20-150%
	13C5-PFPeA	109%	20-150%
	13C5-PFHxA	110%	20-150%
	13C4-PFHpA	109%	20-150%
	13C8-PFOA	110%	20-150%
	13C9-PFNA	114%	20-150%
	13C6-PFDA	106%	20-150%
	13C7-PFUnDA	113%	20-150%
	13C2-PFDoDA	109%	20-150%
	13C2-PFTeDA	98%	20-150%
	13C3-PFBS	105%	20-150%
	13C3-PFHxS	108%	20-150%
	13C8-PFOS	122%	20-150%
	13C8-FOSA	90%	20-150%
	d3-MeFOSA	91%	20-150%
	d5-EtFOSA	98%	20-150%
	d3-MeFOSAA	115%	20-150%
	d5-EtFOSAA	111%	20-150%
	d7-MeFOSE	81%	20-150%
	d9-EtFOSE	91%	20-150%
	13C2-4:2FTS	111%	20-180%
	13C2-6:2FTS	116%	20-180%
	13C2-8:2FTS	113%	20-180%
	13C3-HFPO-DA	113%	20-150%

\* = Outside of Control Limits.



# Matrix Spike Summary

Job Number: FC9666  
 Account: AECOMCOD AECOM, INC.  
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP99077-MS	6Q24837.D	1	09/22/23	MV	09/19/23	OP99077	S6Q355
FC9640-1	6Q24836.D	1	09/22/23	MV	09/19/23	OP99077	S6Q355

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC9666-1, FC9666-2, FC9666-3

CAS No.	Compound	FC9640-1 ug/l	Spike Q	MS ug/l	MS %	Limits	
375-22-4	Perfluorobutanoic acid	0.0142		0.0943	0.116	108	40-150
2706-90-3	Perfluoropentanoic acid	0.0123		0.0472	0.0649	112	40-150
307-24-4	Perfluorohexanoic acid	0.0063		0.0236	0.0305	103	40-150
375-85-9	Perfluoroheptanoic acid	0.0050		0.0236	0.0307	109	40-150
335-67-1	Perfluorooctanoic acid	0.0058		0.0236	0.0311	107	40-150
375-95-1	Perfluorononanoic acid	0.0016	J	0.0236	0.0262	104	40-150
335-76-2	Perfluorodecanoic acid	0.0035	U	0.0236	0.0246	104	40-150
2058-94-8	Perfluoroundecanoic acid	0.0035	U	0.0236	0.0226	96	40-150
307-55-1	Perfluorododecanoic acid	0.0035	U	0.0236	0.0247	105	40-150
72629-94-8	Perfluorotridecanoic acid	0.0035	U	0.0236	0.0230	98	40-150
376-06-7	Perfluorotetradecanoic acid	0.0035	U	0.0236	0.0264	112	40-150
375-73-5	Perfluorobutanesulfonic acid	0.0043		0.0209	0.0265	106	40-150
2706-91-4	Perfluoropentanesulfonic acid	0.0044	U	0.0222	0.0242	109	40-150
355-46-4	Perfluorohexanesulfonic acid	0.0050		0.0216	0.0266	100	40-150
375-92-8	Perfluoroheptanesulfonic acid	0.00046	J	0.0225	0.0253	111	40-150
1763-23-1	Perfluorooctanesulfonic acid	0.0160		0.0219	0.0407	113	40-150
68259-12-1	Perfluorononanesulfonic acid	0.0035	U	0.0227	0.0237	104	40-150
335-77-3	Perfluorodecanesulfonic acid	0.0035	U	0.0228	0.0213	94	40-150
79780-39-5	Perfluorododecanesulfonic aci	0.0044	U	0.0229	0.0211	92	40-150
757124-72-44:2	Fluorotelomer sulfonate	0.018	U	0.0884	0.0970	110	40-150
27619-97-2	6:2 Fluorotelomer sulfonate	0.018	U	0.0896	0.0918	102	40-150
39108-34-4	8:2 Fluorotelomer sulfonate	0.018	U	0.0906	0.104	115	40-150
754-91-6	PFOSA	0.0035	U	0.0236	0.0254	108	40-150
31506-32-8	MeFOSA	0.0070	U	0.0472	0.0515	109	40-150
4151-50-2	EtFOSA	0.0070	U	0.0472	0.0478	101	40-150
2355-31-9	MeFOSAA	0.0044	U	0.0236	0.0242	103	40-150
2991-50-6	EtFOSAA	0.0044	U	0.0236	0.0285	121	40-150
24448-09-7	MeFOSE	0.035	U	0.118	0.129	109	40-150
1691-99-2	EtFOSE	0.035	U	0.118	0.124	105	40-150
13252-13-6	HFPO-DA (GenX)	0.0035	U	0.0472	0.0483	102	40-150
919005-14-4	ADONA	0.0070	U	0.0446	0.0479	107	40-150
377-73-1	PFMPA	0.0070	U	0.0472	0.0519	110	40-150
863090-89-5	PFMBA	0.0070	U	0.0472	0.0531	113	40-150
151772-58-6	NFDHA	0.0070	U	0.0472	0.0485	103	40-150
756426-58-19	Cl-PF3ONS (F-53B Major)	0.0070	U	0.0441	0.0457	104	40-150
763051-92-91	Cl-PF3OUdS (F-53B Minor)	0.0070	U	0.0446	0.0404	91	40-150

\* = Outside of Control Limits.

# Matrix Spike Summary

Job Number: FC9666  
 Account: AECOMCOD AECOM, INC.  
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP99077-MS	6Q24837.D	1	09/22/23	MV	09/19/23	OP99077	S6Q355
FC9640-1	6Q24836.D	1	09/22/23	MV	09/19/23	OP99077	S6Q355

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC9666-1, FC9666-2, FC9666-3

CAS No.	Compound	FC9640-1 ug/l	Spike Q	MS ug/l	MS %	Limits
113507-82-7	PFEESA	0.0070 U	0.042	0.0429	102	40-150
356-02-5	3:3 Fluorotelomer carboxylate	0.018 U	0.118	0.0955	81	40-150
914637-49-35:3	Fluorotelomer carboxylate	0.088 U	0.59	0.599	102	40-150
812-70-4	7:3 Fluorotelomer carboxylate	0.088 U	0.59	0.633	107	40-150

CAS No.	ID Standard Recoveries	MS	FC9640-1	Limits
	13C4-PFBA	97%	104%	20-150%
	13C5-PFPeA	100%	109%	20-150%
	13C5-PFHxA	106%	111%	20-150%
	13C4-PFHpA	103%	115%	20-150%
	13C8-PFOA	94%	106%	20-150%
	13C9-PFNA	97%	106%	20-150%
	13C6-PFDA	105%	114%	20-150%
	13C7-PFUnDA	99%	110%	20-150%
	13C2-PFDoDA	92%	104%	20-150%
	13C2-PFTeDA	83%	91%	20-150%
	13C3-PFBS	105%	108%	20-150%
	13C3-PFHxS	103%	109%	20-150%
	13C8-PFOS	90%	106%	20-150%
	13C8-FOSA	74%	85%	20-150%
	d3-MeFOSA	77%	86%	20-150%
	d5-EtFOSA	84%	88%	20-150%
	d3-MeFOSAA	92%	105%	20-150%
	d5-EtFOSAA	83%	90%	20-150%
	d7-MeFOSE	74%	83%	20-150%
	d9-EtFOSE	80%	88%	20-150%
	13C2-4:2FTS	96%	104%	20-180%
	13C2-6:2FTS	102%	114%	20-180%
	13C2-8:2FTS	97%	99%	20-180%
	13C3-HFPO-DA	108%	114%	20-150%

\* = Outside of Control Limits.

# Duplicate Summary

Job Number: FC9666  
 Account: AECOMCOD AECOM, INC.  
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP99077-DUP	6Q24839.D	1	09/22/23	MV	09/19/23	OP99077	S6Q355
FC9640-2	6Q24838.D	1	09/22/23	MV	09/19/23	OP99077	S6Q355

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC9666-1, FC9666-2, FC9666-3

CAS No.	Compound	FC9640-2 ug/l	DUP Q	ug/l	Q	RPD	Limits
375-22-4	Perfluorobutanoic acid	0.0129	J	0.0144	J	11	30
2706-90-3	Perfluoropentanoic acid	0.0112		0.0124		10	30
307-24-4	Perfluorohexanoic acid	0.0058		0.0065		11	30
375-85-9	Perfluoroheptanoic acid	0.0052		0.0055		6	30
335-67-1	Perfluorooctanoic acid	0.0052		0.0057		9	30
375-95-1	Perfluorononanoic acid	0.0013	J	0.0013	J	0	30
335-76-2	Perfluorodecanoic acid	0.0036	U	ND		nc	30
2058-94-8	Perfluoroundecanoic acid	0.0036	U	ND		nc	30
307-55-1	Perfluorododecanoic acid	0.0036	U	ND		nc	30
72629-94-8	Perfluorotridecanoic acid	0.0036	U	ND		nc	30
376-06-7	Perfluorotetradecanoic acid	0.0036	U	ND		nc	30
375-73-5	Perfluorobutanesulfonic acid	0.0036		0.0040		11	30
2706-91-4	Perfluoropentanesulfonic acid	0.0045	U	ND		nc	30
355-46-4	Perfluorohexanesulfonic acid	0.0045		0.0054		18	30
375-92-8	Perfluoroheptanesulfonic acid	0.0036	U	ND		nc	30
1763-23-1	Perfluorooctanesulfonic acid	0.0114		0.0149		27	30
68259-12-1	Perfluorononanesulfonic acid	0.0036	U	ND		nc	30
335-77-3	Perfluorodecanesulfonic acid	0.0036	U	ND		nc	30
79780-39-5	Perfluorododecanesulfonic aci	0.0045	U	ND		nc	30
757124-72-44:2	Fluorotelomer sulfonate	0.018	U	ND		nc	30
27619-97-2	6:2 Fluorotelomer sulfonate	0.018	U	ND		nc	30
39108-34-4	8:2 Fluorotelomer sulfonate	0.018	U	ND		nc	30
754-91-6	PFOSA	0.0036	U	ND		nc	30
31506-32-8	MeFOSA	0.0073	U	ND		nc	30
4151-50-2	EtFOSA	0.0073	U	ND		nc	30
2355-31-9	MeFOSAA	0.0045	U	ND		nc	30
2991-50-6	EtFOSAA	0.0045	U	ND		nc	30
24448-09-7	MeFOSE	0.036	U	ND		nc	30
1691-99-2	EtFOSE	0.036	U	ND		nc	30
13252-13-6	HFPO-DA (GenX)	0.0036	U	ND		nc	30
919005-14-4	ADONA	0.0073	U	ND		nc	30
377-73-1	PFMPA	0.0073	U	ND		nc	30
863090-89-5	PFMBA	0.0073	U	ND		nc	30
151772-58-6	NFDHA	0.0073	U	ND		nc	30
756426-58-19	Cl-PF3ONS (F-53B Major)	0.0073	U	ND		nc	30
763051-92-91	Cl-PF3OUdS (F-53B Minor)	0.0073	U	ND		nc	30

\* = Outside of Control Limits.

# Duplicate Summary

Job Number: FC9666  
 Account: AECOMCOD AECOM, INC.  
 Project: N6274223F0104 RH Fire Suppression System

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP99077-DUP	6Q24839.D	1	09/22/23	MV	09/19/23	OP99077	S6Q355
FC9640-2	6Q24838.D	1	09/22/23	MV	09/19/23	OP99077	S6Q355

The QC reported here applies to the following samples:

Method: EPA DRAFT 1633

FC9666-1, FC9666-2, FC9666-3

CAS No.	Compound	FC9640-2 ug/l	DUP Q	ug/l	Q	RPD	Limits
113507-82-7PFEESA		0.0073 U		ND		nc	30
356-02-5	3:3 Fluorotelomer carboxylate	0.018 U		ND		nc	30
914637-49-35:3	Fluorotelomer carboxylate	0.091 U		ND		nc	30
812-70-4	7:3 Fluorotelomer carboxylate	0.091 U		ND		nc	30

CAS No.	ID Standard Recoveries	DUP	FC9640-2	Limits
	13C4-PFBA	104%	109%	20-150%
	13C5-PFPeA	102%	113%	20-150%
	13C5-PFHxA	105%	115%	20-150%
	13C4-PFHpA	106%	111%	20-150%
	13C8-PFOA	101%	109%	20-150%
	13C9-PFNA	100%	103%	20-150%
	13C6-PFDA	101%	111%	20-150%
	13C7-PFUnDA	94%	109%	20-150%
	13C2-PFDoDA	89%	102%	20-150%
	13C2-PFTeDA	76%	97%	20-150%
	13C3-PFBS	110%	115%	20-150%
	13C3-PFHxS	108%	111%	20-150%
	13C8-PFOS	105%	113%	20-150%
	13C8-FOSA	83%	86%	20-150%
	d3-MeFOSA	81%	87%	20-150%
	d5-EtFOSA	86%	94%	20-150%
	d3-MeFOSAA	100%	101%	20-150%
	d5-EtFOSAA	99%	95%	20-150%
	d7-MeFOSE	80%	86%	20-150%
	d9-EtFOSE	84%	94%	20-150%
	13C2-4:2FTS	103%	112%	20-180%
	13C2-6:2FTS	106%	118%	20-180%
	13C2-8:2FTS	95%	101%	20-180%
	13C3-HFPO-DA	105%	117%	20-150%

\* = Outside of Control Limits.