



# ANALYTICAL REPORT

## PREPARED FOR

Attn: Terri Choy  
AECOM

1001 Bishop Street  
Honolulu, Hawaii 96813

Generated 11/17/2023 11:54:41 AM

## JOB DESCRIPTION

Red Hill - AFFF Assessment Sampling

## JOB NUMBER

580-133865-1

# Eurofins Seattle

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing Northwest, LLC Project Manager.

## Authorization



Generated  
11/17/2023 11:54:41 AM

Authorized for release by  
Tracy Dutton, Client Relations Manager  
[Tracy.Dutton@et.eurofinsus.com](mailto:Tracy.Dutton@et.eurofinsus.com)  
(253)248-4970



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Case Narrative . . . . .	4
Definitions . . . . .	5
Client Sample Results . . . . .	6
QC Sample Results . . . . .	8
Chronicle . . . . .	9
Certification Summary . . . . .	10
Sample Summary . . . . .	11
Chain of Custody . . . . .	12
Receipt Checklists . . . . .	14

# Case Narrative

Client: AECOM  
Project/Site: Red Hill - AFFF Assessment Sampling

Job ID: 580-133865-1

**Job ID: 580-133865-1**

**Laboratory: Eurofins Seattle**

## Narrative

### Job Narrative 580-133865-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method. Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

## Receipt

The samples were received on 11/14/2023 4:00 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 2.9°C

Note: All samples which require thermal preservation are considered acceptable if the arrival temperature is within 2C of the required temperature or method specified range. For samples with a specified temperature of 4C, samples with a temperature ranging from just above freezing temperature of water to 6C shall be acceptable. Samples that are hand delivered immediately following collection may not meet these criteria, however they will be deemed acceptable according to NELAC standards, if there is evidence that the chilling process has begun, such as arrival on ice, etc.

## Method 8015C GLY - Glycols- Direct Injection (GC/FID)

Samples AF-RHMW03-WGN01LF-2311 (133865-2) and AF-RHMW10-WGN01LF-2311 (133865-1) were analyzed for Glycols- Direct Injection (GC/FID). The samples were analyzed on 11/17/2023.

The continuing calibration verification (CCV) associated with batch 680-808697 recovered above the upper control limit for 2-(2-Butoxyethoxy)ethanol. The samples associated with this CCV were non-detects for the affected analyte; therefore, the data has been reported.

# Definitions/Glossary

Client: AECOM

Job ID: 580-133865-1

Project/Site: Red Hill - AFFF Assessment Sampling

## Qualifiers

### GC Semi VOA

Qualifier	Qualifier Description
Q	One or more quality control criteria failed.
U	Undetected at the Limit of Detection.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Client Sample Results

Client: AECOM  
Project/Site: Red Hill - AFFF Assessment Sampling

Job ID: 580-133865-1

**Client Sample ID: AF-RHMW10-WGN01LF-2311**

**Lab Sample ID: 580-133865-1**

**Date Collected: 11/10/23 11:25**

**Matrix: Water**

**Date Received: 11/14/23 16:00**

**Method: SW846 8015C GLY - Glycols- Direct Injection (GC/FID)**

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
2-(2-Butoxyethoxy)ethanol	3.0	U Q	5.0	1.1	mg/L			11/17/23 04:19	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

# Client Sample Results

Client: AECOM  
Project/Site: Red Hill - AFFF Assessment Sampling

Job ID: 580-133865-1

**Client Sample ID: AF-RHMW03-WGN01LF-2311**

**Lab Sample ID: 580-133865-2**

**Date Collected: 11/10/23 10:15**

**Matrix: Water**

**Date Received: 11/14/23 16:00**

**Method: SW846 8015C GLY - Glycols- Direct Injection (GC/FID)**

Analyte	Result	Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
2-(2-Butoxyethoxy)ethanol	3.0	U Q	5.0	1.1	mg/L			11/17/23 04:42	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

# QC Sample Results

Client: AECOM  
 Project/Site: Red Hill - AFFF Assessment Sampling

Job ID: 580-133865-1

## Method: 8015C GLY - Glycols- Direct Injection (GC/FID)

**Lab Sample ID: MB 680-808697/11**  
**Matrix: Water**  
**Analysis Batch: 808697**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	LOQ	DL	Unit	D	Prepared	Analyzed	Dil Fac
2-(2-Butoxyethoxy)ethanol	3.0	U	5.0	1.1	mg/L			11/16/23 20:07	1

**Lab Sample ID: LCS 680-808697/1007**  
**Matrix: Water**  
**Analysis Batch: 808697**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
2-(2-Butoxyethoxy)ethanol	20.0	23.2		mg/L		116	50 - 150

**Lab Sample ID: LCSD 680-808697/8**  
**Matrix: Water**  
**Analysis Batch: 808697**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
2-(2-Butoxyethoxy)ethanol	20.0	23.6		mg/L		118	50 - 150	2	50



# Lab Chronicle

Client: AECOM  
Project/Site: Red Hill - AFFF Assessment Sampling

Job ID: 580-133865-1

**Client Sample ID: AF-RHMW10-WGN01LF-2311**

**Lab Sample ID: 580-133865-1**

**Date Collected: 11/10/23 11:25**

**Matrix: Water**

**Date Received: 11/14/23 16:00**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8015C GLY		1	808697	DBM	EET SAV	11/17/23 04:19

**Client Sample ID: AF-RHMW03-WGN01LF-2311**

**Lab Sample ID: 580-133865-2**

**Date Collected: 11/10/23 10:15**

**Matrix: Water**

**Date Received: 11/14/23 16:00**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8015C GLY		1	808697	DBM	EET SAV	11/17/23 04:42

**Laboratory References:**

EET SAV = Eurofins Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858



# Accreditation/Certification Summary

Client: AECOM  
Project/Site: Red Hill - AFFF Assessment Sampling

Job ID: 580-133865-1

## Laboratory: Eurofins Savannah

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
ANAB	Dept. of Defense ELAP	L2463	09-22-24

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8015C GLY		Water	2-(2-Butoxyethoxy)ethanol



# Sample Summary

Client: AECOM

Job ID: 580-133865-1

Project/Site: Red Hill - AFFF Assessment Sampling

---

<u>Lab Sample ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Collected</u>	<u>Received</u>
580-133865-1	AF-RHMW10-WGN01LF-2311	Water	11/10/23 11:25	11/14/23 16:00
580-133865-2	AF-RHMW03-WGN01LF-2311	Water	11/10/23 10:15	11/14/23 16:00

1

2

3

4

5

6

7

8


9

10

11

**Eurofins FGS, Seattle**  
 5755 8th Street East  
 Tacoma, WA 98424

## Chain of Custody Record

<b>Client Information</b>		Lab PM: Elaine Walker		Carrier Tracking No(s): FedEx	
Client Contact: Max Galpin		E-Mail: M.Elaine.Walker@EurofinsET.com		State of Origin: Hawaii	
Company: AECOM		Phone: 808-524-3051		PWSID:	
Address: 1001 Bishop St. Suite 1600		Due Date Requested: See subcontract		<b>Analysis Requested</b> <div style="font-size: 2em; transform: rotate(-45deg); opacity: 0.5;">             Mark Kromis 11/10/23           </div>	
City: Honolulu		TAT Requested (days): Rush - 5 Day			
State, Zip: Hawaii 96813		Compliance Project: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No			
Phone: 808-954-4512 / 770-331-0794		PO #:			
Email: Watson.Tanji@aeocom.com / Mark.Kromis@aeocom.com		WO #:			
Project Name: CTO N6274223F0104		Project #: 60697810		Field Filtered Sample (Yes or No) <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Site: RHSF		SSOW#:		Perform MS/MSD (Yes or No) <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
<b>Sample Identification</b>		Sample Date: 11/10/23		8015C_DAL_GL_DS/2-(2-butoxyethoxy)-ethanol	
AF-RHMW10-WGN01LF-2311		Sample Time: 1125		Total Number of containers: 3	
 580-133865 Chain of Custody		Sample Type (C=Comp, G=grab)		Matrix (Water, Soil, Oil, etc.)	
		Preservation Code: G W			

**Possible Hazard Identification**  
 Non-Hazard  Flammable  Skin Irritant  Poison B  Uprtown  Radiological

Deliverable Requested: I, II, III, IV, Other (specify) \_\_\_\_\_

Empty Kit Relinquished by: \_\_\_\_\_ Date: \_\_\_\_\_

Relinquished by: \_\_\_\_\_ Date/Time: 11/10/23 1255 Company: AECOM

Relinquished by: Elie Shimatsu Date/Time: 11/17/23 1900 Company: AECOM

Received by: Elie Shimatsu Date/Time: 11/17/23

Method of Shipment: AN



**Eurofins FGS, Seattle**  
 5755 8th Street East  
 Tacoma, WA 98424

**Chain of Custody Record**

<b>Client Information</b>		Sampler: <u>Jacklyn</u>		Lab PM: Elaine Walker		Carrier Tracking No(s): FedEX																																																																																	
Client Contact:		Phone: <u>48438088</u>		E-Mail: M.Elaine.Walker@EurofinsET.com		State of Origin: Hawaii																																																																																	
Company: AECOM		PWSID:		<b>Analysis Requested</b>																																																																																			
Address: 1001 Bishop St. Suite 1600		Due Date Requested: see subcontract		<table border="1"> <tr> <td>Field Filtered Sample (Yes or No)</td> <td>Perform MS/MSD (Yes or No)</td> <td>8015C, DAL, GL, DS/2-(2-butoxyethoxy)-ethanol</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>TAT Requested (days): <b>Rush - 5 Day</b></td> <td>Compliance Project: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>City: Honolulu</td> <td>PO #:</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>State, Zip: Hawaii 96813</td> <td>WO #:</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Phone: 808-954-4512 / 770-331-0794</td> <td>Project #:</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Email: Watson.Tani@eurofins.com / Mark.Kromis@eurofins.com</td> <td>SSOW#:</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Project Name: CTO N6274223F0104</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Site: RH5F</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>				Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	8015C, DAL, GL, DS/2-(2-butoxyethoxy)-ethanol						TAT Requested (days): <b>Rush - 5 Day</b>	Compliance Project: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No							City: Honolulu	PO #:							State, Zip: Hawaii 96813	WO #:							Phone: 808-954-4512 / 770-331-0794	Project #:							Email: Watson.Tani@eurofins.com / Mark.Kromis@eurofins.com	SSOW#:							Project Name: CTO N6274223F0104								Site: RH5F																							
Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	8015C, DAL, GL, DS/2-(2-butoxyethoxy)-ethanol																																																																																					
TAT Requested (days): <b>Rush - 5 Day</b>	Compliance Project: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No																																																																																						
City: Honolulu	PO #:																																																																																						
State, Zip: Hawaii 96813	WO #:																																																																																						
Phone: 808-954-4512 / 770-331-0794	Project #:																																																																																						
Email: Watson.Tani@eurofins.com / Mark.Kromis@eurofins.com	SSOW#:																																																																																						
Project Name: CTO N6274223F0104																																																																																							
Site: RH5F																																																																																							
<b>Sample Identification</b>		Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (Water, Soil, Oil, Tissue, Air)	Preservation Code	Total Number of Containers																																																																																
AF-RHMW03-WGN01LF-2311		11/10/23	1015	G		W	3																																																																																

**Possible Hazard Identification**  
 Non-Hazard  Flammable  Skin Irritant  Poison B  Urticaria  Radiological

Deliverable Requested: I, II, III, IV, Other (specify)

Empty Kit Relinquished by: Jacklyn Date: 11/10/23 Time: 1250

Relinquished by: Elie Shimatsu Date: 11/13/23 Time: 1900

Relinquished by: Elie Shimatsu Date: 11/10/23 Time: 1900

Received by: Elie Shimatsu Date: 11/10/23 Time: 1900

Company: AECOM

Method of Shipment: UN3373

Sample Disposal (A fee may be assessed if samples are retained):  Return To Client  Disposal By Lab  Archive

Prelim data (Level 1 or 2) - see TAT above. DoD Stage 4 Special Instructions/QC Requirements: DOD QSM project.

report standard TAT - AECOM EQUIS FDD.



# Login Sample Receipt Checklist

Client: AECOM

Job Number: 580-133865-1

**Login Number: 133865**

**List Number: 1**

**Creator: Johnson, Corey M**

**List Source: Eurofins Seattle**

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

