


JOSH GREEN, M.D.
GOVERNOR OF HAWAII
KE KIA'ĀINA O KA MOKU'ĀINA 'O HAWAII



KENNETH S. FINK, MD, MGA, MPH
DIRECTOR OF HEALTH
KA LUNA HO'OKELE

In reply, please refer to:
File:

STATE OF HAWAII
DEPARTMENT OF HEALTH
KA 'OIHANA OLAKINO
P. O. BOX 3378
HONOLULU, HI 96801-3378

January 3, 2024

Vice Admiral John Wade
Joint Task Force – Red Hill
1025 Quincy Avenue, Suite 900
Joint Base Pearl Harbor Hickam, Hawai'i 96860-5101
[via email only: john.f.wade2.mil@us.navy.mil]

Dear Vice Admiral Wade:

SUBJECT: JTF-RH Quality Validation Report Repair No. DEF 002

The Hawai'i Department of Health (DOH) acknowledges receipt on December 28, 2023, of the Joint Task Force-Red Hill's quality validation report for Repair No. DEF 002. This repair replaced the weeping Fuel Oil Reclamation line piping between the Zone 7 sump and Tanks 15 and 16.

Based on the information submitted and the Quality Validation Engineer's certification on the completion of the repair, the DOH approves this quality validation report, provided that any future testing or assessment of the infrastructure does not produce failed results or the determination that additional repairs are needed.

Should you have any questions regarding this letter, please contact Ms. Kelly Ann Lee, Red Hill Project Coordinator, at (808) 586-4226 or kellyann.lee@doh.hawaii.gov.

Sincerely,

Kathleen Ho

KATHLEEN S. HO
Deputy Director for Environmental Health

c: Ash Nieman, U.S. Environmental Protection Agency [via email only]
Evan Osborne, U.S. Environmental Protection Agency [via email only]
Andrew Suesse, U.S. Environmental Protection Agency [via email only]
BG Michelle Link, Joint Task Force – Red Hill [via email only]
LTC Noor James, Joint Task Force – Red Hill [via email only]