

**REQUEST FOR PUBLIC COMMENTS
ON DRAFT AIR PERMIT
REGULATING THE EMISSIONS OF AIR POLLUTANTS**

(Docket No. 16-CA-PA-20)

Pursuant to Hawaii Revised Statutes (HRS), Chapter 342B-13 and Hawaii Administrative Rules (HAR), Chapter 11-60.1, the Department of Health, State of Hawaii (DOH), is requesting public comments on a **DRAFT PERMIT** presently under review for:

Covered Source Permit (CSP) No. 0088-03-C
Application for a Significant Modification No. 0088-25
Chevron Products Company
Three (3) Diesel Engine Pumps
Located at: 91-480 Malakole Street, Kapolei, Oahu

The **DRAFT PERMIT** is described as follows:

The applicant proposes to install and operate three (3) diesel engine pumps for this proposed modification to CSP No. 0088-03-C. The proposed modification will result in the following emission increases:

| Pollutant | Potential Emissions (tpy) | Significant Level (tpy) | Significant? |
|-------------------|----------------------------------|--------------------------------|---------------------|
| NO _x | 15.21 | 40 | no |
| SO _x | 0.03 | 40 | no |
| CO | 18.75 | 100 | no |
| PM | 1.12 | 25 | no |
| PM ₁₀ | 1.12 | 15 | no |
| PM _{2.5} | 1.12 | 10 | no |
| VOC | 17.28 | 40 | no |
| Lead | 0 | 0.6 | no |
| CO _{2e} | 3,022.2 | 75,000 | no |

The **ADMINISTRATIVE RECORD**, consisting of the **APPLICATION** and non-confidential supporting materials from the applicant, the permit review summary, and the **DRAFT PERMIT**, is available for public inspection during regular office hours, Monday through Friday, 7:45 a.m. to 4:15 p.m., at the following location:

Clean Air Branch, Department of Health
919 Ala Moana Boulevard, Room 203, Honolulu, Oahu 96814

All comments on the draft permit and any request for a public hearing must be in writing, addressed to the Clean Air Branch at the above address and must be postmarked or received by **October 13, 2016**.

Any person may request a public hearing by submitting a written request that explains the party's interest and the reasons why a hearing is warranted. The DOH may hold a public hearing if a hearing would aid in DOH's decision. If a public hearing is warranted, a public notice for the hearing will be published at least thirty (30) days in advance of the hearing.

Interested persons may obtain copies of the administrative record or parts thereof by paying **five (5) cents per page copying costs**. Please send written requests to the Clean Air Branch listed above or call Mr. Darin Lum at the Clean Air Branch at (808) 586-4200. Electronic copies of the draft permit and permit review may be found online at <http://health.hawaii.gov/cab/public-notices/>.

Comments on the draft permit should address, but need not be limited to, the permit conditions and the facility's compliance with federal and state air pollution laws, including: (1) the National and State Ambient Air Quality Standards; and (2) HRS, Chapter 342B and HAR, Chapter 11-60.1.

DOH will make a final decision on the permit after considering all comments and will send notice of the final decision to each person who has submitted comments or requested such notice.

Virginia Pressler, M.D.
Director of Health