
: I9W2IIA

A 5 year old with a history of one dose of varicella vaccine at age 18 months

Varicella vaccine is recommended for all children without contraindications at 12 through 15

months of age. A second dose of varicella vaccine should be administered at 4 through 6 years of

international travel, varicella vaccine is neither approved nor recommended for children younger Although ACIP recommends giving a dose of MMM to infants 6 through 11 months of age before



:eource:

by at least 3 months. Varicella vaccine doses administered to persons younger than 13 years of age should be separated

June 22, 2007.

immunity to varicella.

.notteutis yne ni sdfnom 21 age nedf

WMWR, Prevention of Varicella Recommendations of the Advisory Committee on Immunization Practices (ACIP),

History of herpes zoster based on healthcare provider diagnosis is considered evidence of

Varicella-containing vaccine is contraindicated in women known to be pregnant.

b) An 11 month old infant traveling to China

immunity who was exposed to chickenpox yesterday

Which of the following persons, if any, should receive varicella vaccine? Select all that apply.

Ouestion:

d) A 5 year old with a history of one dose of varicella vaccine at age 18 months

c) An adult with physician diagnosed zoster, who has no history of chickenpox disease

Test your vaccine knowledge.

VACCINE POINTS

"Vaccine Points" is a bi-monthly communication distributed by the Hawaii Department of Health to all participating Vaccines for Children (VFC) providers.

a) A 16 year old with a history of varicella vaccine administered at age 1 year and age 18 months.

e) A pregnant healthcare worker with no history of varicella disease or laboratory evidence of

mth.L640ðZrr\lmthrwmm\w9iv9rq\rwmm\vog.obo.www\\:2dfff

July 25, 2017