

**Ambient Community Air Monitoring Weekly Report
For the Hawaii Department of Health – Clean Air Branch**

Kula, Maui

11/30/2023-12/6/2023

As a result of ongoing debris removal operations in response to the Maui Wildfires, a community air monitoring and sampling plan (CAMSP, 2023) has been developed and sampling is being performed at three community locations across the area of Kula.

This approach includes ambient community air monitoring and sampling to monitor conditions and ensure debris removal activities, taking place under the U.S. Army Corps of Engineers (USACE), does not significantly impact air quality in the area of Kula. Data collected is made available to HDOH via online shared site and this weekly report. This approach to air monitoring and sampling will continue until debris removal activities are complete or until HDOH CAB advises otherwise.

Air quality monitoring for particulate matter was collected at all three community locations over a 24-hour period each day in accordance with the CAMSP. Additionally, daily air samples were collected at all community locations for asbestos and heavy metals. Summary analytical data is presented in **Tables 1 and 2**. **Figure 1** depicts the community air monitoring and sampling locations. **Appendix 1** provides detailed analytical results for all community locations where air sampling was performed. Analytical results were compared to site-specific screening levels for particulate matter, asbestos, and heavy metals as published in the CAMSP (Tetra Tech 2023; see Table 2).

Results for Community Locations:

Ambient particulate air monitoring was performed to assess for the presence and concentrations of airborne particulates with a particle size aerodynamic diameter of 2.5 micrometers (μm) and less ($\text{PM}_{2.5}$), as well as 10 micrometers (μm) and less (PM_{10}). This particle size diameter is recognized for health evaluations and is identified as “ $\text{PM}_{2.5}$ ” and “ PM_{10} ”. The particle size diameters of 2.5 micrometers (μm) and 10 micrometers (μm) are small enough to be inhaled into a person’s lungs. Monitoring for $\text{PM}_{2.5}$ and PM_{10} was conducted 7 days a week at each of the following locations: Top Property (AM-01) (November 30 – December 6), Middle Property (AM-02) 2 (November 30 – December 6), Lower Property (AM-03) (November 30 – December 6).

The results of PM_{10} monitoring found that screening levels were exceeded at the Top Property air monitoring station on November 30th. The property owner was observed stirring up dry undersoil and dust on the property with use of a Skid Steer. The property owner was also observed spreading woodchips.

The results of $\text{PM}_{2.5}$ monitoring found that screening levels were exceeded at the Top Property air monitoring station on November 30th, December 1st and December 5th. The property owner was observed disturbing dry undersoil and dust while felling trees on the property using a Skid Steer. The property owner was also observed spreading woodchips.

None of these exceedances of particulate screening levels are likely to be attributable to USACE debris removal operations.

There were twenty-one samples collected for asbestos fibers at community monitoring locations throughout this time frame. Of the twenty-one samples collected, six were voided. Five were voided as a result of a greater than 10% discrepancy between the pre and post calibration values, as stated in the asbestos sampling SOP; Top Property (AM-01) on 12/2 and 12/4, Middle Property (AM-02) on 12/1, and Lower Property (AM-03) on 12/3 and 12/4. One sample from Middle Property (AM-02) on 11/30 was voided due to insufficient sample volume (L). No asbestos sample returned a value above the laboratory’s

detection limit, indicating fibers were not present in the air sampled. All asbestos results were below the public health screening level of 0.0034 fibers/cc (as well as the laboratory's detection limits).

Some extremely low levels of heavy metals were detected in ambient air samples at community locations. Although detected, all concentrations were below the public health screening levels for heavy metals. Details for particulates, heavy metal and asbestos sampling data for community locations are found in Attachment 1. The metals lab report 3121111 contains samples outside the range of this report and have been redacted to only show the results pertinent to this reporting period.

This deliverable also includes the data validation checklists for each lab report. All data validation checklists for previous reports have been added to the project folder on Teams. Details for the lab reports and the data validation checklists are found in the Appendix.

Attachments:


Analytical Sampling Results and Particulate Monitoring Results

Air Monitoring and Sampling Locations

Appendix:

Analytical Reports

Attachments



- Air Monitoring Locations
- Kula Fire Perimeter



Figure 1
Ambient Community
Air Monitoring Locations

Hawaii DOH
2023 Kula Wildfire

**Table 1: HDOH CAB Ambient Community Monitoring and Sampling
Analytical Sampling Results
Maui Wildfire, Kula
11/30/2023-12/6/2023**

Screening Level	Analyte Units	Asbestos		Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Copper	Lead	Manganese	Molybdenum	Nickel	Selenium	Thallium	Vanadium	Zinc
		f/cc	Y/N	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³
	Location / ID	0.0034 ¹	Confirmed Asbestos ²	1.4	0.18	2.4	0.1	0.048	24	0.029	480	1.5	0.24	9.6	0.048	96	48	0.48	2400
11/30/2023	Top Property (AM-01)	<0.00129	N	0.0000439	0.000124	0.00377	0.0000142	ND	ND	0.000209	0.0207	0.000264	0.0133	0.000876	0.00087	0.000161	0.00000967	0.00136	ND
	Middle Property (AM-02)	NA	NA	ND	0.000151	0.00217	0.00000544	ND	ND	0.0000869	0.0134	ND	0.004	0.000937	0.0007	0.000106	0.00000462	0.000582	ND
	Lower Property (AM-03)	<0.00053	N	0.0000499	0.000124	0.0023	ND	ND	ND	0.0000532	0.0401	ND	0.00187	0.0013	0.000814	0.0000849	ND	0.000324	ND
12/1/2023	Top Property (AM-01)	<0.00046	N	ND	0.000143	0.00455	0.0000166	ND	0.00189	0.000244	0.0147	0.000393	0.016	0.00073	0.000883	0.000146	0.00000108	0.00185	ND
	Middle Property (AM-02)	NA	NA	0.0000039	0.000102	0.00209	0.00000358	ND	0.00167	0.000108	0.012	ND	0.00275	0.000835	0.000831	0.0000721	0.00000494	0.000878	ND
	Lower Property (AM-03)	<0.00049	N	0.0000576	0.0000833	0.00253	0.00000337	ND	ND	0.00006	0.0283	ND	0.00244	0.00109	ND	0.000084	ND	0.00097	ND
12/2/2003	Top Property (AM-01)	NA	NA	ND	0.0000771	0.00265	0.00000589	ND	ND	0.0000953	0.0178	ND	0.0048	0.000962	0.00113	0.0000985	0.00000458	0.000531	ND
	Middle Property (AM-02)	<0.00122	N	ND	0.000104	0.00197	0.00000349	ND	ND	0.0000634	0.0182	ND	0.00265	0.00114	ND	0.0000912	ND	0.000441	ND
	Lower Property (AM-03)	<0.00132	N	0.0000802	0.0000814	0.00311	0.00000399	ND	ND	0.0000758	0.0394	ND	0.00311	0.00123	ND	0.000146	ND	0.000634	ND
12/3/2023	Top Property (AM-01)	<0.00052	N	0.0000384	0.000118	0.00556	0.000017	ND	0.00187	0.000277	0.0186	0.0003	0.019	0.000877	0.00065	0.000221	0.00000137	0.00185	ND
	Middle Property (AM-02)	<0.00138	N	0.0000517	0.0000999	0.0028	0.00000444	ND	ND	0.000081	0.0171	ND	0.00365	0.000866	ND	0.000123	0.00000063	0.000672	ND
	Lower Property (AM-03)	NA	NA	0.0000558	0.0000799	0.00288	0.00000439	ND	0.00191	0.0000855	0.0343	ND	0.00384	0.00117	0.000713	0.000135	0.000000627	0.000704	ND
12/4/2023	Top Property (AM-01)	NA	NA	0.0000524	0.000208	0.00954	0.0000381	ND	0.00245	0.000474	0.0184	0.000417	0.0329	0.000975	0.000915	0.000268	0.00000204	0.00337	ND
	Middle Property (AM-02)	<0.00055	N	0.0000779	0.000176	0.00344	0.00000625	ND	ND	0.000117	0.0185	ND	0.00513	0.00089	ND	0.000104	0.000000619	0.00066	ND
	Lower Property (AM-03)	NA	NA	0.0000734	0.000114	0.00393	0.00000722	ND	ND	0.000111	0.0331	ND	0.00587	0.00105	ND	0.000115	0.000000576	0.000688	ND
12/5/2023	Top Property (AM-01)	<0.00051	N	0.0000469	0.000212	0.0119	0.0000514	ND	0.00287	0.000689	0.02	0.000539	0.0493	0.000702	0.000973	0.000305	0.00000261	0.00423	ND
	Middle Property (AM-02)	<0.00048	N	0.000057	0.000137	0.00416	0.00000921	ND	0.00172	0.000157	0.0139	0.000298	0.00807	0.000615	ND	0.00012	0.000000672	0.000807	ND
	Lower Property (AM-03)	<0.00076	N	0.0000723	0.0000999	0.00572	0.0000121	ND	ND	0.000171	0.0505	0.000563	0.00964	0.0012	ND	0.000127	0.000000706	0.000887	ND
12/6/2023	Top Property (AM-01)	<0.00049	N	0.0000603	0.000345	0.0161	0.0000706	ND	0.00362	0.00105	0.0212	0.000857	0.0692	0.000715	0.00168	0.000438	0.00000381	0.00653	ND
	Middle Property (AM-02)	<0.00036	N	0.0000558	0.000188	0.00574	0.0000181	ND	0.00216	0.000343	0.0149	0.000879	0.0188	0.000652	0.00122	0.000183	0.00000118	0.00194	ND
	Lower Property (AM-03)	<0.00036	N	0.0000719	0.000151	0.00685	0.0000196	ND	0.00253	0.000334	0.0301	0.000418	0.0174	0.000892	0.00126	0.000178	0.00000103	0.00186	ND
95% Upper Confidence Limit		0.00092		0.00006	0.00016	0.00637	0.000025	0.000012	0.00213	0.00035	0.028	0.00043	0.025	0.00102	0.00093	0.00019	0.0000014	0.0011	NA

Notes:

Asbestos sampling was voided at the Top Property (AM-01) on 12/2 and 12/4 due to the sampling pump not providing a non-fluctuating air flow through the filter and maintain initial volume flow rate within 10% throughout the sampling period.

Asbestos sampling was voided at the Middle Property (AM-02) on 11/30 due to insufficient sample volume (L).

Asbestos sampling was voided at the Middle Property (AM-02) on 12/1 due to the sampling pump not providing a non-fluctuating air flow through the filter and maintain initial volume flow rate within 10% throughout the sampling period.

Asbestos sampling was voided at the Lower Property (AM-03) on 12/3 and 12/4 due to the sampling pump not providing a non-fluctuating air flow through the filter and maintain initial volume flow rate within 10% throughout the sampling period.

NA = Not Available

f/cc = fibers per cubic centimeter

µg/m³= micrograms per cubic meter

ND = Not detected at or above the laboratory reporting limit or method detection limit

¹ Fiber count sample result via Phase Contrast Microscopy

² Confirmed asbestos sample result via Transmission Electron Microscopy

³ 95% UCL determined through 'best fit' lognormal or normal parametric statistics via W test

**Table 2: HDOH CAB Ambient Community Monitoring and Sampling
Particulate Monitoring Results
Maui Wildfire, Kula
11/30/2023-12/6/2023**

Particulate Size		PM 2.5	PM 10
Screening Level	Location / ID	35 µg/m ³	150 µg/m ³
11/30/2023	Top Property (AM-01)	100	160
	Middle Property (AM-02)	27	4.5
	Lower Property (AM-03)	5.1	4.2
12/1/2023	Top Property (AM-01)	69	73
	Middle Property (AM-02)	20	6.9
	Lower Property (AM-03)	7.4	12
12/2/2023	Top Property (AM-01)	20	9.7
	Middle Property (AM-02)	15	7.2
	Lower Property (AM-03)	6.9	9.6
12/3/2023	Top Property (AM-01)	27	19
	Middle Property (AM-02)	26	5.8
	Lower Property (AM-03)	5.9	7.2
12/4/2023	Top Property (AM-01)	27	17
	Middle Property (AM-02)	21	8.5
	Lower Property (AM-03)	6.5	6.9
12/5/2023	Top Property (AM-01)	43	41
	Middle Property (AM-02)	21	6.9
	Lower Property (AM-03)	5.9	8.8
12/6/2023	Top Property (AM-01)	30.2	21
	Middle Property (AM-02)	13	6.7
	Lower Property (AM-03)	6.1	9.8

Notes:

The exceedances on 11/30, 12/1 and 12/5 are a result of the use of a skid steer for tree felling, woodchips spread and private operations on the property

Results are based on 24 hour TWA calculation

24 hour TWA calculation is presented in the rule of two significant figures

µg/m³ = micrograms per cubic meter

ND = Not detected at or above the laboratory reporting limit

NA = Not Available

Appendix 1

Airborne Asbestos Fiber Analysis
by Transmission Electron Microscopy (TEM)
ISO 10312 - Ambient Air - Determination of Asbestos Fibers
Direct-Transfer Transmission Electron Microscopy Method

Maura McAleese
Tetra Tech
1999 Harrison St, Ste. 500
Oakland, CA 94612

EJ3 Order #: 3474752
Project #: 1.03286E+12
Receipt Date: 7-Dec-2023
Analysis Date: 12-Dec-2023
Report Date: 12-Dec-2023

HDOH Kula Community Air

Sample Number **MFK-AM01-113023-AB**

Air Volume:	2263.269
Effective Filter Area:	385.0 mm ²
Level of Analysis (Chrysotile):	CDQ
Level of Analysis (Amphibole):	ADQ
Magnification Used for Fiber Counting:	20,000
Aspect Ratio for Fiber Definition:	5:1
Mean Dimension of Grid Openings (GOs):	0.0132 mm ²
Initials of Analyst:	TS
Number of GO's Examined:	10
Analytical Sensitivity: f/Liter:	1.28870
Analytical Sensitivity: f/cm ³ :	0.00129
Number of primary asbestos structures:	0
Number of asbestos structures counted:	0
Number of asbestos structures > 5 um :	0
Number of asbestos fibers and bundles > 5 um:	0
Number of PCM equivalent asbestos structures:	0
Number of PCM equivalent asbestos fibers:	0
Concentration of Asbestos (Chrysotile) f/cm ³ :	<0.00129
Concentration of Asbestos (Amphibole) f/cm ³ :	<0.00129
Concentration of PCME Asbestos (Chrysotile) f/cm ³ :	<0.00129
Concentration of Asbestos (Chrysotile), Str/L:	0
Concentration of Asbestos (Amphibole), Str/L:	0
Lower 95% Confidence Limit (Chrysotile), Str/L:	0
Upper 95% Confidence Limit (Chrysotile), Str/L:	4.8
Lower 95% Confidence Limit (Amphibole), Str/L:	0
Upper 95% Confidence Limit (Amphibole), Str/L:	4.8



Analyst: Taylor Smylie

Scott M. Ward, Ph.D.

Lab Director

These results apply to the sample(s) as received. Eurofins J3 Resources, Inc. (EJ3) is not responsible for results reported in fibers or asbestos structures per cubic centimeter, which is dependent on volumes provided by non-laboratory personnel. This report is for the exclusive use of the addressed client and shall not be reproduced except in full, without written approval by EJ3. All samples received in good condition unless otherwise noted. This report shall not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

Airborne Asbestos Fiber Analysis
by Transmission Electron Microscopy (TEM)
ISO 10312 - Ambient Air - Determination of Asbestos Fibers
Direct-Transfer Transmission Electron Microscopy Method

Maura McAleese
Tetra Tech
1999 Harrison St, Ste. 500
Oakland, CA 94612

EJ3 Order #: 3474752
Project #: 1.03286E+12
Receipt Date: 7-Dec-2023
Analysis Date: 12-Dec-2023
Report Date: 12-Dec-2023

HDOH Kula Community Air

Sample Number **MFK-AM02-120223-AB**

Air Volume:	2388.282
Effective Filter Area:	385.0 mm ²
Level of Analysis (Chrysotile):	CDQ
Level of Analysis (Amphibole):	ADQ
Magnification Used for Fiber Counting:	20,000
Aspect Ratio for Fiber Definition:	5:1
Mean Dimension of Grid Openings (GOs):	0.0132 mm ²
Initials of Analyst:	TS
Number of GO's Examined:	10
Analytical Sensitivity: f/Liter:	1.22124
Analytical Sensitivity: f/cm ³ :	0.00122
Number of primary asbestos structures:	0
Number of asbestos structures counted:	0
Number of asbestos structures > 5 um :	0
Number of asbestos fibers and bundles > 5 um:	0
Number of PCM equivalent asbestos structures:	0
Number of PCM equivalent asbestos fibers:	0
Concentration of Asbestos (Chrysotile) f/cm ³ :	<0.00122
Concentration of Asbestos (Amphibole) f/cm ³ :	<0.00122
Concentration of PCME Asbestos (Chrysotile) f/cm ³ :	<0.00122
Concentration of Asbestos (Chrysotile), Str/L:	0
Concentration of Asbestos (Amphibole), Str/L:	0
Lower 95% Confidence Limit (Chrysotile), Str/L:	0
Upper 95% Confidence Limit (Chrysotile), Str/L:	4.5
Lower 95% Confidence Limit (Amphibole), Str/L:	0
Upper 95% Confidence Limit (Amphibole), Str/L:	4.5



Analyst: Taylor Smylie

Scott M. Ward, Ph.D.

Lab Director

These results apply to the sample(s) as received. Eurofins J3 Resources, Inc. (EJ3) is not responsible for results reported in fibers or asbestos structures per cubic centimeter, which is dependent on volumes provided by non-laboratory personnel. This report is for the exclusive use of the addressed client and shall not be reproduced except in full, without written approval by EJ3. All samples received in good condition unless otherwise noted. This report shall not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

Airborne Asbestos Fiber Analysis
by Transmission Electron Microscopy (TEM)
ISO 10312 - Ambient Air - Determination of Asbestos Fibers
Direct-Transfer Transmission Electron Microscopy Method

Maura McAleese
Tetra Tech
1999 Harrison St, Ste. 500
Oakland, CA 94612

EJ3 Order #: 3474752
Project #: 1.03286E+12
Receipt Date: 7-Dec-2023
Analysis Date: 12-Dec-2023
Report Date: 12-Dec-2023

HDOH Kula Community Air

Sample Number **MFK-AM03-120223-AB**

Air Volume:	2207.715
Effective Filter Area:	385.0 mm ²
Level of Analysis (Chrysotile):	CDQ
Level of Analysis (Amphibole):	ADQ
Magnification Used for Fiber Counting:	20,000
Aspect Ratio for Fiber Definition:	5:1
Mean Dimension of Grid Openings (GOs):	0.0132 mm ²
Initials of Analyst:	TS
Number of GO's Examined:	10
Analytical Sensitivity: f/Liter:	1.32112
Analytical Sensitivity: f/cm ³ :	0.00132
Number of primary asbestos structures:	0
Number of asbestos structures counted:	0
Number of asbestos structures > 5 um :	0
Number of asbestos fibers and bundles > 5 um:	0
Number of PCM equivalent asbestos structures:	0
Number of PCM equivalent asbestos fibers:	0
Concentration of Asbestos (Chrysotile) f/cm ³ :	<0.00132
Concentration of Asbestos (Amphibole) f/cm ³ :	<0.00132
Concentration of PCME Asbestos (Chrysotile) f/cm ³ :	<0.00132
Concentration of Asbestos (Chrysotile), Str/L:	0
Concentration of Asbestos (Amphibole), Str/L:	0
Lower 95% Confidence Limit (Chrysotile), Str/L:	0
Upper 95% Confidence Limit (Chrysotile), Str/L:	4.9
Lower 95% Confidence Limit (Amphibole), Str/L:	0
Upper 95% Confidence Limit (Amphibole), Str/L:	4.9



Analyst: Taylor Smylie

Scott M. Ward, Ph.D.

Lab Director

These results apply to the sample(s) as received. Eurofins J3 Resources, Inc. (EJ3) is not responsible for results reported in fibers or asbestos structures per cubic centimeter, which is dependent on volumes provided by non-laboratory personnel. This report is for the exclusive use of the addressed client and shall not be reproduced except in full, without written approval by EJ3. All samples received in good condition unless otherwise noted. This report shall not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

Airborne Asbestos Fiber Analysis
by Transmission Electron Microscopy (TEM)
ISO 10312 - Ambient Air - Determination of Asbestos Fibers
Direct-Transfer Transmission Electron Microscopy Method

Maura McAleese
Tetra Tech
1999 Harrison St, Ste. 500
Oakland, CA 94612

EJ3 Order #: 3474752
Project #: 1.03286E+12
Receipt Date: 7-Dec-2023
Analysis Date: 12-Dec-2023
Report Date: 12-Dec-2023

HDOH Kula Community Air

Sample Number **MFK-FB01-120223-AB**

Air Volume:	0
Effective Filter Area:	385.0 mm ²
Level of Analysis (Chrysotile):	CDQ
Level of Analysis (Amphibole):	ADQ
Magnification Used for Fiber Counting:	20,000
Aspect Ratio for Fiber Definition:	5:1
Mean Dimension of Grid Openings (GOs):	0.0132 mm ²
Initials of Analyst:	TS
Number of GO's Examined:	10
Analytical Sensitivity: f/Liter:	N/A
Analytical Sensitivity: f/cm ³ :	N/A
Number of primary asbestos structures:	0
Number of asbestos structures counted:	0
Number of asbestos structures > 5 um :	0
Number of asbestos fibers and bundles > 5 um:	0
Number of PCM equivalent asbestos structures:	0
Number of PCM equivalent asbestos fibers:	0
Concentration of Asbestos (Chrysotile) f/cm ³ :	N/A
Concentration of Asbestos (Amphibole) f/cm ³ :	N/A
Concentration of PCME Asbestos (Chrysotile) f/cm ³ :	N/A
Concentration of Asbestos (Chrysotile), Str/L:	N/A
Concentration of Asbestos (Amphibole), Str/L:	N/A
Lower 95% Confidence Limit (Chrysotile), Str/L:	N/A
Upper 95% Confidence Limit (Chrysotile), Str/L:	N/A
Lower 95% Confidence Limit (Amphibole), Str/L:	N/A
Upper 95% Confidence Limit (Amphibole), Str/L:	N/A



Analyst: Taylor Smylie

Scott M. Ward, Ph.D.

Lab Director

These results apply to the sample(s) as received. Eurofins J3 Resources, Inc. (EJ3) is not responsible for results reported in fibers or asbestos structures per cubic centimeter, which is dependent on volumes provided by non-laboratory personnel. This report is for the exclusive use of the addressed client and shall not be reproduced except in full, without written approval by EJ3. All samples received in good condition unless otherwise noted. This report shall not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

Airborne Asbestos Fiber Analysis
by Transmission Electron Microscopy (TEM)
ISO 10312 - Ambient Air - Determination of Asbestos Fibers
Direct-Transfer Transmission Electron Microscopy Method

Maura McAleese
Tetra Tech
1999 Harrison St, Ste. 500
Oakland, CA 94612

EJ3 Order #: 3474752
Project #: 1.03286E+12
Receipt Date: 7-Dec-2023
Analysis Date: 12-Dec-2023
Report Date: 12-Dec-2023

HDOH Kula Community Air

Sample Number **MFK-AM02-120323-AB**

Air Volume:	2106.972
Effective Filter Area:	385.0 mm ²
Level of Analysis (Chrysotile):	CDQ
Level of Analysis (Amphibole):	ADQ
Magnification Used for Fiber Counting:	20,000
Aspect Ratio for Fiber Definition:	5:1
Mean Dimension of Grid Openings (GOs):	0.0132 mm ²
Initials of Analyst:	TS
Number of GO's Examined:	10
Analytical Sensitivity: f/Liter:	1.38429
Analytical Sensitivity: f/cm ³ :	0.00138
Number of primary asbestos structures:	0
Number of asbestos structures counted:	0
Number of asbestos structures > 5 um :	0
Number of asbestos fibers and bundles > 5 um:	0
Number of PCM equivalent asbestos structures:	0
Number of PCM equivalent asbestos fibers:	0
Concentration of Asbestos (Chrysotile) f/cm ³ :	<0.00138
Concentration of Asbestos (Amphibole) f/cm ³ :	<0.00138
Concentration of PCME Asbestos (Chrysotile) f/cm ³ :	<0.00138
Concentration of Asbestos (Chrysotile), Str/L:	0
Concentration of Asbestos (Amphibole), Str/L:	0
Lower 95% Confidence Limit (Chrysotile), Str/L:	0
Upper 95% Confidence Limit (Chrysotile), Str/L:	5.1
Lower 95% Confidence Limit (Amphibole), Str/L:	0
Upper 95% Confidence Limit (Amphibole), Str/L:	5.1



Analyst: Taylor Smylie

Scott M. Ward, Ph.D.

Lab Director

These results apply to the sample(s) as received. Eurofins J3 Resources, Inc. (EJ3) is not responsible for results reported in fibers or asbestos structures per cubic centimeter, which is dependent on volumes provided by non-laboratory personnel. This report is for the exclusive use of the addressed client and shall not be reproduced except in full, without written approval by EJ3. All samples received in good condition unless otherwise noted. This report shall not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

Stage 1 Data Verification Checklist – Asbestos
HDOH CAB – Ambient Community Air Sampling – Kula
Task Order No. 23141

Reviewed by:

Talaith Isaacs 12/13/2023 & Shanna Vasser 12/15/2023

Laboratory: Eurofins Built Environment Testing – Houston, TX

Analysis date: 12/12/2023

Report No: 3474752

- 1. Chain of custody (CoC) documentation is present.
- 2. Sample receipt condition information is present and acceptable.
- 3. Laboratory conducting the analysis is identified.
- 4. All samples submitted to the laboratory are accounted for.
- 5. Requested analytical methods were performed.
- 6. Analysis dates are provided.
- 7. Analyte results are provided.
- 8. Result qualifiers and definitions are provided.
- 9. Result units are reported.
- 10. Requested reporting limits are present.
- 11. Method detection limits are present.
- 12. Sample collection date and time are present.

Discrepancies:

Sample MFK-AM02-111223-AB was listed and crossed off the CoC, and no results were present in the laboratory data package. No action was necessary for this discrepancy.

Notes: None

Airborne Asbestos Fiber Analysis
by Transmission Electron Microscopy (TEM)
ISO 10312 - Ambient Air - Determination of Asbestos Fibers
Direct-Transfer Transmission Electron Microscopy Method

Maura McAleese
Tetra Tech
1999 Harrison St, Ste. 500
Oakland, CA 94612

EJ3 Order #: 3473235
Project #: 1.03286E+12
Receipt Date: 6-Dec-2023
Analysis Date: 11-Dec-2023
Report Date: 11-Dec-2023

HDOH Kula Community Air

Sample Number **MFK-AM03-113023-AB**

Air Volume:	5543.868
Effective Filter Area:	385.0 mm ²
Level of Analysis (Chrysotile):	CDQ
Level of Analysis (Amphibole):	ADQ
Magnification Used for Fiber Counting:	20,000
Aspect Ratio for Fiber Definition:	5:1
Mean Dimension of Grid Openings (GOs):	0.0132 mm ²
Initials of Analyst:	TS
Number of GO's Examined:	10
Analytical Sensitivity: f/Liter:	0.52611
Analytical Sensitivity: f/cm ³ :	0.00053
Number of primary asbestos structures:	0
Number of asbestos structures counted:	0
Number of asbestos structures > 5 um :	0
Number of asbestos fibers and bundles > 5 um:	0
Number of PCM equivalent asbestos structures:	0
Number of PCM equivalent asbestos fibers:	0
Concentration of Asbestos (Chrysotile) f/cm ³ :	<0.00053
Concentration of Asbestos (Amphibole) f/cm ³ :	<0.00053
Concentration of PCME Asbestos (Chrysotile) f/cm ³ :	<0.00053
Concentration of Asbestos (Chrysotile), Str/L:	0
Concentration of Asbestos (Amphibole), Str/L:	0
Lower 95% Confidence Limit (Chrysotile), Str/L:	0
Upper 95% Confidence Limit (Chrysotile), Str/L:	1.9
Lower 95% Confidence Limit (Amphibole), Str/L:	0
Upper 95% Confidence Limit (Amphibole), Str/L:	1.9



Analyst: Taylor Smylie

Scott M. Ward, Ph.D.

Lab Director

These results apply to the sample(s) as received. Eurofins J3 Resources, Inc. (EJ3) is not responsible for results reported in fibers or asbestos structures per cubic centimeter, which is dependent on volumes provided by non-laboratory personnel. This report is for the exclusive use of the addressed client and shall not be reproduced except in full, without written approval by EJ3. All samples received in good condition unless otherwise noted. This report shall not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

Airborne Asbestos Fiber Analysis
by Transmission Electron Microscopy (TEM)
ISO 10312 - Ambient Air - Determination of Asbestos Fibers
Direct-Transfer Transmission Electron Microscopy Method

Maura McAleese
Tetra Tech
1999 Harrison St, Ste. 500
Oakland, CA 94612

EJ3 Order #: 3473235
Project #: 1.03286E+12
Receipt Date: 6-Dec-2023
Analysis Date: 11-Dec-2023
Report Date: 11-Dec-2023

HDOH Kula Community Air

Sample Number **MFK-FB01-113023-AB**

Air Volume:	0
Effective Filter Area:	385.0 mm ²
Level of Analysis (Chrysotile):	CDQ
Level of Analysis (Amphibole):	ADQ
Magnification Used for Fiber Counting:	20,000
Aspect Ratio for Fiber Definition:	5:1
Mean Dimension of Grid Openings (GOs):	0.0132 mm ²
Initials of Analyst:	TS
Number of GO's Examined:	10
Analytical Sensitivity: f/Liter:	N/A
Analytical Sensitivity: f/cm ³ :	N/A
Number of primary asbestos structures:	0
Number of asbestos structures counted:	0
Number of asbestos structures > 5 um :	0
Number of asbestos fibers and bundles > 5 um:	0
Number of PCM equivalent asbestos structures:	0
Number of PCM equivalent asbestos fibers:	0
Concentration of Asbestos (Chrysotile) f/cm ³ :	N/A
Concentration of Asbestos (Amphibole) f/cm ³ :	N/A
Concentration of PCME Asbestos (Chrysotile) f/cm ³ :	N/A
Concentration of Asbestos (Chrysotile), Str/L:	N/A
Concentration of Asbestos (Amphibole), Str/L:	N/A
Lower 95% Confidence Limit (Chrysotile), Str/L:	N/A
Upper 95% Confidence Limit (Chrysotile), Str/L:	N/A
Lower 95% Confidence Limit (Amphibole), Str/L:	N/A
Upper 95% Confidence Limit (Amphibole), Str/L:	N/A



Analyst: Taylor Smylie

Scott M. Ward, Ph.D.

Lab Director

These results apply to the sample(s) as received. Eurofins J3 Resources, Inc. (EJ3) is not responsible for results reported in fibers or asbestos structures per cubic centimeter, which is dependent on volumes provided by non-laboratory personnel. This report is for the exclusive use of the addressed client and shall not be reproduced except in full, without written approval by EJ3. All samples received in good condition unless otherwise noted. This report shall not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

Airborne Asbestos Fiber Analysis
by Transmission Electron Microscopy (TEM)
ISO 10312 - Ambient Air - Determination of Asbestos Fibers
Direct-Transfer Transmission Electron Microscopy Method

Maura McAleese
Tetra Tech
 1999 Harrison St, Ste. 500
 Oakland, CA 94612

EJ3 Order #: 3473235
Project #: 1.03286E+12
Receipt Date: 6-Dec-2023
Analysis Date: 11-Dec-2023
Report Date: 11-Dec-2023

HDOH Kula Community Air

Sample Number **MFK-AM01-120123-AB**

Air Volume:	6318.465
Effective Filter Area:	385.0 mm ²
Level of Analysis (Chrysotile):	CDQ
Level of Analysis (Amphibole):	ADQ
Magnification Used for Fiber Counting:	20,000
Aspect Ratio for Fiber Definition:	5:1
Mean Dimension of Grid Openings (GOs):	0.0132 mm ²
Initials of Analyst:	TS
Number of GO's Examined:	10
Analytical Sensitivity: f/Liter:	0.46161
Analytical Sensitivity: f/cm ³ :	0.00046
Number of primary asbestos structures:	0
Number of asbestos structures counted:	0
Number of asbestos structures > 5 um :	0
Number of asbestos fibers and bundles > 5 um:	0
Number of PCM equivalent asbestos structures:	0
Number of PCM equivalent asbestos fibers:	0
Concentration of Asbestos (Chrysotile) f/cm ³ :	<0.00046
Concentration of Asbestos (Amphibole) f/cm ³ :	<0.00046
Concentration of PCME Asbestos (Chrysotile) f/cm ³ :	<0.00046
Concentration of Asbestos (Chrysotile), Str/L:	0
Concentration of Asbestos (Amphibole), Str/L:	0
Lower 95% Confidence Limit (Chrysotile), Str/L:	0
Upper 95% Confidence Limit (Chrysotile), Str/L:	1.7
Lower 95% Confidence Limit (Amphibole), Str/L:	0
Upper 95% Confidence Limit (Amphibole), Str/L:	1.7



Analyst: Taylor Smylie

Scott M. Ward, Ph.D.

Lab Director

These results apply to the sample(s) as received. Eurofins J3 Resources, Inc. (EJ3) is not responsible for results reported in fibers or asbestos structures per cubic centimeter, which is dependent on volumes provided by non-laboratory personnel. This report is for the exclusive use of the addressed client and shall not be reproduced except in full, without written approval by EJ3. All samples received in good condition unless otherwise noted. This report shall not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

Airborne Asbestos Fiber Analysis
by Transmission Electron Microscopy (TEM)
ISO 10312 - Ambient Air - Determination of Asbestos Fibers
Direct-Transfer Transmission Electron Microscopy Method

Maura McAleese
Tetra Tech
 1999 Harrison St, Ste. 500
 Oakland, CA 94612

EJ3 Order #: 3473235
Project #: 1.03286E+12
Receipt Date: 6-Dec-2023
Analysis Date: 11-Dec-2023
Report Date: 11-Dec-2023

HDOH Kula Community Air

Sample Number **MFK-AM03-120123-AB**

Air Volume:	5932.815
Effective Filter Area:	385.0 mm ²
Level of Analysis (Chrysotile):	CDQ
Level of Analysis (Amphibole):	ADQ
Magnification Used for Fiber Counting:	20,000
Aspect Ratio for Fiber Definition:	5:1
Mean Dimension of Grid Openings (GOs):	0.0132 mm ²
Initials of Analyst:	TS
Number of GO's Examined:	10
Analytical Sensitivity: f/Liter:	0.49162
Analytical Sensitivity: f/cm ³ :	0.00049
Number of primary asbestos structures:	0
Number of asbestos structures counted:	0
Number of asbestos structures > 5 um :	0
Number of asbestos fibers and bundles > 5 um:	0
Number of PCM equivalent asbestos structures:	0
Number of PCM equivalent asbestos fibers:	0
Concentration of Asbestos (Chrysotile) f/cm ³ :	<0.00049
Concentration of Asbestos (Amphibole) f/cm ³ :	<0.00049
Concentration of PCME Asbestos (Chrysotile) f/cm ³ :	<0.00049
Concentration of Asbestos (Chrysotile), Str/L:	0
Concentration of Asbestos (Amphibole), Str/L:	0
Lower 95% Confidence Limit (Chrysotile), Str/L:	0
Upper 95% Confidence Limit (Chrysotile), Str/L:	1.8
Lower 95% Confidence Limit (Amphibole), Str/L:	0
Upper 95% Confidence Limit (Amphibole), Str/L:	1.8



Analyst: Taylor Smylie

Scott M. Ward, Ph.D.

Lab Director

These results apply to the sample(s) as received. Eurofins J3 Resources, Inc. (EJ3) is not responsible for results reported in fibers or asbestos structures per cubic centimeter, which is dependent on volumes provided by non-laboratory personnel. This report is for the exclusive use of the addressed client and shall not be reproduced except in full, without written approval by EJ3. All samples received in good condition unless otherwise noted. This report shall not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

Airborne Asbestos Fiber Analysis
by Transmission Electron Microscopy (TEM)
ISO 10312 - Ambient Air - Determination of Asbestos Fibers
Direct-Transfer Transmission Electron Microscopy Method

Maura McAleese
Tetra Tech
 1999 Harrison St, Ste. 500
 Oakland, CA 94612

EJ3 Order #: 3473235
Project #: 1.03286E+12
Receipt Date: 6-Dec-2023
Analysis Date: 11-Dec-2023
Report Date: 11-Dec-2023

HDOH Kula Community Air

Sample Number **MFK-FB01-120123-AB**

Air Volume:	0
Effective Filter Area:	385.0 mm ²
Level of Analysis (Chrysotile):	CDQ
Level of Analysis (Amphibole):	ADQ
Magnification Used for Fiber Counting:	20,000
Aspect Ratio for Fiber Definition:	5:1
Mean Dimension of Grid Openings (GOs):	0.0132 mm ²
Initials of Analyst:	TS
Number of GO's Examined:	10
Analytical Sensitivity: f/Liter:	N/A
Analytical Sensitivity: f/cm ³ :	N/A
Number of primary asbestos structures:	0
Number of asbestos structures counted:	0
Number of asbestos structures > 5 um :	0
Number of asbestos fibers and bundles > 5 um:	0
Number of PCM equivalent asbestos structures:	0
Number of PCM equivalent asbestos fibers:	0
Concentration of Asbestos (Chrysotile) f/cm ³ :	N/A
Concentration of Asbestos (Amphibole) f/cm ³ :	N/A
Concentration of PCME Asbestos (Chrysotile) f/cm ³ :	N/A
Concentration of Asbestos (Chrysotile), Str/L:	N/A
Concentration of Asbestos (Amphibole), Str/L:	N/A
Lower 95% Confidence Limit (Chrysotile), Str/L:	N/A
Upper 95% Confidence Limit (Chrysotile), Str/L:	N/A
Lower 95% Confidence Limit (Amphibole), Str/L:	N/A
Upper 95% Confidence Limit (Amphibole), Str/L:	N/A



Analyst: Taylor Smylie

Scott M. Ward, Ph.D.

Lab Director

These results apply to the sample(s) as received. Eurofins J3 Resources, Inc. (EJ3) is not responsible for results reported in fibers or asbestos structures per cubic centimeter, which is dependent on volumes provided by non-laboratory personnel. This report is for the exclusive use of the addressed client and shall not be reproduced except in full, without written approval by EJ3. All samples received in good condition unless otherwise noted. This report shall not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

Airborne Asbestos Fiber Analysis
by Transmission Electron Microscopy (TEM)
ISO 10312 - Ambient Air - Determination of Asbestos Fibers
Direct-Transfer Transmission Electron Microscopy Method

Maura McAleese
Tetra Tech
 1999 Harrison St, Ste. 500
 Oakland, CA 94612

EJ3 Order #: 3473235
Project #: 1.03286E+12
Receipt Date: 6-Dec-2023
Analysis Date: 11-Dec-2023
Report Date: 11-Dec-2023

HDOH Kula Community Air

Sample Number **MFK-AM01-120323-AB**

Air Volume:	5629.303
Effective Filter Area:	385.0 mm ²
Level of Analysis (Chrysotile):	CDQ
Level of Analysis (Amphibole):	ADQ
Magnification Used for Fiber Counting:	20,000
Aspect Ratio for Fiber Definition:	5:1
Mean Dimension of Grid Openings (GOs):	0.0132 mm ²
Initials of Analyst:	TS
Number of GO's Examined:	10
Analytical Sensitivity: f/Liter:	0.51812
Analytical Sensitivity: f/cm ³ :	0.00052
Number of primary asbestos structures:	0
Number of asbestos structures counted:	0
Number of asbestos structures > 5 um :	0
Number of asbestos fibers and bundles > 5 um:	0
Number of PCM equivalent asbestos structures:	0
Number of PCM equivalent asbestos fibers:	0
Concentration of Asbestos (Chrysotile) f/cm ³ :	<0.00052
Concentration of Asbestos (Amphibole) f/cm ³ :	<0.00052
Concentration of PCME Asbestos (Chrysotile) f/cm ³ :	<0.00052
Concentration of Asbestos (Chrysotile), Str/L:	0
Concentration of Asbestos (Amphibole), Str/L:	0
Lower 95% Confidence Limit (Chrysotile), Str/L:	0
Upper 95% Confidence Limit (Chrysotile), Str/L:	1.9
Lower 95% Confidence Limit (Amphibole), Str/L:	0
Upper 95% Confidence Limit (Amphibole), Str/L:	1.9



Analyst: Taylor Smylie

Scott M. Ward, Ph.D.

Lab Director

These results apply to the sample(s) as received. Eurofins J3 Resources, Inc. (EJ3) is not responsible for results reported in fibers or asbestos structures per cubic centimeter, which is dependent on volumes provided by non-laboratory personnel. This report is for the exclusive use of the addressed client and shall not be reproduced except in full, without written approval by EJ3. All samples received in good condition unless otherwise noted. This report shall not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

Airborne Asbestos Fiber Analysis
by Transmission Electron Microscopy (TEM)
ISO 10312 - Ambient Air - Determination of Asbestos Fibers
Direct-Transfer Transmission Electron Microscopy Method

Maura McAleese
Tetra Tech
 1999 Harrison St, Ste. 500
 Oakland, CA 94612

EJ3 Order #: 3473235
Project #: 1.03286E+12
Receipt Date: 6-Dec-2023
Analysis Date: 11-Dec-2023
Report Date: 11-Dec-2023

HDOH Kula Community Air

Sample Number **MFK-FB01-120323-AB**

Air Volume:	0
Effective Filter Area:	385.0 mm ²
Level of Analysis (Chrysotile):	CDQ
Level of Analysis (Amphibole):	ADQ
Magnification Used for Fiber Counting:	20,000
Aspect Ratio for Fiber Definition:	5:1
Mean Dimension of Grid Openings (GOs):	0.0132 mm ²
Initials of Analyst:	TS
Number of GO's Examined:	10
Analytical Sensitivity: f/Liter:	N/A
Analytical Sensitivity: f/cm ³ :	N/A
Number of primary asbestos structures:	0
Number of asbestos structures counted:	0
Number of asbestos structures > 5 um :	0
Number of asbestos fibers and bundles > 5 um:	0
Number of PCM equivalent asbestos structures:	0
Number of PCM equivalent asbestos fibers:	0
Concentration of Asbestos (Chrysotile) f/cm ³ :	N/A
Concentration of Asbestos (Amphibole) f/cm ³ :	N/A
Concentration of PCME Asbestos (Chrysotile) f/cm ³ :	N/A
Concentration of Asbestos (Chrysotile), Str/L:	N/A
Concentration of Asbestos (Amphibole), Str/L:	N/A
Lower 95% Confidence Limit (Chrysotile), Str/L:	N/A
Upper 95% Confidence Limit (Chrysotile), Str/L:	N/A
Lower 95% Confidence Limit (Amphibole), Str/L:	N/A
Upper 95% Confidence Limit (Amphibole), Str/L:	N/A



Analyst: Taylor Smylie

Scott M. Ward, Ph.D.

Lab Director

These results apply to the sample(s) as received. Eurofins J3 Resources, Inc. (EJ3) is not responsible for results reported in fibers or asbestos structures per cubic centimeter, which is dependent on volumes provided by non-laboratory personnel. This report is for the exclusive use of the addressed client and shall not be reproduced except in full, without written approval by EJ3. All samples received in good condition unless otherwise noted. This report shall not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

Stage 1 Data Verification Checklist – Asbestos
HDOH CAB – Ambient Community Air Sampling – Kula
Task Order No. 23141

Reviewed by:

Talaidh Isaacs 12/13/2023 & Shanna Vasser 12/15/2023

Laboratory: Eurofins Built Environment Testing – Houston, TX

Analysis date: 12/11/2023

Report No: 3473235

- 1. Chain of custody (CoC) documentation is present.
- 2. Sample receipt condition information is present and acceptable.
- 3. Laboratory conducting the analysis is identified.
- 4. All samples submitted to the laboratory are accounted for.
- 5. Requested analytical methods were performed.
- 6. Analysis dates are provided.
- 7. Analyte results are provided.
- 8. Result qualifiers and definitions are provided.
- 9. Result units are reported.
- 10. Requested reporting limits are present.
- 11. Method detection limits are present.
- 12. Sample collection date and time are present.

Discrepancies:

Samples MFK-AM01-113023-AB, MFK-AM02-113023-AB, MFK-AM02-120123-AB, MFK-AM01-12023-AB, MFK-AM02-120223-AB, MFK-AM03-120323-AB, MFK-FB01-12023-AB, MFK-AM02-120323-AB, and MFK-AM03-120323-AB were listed, but crossed out as void on the CoC; however, no results were present in the laboratory data package because they were never shipped. No action was necessary for this discrepancy.

Notes: None

Report for:

Maura McAleese
Tetra Tech- Maui Fire
1999 Harrison St. Ste. 500
Oakland, CA 94612

Regarding: Eurofins J3 Resources, Inc.
Project: 103S864023141; HDOH Kula Air Community
EML ID: 3477431

Approved by:

Dates of Analysis:
Asbestos TEM ISO 10312 / ASTM6281-06: 12-14-2023



Lab Director
Scott Ward

All samples were received in acceptable condition unless noted in the Report Comments portion in the body of the report. Due to the nature of the analyses performed, field blank correction of results is not applied. The results relate only to the samples as received and tested.

Eurofins J3 Resources, Inc. ("the Company"), a member of the Eurofins Built Environment Testing group of companies, shall have no liability to the client or the client's customer with respect to decisions or recommendations made, actions taken or courses of conduct implemented by either the client or the client's customer as a result of or based upon the Test Results. In no event shall the Company be liable to the client with respect to the Test Results except for the Company's own willful misconduct or gross negligence nor shall the Company be liable for incidental or consequential damages or lost profits or revenues to the fullest extent such liability may be disclaimed by law, even if the Company has been advised of the possibility of such damages, lost profits or lost revenues. In no event shall the Company's liability with respect to the Test Results exceed the amount paid to the Company by the client therefor.

Airborne Asbestos Fiber Analysis
by Transmission Electron Microscopy (TEM)
ISO 10312 - Ambient Air - Determination of Asbestos Fibers
Direct-Transfer Transmission Electron Microscopy Method

Maura McAleese
Tetra Tech
1999 Harrison St, Ste. 500
Oakland, CA 94612

EJ3 Order #: 3477431
Project #: 1.03286E+12
Receipt Date: 11-Dec-2023
Analysis Date: 14-Dec-2023
Report Date: 14-Dec-2023

HDOH Kula Community Air

Sample Number **MFK-AM02-120423-AB**

Air Volume:	5268.423
Effective Filter Area:	385.0 mm ²
Level of Analysis (Chrysotile):	CDQ
Level of Analysis (Amphibole):	ADQ
Magnification Used for Fiber Counting:	20,000
Aspect Ratio for Fiber Definition:	5:1
Mean Dimension of Grid Openings (GOs):	0.0132 mm ²
Initials of Analyst:	TS
Number of GO's Examined:	10
Analytical Sensitivity: f/Liter:	0.55361
Analytical Sensitivity: f/cm ³ :	0.00055
Number of primary asbestos structures:	0
Number of asbestos structures counted:	0
Number of asbestos structures > 5 um :	0
Number of asbestos fibers and bundles > 5 um:	0
Number of PCM equivalent asbestos structures:	0
Number of PCM equivalent asbestos fibers:	0
Concentration of Asbestos (Chrysotile) f/cm ³ :	<0.00055
Concentration of Asbestos (Amphibole) f/cm ³ :	<0.00055
Concentration of PCME Asbestos (Chrysotile) f/cm ³ :	<0.00055
Concentration of Asbestos (Chrysotile), Str/L:	0
Concentration of Asbestos (Amphibole), Str/L:	0
Lower 95% Confidence Limit (Chrysotile), Str/L:	0
Upper 95% Confidence Limit (Chrysotile), Str/L:	2
Lower 95% Confidence Limit (Amphibole), Str/L:	0
Upper 95% Confidence Limit (Amphibole), Str/L:	2



Analyst: Taylor Smylie

Scott M. Ward, Ph.D.

Lab Director

These results apply to the sample(s) as received. Eurofins J3 Resources, Inc. (EJ3) is not responsible for results reported in fibers or asbestos structures per cubic centimeter, which is dependent on volumes provided by non-laboratory personnel. This report is for the exclusive use of the addressed client and shall not be reproduced except in full, without written approval by EJ3. All samples received in good condition unless otherwise noted. This report shall not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

Airborne Asbestos Fiber Analysis
by Transmission Electron Microscopy (TEM)
ISO 10312 - Ambient Air - Determination of Asbestos Fibers
Direct-Transfer Transmission Electron Microscopy Method

Maura McAleese
Tetra Tech
1999 Harrison St, Ste. 500
Oakland, CA 94612

EJ3 Order #: 3477431
Project #: 1.03286E+12
Receipt Date: 11-Dec-2023
Analysis Date: 14-Dec-2023
Report Date: 14-Dec-2023

HDOH Kula Community Air

Sample Number **MFK-FB01-120423-AB**

Air Volume:	0
Effective Filter Area:	385.0 mm ²
Level of Analysis (Chrysotile):	CDQ
Level of Analysis (Amphibole):	ADQ
Magnification Used for Fiber Counting:	20,000
Aspect Ratio for Fiber Definition:	5:1
Mean Dimension of Grid Openings (GOs):	0.0132 mm ²
Initials of Analyst:	TS
Number of GO's Examined:	10
Analytical Sensitivity: f/Liter:	N/A
Analytical Sensitivity: f/cm ³ :	N/A
Number of primary asbestos structures:	0
Number of asbestos structures counted:	0
Number of asbestos structures > 5 um :	0
Number of asbestos fibers and bundles > 5 um:	0
Number of PCM equivalent asbestos structures:	0
Number of PCM equivalent asbestos fibers:	0
Concentration of Asbestos (Chrysotile) f/cm ³ :	N/A
Concentration of Asbestos (Amphibole) f/cm ³ :	N/A
Concentration of PCME Asbestos (Chrysotile) f/cm ³ :	N/A
Concentration of Asbestos (Chrysotile), Str/L:	N/A
Concentration of Asbestos (Amphibole), Str/L:	N/A
Lower 95% Confidence Limit (Chrysotile), Str/L:	N/A
Upper 95% Confidence Limit (Chrysotile), Str/L:	N/A
Lower 95% Confidence Limit (Amphibole), Str/L:	N/A
Upper 95% Confidence Limit (Amphibole), Str/L:	N/A



Analyst: Taylor Smylie

Scott M. Ward, Ph.D.

Lab Director

These results apply to the sample(s) as received. Eurofins J3 Resources, Inc. (EJ3) is not responsible for results reported in fibers or asbestos structures per cubic centimeter, which is dependent on volumes provided by non-laboratory personnel. This report is for the exclusive use of the addressed client and shall not be reproduced except in full, without written approval by EJ3. All samples received in good condition unless otherwise noted. This report shall not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

Airborne Asbestos Fiber Analysis
by Transmission Electron Microscopy (TEM)
ISO 10312 - Ambient Air - Determination of Asbestos Fibers
Direct-Transfer Transmission Electron Microscopy Method

Maura McAleese
Tetra Tech
1999 Harrison St, Ste. 500
Oakland, CA 94612

EJ3 Order #: 3477431
Project #: 1.03286E+12
Receipt Date: 11-Dec-2023
Analysis Date: 14-Dec-2023
Report Date: 14-Dec-2023

HDOH Kula Community Air

Sample Number **MFK-AM01-120523-AB**

Air Volume:	5733.535
Effective Filter Area:	385.0 mm ²
Level of Analysis (Chrysotile):	CDQ
Level of Analysis (Amphibole):	ADQ
Magnification Used for Fiber Counting:	20,000
Aspect Ratio for Fiber Definition:	5:1
Mean Dimension of Grid Openings (GOs):	0.0132 mm ²
Initials of Analyst:	TS
Number of GO's Examined:	10
Analytical Sensitivity: f/Liter:	0.50870
Analytical Sensitivity: f/cm ³ :	0.00051
Number of primary asbestos structures:	0
Number of asbestos structures counted:	0
Number of asbestos structures > 5 um :	0
Number of asbestos fibers and bundles > 5 um:	0
Number of PCM equivalent asbestos structures:	0
Number of PCM equivalent asbestos fibers:	0
Concentration of Asbestos (Chrysotile) f/cm ³ :	<0.00051
Concentration of Asbestos (Amphibole) f/cm ³ :	<0.00051
Concentration of PCME Asbestos (Chrysotile) f/cm ³ :	<0.00051
Concentration of Asbestos (Chrysotile), Str/L:	0
Concentration of Asbestos (Amphibole), Str/L:	0
Lower 95% Confidence Limit (Chrysotile), Str/L:	0
Upper 95% Confidence Limit (Chrysotile), Str/L:	1.9
Lower 95% Confidence Limit (Amphibole), Str/L:	0
Upper 95% Confidence Limit (Amphibole), Str/L:	1.9



Analyst: Taylor Smylie

Scott M. Ward, Ph.D.

Lab Director

These results apply to the sample(s) as received. Eurofins J3 Resources, Inc. (EJ3) is not responsible for results reported in fibers or asbestos structures per cubic centimeter, which is dependent on volumes provided by non-laboratory personnel. This report is for the exclusive use of the addressed client and shall not be reproduced except in full, without written approval by EJ3. All samples received in good condition unless otherwise noted. This report shall not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

Airborne Asbestos Fiber Analysis
by Transmission Electron Microscopy (TEM)
ISO 10312 - Ambient Air - Determination of Asbestos Fibers
Direct-Transfer Transmission Electron Microscopy Method

Maura McAleese
Tetra Tech
1999 Harrison St, Ste. 500
Oakland, CA 94612

EJ3 Order #: 3477431
Project #: 1.03286E+12
Receipt Date: 11-Dec-2023
Analysis Date: 14-Dec-2023
Report Date: 14-Dec-2023

HDOH Kula Community Air

Sample Number **MFK-AM02-120523-AB**

Air Volume:	6103.497
Effective Filter Area:	385.0 mm ²
Level of Analysis (Chrysotile):	CDQ
Level of Analysis (Amphibole):	ADQ
Magnification Used for Fiber Counting:	20,000
Aspect Ratio for Fiber Definition:	5:1
Mean Dimension of Grid Openings (GOs):	0.0132 mm ²
Initials of Analyst:	TS
Number of GO's Examined:	10
Analytical Sensitivity: f/Liter:	0.47787
Analytical Sensitivity: f/cm ³ :	0.00048
Number of primary asbestos structures:	0
Number of asbestos structures counted:	0
Number of asbestos structures > 5 um :	0
Number of asbestos fibers and bundles > 5 um:	0
Number of PCM equivalent asbestos structures:	0
Number of PCM equivalent asbestos fibers:	0
Concentration of Asbestos (Chrysotile) f/cm ³ :	<0.00048
Concentration of Asbestos (Amphibole) f/cm ³ :	<0.00048
Concentration of PCME Asbestos (Chrysotile) f/cm ³ :	<0.00048
Concentration of Asbestos (Chrysotile), Str/L:	0
Concentration of Asbestos (Amphibole), Str/L:	0
Lower 95% Confidence Limit (Chrysotile), Str/L:	0
Upper 95% Confidence Limit (Chrysotile), Str/L:	1.8
Lower 95% Confidence Limit (Amphibole), Str/L:	0
Upper 95% Confidence Limit (Amphibole), Str/L:	1.8



Analyst: Taylor Smylie

Scott M. Ward, Ph.D.

Lab Director

These results apply to the sample(s) as received. Eurofins J3 Resources, Inc. (EJ3) is not responsible for results reported in fibers or asbestos structures per cubic centimeter, which is dependent on volumes provided by non-laboratory personnel. This report is for the exclusive use of the addressed client and shall not be reproduced except in full, without written approval by EJ3. All samples received in good condition unless otherwise noted. This report shall not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

Airborne Asbestos Fiber Analysis
by Transmission Electron Microscopy (TEM)
ISO 10312 - Ambient Air - Determination of Asbestos Fibers
Direct-Transfer Transmission Electron Microscopy Method

Maura McAleese
Tetra Tech
1999 Harrison St, Ste. 500
Oakland, CA 94612

EJ3 Order #: 3477431
Project #: 1.03286E+12
Receipt Date: 11-Dec-2023
Analysis Date: 14-Dec-2023
Report Date: 14-Dec-2023

HDOH Kula Community Air

Sample Number **MFK-AM03-120523-AB**

Air Volume:	3834.436
Effective Filter Area:	385.0 mm ²
Level of Analysis (Chrysotile):	CDQ
Level of Analysis (Amphibole):	ADQ
Magnification Used for Fiber Counting:	20,000
Aspect Ratio for Fiber Definition:	5:1
Mean Dimension of Grid Openings (GOs):	0.0132 mm ²
Initials of Analyst:	TS
Number of GO's Examined:	10
Analytical Sensitivity: f/Liter:	0.76065
Analytical Sensitivity: f/cm ³ :	0.00076
Number of primary asbestos structures:	0
Number of asbestos structures counted:	0
Number of asbestos structures > 5 um :	0
Number of asbestos fibers and bundles > 5 um:	0
Number of PCM equivalent asbestos structures:	0
Number of PCM equivalent asbestos fibers:	0
Concentration of Asbestos (Chrysotile) f/cm ³ :	<0.00076
Concentration of Asbestos (Amphibole) f/cm ³ :	<0.00076
Concentration of PCME Asbestos (Chrysotile) f/cm ³ :	<0.00076
Concentration of Asbestos (Chrysotile), Str/L:	0
Concentration of Asbestos (Amphibole), Str/L:	0
Lower 95% Confidence Limit (Chrysotile), Str/L:	0
Upper 95% Confidence Limit (Chrysotile), Str/L:	2.8
Lower 95% Confidence Limit (Amphibole), Str/L:	0
Upper 95% Confidence Limit (Amphibole), Str/L:	2.8



Analyst: Taylor Smylie

Scott M. Ward, Ph.D.

Lab Director

These results apply to the sample(s) as received. Eurofins J3 Resources, Inc. (EJ3) is not responsible for results reported in fibers or asbestos structures per cubic centimeter, which is dependent on volumes provided by non-laboratory personnel. This report is for the exclusive use of the addressed client and shall not be reproduced except in full, without written approval by EJ3. All samples received in good condition unless otherwise noted. This report shall not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

Airborne Asbestos Fiber Analysis
by Transmission Electron Microscopy (TEM)
ISO 10312 - Ambient Air - Determination of Asbestos Fibers
Direct-Transfer Transmission Electron Microscopy Method

Maura McAleese
Tetra Tech
1999 Harrison St, Ste. 500
Oakland, CA 94612

EJ3 Order #: 3477431
Project #: 1.03286E+12
Receipt Date: 11-Dec-2023
Analysis Date: 14-Dec-2023
Report Date: 14-Dec-2023

HDOH Kula Community Air

Sample Number **MFK-FB01-120523-AB**

Air Volume:	0
Effective Filter Area:	385.0 mm ²
Level of Analysis (Chrysotile):	CDQ
Level of Analysis (Amphibole):	ADQ
Magnification Used for Fiber Counting:	20,000
Aspect Ratio for Fiber Definition:	5:1
Mean Dimension of Grid Openings (GOs):	0.0132 mm ²
Initials of Analyst:	TS
Number of GO's Examined:	10
Analytical Sensitivity: f/Liter:	N/A
Analytical Sensitivity: f/cm ³ :	N/A
Number of primary asbestos structures:	0
Number of asbestos structures counted:	0
Number of asbestos structures > 5 um :	0
Number of asbestos fibers and bundles > 5 um:	0
Number of PCM equivalent asbestos structures:	0
Number of PCM equivalent asbestos fibers:	0
Concentration of Asbestos (Chrysotile) f/cm ³ :	N/A
Concentration of Asbestos (Amphibole) f/cm ³ :	N/A
Concentration of PCME Asbestos (Chrysotile) f/cm ³ :	N/A
Concentration of Asbestos (Chrysotile), Str/L:	N/A
Concentration of Asbestos (Amphibole), Str/L:	N/A
Lower 95% Confidence Limit (Chrysotile), Str/L:	N/A
Upper 95% Confidence Limit (Chrysotile), Str/L:	N/A
Lower 95% Confidence Limit (Amphibole), Str/L:	N/A
Upper 95% Confidence Limit (Amphibole), Str/L:	N/A



Analyst: Taylor Smylie

Scott M. Ward, Ph.D.

Lab Director

These results apply to the sample(s) as received. Eurofins J3 Resources, Inc. (EJ3) is not responsible for results reported in fibers or asbestos structures per cubic centimeter, which is dependent on volumes provided by non-laboratory personnel. This report is for the exclusive use of the addressed client and shall not be reproduced except in full, without written approval by EJ3. All samples received in good condition unless otherwise noted. This report shall not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

Airborne Asbestos Fiber Analysis
by Transmission Electron Microscopy (TEM)
ISO 10312 - Ambient Air - Determination of Asbestos Fibers
Direct-Transfer Transmission Electron Microscopy Method

Maura McAleese
Tetra Tech
1999 Harrison St, Ste. 500
Oakland, CA 94612

EJ3 Order #: 3477431
Project #: 1.03286E+12
Receipt Date: 11-Dec-2023
Analysis Date: 14-Dec-2023
Report Date: 14-Dec-2023

HDOH Kula Community Air

Sample Number **MFK-AM01-120623-AB**

Air Volume:	6006.458
Effective Filter Area:	385.0 mm ²
Level of Analysis (Chrysotile):	CDQ
Level of Analysis (Amphibole):	ADQ
Magnification Used for Fiber Counting:	20,000
Aspect Ratio for Fiber Definition:	5:1
Mean Dimension of Grid Openings (GOs):	0.0132 mm ²
Initials of Analyst:	TS
Number of GO's Examined:	10
Analytical Sensitivity: f/Liter:	0.48559
Analytical Sensitivity: f/cm ³ :	0.00049
Number of primary asbestos structures:	0
Number of asbestos structures counted:	0
Number of asbestos structures > 5 um :	0
Number of asbestos fibers and bundles > 5 um:	0
Number of PCM equivalent asbestos structures:	0
Number of PCM equivalent asbestos fibers:	0
Concentration of Asbestos (Chrysotile) f/cm ³ :	<0.00049
Concentration of Asbestos (Amphibole) f/cm ³ :	<0.00049
Concentration of PCME Asbestos (Chrysotile) f/cm ³ :	<0.00049
Concentration of Asbestos (Chrysotile), Str/L:	0
Concentration of Asbestos (Amphibole), Str/L:	0
Lower 95% Confidence Limit (Chrysotile), Str/L:	0
Upper 95% Confidence Limit (Chrysotile), Str/L:	1.8
Lower 95% Confidence Limit (Amphibole), Str/L:	0
Upper 95% Confidence Limit (Amphibole), Str/L:	1.8



Analyst: Taylor Smylie

Scott M. Ward, Ph.D.

Lab Director

These results apply to the sample(s) as received. Eurofins J3 Resources, Inc. (EJ3) is not responsible for results reported in fibers or asbestos structures per cubic centimeter, which is dependent on volumes provided by non-laboratory personnel. This report is for the exclusive use of the addressed client and shall not be reproduced except in full, without written approval by EJ3. All samples received in good condition unless otherwise noted. This report shall not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

Airborne Asbestos Fiber Analysis
by Transmission Electron Microscopy (TEM)
ISO 10312 - Ambient Air - Determination of Asbestos Fibers
Direct-Transfer Transmission Electron Microscopy Method

Maura McAleese
Tetra Tech
1999 Harrison St, Ste. 500
Oakland, CA 94612

EJ3 Order #: 3477431
Project #: 1.03286E+12
Receipt Date: 11-Dec-2023
Analysis Date: 14-Dec-2023
Report Date: 14-Dec-2023

HDOH Kula Community Air

Sample Number **MFK-AM02-120623-AB**

Air Volume:	8143.715
Effective Filter Area:	385.0 mm ²
Level of Analysis (Chrysotile):	CDQ
Level of Analysis (Amphibole):	ADQ
Magnification Used for Fiber Counting:	20,000
Aspect Ratio for Fiber Definition:	5:1
Mean Dimension of Grid Openings (GOs):	0.0132 mm ²
Initials of Analyst:	TS
Number of GO's Examined:	10
Analytical Sensitivity: f/Liter:	0.35815
Analytical Sensitivity: f/cm ³ :	0.00036
Number of primary asbestos structures:	0
Number of asbestos structures counted:	0
Number of asbestos structures > 5 um :	0
Number of asbestos fibers and bundles > 5 um:	0
Number of PCM equivalent asbestos structures:	0
Number of PCM equivalent asbestos fibers:	0
Concentration of Asbestos (Chrysotile) f/cm ³ :	<0.00036
Concentration of Asbestos (Amphibole) f/cm ³ :	<0.00036
Concentration of PCME Asbestos (Chrysotile) f/cm ³ :	<0.00036
Concentration of Asbestos (Chrysotile), Str/L:	0
Concentration of Asbestos (Amphibole), Str/L:	0
Lower 95% Confidence Limit (Chrysotile), Str/L:	0
Upper 95% Confidence Limit (Chrysotile), Str/L:	1.3
Lower 95% Confidence Limit (Amphibole), Str/L:	0
Upper 95% Confidence Limit (Amphibole), Str/L:	1.3



Analyst: Taylor Smylie

Scott M. Ward, Ph.D.

Lab Director

These results apply to the sample(s) as received. Eurofins J3 Resources, Inc. (EJ3) is not responsible for results reported in fibers or asbestos structures per cubic centimeter, which is dependent on volumes provided by non-laboratory personnel. This report is for the exclusive use of the addressed client and shall not be reproduced except in full, without written approval by EJ3. All samples received in good condition unless otherwise noted. This report shall not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

Airborne Asbestos Fiber Analysis
by Transmission Electron Microscopy (TEM)
ISO 10312 - Ambient Air - Determination of Asbestos Fibers
Direct-Transfer Transmission Electron Microscopy Method

Maura McAleese
Tetra Tech
1999 Harrison St, Ste. 500
Oakland, CA 94612

EJ3 Order #: 3477431
Project #: 1.03286E+12
Receipt Date: 11-Dec-2023
Analysis Date: 14-Dec-2023
Report Date: 14-Dec-2023

HDOH Kula Community Air

Sample Number **MFK-AM03-120623-AB**

Air Volume:	8117.277
Effective Filter Area:	385.0 mm ²
Level of Analysis (Chrysotile):	CDQ
Level of Analysis (Amphibole):	ADQ
Magnification Used for Fiber Counting:	20,000
Aspect Ratio for Fiber Definition:	5:1
Mean Dimension of Grid Openings (GOs):	0.0132 mm ²
Initials of Analyst:	TS
Number of GO's Examined:	10
Analytical Sensitivity: f/Liter:	0.35932
Analytical Sensitivity: f/cm ³ :	0.00036
Number of primary asbestos structures:	0
Number of asbestos structures counted:	0
Number of asbestos structures > 5 um :	0
Number of asbestos fibers and bundles > 5 um:	0
Number of PCM equivalent asbestos structures:	0
Number of PCM equivalent asbestos fibers:	0
Concentration of Asbestos (Chrysotile) f/cm ³ :	<0.00036
Concentration of Asbestos (Amphibole) f/cm ³ :	<0.00036
Concentration of PCME Asbestos (Chrysotile) f/cm ³ :	<0.00036
Concentration of Asbestos (Chrysotile), Str/L:	0
Concentration of Asbestos (Amphibole), Str/L:	0
Lower 95% Confidence Limit (Chrysotile), Str/L:	0
Upper 95% Confidence Limit (Chrysotile), Str/L:	1.3
Lower 95% Confidence Limit (Amphibole), Str/L:	0
Upper 95% Confidence Limit (Amphibole), Str/L:	1.3



Analyst: Taylor Smylie

Scott M. Ward, Ph.D.

Lab Director

These results apply to the sample(s) as received. Eurofins J3 Resources, Inc. (EJ3) is not responsible for results reported in fibers or asbestos structures per cubic centimeter, which is dependent on volumes provided by non-laboratory personnel. This report is for the exclusive use of the addressed client and shall not be reproduced except in full, without written approval by EJ3. All samples received in good condition unless otherwise noted. This report shall not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

Airborne Asbestos Fiber Analysis
by Transmission Electron Microscopy (TEM)
ISO 10312 - Ambient Air - Determination of Asbestos Fibers
Direct-Transfer Transmission Electron Microscopy Method

Maura McAleese
Tetra Tech
1999 Harrison St, Ste. 500
Oakland, CA 94612

EJ3 Order #: 3477431
Project #: 1.03286E+12
Receipt Date: 11-Dec-2023
Analysis Date: 14-Dec-2023
Report Date: 14-Dec-2023

HDOH Kula Community Air

Sample Number **MFK-FB01-120623-AB**

Air Volume:	0
Effective Filter Area:	385.0 mm ²
Level of Analysis (Chrysotile):	CDQ
Level of Analysis (Amphibole):	ADQ
Magnification Used for Fiber Counting:	20,000
Aspect Ratio for Fiber Definition:	5:1
Mean Dimension of Grid Openings (GOs):	0.0132 mm ²
Initials of Analyst:	TS
Number of GO's Examined:	10
Analytical Sensitivity: f/Liter:	N/A
Analytical Sensitivity: f/cm ³ :	N/A
Number of primary asbestos structures:	0
Number of asbestos structures counted:	0
Number of asbestos structures > 5 um :	0
Number of asbestos fibers and bundles > 5 um:	0
Number of PCM equivalent asbestos structures:	0
Number of PCM equivalent asbestos fibers:	0
Concentration of Asbestos (Chrysotile) f/cm ³ :	N/A
Concentration of Asbestos (Amphibole) f/cm ³ :	N/A
Concentration of PCME Asbestos (Chrysotile) f/cm ³ :	N/A
Concentration of Asbestos (Chrysotile), Str/L:	N/A
Concentration of Asbestos (Amphibole), Str/L:	N/A
Lower 95% Confidence Limit (Chrysotile), Str/L:	N/A
Upper 95% Confidence Limit (Chrysotile), Str/L:	N/A
Lower 95% Confidence Limit (Amphibole), Str/L:	N/A
Upper 95% Confidence Limit (Amphibole), Str/L:	N/A



Analyst: Taylor Smylie

Scott M. Ward, Ph.D.

Lab Director

These results apply to the sample(s) as received. Eurofins J3 Resources, Inc. (EJ3) is not responsible for results reported in fibers or asbestos structures per cubic centimeter, which is dependent on volumes provided by non-laboratory personnel. This report is for the exclusive use of the addressed client and shall not be reproduced except in full, without written approval by EJ3. All samples received in good condition unless otherwise noted. This report shall not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

Stage 1 Data Verification Checklist – Asbestos
HDOH CAB – Ambient Community Air Sampling – Kula
Task Order No. 23141

Reviewed by:

Talaith Isaacs 12/22/2023 & Shanna Vasser 12/22/2023

Laboratory: Eurofins Built Environment Testing – Houston, TX

Analysis date: 12/14/2023

Report No: 3477431

- 1. Chain of custody (CoC) documentation is present.
- 2. Sample receipt condition information is present and acceptable.
- 3. Laboratory conducting the analysis is identified.
- 4. All samples submitted to the laboratory are accounted for.
- 5. Requested analytical methods were performed.
- 6. Analysis dates are provided.
- 7. Analyte results are provided.
- 8. Result qualifiers and definitions are provided.
- 9. Result units are reported.
- 10. Requested reporting limits are present.
- 11. Method detection limits are present.
- 12. Sample collection date and time are present.

Discrepancies:

Samples MFK-AM01-120423-AB and MFK-AM03-120423-AB are listed and crossed off on the CoC, and no results were present in the laboratory data package. No action was necessary for this discrepancy.

Notes: None



Eastern Research Group
601 Keystone Park Drive
Suite 700
Morrisville, NC 27560

December 14, 2023

Ms. Chelsea Saber
Tetra Tech, Inc.
1777 Sentry Pkwy, Bldg 12
Blue Bell, PA 19422
Project Name: Maui fires

Dear Ms. Chelsea Saber,

This report contains the analytical results for the sample(s) received under chain(s) of custody by Eastern Research Group on 12/06/23 12:52.

Values below the MDL for QC results in this report are recorded as ND, however the actual values are reported in the accompanying Excel report with a "U" flag (Under the detection limit). The actual values are reported in AQS.

This test is accredited under the 2016 TNI Standard for Environmental Laboratories (FL DOH Certification # E87673). All analyses were performed as described in the US EPA-approved QAPP, under the contract for National Hazardous Air Pollutant Support (US EPA Contract No. 68HERH22D0002). This cover page is an integral part of this report, and any exceptions or comments are noted on the last page.

Release of the data contained in this data package and in the data submitted in the electronic data deliverable, has been authorized by the Program Manager, or the Program Manager's designee as verified by the following signature.

The issuance of the final Certificate of Analysis takes precedence over any previous Report. If you have any questions, please contact me at 919-468-7924.

Sincerely,

Julie Swift
Program Manager
julie.swift@erg.com

The information contained in this report and its attachment(s) are intended only for the use of the individual to whom it is addressed and may contain information that is privileged, confidential, or exempt from disclosure. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this report is strictly prohibited. If you have received this report in error, please notify julie.swift@erg.com and delete the report without retaining any copies.



CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
1777 Sentry Pkwy, Bldg 12
Blue Bell, PA 19422

ATTN: Ms. Chelsea Saber

PHONE: (703) 885-5495 **FAX:**

FILE #: 0000.00

REPORTED: 12/14/23 10:47

SUBMITTED: 12/06/23

AQS SITE CODE:

SITE CODE: Maui fires

ANALYTICAL REPORT FOR SAMPLES

<u>SampleName</u>	<u>LabNumber</u>	<u>Matrix</u>	<u>Sampled</u>	<u>Received</u>
TetraTech Q9541896	3120629-01	Air	11/30/23 23:59	12/06/23 12:52
TetraTech Q9541910	3120629-02	Air	11/30/23 23:59	12/06/23 12:52
TetraTech Q9541908	3120629-03	Air	11/30/23 23:59	12/06/23 12:52
TetraTech Q9543016 FB	3120629-04	Air	11/30/23 00:00	12/06/23 12:52
TetraTech Q9541907	3120629-05	Air	12/01/23 23:59	12/06/23 12:52
TetraTech Q9543019	3120629-06	Air	12/01/23 23:59	12/06/23 12:52
TetraTech Q9543017	3120629-07	Air	12/01/23 23:59	12/06/23 12:52
TetraTech Q9543012 FB	3120629-08	Air	12/01/23 00:00	12/06/23 12:52
TetraTech Q9543015	3120629-09	Air	12/02/23 23:59	12/06/23 12:52
TetraTech Q9543014	3120629-10	Air	12/02/23 23:59	12/06/23 12:52
TetraTech Q9543013	3120629-11	Air	12/02/23 23:59	12/06/23 12:52
TetraTech Q9543007 FB	3120629-12	Air	12/02/23 00:00	12/06/23 12:52
TetraTech Q9543010	3120629-13	Air	12/03/23 23:59	12/06/23 12:52
TetraTech Q9543009	3120629-14	Air	12/03/23 23:59	12/06/23 12:52
TetraTech Q9543008	3120629-15	Air	12/03/23 23:59	12/06/23 12:52
TetraTech Q9543000 FB	3120629-16	Air	12/03/23 00:00	12/06/23 12:52



CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/14/23 10:47
 SUBMITTED: 12/06/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Description: TetraTech Q9541896 **Lab ID:** 3120629-01 **Sampled:** 11/30/23 23:59
Matrix: Air **Sample Volume:** 1919.887 m³ **Received:** 12/06/23 12:52
Filter ID: **Analysis Date:** 12/11/23 18:26
Comments: MFK-AM01-113023-HM

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>	
Aluminum	7429-90-5	549		27.2	
Antimony	7440-36-0	0.0439	SL	0.0374	
Arsenic	7440-38-2	0.124		0.00809	
Barium	7440-39-3	3.77		0.803	
Beryllium	7440-41-7	0.0142		0.00281	
Cadmium	7440-43-9	0.00628	U	0.0924	
Calcium	7440-70-2	277	GC-BS, QB-01	247	
Chromium	7440-47-3	1.58	U	1.72	
Cobalt	7440-48-4	0.209	QB-01	0.0132	
Copper	7440-50-8	20.7	QB-01	2.54	
Iron	7439-89-6	515		20.5	
Lead	7439-92-1	0.264		0.234	
Magnesium	7439-95-4	98.9		81.7	
Manganese	7439-96-5	13.3		1.01	
Molybdenum	7439-98-7	0.876	QB-01	0.181	
Nickel	7440-02-0	0.870	GC-BS, QB-01	0.679	
Phosphorus	7723-14-0	339	GC-BS, U	1060	
Potassium	7440-09-7	92.8		32.2	
Rubidium	7440-17-7	0.159		0.0155	
Selenium	7782-49-2	0.161		0.00932	
Sodium	7440-23-5	1000	GC-BS, U	1690	
Strontium	7440-24-6	2.88	QB-01	0.553	
Thallium	7440-28-0	9.67E-4		4.26E-4	
Thorium	7440-29-01	0.0104		0.00254	
Uranium	7440-61-1	0.0104	U	0.0144	
Vanadium	7440-62-2	1.36		0.0417	
Zinc	7440-66-6	11.9	U	82.8	



CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/14/23 10:47
 SUBMITTED: 12/06/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Description: TetraTech Q9541910 **Lab ID:** 3120629-02 **Sampled:** 11/30/23 23:59
Matrix: Air **Sample Volume:** 1896.058 m³ **Received:** 12/06/23 12:52
Filter ID: **Analysis Date:** 12/11/23 18:42
Comments: MFK-AM02-113023-HM

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>	
Aluminum	7429-90-5	178		27.5	
Antimony	7440-36-0	0.0325	SL, U	0.0378	
Arsenic	7440-38-2	0.151		0.00819	
Barium	7440-39-3	2.17		0.813	
Beryllium	7440-41-7	0.00544		0.00285	
Cadmium	7440-43-9	0.00609	U	0.0935	
Calcium	7440-70-2	431	GC-BS, QB-01	251	
Chromium	7440-47-3	1.56	U	1.74	
Cobalt	7440-48-4	0.0869	QB-01	0.0134	
Copper	7440-50-8	13.4	QB-01	2.57	
Iron	7439-89-6	181		20.8	
Lead	7439-92-1	0.111	U	0.237	
Magnesium	7439-95-4	95.7		82.7	
Manganese	7439-96-5	4.00		1.02	
Molybdenum	7439-98-7	0.937	QB-01	0.183	
Nickel	7440-02-0	0.700	GC-BS, QB-01	0.687	
Phosphorus	7723-14-0	374	GC-BS, U	1070	
Potassium	7440-09-7	93.0		32.6	
Rubidium	7440-17-7	0.118		0.0157	
Selenium	7782-49-2	0.106		0.00944	
Sodium	7440-23-5	1010	GC-BS, U	1720	
Strontium	7440-24-6	1.87	QB-01	0.559	
Thallium	7440-28-0	4.62E-4		4.32E-4	
Thorium	7440-29-01	0.00601		0.00257	
Uranium	7440-61-1	0.00455	U	0.0146	
Vanadium	7440-62-2	0.582		0.0422	
Zinc	7440-66-6	11.4	U	83.8	



CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/14/23 10:47
 SUBMITTED: 12/06/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Description: TetraTech Q9541908 **Lab ID:** 3120629-03 **Sampled:** 11/30/23 23:59
Matrix: Air **Sample Volume:** 1686.199 m³ **Received:** 12/06/23 12:52
Filter ID: **Analysis Date:** 12/11/23 18:56
Comments: MFK-AM03-113023-HM

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>	
Aluminum	7429-90-5	63.7		31.0	
Antimony	7440-36-0	0.0499	SL	0.0426	
Arsenic	7440-38-2	0.124		0.00921	
Barium	7440-39-3	2.30		0.915	
Beryllium	7440-41-7	0.00285	U	0.00320	
Cadmium	7440-43-9	0.00430	U	0.105	
Calcium	7440-70-2	460	GC-BS, QB-01	282	
Chromium	7440-47-3	1.73	U	1.96	
Cobalt	7440-48-4	0.0532	QB-01	0.0151	
Copper	7440-50-8	40.1	QB-01	2.89	
Iron	7439-89-6	72.2		23.4	
Lead	7439-92-1	0.116	U	0.266	
Magnesium	7439-95-4	103		93.0	
Manganese	7439-96-5	1.87		1.15	
Molybdenum	7439-98-7	1.30	QB-01	0.206	
Nickel	7440-02-0	0.814	GC-BS, QB-01	0.773	
Phosphorus	7723-14-0	430	GC-BS, U	1210	
Potassium	7440-09-7	98.9		36.7	
Rubidium	7440-17-7	0.0835		0.0177	
Selenium	7782-49-2	0.0849		0.0106	
Sodium	7440-23-5	1150	GC-BS, U	1930	
Strontium	7440-24-6	1.51	QB-01	0.629	
Thallium	7440-28-0	2.93E-4	U	4.85E-4	
Thorium	7440-29-01	0.00301		0.00289	
Uranium	7440-61-1	0.00327	U	0.0164	
Vanadium	7440-62-2	0.324		0.0475	
Zinc	7440-66-6	12.9	U	94.3	



CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/14/23 10:47
 SUBMITTED: 12/06/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Description: TetraTech Q9543016 FB **Lab ID:** 3120629-04 **Sampled:** 11/30/23 00:00
Matrix: Air **Sample Volume:** 1919.887 m³ **Received:** 12/06/23 12:52
Filter ID: **Analysis Date:** 12/11/23 19:10
Comments: MFK-FB01-113023-HM Field Blank

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>	
Aluminum	7429-90-5	9.66	U	27.2	
Antimony	7440-36-0	0.00759	SL, U	0.0374	
Arsenic	7440-38-2	0.00212	U	0.00809	
Barium	7440-39-3	0.599	U	0.803	
Beryllium	7440-41-7	8.01E-4	U	0.00281	
Cadmium	7440-43-9	0.00209	U	0.0924	
Calcium	7440-70-2	360	FB-01, GC-BS, QB-01	247	
Chromium	7440-47-3	1.36	U	1.72	
Cobalt	7440-48-4	0.0201	FB-01, QB-01	0.0132	
Copper	7440-50-8	0.608	QB-01, U	2.54	
Iron	7439-89-6	11.7	U	20.5	
Lead	7439-92-1	0.0515	U	0.234	
Magnesium	7439-95-4	42.8	U	81.7	
Manganese	7439-96-5	0.142	U	1.01	
Molybdenum	7439-98-7	0.227	FB-01, QB-01	0.181	
Nickel	7440-02-0	0.479	GC-BS, QB-01, U	0.679	
Phosphorus	7723-14-0	337	GC-BS, U	1060	
Potassium	7440-09-7	24.6	U	32.2	
Rubidium	7440-17-7	0.0144	U	0.0155	
Selenium	7782-49-2	0.00181	U	0.00932	
Sodium	7440-23-5	723	GC-BS, U	1690	
Strontium	7440-24-6	0.710	FB-01, QB-01	0.553	
Thallium	7440-28-0	8.16E-5	U	4.26E-4	
Thorium	7440-29-01	0.00218	U	0.00254	
Uranium	7440-61-1	0.00172	U	0.0144	
Vanadium	7440-62-2	0.00346	U	0.0417	
Zinc	7440-66-6	8.82	U	82.8	



CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/14/23 10:47
 SUBMITTED: 12/06/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Description: TetraTech Q9541907 **Lab ID:** 3120629-05 **Sampled:** 12/01/23 23:59
Matrix: Air **Sample Volume:** 2039.667 m³ **Received:** 12/06/23 12:52
Filter ID: **Analysis Date:** 12/11/23 19:23
Comments: MFK-AM01-120123-HM

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>
Aluminum	7429-90-5	668	E	25.6
Antimony	7440-36-0	0.0323	SL, U	0.0352
Arsenic	7440-38-2	0.143		0.00762
Barium	7440-39-3	4.55		0.756
Beryllium	7440-41-7	0.0166		0.00265
Cadmium	7440-43-9	0.00964	U	0.0869
Calcium	7440-70-2	500	GC-BS, QB-01	233
Chromium	7440-47-3	1.89		1.62
Cobalt	7440-48-4	0.244	QB-01	0.0124
Copper	7440-50-8	14.7	QB-01	2.39
Iron	7439-89-6	619		19.3
Lead	7439-92-1	0.393		0.220
Magnesium	7439-95-4	133		76.9
Manganese	7439-96-5	16.0		0.949
Molybdenum	7439-98-7	0.730	QB-01	0.170
Nickel	7440-02-0	0.883	GC-BS, QB-01	0.639
Phosphorus	7723-14-0	373	GC-BS, U	997
Potassium	7440-09-7	84.6		30.3
Rubidium	7440-17-7	0.181		0.0146
Selenium	7782-49-2	0.146		0.00877
Sodium	7440-23-5	1170	GC-BS, U	1600
Strontium	7440-24-6	3.68	QB-01	0.520
Thallium	7440-28-0	0.00108		4.01E-4
Thorium	7440-29-01	0.0130		0.00239
Uranium	7440-61-1	0.0123	U	0.0136
Vanadium	7440-62-2	1.85		0.0392
Zinc	7440-66-6	13.5	U	77.9



CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/14/23 10:47
 SUBMITTED: 12/06/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Description: TetraTech Q9543019 **Lab ID:** 3120629-06 **Sampled:** 12/01/23 23:59
Matrix: Air **Sample Volume:** 2026.064 m³ **Received:** 12/06/23 12:52
Filter ID: **Analysis Date:** 12/11/23 19:38
Comments: MFK-AM02-120123-HM

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>
Aluminum	7429-90-5	120		25.8
Antimony	7440-36-0	0.0390	SL	0.0354
Arsenic	7440-38-2	0.102		0.00767
Barium	7440-39-3	2.09		0.761
Beryllium	7440-41-7	0.00358		0.00267
Cadmium	7440-43-9	0.00790	U	0.0875
Calcium	7440-70-2	391	GC-BS, QB-01	234
Chromium	7440-47-3	1.67		1.63
Cobalt	7440-48-4	0.108	QB-01	0.0125
Copper	7440-50-8	12.0	QB-01	2.41
Iron	7439-89-6	122		19.4
Lead	7439-92-1	0.138	U	0.222
Magnesium	7439-95-4	118		77.4
Manganese	7439-96-5	2.75		0.956
Molybdenum	7439-98-7	0.835	QB-01	0.171
Nickel	7440-02-0	0.831	GC-BS, QB-01	0.643
Phosphorus	7723-14-0	341	GC-BS, U	1000
Potassium	7440-09-7	89.7		30.5
Rubidium	7440-17-7	0.122		0.0147
Selenium	7782-49-2	0.0721		0.00883
Sodium	7440-23-5	1210	GC-BS, U	1610
Strontium	7440-24-6	1.69	QB-01	0.524
Thallium	7440-28-0	4.94E-4		4.04E-4
Thorium	7440-29-01	0.00450		0.00241
Uranium	7440-61-1	0.00379	U	0.0137
Vanadium	7440-62-2	0.878		0.0395
Zinc	7440-66-6	10.4	U	78.5



CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/14/23 10:47
 SUBMITTED: 12/06/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Description: TetraTech Q9543017 **Lab ID:** 3120629-07 **Sampled:** 12/01/23 23:59
Matrix: Air **Sample Volume:** 1925.486 m³ **Received:** 12/06/23 12:52
Filter ID: **Analysis Date:** 12/11/23 19:51
Comments: MFK-AM03-120123-HM

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>	
Aluminum	7429-90-5	73.1		27.1	
Antimony	7440-36-0	0.0576	SL	0.0373	
Arsenic	7440-38-2	0.0833		0.00807	
Barium	7440-39-3	2.53		0.801	
Beryllium	7440-41-7	0.00337		0.00281	
Cadmium	7440-43-9	0.00531	U	0.0921	
Calcium	7440-70-2	425	GC-BS, QB-01	247	
Chromium	7440-47-3	1.53	U	1.72	
Cobalt	7440-48-4	0.0600	QB-01	0.0132	
Copper	7440-50-8	28.3	QB-01	2.53	
Iron	7439-89-6	91.9		20.4	
Lead	7439-92-1	0.131	U	0.233	
Magnesium	7439-95-4	134		81.5	
Manganese	7439-96-5	2.44		1.01	
Molybdenum	7439-98-7	1.09	QB-01	0.180	
Nickel	7440-02-0	0.672	GC-BS, QB-01, U	0.677	
Phosphorus	7723-14-0	377	GC-BS, U	1060	
Potassium	7440-09-7	90.7		32.1	
Rubidium	7440-17-7	0.0924		0.0155	
Selenium	7782-49-2	0.0840		0.00929	
Sodium	7440-23-5	1380	GC-BS, U	1690	
Strontium	7440-24-6	1.70	QB-01	0.551	
Thallium	7440-28-0	2.92E-4	U	4.25E-4	
Thorium	7440-29-01	0.00363		0.00253	
Uranium	7440-61-1	0.00348	U	0.0144	
Vanadium	7440-62-2	0.970		0.0416	
Zinc	7440-66-6	8.89	U	82.6	



CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/14/23 10:47
 SUBMITTED: 12/06/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Description: TetraTech Q9543012 FB **Lab ID:** 3120629-08 **Sampled:** 12/01/23 00:00
Matrix: Air **Sample Volume:** 2039.667 m³ **Received:** 12/06/23 12:52
Filter ID: **Analysis Date:** 12/11/23 20:05
Comments: MFK-FB01-120123-HM Field Blank

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>	
Aluminum	7429-90-5	9.25	U	25.6	
Antimony	7440-36-0	0.00646	SL, U	0.0352	
Arsenic	7440-38-2	0.00171	U	0.00762	
Barium	7440-39-3	0.556	U	0.756	
Beryllium	7440-41-7	8.02E-4	U	0.00265	
Cadmium	7440-43-9	0.00249	U	0.0869	
Calcium	7440-70-2	334	FB-01, GC-BS, QB-01	233	
Chromium	7440-47-3	1.41	U	1.62	
Cobalt	7440-48-4	0.0373	FB-01, QB-01	0.0124	
Copper	7440-50-8	0.514	QB-01, U	2.39	
Iron	7439-89-6	10.1	U	19.3	
Lead	7439-92-1	0.0506	U	0.220	
Magnesium	7439-95-4	42.0	U	76.9	
Manganese	7439-96-5	0.122	U	0.949	
Molybdenum	7439-98-7	0.232	FB-01, QB-01	0.170	
Nickel	7440-02-0	0.393	GC-BS, QB-01, U	0.639	
Phosphorus	7723-14-0	335	GC-BS, U	997	
Potassium	7440-09-7	19.8	U	30.3	
Rubidium	7440-17-7	0.0153	FB-01	0.0146	
Selenium	7782-49-2	0.00238	U	0.00877	
Sodium	7440-23-5	697	GC-BS, U	1600	
Strontium	7440-24-6	0.683	FB-01, QB-01	0.520	
Thallium	7440-28-0	5.67E-5	U	4.01E-4	
Thorium	7440-29-01	0.00202	U	0.00239	
Uranium	7440-61-1	0.00166	U	0.0136	
Vanadium	7440-62-2	0.0150	U	0.0392	
Zinc	7440-66-6	5.95	U	77.9	



CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/14/23 10:47
 SUBMITTED: 12/06/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Description: TetraTech Q9543015 **Lab ID:** 3120629-09 **Sampled:** 12/02/23 23:59
Matrix: Air **Sample Volume:** 2038.818 m³ **Received:** 12/06/23 12:52
Filter ID: **Analysis Date:** 12/11/23 16:00
Comments: MFK-AM01-120223-HM

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>
Aluminum	7429-90-5	177	QM-07	25.6
Antimony	7440-36-0	0.0266	SL, U	0.0352
Arsenic	7440-38-2	0.0771	D-F	0.00762
Barium	7440-39-3	2.65		0.757
Beryllium	7440-41-7	0.00589		0.00265
Cadmium	7440-43-9	0.00843	U	0.0870
Calcium	7440-70-2	436	GC-BS, QB-01	233
Chromium	7440-47-3	1.52	U	1.62
Cobalt	7440-48-4	0.0953	QB-01	0.0124
Copper	7440-50-8	17.8	QB-01, QM-07	2.39
Iron	7439-89-6	175	QM-4X	19.3
Lead	7439-92-1	0.186	U	0.220
Magnesium	7439-95-4	121		76.9
Manganese	7439-96-5	4.80		0.950
Molybdenum	7439-98-7	0.962	QB-01	0.170
Nickel	7440-02-0	1.13	GC-BS, QB-01	0.639
Phosphorus	7723-14-0	354	A-01, GC-BS, QM-4X, U	998
Potassium	7440-09-7	74.0		30.3
Rubidium	7440-17-7	0.0850		0.0146
Selenium	7782-49-2	0.0985		0.00878
Sodium	7440-23-5	1230	A-01, GC-BS, QM-4X, U	1600
Strontium	7440-24-6	2.04	QB-01	0.520
Thallium	7440-28-0	4.58E-4		4.01E-4
Thorium	7440-29-01	0.00469	QM-07	0.00239
Uranium	7440-61-1	0.00474	U	0.0136
Vanadium	7440-62-2	0.531		0.0393
Zinc	7440-66-6	13.2	U	78.0



CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/14/23 10:47
 SUBMITTED: 12/06/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Description: TetraTech Q9543014 **Lab ID:** 3120629-10 **Sampled:** 12/02/23 23:59
Matrix: Air **Sample Volume:** 2031.129 m³ **Received:** 12/06/23 12:52
Filter ID: **Analysis Date:** 12/11/23 20:19
Comments: MFK-AM02-120223-HM

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>	
Aluminum	7429-90-5	103		25.7	
Antimony	7440-36-0	0.0314	SL, U	0.0353	
Arsenic	7440-38-2	0.104		0.00765	
Barium	7440-39-3	1.97		0.759	
Beryllium	7440-41-7	0.00349		0.00266	
Cadmium	7440-43-9	0.00561	U	0.0873	
Calcium	7440-70-2	419	GC-BS, QB-01	234	
Chromium	7440-47-3	1.58	U	1.63	
Cobalt	7440-48-4	0.0634	QB-01	0.0125	
Copper	7440-50-8	18.2	QB-01	2.40	
Iron	7439-89-6	113		19.4	
Lead	7439-92-1	0.114	U	0.221	
Magnesium	7439-95-4	133		77.2	
Manganese	7439-96-5	2.65		0.953	
Molybdenum	7439-98-7	1.14	QB-01	0.171	
Nickel	7440-02-0	0.536	GC-BS, QB-01, U	0.642	
Phosphorus	7723-14-0	370	GC-BS, U	1000	
Potassium	7440-09-7	108		30.4	
Rubidium	7440-17-7	0.159		0.0147	
Selenium	7782-49-2	0.0912		0.00881	
Sodium	7440-23-5	1330	GC-BS, U	1600	
Strontium	7440-24-6	1.83	QB-01	0.522	
Thallium	7440-28-0	3.77E-4	U	4.03E-4	
Thorium	7440-29-01	0.00470		0.00240	
Uranium	7440-61-1	0.00382	U	0.0136	
Vanadium	7440-62-2	0.441		0.0394	
Zinc	7440-66-6	9.11	U	78.3	



CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/14/23 10:47
 SUBMITTED: 12/06/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Description: TetraTech Q9543013 **Lab ID:** 3120629-11 **Sampled:** 12/02/23 23:59
Matrix: Air **Sample Volume:** 1822.686 m³ **Received:** 12/06/23 12:52
Filter ID: **Analysis Date:** 12/11/23 20:33
Comments: MFK-AM03-120223-HM

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>	
Aluminum	7429-90-5	83.9		28.7	
Antimony	7440-36-0	0.0802	SL	0.0394	
Arsenic	7440-38-2	0.0814		0.00852	
Barium	7440-39-3	3.11		0.846	
Beryllium	7440-41-7	0.00399		0.00296	
Cadmium	7440-43-9	0.00704	U	0.0973	
Calcium	7440-70-2	473	GC-BS, QB-01	261	
Chromium	7440-47-3	1.63	U	1.81	
Cobalt	7440-48-4	0.0758	QB-01	0.0139	
Copper	7440-50-8	39.4	QB-01	2.68	
Iron	7439-89-6	115		21.6	
Lead	7439-92-1	0.129	U	0.246	
Magnesium	7439-95-4	185		86.1	
Manganese	7439-96-5	3.11		1.06	
Molybdenum	7439-98-7	1.23	QB-01	0.190	
Nickel	7440-02-0	0.581	GC-BS, QB-01, U	0.715	
Phosphorus	7723-14-0	394	GC-BS, U	1120	
Potassium	7440-09-7	109		33.9	
Rubidium	7440-17-7	0.0908		0.0163	
Selenium	7782-49-2	0.146		0.00982	
Sodium	7440-23-5	1800	E, GC-BS	1790	
Strontium	7440-24-6	2.07	QB-01	0.582	
Thallium	7440-28-0	4.10E-4	U	4.49E-4	
Thorium	7440-29-01	0.00491		0.00268	
Uranium	7440-61-1	0.00423	U	0.0152	
Vanadium	7440-62-2	0.634		0.0439	
Zinc	7440-66-6	15.0	U	87.2	



CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/14/23 10:47
 SUBMITTED: 12/06/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Description: TetraTech Q9543007 FB **Lab ID:** 3120629-12 **Sampled:** 12/02/23 00:00
Matrix: Air **Sample Volume:** 2038.818 m³ **Received:** 12/06/23 12:52
Filter ID: **Analysis Date:** 12/11/23 21:34
Comments: MFK-FB01-120223-HM Field Blank

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>	
Aluminum	7429-90-5	9.50	U	25.6	
Antimony	7440-36-0	0.00689	SL, U	0.0352	
Arsenic	7440-38-2	0.00323	U	0.00762	
Barium	7440-39-3	0.543	U	0.757	
Beryllium	7440-41-7	6.11E-4	U	0.00265	
Cadmium	7440-43-9	0.00233	U	0.0870	
Calcium	7440-70-2	349	FB-01, GC-BS, QB-01	233	
Chromium	7440-47-3	1.37	U	1.62	
Cobalt	7440-48-4	0.0420	FB-01, QB-01	0.0124	
Copper	7440-50-8	0.368	QB-01, U	2.39	
Iron	7439-89-6	16.7	U	19.3	
Lead	7439-92-1	0.0472	U	0.220	
Magnesium	7439-95-4	41.3	U	76.9	
Manganese	7439-96-5	0.156	U	0.950	
Molybdenum	7439-98-7	0.234	FB-01, QB-01	0.170	
Nickel	7440-02-0	0.302	GC-BS, QB-01, U	0.639	
Phosphorus	7723-14-0	330	GC-BS, U	998	
Potassium	7440-09-7	13.2	U	30.3	
Rubidium	7440-17-7	0.0132	U	0.0146	
Selenium	7782-49-2	0.00245	U	0.00878	
Sodium	7440-23-5	694	GC-BS, U	1600	
Strontium	7440-24-6	0.694	FB-01, QB-01	0.520	
Thallium	7440-28-0	6.88E-5	U	4.01E-4	
Thorium	7440-29-01	0.00205	U	0.00239	
Uranium	7440-61-1	0.00170	U	0.0136	
Vanadium	7440-62-2	0.00786	U	0.0393	
Zinc	7440-66-6	6.46	U	78.0	



CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/14/23 10:47
 SUBMITTED: 12/06/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Description: TetraTech Q9543010 **Lab ID:** 3120629-13 **Sampled:** 12/03/23 23:59
Matrix: Air **Sample Volume:** 2038.818 m³ **Received:** 12/06/23 12:52
Filter ID: **Analysis Date:** 12/11/23 21:48
Comments: MFK-AM01-120323-HM

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>	
Aluminum	7429-90-5	686	E	25.6	
Antimony	7440-36-0	0.0384	SL	0.0352	
Arsenic	7440-38-2	0.118		0.00762	
Barium	7440-39-3	5.56		0.757	
Beryllium	7440-41-7	0.0170		0.00265	
Cadmium	7440-43-9	0.00887	U	0.0870	
Calcium	7440-70-2	503	QB-01, GC-BS	233	
Chromium	7440-47-3	1.87		1.62	
Cobalt	7440-48-4	0.277	QB-01	0.0124	
Copper	7440-50-8	18.6	QB-01	2.39	
Iron	7439-89-6	668		19.3	
Lead	7439-92-1	0.300		0.220	
Magnesium	7439-95-4	193		76.9	
Manganese	7439-96-5	19.0		0.950	
Molybdenum	7439-98-7	0.877	QB-01	0.170	
Nickel	7440-02-0	0.650	GC-BS, QB-01	0.639	
Phosphorus	7723-14-0	373	GC-BS, U	998	
Potassium	7440-09-7	85.4		30.3	
Rubidium	7440-17-7	0.178		0.0146	
Selenium	7782-49-2	0.221		0.00878	
Sodium	7440-23-5	1660	E, GC-BS	1600	
Strontium	7440-24-6	3.98	QB-01	0.520	
Thallium	7440-28-0	0.00137		4.01E-4	
Thorium	7440-29-01	0.0156		0.00239	
Uranium	7440-61-1	0.0136		0.0136	
Vanadium	7440-62-2	1.85		0.0393	
Zinc	7440-66-6	8.61	U	78.0	



CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/14/23 10:47
 SUBMITTED: 12/06/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Description: TetraTech Q9543009 **Lab ID:** 3120629-14 **Sampled:** 12/03/23 23:59
Matrix: Air **Sample Volume:** 2026.064 m³ **Received:** 12/06/23 12:52
Filter ID: **Analysis Date:** 12/11/23 22:02
Comments: MFK-AM02-120323-HM

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>	
Aluminum	7429-90-5	117		25.8	
Antimony	7440-36-0	0.0517	SL	0.0354	
Arsenic	7440-38-2	0.0999		0.00767	
Barium	7440-39-3	2.80		0.761	
Beryllium	7440-41-7	0.00444		0.00267	
Cadmium	7440-43-9	0.00692	U	0.0875	
Calcium	7440-70-2	440	GC-BS, QB-01	234	
Chromium	7440-47-3	1.52	U	1.63	
Cobalt	7440-48-4	0.0810	QB-01	0.0125	
Copper	7440-50-8	17.1	QB-01	2.41	
Iron	7439-89-6	141		19.4	
Lead	7439-92-1	0.144	U	0.222	
Magnesium	7439-95-4	167		77.4	
Manganese	7439-96-5	3.65		0.956	
Molybdenum	7439-98-7	0.866	QB-01	0.171	
Nickel	7440-02-0	0.525	GC-BS, QB-01, U	0.643	
Phosphorus	7723-14-0	371	GC-BS, U	1000	
Potassium	7440-09-7	124		30.5	
Rubidium	7440-17-7	0.176		0.0147	
Selenium	7782-49-2	0.123		0.00883	
Sodium	7440-23-5	1620	E, GC-BS	1610	
Strontium	7440-24-6	2.14	QB-01	0.524	
Thallium	7440-28-0	6.30E-4		4.04E-4	
Thorium	7440-29-01	0.00569		0.00241	
Uranium	7440-61-1	0.00464	U	0.0137	
Vanadium	7440-62-2	0.672		0.0395	
Zinc	7440-66-6	8.56	U	78.5	



CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/14/23 10:47
 SUBMITTED: 12/06/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Description: TetraTech Q9543008 **Lab ID:** 3120629-15 **Sampled:** 12/03/23 23:59
Matrix: Air **Sample Volume:** 1842.60€ m³ **Received:** 12/06/23 12:52
Filter ID: **Analysis Date:** 12/11/23 22:16
Comments: MFK-AM03-120323-HM

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>
Aluminum	7429-90-5	97.2		28.3
Antimony	7440-36-0	0.0558	SL	0.0389
Arsenic	7440-38-2	0.0799		0.00843
Barium	7440-39-3	2.88		0.837
Beryllium	7440-41-7	0.00439		0.00293
Cadmium	7440-43-9	0.00582	U	0.0962
Calcium	7440-70-2	471	GC-BS, QB-01	258
Chromium	7440-47-3	1.91		1.79
Cobalt	7440-48-4	0.0855	QB-01	0.0138
Copper	7440-50-8	34.3	QB-01	2.65
Iron	7439-89-6	135		21.4
Lead	7439-92-1	0.155	U	0.244
Magnesium	7439-95-4	184		85.1
Manganese	7439-96-5	3.84		1.05
Molybdenum	7439-98-7	1.17	QB-01	0.188
Nickel	7440-02-0	0.713	GC-BS, QB-01	0.707
Phosphorus	7723-14-0	395	GC-BS, U	1100
Potassium	7440-09-7	84.0		33.6
Rubidium	7440-17-7	0.0903		0.0162
Selenium	7782-49-2	0.135		0.00971
Sodium	7440-23-5	1790	E, GC-BS	1770
Strontium	7440-24-6	2.12	QB-01	0.576
Thallium	7440-28-0	6.27E-4		4.44E-4
Thorium	7440-29-01	0.00530		0.00265
Uranium	7440-61-1	0.00463	U	0.0150
Vanadium	7440-62-2	0.704		0.0434
Zinc	7440-66-6	10.1	U	86.3



CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/14/23 10:47
 SUBMITTED: 12/06/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Description: TetraTech Q9543000 FB **Lab ID:** 3120629-16 **Sampled:** 12/03/23 00:00
Matrix: Air **Sample Volume:** 2038.818 m³ **Received:** 12/06/23 12:52
Filter ID: **Analysis Date:** 12/11/23 22:44
Comments: MFK-FB01-120323-HM Field Blank

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>	
Aluminum	7429-90-5	8.62	U	25.6	
Antimony	7440-36-0	0.00636	SL, U	0.0352	
Arsenic	7440-38-2	0.00210	U	0.00762	
Barium	7440-39-3	0.550	U	0.757	
Beryllium	7440-41-7	6.25E-4	U	0.00265	
Cadmium	7440-43-9	0.00220	U	0.0870	
Calcium	7440-70-2	325	FB-01, GC-BS, QB-01	233	
Chromium	7440-47-3	1.41	U	1.62	
Cobalt	7440-48-4	0.0233	FB-01, QB-01	0.0124	
Copper	7440-50-8	0.364	QB-01, U	2.39	
Iron	7439-89-6	11.4	U	19.3	
Lead	7439-92-1	0.0480	U	0.220	
Magnesium	7439-95-4	40.4	U	76.9	
Manganese	7439-96-5	0.123	U	0.950	
Molybdenum	7439-98-7	0.230	FB-01, QB-01	0.170	
Nickel	7440-02-0	0.289	GC-BS, QB-01, U	0.639	
Phosphorus	7723-14-0	334	GC-BS, U	998	
Potassium	7440-09-7	11.9	U	30.3	
Rubidium	7440-17-7	0.0128	U	0.0146	
Selenium	7782-49-2	0.00240	U	0.00878	
Sodium	7440-23-5	695	GC-BS, U	1600	
Strontium	7440-24-6	0.671	FB-01, QB-01	0.520	
Thallium	7440-28-0	3.85E-5	U	4.01E-4	
Thorium	7440-29-01	0.00204	U	0.00239	
Uranium	7440-61-1	0.00164	U	0.0136	
Vanadium	7440-62-2	0.0132	U	0.0393	
Zinc	7440-66-6	5.51	U	78.0	



CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/14/23 10:47
 SUBMITTED: 12/06/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2312031 - B3L0605

Calibration Blank (2312031-CCB1)

Prepared & Analyzed: 12/11/23

Aluminum	59.8		ng/l							
Antimony	1.50		ng/l							
Arsenic	3.31		ng/l							
Barium	1.64		ng/l							
Beryllium	1.03		ng/l							
Cadmium	0.307		ng/l							
Calcium	464		ng/l							
Chromium	3.37		ng/l							
Cobalt	0.408		ng/l							
Copper	131		ng/l							
Iron	26.4		ng/l							
Lead	6.23		ng/l							
Magnesium	19.6		ng/l							
Manganese	7.20		ng/l							
Molybdenum	29.3		ng/l							
Nickel	0.370		ng/l							
Phosphorus	-845		ng/l							U
Potassium	-973		ng/l							U
Rubidium	0.315		ng/l							
Selenium	0.969		ng/l							
Sodium	-65.2		ng/l							U
Strontium	0.544		ng/l							
Thallium	0.487		ng/l							
Thorium	0.453		ng/l							
Uranium	-0.0185		ng/l							U
Vanadium	-34.9		ng/l							U
Zinc	-12.6		ng/l							U

Calibration Blank (2312031-CCB2)

Prepared & Analyzed: 12/11/23

Aluminum	32.1		ng/l							
Antimony	0.841		ng/l							
Arsenic	1.40		ng/l							
Barium	5.28		ng/l							
Beryllium	0.261		ng/l							
Cadmium	0.590		ng/l							
Calcium	109		ng/l							
Chromium	6.86		ng/l							
Cobalt	1.31		ng/l							
Copper	78.1		ng/l							

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/14/23 10:47
 SUBMITTED: 12/06/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2312031 - B3L0605

Calibration Blank (2312031-CCB2) Contin

Prepared & Analyzed: 12/11/23

Iron	116		ng/l							
Lead	6.09		ng/l							
Magnesium	29.2		ng/l							
Manganese	12.8		ng/l							
Molybdenum	6.48		ng/l							
Nickel	1.64		ng/l							
Phosphorus	-98.5		ng/l							U
Potassium	-2030		ng/l							U
Rubidium	-0.520		ng/l							U
Selenium	2.55		ng/l							
Sodium	-139		ng/l							U
Strontium	1.31		ng/l							
Thallium	0.342		ng/l							
Thorium	0.775		ng/l							
Uranium	0.00284		ng/l							
Vanadium	-27.2		ng/l							U
Zinc	86.5		ng/l							

Calibration Blank (2312031-CCB3)

Prepared & Analyzed: 12/11/23

Aluminum	93.4		ng/l							
Antimony	1.38		ng/l							
Arsenic	0.532		ng/l							
Barium	9.11		ng/l							
Beryllium	-0.404		ng/l							U
Cadmium	0.751		ng/l							
Calcium	1790		ng/l							
Chromium	8.74		ng/l							
Cobalt	2.10		ng/l							
Copper	103		ng/l							
Iron	89.9		ng/l							
Lead	9.51		ng/l							
Magnesium	57.1		ng/l							
Manganese	19.5		ng/l							
Molybdenum	7.67		ng/l							
Nickel	4.18		ng/l							
Phosphorus	240		ng/l							
Potassium	-1680		ng/l							U
Rubidium	0.833		ng/l							
Selenium	-5.47		ng/l							U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/14/23 10:47
 SUBMITTED: 12/06/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2312031 - B3L0605

Calibration Blank (2312031-CCB3) Contin

Prepared & Analyzed: 12/11/23

Sodium	35.1		ng/l							
Strontium	1.98		ng/l							
Thallium	0.377		ng/l							
Thorium	0.618		ng/l							
Uranium	0.00625		ng/l							
Vanadium	-34.9		ng/l							U
Zinc	36.8		ng/l							

Calibration Blank (2312031-CCB4)

Prepared: 12/11/23 Analyzed: 12/12/23

Aluminum	89.9		ng/l							
Antimony	1.68		ng/l							
Arsenic	0.642		ng/l							
Barium	11.3		ng/l							
Beryllium	-0.336		ng/l							U
Cadmium	1.03		ng/l							
Calcium	1970		ng/l							
Chromium	14.4		ng/l							
Cobalt	2.56		ng/l							
Copper	124		ng/l							
Iron	168		ng/l							
Lead	11.5		ng/l							
Magnesium	77.9		ng/l							
Manganese	25.5		ng/l							
Molybdenum	8.01		ng/l							
Nickel	6.18		ng/l							
Phosphorus	-615		ng/l							U
Potassium	-1600		ng/l							U
Rubidium	0.323		ng/l							
Selenium	-2.85		ng/l							U
Sodium	122		ng/l							
Strontium	3.46		ng/l							
Thallium	0.497		ng/l							
Thorium	0.642		ng/l							
Uranium	0.0164		ng/l							
Vanadium	-34.0		ng/l							U
Zinc	38.0		ng/l							

Calibration Check (2312031-CCV1)

Prepared & Analyzed: 12/11/23

Aluminum	1.53E6		ng/l	1.5000E6		102	90-110			
Antimony	20200		ng/l	20000		101	90-110			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/14/23 10:47
 SUBMITTED: 12/06/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2312031 - B3L0605

Calibration Check (2312031-CCV1) Contin

Prepared & Analyzed: 12/11/23

Arsenic	19900		ng/l	20000		99.7	90-110			
Barium	200000		ng/l	200000		100	90-110			
Beryllium	4940		ng/l	5000.0		98.8	90-110			
Cadmium	20100		ng/l	20000		101	90-110			
Calcium	2.48E7		ng/l	2.5000E7		99.1	90-110			
Chromium	241000		ng/l	240000		101	90-110			
Cobalt	50300		ng/l	50000		101	90-110			
Copper	2.02E6		ng/l	2.0000E6		101	90-110			
Iron	2.49E6		ng/l	2.5000E6		99.7	90-110			
Lead	198000		ng/l	200000		98.8	90-110			
Magnesium	1.03E6		ng/l	1.0000E6		103	90-110			
Manganese	488000		ng/l	500000		97.6	90-110			
Molybdenum	49600		ng/l	50000		99.2	90-110			
Nickel	121000		ng/l	120000		101	90-110			
Phosphorus	198000		ng/l	200000		98.9	90-110			
Potassium	2.49E6		ng/l	2.5000E6		99.5	90-110			
Rubidium	9990		ng/l	10000		99.9	90-110			
Selenium	19900		ng/l	20000		99.7	90-110			
Sodium	2.61E6		ng/l	2.5000E6		104	90-110			
Strontium	49900		ng/l	50000		99.8	90-110			
Thallium	484		ng/l	500.00		96.8	90-110			
Thorium	496		ng/l	500.00		99.2	90-110			
Uranium	494		ng/l	500.00		98.9	90-110			
Vanadium	19800		ng/l	20000		99.2	90-110			
Zinc	519000		ng/l	500000		104	90-110			

Calibration Check (2312031-CCV2)

Prepared & Analyzed: 12/11/23

Aluminum	1.47E6		ng/l	1.5000E6		98.2	90-110			
Antimony	19900		ng/l	20000		99.6	90-110			
Arsenic	19600		ng/l	20000		97.8	90-110			
Barium	198000		ng/l	200000		99.1	90-110			
Beryllium	4930		ng/l	5000.0		98.5	90-110			
Cadmium	19800		ng/l	20000		98.9	90-110			
Calcium	2.43E7		ng/l	2.5000E7		97.3	90-110			
Chromium	246000		ng/l	240000		103	90-110			
Cobalt	48800		ng/l	50000		97.6	90-110			
Copper	1.96E6		ng/l	2.0000E6		97.9	90-110			
Iron	2.42E6		ng/l	2.5000E6		96.8	90-110			
Lead	195000		ng/l	200000		97.3	90-110			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/14/23 10:47
 SUBMITTED: 12/06/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2312031 - B3L0605

Calibration Check (2312031-CCV2) Contin

Prepared & Analyzed: 12/11/23

Magnesium	982000		ng/l	1.0000E6		98.2	90-110			
Manganese	477000		ng/l	500000		95.3	90-110			
Molybdenum	49000		ng/l	50000		98.1	90-110			
Nickel	118000		ng/l	120000		98.1	90-110			
Phosphorus	186000		ng/l	200000		93.1	90-110			
Potassium	2.42E6		ng/l	2.5000E6		96.7	90-110			
Rubidium	9860		ng/l	10000		98.6	90-110			
Selenium	20000		ng/l	20000		99.9	90-110			
Sodium	2.47E6		ng/l	2.5000E6		98.8	90-110			
Strontium	48800		ng/l	50000		97.6	90-110			
Thallium	471		ng/l	500.00		94.2	90-110			
Thorium	482		ng/l	500.00		96.4	90-110			
Uranium	477		ng/l	500.00		95.5	90-110			
Vanadium	19500		ng/l	20000		97.5	90-110			
Zinc	507000		ng/l	500000		101	90-110			

Calibration Check (2312031-CCV3)

Prepared & Analyzed: 12/11/23

Aluminum	1.49E6		ng/l	1.5000E6		99.5	90-110			
Antimony	20300		ng/l	20000		101	90-110			
Arsenic	19800		ng/l	20000		99.2	90-110			
Barium	199000		ng/l	200000		99.3	90-110			
Beryllium	4560		ng/l	5000.0		91.3	90-110			
Cadmium	20100		ng/l	20000		101	90-110			
Calcium	2.46E7		ng/l	2.5000E7		98.4	90-110			
Chromium	246000		ng/l	240000		103	90-110			
Cobalt	49400		ng/l	50000		98.8	90-110			
Copper	2.01E6		ng/l	2.0000E6		100	90-110			
Iron	2.46E6		ng/l	2.5000E6		98.6	90-110			
Lead	197000		ng/l	200000		98.7	90-110			
Magnesium	1.00E6		ng/l	1.0000E6		100	90-110			
Manganese	487000		ng/l	500000		97.3	90-110			
Molybdenum	49200		ng/l	50000		98.4	90-110			
Nickel	120000		ng/l	120000		99.7	90-110			
Phosphorus	197000		ng/l	200000		98.6	90-110			
Potassium	2.43E6		ng/l	2.5000E6		97.2	90-110			
Rubidium	9930		ng/l	10000		99.3	90-110			
Selenium	20000		ng/l	20000		100	90-110			
Sodium	2.54E6		ng/l	2.5000E6		102	90-110			
Strontium	49700		ng/l	50000		99.3	90-110			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/14/23 10:47
 SUBMITTED: 12/06/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2312031 - B3L0605

Calibration Check (2312031-CCV3) Contin

Prepared & Analyzed: 12/11/23

Thallium	480		ng/l	500.00		96.0	90-110			
Thorium	496		ng/l	500.00		99.1	90-110			
Uranium	489		ng/l	500.00		97.7	90-110			
Vanadium	19900		ng/l	20000		99.6	90-110			
Zinc	517000		ng/l	500000		103	90-110			

Calibration Check (2312031-CCV4)

Prepared & Analyzed: 12/11/23

Aluminum	1.50E6		ng/l	1.5000E6		100	90-110			
Antimony	20500		ng/l	20000		102	90-110			
Arsenic	20000		ng/l	20000		99.9	90-110			
Barium	202000		ng/l	200000		101	90-110			
Beryllium	4550		ng/l	5000.0		91.1	90-110			
Cadmium	20300		ng/l	20000		102	90-110			
Calcium	2.49E7		ng/l	2.5000E7		99.6	90-110			
Chromium	254000		ng/l	240000		106	90-110			
Cobalt	49700		ng/l	50000		99.4	90-110			
Copper	2.02E6		ng/l	2.0000E6		101	90-110			
Iron	2.48E6		ng/l	2.5000E6		99.2	90-110			
Lead	200000		ng/l	200000		99.9	90-110			
Magnesium	1.00E6		ng/l	1.0000E6		100	90-110			
Manganese	491000		ng/l	500000		98.2	90-110			
Molybdenum	50300		ng/l	50000		101	90-110			
Nickel	120000		ng/l	120000		99.8	90-110			
Phosphorus	193000		ng/l	200000		96.7	90-110			
Potassium	2.45E6		ng/l	2.5000E6		97.9	90-110			
Rubidium	10100		ng/l	10000		101	90-110			
Selenium	20200		ng/l	20000		101	90-110			
Sodium	2.55E6		ng/l	2.5000E6		102	90-110			
Strontium	50300		ng/l	50000		101	90-110			
Thallium	485		ng/l	500.00		97.0	90-110			
Thorium	500		ng/l	500.00		100	90-110			
Uranium	498		ng/l	500.00		99.7	90-110			
Vanadium	20200		ng/l	20000		101	90-110			
Zinc	523000		ng/l	500000		105	90-110			

High Cal Check (2312031-HCV1)

Prepared & Analyzed: 12/11/23

Aluminum	2.93E6		ng/l	3.0000E6		97.6	95-105			
Antimony	39900		ng/l	40000		99.7	95-105			
Arsenic	39800		ng/l	40000		99.5	95-105			
Barium	400000		ng/l	400000		99.9	95-105			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/14/23 10:47
 SUBMITTED: 12/06/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2312031 - B3L0605

High Cal Check (2312031-HCV1) Continue

Prepared & Analyzed: 12/11/23

Beryllium	10300		ng/l	10000		103	95-105			
Cadmium	39300		ng/l	40000		98.3	95-105			
Calcium	4.93E7		ng/l	5.0000E7		98.7	95-105			
Chromium	473000		ng/l	480000		98.5	95-105			
Cobalt	98300		ng/l	100000		98.3	95-105			
Copper	3.94E6		ng/l	4.0000E6		98.5	95-105			
Iron	4.94E6		ng/l	5.0000E6		98.8	95-105			
Lead	397000		ng/l	400000		99.2	95-105			
Magnesium	1.96E6		ng/l	2.0000E6		97.9	95-105			
Manganese	986000		ng/l	1.0000E6		98.6	95-105			
Molybdenum	99400		ng/l	100000		99.4	95-105			
Nickel	235000		ng/l	240000		98.0	95-105			
Phosphorus	394000		ng/l	400000		98.5	95-105			
Potassium	4.90E6		ng/l	5.0000E6		98.1	95-105			
Rubidium	19900		ng/l	20000		99.3	95-105			
Selenium	39600		ng/l	40000		99.0	95-105			
Sodium	4.90E6		ng/l	5.0000E6		98.0	95-105			
Strontium	99600		ng/l	100000		99.6	95-105			
Thallium	995		ng/l	1000.0		99.5	95-105			
Thorium	990		ng/l	1000.0		99.0	95-105			
Uranium	996		ng/l	1000.0		99.6	95-105			
Vanadium	39600		ng/l	40000		99.1	95-105			
Zinc	1.02E6		ng/l	1.0000E6		102	95-105			

Initial Cal Blank (2312031-ICB1)

Prepared & Analyzed: 12/11/23

Aluminum	61.1		ng/l							
Antimony	1.48		ng/l							
Arsenic	-0.519		ng/l							U
Barium	3.07		ng/l							
Beryllium	1.36		ng/l							
Cadmium	0.359		ng/l							
Calcium	888		ng/l							
Chromium	5.64		ng/l							
Cobalt	0.725		ng/l							
Copper	77.3		ng/l							
Iron	99.8		ng/l							
Lead	7.11		ng/l							
Magnesium	0.0695		ng/l							
Manganese	8.48		ng/l							

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/14/23 10:47
 SUBMITTED: 12/06/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2312031 - B3L0605

Initial Cal Blank (2312031-ICB1) Continuu

Prepared & Analyzed: 12/11/23

Molybdenum	13.3		ng/l							
Nickel	0.0933		ng/l							
Phosphorus	-217		ng/l							U
Potassium	-1150		ng/l							U
Rubidium	0.811		ng/l							
Selenium	-2.72		ng/l							U
Sodium	-108		ng/l							U
Strontium	0.976		ng/l							
Thallium	0.339		ng/l							
Thorium	0.469		ng/l							
Uranium	-0.00424		ng/l							U
Vanadium	-32.0		ng/l							U
Zinc	-15.8		ng/l							U

Initial Cal Check (2312031-ICV1)

Prepared & Analyzed: 12/11/23

Aluminum	1.45E6		ng/l	1.5000E6		96.5	90-110			
Antimony	19500		ng/l	20000		97.3	90-110			
Arsenic	19500		ng/l	20000		97.5	90-110			
Barium	196000		ng/l	200000		98.0	90-110			
Beryllium	5090		ng/l	5000.0		102	90-110			
Cadmium	20100		ng/l	20000		101	90-110			
Calcium	2.40E7		ng/l	2.5000E7		96.1	90-110			
Chromium	246000		ng/l	240000		103	90-110			
Cobalt	49000		ng/l	50000		98.0	90-110			
Copper	1.97E6		ng/l	2.0000E6		98.6	90-110			
Iron	2.45E6		ng/l	2.5000E6		98.2	90-110			
Lead	193000		ng/l	200000		96.4	90-110			
Magnesium	967000		ng/l	1.0000E6		96.7	90-110			
Manganese	479000		ng/l	500000		95.9	90-110			
Molybdenum	48700		ng/l	50000		97.3	90-110			
Nickel	117000		ng/l	120000		97.8	90-110			
Phosphorus	190000		ng/l	200000		95.2	90-110			
Potassium	2.45E6		ng/l	2.5000E6		98.0	90-110			
Rubidium	9540		ng/l	10000		95.4	90-110			
Selenium	20200		ng/l	20000		101	90-110			
Sodium	2.48E6		ng/l	2.5000E6		99.2	90-110			
Strontium	49000		ng/l	50000		98.0	90-110			
Thallium	468		ng/l	500.00		93.7	90-110			
Thorium	474		ng/l	500.00		94.7	90-110			



CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/14/23 10:47
 SUBMITTED: 12/06/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2312031 - B3L0605

Initial Cal Check (2312031-ICV1) Continu

Prepared & Analyzed: 12/11/23

Uranium	479		ng/l	500.00		95.8	90-110			
Vanadium	19700		ng/l	20000		98.3	90-110			
Zinc	515000		ng/l	500000		103	90-110			

Interference Check A (2312031-IFA1)

Prepared & Analyzed: 12/11/23

Aluminum	1.45E7		ng/l	1.5000E7		96.4	80-120			
Antimony	0.00		ng/l				80-120			U
Arsenic	0.00		ng/l				80-120			U
Barium	0.00		ng/l				80-120			U
Beryllium	0.00		ng/l				80-120			U
Cadmium	0.00		ng/l				80-120			U
Calcium	9.11E7		ng/l	1.0040E8		90.8	80-120			
Chromium	0.00		ng/l				80-120			U
Cobalt	0.00		ng/l				80-120			U
Copper	0.00		ng/l				80-120			U
Iron	1.44E7		ng/l	1.5000E7		95.9	80-120			
Lead	0.00		ng/l				80-120			U
Magnesium	1.50E7		ng/l	1.5000E7		99.9	80-120			
Manganese	0.00		ng/l				80-120			U
Molybdenum	293000		ng/l	300000		97.6	80-120			
Nickel	0.00		ng/l				80-120			U
Phosphorus	1.55E7		ng/l	1.5000E7		104	80-120			
Potassium	1.43E7		ng/l	1.5000E7		95.1	80-120			
Rubidium	0.00		ng/l				80-120			U
Selenium	0.00		ng/l				80-120			U
Sodium	1.51E7		ng/l	1.5000E7		101	80-120			
Strontium	0.00		ng/l				80-120			U
Thallium	0.00		ng/l				80-120			U
Thorium	0.00		ng/l				80-120			U
Uranium	0.00		ng/l				80-120			U
Vanadium	0.00		ng/l				80-120			U
Zinc	0.00		ng/l				80-120			U

Interference Check B (2312031-IFB1)

Prepared & Analyzed: 12/11/23

Aluminum	1.58E7		ng/l	1.6500E7		96.0	80-120			
Antimony	19900		ng/l	20000		99.5	80-120			
Arsenic	20000		ng/l	20000		100	80-120			
Barium	202000		ng/l	200000		101	80-120			
Beryllium	4640		ng/l	5000.0		92.7	80-120			
Cadmium	19200		ng/l	20000		95.8	80-120			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/14/23 10:47
 SUBMITTED: 12/06/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2312031 - B3L0605

Interference Check B (2312031-IFB1) Co

Prepared & Analyzed: 12/11/23

Calcium	1.14E8		ng/l	1.2540E8		90.9	80-120			
Chromium	227000		ng/l	240000		94.4	80-120			
Cobalt	48200		ng/l	50000		96.4	80-120			
Copper	1.86E6		ng/l	2.0000E6		93.1	80-120			
Iron	1.66E7		ng/l	1.7500E7		95.1	80-120			
Lead	205000		ng/l	200000		102	80-120			
Magnesium	1.59E7		ng/l	1.6000E7		99.7	80-120			
Manganese	501000		ng/l	500000		100	80-120			
Molybdenum	341000		ng/l	350000		97.4	80-120			
Nickel	113000		ng/l	120000		93.8	80-120			
Phosphorus	1.58E7		ng/l	1.5200E7		104	80-120			
Potassium	1.69E7		ng/l	1.7500E7		96.3	80-120			
Rubidium	10100		ng/l	10000		101	80-120			
Selenium	18800		ng/l	20000		94.1	80-120			
Sodium	1.79E7		ng/l	1.7500E7		102	80-120			
Strontium	49900		ng/l	50000		99.9	80-120			
Thallium	516		ng/l	500.00		103	80-120			
Thorium	530		ng/l	500.00		106	80-120			
Uranium	539		ng/l	500.00		108	80-120			
Vanadium	19000		ng/l	20000		95.2	80-120			
Zinc	469000		ng/l	500000		93.7	80-120			

Batch B3L0804 - ICP-MS Extraction

Blank (B3L0804-BLK1)

Prepared: 12/08/23 Analyzed: 12/11/23

Aluminum	ND	32.1	ng/m ³ Air							U
Antimony	ND	0.0441	ng/m ³ Air							SL, U
Arsenic	ND	0.00955	ng/m ³ Air							U
Barium	ND	0.948	ng/m ³ Air							U
Beryllium	ND	0.00332	ng/m ³ Air							U
Cadmium	ND	0.109	ng/m ³ Air							U
Calcium	ND	292	ng/m ³ Air							GC-BS, QB-01
										U
Chromium	ND	2.03	ng/m ³ Air							U
Cobalt	ND	0.0156	ng/m ³ Air							QB-01, U
Copper	ND	3.00	ng/m ³ Air							QB-01, U
Iron	ND	24.2	ng/m ³ Air							U
Lead	ND	0.276	ng/m ³ Air							U
Magnesium	ND	96.4	ng/m ³ Air							U
Manganese	ND	1.19	ng/m ³ Air							U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/14/23 10:47
 SUBMITTED: 12/06/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B3L0804 - ICP-MS Extraction

Blank (B3L0804-BLK1) Continued

Prepared: 12/08/23 Analyzed: 12/11/23

Molybdenum	ND	0.213	ng/m ³ Air							QB-01, U
Nickel	ND	0.801	ng/m ³ Air							GC-BS, QB-01 U
Phosphorus	ND	1250	ng/m ³ Air							GC-BS, U
Potassium	ND	38.0	ng/m ³ Air							U
Rubidium	ND	0.0183	ng/m ³ Air							U
Selenium	ND	0.0110	ng/m ³ Air							U
Sodium	ND	2000	ng/m ³ Air							GC-BS, U
Strontium	ND	0.652	ng/m ³ Air							QB-01, U
Thallium	ND	5.03E-4	ng/m ³ Air							U
Thorium	ND	0.00300	ng/m ³ Air							U
Uranium	ND	0.0170	ng/m ³ Air							U
Vanadium	ND	0.0492	ng/m ³ Air							U
Zinc	ND	97.7	ng/m ³ Air							U

LCS (B3L0804-BS1)

Prepared: 12/08/23 Analyzed: 12/11/23

Aluminum	95.3	32.1	ng/m ³ Air	82.975		115	80-120			
Antimony	0.546	0.0441	ng/m ³ Air	1.3829		39.5	80-120			SL
Arsenic	2.75	0.00955	ng/m ³ Air	2.7658		99.6	80-120			
Barium	28.5	0.948	ng/m ³ Air	27.658		103	80-120			
Beryllium	1.33	0.00332	ng/m ³ Air	1.3829		95.9	80-120			
Cadmium	1.40	0.109	ng/m ³ Air	1.3829		102	80-120			
Calcium	528	292	ng/m ³ Air	69.146		764	80-120			GC-BS, QB-01
Chromium	16.4	2.03	ng/m ³ Air	13.829		118	80-120			
Cobalt	1.38	0.0156	ng/m ³ Air	1.3829		99.7	80-120			QB-01
Copper	34.2	3.00	ng/m ³ Air	27.658		124	80-120			QB-01
Iron	40.0	24.2	ng/m ³ Air	27.658		145	80-120			
Lead	13.7	0.276	ng/m ³ Air	13.829		98.9	80-120			
Magnesium	ND	96.4	ng/m ³ Air	27.658			80-120			U
Manganese	8.72	1.19	ng/m ³ Air	8.2975		105	80-120			
Molybdenum	1.67	0.213	ng/m ³ Air	1.3829		121	80-120			QB-01
Nickel	4.91	0.801	ng/m ³ Air	2.7658		178	80-120			GC-BS, QB-01
Phosphorus	ND	1250	ng/m ³ Air	13.829			80-120			GC-BS, U
Potassium	70.4	38.0	ng/m ³ Air	55.317		127	80-120			
Rubidium	1.35	0.0183	ng/m ³ Air	1.3829		97.4	80-120			
Selenium	2.78	0.0110	ng/m ³ Air	2.7658		100	80-120			
Sodium	ND	2000	ng/m ³ Air	55.317			80-120			GC-BS, U
Strontium	2.22	0.652	ng/m ³ Air	1.3829		160	80-120			QB-01
Thallium	0.131	5.03E-4	ng/m ³ Air	0.13829		94.7	80-120			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/14/23 10:47
 SUBMITTED: 12/06/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B3L0804 - ICP-MS Extraction

LCS (B3L0804-BS1) Continued

Prepared: 12/08/23 Analyzed: 12/11/23

Thorium	0.135	0.00300	ng/m ³ Air	0.13829		97.3	80-120			
Uranium	0.131	0.0170	ng/m ³ Air	0.13829		94.4	80-120			
Vanadium	2.80	0.0492	ng/m ³ Air	2.7658		101	80-120			
Zinc	108	97.7	ng/m ³ Air	82.975		130	80-120			

Duplicate (B3L0804-DUP1)

Source: 3120629-09

Prepared: 12/08/23 Analyzed: 12/11/23

Aluminum	178	25.6	ng/m ³ Air		177			0.500	10	
Antimony	ND	0.0352	ng/m ³ Air		ND				10	SL, U
Arsenic	0.0622	0.00762	ng/m ³ Air		0.0771			21.3	10	D-F
Barium	2.24	0.757	ng/m ³ Air		2.65			17.0	10	
Beryllium	0.00559	0.00265	ng/m ³ Air		0.00589			5.13	10	
Cadmium	ND	0.0870	ng/m ³ Air		ND				10	U
Calcium	435	233	ng/m ³ Air		436			0.314	10	GC-BS, QB-01
Chromium	ND	1.62	ng/m ³ Air		ND				10	U
Cobalt	0.0922	0.0124	ng/m ³ Air		0.0953			3.27	10	QB-01
Copper	18.7	2.39	ng/m ³ Air		17.8			4.65	10	QB-01
Iron	176	19.3	ng/m ³ Air		175			0.313	10	
Lead	ND	0.220	ng/m ³ Air		ND				10	U
Magnesium	122	76.9	ng/m ³ Air		121			0.736	10	
Manganese	4.84	0.950	ng/m ³ Air		4.80			0.838	10	
Molybdenum	0.964	0.170	ng/m ³ Air		0.962			0.154	10	QB-01
Nickel	1.67	0.639	ng/m ³ Air		1.13			38.4	10	GC-BS, QB-01
Phosphorus	ND	998	ng/m ³ Air		ND				10	GC-BS, U
Potassium	75.5	30.3	ng/m ³ Air		74.0			1.89	10	
Rubidium	0.0823	0.0146	ng/m ³ Air		0.0850			3.28	10	
Selenium	0.0966	0.00878	ng/m ³ Air		0.0985			1.94	10	
Sodium	ND	1600	ng/m ³ Air		ND				10	GC-BS, U
Strontium	2.08	0.520	ng/m ³ Air		2.04			2.00	10	QB-01
Thallium	4.50E-4	4.01E-4	ng/m ³ Air		4.58E-4			1.78	10	
Thorium	0.00460	0.00239	ng/m ³ Air		0.00469			2.00	10	
Uranium	ND	0.0136	ng/m ³ Air		ND				10	U
Vanadium	0.536	0.0393	ng/m ³ Air		0.531			1.03	10	
Zinc	ND	78.0	ng/m ³ Air		ND				10	U

Duplicate (B3L0804-DUP2)

Source: 3120629-15

Prepared: 12/08/23 Analyzed: 12/11/23

Aluminum	98.3	28.3	ng/m ³ Air		97.2			1.09	10	
Antimony	0.0549	0.0389	ng/m ³ Air		0.0558			1.55	10	SL
Arsenic	0.0783	0.00843	ng/m ³ Air		0.0799			2.05	10	
Barium	2.88	0.837	ng/m ³ Air		2.88			0.121	10	
Beryllium	0.00428	0.00293	ng/m ³ Air		0.00439			2.43	10	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/14/23 10:47
 SUBMITTED: 12/06/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B3L0804 - ICP-MS Extraction

Duplicate (B3L0804-DUP2) Continued **Source: 3120629-15** Prepared: 12/08/23 Analyzed: 12/11/23

Cadmium	ND	0.0962	ng/m ³ Air	ND				10	U	
Calcium	466	258	ng/m ³ Air	471			1.12	10		GC-BS, QB-01
Chromium	1.91	1.79	ng/m ³ Air	1.91			0.0787	10		
Cobalt	0.0853	0.0138	ng/m ³ Air	0.0855			0.310	10		QB-01
Copper	35.0	2.65	ng/m ³ Air	34.3			2.04	10		QB-01
Iron	135	21.4	ng/m ³ Air	135			0.0815	10		
Lead	ND	0.244	ng/m ³ Air	ND				10		U
Magnesium	183	85.1	ng/m ³ Air	184			0.324	10		
Manganese	3.86	1.05	ng/m ³ Air	3.84			0.405	10		
Molybdenum	1.18	0.188	ng/m ³ Air	1.17			0.980	10		QB-01
Nickel	0.721	0.707	ng/m ³ Air	0.713			1.12	10		GC-BS, QB-01
Phosphorus	ND	1100	ng/m ³ Air	ND				10		GC-BS, U
Potassium	84.2	33.6	ng/m ³ Air	84.0			0.286	10		
Rubidium	0.0909	0.0162	ng/m ³ Air	0.0903			0.746	10		
Selenium	0.135	0.00971	ng/m ³ Air	0.135			0.472	10		
Sodium	1800	1770	ng/m ³ Air	1790			0.532	10		E, GC-BS
Strontium	2.12	0.576	ng/m ³ Air	2.12			0.113	10		QB-01
Thallium	5.96E-4	4.44E-4	ng/m ³ Air	6.27E-4			5.10	10		
Thorium	0.00520	0.00265	ng/m ³ Air	0.00530			1.99	10		
Uranium	ND	0.0150	ng/m ³ Air	ND				10		U
Vanadium	0.711	0.0434	ng/m ³ Air	0.704			0.916	10		
Zinc	ND	86.3	ng/m ³ Air	ND				10		U

Matrix Spike (B3L0804-MS1) **Source: 3120629-09** Prepared: 12/08/23 Analyzed: 12/11/23

Aluminum	259	25.6	ng/m ³ Air	66.215	177	124	80-120			QM-07
Antimony	0.490	0.0352	ng/m ³ Air	1.1036	ND	44.4	80-120			SL
Arsenic	2.24	0.00762	ng/m ³ Air	2.2072	0.0771	98.2	80-120			
Barium	24.5	0.757	ng/m ³ Air	22.072	2.65	98.8	80-120			
Beryllium	1.06	0.00265	ng/m ³ Air	1.1036	0.00589	95.9	80-120			
Cadmium	1.11	0.0870	ng/m ³ Air	1.1036	ND	100	80-120			
Calcium	501	233	ng/m ³ Air	55.179	436	117	80-120			GC-BS, QB-01
Chromium	13.0	1.62	ng/m ³ Air	11.036	ND	118	80-120			
Cobalt	1.17	0.0124	ng/m ³ Air	1.1036	0.0953	97.3	80-120			QB-01
Copper	44.0	2.39	ng/m ³ Air	22.072	17.8	119	80-120			QB-01
Iron	211	19.3	ng/m ³ Air	22.072	175	159	80-120			QM-4X
Lead	11.0	0.220	ng/m ³ Air	11.036	ND	100	80-120			
Magnesium	148	76.9	ng/m ³ Air	22.072	121	119	80-120			
Manganese	12.1	0.950	ng/m ³ Air	6.6215	4.80	110	80-120			
Molybdenum	2.09	0.170	ng/m ³ Air	1.1036	0.962	102	80-120			QB-01

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/14/23 10:47
 SUBMITTED: 12/06/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B3L0804 - ICP-MS Extraction

Matrix Spike (B3L0804-MS1) Continued Source: 3120629-09 Prepared: 12/08/23 Analyzed: 12/11/23

Nickel	3.08	0.639	ng/m ³ Air	2.2072	1.13	88.4	80-120			GC-BS, QB-01
Phosphorus	ND	998	ng/m ³ Air	11.036	ND		80-120			GC-BS, QM-4X, U
Potassium	118	30.3	ng/m ³ Air	44.143	74.0	100	80-120			
Rubidium	1.14	0.0146	ng/m ³ Air	1.1036	0.0850	95.7	80-120			
Selenium	2.30	0.00878	ng/m ³ Air	2.2072	0.0985	99.6	80-120			
Sodium	ND	1600	ng/m ³ Air	44.143	ND		80-120			GC-BS, QM-4X, U
Strontium	3.25	0.520	ng/m ³ Air	1.1036	2.04	110	80-120			QB-01
Thallium	0.105	4.01E-4	ng/m ³ Air	0.11036	4.58E-4	94.7	80-120			
Thorium	0.0518	0.00239	ng/m ³ Air	0.11036	0.00469	42.7	80-120			QM-07
Uranium	0.109	0.0136	ng/m ³ Air	0.11036	ND	98.5	80-120			
Vanadium	2.76	0.0393	ng/m ³ Air	2.2072	0.531	101	80-120			
Zinc	82.4	78.0	ng/m ³ Air	66.215	ND	124	80-120			

Matrix Spike Dup (B3L0804-MSD1) Source: 3120629-09 Prepared: 12/08/23 Analyzed: 12/11/23

Aluminum	254	25.6	ng/m ³ Air	66.215	177	116	80-120	2.14	20	
Antimony	0.493	0.0352	ng/m ³ Air	1.1036	ND	44.7	80-120	0.512	20	SL
Arsenic	2.22	0.00762	ng/m ³ Air	2.2072	0.0771	96.9	80-120	1.27	20	
Barium	24.3	0.757	ng/m ³ Air	22.072	2.65	97.9	80-120	0.852	20	
Beryllium	1.05	0.00265	ng/m ³ Air	1.1036	0.00589	94.7	80-120	1.23	20	
Cadmium	1.10	0.0870	ng/m ³ Air	1.1036	ND	100	80-120	0.197	20	
Calcium	496	233	ng/m ³ Air	55.179	436	109	80-120	0.986	20	GC-BS, QB-01
Chromium	12.8	1.62	ng/m ³ Air	11.036	ND	116	80-120	1.51	20	
Cobalt	1.16	0.0124	ng/m ³ Air	1.1036	0.0953	96.8	80-120	0.547	20	QB-01
Copper	44.4	2.39	ng/m ³ Air	22.072	17.8	120	80-120	0.771	20	QB-01, QM-07
Iron	208	19.3	ng/m ³ Air	22.072	175	147	80-120	1.20	20	QM-4X
Lead	10.9	0.220	ng/m ³ Air	11.036	ND	99.0	80-120	1.05	20	
Magnesium	142	76.9	ng/m ³ Air	22.072	121	94.5	80-120	3.69	20	
Manganese	11.9	0.950	ng/m ³ Air	6.6215	4.80	107	80-120	1.61	20	
Molybdenum	2.09	0.170	ng/m ³ Air	1.1036	0.962	102	80-120	0.172	20	QB-01
Nickel	2.96	0.639	ng/m ³ Air	2.2072	1.13	82.7	80-120	4.22	20	GC-BS, QB-01
Phosphorus	ND	998	ng/m ³ Air	11.036	ND		80-120		20	GC-BS, QM-4X, U
Potassium	117	30.3	ng/m ³ Air	44.143	74.0	97.2	80-120	1.07	20	
Rubidium	1.12	0.0146	ng/m ³ Air	1.1036	0.0850	93.8	80-120	1.90	20	
Selenium	2.24	0.00878	ng/m ³ Air	2.2072	0.0985	96.9	80-120	2.63	20	
Sodium	ND	1600	ng/m ³ Air	44.143	ND		80-120		20	GC-BS, U
Strontium	3.18	0.520	ng/m ³ Air	1.1036	2.04	104	80-120	2.13	20	QB-01
Thallium	0.104	4.01E-4	ng/m ³ Air	0.11036	4.58E-4	93.4	80-120	1.40	20	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/14/23 10:47
 SUBMITTED: 12/06/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B3L0804 - ICP-MS Extraction

Matrix Spike Dup (B3L0804-MSD1) ContirSource: 3120629-09 Prepared: 12/08/23 Analyzed: 12/11/23

Thorium	0.0515	0.00239	ng/m ³ Air	0.11036	0.00469	42.4	80-120	0.583	20	QM-07
Uranium	0.107	0.0136	ng/m ³ Air	0.11036	ND	96.8	80-120	1.73	20	
Vanadium	2.72	0.0393	ng/m ³ Air	2.2072	0.531	99.3	80-120	1.29	20	
Zinc	81.7	78.0	ng/m ³ Air	66.215	ND	123	80-120	0.879	20	

Post Spike (B3L0804-PS1) Source: 3120629-09 Prepared: 12/08/23 Analyzed: 12/11/23

Aluminum	199	25.6	ng/m ³ Air	22.072	177	97.9	75-125			
Antimony	0.241	0.0352	ng/m ³ Air	0.22072	ND	109	75-125			SL
Arsenic	1.13	0.00762	ng/m ³ Air	1.1036	0.0771	95.5	75-125			
Barium	4.84	0.757	ng/m ³ Air	2.2072	2.65	98.9	75-125			
Beryllium	0.204	0.00265	ng/m ³ Air	0.22072	0.00589	89.6	75-125			
Cadmium	0.117	0.0870	ng/m ³ Air	0.11036	ND	106	75-125			
Calcium	467	233	ng/m ³ Air	22.072	436	141	75-125			A-01, GC-BS, QB-01
Chromium	2.62	1.62	ng/m ³ Air	1.1036	ND	237	75-125			
Cobalt	0.306	0.0124	ng/m ³ Air	0.22072	0.0953	95.6	75-125			QB-01
Copper	29.5	2.39	ng/m ³ Air	11.036	17.8	106	75-125			QB-01
Iron	197	19.3	ng/m ³ Air	22.072	175	97.2	75-125			
Lead	21.4	0.220	ng/m ³ Air	22.072	ND	96.9	75-125			
Magnesium	143	76.9	ng/m ³ Air	22.072	121	95.5	75-125			
Manganese	6.98	0.950	ng/m ³ Air	2.2072	4.80	98.5	75-125			
Molybdenum	2.02	0.170	ng/m ³ Air	1.1036	0.962	96.3	75-125			QB-01
Nickel	3.24	0.639	ng/m ³ Air	2.2072	1.13	95.4	75-125			GC-BS, QB-01
Phosphorus	ND	998	ng/m ³ Air	4.4143	ND		75-125			A-01, GC-BS, U
Potassium	93.9	30.3	ng/m ³ Air	22.072	74.0	90.1	75-125			
Rubidium	0.184	0.0146	ng/m ³ Air	0.11036	0.0850	89.8	75-125			
Selenium	1.17	0.00878	ng/m ³ Air	1.1036	0.0985	97.0	75-125			
Sodium	ND	1600	ng/m ³ Air	22.072	ND		75-125			A-01, GC-BS, U
Strontium	3.10	0.520	ng/m ³ Air	1.1036	2.04	95.8	75-125			QB-01
Thallium	0.0512	4.01E-4	ng/m ³ Air	5.5179E-2	4.58E-4	91.9	75-125			
Thorium	0.0525	0.00239	ng/m ³ Air	5.5179E-2	0.00469	86.7	75-125			
Uranium	0.0548	0.0136	ng/m ³ Air	5.5179E-2	ND	99.3	75-125			
Vanadium	1.59	0.0393	ng/m ³ Air	1.1036	0.531	96.2	75-125			
Zinc	ND	78.0	ng/m ³ Air	22.072	ND		75-125			U

Dilution Check (B3L0804-SRL1) Source: 3120629-09 Prepared: 12/08/23 Analyzed: 12/11/23

Aluminum	175	128	ng/m ³ Air		177			1.43	10	
Antimony	ND	0.176	ng/m ³ Air		ND				10	SL, U
Arsenic	0.0812	0.0381	ng/m ³ Air		0.0771			5.23	10	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
ATTN: Ms. Chelsea Saber
PHONE: (703) 885-5495 **FAX:**

FILE #: 0000.00
REPORTED: 12/14/23 10:47
SUBMITTED: 12/06/23
AQS SITE CODE:
SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B3L0804 - ICP-MS Extraction

Dilution Check (B3L0804-SRL1) Continue Source: 3120629-09 Prepared: 12/08/23 Analyzed: 12/11/23

Barium	ND	3.78	ng/m ³ Air		ND				10	U
Beryllium	0.0138	0.0132	ng/m ³ Air		ND			80.2	10	
Cadmium	ND	0.435	ng/m ³ Air		ND				10	U
Calcium	ND	1170	ng/m ³ Air		ND				10	GC-BS, QB-01 U
Chromium	ND	8.10	ng/m ³ Air		ND				10	U
Cobalt	0.0955	0.0622	ng/m ³ Air		0.0953			0.247	10	QB-01
Copper	17.9	12.0	ng/m ³ Air		17.8			0.483	10	QB-01
Iron	172	96.6	ng/m ³ Air		175			1.77	10	
Lead	ND	1.10	ng/m ³ Air		ND				10	U
Magnesium	ND	385	ng/m ³ Air		ND				10	U
Manganese	4.75	4.75	ng/m ³ Air		4.80			1.13	10	
Molybdenum	0.965	0.850	ng/m ³ Air		0.962			0.292	10	QB-01
Nickel	ND	3.20	ng/m ³ Air		ND				10	GC-BS, QB-01 U
Phosphorus	ND	4990	ng/m ³ Air		ND				10	GC-BS, U
Potassium	ND	152	ng/m ³ Air		ND				10	U
Rubidium	0.0825	0.0730	ng/m ³ Air		0.0850			2.95	10	
Selenium	0.0910	0.0439	ng/m ³ Air		0.0985			7.87	10	
Sodium	ND	7980	ng/m ³ Air		ND				10	GC-BS, U
Strontium	ND	2.60	ng/m ³ Air		ND				10	QB-01, U
Thallium	0.00209	0.00201	ng/m ³ Air		ND			128	10	
Thorium	ND	0.0120	ng/m ³ Air		ND				10	U
Uranium	ND	0.0678	ng/m ³ Air		ND				10	U
Vanadium	0.532	0.196	ng/m ³ Air		0.531			0.290	10	
Zinc	ND	390	ng/m ³ Air		ND				10	U



CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
1777 Sentry Pkwy, Bldg 12
Blue Bell, PA 19422

ATTN: Ms. Chelsea Saber

PHONE: (703) 885-5495 **FAX:**

FILE #: 0000.00

REPORTED: 12/14/23 10:47

SUBMITTED: 12/06/23

AQS SITE CODE:

SITE CODE: Maui fires

Notes and Definitions

- U Under Detection Limit
- SL The spike recovery was outside acceptance limits. Reported value may be biased low.
- QM-4X The MS/MSD recovery exceeds criteria because the parent sample concentration is greater than 4x the spike concentration. Sample results for the QC batch were accepted based on acceptable BS/BSD recoveries.
- QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
- QB-01 Analyte exceeds method blank criteria
- GC-BS Compound exceeds Blank Spike Criteria
- FB-01 Analyte exceeds Field Blank criteria.
- E The concentration indicated for this analyte is an estimated value above the calibration range of the instrument. This value is considered an estimate (CLP E-flag).
- D-F Duplicate exceeds DQO criteria.
- A-01 Parent sample >4x spike amount
- ND Analyte NOT DETECTED
- NR Not Reported
- MDL Method Detection Limit
- RPD Relative Percent Difference

Note: This test is accredited under the 2016 TNI Standard.

Stage 1 Data Verification Checklist – Metals
HDOH CAB – Ambient Community Air Sampling – Kula
Task Order No. 23141

Reviewed by:

Talaith Isaacs 12/15/2023 & Shanna Vasser 12/15/2023

Laboratory: Eastern Research Group, Inc. – Morrisville, NC

Analysis date: 12/11/2023

Report No: 3120629


- 1. Chain of custody (CoC) documentation is present.
- 2. Sample receipt condition information is present and acceptable.
- 3. Laboratory conducting the analysis is identified.
- 4. All samples submitted to the laboratory are accounted for.
- 5. Requested analytical methods were performed.
- 6. Analysis dates are provided.
- 7. Analyte results are provided.
- 8. Result qualifiers and definitions are provided.
- 9. Result units are reported.
- 10. Requested reporting limits are present.
- 11. Method detection limits are present.
- 12. Sample collection date and time are present.

Discrepancies: None

Notes:

2. No sample receipt information was presented by the laboratory.

10. No reporting limits were included in this data package.



Eastern Research Group
601 Keystone Park Drive
Suite 700
Morrisville, NC 27560

December 19, 2023

Ms. Chelsea Saber
Tetra Tech, Inc.
1777 Sentry Pkwy, Bldg 12
Blue Bell, PA 19422
Project Name: Maui fires

Dear Ms. Chelsea Saber,

This report contains the analytical results for the sample(s) received under chain(s) of custody by Eastern Research Group on 12/11/23 11:34 through 12/13/23 13:27.

Values below the MDL for QC results in this report are recorded as ND, however the actual values are reported in the accompanying Excel report with a "U" flag (Under the detection limit). The actual values are reported in AQS.

This test is accredited under the 2016 TNI Standard for Environmental Laboratories (FL DOH Certification # E87673). All analyses were performed as described in the US EPA-approved QAPP, under the contract for National Hazardous Air Pollutant Support (US EPA Contract No. 68HERH22D0002). This cover page is an integral part of this report, and any exceptions or comments are noted on the last page.

Release of the data contained in this data package and in the data submitted in the electronic data deliverable, has been authorized by the Program Manager, or the Program Manager's designee as verified by the following signature.

The issuance of the final Certificate of Analysis takes precedence over any previous Report. If you have any questions, please contact me at 919-468-7924.

Sincerely,

Julie Swift
Program Manager
julie.swift@erg.com

The information contained in this report and its attachment(s) are intended only for the use of the individual to whom it is addressed and may contain information that is privileged, confidential, or exempt from disclosure. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this report is strictly prohibited. If you have received this report in error, please notify julie.swift@erg.com and delete the report without retaining any copies.

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
1777 Sentry Pkwy, Bldg 12
Blue Bell, PA 19422

ATTN: Ms. Chelsea Saber

PHONE: (703) 885-5495 **FAX:**

FILE #: 0000.00

REPORTED: 12/19/23 10:54

SUBMITTED: 12/11/23 to 12/13/23

AQS SITE CODE:

SITE CODE: Maui fires

ANALYTICAL REPORT FOR SAMPLES

<u>SampleName</u>	<u>LabNumber</u>	<u>Matrix</u>	<u>Sampled</u>	<u>Received</u>
TetraTech Q9543005	3121111-01	Air	12/04/23 23:59	12/11/23 11:34
TetraTech Q9543004	3121111-02	Air	12/04/23 23:59	12/11/23 11:34
TetraTech Q9543002	3121111-03	Air	12/04/23 23:59	12/11/23 11:34
TetraTech Q9542995 FB	3121111-04	Air	12/04/23 00:00	12/11/23 11:34
TetraTech Q9542999	3121111-05	Air	12/05/23 23:59	12/11/23 11:34
TetraTech Q9542997	3121111-06	Air	12/05/23 23:59	12/11/23 11:34
TetraTech Q9542996	3121111-07	Air	12/05/23 23:59	12/11/23 11:34
TetraTech Q9542989 FB	3121111-08	Air	12/05/23 00:00	12/11/23 11:34
TetraTech Q9542993	3121111-09	Air	12/06/23 23:59	12/11/23 11:34
TetraTech Q9542992	3121111-10	Air	12/06/23 23:59	12/11/23 11:34
TetraTech Q9542991	3121111-11	Air	12/06/23 23:59	12/11/23 11:34
TetraTech Q9542984 FB	3121111-12	Air	12/06/23 00:00	12/11/23 11:34
TetraTech Q9542988	3121332-01	Air	12/07/23 23:59	12/13/23 13:27
TetraTech Q9542986	3121332-02	Air	12/07/23 23:59	12/13/23 13:27
TetraTech Q9542985	3121332-03	Air	12/07/23 23:59	12/13/23 13:27
TetraTech Q9541906	3121332-04	Air	12/08/23 23:59	12/13/23 13:27
TetraTech Q9542982	3121332-05	Air	12/08/23 23:59	12/13/23 13:27
TetraTech Q9542983	3121332-06	Air	12/08/23 23:59	12/13/23 13:27
TetraTech Q9533914	3121332-07	Air	12/09/23 23:59	12/13/23 13:27
TetraTech Q9533913	3121332-08	Air	12/09/23 23:59	12/13/23 13:27
TetraTech Q9533928	3121332-09	Air	12/09/23 23:59	12/13/23 13:27

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
1777 Sentry Pkwy, Bldg 12
Blue Bell, PA 19422

ATTN: Ms. Chelsea Saber

PHONE: (703) 885-5495 **FAX:**

TetraTech Q9533920 FB	3121332-10	Air	12/09/23 00:00	12/13/23 13:27
TetraTech Q9533933 LB	3121332-11	Air	12/09/23 00:00	12/13/23 13:27
TetraTech Q9533927	3121332-12	Air	12/10/23 23:59	12/13/23 13:27
TetraTech Q9533925	3121332-13	Air	12/10/23 23:59	12/13/23 13:27
TetraTech Q9533924	3121332-14	Air	12/10/23 23:59	12/13/23 13:27
TetraTech Q9533929 FB	3121332-15	Air	12/10/23 00:00	12/13/23 13:27

FILE #: 0000.00

REPORTED: 12/19/23 10:54

SUBMITTED: 12/11/23 to 12/13/23

AQS SITE CODE:

SITE CODE: Maui fires

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/19/23 10:54
 SUBMITTED: 12/11/23 to 12/13/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Description: TetraTech Q9543005 **Lab ID:** 3121111-01 **Sampled:** 12/04/23 23:59
Matrix: Air **Sample Volume:** 1913.94 m³ **Received:** 12/11/23 11:34
Filter ID: **Analysis Date:** 12/13/23 19:38
Comments: MFK-AM01-120423-HM

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>	
Aluminum	7429-90-5	1420	E	27.3	
Antimony	7440-36-0	0.0524	SL	0.0375	
Arsenic	7440-38-2	0.208		0.00812	
Barium	7440-39-3	9.54		0.806	
Beryllium	7440-41-7	0.0381		0.00282	
Cadmium	7440-43-9	0.0134	U	0.0927	
Calcium	7440-70-2	701	LJ, QB-01	248	
Chromium	7440-47-3	2.45		1.73	
Cobalt	7440-48-4	0.474	QB-01	0.0133	
Copper	7440-50-8	18.4		2.55	
Lead	7439-92-1	0.417		0.235	
Magnesium	7439-95-4	186		81.9	
Manganese	7439-96-5	32.9	QB-01	1.01	
Molybdenum	7439-98-7	0.975	QB-01	0.181	
Nickel	7440-02-0	0.915		0.681	
Phosphorus	7723-14-0	440	U, GC-BS	1060	
Potassium	7440-09-7	136		32.3	
Rubidium	7440-17-7	0.332		0.0156	
Selenium	7782-49-2	0.268		0.00935	
Sodium	7440-23-5	1240	GC-BS, U	1700	
Strontium	7440-24-6	6.96	QB-01	0.554	
Thallium	7440-28-0	0.00204		4.28E-4	
Thorium	7440-29-01	0.0308		0.00255	
Uranium	7440-61-1	0.0257		0.0145	
Vanadium	7440-62-2	3.37	QB-01	0.0418	
Zinc	7440-66-6	13.5	U	83.1	

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
1777 Sentry Pkwy, Bldg 12
Blue Bell, PA 19422
ATTN: Ms. Chelsea Saber

PHONE: (703) 885-5495 FAX:

FILE #: 0000.00

REPORTED: 12/19/23 10:54

SUBMITTED: 12/11/23 to 12/13/23

AQS SITE CODE:

SITE CODE: Maui fires

Description: TetraTech Q9543005 **Lab ID:** 3121111-01RE1 **Sampled:** 12/04/23 23:59
Matrix: Air **Sample Volume:** 1913.94 m³ **Received:** 12/11/23 11:34
Filter ID: **Analysis Date:** 12/15/23 02:50

Comments: MFK-AM01-120423-HM

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u> <u>ng/m³ Air</u>	<u>Flag</u>	<u>MDL</u> <u>ng/m³ Air</u>
Iron	7439-89-6	1380	D	41.1

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/19/23 10:54
 SUBMITTED: 12/11/23 to 12/13/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Description: TetraTech Q9543004 **Lab ID:** 3121111-02 **Sampled:** 12/04/23 23:59
Matrix: Air **Sample Volume:** 1968.659 m³ **Received:** 12/11/23 11:34
Filter ID: **Analysis Date:** 12/13/23 16:53
Comments: MFK-AM02-120423-HM/MS/MSD

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>	
Aluminum	7429-90-5	159		26.5	
Antimony	7440-36-0	0.0779	SL	0.0364	
Arsenic	7440-38-2	0.176		0.00789	
Barium	7440-39-3	3.44		0.783	
Beryllium	7440-41-7	0.00625		0.00274	
Cadmium	7440-43-9	0.0118	U	0.0901	
Calcium	7440-70-2	467	LJ, QB-01	241	
Chromium	7440-47-3	1.65	U	1.68	
Cobalt	7440-48-4	0.117	QB-01	0.0129	
Copper	7440-50-8	18.5		2.48	
Iron	7439-89-6	185	GC-BS, QM-4X	20.0	
Lead	7439-92-1	0.202	U	0.228	
Magnesium	7439-95-4	136		79.7	
Manganese	7439-96-5	5.13	QB-01	0.983	
Molybdenum	7439-98-7	0.890	QB-01	0.176	
Nickel	7440-02-0	0.533	U, LJ, QX	0.662	
Phosphorus	7723-14-0	370	U, GC-BS, QM-4X	1030	
Potassium	7440-09-7	85.5		31.4	
Rubidium	7440-17-7	0.112		0.0151	
Selenium	7782-49-2	0.104		0.00909	
Sodium	7440-23-5	1340	U, GC-BS, QM-4X	1650	
Strontium	7440-24-6	2.18	QB-01	0.539	
Thallium	7440-28-0	6.19E-4		4.16E-4	
Thorium	7440-29-01	0.00662	QM-07	0.00248	
Uranium	7440-61-1	0.00526	U	0.0140	
Vanadium	7440-62-2	0.660	QB-01	0.0407	
Zinc	7440-66-6	18.1	U	80.7	

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/19/23 10:54
 SUBMITTED: 12/11/23 to 12/13/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Description: TetraTech Q9543002 **Lab ID:** 3121111-03 **Sampled:** 12/04/23 23:59
Matrix: Air **Sample Volume:** 1668.824 m³ **Received:** 12/11/23 11:34
Filter ID: **Analysis Date:** 12/13/23 19:52
Comments: MFK-AM03-120423-HM

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>	
Aluminum	7429-90-5	148		31.3	
Antimony	7440-36-0	0.0734	SL	0.0430	
Arsenic	7440-38-2	0.114		0.00931	
Barium	7440-39-3	3.93		0.924	
Beryllium	7440-41-7	0.00722		0.00324	
Cadmium	7440-43-9	0.00793	U	0.106	
Calcium	7440-70-2	521	LJ, QB-01	285	
Chromium	7440-47-3	1.91	U	1.98	
Cobalt	7440-48-4	0.111	QB-01	0.0152	
Copper	7440-50-8	33.1		2.92	
Iron	7439-89-6	195	GC-BS	23.6	
Lead	7439-92-1	0.211	U	0.269	
Magnesium	7439-95-4	166		94.0	
Manganese	7439-96-5	5.87	QB-01	1.16	
Molybdenum	7439-98-7	1.05	QB-01	0.208	
Nickel	7440-02-0	0.538	U	0.781	
Phosphorus	7723-14-0	441	U, GC-BS	1220	
Potassium	7440-09-7	92.1		37.0	
Rubidium	7440-17-7	0.114		0.0178	
Selenium	7782-49-2	0.115		0.0107	
Sodium	7440-23-5	1610	U, GC-BS	1950	
Strontium	7440-24-6	2.44	QB-01	0.636	
Thallium	7440-28-0	5.76E-4		4.90E-4	
Thorium	7440-29-01	0.00695		0.00292	
Uranium	7440-61-1	0.00587	U	0.0166	
Vanadium	7440-62-2	0.688	QB-01	0.0480	
Zinc	7440-66-6	16.0	U	95.3	

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/19/23 10:54
 SUBMITTED: 12/11/23 to 12/13/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Description: TetraTech Q9542995 FB **Lab ID:** 3121111-04 **Sampled:** 12/04/23 00:00
Matrix: Air **Sample Volume:** 1913.94 m³ **Received:** 12/11/23 11:34
Filter ID: **Analysis Date:** 12/13/23 20:06

Comments: MFK-FB01-120423-HM Field blank

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>	
Aluminum	7429-90-5	9.28	U	27.3	
Antimony	7440-36-0	0.00725	SL, U	0.0375	
Arsenic	7440-38-2	0.00186	U	0.00812	
Barium	7440-39-3	0.609	U	0.806	
Beryllium	7440-41-7	9.42E-4	U	0.00282	
Cadmium	7440-43-9	0.00239	U	0.0927	
Calcium	7440-70-2	344	FB-01, LJ, QB-01	248	
Chromium	7440-47-3	1.50	U	1.73	
Cobalt	7440-48-4	0.0265	FB-01, QB-01	0.0133	
Copper	7440-50-8	0.296	U	2.55	
Iron	7439-89-6	15.9	GC-BS, U	20.6	
Lead	7439-92-1	0.0553	U	0.235	
Magnesium	7439-95-4	42.8	U	81.9	
Manganese	7439-96-5	0.900	QB-01, U	1.01	
Molybdenum	7439-98-7	0.245	FB-01, QB-01	0.181	
Nickel	7440-02-0	0.309	U	0.681	
Phosphorus	7723-14-0	337	GC-BS, U	1060	
Potassium	7440-09-7	11.6	U	32.3	
Rubidium	7440-17-7	0.0141	U	0.0156	
Selenium	7782-49-2	0.00358	U	0.00935	
Sodium	7440-23-5	699	GC-BS, U	1700	
Strontium	7440-24-6	0.698	FB-01, QB-01	0.554	
Thallium	7440-28-0	6.24E-5	U	4.28E-4	
Thorium	7440-29-01	0.00219	U	0.00255	
Uranium	7440-61-1	0.00171	U	0.0145	
Vanadium	7440-62-2	0.0433	FB-01, QB-01	0.0418	
Zinc	7440-66-6	8.64	U	83.1	

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/19/23 10:54
 SUBMITTED: 12/11/23 to 12/13/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Description: TetraTech Q9542999 **Lab ID:** 3121111-05 **Sampled:** 12/05/23 23:59
Matrix: Air **Sample Volume:** 1986.678 m³ **Received:** 12/11/23 11:34
Filter ID: **Analysis Date:** 12/13/23 20:20
Comments: MFK-AM01-120523-HM

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>	
Aluminum	7429-90-5	1900	E	26.3	
Antimony	7440-36-0	0.0469	SL	0.0361	
Arsenic	7440-38-2	0.212		0.00782	
Barium	7440-39-3	11.9		0.776	
Beryllium	7440-41-7	0.0514		0.00272	
Cadmium	7440-43-9	0.0174	U	0.0893	
Calcium	7440-70-2	664	LJ, QB-01	239	
Chromium	7440-47-3	2.87		1.66	
Cobalt	7440-48-4	0.689	QB-01	0.0128	
Copper	7440-50-8	20.0		2.46	
Lead	7439-92-1	0.539		0.226	
Magnesium	7439-95-4	178		78.9	
Manganese	7439-96-5	49.3	QB-01	0.975	
Molybdenum	7439-98-7	0.702	QB-01	0.174	
Nickel	7440-02-0	0.973		0.656	
Phosphorus	7723-14-0	439	GC-BS, U	1020	
Potassium	7440-09-7	87.0		31.1	
Rubidium	7440-17-7	0.339		0.0150	
Selenium	7782-49-2	0.305		0.00901	
Sodium	7440-23-5	1150	GC-BS, U	1640	
Strontium	7440-24-6	7.08	QB-01	0.534	
Thallium	7440-28-0	0.00261		4.12E-4	
Thorium	7440-29-01	0.0389		0.00246	
Uranium	7440-61-1	0.0334		0.0139	
Vanadium	7440-62-2	4.23	QB-01	0.0403	
Zinc	7440-66-6	15.2	U	80.0	

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
1777 Sentry Pkwy, Bldg 12
Blue Bell, PA 19422
ATTN: Ms. Chelsea Saber
PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
REPORTED: 12/19/23 10:54
SUBMITTED: 12/11/23 to 12/13/23
AQS SITE CODE:
SITE CODE: Maui fires

Description: TetraTech Q9542999 **Lab ID:** 3121111-05RE1 **Sampled:** 12/05/23 23:59
Matrix: Air **Sample Volume:** 1986.678 m³ **Received:** 12/11/23 11:34
Filter ID: **Analysis Date:** 12/15/23 03:04

Comments: MFK-AM01-120523-HM

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u> <u>ng/m³ Air</u>	<u>Flag</u>	<u>MDL</u> <u>ng/m³ Air</u>
Iron	7439-89-6	1790	D	99.1

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/19/23 10:54
 SUBMITTED: 12/11/23 to 12/13/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Description: TetraTech Q9542997 **Lab ID:** 3121111-06 **Sampled:** 12/05/23 23:59
Matrix: Air **Sample Volume:** 1973.767 m³ **Received:** 12/11/23 11:34
Filter ID: **Analysis Date:** 12/13/23 20:34
Comments: MFK-AM02-120523-HM

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>	
Aluminum	7429-90-5	263		26.5	
Antimony	7440-36-0	0.0570	SL	0.0364	
Arsenic	7440-38-2	0.137		0.00787	
Barium	7440-39-3	4.16		0.781	
Beryllium	7440-41-7	0.00921		0.00274	
Cadmium	7440-43-9	0.00868	U	0.0899	
Calcium	7440-70-2	480	LJ, QB-01	241	
Chromium	7440-47-3	1.72		1.67	
Cobalt	7440-48-4	0.157	QB-01	0.0129	
Copper	7440-50-8	13.9		2.47	
Iron	7439-89-6	303	GC-BS	19.9	
Lead	7439-92-1	0.298		0.228	
Magnesium	7439-95-4	146		79.5	
Manganese	7439-96-5	8.07	QB-01	0.981	
Molybdenum	7439-98-7	0.615	QB-01	0.176	
Nickel	7440-02-0	0.511	U	0.660	
Phosphorus	7723-14-0	355	GC-BS, U	1030	
Potassium	7440-09-7	93.9		31.3	
Rubidium	7440-17-7	0.149		0.0151	
Selenium	7782-49-2	0.120		0.00907	
Sodium	7440-23-5	1330	GC-BS, U	1650	
Strontium	7440-24-6	2.82	QB-01	0.537	
Thallium	7440-28-0	6.72E-4		4.15E-4	
Thorium	7440-29-01	0.00836		0.00247	
Uranium	7440-61-1	0.00746	U	0.0140	
Vanadium	7440-62-2	0.807	QB-01	0.0406	
Zinc	7440-66-6	14.3	U	80.5	

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/19/23 10:54
 SUBMITTED: 12/11/23 to 12/13/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Description: TetraTech Q9542996 **Lab ID:** 3121111-07 **Sampled:** 12/05/23 23:59
Matrix: Air **Sample Volume:** 1619.558 m³ **Received:** 12/11/23 11:34
Filter ID: **Analysis Date:** 12/13/23 20:48
Comments: MFK-AM03-120523-HM

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>
Aluminum	7429-90-5	283		32.2
Antimony	7440-36-0	0.0723	SL	0.0443
Arsenic	7440-38-2	0.0999		0.00959
Barium	7440-39-3	5.72		0.952
Beryllium	7440-41-7	0.0121		0.00334
Cadmium	7440-43-9	0.00759	U	0.110
Calcium	7440-70-2	559	LJ, QB-01	293
Chromium	7440-47-3	2.01	U	2.04
Cobalt	7440-48-4	0.171	QB-01	0.0157
Copper	7440-50-8	50.5		3.01
Iron	7439-89-6	347	GC-BS	24.3
Lead	7439-92-1	0.563		0.277
Magnesium	7439-95-4	170		96.8
Manganese	7439-96-5	9.64	QB-01	1.20
Molybdenum	7439-98-7	1.20	QB-01	0.214
Nickel	7440-02-0	0.494	U	0.805
Phosphorus	7723-14-0	415	GC-BS, U	1260
Potassium	7440-09-7	90.6		38.2
Rubidium	7440-17-7	0.160		0.0184
Selenium	7782-49-2	0.127		0.0111
Sodium	7440-23-5	1510	GC-BS, U	2010
Strontium	7440-24-6	3.18	QB-01	0.655
Thallium	7440-28-0	7.06E-4		5.05E-4
Thorium	7440-29-01	0.0112		0.00301
Uranium	7440-61-1	0.00846	U	0.0171
Vanadium	7440-62-2	0.887	QB-01	0.0494
Zinc	7440-66-6	18.8	U	98.1

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/19/23 10:54
 SUBMITTED: 12/11/23 to 12/13/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Description: TetraTech Q9542989 FB **Lab ID:** 3121111-08 **Sampled:** 12/05/23 00:00
Matrix: Air **Sample Volume:** 1986.678 m³ **Received:** 12/11/23 11:34
Filter ID: **Analysis Date:** 12/13/23 21:02
Comments: MFK-FB01-120523-HM Field Blank

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>	
Aluminum	7429-90-5	10.4	U	26.3	
Antimony	7440-36-0	0.00607	SL, U	0.0361	
Arsenic	7440-38-2	0.00236	U	0.00782	
Barium	7440-39-3	0.604	U	0.776	
Beryllium	7440-41-7	9.08E-4	U	0.00272	
Cadmium	7440-43-9	0.00221	U	0.0893	
Calcium	7440-70-2	343	FB-01, LJ, QB-01	239	
Chromium	7440-47-3	1.49	U	1.66	
Cobalt	7440-48-4	0.0276	FB-01, QB-01	0.0128	
Copper	7440-50-8	0.282	U	2.46	
Iron	7439-89-6	11.2	GC-BS, U	19.8	
Lead	7439-92-1	0.0523	U	0.226	
Magnesium	7439-95-4	42.8	U	78.9	
Manganese	7439-96-5	0.237	QB-01, U	0.975	
Molybdenum	7439-98-7	0.240	FB-01, QB-01	0.174	
Nickel	7440-02-0	0.282	U	0.656	
Phosphorus	7723-14-0	350	GC-BS, U	1020	
Potassium	7440-09-7	10.8	U	31.1	
Rubidium	7440-17-7	0.0123	U	0.0150	
Selenium	7782-49-2	0.00312	U	0.00901	
Sodium	7440-23-5	716	GC-BS, U	1640	
Strontium	7440-24-6	0.722	FB-01, QB-01	0.534	
Thallium	7440-28-0	5.29E-5	U	4.12E-4	
Thorium	7440-29-01	0.00225	U	0.00246	
Uranium	7440-61-1	0.00183	U	0.0139	
Vanadium	7440-62-2	0.0289	QB-01, U	0.0403	
Zinc	7440-66-6	8.58	U	80.0	

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/19/23 10:54
 SUBMITTED: 12/11/23 to 12/13/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Description: TetraTech Q9542993 **Lab ID:** 3121111-09 **Sampled:** 12/06/23 23:59
Matrix: Air **Sample Volume:** 2026.09€ m³ **Received:** 12/11/23 11:34
Filter ID: **Analysis Date:** 12/13/23 21:16
Comments: MFK-AM01-120623-HM

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>	
Aluminum	7429-90-5	2620	E	25.8	
Antimony	7440-36-0	0.0603	SL	0.0354	
Arsenic	7440-38-2	0.345		0.00767	
Barium	7440-39-3	16.1		0.761	
Beryllium	7440-41-7	0.0706		0.00267	
Cadmium	7440-43-9	0.0255	U	0.0875	
Calcium	7440-70-2	1030	LJ, QB-01	234	
Chromium	7440-47-3	3.62		1.63	
Cobalt	7440-48-4	1.05	QB-01	0.0125	
Copper	7440-50-8	21.2		2.41	
Lead	7439-92-1	0.857		0.222	
Magnesium	7439-95-4	366		77.4	
Manganese	7439-96-5	69.2	QB-01	0.956	
Molybdenum	7439-98-7	0.715	QB-01	0.171	
Nickel	7440-02-0	1.68		0.643	
Phosphorus	7723-14-0	484	GC-BS, U	1000	
Potassium	7440-09-7	156		30.5	
Rubidium	7440-17-7	0.455		0.0147	
Selenium	7782-49-2	0.438		0.00883	
Sodium	7440-23-5	2170	E, GC-BS	1610	
Strontium	7440-24-6	10.4	QB-01	0.524	
Thallium	7440-28-0	0.00381		4.04E-4	
Thorium	7440-29-01	0.0602		0.00241	
Uranium	7440-61-1	0.0492		0.0137	
Vanadium	7440-62-2	6.53	QB-01	0.0395	
Zinc	7440-66-6	15.9	U	78.5	

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
1777 Sentry Pkwy, Bldg 12
Blue Bell, PA 19422
ATTN: Ms. Chelsea Saber
PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
REPORTED: 12/19/23 10:54
SUBMITTED: 12/11/23 to 12/13/23
AQS SITE CODE:
SITE CODE: Maui fires

Description: TetraTech Q9542993 **Lab ID:** 3121111-09RE1 **Sampled:** 12/06/23 23:59
Matrix: Air **Sample Volume:** 2026.096 m³ **Received:** 12/11/23 11:34
Filter ID: **Analysis Date:** 12/15/23 03:17

Comments: MFK-AM01-120623-HM

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u> <u>ng/m³ Air</u>	<u>Flag</u>	<u>MDL</u> <u>ng/m³ Air</u>
Iron	7439-89-6	2630	D	97.2

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/19/23 10:54
 SUBMITTED: 12/11/23 to 12/13/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Description: TetraTech Q9542992 **Lab ID:** 3121111-10 **Sampled:** 12/06/23 23:59
Matrix: Air **Sample Volume:** 2035.303 m³ **Received:** 12/11/23 11:34
Filter ID: **Analysis Date:** 12/13/23 22:05
Comments: MFK-AM02-120623-HM

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>	
Aluminum	7429-90-5	509		25.7	
Antimony	7440-36-0	0.0558	SL	0.0353	
Arsenic	7440-38-2	0.188		0.00763	
Barium	7440-39-3	5.74		0.758	
Beryllium	7440-41-7	0.0181		0.00265	
Cadmium	7440-43-9	0.0203	U	0.0871	
Calcium	7440-70-2	747	LJ, QB-01	233	
Chromium	7440-47-3	2.16		1.62	
Cobalt	7440-48-4	0.343	QB-01	0.0125	
Copper	7440-50-8	14.9		2.40	
Iron	7439-89-6	611	GC-BS	19.3	
Lead	7439-92-1	0.879		0.221	
Magnesium	7439-95-4	294		77.1	
Manganese	7439-96-5	18.8	QB-01	0.951	
Molybdenum	7439-98-7	0.652	QB-01	0.170	
Nickel	7440-02-0	1.22		0.640	
Phosphorus	7723-14-0	367	GC-BS, U	999	
Potassium	7440-09-7	134		30.4	
Rubidium	7440-17-7	0.209		0.0146	
Selenium	7782-49-2	0.183		0.00879	
Sodium	7440-23-5	2240	E, GC-BS	1600	
Strontium	7440-24-6	5.23	QB-01	0.521	
Thallium	7440-28-0	0.00118		4.02E-4	
Thorium	7440-29-01	0.0151		0.00240	
Uranium	7440-61-1	0.0136		0.0136	
Vanadium	7440-62-2	1.94	QB-01	0.0393	
Zinc	7440-66-6	13.7	U	78.1	

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/19/23 10:54
 SUBMITTED: 12/11/23 to 12/13/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Description: TetraTech Q9542991 **Lab ID:** 3121111-11 **Sampled:** 12/06/23 23:59
Matrix: Air **Sample Volume:** 1665.355 m³ **Received:** 12/11/23 11:34
Filter ID: **Analysis Date:** 12/13/23 22:20
Comments: MFK-AM03-120623-HM

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>	
Aluminum	7429-90-5	441		31.4	
Antimony	7440-36-0	0.0719	SL	0.0431	
Arsenic	7440-38-2	0.151		0.00933	
Barium	7440-39-3	6.85		0.926	
Beryllium	7440-41-7	0.0196		0.00324	
Cadmium	7440-43-9	0.0101	U	0.106	
Calcium	7440-70-2	798	LJ, QB-01	285	
Chromium	7440-47-3	2.53		1.98	
Cobalt	7440-48-4	0.334	QB-01	0.0152	
Copper	7440-50-8	30.1		2.93	
Iron	7439-89-6	584	GC-BS	23.6	
Lead	7439-92-1	0.418		0.270	
Magnesium	7439-95-4	317		94.2	
Manganese	7439-96-5	17.4	QB-01	1.16	
Molybdenum	7439-98-7	0.892	QB-01	0.208	
Nickel	7440-02-0	1.26		0.783	
Phosphorus	7723-14-0	438	GC-BS, U	1220	
Potassium	7440-09-7	133		37.1	
Rubidium	7440-17-7	0.208		0.0179	
Selenium	7782-49-2	0.178		0.0107	
Sodium	7440-23-5	2500	E, GC-BS	1950	
Strontium	7440-24-6	5.38	QB-01	0.637	
Thallium	7440-28-0	0.00103		4.91E-4	
Thorium	7440-29-01	0.0153		0.00293	
Uranium	7440-61-1	0.0128	U	0.0166	
Vanadium	7440-62-2	1.86	QB-01	0.0481	
Zinc	7440-66-6	15.1	U	95.4	

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/19/23 10:54
 SUBMITTED: 12/11/23 to 12/13/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Description: TetraTech Q9542984 FB **Lab ID:** 3121111-12 **Sampled:** 12/06/23 00:00
Matrix: Air **Sample Volume:** 2026.09€ m³ **Received:** 12/11/23 11:34
Filter ID: **Analysis Date:** 12/13/23 22:34

Comments: MFK-FB01-120623-HM Field Blank

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>
Aluminum	7429-90-5	10.2	U	25.8
Antimony	7440-36-0	0.00667	SL, U	0.0354
Arsenic	7440-38-2	0.00157	U	0.00767
Barium	7440-39-3	0.598	U	0.761
Beryllium	7440-41-7	8.35E-4	U	0.00267
Cadmium	7440-43-9	0.00205	U	0.0875
Calcium	7440-70-2	333	FB-01, LJ, QB-01	234
Chromium	7440-47-3	1.41	U	1.63
Cobalt	7440-48-4	0.0229	FB-01, QB-01	0.0125
Copper	7440-50-8	0.331	U	2.41
Iron	7439-89-6	10.9	GC-BS, U	19.4
Lead	7439-92-1	0.0493	U	0.222
Magnesium	7439-95-4	41.3	U	77.4
Manganese	7439-96-5	0.285	QB-01, U	0.956
Molybdenum	7439-98-7	0.234	FB-01, QB-01	0.171
Nickel	7440-02-0	0.262	U	0.643
Phosphorus	7723-14-0	337	GC-BS, U	1000
Potassium	7440-09-7	9.45	U	30.5
Rubidium	7440-17-7	0.0135	U	0.0147
Selenium	7782-49-2	0.00412	U	0.00883
Sodium	7440-23-5	692	GC-BS, U	1610
Strontium	7440-24-6	0.714	FB-01, QB-01	0.524
Thallium	7440-28-0	4.18E-5	U	4.04E-4
Thorium	7440-29-01	0.00219	U	0.00241
Uranium	7440-61-1	0.00179	U	0.0137
Vanadium	7440-62-2	0.0234	QB-01, U	0.0395
Zinc	7440-66-6	6.27	U	78.5

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
ATTN: Ms. Chelsea Saber
PHONE: (703) 885-5495 **FAX:**

FILE #: 0000.00
REPORTED: 12/19/23 10:54
SUBMITTED: 12/11/23 to 12/13/23
AQS SITE CODE:
SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2312039 - B3L1203

Calibration Blank (2312039-CCB1)

Prepared & Analyzed: 12/13/23

Aluminum	25.4		ng/l							
Antimony	1.30		ng/l							
Arsenic	-1.44		ng/l							U
Barium	-1.73		ng/l							U
Beryllium	1.11		ng/l							
Cadmium	1.09		ng/l							
Calcium	1190		ng/l							
Chromium	6.40		ng/l							
Cobalt	0.872		ng/l							
Copper	171		ng/l							
Iron	117		ng/l							
Lead	8.89		ng/l							
Magnesium	61.3		ng/l							
Manganese	18.9		ng/l							
Molybdenum	26.2		ng/l							
Nickel	1.67		ng/l							
Phosphorus	-373		ng/l							U
Potassium	694		ng/l							
Rubidium	1.66		ng/l							
Selenium	6.80		ng/l							
Sodium	18.6		ng/l							
Strontium	0.978		ng/l							
Thallium	0.600		ng/l							
Thorium	0.426		ng/l							
Uranium	0.00938		ng/l							
Vanadium	66.0		ng/l							
Zinc	-23.7		ng/l							U

Calibration Blank (2312039-CCB2)

Prepared & Analyzed: 12/13/23

Aluminum	-57.6		ng/l							U
Antimony	0.943		ng/l							
Arsenic	-3.91		ng/l							U
Barium	-3.39		ng/l							U
Beryllium	0.580		ng/l							LJ, QX
Cadmium	0.559		ng/l							
Calcium	960		ng/l							
Chromium	5.15		ng/l							
Cobalt	0.778		ng/l							
Copper	59.8		ng/l							

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
ATTN: Ms. Chelsea Saber
PHONE: (703) 885-5495 **FAX:**

FILE #: 0000.00
REPORTED: 12/19/23 10:54
SUBMITTED: 12/11/23 to 12/13/23
AQS SITE CODE:
SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2312039 - B3L1203

Calibration Blank (2312039-CCB2) Contin

Prepared & Analyzed: 12/13/23

Iron	-10.2		ng/l							U
Lead	4.27		ng/l							
Magnesium	-12.6		ng/l							U
Manganese	10.5		ng/l							
Molybdenum	10.0		ng/l							
Nickel	2.29		ng/l							
Phosphorus	-455		ng/l							U
Potassium	67.4		ng/l							
Rubidium	0.856		ng/l							
Selenium	4.40		ng/l							
Sodium	-288		ng/l							U
Strontium	2.23		ng/l							
Thallium	0.468		ng/l							
Thorium	0.305		ng/l							
Uranium	0.00576		ng/l							
Vanadium	31.9		ng/l							
Zinc	-35.0		ng/l							U

Calibration Blank (2312039-CCB3)

Prepared & Analyzed: 12/13/23

Aluminum	-21.7		ng/l							U
Antimony	1.02		ng/l							
Arsenic	-1.85		ng/l							U
Barium	-4.22		ng/l							U
Beryllium	-0.196		ng/l							U
Cadmium	0.261		ng/l							
Calcium	622		ng/l							
Chromium	0.812		ng/l							
Cobalt	0.202		ng/l							
Copper	36.0		ng/l							
Iron	22.7		ng/l							
Lead	2.44		ng/l							
Magnesium	-14.0		ng/l							U
Manganese	4.54		ng/l							
Molybdenum	9.03		ng/l							
Nickel	2.52		ng/l							
Phosphorus	-831		ng/l							U
Potassium	-626		ng/l							U
Rubidium	0.575		ng/l							
Selenium	15.1		ng/l							

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/19/23 10:54
 SUBMITTED: 12/11/23 to 12/13/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2312039 - B3L1203

Calibration Blank (2312039-CCB3) Contin

Prepared & Analyzed: 12/13/23

Sodium	-255		ng/l							U
Strontium	0.470		ng/l							
Thallium	0.374		ng/l							
Thorium	0.255		ng/l							
Uranium	0.00335		ng/l							
Vanadium	2.19		ng/l							
Zinc	-45.0		ng/l							U

Calibration Blank (2312039-CCB4)

Prepared & Analyzed: 12/13/23

Aluminum	-65.9		ng/l							U
Antimony	0.696		ng/l							
Arsenic	-2.29		ng/l							U
Barium	-5.77		ng/l							U
Beryllium	-0.0548		ng/l							LJ, QX, U
Cadmium	0.189		ng/l							
Calcium	985		ng/l							
Chromium	1.11		ng/l							
Cobalt	0.302		ng/l							
Copper	25.5		ng/l							
Iron	-32.4		ng/l							U
Lead	2.01		ng/l							
Magnesium	-47.8		ng/l							U
Manganese	3.62		ng/l							
Molybdenum	8.33		ng/l							
Nickel	3.02		ng/l							
Phosphorus	-513		ng/l							U
Potassium	-432		ng/l							U
Rubidium	0.791		ng/l							
Selenium	-0.974		ng/l							U
Sodium	-292		ng/l							U
Strontium	1.09		ng/l							
Thallium	0.336		ng/l							
Thorium	0.384		ng/l							
Uranium	0.00637		ng/l							
Vanadium	3.02		ng/l							
Zinc	-64.3		ng/l							U

Calibration Check (2312039-CCV1)

Prepared & Analyzed: 12/13/23

Aluminum	1.51E6		ng/l	1.5000E6		100	90-110			
Antimony	20200		ng/l	20000		101	90-110			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
ATTN: Ms. Chelsea Saber
PHONE: (703) 885-5495 **FAX:**

FILE #: 0000.00
REPORTED: 12/19/23 10:54
SUBMITTED: 12/11/23 to 12/13/23
AQS SITE CODE:
SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2312039 - B3L1203

Calibration Check (2312039-CCV1) Contin

Prepared & Analyzed: 12/13/23

Arsenic	19700		ng/l	20000		98.6	90-110			
Barium	197000		ng/l	200000		98.7	90-110			
Beryllium	4910		ng/l	5000.0		98.3	90-110			
Cadmium	20100		ng/l	20000		101	90-110			
Calcium	2.49E7		ng/l	2.5000E7		99.8	90-110			
Chromium	234000		ng/l	240000		97.4	90-110			
Cobalt	49300		ng/l	50000		98.6	90-110			
Copper	1.98E6		ng/l	2.0000E6		98.8	90-110			
Iron	2.47E6		ng/l	2.5000E6		98.8	90-110			
Lead	198000		ng/l	200000		98.8	90-110			
Magnesium	1.01E6		ng/l	1.0000E6		101	90-110			
Manganese	492000		ng/l	500000		98.4	90-110			
Molybdenum	49100		ng/l	50000		98.1	90-110			
Nickel	119000		ng/l	120000		99.6	90-110			
Phosphorus	201000		ng/l	200000		101	90-110			
Potassium	2.59E6		ng/l	2.5000E6		104	90-110			
Rubidium	9990		ng/l	10000		99.9	90-110			
Selenium	19900		ng/l	20000		99.5	90-110			
Sodium	2.48E6		ng/l	2.5000E6		99.2	90-110			
Strontium	49800		ng/l	50000		99.5	90-110			
Thallium	484		ng/l	500.00		96.9	90-110			
Thorium	501		ng/l	500.00		100	90-110			
Uranium	492		ng/l	500.00		98.4	90-110			
Vanadium	19700		ng/l	20000		98.4	90-110			
Zinc	521000		ng/l	500000		104	90-110			

Calibration Check (2312039-CCV2)

Prepared & Analyzed: 12/13/23

Aluminum	1.45E6		ng/l	1.5000E6		96.8	90-110			
Antimony	20000		ng/l	20000		100	90-110			
Arsenic	19500		ng/l	20000		97.7	90-110			
Barium	202000		ng/l	200000		101	90-110			
Beryllium	5030		ng/l	5000.0		101	90-110			
Cadmium	19900		ng/l	20000		99.5	90-110			
Calcium	2.43E7		ng/l	2.5000E7		97.3	90-110			
Chromium	233000		ng/l	240000		97.0	90-110			
Cobalt	48300		ng/l	50000		96.6	90-110			
Copper	1.95E6		ng/l	2.0000E6		97.6	90-110			
Iron	2.42E6		ng/l	2.5000E6		96.9	90-110			
Lead	195000		ng/l	200000		97.6	90-110			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
ATTN: Ms. Chelsea Saber
PHONE: (703) 885-5495 **FAX:**

FILE #: 0000.00
REPORTED: 12/19/23 10:54
SUBMITTED: 12/11/23 to 12/13/23
AQS SITE CODE:
SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2312039 - B3L1203

Calibration Check (2312039-CCV2) Contin

Prepared & Analyzed: 12/13/23

Magnesium	974000		ng/l	1.0000E6		97.4	90-110			
Manganese	483000		ng/l	500000		96.6	90-110			
Molybdenum	49400		ng/l	50000		98.8	90-110			
Nickel	117000		ng/l	120000		97.8	90-110			
Phosphorus	183000		ng/l	200000		91.6	90-110			
Potassium	2.50E6		ng/l	2.5000E6		99.9	90-110			
Rubidium	9970		ng/l	10000		99.7	90-110			
Selenium	19900		ng/l	20000		99.5	90-110			
Sodium	2.40E6		ng/l	2.5000E6		96.2	90-110			
Strontium	49500		ng/l	50000		99.0	90-110			
Thallium	479		ng/l	500.00		95.8	90-110			
Thorium	488		ng/l	500.00		97.6	90-110			
Uranium	482		ng/l	500.00		96.3	90-110			
Vanadium	19600		ng/l	20000		97.9	90-110			
Zinc	516000		ng/l	500000		103	90-110			

Calibration Check (2312039-CCV3)

Prepared & Analyzed: 12/13/23

Aluminum	1.45E6		ng/l	1.5000E6		97.0	90-110			
Antimony	20200		ng/l	20000		101	90-110			
Arsenic	19700		ng/l	20000		98.4	90-110			
Barium	204000		ng/l	200000		102	90-110			
Beryllium	5150		ng/l	5000.0		103	90-110			
Cadmium	20200		ng/l	20000		101	90-110			
Calcium	2.45E7		ng/l	2.5000E7		98.2	90-110			
Chromium	239000		ng/l	240000		99.6	90-110			
Cobalt	48800		ng/l	50000		97.6	90-110			
Copper	1.98E6		ng/l	2.0000E6		99.2	90-110			
Iron	2.45E6		ng/l	2.5000E6		97.9	90-110			
Lead	199000		ng/l	200000		99.7	90-110			
Magnesium	976000		ng/l	1.0000E6		97.6	90-110			
Manganese	489000		ng/l	500000		97.9	90-110			
Molybdenum	50500		ng/l	50000		101	90-110			
Nickel	119000		ng/l	120000		99.1	90-110			
Phosphorus	190000		ng/l	200000		94.8	90-110			
Potassium	2.51E6		ng/l	2.5000E6		100	90-110			
Rubidium	10000		ng/l	10000		100	90-110			
Selenium	20200		ng/l	20000		101	90-110			
Sodium	2.41E6		ng/l	2.5000E6		96.6	90-110			
Strontium	50100		ng/l	50000		100	90-110			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
ATTN: Ms. Chelsea Saber
PHONE: (703) 885-5495 **FAX:**

FILE #: 0000.00
REPORTED: 12/19/23 10:54
SUBMITTED: 12/11/23 to 12/13/23
AQS SITE CODE:
SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2312039 - B3L1203

Calibration Check (2312039-CCV3) Contin

Prepared & Analyzed: 12/13/23

Thallium	483		ng/l	500.00		96.6	90-110			
Thorium	496		ng/l	500.00		99.1	90-110			
Uranium	493		ng/l	500.00		98.5	90-110			
Vanadium	20000		ng/l	20000		99.9	90-110			
Zinc	525000		ng/l	500000		105	90-110			

Calibration Check (2312039-CCV4)

Prepared & Analyzed: 12/13/23

Aluminum	1.47E6		ng/l	1.5000E6		97.8	90-110			
Antimony	20500		ng/l	20000		102	90-110			
Arsenic	20000		ng/l	20000		100	90-110			
Barium	208000		ng/l	200000		104	90-110			
Beryllium	5280		ng/l	5000.0		106	90-110			
Cadmium	20500		ng/l	20000		102	90-110			
Calcium	2.47E7		ng/l	2.5000E7		99.0	90-110			
Chromium	239000		ng/l	240000		99.7	90-110			
Cobalt	49400		ng/l	50000		98.9	90-110			
Copper	2.01E6		ng/l	2.0000E6		101	90-110			
Iron	2.47E6		ng/l	2.5000E6		98.7	90-110			
Lead	202000		ng/l	200000		101	90-110			
Magnesium	979000		ng/l	1.0000E6		97.9	90-110			
Manganese	491000		ng/l	500000		98.1	90-110			
Molybdenum	50900		ng/l	50000		102	90-110			
Nickel	121000		ng/l	120000		100	90-110			
Phosphorus	193000		ng/l	200000		96.4	90-110			
Potassium	2.51E6		ng/l	2.5000E6		100	90-110			
Rubidium	10100		ng/l	10000		101	90-110			
Selenium	20200		ng/l	20000		101	90-110			
Sodium	2.42E6		ng/l	2.5000E6		97.0	90-110			
Strontium	50600		ng/l	50000		101	90-110			
Thallium	489		ng/l	500.00		97.8	90-110			
Thorium	505		ng/l	500.00		101	90-110			
Uranium	496		ng/l	500.00		99.1	90-110			
Vanadium	19900		ng/l	20000		99.6	90-110			
Zinc	530000		ng/l	500000		106	90-110			

High Cal Check (2312039-HCV1)

Prepared & Analyzed: 12/13/23

Aluminum	2.91E6		ng/l	3.0000E6		97.0	95-105			
Antimony	39700		ng/l	40000		99.2	95-105			
Arsenic	39200		ng/l	40000		98.1	95-105			
Barium	399000		ng/l	400000		99.8	95-105			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
ATTN: Ms. Chelsea Saber
PHONE: (703) 885-5495 **FAX:**

FILE #: 0000.00
REPORTED: 12/19/23 10:54
SUBMITTED: 12/11/23 to 12/13/23
AQS SITE CODE:
SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2312039 - B3L1203

High Cal Check (2312039-HCV1) Continue

Prepared & Analyzed: 12/13/23

Beryllium	9560		ng/l	10000		95.6	95-105			
Cadmium	39300		ng/l	40000		98.2	95-105			
Calcium	4.96E7		ng/l	5.0000E7		99.1	95-105			
Chromium	471000		ng/l	480000		98.2	95-105			
Cobalt	97400		ng/l	100000		97.4	95-105			
Copper	3.88E6		ng/l	4.0000E6		97.0	95-105			
Iron	4.91E6		ng/l	5.0000E6		98.2	95-105			
Lead	399000		ng/l	400000		99.8	95-105			
Magnesium	1.94E6		ng/l	2.0000E6		96.9	95-105			
Manganese	981000		ng/l	1.0000E6		98.1	95-105			
Molybdenum	98300		ng/l	100000		98.3	95-105			
Nickel	233000		ng/l	240000		97.0	95-105			
Phosphorus	386000		ng/l	400000		96.4	95-105			
Potassium	4.85E6		ng/l	5.0000E6		97.0	95-105			
Rubidium	19900		ng/l	20000		99.5	95-105			
Selenium	39700		ng/l	40000		99.3	95-105			
Sodium	4.88E6		ng/l	5.0000E6		97.5	95-105			
Strontium	99900		ng/l	100000		99.9	95-105			
Thallium	1000		ng/l	1000.0		100	95-105			
Thorium	1000		ng/l	1000.0		100	95-105			
Uranium	1000		ng/l	1000.0		100	95-105			
Vanadium	39500		ng/l	40000		98.7	95-105			
Zinc	966000		ng/l	1.0000E6		96.6	95-105			

Initial Cal Blank (2312039-ICB1)

Prepared & Analyzed: 12/13/23

Aluminum	-33.9		ng/l							U
Antimony	5.72		ng/l							
Arsenic	-4.22		ng/l							U
Barium	-5.71		ng/l							U
Beryllium	0.926		ng/l							
Cadmium	0.334		ng/l							
Calcium	967		ng/l							
Chromium	2.07		ng/l							
Cobalt	0.293		ng/l							
Copper	58.2		ng/l							
Iron	-70.6		ng/l							U
Lead	4.98		ng/l							
Magnesium	-8.64		ng/l							U
Manganese	7.96		ng/l							

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
ATTN: Ms. Chelsea Saber
PHONE: (703) 885-5495 **FAX:**

FILE #: 0000.00
REPORTED: 12/19/23 10:54
SUBMITTED: 12/11/23 to 12/13/23
AQS SITE CODE:
SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2312039 - B3L1203

Initial Cal Blank (2312039-ICB1) Continuu

Prepared & Analyzed: 12/13/23

Molybdenum	14.5		ng/l							
Nickel	-2.26		ng/l							U
Phosphorus	-347		ng/l							U
Potassium	274		ng/l							
Rubidium	0.773		ng/l							
Selenium	20.9		ng/l							
Sodium	-230		ng/l							U
Strontium	0.119		ng/l							
Thallium	0.445		ng/l							
Thorium	0.576		ng/l							
Uranium	0.0124		ng/l							
Vanadium	71.4		ng/l							
Zinc	-25.0		ng/l							U

Initial Cal Check (2312039-ICV1)

Prepared & Analyzed: 12/13/23

Aluminum	1.43E6		ng/l	1.5000E6		95.6	90-110			
Antimony	19400		ng/l	20000		97.2	90-110			
Arsenic	19500		ng/l	20000		97.4	90-110			
Barium	196000		ng/l	200000		97.8	90-110			
Beryllium	4970		ng/l	5000.0		99.3	90-110			
Cadmium	20300		ng/l	20000		101	90-110			
Calcium	2.41E7		ng/l	2.5000E7		96.4	90-110			
Chromium	231000		ng/l	240000		96.4	90-110			
Cobalt	48900		ng/l	50000		97.9	90-110			
Copper	1.98E6		ng/l	2.0000E6		98.8	90-110			
Iron	2.45E6		ng/l	2.5000E6		97.8	90-110			
Lead	195000		ng/l	200000		97.6	90-110			
Magnesium	963000		ng/l	1.0000E6		96.3	90-110			
Manganese	485000		ng/l	500000		97.1	90-110			
Molybdenum	48800		ng/l	50000		97.7	90-110			
Nickel	118000		ng/l	120000		98.1	90-110			
Phosphorus	191000		ng/l	200000		95.3	90-110			
Potassium	2.54E6		ng/l	2.5000E6		102	90-110			
Rubidium	9650		ng/l	10000		96.5	90-110			
Selenium	20500		ng/l	20000		102	90-110			
Sodium	2.40E6		ng/l	2.5000E6		96.0	90-110			
Strontium	49500		ng/l	50000		99.1	90-110			
Thallium	480		ng/l	500.00		96.0	90-110			
Thorium	487		ng/l	500.00		97.5	90-110			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
ATTN: Ms. Chelsea Saber
PHONE: (703) 885-5495 **FAX:**

FILE #: 0000.00
REPORTED: 12/19/23 10:54
SUBMITTED: 12/11/23 to 12/13/23
AQS SITE CODE:
SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2312039 - B3L1203

Initial Cal Check (2312039-ICV1) Continu

Prepared & Analyzed: 12/13/23

Uranium	483		ng/l	500.00		96.7	90-110			
Vanadium	19700		ng/l	20000		98.4	90-110			
Zinc	522000		ng/l	500000		104	90-110			

Interference Check A (2312039-IFA1)

Prepared & Analyzed: 12/13/23

Aluminum	1.45E7		ng/l	1.5000E7		96.5	80-120			
Antimony	0.00		ng/l				80-120			U
Arsenic	0.00		ng/l				80-120			U
Barium	0.00		ng/l				80-120			U
Beryllium	0.00		ng/l				80-120			U
Cadmium	0.00		ng/l				80-120			U
Calcium	9.27E7		ng/l	1.0040E8		92.4	80-120			
Chromium	0.00		ng/l				80-120			U
Cobalt	0.00		ng/l				80-120			U
Copper	0.00		ng/l				80-120			U
Iron	1.45E7		ng/l	1.5000E7		96.4	80-120			
Lead	0.00		ng/l				80-120			U
Magnesium	1.50E7		ng/l	1.5000E7		99.8	80-120			
Manganese	0.00		ng/l				80-120			U
Molybdenum	293000		ng/l	300000		97.7	80-120			
Nickel	0.00		ng/l				80-120			U
Phosphorus	1.54E7		ng/l	1.5000E7		102	80-120			
Potassium	1.49E7		ng/l	1.5000E7		99.2	80-120			
Rubidium	0.00		ng/l				80-120			U
Selenium	0.00		ng/l				80-120			U
Sodium	1.50E7		ng/l	1.5000E7		99.7	80-120			
Strontium	0.00		ng/l				80-120			U
Thallium	0.00		ng/l				80-120			U
Thorium	0.00		ng/l				80-120			U
Uranium	0.00		ng/l				80-120			U
Vanadium	0.00		ng/l				80-120			U
Zinc	0.00		ng/l				80-120			U

Interference Check B (2312039-IFB1)

Prepared & Analyzed: 12/13/23

Aluminum	1.61E7		ng/l	1.6500E7		97.7	80-120			
Antimony	20000		ng/l	20000		100	80-120			
Arsenic	20200		ng/l	20000		101	80-120			
Barium	199000		ng/l	200000		99.4	80-120			
Beryllium	4790		ng/l	5000.0		95.9	80-120			
Cadmium	19300		ng/l	20000		96.7	80-120			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/19/23 10:54
 SUBMITTED: 12/11/23 to 12/13/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2312039 - B3L1203

Interference Check B (2312039-IFB1) Co

Prepared & Analyzed: 12/13/23

Calcium	1.16E8		ng/l	1.2540E8		92.6	80-120			
Chromium	226000		ng/l	240000		94.3	80-120			
Cobalt	48500		ng/l	50000		97.1	80-120			
Copper	1.85E6		ng/l	2.0000E6		92.4	80-120			
Iron	1.69E7		ng/l	1.7500E7		96.4	80-120			
Lead	203000		ng/l	200000		102	80-120			
Magnesium	1.60E7		ng/l	1.6000E7		99.7	80-120			
Manganese	504000		ng/l	500000		101	80-120			
Molybdenum	339000		ng/l	350000		96.9	80-120			
Nickel	114000		ng/l	120000		95.4	80-120			
Phosphorus	1.57E7		ng/l	1.5200E7		103	80-120			
Potassium	1.77E7		ng/l	1.7500E7		101	80-120			
Rubidium	10100		ng/l	10000		101	80-120			
Selenium	19000		ng/l	20000		94.8	80-120			
Sodium	1.78E7		ng/l	1.7500E7		102	80-120			
Strontium	50200		ng/l	50000		100	80-120			
Thallium	506		ng/l	500.00		101	80-120			
Thorium	539		ng/l	500.00		108	80-120			
Uranium	534		ng/l	500.00		107	80-120			
Vanadium	19100		ng/l	20000		95.6	80-120			
Zinc	473000		ng/l	500000		94.7	80-120			

Serial Dilution (2312039-SRD1)

Source: 312111-02

Prepared: 12/12/23 Analyzed: 12/13/23

Aluminum	159	133	ng/m ³ Air	159		0.182	10			
Antimony	ND	0.182	ng/m ³ Air	ND			10		SL, U	
Arsenic	0.167	0.0395	ng/m ³ Air	0.176		4.76	10			
Barium	ND	3.92	ng/m ³ Air	ND			10		U	
Beryllium	ND	0.0137	ng/m ³ Air	ND			10		U	
Cadmium	ND	0.450	ng/m ³ Air	ND			10		U	
Calcium	ND	1210	ng/m ³ Air	ND			10		LJ, QB-01, U	
Chromium	ND	8.39	ng/m ³ Air	ND			10		U	
Cobalt	0.115	0.0645	ng/m ³ Air	0.117		1.93	10		QB-01	
Copper	18.5	12.4	ng/m ³ Air	18.5		0.259	10			
Iron	184	100	ng/m ³ Air	185		0.398	10		GC-BS	
Lead	ND	1.14	ng/m ³ Air	ND			10		U	
Magnesium	ND	398	ng/m ³ Air	ND			10		U	
Manganese	5.10	4.92	ng/m ³ Air	5.13		0.542	10		QB-01	
Molybdenum	0.891	0.880	ng/m ³ Air	0.890		0.109	10		QB-01	
Nickel	ND	3.31	ng/m ³ Air	ND			10		U	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
ATTN: Ms. Chelsea Saber
PHONE: (703) 885-5495 **FAX:**

FILE #: 0000.00
REPORTED: 12/19/23 10:54
SUBMITTED: 12/11/23 to 12/13/23
AQS SITE CODE:
SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2312039 - B3L1203

Serial Dilution (2312039-SRD1) Continue **Source: 312111-02** Prepared: 12/12/23 Analyzed: 12/13/23

Phosphorus	ND	5170	ng/m ³ Air	ND	ND			10	10	GC-BS, U
Potassium	ND	157	ng/m ³ Air	ND	ND			10	10	U
Rubidium	0.110	0.0756	ng/m ³ Air	0.112	0.112			1.84	10	
Selenium	0.0986	0.0455	ng/m ³ Air	0.104	0.104			5.10	10	
Sodium	ND	8260	ng/m ³ Air	ND	ND			10	10	GC-BS, U
Strontium	ND	2.69	ng/m ³ Air	ND	ND			10	10	QB-01, U
Thallium	ND	0.00208	ng/m ³ Air	ND	ND			10	10	U
Thorium	ND	0.0124	ng/m ³ Air	ND	ND			10	10	U
Uranium	ND	0.0702	ng/m ³ Air	ND	ND			10	10	U
Vanadium	0.722	0.203	ng/m ³ Air	0.660	0.660			9.05	10	QB-01
Zinc	ND	404	ng/m ³ Air	ND	ND			10	10	U

Batch 2312044 - B3L1203

Calibration Blank (2312044-CCB1) Prepared & Analyzed: 12/14/23

Aluminum	125		ng/l							
Antimony	1.21		ng/l							
Arsenic	6.90		ng/l							
Barium	0.658		ng/l							
Beryllium	0.347		ng/l							
Cadmium	0.268		ng/l							
Calcium	294		ng/l							
Chromium	3.74		ng/l							
Cobalt	0.565		ng/l							
Copper	252		ng/l							
Iron	12.8		ng/l							
Lead	5.89		ng/l							
Magnesium	57.2		ng/l							
Manganese	9.93		ng/l							
Molybdenum	16.7		ng/l							
Nickel	30.3		ng/l							
Phosphorus	227		ng/l							
Potassium	1970		ng/l							
Rubidium	1.31		ng/l							
Selenium	6.84		ng/l							
Sodium	118		ng/l							
Strontium	-0.106		ng/l							U
Thallium	0.632		ng/l							
Thorium	0.212		ng/l							
Uranium	0.00146		ng/l							

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
ATTN: Ms. Chelsea Saber
PHONE: (703) 885-5495 **FAX:**

FILE #: 0000.00
REPORTED: 12/19/23 10:54
SUBMITTED: 12/11/23 to 12/13/23
AQS SITE CODE:
SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2312044 - B3L1203

Calibration Blank (2312044-CCB1) Contin

Prepared & Analyzed: 12/14/23

Vanadium	-88.1		ng/l							U
Zinc	-215		ng/l							U

Calibration Blank (2312044-CCB2)

Prepared & Analyzed: 12/14/23

Aluminum	28.6		ng/l							
Antimony	0.958		ng/l							
Arsenic	3.58		ng/l							
Barium	0.565		ng/l							
Beryllium	0.395		ng/l							
Cadmium	0.145		ng/l							
Calcium	471		ng/l							
Chromium	5.52		ng/l							
Cobalt	0.567		ng/l							
Copper	98.6		ng/l							
Iron	161		ng/l							
Lead	3.82		ng/l							
Magnesium	5.49		ng/l							
Manganese	8.99		ng/l							
Molybdenum	8.90		ng/l							
Nickel	39.6		ng/l							
Phosphorus	598		ng/l							
Potassium	552		ng/l							
Rubidium	1.25		ng/l							
Selenium	1.74		ng/l							
Sodium	-175		ng/l							U
Strontium	-0.333		ng/l							U
Thallium	0.764		ng/l							
Thorium	0.530		ng/l							
Uranium	0.0223		ng/l							
Vanadium	-92.8		ng/l							U
Zinc	-229		ng/l							U

Calibration Blank (2312044-CCB3)

Prepared: 12/14/23 Analyzed: 12/15/23

Aluminum	113		ng/l							
Antimony	1.22		ng/l							
Arsenic	3.82		ng/l							
Barium	2.58		ng/l							
Beryllium	0.113		ng/l							
Cadmium	0.0243		ng/l							
Calcium	159		ng/l							

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/19/23 10:54
 SUBMITTED: 12/11/23 to 12/13/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2312044 - B3L1203

Calibration Blank (2312044-CCB3) Contin

Prepared: 12/14/23 Analyzed: 12/15/23

Chromium	8.72		ng/l							
Cobalt	1.10		ng/l							
Copper	94.3		ng/l							
Iron	78.3		ng/l							
Lead	4.12		ng/l							
Magnesium	21.9		ng/l							
Manganese	14.8		ng/l							
Molybdenum	6.10		ng/l							
Nickel	42.1		ng/l							
Phosphorus	588		ng/l							
Potassium	964		ng/l							
Rubidium	1.07		ng/l							
Selenium	7.11		ng/l							
Sodium	110		ng/l							
Strontium	0.747		ng/l							
Thallium	0.433		ng/l							
Thorium	0.133		ng/l							
Uranium	-0.0128		ng/l							U
Vanadium	-94.8		ng/l							U
Zinc	-203		ng/l							U

Calibration Blank (2312044-CCB4)

Prepared: 12/14/23 Analyzed: 12/15/23

Aluminum	91.9		ng/l							
Antimony	0.652		ng/l							
Arsenic	5.24		ng/l							
Barium	0.957		ng/l							
Beryllium	0.201		ng/l							
Cadmium	-0.0525		ng/l							U
Calcium	-200		ng/l							U
Chromium	7.02		ng/l							
Cobalt	0.754		ng/l							
Copper	73.9		ng/l							
Iron	61.0		ng/l							
Lead	3.30		ng/l							
Magnesium	19.8		ng/l							
Manganese	11.1		ng/l							
Molybdenum	6.84		ng/l							
Nickel	39.8		ng/l							
Phosphorus	-289		ng/l							U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
ATTN: Ms. Chelsea Saber
PHONE: (703) 885-5495 **FAX:**

FILE #: 0000.00
REPORTED: 12/19/23 10:54
SUBMITTED: 12/11/23 to 12/13/23
AQS SITE CODE:
SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2312044 - B3L1203

Calibration Blank (2312044-CCB4) Contin

Prepared: 12/14/23 Analyzed: 12/15/23

Potassium	1150		ng/l							
Rubidium	0.262		ng/l							
Selenium	8.49		ng/l							
Sodium	106		ng/l							
Strontium	1.09		ng/l							
Thallium	0.382		ng/l							
Thorium	0.117		ng/l							
Uranium	0.00185		ng/l							
Vanadium	-95.5		ng/l							U
Zinc	-226		ng/l							U

Calibration Check (2312044-CCV1)

Prepared & Analyzed: 12/14/23

Aluminum	1.54E6		ng/l	1.5000E6		103	90-110			
Antimony	20300		ng/l	20000		102	90-110			
Arsenic	20100		ng/l	20000		100	90-110			
Barium	202000		ng/l	200000		101	90-110			
Beryllium	4790		ng/l	5000.0		95.8	90-110			
Cadmium	20500		ng/l	20000		103	90-110			
Calcium	2.50E7		ng/l	2.5000E7		100	90-110			
Chromium	238000		ng/l	240000		99.2	90-110			
Cobalt	51300		ng/l	50000		103	90-110			
Copper	2.04E6		ng/l	2.0000E6		102	90-110			
Iron	2.56E6		ng/l	2.5000E6		102	90-110			
Lead	198000		ng/l	200000		99.0	90-110			
Magnesium	1.05E6		ng/l	1.0000E6		105	90-110			
Manganese	494000		ng/l	500000		98.8	90-110			
Molybdenum	51000		ng/l	50000		102	90-110			
Nickel	123000		ng/l	120000		102	90-110			
Phosphorus	207000		ng/l	200000		103	90-110			
Potassium	2.64E6		ng/l	2.5000E6		106	90-110			
Rubidium	10100		ng/l	10000		101	90-110			
Selenium	20000		ng/l	20000		100	90-110			
Sodium	2.60E6		ng/l	2.5000E6		104	90-110			
Strontium	49900		ng/l	50000		99.9	90-110			
Thallium	485		ng/l	500.00		97.0	90-110			
Thorium	503		ng/l	500.00		101	90-110			
Uranium	492		ng/l	500.00		98.4	90-110			
Vanadium	19600		ng/l	20000		97.9	90-110			
Zinc	531000		ng/l	500000		106	90-110			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
ATTN: Ms. Chelsea Saber
PHONE: (703) 885-5495 **FAX:**

FILE #: 0000.00
REPORTED: 12/19/23 10:54
SUBMITTED: 12/11/23 to 12/13/23
AQS SITE CODE:
SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2312044 - B3L1203

Calibration Check (2312044-CCV2)

Prepared & Analyzed: 12/14/23

Aluminum	1.52E6		ng/l	1.5000E6		101	90-110			
Antimony	20400		ng/l	20000		102	90-110			
Arsenic	20300		ng/l	20000		101	90-110			
Barium	201000		ng/l	200000		101	90-110			
Beryllium	5520		ng/l	5000.0		110	90-110			
Cadmium	20800		ng/l	20000		104	90-110			
Calcium	2.51E7		ng/l	2.5000E7		100	90-110			
Chromium	240000		ng/l	240000		100	90-110			
Cobalt	51000		ng/l	50000		102	90-110			
Copper	2.05E6		ng/l	2.0000E6		103	90-110			
Iron	2.55E6		ng/l	2.5000E6		102	90-110			
Lead	201000		ng/l	200000		100	90-110			
Magnesium	1.04E6		ng/l	1.0000E6		104	90-110			
Manganese	496000		ng/l	500000		99.1	90-110			
Molybdenum	51600		ng/l	50000		103	90-110			
Nickel	123000		ng/l	120000		103	90-110			
Phosphorus	208000		ng/l	200000		104	90-110			
Potassium	2.63E6		ng/l	2.5000E6		105	90-110			
Rubidium	10100		ng/l	10000		101	90-110			
Selenium	20100		ng/l	20000		101	90-110			
Sodium	2.60E6		ng/l	2.5000E6		104	90-110			
Strontium	49700		ng/l	50000		99.3	90-110			
Thallium	491		ng/l	500.00		98.2	90-110			
Thorium	504		ng/l	500.00		101	90-110			
Uranium	496		ng/l	500.00		99.1	90-110			
Vanadium	19900		ng/l	20000		99.5	90-110			
Zinc	534000		ng/l	500000		107	90-110			

Calibration Check (2312044-CCV3)

Prepared: 12/14/23 Analyzed: 12/15/23

Aluminum	1.48E6		ng/l	1.5000E6		99.0	90-110			
Antimony	20200		ng/l	20000		101	90-110			
Arsenic	19900		ng/l	20000		99.6	90-110			
Barium	198000		ng/l	200000		99.2	90-110			
Beryllium	5330		ng/l	5000.0		107	90-110			
Cadmium	20500		ng/l	20000		103	90-110			
Calcium	2.47E7		ng/l	2.5000E7		98.8	90-110			
Chromium	241000		ng/l	240000		101	90-110			
Cobalt	50500		ng/l	50000		101	90-110			
Copper	2.06E6		ng/l	2.0000E6		103	90-110			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/19/23 10:54
 SUBMITTED: 12/11/23 to 12/13/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2312044 - B3L1203

Calibration Check (2312044-CCV3) Contin

Prepared: 12/14/23 Analyzed: 12/15/23

Iron	2.52E6		ng/l	2.5000E6		101	90-110			
Lead	198000		ng/l	200000		99.2	90-110			
Magnesium	1.03E6		ng/l	1.0000E6		103	90-110			
Manganese	494000		ng/l	500000		98.8	90-110			
Molybdenum	51000		ng/l	50000		102	90-110			
Nickel	123000		ng/l	120000		103	90-110			
Phosphorus	205000		ng/l	200000		102	90-110			
Potassium	2.62E6		ng/l	2.5000E6		105	90-110			
Rubidium	10000		ng/l	10000		100	90-110			
Selenium	20000		ng/l	20000		99.8	90-110			
Sodium	2.61E6		ng/l	2.5000E6		105	90-110			
Strontium	48900		ng/l	50000		97.8	90-110			
Thallium	480		ng/l	500.00		95.9	90-110			
Thorium	491		ng/l	500.00		98.2	90-110			
Uranium	478		ng/l	500.00		95.7	90-110			
Vanadium	19800		ng/l	20000		99.1	90-110			
Zinc	528000		ng/l	500000		106	90-110			

Calibration Check (2312044-CCV4)

Prepared: 12/14/23 Analyzed: 12/15/23

Aluminum	1.50E6		ng/l	1.5000E6		100	90-110			
Antimony	20400		ng/l	20000		102	90-110			
Arsenic	20200		ng/l	20000		101	90-110			
Barium	198000		ng/l	200000		98.9	90-110			
Beryllium	5320		ng/l	5000.0		106	90-110			
Cadmium	20500		ng/l	20000		102	90-110			
Calcium	2.49E7		ng/l	2.5000E7		99.5	90-110			
Chromium	242000		ng/l	240000		101	90-110			
Cobalt	50900		ng/l	50000		102	90-110			
Copper	2.08E6		ng/l	2.0000E6		104	90-110			
Iron	2.53E6		ng/l	2.5000E6		101	90-110			
Lead	199000		ng/l	200000		99.4	90-110			
Magnesium	1.04E6		ng/l	1.0000E6		104	90-110			
Manganese	498000		ng/l	500000		99.7	90-110			
Molybdenum	50900		ng/l	50000		102	90-110			
Nickel	124000		ng/l	120000		103	90-110			
Phosphorus	206000		ng/l	200000		103	90-110			
Potassium	2.64E6		ng/l	2.5000E6		106	90-110			
Rubidium	10100		ng/l	10000		101	90-110			
Selenium	19800		ng/l	20000		99.2	90-110			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/19/23 10:54
 SUBMITTED: 12/11/23 to 12/13/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2312044 - B3L1203

Calibration Check (2312044-CCV4) Contin

Prepared: 12/14/23 Analyzed: 12/15/23

Sodium	2.61E6		ng/l	2.5000E6		104	90-110			
Strontium	49300		ng/l	50000		98.5	90-110			
Thallium	474		ng/l	500.00		94.9	90-110			
Thorium	493		ng/l	500.00		98.5	90-110			
Uranium	486		ng/l	500.00		97.2	90-110			
Vanadium	19900		ng/l	20000		99.5	90-110			
Zinc	533000		ng/l	500000		107	90-110			

High Cal Check (2312044-HCV1)

Prepared & Analyzed: 12/14/23

Aluminum	2.93E6		ng/l	3.0000E6		97.5	95-105			
Antimony	39300		ng/l	40000		98.4	95-105			
Arsenic	39500		ng/l	40000		98.9	95-105			
Barium	398000		ng/l	400000		99.5	95-105			
Beryllium	10300		ng/l	10000		103	95-105			
Cadmium	39100		ng/l	40000		97.7	95-105			
Calcium	4.93E7		ng/l	5.0000E7		98.6	95-105			
Chromium	464000		ng/l	480000		96.6	95-105			
Cobalt	98500		ng/l	100000		98.5	95-105			
Copper	3.88E6		ng/l	4.0000E6		97.1	95-105			
Iron	4.95E6		ng/l	5.0000E6		98.9	95-105			
Lead	393000		ng/l	400000		98.3	95-105			
Magnesium	1.97E6		ng/l	2.0000E6		98.3	95-105			
Manganese	971000		ng/l	1.0000E6		97.1	95-105			
Molybdenum	99100		ng/l	100000		99.1	95-105			
Nickel	235000		ng/l	240000		97.8	95-105			
Phosphorus	401000		ng/l	400000		100	95-105			
Potassium	4.87E6		ng/l	5.0000E6		97.4	95-105			
Rubidium	19600		ng/l	20000		98.0	95-105			
Selenium	39100		ng/l	40000		97.7	95-105			
Sodium	4.95E6		ng/l	5.0000E6		99.1	95-105			
Strontium	96500		ng/l	100000		96.5	95-105			
Thallium	987		ng/l	1000.0		98.7	95-105			
Thorium	988		ng/l	1000.0		98.8	95-105			
Uranium	993		ng/l	1000.0		99.3	95-105			
Vanadium	39200		ng/l	40000		98.0	95-105			
Zinc	953000		ng/l	1.0000E6		95.3	95-105			

Initial Cal Blank (2312044-ICB1)

Prepared & Analyzed: 12/14/23

Aluminum	49.1		ng/l							
Antimony	1.91		ng/l							

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
ATTN: Ms. Chelsea Saber
PHONE: (703) 885-5495 **FAX:**

FILE #: 0000.00
REPORTED: 12/19/23 10:54
SUBMITTED: 12/11/23 to 12/13/23
AQS SITE CODE:
SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2312044 - B3L1203

Initial Cal Blank (2312044-ICB1) Continuu

Prepared & Analyzed: 12/14/23

Arsenic	1.34		ng/l							
Barium	5.75		ng/l							
Beryllium	0.590		ng/l							
Cadmium	0.717		ng/l							
Calcium	152		ng/l							
Chromium	6.75		ng/l							
Cobalt	1.19		ng/l							
Copper	197		ng/l							
Iron	5.45		ng/l							
Lead	8.67		ng/l							
Magnesium	41.8		ng/l							
Manganese	16.5		ng/l							
Molybdenum	13.6		ng/l							
Nickel	63.6		ng/l							
Phosphorus	233		ng/l							
Potassium	729		ng/l							
Rubidium	0.939		ng/l							
Selenium	4.77		ng/l							
Sodium	-153		ng/l							U
Strontium	-0.858		ng/l							U
Thallium	0.602		ng/l							
Thorium	0.506		ng/l							
Uranium	0.0195		ng/l							
Vanadium	-88.2		ng/l							U
Zinc	-216		ng/l							U

Initial Cal Check (2312044-ICV1)

Prepared & Analyzed: 12/14/23

Aluminum	1.45E6		ng/l	1.5000E6	96.7	90-110				
Antimony	19500		ng/l	20000	97.6	90-110				
Arsenic	19600		ng/l	20000	97.8	90-110				
Barium	195000		ng/l	200000	97.7	90-110				
Beryllium	4610		ng/l	5000.0	92.2	90-110				
Cadmium	20300		ng/l	20000	101	90-110				
Calcium	2.40E7		ng/l	2.5000E7	96.0	90-110				
Chromium	231000		ng/l	240000	96.1	90-110				
Cobalt	49200		ng/l	50000	98.4	90-110				
Copper	1.97E6		ng/l	2.0000E6	98.5	90-110				
Iron	2.46E6		ng/l	2.5000E6	98.3	90-110				
Lead	194000		ng/l	200000	96.9	90-110				

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
ATTN: Ms. Chelsea Saber
PHONE: (703) 885-5495 **FAX:**

FILE #: 0000.00
REPORTED: 12/19/23 10:54
SUBMITTED: 12/11/23 to 12/13/23
AQS SITE CODE:
SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2312044 - B3L1203

Initial Cal Check (2312044-ICV1) Continu

Prepared & Analyzed: 12/14/23

Magnesium	980000		ng/l	1.0000E6		98.0	90-110			
Manganese	481000		ng/l	500000		96.1	90-110			
Molybdenum	49000		ng/l	50000		98.0	90-110			
Nickel	118000		ng/l	120000		98.3	90-110			
Phosphorus	196000		ng/l	200000		97.9	90-110			
Potassium	2.62E6		ng/l	2.5000E6		105	90-110			
Rubidium	9560		ng/l	10000		95.6	90-110			
Selenium	20200		ng/l	20000		101	90-110			
Sodium	2.46E6		ng/l	2.5000E6		98.5	90-110			
Strontium	48900		ng/l	50000		97.8	90-110			
Thallium	470		ng/l	500.00		93.9	90-110			
Thorium	487		ng/l	500.00		97.4	90-110			
Uranium	475		ng/l	500.00		95.1	90-110			
Vanadium	19700		ng/l	20000		98.7	90-110			
Zinc	523000		ng/l	500000		105	90-110			

Interference Check A (2312044-IFA1)

Prepared & Analyzed: 12/14/23

Aluminum	1.49E7		ng/l	1.5000E7		99.4	80-120			
Antimony	0.00		ng/l				80-120			U
Arsenic	0.00		ng/l				80-120			U
Barium	0.00		ng/l				80-120			U
Beryllium	0.00		ng/l				80-120			U
Cadmium	0.00		ng/l				80-120			U
Calcium	9.35E7		ng/l	1.0040E8		93.1	80-120			
Chromium	0.00		ng/l				80-120			U
Cobalt	0.00		ng/l				80-120			U
Copper	0.00		ng/l				80-120			U
Iron	1.50E7		ng/l	1.5000E7		99.7	80-120			
Lead	0.00		ng/l				80-120			U
Magnesium	1.59E7		ng/l	1.5000E7		106	80-120			
Manganese	0.00		ng/l				80-120			U
Molybdenum	296000		ng/l	300000		98.7	80-120			
Nickel	0.00		ng/l				80-120			U
Phosphorus	1.64E7		ng/l	1.5000E7		109	80-120			
Potassium	1.55E7		ng/l	1.5000E7		103	80-120			
Rubidium	0.00		ng/l				80-120			U
Selenium	0.00		ng/l				80-120			U
Sodium	1.59E7		ng/l	1.5000E7		106	80-120			
Strontium	0.00		ng/l				80-120			U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
ATTN: Ms. Chelsea Saber
PHONE: (703) 885-5495 **FAX:**

FILE #: 0000.00
REPORTED: 12/19/23 10:54
SUBMITTED: 12/11/23 to 12/13/23
AQS SITE CODE:
SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2312044 - B3L1203

Interference Check A (2312044-IFA1) Co

Prepared & Analyzed: 12/14/23

Thallium	0.00		ng/l				80-120			U
Thorium	0.00		ng/l				80-120			U
Uranium	0.00		ng/l				80-120			U
Vanadium	0.00		ng/l				80-120			U
Zinc	0.00		ng/l				80-120			U

Interference Check B (2312044-IFB1)

Prepared & Analyzed: 12/14/23

Aluminum	1.65E7		ng/l	1.6500E7		99.8	80-120			
Antimony	19800		ng/l	20000		98.9	80-120			
Arsenic	20200		ng/l	20000		101	80-120			
Barium	198000		ng/l	200000		99.1	80-120			
Beryllium	5010		ng/l	5000.0		100	80-120			
Cadmium	19300		ng/l	20000		96.5	80-120			
Calcium	1.16E8		ng/l	1.2540E8		92.3	80-120			
Chromium	228000		ng/l	240000		95.1	80-120			
Cobalt	50000		ng/l	50000		100	80-120			
Copper	1.90E6		ng/l	2.0000E6		95.2	80-120			
Iron	1.72E7		ng/l	1.7500E7		98.4	80-120			
Lead	203000		ng/l	200000		101	80-120			
Magnesium	1.69E7		ng/l	1.6000E7		106	80-120			
Manganese	512000		ng/l	500000		102	80-120			
Molybdenum	339000		ng/l	350000		96.7	80-120			
Nickel	117000		ng/l	120000		97.2	80-120			
Phosphorus	1.67E7		ng/l	1.5200E7		110	80-120			
Potassium	1.82E7		ng/l	1.7500E7		104	80-120			
Rubidium	10100		ng/l	10000		101	80-120			
Selenium	18700		ng/l	20000		93.3	80-120			
Sodium	1.89E7		ng/l	1.7500E7		108	80-120			
Strontium	49400		ng/l	50000		98.8	80-120			
Thallium	500		ng/l	500.00		100	80-120			
Thorium	534		ng/l	500.00		107	80-120			
Uranium	527		ng/l	500.00		105	80-120			
Vanadium	18300		ng/l	20000		91.4	80-120			
Zinc	484000		ng/l	500000		96.8	80-120			

Serial Dilution (2312044-SRD1)

Source: 3121332-06

Prepared & Analyzed: 12/14/23

Aluminum	380	151	ng/m ³ Air	383		0.776	10			
Antimony	ND	0.207	ng/m ³ Air	ND			10			SL, U
Arsenic	0.107	0.0448	ng/m ³ Air	0.101		5.31	10			
Barium	7.41	4.45	ng/m ³ Air	7.62		2.74	10			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
ATTN: Ms. Chelsea Saber
PHONE: (703) 885-5495 **FAX:**

FILE #: 0000.00
REPORTED: 12/19/23 10:54
SUBMITTED: 12/11/23 to 12/13/23
AQS SITE CODE:
SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2312044 - B3L1203

Serial Dilution (2312044-SRD1) Continue Source: 3121332-06 Prepared & Analyzed: 12/14/23

Beryllium	0.0187	0.0156	ng/m ³ Air	0.0182				2.23	10	
Cadmium	ND	0.511	ng/m ³ Air	ND					10	U
Calcium	ND	1370	ng/m ³ Air	ND					10	LJ, QB-01, U
Chromium	ND	9.52	ng/m ³ Air	ND					10	U
Cobalt	0.234	0.0732	ng/m ³ Air	0.237				1.26	10	QB-01
Copper	34.6	14.1	ng/m ³ Air	34.8				0.687	10	
Iron	471	113	ng/m ³ Air	478				1.46	10	
Lead	ND	1.29	ng/m ³ Air	ND					10	U
Magnesium	ND	452	ng/m ³ Air	ND					10	U
Manganese	15.0	5.58	ng/m ³ Air	15.1				0.897	10	
Molybdenum	1.04	0.999	ng/m ³ Air	1.05				0.734	10	B, QB-01
Nickel	ND	3.76	ng/m ³ Air	ND					10	U
Phosphorus	ND	5860	ng/m ³ Air	ND					10	U
Potassium	ND	178	ng/m ³ Air	ND					10	B, U
Rubidium	0.175	0.0858	ng/m ³ Air	0.185				5.24	10	
Selenium	0.155	0.0516	ng/m ³ Air	0.162				4.42	10	
Sodium	ND	9380	ng/m ³ Air	ND					10	U
Strontium	4.62	3.06	ng/m ³ Air	4.71				1.97	10	QB-01
Thallium	ND	0.00236	ng/m ³ Air	ND					10	U
Thorium	ND	0.0141	ng/m ³ Air	0.0143					10	U
Uranium	ND	0.0797	ng/m ³ Air	ND					10	U
Vanadium	1.30	0.231	ng/m ³ Air	1.36				4.18	10	
Zinc	ND	458	ng/m ³ Air	ND					10	U

Batch B3L1203 - ICP-MS Extraction

Blank (B3L1203-BLK1) Prepared: 12/12/23 Analyzed: 12/13/23

Aluminum	ND	32.1	ng/m ³ Air							U
Antimony	ND	0.0441	ng/m ³ Air							SL, U
Arsenic	ND	0.00955	ng/m ³ Air							U
Barium	ND	0.948	ng/m ³ Air							U
Beryllium	ND	0.00332	ng/m ³ Air							U
Cadmium	ND	0.109	ng/m ³ Air							U
Calcium	ND	292	ng/m ³ Air							LJ, QB-01, U
Chromium	ND	2.03	ng/m ³ Air							U
Cobalt	ND	0.0156	ng/m ³ Air							QB-01, U
Copper	ND	3.00	ng/m ³ Air							U
Iron	ND	24.2	ng/m ³ Air							GC-BS, U
Lead	ND	0.276	ng/m ³ Air							U
Magnesium	ND	96.4	ng/m ³ Air							U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
ATTN: Ms. Chelsea Saber
PHONE: (703) 885-5495 **FAX:**

FILE #: 0000.00
REPORTED: 12/19/23 10:54
SUBMITTED: 12/11/23 to 12/13/23
AQS SITE CODE:
SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B3L1203 - ICP-MS Extraction

Blank (B3L1203-BLK1) Continued

Prepared: 12/12/23 Analyzed: 12/13/23

Manganese	ND	1.19	ng/m ³ Air							QB-01, U
Molybdenum	ND	0.213	ng/m ³ Air							QB-01, U
Nickel	ND	0.801	ng/m ³ Air							U
Phosphorus	ND	1250	ng/m ³ Air							GC-BS, U
Potassium	ND	38.0	ng/m ³ Air							U
Rubidium	ND	0.0183	ng/m ³ Air							U
Selenium	ND	0.0110	ng/m ³ Air							U
Sodium	ND	2000	ng/m ³ Air							GC-BS, U
Strontium	ND	0.652	ng/m ³ Air							QB-01, U
Thallium	ND	5.03E-4	ng/m ³ Air							U
Thorium	ND	0.00300	ng/m ³ Air							U
Uranium	ND	0.0170	ng/m ³ Air							U
Vanadium	ND	0.0492	ng/m ³ Air							QB-01, U
Zinc	ND	97.7	ng/m ³ Air							U

LCS (B3L1203-BS1)

Prepared: 12/12/23 Analyzed: 12/13/23

Aluminum	92.8	32.1	ng/m ³ Air	82.975		112	80-120			
Antimony	0.550	0.0441	ng/m ³ Air	1.3829		39.8	80-120			SL
Arsenic	2.72	0.00955	ng/m ³ Air	2.7658		98.3	80-120			
Barium	28.2	0.948	ng/m ³ Air	27.658		102	80-120			
Beryllium	1.37	0.00332	ng/m ³ Air	1.3829		98.8	80-120			
Cadmium	1.39	0.109	ng/m ³ Air	1.3829		101	80-120			
Calcium	547	292	ng/m ³ Air	69.146		791	80-120			LJ, QB-01
Chromium	15.7	2.03	ng/m ³ Air	13.829		113	80-120			
Cobalt	1.35	0.0156	ng/m ³ Air	1.3829		97.6	80-120			QB-01
Copper	31.0	3.00	ng/m ³ Air	27.658		112	80-120			
Iron	42.9	24.2	ng/m ³ Air	27.658		155	80-120			GC-BS
Lead	13.5	0.276	ng/m ³ Air	13.829		98.0	80-120			
Magnesium	ND	96.4	ng/m ³ Air	27.658			80-120			U
Manganese	9.10	1.19	ng/m ³ Air	8.2975		110	80-120			QB-01
Molybdenum	1.59	0.213	ng/m ³ Air	1.3829		115	80-120			B, QB-01
Nickel	3.09	0.801	ng/m ³ Air	2.7658		112	80-120			
Phosphorus	ND	1250	ng/m ³ Air	13.829			80-120			GC-BS, U
Potassium	73.3	38.0	ng/m ³ Air	55.317		132	80-120			B
Rubidium	1.35	0.0183	ng/m ³ Air	1.3829		97.9	80-120			
Selenium	2.74	0.0110	ng/m ³ Air	2.7658		99.1	80-120			
Sodium	ND	2000	ng/m ³ Air	55.317			80-120			GC-BS, U
Strontium	2.24	0.652	ng/m ³ Air	1.3829		162	80-120			QB-01
Thallium	0.132	5.03E-4	ng/m ³ Air	0.13829		95.6	80-120			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
ATTN: Ms. Chelsea Saber
PHONE: (703) 885-5495 **FAX:**

FILE #: 0000.00
REPORTED: 12/19/23 10:54
SUBMITTED: 12/11/23 to 12/13/23
AQS SITE CODE:
SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B3L1203 - ICP-MS Extraction

LCS (B3L1203-BS1) Continued

Prepared: 12/12/23 Analyzed: 12/13/23

Thorium	0.133	0.00300	ng/m ³ Air	0.13829		96.0	80-120			
Uranium	0.130	0.0170	ng/m ³ Air	0.13829		93.9	80-120			
Vanadium	2.75	0.0492	ng/m ³ Air	2.7658		99.4	80-120			QB-01
Zinc	113	97.7	ng/m ³ Air	82.975		137	80-120			

Duplicate (B3L1203-DUP1)

Source: 312111-02

Prepared: 12/12/23 Analyzed: 12/13/23

Aluminum	159	26.5	ng/m ³ Air	159				0.260	10	
Antimony	0.0878	0.0364	ng/m ³ Air	0.0779				12.0	10	SL
Arsenic	0.195	0.00789	ng/m ³ Air	0.176				10.5	10	
Barium	3.11	0.783	ng/m ³ Air	3.44				10.0	10	
Beryllium	0.00599	0.00274	ng/m ³ Air	0.00625				4.26	10	
Cadmium	ND	0.0901	ng/m ³ Air	ND					10	U
Calcium	477	241	ng/m ³ Air	467				2.19	10	LJ, QB-01
Chromium	1.71	1.68	ng/m ³ Air	ND					10	
Cobalt	0.116	0.0129	ng/m ³ Air	0.117				1.07	10	QB-01
Copper	19.4	2.48	ng/m ³ Air	18.5				4.71	10	
Iron	179	20.0	ng/m ³ Air	185				3.25	10	GC-BS
Lead	ND	0.228	ng/m ³ Air	ND					10	U
Magnesium	140	79.7	ng/m ³ Air	136				2.74	10	
Manganese	5.33	0.983	ng/m ³ Air	5.13				3.92	10	QB-01
Molybdenum	0.892	0.176	ng/m ³ Air	0.890				0.233	10	QB-01
Nickel	ND	0.662	ng/m ³ Air	ND					10	U
Phosphorus	ND	1030	ng/m ³ Air	ND					10	GC-BS, U
Potassium	87.0	31.4	ng/m ³ Air	85.5				1.70	10	
Rubidium	0.110	0.0151	ng/m ³ Air	0.112				2.37	10	
Selenium	0.0963	0.00909	ng/m ³ Air	0.104				7.50	10	
Sodium	ND	1650	ng/m ³ Air	ND					10	GC-BS, U
Strontium	2.21	0.539	ng/m ³ Air	2.18				1.28	10	QB-01
Thallium	5.94E-4	4.16E-4	ng/m ³ Air	6.19E-4				4.10	10	
Thorium	0.00600	0.00248	ng/m ³ Air	0.00662				9.77	10	
Uranium	ND	0.0140	ng/m ³ Air	ND					10	U
Vanadium	0.670	0.0407	ng/m ³ Air	0.660				1.52	10	QB-01
Zinc	ND	80.7	ng/m ³ Air	ND					10	U

Matrix Spike (B3L1203-MS1)

Source: 312111-02

Prepared: 12/12/23 Analyzed: 12/13/23

Aluminum	225	26.5	ng/m ³ Air	68.575	159	95.6	80-120			
Antimony	0.569	0.0364	ng/m ³ Air	1.1429	0.0779	42.9	80-120			SL
Arsenic	2.39	0.00789	ng/m ³ Air	2.2858	0.176	97.0	80-120			
Barium	26.2	0.783	ng/m ³ Air	22.858	3.44	99.8	80-120			
Beryllium	1.12	0.00274	ng/m ³ Air	1.1429	0.00625	97.9	80-120			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/19/23 10:54
 SUBMITTED: 12/11/23 to 12/13/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B3L1203 - ICP-MS Extraction

Matrix Spike (B3L1203-MS1) Continued Source: 3121111-02 Prepared: 12/12/23 Analyzed: 12/13/23

Cadmium	1.16	0.0901	ng/m ³ Air	1.1429	ND	101	80-120			
Calcium	533	241	ng/m ³ Air	57.146	467	115	80-120			LJ, QB-01
Chromium	13.2	1.68	ng/m ³ Air	11.429	ND	116	80-120			
Cobalt	1.20	0.0129	ng/m ³ Air	1.1429	0.117	94.7	80-120			QB-01
Copper	45.1	2.48	ng/m ³ Air	22.858	18.5	116	80-120			
Iron	201	20.0	ng/m ³ Air	22.858	185	70.5	80-120			GC-BS, QM-4)
Lead	11.4	0.228	ng/m ³ Air	11.429	ND	99.4	80-120			
Magnesium	160	79.7	ng/m ³ Air	22.858	136	108	80-120			
Manganese	12.2	0.983	ng/m ³ Air	6.8575	5.13	104	80-120			QB-01
Molybdenum	1.98	0.176	ng/m ³ Air	1.1429	0.890	95.1	80-120			B, QB-01
Nickel	2.73	0.662	ng/m ³ Air	2.2858	ND	119	80-120			
Phosphorus	ND	1030	ng/m ³ Air	11.429	ND		80-120			GC-BS, U
Potassium	130	31.4	ng/m ³ Air	45.716	85.5	96.7	80-120			B
Rubidium	1.20	0.0151	ng/m ³ Air	1.1429	0.112	94.9	80-120			
Selenium	2.38	0.00909	ng/m ³ Air	2.2858	0.104	99.5	80-120			
Sodium	ND	1650	ng/m ³ Air	45.716	ND		80-120			GC-BS, U
Strontium	3.30	0.539	ng/m ³ Air	1.1429	2.18	98.1	80-120			QB-01
Thallium	0.109	4.16E-4	ng/m ³ Air	0.11429	6.19E-4	94.9	80-120			
Thorium	0.0575	0.00248	ng/m ³ Air	0.11429	0.00662	44.5	80-120			QM-07
Uranium	0.112	0.0140	ng/m ³ Air	0.11429	ND	97.7	80-120			
Vanadium	2.90	0.0407	ng/m ³ Air	2.2858	0.660	98.2	80-120			QB-01
Zinc	88.0	80.7	ng/m ³ Air	68.575	ND	128	80-120			

Matrix Spike Dup (B3L1203-MSD1) Source: 3121111-02 Prepared: 12/12/23 Analyzed: 12/13/23

Aluminum	226	26.5	ng/m ³ Air	68.575	159	97.0	80-120	0.432	20	
Antimony	0.568	0.0364	ng/m ³ Air	1.1429	0.0779	42.9	80-120	0.0979	20	SL
Arsenic	2.43	0.00789	ng/m ³ Air	2.2858	0.176	98.4	80-120	1.37	20	
Barium	26.1	0.783	ng/m ³ Air	22.858	3.44	99.3	80-120	0.414	20	
Beryllium	1.13	0.00274	ng/m ³ Air	1.1429	0.00625	98.4	80-120	0.509	20	
Cadmium	1.16	0.0901	ng/m ³ Air	1.1429	ND	102	80-120	0.445	20	
Calcium	523	241	ng/m ³ Air	57.146	467	99.1	80-120	1.77	20	LJ, QB-01
Chromium	14.5	1.68	ng/m ³ Air	11.429	ND	127	80-120	9.47	20	
Cobalt	1.22	0.0129	ng/m ³ Air	1.1429	0.117	96.8	80-120	2.00	20	QB-01
Copper	45.5	2.48	ng/m ³ Air	22.858	18.5	118	80-120	0.813	20	
Iron	209	20.0	ng/m ³ Air	22.858	185	106	80-120	4.00	20	GC-BS
Lead	11.5	0.228	ng/m ³ Air	11.429	ND	101	80-120	1.33	20	
Magnesium	160	79.7	ng/m ³ Air	22.858	136	105	80-120	0.409	20	
Manganese	12.3	0.983	ng/m ³ Air	6.8575	5.13	105	80-120	0.443	20	QB-01
Molybdenum	2.17	0.176	ng/m ³ Air	1.1429	0.890	112	80-120	9.29	20	QB-01

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/19/23 10:54
 SUBMITTED: 12/11/23 to 12/13/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B3L1203 - ICP-MS Extraction

Matrix Spike Dup (B3L1203-MSD1) ContirSource: 312111-02 Prepared: 12/12/23 Analyzed: 12/13/23

Nickel	3.60	0.662	ng/m ³ Air	2.2858	ND	158	80-120	27.7	20	LJ, QM-06, Q
Phosphorus	ND	1030	ng/m ³ Air	11.429	ND		80-120		20	GC-BS, QM-4X, U
Potassium	131	31.4	ng/m ³ Air	45.716	85.5	99.7	80-120	1.03	20	
Rubidium	1.23	0.0151	ng/m ³ Air	1.1429	0.112	98.0	80-120	2.90	20	
Selenium	2.39	0.00909	ng/m ³ Air	2.2858	0.104	100	80-120	0.674	20	
Sodium	ND	1650	ng/m ³ Air	45.716	ND		80-120		20	GC-BS, QM-4X, U
Strontium	3.38	0.539	ng/m ³ Air	1.1429	2.18	105	80-120	2.33	20	QB-01
Thallium	0.110	4.16E-4	ng/m ³ Air	0.11429	6.19E-4	95.5	80-120	0.633	20	
Thorium	0.0641	0.00248	ng/m ³ Air	0.11429	0.00662	50.3	80-120	10.9	20	QM-07
Uranium	0.114	0.0140	ng/m ³ Air	0.11429	ND	99.5	80-120	1.76	20	
Vanadium	2.92	0.0407	ng/m ³ Air	2.2858	0.660	98.7	80-120	0.363	20	QB-01
Zinc	87.4	80.7	ng/m ³ Air	68.575	ND	127	80-120	0.668	20	

Post Spike (B3L1203-PS1) Source: 312111-02 Prepared: 12/12/23 Analyzed: 12/13/23

Aluminum	179	26.5	ng/m ³ Air	22.858	159	89.0	75-125			
Antimony	0.304	0.0364	ng/m ³ Air	0.22858	0.0779	98.8	75-125			SL
Arsenic	1.27	0.00789	ng/m ³ Air	1.1429	0.176	96.2	75-125			
Barium	5.73	0.783	ng/m ³ Air	2.2858	3.44	101	75-125			
Beryllium	0.220	0.00274	ng/m ³ Air	0.22858	0.00625	93.4	75-125			
Cadmium	0.126	0.0901	ng/m ³ Air	0.11429	ND	110	75-125			
Calcium	497	241	ng/m ³ Air	22.858	467	132	75-125			A-01a, LJ, QB-01
Chromium	2.77	1.68	ng/m ³ Air	1.1429	ND	243	75-125			
Cobalt	0.337	0.0129	ng/m ³ Air	0.22858	0.117	96.2	75-125			QB-01
Copper	30.5	2.48	ng/m ³ Air	11.429	18.5	105	75-125			
Iron	208	20.0	ng/m ³ Air	22.858	185	98.2	75-125			GC-BS
Lead	22.5	0.228	ng/m ³ Air	22.858	ND	98.4	75-125			
Magnesium	158	79.7	ng/m ³ Air	22.858	136	97.1	75-125			
Manganese	7.38	0.983	ng/m ³ Air	2.2858	5.13	98.7	75-125			QB-01
Molybdenum	1.98	0.176	ng/m ³ Air	1.1429	0.890	95.1	75-125			QB-01
Nickel	2.73	0.662	ng/m ³ Air	2.2858	ND	119	75-125			
Phosphorus	ND	1030	ng/m ³ Air	4.5716	ND		75-125			A-01a, GC-BS U
Potassium	107	31.4	ng/m ³ Air	22.858	85.5	96.0	75-125			
Rubidium	0.217	0.0151	ng/m ³ Air	0.11429	0.112	91.4	75-125			
Selenium	1.24	0.00909	ng/m ³ Air	1.1429	0.104	99.1	75-125			
Sodium	ND	1650	ng/m ³ Air	22.858	ND		75-125			A-01a, GC-BS U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
ATTN: Ms. Chelsea Saber
PHONE: (703) 885-5495 **FAX:**

FILE #: 0000.00
REPORTED: 12/19/23 10:54
SUBMITTED: 12/11/23 to 12/13/23
AQS SITE CODE:
SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B3L1203 - ICP-MS Extraction

Post Spike (B3L1203-PS1) Continued **Source: 312111-02** Prepared: 12/12/23 Analyzed: 12/13/23

Strontium	3.31	0.539	ng/m ³ Air	1.1429	2.18	98.7	75-125			QB-01
Thallium	0.0542	4.16E-4	ng/m ³ Air	5.7146E-2	6.19E-4	93.8	75-125			
Thorium	0.0584	0.00248	ng/m ³ Air	5.7146E-2	0.00662	90.6	75-125			
Uranium	0.0582	0.0140	ng/m ³ Air	5.7146E-2	ND	102	75-125			
Vanadium	1.78	0.0407	ng/m ³ Air	1.1429	0.660	97.6	75-125			QB-01
Zinc	ND	80.7	ng/m ³ Air	22.858	ND		75-125			U

Batch B3L1403 - ICP-MS Extraction

Blank (B3L1403-BLK1) Prepared & Analyzed: 12/14/23

Aluminum	ND	32.1	ng/m ³ Air							U
Antimony	ND	0.0441	ng/m ³ Air							SL, U
Arsenic	ND	0.00955	ng/m ³ Air							U
Barium	ND	0.948	ng/m ³ Air							U
Beryllium	ND	0.00332	ng/m ³ Air							U
Cadmium	ND	0.109	ng/m ³ Air							U
Calcium	ND	292	ng/m ³ Air							LJ, QB-01, U
Chromium	ND	2.03	ng/m ³ Air							U
Cobalt	ND	0.0156	ng/m ³ Air							QB-01, U
Copper	ND	3.00	ng/m ³ Air							U
Iron	ND	24.2	ng/m ³ Air							U
Lead	ND	0.276	ng/m ³ Air							U
Magnesium	ND	96.4	ng/m ³ Air							U
Manganese	ND	1.19	ng/m ³ Air							U
Molybdenum	ND	0.213	ng/m ³ Air							B, QB-01, U
Nickel	ND	0.801	ng/m ³ Air							U
Phosphorus	ND	1250	ng/m ³ Air							U
Potassium	ND	38.0	ng/m ³ Air							B, U
Rubidium	ND	0.0183	ng/m ³ Air							U
Selenium	ND	0.0110	ng/m ³ Air							U
Sodium	ND	2000	ng/m ³ Air							U
Strontium	ND	0.652	ng/m ³ Air							QB-01, U
Thallium	ND	5.03E-4	ng/m ³ Air							U
Thorium	ND	0.00300	ng/m ³ Air							U
Uranium	ND	0.0170	ng/m ³ Air							U
Vanadium	ND	0.0492	ng/m ³ Air							U
Zinc	ND	97.7	ng/m ³ Air							U

LCS (B3L1403-BS1) Prepared & Analyzed: 12/14/23

Aluminum	94.6	32.1	ng/m ³ Air	82.975	114	80-120		
Antimony	0.539	0.0441	ng/m ³ Air	1.3829	39.0	80-120		SL

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
ATTN: Ms. Chelsea Saber
PHONE: (703) 885-5495 **FAX:**

FILE #: 0000.00
REPORTED: 12/19/23 10:54
SUBMITTED: 12/11/23 to 12/13/23
AQS SITE CODE:
SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B3L1403 - ICP-MS Extraction

LCS (B3L1403-BS1) Continued

Prepared & Analyzed: 12/14/23

Arsenic	2.74	0.00955	ng/m ³ Air	2.7658		99.0	80-120			
Barium	28.0	0.948	ng/m ³ Air	27.658		101	80-120			
Beryllium	1.35	0.00332	ng/m ³ Air	1.3829		97.7	80-120			
Cadmium	1.41	0.109	ng/m ³ Air	1.3829		102	80-120			
Calcium	564	292	ng/m ³ Air	69.146		815	80-120			LJ, QB-01
Chromium	16.3	2.03	ng/m ³ Air	13.829		118	80-120			
Cobalt	1.40	0.0156	ng/m ³ Air	1.3829		101	80-120			QB-01
Copper	32.3	3.00	ng/m ³ Air	27.658		117	80-120			
Iron	41.9	24.2	ng/m ³ Air	27.658		152	80-120			
Lead	13.6	0.276	ng/m ³ Air	13.829		98.2	80-120			
Magnesium	ND	96.4	ng/m ³ Air	27.658			80-120			U
Manganese	8.80	1.19	ng/m ³ Air	8.2975		106	80-120			
Molybdenum	1.66	0.213	ng/m ³ Air	1.3829		120	80-120			B, QB-01
Nickel	3.19	0.801	ng/m ³ Air	2.7658		115	80-120			
Phosphorus	ND	1250	ng/m ³ Air	13.829			80-120			U
Potassium	72.6	38.0	ng/m ³ Air	55.317		131	80-120			B
Rubidium	1.32	0.0183	ng/m ³ Air	1.3829		95.5	80-120			
Selenium	2.72	0.0110	ng/m ³ Air	2.7658		98.3	80-120			
Sodium	ND	2000	ng/m ³ Air	55.317			80-120			U
Strontium	2.19	0.652	ng/m ³ Air	1.3829		158	80-120			QB-01
Thallium	0.132	5.03E-4	ng/m ³ Air	0.13829		95.3	80-120			
Thorium	0.132	0.00300	ng/m ³ Air	0.13829		95.3	80-120			
Uranium	0.130	0.0170	ng/m ³ Air	0.13829		94.2	80-120			
Vanadium	2.75	0.0492	ng/m ³ Air	2.7658		99.3	80-120			
Zinc	125	97.7	ng/m ³ Air	82.975		151	80-120			

Duplicate (B3L1403-DUP1)

Source: 3121332-06

Prepared & Analyzed: 12/14/23

Aluminum	378	30.1	ng/m ³ Air	383		1.17	10			
Antimony	0.0764	0.0414	ng/m ³ Air	0.0839		9.31	10			SL
Arsenic	0.101	0.00896	ng/m ³ Air	0.101		0.656	10			
Barium	7.37	0.889	ng/m ³ Air	7.62		3.28	10			
Beryllium	0.0206	0.00311	ng/m ³ Air	0.0182		12.3	10			
Cadmium	ND	0.102	ng/m ³ Air	ND			10			U
Calcium	628	274	ng/m ³ Air	623		0.807	10			LJ, QB-01
Chromium	2.18	1.90	ng/m ³ Air	2.10		3.88	10			
Cobalt	0.238	0.0146	ng/m ³ Air	0.237		0.384	10			QB-01
Copper	34.4	2.81	ng/m ³ Air	34.8		1.14	10			
Iron	475	22.7	ng/m ³ Air	478		0.780	10			
Lead	0.363	0.259	ng/m ³ Air	0.343		5.71	10			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
ATTN: Ms. Chelsea Saber
PHONE: (703) 885-5495 **FAX:**

FILE #: 0000.00
REPORTED: 12/19/23 10:54
SUBMITTED: 12/11/23 to 12/13/23
AQS SITE CODE:
SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B3L1403 - ICP-MS Extraction

Duplicate (B3L1403-DUP1) Continued	Source: 3121332-06			Prepared & Analyzed: 12/14/23						
Magnesium	250	90.4	ng/m ³ Air	254				1.26	10	
Manganese	15.1	1.12	ng/m ³ Air	15.1				0.186	10	
Molybdenum	1.04	0.200	ng/m ³ Air	1.05				0.480	10	B, QB-01
Nickel	ND	0.751	ng/m ³ Air	ND					10	U
Phosphorus	ND	1170	ng/m ³ Air	ND					10	U
Potassium	108	35.6	ng/m ³ Air	105				2.78	10	B
Rubidium	0.183	0.0172	ng/m ³ Air	0.185				1.18	10	
Selenium	0.168	0.0103	ng/m ³ Air	0.162				3.77	10	
Sodium	2170	1880	ng/m ³ Air	2200				1.32	10	E
Strontium	4.65	0.612	ng/m ³ Air	4.71				1.32	10	QB-01
Thallium	0.00135	4.72E-4	ng/m ³ Air	0.00143				5.78	10	
Thorium	0.0137	0.00281	ng/m ³ Air	0.0143				4.60	10	
Uranium	ND	0.0159	ng/m ³ Air	ND					10	U
Vanadium	1.32	0.0461	ng/m ³ Air	1.36				2.65	10	
Zinc	ND	91.6	ng/m ³ Air	ND					10	U

Duplicate (B3L1403-DUP2)	Source: 3121332-12			Prepared: 12/14/23 Analyzed: 12/15/23						
Aluminum	531	25.4	ng/m ³ Air	528				0.675	10	
Antimony	0.0541	0.0349	ng/m ³ Air	0.0546				0.953	10	SL
Arsenic	0.141	0.00755	ng/m ³ Air	0.143				1.23	10	
Barium	5.12	0.750	ng/m ³ Air	5.17				0.912	10	
Beryllium	0.0179	0.00263	ng/m ³ Air	0.0186				3.68	10	
Cadmium	ND	0.0862	ng/m ³ Air	ND					10	U
Calcium	419	231	ng/m ³ Air	424				1.14	10	LJ, QB-01
Chromium	1.98	1.61	ng/m ³ Air	1.97				0.508	10	
Cobalt	0.295	0.0123	ng/m ³ Air	0.293				0.697	10	QB-01
Copper	22.8	2.37	ng/m ³ Air	22.7				0.602	10	
Iron	590	19.1	ng/m ³ Air	586				0.594	10	
Lead	0.691	0.218	ng/m ³ Air	0.697				1.00	10	
Magnesium	135	76.3	ng/m ³ Air	134				0.571	10	
Manganese	16.5	0.941	ng/m ³ Air	16.6				0.215	10	
Molybdenum	0.723	0.168	ng/m ³ Air	0.723				0.0941	10	B, QB-01
Nickel	ND	0.634	ng/m ³ Air	ND					10	U
Phosphorus	ND	989	ng/m ³ Air	ND					10	U
Potassium	65.2	30.1	ng/m ³ Air	65.5				0.549	10	B
Rubidium	0.171	0.0145	ng/m ³ Air	0.173				1.00	10	
Selenium	0.131	0.00870	ng/m ³ Air	0.137				4.96	10	
Sodium	ND	1580	ng/m ³ Air	ND					10	U
Strontium	3.34	0.516	ng/m ³ Air	3.37				1.01	10	QB-01

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/19/23 10:54
 SUBMITTED: 12/11/23 to 12/13/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B3L1403 - ICP-MS Extraction

Duplicate (B3L1403-DUP2) Continued **Source: 3121332-12** Prepared: 12/14/23 Analyzed: 12/15/23

Thallium	0.00110	3.98E-4	ng/m ³ Air		0.00110			0.0815	10	
Thorium	0.0158	0.00237	ng/m ³ Air		0.0158			0.0139	10	
Uranium	ND	0.0134	ng/m ³ Air		ND				10	U
Vanadium	1.48	0.0389	ng/m ³ Air		1.48			0.242	10	
Zinc	ND	77.3	ng/m ³ Air		ND				10	U

Matrix Spike (B3L1403-MS1) **Source: 3121332-06** Prepared & Analyzed: 12/14/23

Aluminum	463	30.1	ng/m ³ Air	77.823	383	103	80-120			
Antimony	0.652	0.0414	ng/m ³ Air	1.2970	0.0839	43.8	80-120			SL
Arsenic	2.64	0.00896	ng/m ³ Air	2.5941	0.101	97.7	80-120			
Barium	33.3	0.889	ng/m ³ Air	25.941	7.62	98.8	80-120			
Beryllium	1.27	0.00311	ng/m ³ Air	1.2970	0.0182	96.1	80-120			
Cadmium	1.33	0.102	ng/m ³ Air	1.2970	ND	102	80-120			
Calcium	688	274	ng/m ³ Air	64.852	623	100	80-120			LJ, QB-01
Chromium	15.7	1.90	ng/m ³ Air	12.970	2.10	105	80-120			
Cobalt	1.53	0.0146	ng/m ³ Air	1.2970	0.237	99.8	80-120			QB-01
Copper	62.8	2.81	ng/m ³ Air	25.941	34.8	108	80-120			
Iron	512	22.7	ng/m ³ Air	25.941	478	129	80-120			QM-4X
Lead	13.2	0.259	ng/m ³ Air	12.970	0.343	98.9	80-120			
Magnesium	278	90.4	ng/m ³ Air	25.941	254	96.0	80-120			
Manganese	23.1	1.12	ng/m ³ Air	7.7823	15.1	103	80-120			
Molybdenum	2.41	0.200	ng/m ³ Air	1.2970	1.05	105	80-120			B, QB-01
Nickel	3.33	0.751	ng/m ³ Air	2.5941	ND	128	80-120			
Phosphorus	ND	1170	ng/m ³ Air	12.970	ND		80-120			QM-4X, U
Potassium	171	35.6	ng/m ³ Air	51.882	105	127	80-120			B, QM-07
Rubidium	1.38	0.0172	ng/m ³ Air	1.2970	0.185	91.8	80-120			
Selenium	2.68	0.0103	ng/m ³ Air	2.5941	0.162	97.1	80-120			
Sodium	2280	1880	ng/m ³ Air	51.882	2200	155	80-120			QM-4X
Strontium	5.83	0.612	ng/m ³ Air	1.2970	4.71	86.3	80-120			QB-01
Thallium	0.125	4.72E-4	ng/m ³ Air	0.12970	0.00143	95.0	80-120			
Thorium	0.0695	0.00281	ng/m ³ Air	0.12970	0.0143	42.5	80-120			QM-07
Uranium	0.134	0.0159	ng/m ³ Air	0.12970	ND	103	80-120			
Vanadium	3.90	0.0461	ng/m ³ Air	2.5941	1.36	97.8	80-120			
Zinc	109	91.6	ng/m ³ Air	77.823	ND	140	80-120			

Matrix Spike Dup (B3L1403-MSD1) **Source: 3121332-06** Prepared & Analyzed: 12/14/23

Aluminum	465	30.1	ng/m ³ Air	77.823	383	106	80-120	0.629	20	
Antimony	0.642	0.0414	ng/m ³ Air	1.2970	0.0839	43.0	80-120	1.59	20	SL
Arsenic	2.64	0.00896	ng/m ³ Air	2.5941	0.101	97.8	80-120	0.0407	20	
Barium	32.8	0.889	ng/m ³ Air	25.941	7.62	97.1	80-120	1.35	20	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
 ATTN: Ms. Chelsea Saber
 PHONE: (703) 885-5495 FAX:

FILE #: 0000.00
 REPORTED: 12/19/23 10:54
 SUBMITTED: 12/11/23 to 12/13/23
 AQS SITE CODE:
 SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B3L1403 - ICP-MS Extraction

Matrix Spike Dup (B3L1403-MSD1) ContirSource: 3121332-06 Prepared & Analyzed: 12/14/23

Beryllium	1.21	0.00311	ng/m ³ Air	1.2970	0.0182	92.1	80-120	4.19	20	
Cadmium	1.33	0.102	ng/m ³ Air	1.2970	ND	103	80-120	0.534	20	
Calcium	682	274	ng/m ³ Air	64.852	623	92.2	80-120	0.754	20	LJ, QB-01
Chromium	15.6	1.90	ng/m ³ Air	12.970	2.10	104	80-120	0.875	20	
Cobalt	1.52	0.0146	ng/m ³ Air	1.2970	0.237	99.2	80-120	0.505	20	QB-01
Copper	63.2	2.81	ng/m ³ Air	25.941	34.8	109	80-120	0.672	20	
Iron	506	22.7	ng/m ³ Air	25.941	478	107	80-120	1.14	20	
Lead	13.1	0.259	ng/m ³ Air	12.970	0.343	98.6	80-120	0.278	20	
Magnesium	279	90.4	ng/m ³ Air	25.941	254	96.4	80-120	0.0399	20	
Manganese	23.1	1.12	ng/m ³ Air	7.7823	15.1	103	80-120	0.0337	20	
Molybdenum	2.30	0.200	ng/m ³ Air	1.2970	1.05	96.3	80-120	4.98	20	B, QB-01
Nickel	3.34	0.751	ng/m ³ Air	2.5941	ND	129	80-120	0.377	20	
Phosphorus	ND	1170	ng/m ³ Air	12.970	ND		80-120		20	QM-4X, U
Potassium	154	35.6	ng/m ³ Air	51.882	105	94.0	80-120	10.5	20	B
Rubidium	1.40	0.0172	ng/m ³ Air	1.2970	0.185	93.7	80-120	1.74	20	
Selenium	2.72	0.0103	ng/m ³ Air	2.5941	0.162	98.5	80-120	1.35	20	
Sodium	2240	1880	ng/m ³ Air	51.882	2200	87.3	80-120	1.54	20	
Strontium	5.89	0.612	ng/m ³ Air	1.2970	4.71	90.8	80-120	0.998	20	QB-01
Thallium	0.125	4.72E-4	ng/m ³ Air	0.12970	0.00143	95.7	80-120	0.649	20	
Thorium	0.0709	0.00281	ng/m ³ Air	0.12970	0.0143	43.7	80-120	2.11	20	QM-07
Uranium	0.134	0.0159	ng/m ³ Air	0.12970	ND	103	80-120	0.230	20	
Vanadium	3.91	0.0461	ng/m ³ Air	2.5941	1.36	98.2	80-120	0.257	20	
Zinc	105	91.6	ng/m ³ Air	77.823	ND	135	80-120	3.71	20	

Post Spike (B3L1403-PS1) Source: 3121332-06 Prepared & Analyzed: 12/14/23

Aluminum	406	30.1	ng/m ³ Air	25.941	383	89.1	75-125			
Antimony	0.334	0.0414	ng/m ³ Air	0.25941	0.0839	96.4	75-125			SL
Arsenic	1.32	0.00896	ng/m ³ Air	1.2970	0.101	94.1	75-125			
Barium	9.88	0.889	ng/m ³ Air	2.5941	7.62	87.2	75-125			
Beryllium	0.265	0.00311	ng/m ³ Air	0.25941	0.0182	95.0	75-125			
Cadmium	0.137	0.102	ng/m ³ Air	0.12970	ND	106	75-125			
Calcium	660	274	ng/m ³ Air	25.941	623	143	75-125			A-01, LJ, QB-01
Chromium	3.37	1.90	ng/m ³ Air	1.2970	2.10	98.2	75-125			
Cobalt	0.492	0.0146	ng/m ³ Air	0.25941	0.237	98.3	75-125			QB-01
Copper	48.5	2.81	ng/m ³ Air	12.970	34.8	105	75-125			
Iron	504	22.7	ng/m ³ Air	25.941	478	99.9	75-125			
Lead	25.3	0.259	ng/m ³ Air	25.941	0.343	96.3	75-125			
Magnesium	281	90.4	ng/m ³ Air	25.941	254	105	75-125			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
 1777 Sentry Pkwy, Bldg 12
 Blue Bell, PA 19422
ATTN: Ms. Chelsea Saber
PHONE: (703) 885-5495 **FAX:**

FILE #: 0000.00
REPORTED: 12/19/23 10:54
SUBMITTED: 12/11/23 to 12/13/23
AQS SITE CODE:
SITE CODE: Maui fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B3L1403 - ICP-MS Extraction

Post Spike (B3L1403-PS1) Continued **Source: 3121332-06** Prepared & Analyzed: 12/14/23

Manganese	17.7	1.12	ng/m ³ Air	2.5941	15.1	99.6	75-125			
Molybdenum	2.26	0.200	ng/m ³ Air	1.2970	1.05	93.0	75-125			B, QB-01
Nickel	3.17	0.751	ng/m ³ Air	2.5941	ND	122	75-125			
Phosphorus	ND	1170	ng/m ³ Air	5.1882	ND		75-125			U
Potassium	132	35.6	ng/m ³ Air	25.941	105	104	75-125			B
Rubidium	0.295	0.0172	ng/m ³ Air	0.12970	0.185	85.1	75-125			
Selenium	1.37	0.0103	ng/m ³ Air	1.2970	0.162	93.3	75-125			
Sodium	2260	1880	ng/m ³ Air	25.941	2200	232	75-125			A-01
Strontium	5.78	0.612	ng/m ³ Air	1.2970	4.71	82.7	75-125			QB-01
Thallium	0.0611	4.72E-4	ng/m ³ Air	6.4852E-2	0.00143	92.0	75-125			
Thorium	0.0728	0.00281	ng/m ³ Air	6.4852E-2	0.0143	90.1	75-125			
Uranium	0.0704	0.0159	ng/m ³ Air	6.4852E-2	ND	109	75-125			
Vanadium	2.58	0.0461	ng/m ³ Air	1.2970	1.36	94.5	75-125			
Zinc	ND	91.6	ng/m ³ Air	25.941	ND		75-125			U

CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.
1777 Sentry Pkwy, Bldg 12
Blue Bell, PA 19422

ATTN: Ms. Chelsea Saber

PHONE: (703) 885-5495 **FAX:**

FILE #: 0000.00

REPORTED: 12/19/23 10:54

SUBMITTED: 12/11/23 to 12/13/23

AQS SITE CODE:

SITE CODE: Maui fires

Notes and Definitions

U	Under Detection Limit
SL	The spike recovery was outside acceptance limits. Reported value may be biased low.
QX	Compound does not meet QC criteria. Results should be considered an estimate.
QM-4X	The MS/MSD recovery exceeds criteria because the parent sample concentration is greater than 4x the spike concentration. Sample results for the QC batch were accepted based on acceptable BS/BSD recoveries.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
QM-06	Due to noted non-homogeneity of the QC sample matrix, the MS/MSD did not provide reliable results for accuracy and precision. Sample results for the QC batch were accepted based on LCS/LCSD percent recoveries and RPD values.
QB-01	Analyte exceeds method blank criteria
LJ	Identification of analyte is acceptable; reported value is an estimate.
GC-BS	Compound exceeds Blank Spike Criteria
FB-01	Analyte exceeds Field Blank criteria.
E	The concentration indicated for this analyte is an estimated value above the calibration range of the instrument. This value is considered an estimate (CLP E-flag).
D	This result obtained by dilution.
B	Analyte is found in the associated blank as well as in the sample (CLP B-flag).
A-01a	Parent sample >4x spike amount
A-01	Parent sample >4x spike
ND	Analyte NOT DETECTED
NR	Not Reported
MDL	Method Detection Limit
RPD	Relative Percent Difference

Note: This test is accredited under the 2016 TNI Standard.

Stage 1 Data Verification Checklist – Metals
HDOH CAB – Ambient Community Air Sampling – Kula
Task Order No. 23141

Reviewed by:

Talaith Isaacs 12/22/2023 & Shanna Vasser 12/22/2023

Laboratory: Eastern Research Group – Morrisville, NC

Analysis date: 12/13/2023, 12/14/2023, and 12/15/2023

Report No: 3121111

- 1. Chain of custody (CoC) documentation is present.
- 2. Sample receipt condition information is present and acceptable.
- 3. Laboratory conducting the analysis is identified.
- 4. All samples submitted to the laboratory are accounted for.
- 5. Requested analytical methods were performed.
- 6. Analysis dates are provided.
- 7. Analyte results are provided.
- 8. Result qualifiers and definitions are provided.
- 9. Result units are reported.
- 10. Requested reporting limits are present.
- 11. Method detection limits are present.
- 12. Sample collection date and time are present.

Discrepancies:

The CoC noted, “No field blanks for 12/07/23 and 12/08/23 samples due to late arrival of new filters.”

Notes:

- 2. No sample receipt information was presented by the laboratory.
- 10. No reporting limits were included in this data package.