

**Ambient Community Air Monitoring Weekly Report  
For the Hawaii Department of Health – Clean Air Branch**

**Lahaina, Maui**

**4/11/2024 – 4/17/2024  
[Report Updated: 6/17/2024]**

Due to ongoing debris removal operations in response to the Maui Wildfires, a Community Air Monitoring and Sampling Plan (CAMSP) has been drafted and sampling is being performed at four community locations across Lahaina listed below and shown on **Figure 1**:

- Leialii Hawaiian Homelands (AM-01)
- WW Pump Station #4 (AM-02)
- Lahaina Intermediate School (AM-03)
- Lahaina Boys & Girls Club (AM-04)

This approach includes ambient community air monitoring and sampling to monitor conditions and determine whether debris removal activities, managed by the U.S. Army Corps of Engineers (USACE), significantly impact air quality in Lahaina. Data collected is made available to HDOH via online shared site and this weekly report. This approach to air monitoring and sampling will continue until debris removal activities are complete or until HDOH CAB advises otherwise.

Air quality monitoring for particulate matter was collected at all four community locations over a 24-hour period each day in accordance with the draft CAMSP. Additionally, daily air samples were collected at all community locations, as depicted in **Figure 1**. Summary analytical data is presented in **Tables 1 and 2**. **Appendix 1** provides detailed analytical results for all community locations where air sampling was performed. Analytical results were compared to site-specific screening levels for particulate matter, asbestos, and heavy metals as described in the draft CAMSP. A summary of meteorological data is presented in **Table 3**. Overall wind conditions show approximately 1.3 mph in a generally average Southerly direction.

***Results for Community Locations:***

Ambient air monitoring was performed to assess the presence of airborne particulates with a particle size diameter of 10 micrometers ( $\mu\text{m}$ ), as this is the size that is recognized as being small enough to be inhaled into a person's lungs. This particle size diameter is recognized for health evaluations and is identified as "PM<sub>10</sub>". Monitoring for PM<sub>10</sub> was conducted 24 hours a day, 7 days a week at each of the following locations: Leialii Hawaiian Homelands (April 13-April 17), WW Pump Station #4 (April 11-April 17), Lahaina Intermediate School (April 11-April 17), Lahaina Boys & Girls Club (April 11-April 17). Particulate monitoring at Leialii Hawaiian Homelands was not conducted on April 11 and 12 because of a power outage in the area.

The PM<sub>10</sub> monitoring results were not found to have exceeded the screening level during this reporting period, as shown in **Table 2**.

Please note that ambient air monitoring for fine particulate matter, with a particle size diameter of 2.5 micrometers or less (PM2.5) is not included in this report. This monitoring is being performed by the Department of Health/EPA at six locations in Lahaina and can be viewed at: <https://fire.airnow.gov/>.

There were 25 samples collected for asbestos fibers at community monitoring locations throughout this reporting period. Of the 25 samples collected, two samples collected at WW Pump Station #4 on April 15 and 16 were voided due to a greater than 10% discrepancy between the pre and post calibration flow rate values, as stated in the asbestos sampling SOP. Three asbestos samples at Leialii Hawaiian Homelands on April 11, 12, and 13 were not collected due to a power outage in the sampling area. In

addition, the package containing 13 asbestos samples from all stations on April 11-14 was lost by FedEx, therefore we do not have results to include in this report. At the time of submittal, a claim has been filed with FedEx and it appears the package has been found and is anticipated to be received by the lab. This report will be updated when the claim is closed, or the lab issues the analytical reports. All asbestos results were below the Site Screening Action Level (SSAL) of 0.003 fibers/cc and less than the lab's analytical sensitivity (see Table 1). Notably, the laboratory commented "Numerous gypsum fibers present" on samples collected at the following monitoring stations:

- Lahaina Intermediate School on April 16
- Lahaina Boys & Girls Club on April 15 and 16

Gypsum is a common ingredient in drywall, plaster and cement so its presence in the sample filters is likely due to debris removal operations or other disturbances of built-environment fire debris. The presence of gypsum fibers found in the samples were not sufficient to obscure asbestos analysis; nor are they indicative of a health and safety concern. Occupational health exposure thresholds (National Institute for Occupational Safety and Health [NIOSH] and OSHA) for gypsum are 5 milligrams per cubic meter ( $\text{mg}/\text{m}^3$ ) for respirable dust, and 10  $\text{mg}/\text{m}^3$  and 15  $\text{mg}/\text{m}^3$  respectively for total dust as time-weighted averages. While total dust sampling has not been conducted, the size-discriminated particulate sampling ( $\text{PM}_{10}$ ) at these locations indicates these thresholds are not being approached and are orders of magnitude less than occupational gypsum exposure criteria.

Heavy metal samples from Leialii Hawaiian Homelands on April 11-13 were not collected due to a power outage in the sampling area. As previously reported, low levels of heavy metals were detected in ambient air samples at all community sampling locations. Although heavy metals were detected, all concentrations were below the SSALs (see Table 1). This revised report includes the heavy metal samples from WW Pump Station #4 on April 15 that were not available for the first submission. The laboratory data sheets for the metals and asbestos samples collected from the community locations are found in **Appendix 1**.

#### ***Quality Control:***

This section briefly discusses the quality control efforts made by Tetra Tech throughout the air monitoring and sampling process. All references and SOPs can be found provided with the CAMSP.

Tetra Tech is utilizing Met One Instruments, Inc., environmental beta attenuation mass monitors (E-BAM) to allow for comparison to the National Ambient Air Quality Standards (NAAQS) for particulates. E-BAMs are factory-calibrated annually and do not require daily calibration, except for a leak check and a flow audit, which were performed prior to sampling according to the manufacturer's procedures.

For asbestos sampling, Tetra Tech uses a Casella Vortex 3 or similar air sampling pump. Sampling flow rates will be determined and documented by pre- and post- calibration of each sampling pump using a primary calibration standard. Calibration and sampling are conducted in accordance with Tetra Tech SOPs 064-2, "Calibration of Air Sampling Pump" and 073-3, "Air Quality Monitoring" (Appendix A) and U.S. EPA ERT SOPs No. 2008, "General Air Monitoring and Sampling Guidelines" and 2015 "Asbestos Air Sampling," included in the CAMSP.

Tetra Tech is using Tisch Environmental High Volume Air Samplers, or equivalent, collocated with the real-time particulate monitors and asbestos samplers described above. Air samples for elemental metals at community locations are collected and analyzed in accordance with the following methods:


- U.S. EPA Compendium Method IO-2.1, Sampling of Ambient Air for Total Suspended Particulate Matter (SPM) and PM<sub>10</sub> Using High Volume (HV) Sampler
- U.S. EPA Compendium Method IO-3.5: Compendium of Methods for the Determination of Inorganic Compounds in Ambient Air: Determination of Metals in Ambient Particulate Matter Using Inductively Coupled Plasma/Mass Spectrometry (ICP/MS). EPA/625/R-96/010a

- U.S. EPA 40 Code of Federal Regulations (CFR) Part 50, Method for the Determination of Lead in Total Suspended Particulate Matter.
- U.S. EPA 40 CFR Part 58, Appendix E: Probe and Monitoring Path Siting Criteria for Ambient Air Quality Monitoring
- Standard Operating Procedures for Lead Monitoring Using a TSP High Volume Sampler

Field technicians conducted photographic and written documentation in accordance with Tetra Tech SOP No. 024- 4, "Recording of Notes in Field Logbook."

Following receipt of air sampling results from the off-site analytical laboratories, analytical data is maintained in an electronic database and compared to the SSALs. Level 1 data verification is completed on all analytical data and results are reviewed by an industrial hygienist.

## **Attachments**



■ Air Sampling Locations

■ Lahaina Fire Perimeter



0 0.3 0.6  
Miles

 TETRA TECH

Figure 1  
Air Sampling Locations

Hawaii DOH  
2023 Lahaina Wildfire

**Table 1**  
**HDOH CAB Ambient Community Monitoring and Sampling**  
**Analytical Sampling Results by Date**  
**Maui Wildfire, Lahaina**  
**4/11/2024-4/17/2024**  
**[Report Updated: 6/17/2024]**

Analyte		Asbestos	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Copper	Lead	Manganese	Molybdenum	Nickel	Selenium	Thallium	Vanadium	Zinc
Units		s/cc	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	
Screening Level*		0.003 <sup>1</sup>	0.7	0.05	1.2	0.05	0.02	12	0.01	240	1.5	0.12	4.8	0.02	48	24	0.24	1200
4/11/2024	Leialii Hawaiian Homelands (AM-01)																	
	WW Pump Station #4 (AM-02)	<0.0024	0.000113	0.000357	0.00340	0.00000856	ND	ND	0.000223	0.0283	0.000868	0.00808	0.00192	0.000962	0.000274	0.00000206	0.00107	ND
	Lahaina Intermediate School (AM-03)	<0.0024	0.000156	0.000535	0.00500	0.0000233	ND	0.00299	0.000569	0.0374	0.000922	0.0154	0.00222	0.00183	0.000291	0.00000248	0.00178	ND
4/12/2024	Leialii Hawaiian Homelands (AM-01)	<0.0024	0.000103	0.000415	0.00351	0.00000968	ND	0.00219	0.000284	0.0311	0.000960	0.00964	0.00164	0.00121	0.000254	0.00000199	0.00118	ND
	WW Pump Station #4 (AM-02)	<0.0024	0.000125	0.000464	0.00338	0.00000778	ND	ND	0.000236	0.0347	0.000864	0.00835	0.00175	0.00115	0.000290	0.00000153	0.00137	ND
	Lahaina Intermediate School (AM-03)	<0.0024	0.000103	0.000272	0.00403	0.0000225	ND	0.00353	0.000777	0.0381	0.000593	0.0167	0.00208	0.00254	0.000326	0.00000176	0.00240	ND
4/13/2024	Leialii Hawaiian Homelands (AM-01)	<0.0024	0.000171	0.000557	0.00464	0.0000124	ND	0.00251	0.000419	0.0350	0.00147	0.0132	0.00176	0.00178	0.000311	0.00000145	0.00191	ND
	WW Pump Station #4 (AM-02)	<0.0024	0.000124	0.000240	0.00319	0.00000654	ND	ND	0.000179	0.0358	0.000694	0.00637	0.00215	0.00106	0.000276	0.00000210	0.00112	ND
	Lahaina Intermediate School (AM-03)	<0.0024	0.0000964	0.000311	0.00404	0.0000191	ND	0.00250	0.000454	0.0475	0.000630	0.0115	0.00217	0.00170	0.000305	0.00000202	0.00180	ND
4/14/2024	Leialii Hawaiian Homelands (AM-01)	<0.0024	0.000104	0.000287	0.00342	0.00000865	ND	ND	0.000267	0.0306	0.00110	0.00850	0.00162	0.00126	0.000256	0.00000186	0.00132	ND
	Leialii Hawaiian Homelands (AM-01)	<0.0024	0.000128	0.00113	0.00392	0.00000796	ND	0.00230	0.000306	0.0674	0.000898	0.00961	0.00424	0.00186	0.000292	0.00000157	0.00110	ND
	WW Pump Station #4 (AM-02)	<0.0027	0.0000658	0.000287	0.00203	0.00000531	ND	ND	0.000146	0.0384	0.000518	0.00539	0.00238	0.000869	0.000294	0.00000132	0.000667	ND
4/15/2024	Lahaina Intermediate School (AM-03)	<0.0024	0.0000713	0.000317	0.00314	0.0000144	ND	0.00286	0.000545	0.0344	0.000451	0.0108	0.00164	0.00177	0.000321	0.00000143	0.00117	ND
	Lahaina Boys & Girls Club (AM-04)	<0.0027	0.000103	0.000869	0.00295	0.00000619	ND	0.00199	0.000220	0.0384	0.00102	0.00685	0.00214	0.00106	0.000287	0.00000133	0.000778	ND
	Leialii Hawaiian Homelands (AM-01)	<0.0024	0.000172	0.00325	0.00659	0.0000169	0.00000616	0.000442	0.000772	0.0692	0.00163	0.0218	0.00409	0.00246	0.000242	0.00000175	0.00201	ND
4/16/2024	WW Pump Station #4 (AM-02)	<0.0024	0.000161	0.000660	0.00419	0.00000858	ND	ND	0.000271	0.0339	0.00109	0.00773	0.00159	0.00225	0.000274	0.00000137	0.000740	ND
	Lahaina Intermediate School (AM-03)	<0.0024	0.000140	0.000151	0.00322	0.0000109	ND	0.00230	0.000394	0.0369	0.000696	0.00742	0.00146	0.00142	0.000189	0.00000101	0.000627	ND
	Lahaina Boys & Girls Club (AM-04)	<0.0024	0.000129	0.000389	0.00191	0.00000306	ND	ND	0.000115	0.0356	0.000625	0.00317	0.00186	0.000767	0.000161	0.00000901	0.000237	ND
4/17/2024	Leialii Hawaiian Homelands (AM-01)	<0.0027	0.0000819	0.000190	0.00294	0.00000266	ND	ND	0.000110	0.0735	0.000445	0.00285	0.00433	0.00119	0.000161	0.00000171	0.000396	ND
	WW Pump Station #4 (AM-02)		0.000236	0.000259	0.00752	0.00000912	ND	0.00229	0.000347	0.0420	0.000705	0.00936	0.00240	0.00175	0.000193	0.00000187	0.00101	ND
	Lahaina Intermediate School (AM-03)	<0.0024	0.0000837	0.000140	0.00245	0.00000546	ND	ND	0.000162	0.0532	0.000413	0.00386	0.00262	0.00102	0.000149	0.00000180	0.000478	ND
95% Upper Confidence Limit <sup>2</sup>		NA	0.000130	0.000630	0.00419	0.0000130	NA	0.00286	0.000410	0.0480	0.00990	0.0112	0.00260	0.00169	0.000270	0.00000170	0.0000137	NA

**Notes:**

<sup>1</sup> Asbestos result determined by transmission electron microscopy (TEM) in accordance with ISO Method 10312. PCMe results are presented here.

<sup>2</sup> 95% UCL determined through best fit lognormal or normal parametric statistics via W test

s/cc = structures per cubic centimeter

ug/m³ = micrograms per cubic meter

NA = Not Applicable

ND = Not detected at or above the laboratory reporting limit

\* Laboratory data provided in nanograms per cubic meter, however data shown in Table 1 has been converted to micrograms per cubic meter so data was comparable to SSALs

Asbestos samples voided due to a greater than 10% discrepancy between the pre and post calibration flow rate values, as stated in the asbestos sampling SOP.

Samples voided due to power outage

Heavy Metals sample results from WW Pump Station #4 (AM-02) on April 15 have been received from lab and completed Stage 1 verification process.

**Table 2**  
**HDOH CAB Ambient Community Monitoring and Sampling**  
**Particulate Monitoring Results for PM<sub>10</sub>**  
**Maui Wildfire, Lahaina**  
**4/11/2024 - 4/17/2024**  
**[Report Updated: 6/17/2024]**

Screening Level		150 µg/m <sup>3</sup>
4/11/2024	Leialii Hawaiian Homelands (AM-01)	
	WW Pump Station #4 (AM-02)	15
	Lahaina Intermediate School (AM-03)	15
	Lahaina Boys & Girls Club (AM-04)	14
4/12/2024	Leialii Hawaiian Homelands (AM-01)	
	WW Pump Station #4 (AM-02)	13
	Lahaina Intermediate School (AM-03)	16
	Lahaina Boys & Girls Club (AM-04)	12
4/13/2024	Leialii Hawaiian Homelands (AM-01)	13
	WW Pump Station #4 (AM-02)	14
	Lahaina Intermediate School (AM-03)	16
	Lahaina Boys & Girls Club (AM-04)	11
4/14/2024	Leialii Hawaiian Homelands (AM-01)	9.5
	WW Pump Station #4 (AM-02)	12
	Lahaina Intermediate School (AM-03)	15
	Lahaina Boys & Girls Club (AM-04)	9.5
4/15/2024	Leialii Hawaiian Homelands (AM-01)	5.6
	WW Pump Station #4 (AM-02)	9.4
	Lahaina Intermediate School (AM-03)	110
	Lahaina Boys & Girls Club (AM-04)	6.3
4/16/2024	Leialii Hawaiian Homelands (AM-01)	9.8
	WW Pump Station #4 (AM-02)	7.7
	Lahaina Intermediate School (AM-03)	6.8
	Lahaina Boys & Girls Club (AM-04)	6.2
4/17/2024	Leialii Hawaiian Homelands (AM-01)	6.9
	WW Pump Station #4 (AM-02)	8.7
	Lahaina Intermediate School (AM-03)	7.3
	Lahaina Boys & Girls Club (AM-04)	6.7

**Notes:**

µg/m<sup>3</sup> = micrograms per cubic meter

24 hour TWA calculation results are shown in two significant figures

Results are based on 24 hour TWA calculation

No 24 hr TWA results due to power outage.

Results for Leialii Hawaiian Homelands (AM-01) on 4/13 are based on a 11 hr TWA because of a power outage.

Results for WW Pump Station #4 (AM-02) on 4/14 are based on a 19 hr TWA because of a power outage.

Results for WW Pump Station #4 (AM-02) on 4/13 are based on a 16 hr TWA because of a power outage.

**Table 3**  
**Maui Wildfire - Lahaina**  
**Meteorological Data**  
**4/11/2024-4/17/2024**  
**[Report Updated:6/17/2024]**

Date	Station ID	Weather Station Name	Wind Speed (mph)	Wind Direction (angle)	Temperature (°F)	Rel Humidity (%)	Baro Pressure (mBar)
4/11/2024	AM-01	Leialii Hawaiian Homelands					
4/11/2024	AM-02	WW Pump Station #4	0.7	SSE	78	73	761.0
4/11/2024	AM-03	Lahaina Intermediate School	1.0	SSE	74	73	751.6
4/11/2024	AM-04	Lahaina Boys & Girls Club	1.0	SSW	76	70	760.7
4/12/2024	AM-01	Leialii Hawaiian Homelands					
4/12/2024	AM-02	WW Pump Station #4	0.8	S	77	77	762.6
4/12/2024	AM-03	Lahaina Intermediate School	1.1	S	75	78	753.1
4/12/2024	AM-04	Lahaina Boys & Girls Club	1.2	SSW	76	74	762.2
4/13/2024	AM-01	Leialii Hawaiian Homelands	1.6	SW	80	68	759.9
4/13/2024	AM-02	WW Pump Station #4	0.8	SSW	78	74	762.4
4/13/2024	AM-03	Lahaina Intermediate School	1.4	S	76	75	753.0
4/13/2024	AM-04	Lahaina Boys & Girls Club	1.3	SSW	77	73	762.0
4/14/2024	AM-01	Leialii Hawaiian Homelands	1.3	SSE	77	77	758.9
4/14/2024	AM-02	WW Pump Station #4	1.4	SSE	77	81	761.1
4/14/2024	AM-03	Lahaina Intermediate School	2.4	SE	74	85	751.7
4/14/2024	AM-04	Lahaina Boys & Girls Club	1.3	SSE	76	79	760.8
4/15/2024	AM-01	Leialii Hawaiian Homelands	1.3	S	75	77	757.8
4/15/2024	AM-02	WW Pump Station #4	1.2	SSE	77	78	760.6
4/15/2024	AM-03	Lahaina Intermediate School	1.5	SSE	73	82	750.5
4/15/2024	AM-04	Lahaina Boys & Girls Club	1.2	S	74	79	759.6
4/16/2024	AM-01	Leialii Hawaiian Homelands	1.4	S	75	63	758.8
4/16/2024	AM-02	WW Pump Station #4	1.1	SE	76	65	761.0
4/16/2024	AM-03	Lahaina Intermediate School	1.4	SSE	74	66	751.7
4/16/2024	AM-04	Lahaina Boys & Girls Club	1.3	SSW	73	70	760.6
4/17/2024	AM-01	Leialii Hawaiian Homelands	1.6	S	77	60	760.4
4/17/2024	AM-02	WW Pump Station #4	1.1	SSE	76	63	762.7
4/17/2024	AM-03	Lahaina Intermediate School	1.2	SE	74	64	753.3
4/17/2024	AM-04	Lahaina Boys & Girls Club	1.1	S	75	65	762.3

**Notes:**

°F - Fahrenheit

mBar - millibar

mph - miles per hour

Weather data for Leialii Hawaiian Homelands on 4/11 & 4/12 was not calculated due to a power outage not related to the monitoring equipment

# **Appendix 1**

Please note, comments pertaining to gypsum may be mentioned in the lab reports below. Gypsum is a common ingredient in drywall, plaster and cement so its presence in the sample filters is likely due to debris removal operations or other disturbances of built-environment fire debris. A more indepth discussion can be found in the attached weekly report.

\*\*Please note sample data that does not fall within this reporting period have been removed or redacted



**EMSL Analytical, Inc.**

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

<http://www.EMSL.com> / cinnaslab@EMSL.com

EMSL Order:	042408082
Customer ID:	TTDC42
Customer PO:	1207085
Project ID:	N/A

**Attn: Chelsea Saber**

Tetra Tech  
1560 Broadway, Suite 1400  
Denver, CO, 80202

Phone: (703) 489-2674

Fax: N/A

Received Date: 04/22/2024 09:00 AM

Analysis Date: 04/24/2024

Report Date: 04/30/2024

**Project: Maui Fires - Lahaina**

## ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

Customer Sample Number:	MFL-AM01-041524-AB		Sample Matrix:	Air
EMSL Sample Number:	042408082-0001		Volume (L):	7190.4
Magnification used for fiber counting:	20,000		Area of original collection filter (mm <sup>2</sup> ):	385
Aspect ratio for fiber definition:	3:1		Grid Opening Area (mm <sup>2</sup> ):	0.0128
Minimum Length (μm):	≥ 0.5		Grid Openings Analyzed:	5
Chi <sup>2</sup> Test for Random Distribution on Filter:	N/A	(N/A)	Analyst:	G.Barry
Minimum Level of analysis (chrysotile):	CD			
Minimum Level of analysis (amphibole):	ADX			

Estimated Particulate Loading on Filter %: 5  
Target Analytical Sensitivity (Structures/cc): 0.001

**Analytical Sensitivity (Structures/cc): 0.0008**      **Limit of Detection (Structures/cc): 0.0024**

TOTAL STRUCTURES (All Sizes)						
Minimum ID Level	Structures Detected		Density	Concentration	95 % Confidence Interval (S/cc)	
	Primary	Total	(S/mm <sup>2</sup> )	(S/cc)	Lower	Upper
<b>Total Chrysotile</b>	CD	0	0	< 46.72	< 0.0024	Not Applicable - 0.0024
<b>Total Amphibole</b>	ADX	0	0	< 46.72	< 0.0024	Not Applicable - 0.0024
Actinolite	ADX	0	0	< 46.72	< 0.0024	Not Applicable - 0.0024
Amosite	ADX	0	0	< 46.72	< 0.0024	Not Applicable - 0.0024
Anthophyllite	ADX	0	0	< 46.72	< 0.0024	Not Applicable - 0.0024
Crocidolite	ADX	0	0	< 46.72	< 0.0024	Not Applicable - 0.0024
Tremolite	ADX	0	0	< 46.72	< 0.0024	Not Applicable - 0.0024
<b>Total Asbestos Structures</b>	<b>CD/ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 46.72</b>	<b>&lt; 0.0024</b>	<b>Not Applicable - 0.0024</b>
Other Minerals	-	0	0	< 46.72	< 0.0024	Not Applicable - 0.0024
<b>Total All Structures</b>	<b>-</b>	<b>0</b>	<b>0</b>	<b>&lt; 46.72</b>	<b>&lt; 0.0024</b>	<b>Not Applicable - 0.0024</b>

PCM EQUIVALENT (PCMe) Fibers (>5 microns in length with >3:1 Aspect Ratio)						
Minimum ID Level	Fibers Detected		Density	Concentration	95 % Confidence Interval (F/cc)	
	Primary	Total	(F/mm <sup>2</sup> )	(F/cc)	Lower	Upper
<b>Total Chrysotile (PCMe)</b>	CD	0	0	< 46.72	< 0.0024	Not Applicable - 0.0024
<b>Total Amphibole (PCMe)</b>	ADX	0	0	< 46.72	< 0.0024	Not Applicable - 0.0024
Actinolite	ADX	0	0	< 46.72	< 0.0024	Not Applicable - 0.0024
Amosite	ADX	0	0	< 46.72	< 0.0024	Not Applicable - 0.0024
Anthophyllite	ADX	0	0	< 46.72	< 0.0024	Not Applicable - 0.0024
Crocidolite	ADX	0	0	< 46.72	< 0.0024	Not Applicable - 0.0024
Tremolite	ADX	0	0	< 46.72	< 0.0024	Not Applicable - 0.0024
<b>Total Asbestos Structures (PCMe)</b>	<b>CD/ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 46.72</b>	<b>&lt; 0.0024</b>	<b>Not Applicable - 0.0024</b>
Other Minerals	-	0	0	< 46.72	< 0.0024	Not Applicable - 0.0024
<b>Total All Structures (PCMe)</b>	<b>-</b>	<b>0</b>	<b>0</b>	<b>&lt; 46.72</b>	<b>&lt; 0.0024</b>	<b>Not Applicable - 0.0024</b>

**Comment**

Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL. EMSL is not responsible for sample collection activities or analytical limitations. Interpretation and use of results are the responsibility of the client.



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

<http://www.EMSL.com> / [cinnasblab@EMSL.com](mailto:cinnasblab@EMSL.com)

EMSL Order ID: 042408082

Client: Tetra Tech

Project ID: Maui Fires - Lahaina

**ISO 10312 Determination of Asbestos Fibers  
Direct Transfer Transmission Electron Microscopy**

**Analytical Bench Sheet Data**

EMSL Sample ID:			Customer Sample:								
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions ( $\mu\text{m}$ )		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
A5	A6	None Detected									
A5	D4	None Detected									
A5	H7	None Detected									
A6	B4	None Detected									
A6	F7	None Detected									

Abbreviations used:

XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled

XCGBLD - Crosses Countable Grid Bar Length Doubled



**EMSL Analytical, Inc.**

200 Route 130 North Cinnaminson, NJ 08077  
Tel/Fax: (800) 220-3675 / (856) 786-5974  
<http://www.EMSL.com> / [cinnaslab@EMSL.com](mailto:cinnaslab@EMSL.com)

EMSL Order:	042408082
Customer ID:	TTDC42
Customer PO:	1207085
Project ID:	N/A

**Attn: Chelsea Saber**  
Tetra Tech  
1560 Broadway, Suite 1400  
Denver, CO, 80202

Phone: (703) 489-2674  
Fax: N/A  
Received Date: 04/22/2024 09:00 AM  
Analysis Date: 04/24/2024  
Report Date: 04/30/2024

**Project: Maui Fires - Lahaina**

### ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

**Customer Sample Number:** MFL-AM03-041524-AB

EMSL Sample Number: 042408082-0002  
Magnification used for fiber counting: 20,000  
Aspect ratio for fiber definition: 3:1  
Minimum Length ( $\mu\text{m}$ ):  $\geq 0.5$   
Chi $\chi^2$  Test for Random Distribution on Filter: N/A (N/A)  
Minimum Level of analysis (chrysotile): CD  
Minimum Level of analysis (amphibole): ADX

Sample Matrix: Air  
Volume (L): 7215.8  
Area of original collection filter ( $\text{mm}^2$ ): 385  
Grid Opening Area ( $\text{mm}^2$ ): 0.0128  
Grid Openings Analyzed: 5  
Analyst: G.Barry

Estimated Particulate Loading on Filter %: 5  
Target Analytical Sensitivity (Structures/cc): 0.001

**Analytical Sensitivity (Structures/cc): 0.0008**

**Limit of Detection (Structures/cc): 0.0024**

<b>TOTAL STRUCTURES (All Sizes)</b>					
Minimum ID Level	Structures Detected		Density (S/ $\text{mm}^2$ )	Concentration (S/cc)	95 % Confidence Interval (S/cc)
	Primary	Total	Lower	Upper	
Total Chrysotile	CD	0	0	< 46.72	< 0.0024
Total Amphibole	ADX	0	0	< 46.72	< 0.0024
Actinolite	ADX	0	0	< 46.72	< 0.0024
Amosite	ADX	0	0	< 46.72	< 0.0024
Anthophyllite	ADX	0	0	< 46.72	< 0.0024
Crocidolite	ADX	0	0	< 46.72	< 0.0024
Tremolite	ADX	0	0	< 46.72	< 0.0024
<b>Total Asbestos Structures</b>	<b>CD/ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 46.72</b>	<b>&lt; 0.0024</b>
Other Minerals	-	0	0	< 46.72	< 0.0024
<b>Total All Structures</b>	<b>-</b>	<b>0</b>	<b>0</b>	<b>&lt; 46.72</b>	<b>&lt; 0.0024</b>

<b>PCM EQUIVALENT (PCMe) Fibers</b> (>5 microns in length with >3:1 Aspect Ratio)					
Minimum ID Level	Fibers Detected		Density (F/ $\text{mm}^2$ )	Concentration (F/cc)	95 % Confidence Interval (F/cc)
	Primary	Total	(F/ $\text{mm}^2$ )	(F/cc)	
Total Chrysotile (PCMe)	CD	0	0	< 46.72	< 0.0024
Total Amphibole (PCMe)	ADX	0	0	< 46.72	< 0.0024
Actinolite	ADX	0	0	< 46.72	< 0.0024
Amosite	ADX	0	0	< 46.72	< 0.0024
Anthophyllite	ADX	0	0	< 46.72	< 0.0024
Crocidolite	ADX	0	0	< 46.72	< 0.0024
Tremolite	ADX	0	0	< 46.72	< 0.0024
<b>Total Asbestos Structures (PCMe)</b>	<b>CD/ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 46.72</b>	<b>&lt; 0.0024</b>
Other Minerals	-	0	0	< 46.72	< 0.0024
<b>Total All Structures (PCMe)</b>	<b>-</b>	<b>0</b>	<b>0</b>	<b>&lt; 46.72</b>	<b>&lt; 0.0024</b>

**Comment**

Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL. EMSL is not responsible for sample collection activities or analytical limitations. Interpretation and use of results are the responsibility of the client.



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

<http://www.EMSL.com> / [cinnasblab@EMSL.com](mailto:cinnasblab@EMSL.com)

EMSL Order ID: 042408082

Client: Tetra Tech

Project ID: Maui Fires - Lahaina

## ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

### Analytical Bench Sheet Data

EMSL Sample ID:			Customer Sample:								
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions ( $\mu\text{m}$ )		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
B1	C5	None Detected									
B1	F2	None Detected									
B1	I7	None Detected									
B2	D5	None Detected									
B2	G3	None Detected									

Abbreviations used:

XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled

XCGBLD - Crosses Countable Grid Bar Length Doubled



**EMSL Analytical, Inc.**

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

<http://www.EMSL.com> / cinnaslab@EMSL.com

EMSL Order:	042408082
Customer ID:	TTDC42
Customer PO:	1207085
Project ID:	N/A

**Attn: Chelsea Saber**

Tetra Tech  
1560 Broadway, Suite 1400  
Denver, CO, 80202

Phone: (703) 489-2674

Fax: N/A

Received Date: 04/22/2024 09:00 AM

Analysis Date: 04/24/2024

Report Date: 04/30/2024

**Project: Maui Fires - Lahaina**

## ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

Customer Sample Number:	MFL-AM04-041524-AB		Sample Matrix:	Air
EMSL Sample Number:	042408082-0003		Volume (L):	7273.6
Magnification used for fiber counting:	20,000		Area of original collection filter (mm <sup>2</sup> ):	385
Aspect ratio for fiber definition:	3:1		Grid Opening Area (mm <sup>2</sup> ):	0.0128
Minimum Length (μm):	≥ 0.5		Grid Openings Analyzed:	5
Chi <sup>2</sup> Test for Random Distribution on Filter:	N/A	(N/A)	Analyst:	G.Barry
Minimum Level of analysis (chrysotile):	CD			
Minimum Level of analysis (amphibole):	ADX			

Estimated Particulate Loading on Filter %: 5  
Target Analytical Sensitivity (Structures/cc): 0.001

**Analytical Sensitivity (Structures/cc): 0.0008**

**Limit of Detection (Structures/cc): 0.0024**

	TOTAL STRUCTURES (All Sizes)				
	Minimum ID Level	Structures Detected	Density	Concentration	95 % Confidence Interval (S/cc)
	Primary	Total	(S/mm <sup>2</sup> )	(S/cc)	Lower      Upper
<b>Total Chrysotile</b>	CD	0	0	< 46.72	< 0.0024
<b>Total Amphibole</b>	ADX	0	0	< 46.72	< 0.0024
Actinolite	ADX	0	0	< 46.72	< 0.0024
Amosite	ADX	0	0	< 46.72	< 0.0024
Anthophyllite	ADX	0	0	< 46.72	< 0.0024
Crocidolite	ADX	0	0	< 46.72	< 0.0024
Tremolite	ADX	0	0	< 46.72	< 0.0024
<b>Total Asbestos Structures</b>	CD/ADX	0	0	< 46.72	< 0.0024
Other Minerals	-	0	0	< 46.72	< 0.0024
<b>Total All Structures</b>	-	0	0	< 46.72	< 0.0024

	PCM EQUIVALENT (PCMe) Fibers (>5 microns in length with >3:1 Aspect Ratio)				
	Minimum ID Level	Fibers Detected	Density	Concentration	95 % Confidence Interval (F/cc)
	Primary	Total	(F/mm <sup>2</sup> )	(F/cc)	Lower      Upper
<b>Total Chrysotile (PCMe)</b>	CD	0	0	< 46.72	< 0.0024
<b>Total Amphibole (PCMe)</b>	ADX	0	0	< 46.72	< 0.0024
Actinolite	ADX	0	0	< 46.72	< 0.0024
Amosite	ADX	0	0	< 46.72	< 0.0024
Anthophyllite	ADX	0	0	< 46.72	< 0.0024
Crocidolite	ADX	0	0	< 46.72	< 0.0024
Tremolite	ADX	0	0	< 46.72	< 0.0024
<b>Total Asbestos Structures (PCMe)</b>	CD/ADX	0	0	< 46.72	< 0.0024
Other Minerals	-	0	0	< 46.72	< 0.0024
<b>Total All Structures (PCMe)</b>	-	0	0	< 46.72	< 0.0024

**Comment**

Numerous gypsum fibers present

Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL. EMSL is not responsible for sample collection activities or analytical limitations. Interpretation and use of results are the responsibility of the client.



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

<http://www.EMSL.com> / [cinnasblab@EMSL.com](mailto:cinnasblab@EMSL.com)

EMSL Order ID: 042408082

Client: Tetra Tech

Project ID: Maui Fires - Lahaina

**ISO 10312 Determination of Asbestos Fibers  
Direct Transfer Transmission Electron Microscopy**

**Analytical Bench Sheet Data**

EMSL Sample ID:			Customer Sample:								
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions ( $\mu\text{m}$ )		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
B5	A3	None Detected									
B5	F8	None Detected									
B5	I5	None Detected									
B6	C4	None Detected									
B6	H7	None Detected									

Abbreviations used:

XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled

XCGBLD - Crosses Countable Grid Bar Length Doubled



**EMSL Analytical, Inc.**

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

<http://www.EMSL.com> / cinnaslab@EMSL.com

EMSL Order: 042408082

Customer ID: TTDC42

Customer PO: 1207085

Project ID: N/A

**Attn: Chelsea Saber**

Tetra Tech  
1560 Broadway, Suite 1400  
Denver, CO, 80202

Phone: (703) 489-2674

Fax: N/A

Received Date: 04/22/2024 09:00 AM

Analysis Date: 04/24/2024

Report Date: 04/30/2024

**Project: Maui Fires - Lahaina**

## ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

Customer Sample Number:	MFL-FB01-041524-AB		
EMSL Sample Number:	042408082-0004	Sample Matrix:	Air
Magnification used for fiber counting:	20,000	Volume (L):	0.0
Aspect ratio for fiber definition:	3:1	Area of original collection filter (mm <sup>2</sup> ):	385
Minimum Length (μm):	≥ 0.5	Grid Opening Area (mm <sup>2</sup> ):	0.0128
Chi <sup>2</sup> Test for Random Distribution on Filter:	N/A (N/A)	Grid Openings Analyzed:	10
Minimum Level of analysis (chrysotile):	CD	Analyst:	G.Barry
Minimum Level of analysis (amphibole):	ADX		

Estimated Particulate Loading on Filter %: 1  
Target Analytical Sensitivity (Structures/cc): 0.001

Analytical Sensitivity (Structures/cc):	N/A	Limit of Detection (Structures/cc):	N/A
<b>TOTAL STRUCTURES (All Sizes)</b>			
Minimum ID Level	Structures Detected	Density	Concentration
	Primary	Total	(S/mm <sup>2</sup> ) (S/cc)
<b>Total Chrysotile</b>	<b>CD</b>	<b>0</b>	<b>&lt; 23.36</b>
<b>Total Amphibole</b>	<b>ADX</b>	<b>0</b>	<b>&lt; 23.36</b>
Actinolite	ADX	0	< 23.36
Amosite	ADX	0	< 23.36
Anthophyllite	ADX	0	< 23.36
Crocidolite	ADX	0	< 23.36
Tremolite	ADX	0	< 23.36
<b>Total Asbestos Structures</b>	<b>CD/ADX</b>	<b>0</b>	<b>&lt; 23.36</b>
Other Minerals	-	0	< 23.36
<b>Total All Structures</b>	<b>-</b>	<b>0</b>	<b>&lt; 23.36</b>

PCM EQUIVALENT (PCMe) Fibers (>5 microns in length with >3:1 Aspect Ratio)					
Minimum ID Level	Fibers Detected	Density	Concentration	95 % Confidence Interval (F/cc)	
	Primary	Total	(F/mm <sup>2</sup> ) (F/cc)	Lower	Upper
<b>Total Chrysotile (PCMe)</b>	<b>CD</b>	<b>0</b>	<b>&lt; 23.36</b>		
<b>Total Amphibole (PCMe)</b>	<b>ADX</b>	<b>0</b>	<b>&lt; 23.36</b>		
Actinolite	ADX	0	< 23.36		
Amosite	ADX	0	< 23.36		
Anthophyllite	ADX	0	< 23.36		
Crocidolite	ADX	0	< 23.36		
Tremolite	ADX	0	< 23.36		
<b>Total Asbestos Structures (PCMe)</b>	<b>CD/ADX</b>	<b>0</b>	<b>&lt; 23.36</b>		
Other Minerals	-	0	< 23.36		
<b>Total All Structures (PCMe)</b>	<b>-</b>	<b>0</b>	<b>&lt; 23.36</b>		

**Comment**

Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL. EMSL is not responsible for sample collection activities or analytical limitations. Interpretation and use of results are the responsibility of the client.



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

<http://www.EMSL.com> / [cinnasblab@EMSL.com](mailto:cinnasblab@EMSL.com)

EMSL Order ID: 042408082

Client: Tetra Tech

Project ID: Maui Fires - Lahaina

## ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

### Analytical Bench Sheet Data

EMSL Sample ID:			Customer Sample:								
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions ( $\mu\text{m}$ )		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
H1	I4	None Detected									
H1	G8	None Detected									
H1	D4	None Detected									
H1	A7	None Detected									
H2	C7	None Detected									
H2	E4	None Detected									
H2	J8	None Detected									
H3	H5	None Detected									
H3	D3	None Detected									
H3	B6	None Detected									

Abbreviations used:

XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled

XCGBLD - Crosses Countable Grid Bar Length Doubled



**EMSL Analytical, Inc.**

200 Route 130 North Cinnaminson, NJ 08077  
Tel/Fax: (800) 220-3675 / (856) 786-5974  
<http://www.EMSL.com> / [cinnaslab@EMSL.com](mailto:cinnaslab@EMSL.com)

EMSL Order:	042408082
Customer ID:	TTDC42
Customer PO:	1207085
Project ID:	N/A

**Attn: Chelsea Saber**  
Tetra Tech  
1560 Broadway, Suite 1400  
Denver, CO, 80202

Phone: (703) 489-2674  
Fax: N/A  
Received Date: 04/22/2024 09:00 AM  
Analysis Date: 04/24/2024  
Report Date: 04/30/2024

**Project: Maui Fires - Lahaina**

### ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

**Customer Sample Number:** MFL-AM01-041624-AB

EMSL Sample Number:	042408082-0005	Sample Matrix:	Air
Magnification used for fiber counting:	20,000	Volume (L):	7076.4
Aspect ratio for fiber definition:	3:1	Area of original collection filter (mm <sup>2</sup> ):	385
Minimum Length (μm):	≥ 0.5	Grid Opening Area (mm <sup>2</sup> ):	0.0128
Chi <sup>2</sup> Test for Random Distribution on Filter:	N/A (N/A)	Grid Openings Analyzed:	5
Minimum Level of analysis (chrysotile):	CD	Analyst:	G.Barry
Minimum Level of analysis (amphibole):	ADX		

Estimated Particulate Loading on Filter %: N/A  
Target Analytical Sensitivity (Structures/cc): 0.001

**Analytical Sensitivity (Structures/cc):** 0.0009      **Limit of Detection (Structures/cc):** 0.0027

TOTAL STRUCTURES (All Sizes)						
Minimum ID Level	Structures Detected		Density (S/mm <sup>2</sup> )	Concentration (S/cc)	95 % Confidence Interval (S/cc)	
	Primary	Total			Lower	Upper
<b>Total Chrysotile</b>	CD	0	0	< 46.72	< 0.0027	Not Applicable - 0.0027
<b>Total Amphibole</b>	ADX	0	0	< 46.72	< 0.0027	Not Applicable - 0.0027
Actinolite	ADX	0	0	< 46.72	< 0.0027	Not Applicable - 0.0027
Amosite	ADX	0	0	< 46.72	< 0.0027	Not Applicable - 0.0027
Anthophyllite	ADX	0	0	< 46.72	< 0.0027	Not Applicable - 0.0027
Crocidolite	ADX	0	0	< 46.72	< 0.0027	Not Applicable - 0.0027
Tremolite	ADX	0	0	< 46.72	< 0.0027	Not Applicable - 0.0027
<b>Total Asbestos Structures</b>	<b>CD/ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 46.72</b>	<b>&lt; 0.0027</b>	<b>Not Applicable - 0.0027</b>
Other Minerals	-	0	0	< 46.72	< 0.0027	Not Applicable - 0.0027
<b>Total All Structures</b>	<b>-</b>	<b>0</b>	<b>0</b>	<b>&lt; 46.72</b>	<b>&lt; 0.0027</b>	<b>Not Applicable - 0.0027</b>

PCM EQUIVALENT (PCMe) Fibers (>5 microns in length with >3:1 Aspect Ratio)						
Minimum ID Level	Fibers Detected		Density (F/mm <sup>2</sup> )	Concentration (F/cc)	95 % Confidence Interval (F/cc)	
	Primary	Total			Lower	Upper
<b>Total Chrysotile (PCMe)</b>	CD	0	0	< 46.72	< 0.0027	Not Applicable - 0.0027
<b>Total Amphibole (PCMe)</b>	ADX	0	0	< 46.72	< 0.0027	Not Applicable - 0.0027
Actinolite	ADX	0	0	< 46.72	< 0.0027	Not Applicable - 0.0027
Amosite	ADX	0	0	< 46.72	< 0.0027	Not Applicable - 0.0027
Anthophyllite	ADX	0	0	< 46.72	< 0.0027	Not Applicable - 0.0027
Crocidolite	ADX	0	0	< 46.72	< 0.0027	Not Applicable - 0.0027
Tremolite	ADX	0	0	< 46.72	< 0.0027	Not Applicable - 0.0027
<b>Total Asbestos Structures (PCMe)</b>	<b>CD/ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 46.72</b>	<b>&lt; 0.0027</b>	<b>Not Applicable - 0.0027</b>
Other Minerals	-	0	0	< 46.72	< 0.0027	Not Applicable - 0.0027
<b>Total All Structures (PCMe)</b>	<b>-</b>	<b>0</b>	<b>0</b>	<b>&lt; 46.72</b>	<b>&lt; 0.0027</b>	<b>Not Applicable - 0.0027</b>

**Comment**

Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL. EMSL is not responsible for sample collection activities or analytical limitations. Interpretation and use of results are the responsibility of the client.



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

<http://www.EMSL.com> / [cinnasblab@EMSL.com](mailto:cinnasblab@EMSL.com)

EMSL Order ID: 042408082

Client: Tetra Tech

Project ID: Maui Fires - Lahaina

**ISO 10312 Determination of Asbestos Fibers  
Direct Transfer Transmission Electron Microscopy**

**Analytical Bench Sheet Data**

EMSL Sample ID:			Customer Sample:								
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions ( $\mu\text{m}$ )		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
C5	A6	None Detected									
C5	E5	None Detected									
C5	J6	None Detected									
C6	D3	None Detected									
C6	G7	None Detected									

Abbreviations used:

XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled

XCGBLD - Crosses Countable Grid Bar Length Doubled



**EMSL Analytical, Inc.**

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

<http://www.EMSL.com> / cinnaslab@EMSL.com

EMSL Order:	042408082
Customer ID:	TTDC42
Customer PO:	1207085
Project ID:	N/A

**Attn: Chelsea Saber**

Tetra Tech  
1560 Broadway, Suite 1400  
Denver, CO, 80202

Phone: (703) 489-2674

Fax: N/A

Received Date: 04/22/2024 09:00 AM

Analysis Date: 04/24/2024

Report Date: 04/30/2024

**Project: Maui Fires - Lahaina**

### ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

Customer Sample Number:	MFL-AM03-041624-AB				
EMSL Sample Number:	042408082-0006				Sample Matrix: Air
Magnification used for fiber counting:	20,000				Volume (L): 7234.2
Aspect ratio for fiber definition:	3:1				Area of original collection filter (mm <sup>2</sup> ): 385
Minimum Length (μm):	≥ 0.5				Grid Opening Area (mm <sup>2</sup> ): 0.0128
Chi <sup>2</sup> Test for Random Distribution on Filter:	N/A	(N/A)			Grid Openings Analyzed: 5
Minimum Level of analysis (chrysotile):	CD				Analyst: G.Barry
Minimum Level of analysis (amphibole):	ADX				

Estimated Particulate Loading on Filter %: 4  
Target Analytical Sensitivity (Structures/cc): 0.001

**Analytical Sensitivity (Structures/cc): 0.0008**

**Limit of Detection (Structures/cc): 0.0024**

	TOTAL STRUCTURES (All Sizes)				
	Minimum ID Level	Structures Detected	Density	Concentration	95 % Confidence Interval (S/cc)
	Primary	Total	(S/mm <sup>2</sup> )	(S/cc)	Lower      Upper
<b>Total Chrysotile</b>	CD	0	0	< 46.72	< 0.0024
<b>Total Amphibole</b>	ADX	0	0	< 46.72	< 0.0024
Actinolite	ADX	0	0	< 46.72	< 0.0024
Amosite	ADX	0	0	< 46.72	< 0.0024
Anthophyllite	ADX	0	0	< 46.72	< 0.0024
Crocidolite	ADX	0	0	< 46.72	< 0.0024
Tremolite	ADX	0	0	< 46.72	< 0.0024
<b>Total Asbestos Structures</b>	CD/ADX	0	0	< 46.72	< 0.0024
Other Minerals	-	0	0	< 46.72	< 0.0024
<b>Total All Structures</b>	-	0	0	< 46.72	< 0.0024

	PCM EQUIVALENT (PCMe) Fibers (>5 microns in length with >3:1 Aspect Ratio)				
	Minimum ID Level	Fibers Detected	Density	Concentration	95 % Confidence Interval (F/cc)
	Primary	Total	(F/mm <sup>2</sup> )	(F/cc)	Lower      Upper
<b>Total Chrysotile (PCMe)</b>	CD	0	0	< 46.72	< 0.0024
<b>Total Amphibole (PCMe)</b>	ADX	0	0	< 46.72	< 0.0024
Actinolite	ADX	0	0	< 46.72	< 0.0024
Amosite	ADX	0	0	< 46.72	< 0.0024
Anthophyllite	ADX	0	0	< 46.72	< 0.0024
Crocidolite	ADX	0	0	< 46.72	< 0.0024
Tremolite	ADX	0	0	< 46.72	< 0.0024
<b>Total Asbestos Structures (PCMe)</b>	CD/ADX	0	0	< 46.72	< 0.0024
Other Minerals	-	0	0	< 46.72	< 0.0024
<b>Total All Structures (PCMe)</b>	-	0	0	< 46.72	< 0.0024

**Comment**

Numerous gypsum fibers present

Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL. EMSL is not responsible for sample collection activities or analytical limitations. Interpretation and use of results are the responsibility of the client.



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

<http://www.EMSL.com> / [cinnasblab@EMSL.com](mailto:cinnasblab@EMSL.com)

EMSL Order ID: 042408082

Client: Tetra Tech

Project ID: Maui Fires - Lahaina

**ISO 10312 Determination of Asbestos Fibers  
Direct Transfer Transmission Electron Microscopy**

**Analytical Bench Sheet Data**

EMSL Sample ID:			Customer Sample:								
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions ( $\mu\text{m}$ )		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
D1	A4	None Detected									
D1	F7	None Detected									
D1	J9	None Detected									
D2	C3	None Detected									
D2	G7	None Detected									

Abbreviations used:

XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled

XCGBLD - Crosses Countable Grid Bar Length Doubled



**EMSL Analytical, Inc.**

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

<http://www.EMSL.com> / cinnaslab@EMSL.com

EMSL Order:	042408082
Customer ID:	TTDC42
Customer PO:	1207085
Project ID:	N/A

**Attn: Chelsea Saber**

Tetra Tech  
1560 Broadway, Suite 1400  
Denver, CO, 80202

Phone: (703) 489-2674

Fax: N/A

Received Date: 04/22/2024 09:00 AM

Analysis Date: 04/24/2024

Report Date: 04/30/2024

**Project: Maui Fires - Lahaina**

## ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

Customer Sample Number:	MFL-AM04-041624-AB		Sample Matrix:	Air
EMSL Sample Number:	042408082-0007		Volume (L):	7276.7
Magnification used for fiber counting:	20,000		Area of original collection filter (mm <sup>2</sup> ):	385
Aspect ratio for fiber definition:	3:1		Grid Opening Area (mm <sup>2</sup> ):	0.0128
Minimum Length (μm):	≥ 0.5		Grid Openings Analyzed:	5
Chi <sup>2</sup> Test for Random Distribution on Filter:	N/A	(N/A)	Analyst:	G.Barry
Minimum Level of analysis (chrysotile):	CD			
Minimum Level of analysis (amphibole):	ADX			

Estimated Particulate Loading on Filter %: N/A  
Target Analytical Sensitivity (Structures/cc): 0.001

**Analytical Sensitivity (Structures/cc): 0.0008**

**Limit of Detection (Structures/cc): 0.0024**

	TOTAL STRUCTURES (All Sizes)				
	Minimum ID Level	Structures Detected	Density	Concentration	95 % Confidence Interval (S/cc)
	Primary	Total	(S/mm <sup>2</sup> )	(S/cc)	Lower      Upper
<b>Total Chrysotile</b>	CD	0	0	< 46.72	< 0.0024
<b>Total Amphibole</b>	ADX	0	0	< 46.72	< 0.0024
Actinolite	ADX	0	0	< 46.72	< 0.0024
Amosite	ADX	0	0	< 46.72	< 0.0024
Anthophyllite	ADX	0	0	< 46.72	< 0.0024
Crocidolite	ADX	0	0	< 46.72	< 0.0024
Tremolite	ADX	0	0	< 46.72	< 0.0024
<b>Total Asbestos Structures</b>	CD/ADX	0	0	< 46.72	< 0.0024
Other Minerals	-	0	0	< 46.72	< 0.0024
<b>Total All Structures</b>	-	0	0	< 46.72	< 0.0024

	PCM EQUIVALENT (PCMe) Fibers (>5 microns in length with >3:1 Aspect Ratio)				
	Minimum ID Level	Fibers Detected	Density	Concentration	95 % Confidence Interval (F/cc)
	Primary	Total	(F/mm <sup>2</sup> )	(F/cc)	Lower      Upper
<b>Total Chrysotile (PCMe)</b>	CD	0	0	< 46.72	< 0.0024
<b>Total Amphibole (PCMe)</b>	ADX	0	0	< 46.72	< 0.0024
Actinolite	ADX	0	0	< 46.72	< 0.0024
Amosite	ADX	0	0	< 46.72	< 0.0024
Anthophyllite	ADX	0	0	< 46.72	< 0.0024
Crocidolite	ADX	0	0	< 46.72	< 0.0024
Tremolite	ADX	0	0	< 46.72	< 0.0024
<b>Total Asbestos Structures (PCMe)</b>	CD/ADX	0	0	< 46.72	< 0.0024
Other Minerals	-	0	0	< 46.72	< 0.0024
<b>Total All Structures (PCMe)</b>	-	0	0	< 46.72	< 0.0024

**Comment**

Numerous gypsum fibers present

Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL. EMSL is not responsible for sample collection activities or analytical limitations. Interpretation and use of results are the responsibility of the client.



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

<http://www.EMSL.com> / [cinnasblab@EMSL.com](mailto:cinnasblab@EMSL.com)

EMSL Order ID: 042408082

Client: Tetra Tech

Project ID: Maui Fires - Lahaina

**ISO 10312 Determination of Asbestos Fibers  
Direct Transfer Transmission Electron Microscopy**

**Analytical Bench Sheet Data**

EMSL Sample ID:			Customer Sample:								
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions ( $\mu\text{m}$ )		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
D5	I8	None Detected									
D5	G4	None Detected									
D5	D5	None Detected									
D6	F9	None Detected									
D6	B6	None Detected									

Abbreviations used:

XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled

XCGBLD - Crosses Countable Grid Bar Length Doubled



**EMSL Analytical, Inc.**

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

<http://www.EMSL.com> / cinnaslab@EMSL.com

EMSL Order: 042408082

Customer ID: TTDC42

Customer PO: 1207085

Project ID: N/A

**Attn: Chelsea Saber**

Tetra Tech  
1560 Broadway, Suite 1400  
Denver, CO, 80202

Phone: (703) 489-2674

Fax: N/A

Received Date: 04/22/2024 09:00 AM

Analysis Date: 04/24/2024

Report Date: 04/30/2024

**Project: Maui Fires - Lahaina**

## ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

**Customer Sample Number:**

MFL-FB01-041624-AB

EMSL Sample Number: 042408082-0008  
Magnification used for fiber counting: 20,000  
Aspect ratio for fiber definition: 3:1  
Minimum Length ( $\mu\text{m}$ ):  $\geq 0.5$   
Chi<sup>2</sup> Test for Random Distribution on Filter: N/A (N/A)  
Minimum Level of analysis (chrysotile): CD  
Minimum Level of analysis (amphibole): ADX

Sample Matrix: Air  
Volume (L): 0.0  
Area of original collection filter ( $\text{mm}^2$ ): 385  
Grid Opening Area ( $\text{mm}^2$ ): 0.0128  
Grid Openings Analyzed: 10  
Analyst: G.Barry

Estimated Particulate Loading on Filter %: 1  
Target Analytical Sensitivity (Structures/cc): 0.001

**Analytical Sensitivity (Structures/cc):** N/A

**Limit of Detection (Structures/cc):** N/A

<b>TOTAL STRUCTURES (All Sizes)</b>					
Minimum ID Level	Structures Detected		Density (S/ $\text{mm}^2$ )	Concentration (S/cc)	95 % Confidence Interval (S/cc)
	Primary	Total			
Total Chrysotile	CD	0	0	$< 23.36$	
Total Amphibole	ADX	0	0	$< 23.36$	
Actinolite	ADX	0	0	$< 23.36$	
Amosite	ADX	0	0	$< 23.36$	
Anthophyllite	ADX	0	0	$< 23.36$	
Crocidolite	ADX	0	0	$< 23.36$	
Tremolite	ADX	0	0	$< 23.36$	
<b>Total Asbestos Structures</b>	<b>CD/ADX</b>	<b>0</b>	<b>0</b>	<b><math>&lt; 23.36</math></b>	
Other Minerals	-	0	0	$< 23.36$	
<b>Total All Structures</b>	<b>-</b>	<b>0</b>	<b>0</b>	<b><math>&lt; 23.36</math></b>	

<b>PCM EQUIVALENT (PCMe) Fibers</b> (>5 microns in length with >3:1 Aspect Ratio)					
Minimum ID Level	Fibers Detected		Density (F/ $\text{mm}^2$ )	Concentration (F/cc)	95 % Confidence Interval (F/cc)
	Primary	Total			
Total Chrysotile (PCMe)	CD	0	0	$< 23.36$	
Total Amphibole (PCMe)	ADX	0	0	$< 23.36$	
Actinolite	ADX	0	0	$< 23.36$	
Amosite	ADX	0	0	$< 23.36$	
Anthophyllite	ADX	0	0	$< 23.36$	
Crocidolite	ADX	0	0	$< 23.36$	
Tremolite	ADX	0	0	$< 23.36$	
<b>Total Asbestos Structures (PCMe)</b>	<b>CD/ADX</b>	<b>0</b>	<b>0</b>	<b><math>&lt; 23.36</math></b>	
Other Minerals	-	0	0	$< 23.36$	
<b>Total All Structures (PCMe)</b>	<b>-</b>	<b>0</b>	<b>0</b>	<b><math>&lt; 23.36</math></b>	

**Comment**

Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL. EMSL is not responsible for sample collection activities or analytical limitations. Interpretation and use of results are the responsibility of the client.



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

<http://www.EMSL.com> / [cinnasblab@EMSL.com](mailto:cinnasblab@EMSL.com)

EMSL Order ID: 042408082

Client: Tetra Tech

Project ID: Maui Fires - Lahaina

## ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

### Analytical Bench Sheet Data

EMSL Sample ID:			Customer Sample:								
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions ( $\mu\text{m}$ )		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
E1	J6	None Detected									
E1	H9	None Detected									
E1	E4	None Detected									
E1	C5	None Detected									
E2	B9	None Detected									
E2	D4	None Detected									
E2	H6	None Detected									
E3	J7	None Detected									
E3	G3	None Detected									
E3	C6	None Detected									

Abbreviations used:

XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled

XCGBLD - Crosses Countable Grid Bar Length Doubled



**EMSL Analytical, Inc.**

200 Route 130 North Cinnaminson, NJ 08077  
Tel/Fax: (800) 220-3675 / (856) 786-5974  
<http://www.EMSL.com> / [cinnaslab@EMSL.com](mailto:cinnaslab@EMSL.com)

EMSL Order:	042408082
Customer ID:	TTDC42
Customer PO:	1207085
Project ID:	N/A

**Attn: Chelsea Saber**  
Tetra Tech  
1560 Broadway, Suite 1400  
Denver, CO, 80202

Phone: (703) 489-2674  
Fax: N/A  
Received Date: 04/22/2024 09:00 AM  
Analysis Date: 04/24/2024  
Report Date: 04/30/2024

**Project: Maui Fires - Lahaina**

### ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

**Customer Sample Number:** MFL-AM01-041724-AB

EMSL Sample Number: 042408082-0009  
Magnification used for fiber counting: 20,000  
Aspect ratio for fiber definition: 3:1  
Minimum Length ( $\mu\text{m}$ ):  $\geq 0.5$   
Chi $\chi^2$  Test for Random Distribution on Filter: N/A (N/A)  
Minimum Level of analysis (chrysotile): CD  
Minimum Level of analysis (amphibole): ADX

Sample Matrix: Air  
Volume (L): 7181.0  
Area of original collection filter ( $\text{mm}^2$ ): 385  
Grid Opening Area ( $\text{mm}^2$ ): 0.0128  
Grid Openings Analyzed: 5  
Analyst: G.Barry

Estimated Particulate Loading on Filter %: 3  
Target Analytical Sensitivity (Structures/cc): 0.001

**Analytical Sensitivity (Structures/cc): 0.0008**

**Limit of Detection (Structures/cc): 0.0024**

<b>TOTAL STRUCTURES (All Sizes)</b>					
Minimum ID Level	Structures Detected		Density (S/ $\text{mm}^2$ )	Concentration (S/cc)	95 % Confidence Interval (S/cc)
	Primary	Total	(S/ $\text{mm}^2$ )	(S/cc)	
Total Chrysotile	CD	0	0	< 46.72	< 0.0024
Total Amphibole	ADX	0	0	< 46.72	< 0.0024
Actinolite	ADX	0	0	< 46.72	< 0.0024
Amosite	ADX	0	0	< 46.72	< 0.0024
Anthophyllite	ADX	0	0	< 46.72	< 0.0024
Crocidolite	ADX	0	0	< 46.72	< 0.0024
Tremolite	ADX	0	0	< 46.72	< 0.0024
<b>Total Asbestos Structures</b>	<b>CD/ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 46.72</b>	<b>&lt; 0.0024</b>
Other Minerals	-	0	0	< 46.72	< 0.0024
<b>Total All Structures</b>	<b>-</b>	<b>0</b>	<b>0</b>	<b>&lt; 46.72</b>	<b>&lt; 0.0024</b>

<b>PCM EQUIVALENT (PCMe) Fibers</b> (>5 microns in length with >3:1 Aspect Ratio)					
Minimum ID Level	Fibers Detected		Density (F/ $\text{mm}^2$ )	Concentration (F/cc)	95 % Confidence Interval (F/cc)
	Primary	Total	(F/ $\text{mm}^2$ )	(F/cc)	
Total Chrysotile (PCMe)	CD	0	0	< 46.72	< 0.0024
Total Amphibole (PCMe)	ADX	0	0	< 46.72	< 0.0024
Actinolite	ADX	0	0	< 46.72	< 0.0024
Amosite	ADX	0	0	< 46.72	< 0.0024
Anthophyllite	ADX	0	0	< 46.72	< 0.0024
Crocidolite	ADX	0	0	< 46.72	< 0.0024
Tremolite	ADX	0	0	< 46.72	< 0.0024
<b>Total Asbestos Structures (PCMe)</b>	<b>CD/ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 46.72</b>	<b>&lt; 0.0024</b>
Other Minerals	-	0	0	< 46.72	< 0.0024
<b>Total All Structures (PCMe)</b>	<b>-</b>	<b>0</b>	<b>0</b>	<b>&lt; 46.72</b>	<b>&lt; 0.0024</b>

**Comment**

Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL. EMSL is not responsible for sample collection activities or analytical limitations. Interpretation and use of results are the responsibility of the client.



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

<http://www.EMSL.com> / [cinnasblab@EMSL.com](mailto:cinnasblab@EMSL.com)

EMSL Order ID: 042408082

Client: Tetra Tech

Project ID: Maui Fires - Lahaina

## ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

### Analytical Bench Sheet Data

EMSL Sample ID:			Customer Sample:								
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions ( $\mu\text{m}$ )		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
E5	B8	None Detected									
E5	E4	None Detected									
E5	I3	None Detected									
E6	G7	None Detected									
E6	D4	None Detected									

Abbreviations used:

XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled

XCGBLD - Crosses Countable Grid Bar Length Doubled



**EMSL Analytical, Inc.**

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

<http://www.EMSL.com> / cinnaslab@EMSL.com

EMSL Order: 042408082

Customer ID: TTDC42

Customer PO: 1207085

Project ID: N/A

**Attn: Chelsea Saber**

Tetra Tech  
1560 Broadway, Suite 1400  
Denver, CO, 80202

Phone: (703) 489-2674

Fax: N/A

Received Date: 04/22/2024 09:00 AM

Analysis Date: 04/24/2024

Report Date: 04/30/2024

**Project: Maui Fires - Lahaina**

## ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

Customer Sample Number:	MFL-AM02-041724-AB		
EMSL Sample Number:	042408082-0010	Sample Matrix:	Air
Magnification used for fiber counting:	20,000	Volume (L):	7401.6
Aspect ratio for fiber definition:	3:1	Area of original collection filter (mm <sup>2</sup> ):	385
Minimum Length (μm):	≥ 0.5	Grid Opening Area (mm <sup>2</sup> ):	0.0128
Chi <sup>2</sup> Test for Random Distribution on Filter:	N/A (N/A)	Grid Openings Analyzed:	5
Minimum Level of analysis (chrysotile):	CD	Analyst:	G.Barry
Minimum Level of analysis (amphibole):	ADX		

Estimated Particulate Loading on Filter %: 4  
Target Analytical Sensitivity (Structures/cc): 0.001

**Analytical Sensitivity (Structures/cc): 0.0008**      **Limit of Detection (Structures/cc): 0.0024**

TOTAL STRUCTURES (All Sizes)						
Minimum ID Level	Structures Detected		Density	Concentration	95 % Confidence Interval (S/cc)	
	Primary	Total	(S/mm <sup>2</sup> )	(S/cc)	Lower	Upper
<b>Total Chrysotile</b>	CD	0	0	< 46.72	< 0.0024	Not Applicable - 0.0024
<b>Total Amphibole</b>	ADX	0	0	< 46.72	< 0.0024	Not Applicable - 0.0024
Actinolite	ADX	0	0	< 46.72	< 0.0024	Not Applicable - 0.0024
Amosite	ADX	0	0	< 46.72	< 0.0024	Not Applicable - 0.0024
Anthophyllite	ADX	0	0	< 46.72	< 0.0024	Not Applicable - 0.0024
Crocidolite	ADX	0	0	< 46.72	< 0.0024	Not Applicable - 0.0024
Tremolite	ADX	0	0	< 46.72	< 0.0024	Not Applicable - 0.0024
<b>Total Asbestos Structures</b>	<b>CD/ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 46.72</b>	<b>&lt; 0.0024</b>	<b>Not Applicable - 0.0024</b>
Other Minerals	-	0	0	< 46.72	< 0.0024	Not Applicable - 0.0024
<b>Total All Structures</b>	<b>-</b>	<b>0</b>	<b>0</b>	<b>&lt; 46.72</b>	<b>&lt; 0.0024</b>	<b>Not Applicable - 0.0024</b>

PCM EQUIVALENT (PCMe) Fibers (>5 microns in length with >3:1 Aspect Ratio)						
Minimum ID Level	Fibers Detected		Density	Concentration	95 % Confidence Interval (F/cc)	
	Primary	Total	(F/mm <sup>2</sup> )	(F/cc)	Lower	Upper
<b>Total Chrysotile (PCMe)</b>	CD	0	0	< 46.72	< 0.0024	Not Applicable - 0.0024
<b>Total Amphibole (PCMe)</b>	ADX	0	0	< 46.72	< 0.0024	Not Applicable - 0.0024
Actinolite	ADX	0	0	< 46.72	< 0.0024	Not Applicable - 0.0024
Amosite	ADX	0	0	< 46.72	< 0.0024	Not Applicable - 0.0024
Anthophyllite	ADX	0	0	< 46.72	< 0.0024	Not Applicable - 0.0024
Crocidolite	ADX	0	0	< 46.72	< 0.0024	Not Applicable - 0.0024
Tremolite	ADX	0	0	< 46.72	< 0.0024	Not Applicable - 0.0024
<b>Total Asbestos Structures (PCMe)</b>	<b>CD/ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 46.72</b>	<b>&lt; 0.0024</b>	<b>Not Applicable - 0.0024</b>
Other Minerals	-	0	0	< 46.72	< 0.0024	Not Applicable - 0.0024
<b>Total All Structures (PCMe)</b>	<b>-</b>	<b>0</b>	<b>0</b>	<b>&lt; 46.72</b>	<b>&lt; 0.0024</b>	<b>Not Applicable - 0.0024</b>

**Comment**

Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL. EMSL is not responsible for sample collection activities or analytical limitations. Interpretation and use of results are the responsibility of the client.



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

<http://www.EMSL.com> / [cinnasblab@EMSL.com](mailto:cinnasblab@EMSL.com)

EMSL Order ID: 042408082

Client: Tetra Tech

Project ID: Maui Fires - Lahaina

## ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

### Analytical Bench Sheet Data

EMSL Sample ID:			Customer Sample:								
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions ( $\mu\text{m}$ )		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
F1	B3	None Detected									
F1	E7	None Detected									
F1	I9	None Detected									
F2	H6	None Detected									
F2	D4	None Detected									

Abbreviations used:

XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled

XCGBLD - Crosses Countable Grid Bar Length Doubled



**EMSL Analytical, Inc.**

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

<http://www.EMSL.com> / cinnaslab@EMSL.com

EMSL Order:	042408082
Customer ID:	TTDC42
Customer PO:	1207085
Project ID:	N/A

**Attn: Chelsea Saber**

Tetra Tech  
1560 Broadway, Suite 1400  
Denver, CO, 80202

Phone: (703) 489-2674

Fax: N/A

Received Date: 04/22/2024 09:00 AM

Analysis Date: 04/29/2024

Report Date: 04/30/2024

**Project: Maui Fires - Lahaina**

### ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

Customer Sample Number:	MFL-AM03-041724-AB		Sample Matrix:	Air
EMSL Sample Number:	042408082-0011		Volume (L):	7361.0
Magnification used for fiber counting:	20,000		Area of original collection filter (mm <sup>2</sup> ):	385
Aspect ratio for fiber definition:	3:1		Grid Opening Area (mm <sup>2</sup> ):	0.0128
Minimum Length (μm):	≥ 0.5		Grid Openings Analyzed:	5
Chi <sup>2</sup> Test for Random Distribution on Filter:	N/A	(N/A)	Analyst:	A. Burke
Minimum Level of analysis (chrysotile):	CD			
Minimum Level of analysis (amphibole):	ADX			

Estimated Particulate Loading on Filter %: 5  
Target Analytical Sensitivity (Structures/cc): 0.001

**Analytical Sensitivity (Structures/cc): 0.0008**

**Limit of Detection (Structures/cc): 0.0024**

	TOTAL STRUCTURES (All Sizes)				
	Minimum ID Level	Structures Detected	Density	Concentration	95 % Confidence Interval (S/cc)
	Primary	Total	(S/mm <sup>2</sup> )	(S/cc)	Lower      Upper
<b>Total Chrysotile</b>	CD	0	0	< 46.72	< 0.0024
<b>Total Amphibole</b>	ADX	0	0	< 46.72	< 0.0024
Actinolite	ADX	0	0	< 46.72	< 0.0024
Amosite	ADX	0	0	< 46.72	< 0.0024
Anthophyllite	ADX	0	0	< 46.72	< 0.0024
Crocidolite	ADX	0	0	< 46.72	< 0.0024
Tremolite	ADX	0	0	< 46.72	< 0.0024
<b>Total Asbestos Structures</b>	CD/ADX	0	0	< 46.72	< 0.0024
Other Minerals	-	0	0	< 46.72	< 0.0024
<b>Total All Structures</b>	-	0	0	< 46.72	< 0.0024

	PCM EQUIVALENT (PCMe) Fibers (>5 microns in length with >3:1 Aspect Ratio)				
	Minimum ID Level	Fibers Detected	Density	Concentration	95 % Confidence Interval (F/cc)
	Primary	Total	(F/mm <sup>2</sup> )	(F/cc)	Lower      Upper
<b>Total Chrysotile (PCMe)</b>	CD	0	0	< 46.72	< 0.0024
<b>Total Amphibole (PCMe)</b>	ADX	0	0	< 46.72	< 0.0024
Actinolite	ADX	0	0	< 46.72	< 0.0024
Amosite	ADX	0	0	< 46.72	< 0.0024
Anthophyllite	ADX	0	0	< 46.72	< 0.0024
Crocidolite	ADX	0	0	< 46.72	< 0.0024
Tremolite	ADX	0	0	< 46.72	< 0.0024
<b>Total Asbestos Structures (PCMe)</b>	CD/ADX	0	0	< 46.72	< 0.0024
Other Minerals	-	0	0	< 46.72	< 0.0024
<b>Total All Structures (PCMe)</b>	-	0	0	< 46.72	< 0.0024

**Comment**

Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL. EMSL is not responsible for sample collection activities or analytical limitations. Interpretation and use of results are the responsibility of the client.



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

<http://www.EMSL.com> / [cinnasblab@EMSL.com](mailto:cinnasblab@EMSL.com)

EMSL Order ID: 042408082

Client: Tetra Tech

Project ID: Maui Fires - Lahaina

## ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

### Analytical Bench Sheet Data

EMSL Sample ID:			Customer Sample:								
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions ( $\mu\text{m}$ )		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
I1	B7	None Detected									
I1	C5	None Detected									
I1	H5	None Detected									
I2	A5	None Detected									
I2	E4	None Detected									

Abbreviations used:

XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled

XCGBLD - Crosses Countable Grid Bar Length Doubled



**EMSL Analytical, Inc.**

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

<http://www.EMSL.com> / cinnaslab@EMSL.com

EMSL Order:	042408082
Customer ID:	TTDC42
Customer PO:	1207085
Project ID:	N/A

**Attn: Chelsea Saber**

Tetra Tech  
1560 Broadway, Suite 1400  
Denver, CO, 80202

Phone: (703) 489-2674

Fax: N/A

Received Date: 04/22/2024 09:00 AM

Analysis Date: 04/29/2024

Report Date: 04/30/2024

**Project: Maui Fires - Lahaina**

## ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

Customer Sample Number:	MFL-AM04-041724-AB		Sample Matrix:	Air
EMSL Sample Number:	042408082-0012		Volume (L):	7247.9
Magnification used for fiber counting:	20,000		Area of original collection filter (mm <sup>2</sup> ):	385
Aspect ratio for fiber definition:	3:1		Grid Opening Area (mm <sup>2</sup> ):	0.0128
Minimum Length (μm):	≥ 0.5		Grid Openings Analyzed:	5
Chi <sup>2</sup> Test for Random Distribution on Filter:	N/A	(N/A)	Analyst:	A. Burke
Minimum Level of analysis (chrysotile):	CD			
Minimum Level of analysis (amphibole):	ADX			

Estimated Particulate Loading on Filter %: 9  
Target Analytical Sensitivity (Structures/cc): 0.001

**Analytical Sensitivity (Structures/cc): 0.0008**

**Limit of Detection (Structures/cc): 0.0024**

	TOTAL STRUCTURES (All Sizes)				
	Minimum ID Level	Structures Detected	Density	Concentration	95 % Confidence Interval (S/cc)
	Primary	Total	(S/mm <sup>2</sup> )	(S/cc)	Lower      Upper
<b>Total Chrysotile</b>	CD	0	0	< 46.72	< 0.0024
<b>Total Amphibole</b>	ADX	0	0	< 46.72	< 0.0024
Actinolite	ADX	0	0	< 46.72	< 0.0024
Amosite	ADX	0	0	< 46.72	< 0.0024
Anthophyllite	ADX	0	0	< 46.72	< 0.0024
Crocidolite	ADX	0	0	< 46.72	< 0.0024
Tremolite	ADX	0	0	< 46.72	< 0.0024
<b>Total Asbestos Structures</b>	<b>CD/ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 46.72</b>	<b>&lt; 0.0024</b>
Other Minerals	-	0	0	< 46.72	< 0.0024
<b>Total All Structures</b>	<b>-</b>	<b>0</b>	<b>0</b>	<b>&lt; 46.72</b>	<b>&lt; 0.0024</b>

	PCM EQUIVALENT (PCMe) Fibers (>5 microns in length with >3:1 Aspect Ratio)				
	Minimum ID Level	Fibers Detected	Density	Concentration	95 % Confidence Interval (F/cc)
	Primary	Total	(F/mm <sup>2</sup> )	(F/cc)	Lower      Upper
<b>Total Chrysotile (PCMe)</b>	CD	0	0	< 46.72	< 0.0024
<b>Total Amphibole (PCMe)</b>	ADX	0	0	< 46.72	< 0.0024
Actinolite	ADX	0	0	< 46.72	< 0.0024
Amosite	ADX	0	0	< 46.72	< 0.0024
Anthophyllite	ADX	0	0	< 46.72	< 0.0024
Crocidolite	ADX	0	0	< 46.72	< 0.0024
Tremolite	ADX	0	0	< 46.72	< 0.0024
<b>Total Asbestos Structures (PCMe)</b>	<b>CD/ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 46.72</b>	<b>&lt; 0.0024</b>
Other Minerals	-	0	0	< 46.72	< 0.0024
<b>Total All Structures (PCMe)</b>	<b>-</b>	<b>0</b>	<b>0</b>	<b>&lt; 46.72</b>	<b>&lt; 0.0024</b>

**Comment**

Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL. EMSL is not responsible for sample collection activities or analytical limitations. Interpretation and use of results are the responsibility of the client.



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

<http://www.EMSL.com> / [cinnasblab@EMSL.com](mailto:cinnasblab@EMSL.com)

EMSL Order ID: 042408082

Client: Tetra Tech

Project ID: Maui Fires - Lahaina

## ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

### Analytical Bench Sheet Data

EMSL Sample ID:			Customer Sample:								
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions ( $\mu\text{m}$ )		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
G1	D4	None Detected									
G1	G5	None Detected									
G1	J4	None Detected									
G2	H7	None Detected									
G2	C5	None Detected									

Abbreviations used:

XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled

XCGBLD - Crosses Countable Grid Bar Length Doubled



**EMSL Analytical, Inc.**

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

<http://www.EMSL.com> / cinnaslab@EMSL.com

EMSL Order: 042408082

Customer ID: TTDC42

Customer PO: 1207085

Project ID: N/A

**Attn: Chelsea Saber**

Tetra Tech  
1560 Broadway, Suite 1400  
Denver, CO, 80202

Phone: (703) 489-2674

Fax: N/A

Received Date: 04/22/2024 09:00 AM

Analysis Date: 04/29/2024

Report Date: 04/30/2024

**Project: Maui Fires - Lahaina**

## ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

**Customer Sample Number:**

MFL-FB01-041724-AB

EMSL Sample Number: 042408082-0013  
Magnification used for fiber counting: 20,000  
Aspect ratio for fiber definition: 3:1  
Minimum Length ( $\mu\text{m}$ ):  $\geq 0.5$   
Chi<sup>2</sup> Test for Random Distribution on Filter: N/A (N/A)  
Minimum Level of analysis (chrysotile): CD  
Minimum Level of analysis (amphibole): ADX

Sample Matrix: Air  
Volume (L): 0.0  
Area of original collection filter ( $\text{mm}^2$ ): 385  
Grid Opening Area ( $\text{mm}^2$ ): 0.0128  
Grid Openings Analyzed: 10  
Analyst: A. Burke

Estimated Particulate Loading on Filter %: 1  
Target Analytical Sensitivity (Structures/cc): 0.001

**Analytical Sensitivity (Structures/cc):** N/A

**Limit of Detection (Structures/cc):** N/A

<b>TOTAL STRUCTURES (All Sizes)</b>						
Minimum ID Level	Structures Detected		Density (S/ $\text{mm}^2$ )	Concentration (S/cc)	95 % Confidence Interval (S/cc)	
	Primary	Total	(S/ $\text{mm}^2$ )	(S/cc)	Lower	Upper
Total Chrysotile	CD	0	0	$< 23.36$		
Total Amphibole	ADX	0	0	$< 23.36$		
Actinolite	ADX	0	0	$< 23.36$		
Amosite	ADX	0	0	$< 23.36$		
Anthophyllite	ADX	0	0	$< 23.36$		
Crocidolite	ADX	0	0	$< 23.36$		
Tremolite	ADX	0	0	$< 23.36$		
Total Asbestos Structures	CD/ADX	0	0	$< 23.36$		
Other Minerals	-	0	0	$< 23.36$		
Total All Structures	-	0	0	$< 23.36$		

<b>PCM EQUIVALENT (PCMe) Fibers (&gt;5 microns in length with &gt;3:1 Aspect Ratio)</b>						
Minimum ID Level	Fibers Detected		Density (F/ $\text{mm}^2$ )	Concentration (F/cc)	95 % Confidence Interval (F/cc)	
	Primary	Total	(F/ $\text{mm}^2$ )	(F/cc)	Lower	Upper
Total Chrysotile (PCMe)	CD	0	0	$< 23.36$		
Total Amphibole (PCMe)	ADX	0	0	$< 23.36$		
Actinolite	ADX	0	0	$< 23.36$		
Amosite	ADX	0	0	$< 23.36$		
Anthophyllite	ADX	0	0	$< 23.36$		
Crocidolite	ADX	0	0	$< 23.36$		
Tremolite	ADX	0	0	$< 23.36$		
Total Asbestos Structures (PCMe)	CD/ADX	0	0	$< 23.36$		
Other Minerals	-	0	0	$< 23.36$		
Total All Structures (PCMe)	-	0	0	$< 23.36$		

**Comment**

Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL. EMSL is not responsible for sample collection activities or analytical limitations. Interpretation and use of results are the responsibility of the client.



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

<http://www.EMSL.com> / [cinnasblab@EMSL.com](mailto:cinnasblab@EMSL.com)

EMSL Order ID: 042408082

Client: Tetra Tech

Project ID: Maui Fires - Lahaina

## ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

### Analytical Bench Sheet Data

EMSL Sample ID:			Customer Sample:								
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions ( $\mu\text{m}$ )		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
G5	A5	None Detected									
G5	C4	None Detected									
G5	F3	None Detected									
G5	G6	None Detected									
G5	I4	None Detected									
G6	I7	None Detected									
G6	G5	None Detected									
G6	E7	None Detected									
G6	C8	None Detected									
G6	A7	None Detected									

Abbreviations used:

XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled

XCGBLD - Crosses Countable Grid Bar Length Doubled



**EMSL Analytical, Inc.**

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

<http://www.EMSL.com> / cinnaslab@EMSL.com

EMSL Order: 042408082

Customer ID: TTDC42

Customer PO: 1207085

Project ID: N/A

**Attn: Chelsea Saber**

Tetra Tech  
1560 Broadway, Suite 1400  
Denver, CO, 80202

Phone: (703) 489-2674

Fax: N/A

Received Date: 04/22/2024 09:00 AM

Analysis Date: 04/24/2024

Report Date: 04/30/2024

**Project: Maui Fires - Lahaina**

## ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

Customer Sample Number:	Lab Blank	Sample Description: Lab Blank
EMSL Sample Number:	042408082-0014	Sample Matrix: Air
Magnification used for fiber counting:	20,000	Volume (L): 0.0
Aspect ratio for fiber definition:	3:1	Area of original collection filter (mm <sup>2</sup> ): 385
Minimum Length (μm):	≥ 0.5	Grid Opening Area (mm <sup>2</sup> ): 0.0128
Chi <sup>2</sup> Test for Random Distribution on Filter:	N/A (N/A)	Grid Openings Analyzed: 10
Minimum Level of analysis (chrysotile):	CD	Analyst: G.Barry
Minimum Level of analysis (amphibole):	ADX	

Estimated Particulate Loading on Filter %: 1  
Target Analytical Sensitivity (Structures/cc): 0.001

**Analytical Sensitivity (Structures/cc): N/A**

**Limit of Detection (Structures/cc): N/A**

TOTAL STRUCTURES (All Sizes)					
Minimum ID Level	Structures Detected		Density (S/mm <sup>2</sup> )	Concentration (S/cc)	95 % Confidence Interval (S/cc)
	Primary	Total			
Total Chrysotile	CD	0	0	< 23.36	
Total Amphibole	ADX	0	0	< 23.36	
Actinolite	ADX	0	0	< 23.36	
Amosite	ADX	0	0	< 23.36	
Anthophyllite	ADX	0	0	< 23.36	
Crocidolite	ADX	0	0	< 23.36	
Tremolite	ADX	0	0	< 23.36	
<b>Total Asbestos Structures</b>	<b>CD/ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 23.36</b>	
Other Minerals	-	0	0	< 23.36	
<b>Total All Structures</b>	<b>-</b>	<b>0</b>	<b>0</b>	<b>&lt; 23.36</b>	

PCM EQUIVALENT (PCMe) Fibers (>5 microns in length with >3:1 Aspect Ratio)					
Minimum ID Level	Fibers Detected		Density (F/mm <sup>2</sup> )	Concentration (F/cc)	95 % Confidence Interval (F/cc)
	Primary	Total			
Total Chrysotile (PCMe)	CD	0	0	< 23.36	
Total Amphibole (PCMe)	ADX	0	0	< 23.36	
Actinolite	ADX	0	0	< 23.36	
Amosite	ADX	0	0	< 23.36	
Anthophyllite	ADX	0	0	< 23.36	
Crocidolite	ADX	0	0	< 23.36	
Tremolite	ADX	0	0	< 23.36	
<b>Total Asbestos Structures (PCMe)</b>	<b>CD/ADX</b>	<b>0</b>	<b>0</b>	<b>&lt; 23.36</b>	
Other Minerals	-	0	0	< 23.36	
<b>Total All Structures (PCMe)</b>	<b>-</b>	<b>0</b>	<b>0</b>	<b>&lt; 23.36</b>	

**Comment**

Approved Signatory

Concentrations and 95% Confidence Intervals are based on a Poissonian distribution. Structure counts above 31 may be better expressed with a Gaussian distribution. EMSL maintains liability limited to the cost of analysis. This report relates only to the samples reported above and may not be reproduced except in full without the written approval of EMSL. EMSL is not responsible for sample collection activities or analytical limitations. Interpretation and use of results are the responsibility of the client.



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077

Tel/Fax: (800) 220-3675 / (856) 786-5974

<http://www.EMSL.com> / [cinnasblab@EMSL.com](mailto:cinnasblab@EMSL.com)

EMSL Order ID: 042408082

Client: Tetra Tech

Project ID: Maui Fires - Lahaina

## ISO 10312 Determination of Asbestos Fibers Direct Transfer Transmission Electron Microscopy

### Analytical Bench Sheet Data

EMSL Sample ID:			Customer Sample:					Lab Blank			
Grid ID	Grid Opening	Structure Type	Structure Number		Dimensions ( $\mu\text{m}$ )		Level of ID	Mineral Type	Additional Mineral ID	Image Number	Structure Comments
			Primary	Total	Length	Width					
A1	I4	None Detected									
A1	G7	None Detected									
A1	E4	None Detected									
A1	B6	None Detected									
A2	H3	None Detected									
A2	F8	None Detected									
A2	C5	None Detected									
A3	B8	None Detected									
A3	D5	None Detected									
A3	J6	None Detected									

Abbreviations used:

XNCGBLD - Crosses Non-Countable Grid Bar Length Doubled

XCGBLD - Crosses Countable Grid Bar Length Doubled

EMSL ANALYTICAL, INC.  
TESTING LABS • PRODUCTS • TRAINING

## Asbestos Chain of Custody (Air, Bulk, Soil)

EMSL Order Number / Lab Use Only

#042408082

EMSL Analytical, Inc.  
200 Route 130 North  
Cinnaminson, NJ 08077RECEIVED  
EMSL  
CINNAMINSON, NJPHONE: (800) 220-3675  
EMAIL: CinnAsblab@EMSL.com

If Bill-To is the same as Report-To leave this section blank. Third-party billing requires written authorization.

24 APR 22 AM 10:32

Billing ID:  
Company Name:Billing Contact:  
Street Address:City, State, Zip:  
Country:Phone:  
Email(s) for Invoice:Billing ID:  
Company Name:Billing Contact:  
Street Address:City, State, Zip:  
Country:Phone:  
Email(s) for Invoice:

Customer Information	
Customer ID:	
Company Name:	Tetra Tech
Contact Name:	Chelsea Sander
Street Address:	1560 Broadway Ste. 1400
City, State, Zip:	Denver, CO 80202
Phone:	703-489-2674
Email(s) for Report:	chelsea.sander@tetratech.com

Project Information	
Project Name/No:	Purchase Order: 1207085
EMSL LIMS Project ID: (If applicable, EMSL will provide)	US State where samples collected: HI
Sampled By Name: Eliza Kertzer Sander	State of Connecticut (CT) must select project location: <input type="checkbox"/> Commercial (Taxable) <input type="checkbox"/> Residential (Non-Taxable)
Sampled By Signature:	No. of Samples in Shipment: 13
<input type="checkbox"/> 3 Hour <input type="checkbox"/> 4-4.5 Hour AHERA ONLY <input type="checkbox"/> 6 Hour <input type="checkbox"/> 24 Hour <input type="checkbox"/> 32 Hour <input type="checkbox"/> 48 Hour <input type="checkbox"/> 72 Hour <input type="checkbox"/> 96 Hour <input checked="" type="checkbox"/> 1 Week <input type="checkbox"/> 2 Week	
TEM Air 3-Hour, please call ahead to schedule. 32 Hour TAT available for select tests only; samples must be submitted by 11:30 am.	

- PCM Air
- NIOSH 7400  
 NIOSH 7400 w/ 8hr. TWA
- PLM - Bulk (reporting limit)
- PLM EPA 600/R-93/116 (<1%)  
 PLM EPA NOB (<1%)
- POINT COUNT
- 400 (<0.25%)  1,000 (<0.1%)  
POINT COUNT w/ GRAVIMETRIC  
 400 (<0.25%)  1,000 (<0.1%)
- NIOSH 9002 (<1%)  
 NYS 198.1 (Friable - NY)  
 NYS 198.6 NOB (Non-Friable - NY)  
 NYS 198.8 (Vermiculite SM-V)

- TEM - Air
- AHERA 40 CFR, Part 763  
 NIOSH 7402  
 EPA Level II  
 ISO 10312\*
- TEM - Bulk
- TEM EPA NOB  
 NYS NOB 198.4 (Non-Friable-NY)  
 TEM EPA 600/R-93/116 w Milling Prep (0.1%)

- TEM - Settled Dust
- Microvac - ASTM D5755  
 Wipe - ASTM D6480  
 Qualitative via Filtration Prep  
 Qualitative via Drop Mount Prep

- Soil - Rock - Vermiculite (reporting limit)\*
- PLM EPA 600/R-93/116 with milling prep (<0.25%)  
 PLM EPA 600/R-93/116 with milling prep (<0.1%)  
 TEM EPA 600/R-93/116 with milling prep (<0.1%)  
 TEM Qualitative via Filtration Prep  
 TEM Qualitative via Drop Mount Prep

\*Please call with your project-specific requirements.

<input type="checkbox"/> Positive Stop - Clearly Identified Homogeneous Areas (HA)	Filter Pore Size (Air Samples)	<input type="checkbox"/> 0.8um <input checked="" type="checkbox"/> 0.45um	
Sample Number	Sample Location / Description	Volume, Area or Homogeneous Area	Date / Time Sampled (Air Monitoring Only)
MFL-AM01-041524-AB	VOID	7,190.43	04/15/24 1105
MFL-AM02-041524-AB	VOID	5,045.706	04/15/24 0502
MFL-AM03-041524-AB		7,215.840	04/15/24 1309
MFL-AM04-041524-AB		7,273.584	04/15/24 1331
MFL-FB01-041524-AB		0	04/15/24 1200
MFL-AM01-041624-AB		7,076.355	04/16/24 1059
MFL-AM02-041624-AB	VOID	7,597.945	04/16/24 1114
MFL-AM03-041624-AB		7,234.241	04/16/24 1307

Special Instructions and/or Regulatory Requirements (Sample Specifications, Processing Methods, Limits of Detection, etc.)

MFL-AM02-041524-AB voided because post-call value was greater than 10% deviation from pre-call value.

MFL-AM02-041624-AB voided because post-call value was greater than 10% deviation from pre-call value.

Method of Shipment:	Sample Condition Upon Receipt:
Relinquished by:	Received by:  FY Date/Time: 7/22/24 9:00am
Relinquished by:	Received by:  Date/Time:

Controlled Document - COC-05 Asbestos R16 10/26/2021

 AGREE TO ELECTRONIC SIGNATURE (By checking, I consent to signing this Chain of Custody document by electronic signature.)

EMSL Analytical, Inc.'s Laboratory Terms and Conditions are incorporated into this Chain of Custody by reference in their entirety. Submission of samples to EMSL Analytical, Inc. constitutes acceptance and acknowledgment of all terms and conditions by Customer.

All samples received acceptable for analysis.

Page 1 of

130





Eastern Research Group  
601 Keystone Park Drive  
Suite 700  
Morrisville, NC 27560

May 01, 2024

Ms. Chelsea Saber  
Tetra Tech, Inc.  
1777 Sentry Pkwy, Bldg 12  
Blue Bell, PA 19422  
Project Name: Lahaina fires

Dear Ms. Chelsea Saber,

This report contains the analytical results for the sample(s) received under chain(s) of custody by Eastern Research Group on 04/22/24 15:41.

Values below the MDL for QC results in this report are recorded as ND, however the actual values are reported in the accompanying Excel report with a "U" flag (Under the detection limit). The actual values are reported in AQS.

This test is accredited under the 2016 TNI Standard for Environmental Laboratories (FL DOH Certification # E87673). All analyses were performed as described in the US EPA-approved QAPP, under the contract for National Hazardous Air Pollutant Support (US EPA Contract No. 68HERH22D0002). This cover page is an integral part of this report, and any exceptions or comments are noted on the last page.

Release of the data contained in this data package and in the data submitted in the electronic data deliverable, has been authorized by the Program Manager, or the Program Manager's designee as verified by the following signature.

The issuance of the final Certificate of Analysis takes precedence over any previous Report. If you have any questions, please contact me at 919-468-7924.

Sincerely,

Julie Swift  
Program Manager  
[julie.swift@erg.com](mailto:julie.swift@erg.com)

The information contained in this report and its attachment(s) are intended only for the use of the individual to whom it is addressed and may contain information that is privileged, confidential, or exempt from disclosure. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this report is strictly prohibited. If you have received this report in error, please notify [julie.swift@erg.com](mailto:julie.swift@erg.com) and delete the report without retaining any copies.



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber

**PHONE:** (703) 885-5495    **FAX:**

## CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001

**REPORTED:** 05/01/24 10:52

**SUBMITTED:** 04/22/24

**AQS SITE CODE:**

**SITE CODE:** Lahaina fires

### ANALYTICAL REPORT FOR SAMPLES

<u>SampleName</u>	<u>LabNumber</u>	<u>Matrix</u>	<u>Sampled</u>	<u>Received</u>
MFL-AM02-041124-HM	4042234-02	Air	04/11/24 23:59	04/22/24 15:41
MFL-AM03-041124-HM	4042234-03	Air	04/11/24 23:59	04/22/24 15:41
MFL-AM04-041124-HM	4042234-04	Air	04/11/24 23:59	04/22/24 15:41
MFL-FB01-041124-HM	4042234-05	Air	04/11/24 00:00	04/22/24 15:41
MFL-AM02-041224-HM	4042234-07	Air	04/12/24 23:59	04/22/24 15:41
MFL-AM03-041224-HM	4042234-08	Air	04/12/24 23:59	04/22/24 15:41
MFL-AM04-041224-HM	4042234-09	Air	04/12/24 23:59	04/22/24 15:41
MFL-AM02-041324-HM/MS/I	4042234-11	Air	04/13/24 23:59	04/22/24 15:41
MFL-AM03-041324-HM	4042234-12	Air	04/13/24 23:59	04/22/24 15:41
MFL-AM04-041324-HM	4042234-13	Air	04/13/24 23:59	04/22/24 15:41
MFL-FB01-041324-HM	4042234-14	Air	04/13/24 00:00	04/22/24 15:41
MFL-AM01-041424-HM	4042234-15	Air	04/14/24 23:59	04/22/24 15:41
MFL-AM02-041424-HM	4042234-16	Air	04/14/24 23:59	04/22/24 15:41
MFL-AM03-041424-HM	4042234-17	Air	04/14/24 23:59	04/22/24 15:41
MFL-AM04-041424-HM	4042234-18	Air	04/14/24 23:59	04/22/24 15:41
MFL-AM01-041524-HM	4042234-19	Air	04/15/24 23:59	04/22/24 15:41
MFL-AM03-041524-HM	4042234-21	Air	04/15/24 23:59	04/22/24 15:41
MFL-AM04-041524-HM	4042234-22	Air	04/15/24 23:59	04/22/24 15:41
MFL-FB01-041524-HM	4042234-23	Air	04/15/24 00:00	04/22/24 15:41
MFL-AM01-041624-HM	4042234-24	Air	04/16/24 23:59	04/22/24 15:41
MFL-AM02-041624-HM	4042234-25	Air	04/16/24 23:59	04/22/24 15:41

Eastern Research Group

*The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber

**PHONE:** (703) 885-5495    **FAX:**

MFL-AM03-041624-HM	4042234-26	Air	04/16/24 23:59	04/22/24 15:41
MFL-AM04-041624-HM	4042234-27	Air	04/16/24 23:59	04/22/24 15:41
MFL-AM01-041724-HM	4042234-28	Air	04/17/24 23:59	04/22/24 15:41
MFL-AM02-041724-HM	4042234-29	Air	04/17/24 23:59	04/22/24 15:41
MFL-AM03-041724-HM/MS/I	4042234-30	Air	04/17/24 23:59	04/22/24 15:41
MFL-AM04-041724-HM	4042234-31	Air	04/17/24 23:59	04/22/24 15:41
MFL-FB01-041724-HM	4042234-32	Air	04/17/24 00:00	04/22/24 15:41

## CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001

**REPORTED:** 05/01/24 10:52

**SUBMITTED:** 04/22/24

**AQS SITE CODE:**

**SITE CODE:** Lahaina fires



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber

**PHONE:** (703) 885-5495    **FAX:**

## CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001

**REPORTED:** 05/01/24 10:52

**SUBMITTED:** 04/22/24

**AQS SITE CODE:**

**SITE CODE:** Lahaina fires

<b>Description:</b> MFL-AM02-041124-HM	<b>Lab ID:</b> 4042234-02	<b>Sampled:</b> 04/11/24 23:59
<b>Matrix:</b> Air	<b>Sample Volume:</b> 2011.781 m <sup>3</sup>	<b>Received:</b> 04/22/24 15:41
	<b>Filter ID:</b>	<b>Analysis Date:</b> 04/24/24 00:55

**Comments:** Q8508904 - Received in good condition

### Inorganics by Compendium Method IO-3.5

<b>Analyte</b>	<b>CAS Number</b>	<b>Results</b>		<b>MDL</b>
		<b>ng/m<sup>3</sup> Air</b>	<b>Flag</b>	
Antimony	7440-36-0	0.113	SL	0.0312
Arsenic	7440-38-2	0.357		0.00758
Barium	7440-39-3	3.40	QB-01	0.865
Beryllium	7440-41-7	0.00856		0.00259
Cadmium	7440-43-9	0.0111	U	0.0599
Chromium	7440-47-3	1.63	U	1.79
Cobalt	7440-48-4	0.223		0.0353
Copper	7440-50-8	28.3		2.13
Lead	7439-92-1	0.868		0.173
Manganese	7439-96-5	8.08		1.53
Molybdenum	7439-98-7	1.92		0.290
Nickel	7440-02-0	0.962		0.527
Selenium	7782-49-2	0.274	LJ, QX	0.00725
Thallium	7440-28-0	0.00206	QB-01	4.76E-4
Vanadium	7440-62-2	1.07		0.0428
Zinc	7440-66-6	35.9	U	62.1



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber

**PHONE:** (703) 885-5495    **FAX:**

## CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001

**REPORTED:** 05/01/24 10:52

**SUBMITTED:** 04/22/24

**AQS SITE CODE:**

**SITE CODE:** Lahaina fires

<b>Description:</b> MFL-AM03-041124-HM	<b>Lab ID:</b> 4042234-03	<b>Sampled:</b> 04/11/24 23:59
<b>Matrix:</b> Air	<b>Sample Volume:</b> 1871.036 m <sup>3</sup>	<b>Received:</b> 04/22/24 15:41
	<b>Filter ID:</b>	<b>Analysis Date:</b> 04/24/24 01:14

**Comments:** Q8508902 - Received in good condition

### Inorganics by Compendium Method IO-3.5

<b>Analyte</b>	<b>CAS Number</b>	<b>Results</b>		<b>MDL</b>
		<b>ng/m<sup>3</sup> Air</b>	<b>Flag</b>	
Antimony	7440-36-0	0.156	SL	0.0336
Arsenic	7440-38-2	0.535		0.00815
Barium	7440-39-3	5.00	QB-01	0.930
Beryllium	7440-41-7	0.0233		0.00278
Cadmium	7440-43-9	0.0226	U	0.0644
Chromium	7440-47-3	2.99		1.92
Cobalt	7440-48-4	0.569		0.0379
Copper	7440-50-8	37.4		2.29
Lead	7439-92-1	0.922		0.186
Manganese	7439-96-5	15.4		1.64
Molybdenum	7439-98-7	2.22		0.312
Nickel	7440-02-0	1.83		0.567
Selenium	7782-49-2	0.291	LJ, QX	0.00779
Thallium	7440-28-0	0.00248	QB-01	5.12E-4
Vanadium	7440-62-2	1.78		0.0460
Zinc	7440-66-6	48.8	U	66.8



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber

**PHONE:** (703) 885-5495    **FAX:**

## CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001

**REPORTED:** 05/01/24 10:52

**SUBMITTED:** 04/22/24

**AQS SITE CODE:**

**SITE CODE:** Lahaina fires

<b>Description:</b> MFL-AM04-041124-HM	<b>Lab ID:</b> 4042234-04	<b>Sampled:</b> 04/11/24 23:59
<b>Matrix:</b> Air	<b>Sample Volume:</b> 1889.915 m <sup>3</sup>	<b>Received:</b> 04/22/24 15:41
	<b>Filter ID:</b>	<b>Analysis Date:</b> 04/24/24 01:31

**Comments:** Q8508900 - Received in good condition

### Inorganics by Compendium Method IO-3.5

<b>Analyte</b>	<b>CAS Number</b>	<b>Results</b>		<b>MDL</b>
		<b>ng/m<sup>3</sup> Air</b>	<b>Flag</b>	
Antimony	7440-36-0	0.103	SL	0.0332
Arsenic	7440-38-2	0.415		0.00807
Barium	7440-39-3	3.51	QB-01	0.921
Beryllium	7440-41-7	0.00968		0.00275
Cadmium	7440-43-9	0.0130	U	0.0638
Chromium	7440-47-3	2.19		1.90
Cobalt	7440-48-4	0.284		0.0375
Copper	7440-50-8	31.1		2.26
Lead	7439-92-1	0.960		0.184
Manganese	7439-96-5	9.64		1.63
Molybdenum	7439-98-7	1.64		0.309
Nickel	7440-02-0	1.21		0.561
Selenium	7782-49-2	0.254	LJ, QX	0.00771
Thallium	7440-28-0	0.00199	QB-01	5.07E-4
Vanadium	7440-62-2	1.18		0.0455
Zinc	7440-66-6	49.4	U	66.1



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber

**PHONE:** (703) 885-5495    **FAX:**

## CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001

**REPORTED:** 05/01/24 10:52

**SUBMITTED:** 04/22/24

**AQS SITE CODE:**

**SITE CODE:** Lahaina fires

<b>Description:</b> MFL-FB01-041124-HM	<b>Lab ID:</b> 4042234-05	<b>Sampled:</b> 04/11/24 00:00
<b>Matrix:</b> Air	<b>Sample Volume:</b> 2011.781 m <sup>3</sup>	<b>Received:</b> 04/22/24 15:41
	<b>Filter ID:</b>	<b>Analysis Date:</b> 04/24/24 01:49

**Comments:** Q8508899 - Received in good condition

### Inorganics by Compendium Method IO-3.5

<b>Analyte</b>	<b>CAS Number</b>	<b>Results</b>		<b>MDL</b>
		<b>ng/m<sup>3</sup> Air</b>	<b>Flag</b>	
Antimony	7440-36-0	0.0188	U, SL	0.0312
<b>Arsenic</b>	<b>7440-38-2</b>	<b>0.0102</b>	FB-01	<b>0.00758</b>
Barium	7440-39-3	0.697	U, QB-01	0.865
Beryllium	7440-41-7	6.15E-4	U	0.00259
Cadmium	7440-43-9	6.15E-4	U	0.0599
Chromium	7440-47-3	0.905	U	1.79
Cobalt	7440-48-4	0.0169	U	0.0353
Copper	7440-50-8	0.565	U	2.13
Lead	7439-92-1	0.0371	U	0.173
Manganese	7439-96-5	0.388	U	1.53
Molybdenum	7439-98-7	0.132	U	0.290
Nickel	7440-02-0	0.384	U	0.527
Selenium	7782-49-2	ND	LJ, QX, U	0.00725
Thallium	7440-28-0	2.57E-4	QB-01, U	4.76E-4
<b>Vanadium</b>	<b>7440-62-2</b>	<b>0.0435</b>	FB-01	<b>0.0428</b>
Zinc	7440-66-6	34.7	U	62.1



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber

**PHONE:** (703) 885-5495    **FAX:**

## CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001

**REPORTED:** 05/01/24 10:52

**SUBMITTED:** 04/22/24

**AQS SITE CODE:**

**SITE CODE:** Lahaina fires

<b>Description:</b> MFL-AM02-041224-HM	<b>Lab ID:</b> 4042234-07	<b>Sampled:</b> 04/12/24 23:59
<b>Matrix:</b> Air	<b>Sample Volume:</b> 2074.718 m <sup>3</sup>	<b>Received:</b> 04/22/24 15:41
	<b>Filter ID:</b>	<b>Analysis Date:</b> 04/24/24 02:03

**Comments:** Q8508895 - Received in good condition

### Inorganics by Compendium Method IO-3.5

<b>Analyte</b>	<b>CAS Number</b>	<b>Results</b>		<b>MDL</b>
		<b>ng/m<sup>3</sup> Air</b>	<b>Flag</b>	
Antimony	7440-36-0	0.125	SL	0.0303
Arsenic	7440-38-2	0.464		0.00735
Barium	7440-39-3	3.38	QB-01	0.839
Beryllium	7440-41-7	0.00778		0.00251
Cadmium	7440-43-9	0.0119	U	0.0581
Chromium	7440-47-3	1.67	U	1.73
Cobalt	7440-48-4	0.236		0.0342
Copper	7440-50-8	34.7		2.06
Lead	7439-92-1	0.864		0.168
Manganese	7439-96-5	8.35		1.48
Molybdenum	7439-98-7	1.75		0.282
Nickel	7440-02-0	1.15		0.511
Selenium	7782-49-2	0.290	LJ, QX	0.00703
Thallium	7440-28-0	0.00153	QB-01	4.62E-4
Vanadium	7440-62-2	1.37		0.0415
Zinc	7440-66-6	40.1	U	60.2



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber

**PHONE:** (703) 885-5495    **FAX:**

## CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001

**REPORTED:** 05/01/24 10:52

**SUBMITTED:** 04/22/24

**AQS SITE CODE:**

**SITE CODE:** Lahaina fires

<b>Description:</b> MFL-AM03-041224-HM	<b>Lab ID:</b> 4042234-08	<b>Sampled:</b> 04/12/24 23:59
<b>Matrix:</b> Air	<b>Sample Volume:</b> 1861.43E m <sup>3</sup>	<b>Received:</b> 04/22/24 15:41
	<b>Filter ID:</b>	<b>Analysis Date:</b> 04/24/24 02:20

**Comments:** Q8508894 - Received in good condition

### Inorganics by Compendium Method IO-3.5

<b>Analyte</b>	<b>CAS Number</b>	<b>Results</b>		<b>MDL</b>
		<b>ng/m<sup>3</sup> Air</b>	<b>Flag</b>	
Antimony	7440-36-0	0.103	SL	0.0337
Arsenic	7440-38-2	0.272		0.00819
Barium	7440-39-3	4.03	QB-01	0.935
Beryllium	7440-41-7	0.0225		0.00280
Cadmium	7440-43-9	0.00944	U	0.0648
Chromium	7440-47-3	3.53		1.93
Cobalt	7440-48-4	0.777		0.0381
Copper	7440-50-8	38.1		2.30
Lead	7439-92-1	0.593		0.187
Manganese	7439-96-5	16.7		1.65
Molybdenum	7439-98-7	2.08		0.314
Nickel	7440-02-0	2.54		0.570
Selenium	7782-49-2	0.326	LJ, QX	0.00783
Thallium	7440-28-0	0.00176	QB-01	5.15E-4
Vanadium	7440-62-2	2.40		0.0462
Zinc	7440-66-6	46.1	U	67.1



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber

**PHONE:** (703) 885-5495    **FAX:**

## CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001

**REPORTED:** 05/01/24 10:52

**SUBMITTED:** 04/22/24

**AQS SITE CODE:**

**SITE CODE:** Lahaina fires

<b>Description:</b> MFL-AM04-041224-HM	<b>Lab ID:</b> 4042234-09	<b>Sampled:</b> 04/12/24 23:59
<b>Matrix:</b> Air	<b>Sample Volume:</b> 1862.54E m <sup>3</sup>	<b>Received:</b> 04/22/24 15:41
	<b>Filter ID:</b>	<b>Analysis Date:</b> 04/24/24 02:36

**Comments:** Q8508893 - Received in good condition

### Inorganics by Compendium Method IO-3.5

<b>Analyte</b>	<b>CAS Number</b>	<b>Results</b>		<b>MDL</b>
		<b>ng/m<sup>3</sup> Air</b>	<b>Flag</b>	
Antimony	7440-36-0	0.171	SL	0.0337
Arsenic	7440-38-2	0.557		0.00819
Barium	7440-39-3	4.64	QB-01	0.935
Beryllium	7440-41-7	0.0124		0.00280
Cadmium	7440-43-9	0.0192	U	0.0647
Chromium	7440-47-3	2.51		1.93
Cobalt	7440-48-4	0.419		0.0381
Copper	7440-50-8	35.0		2.30
Lead	7439-92-1	1.47		0.187
Manganese	7439-96-5	13.2		1.65
Molybdenum	7439-98-7	1.76		0.314
Nickel	7440-02-0	1.78		0.570
Selenium	7782-49-2	0.311	LJ, QX	0.00783
Thallium	7440-28-0	0.00145	QB-01	5.15E-4
Vanadium	7440-62-2	1.91		0.0462
Zinc	7440-66-6	41.2	U	67.1



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber

**PHONE:** (703) 885-5495    **FAX:**

## CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001

**REPORTED:** 05/01/24 10:52

**SUBMITTED:** 04/22/24

**AQS SITE CODE:**

**SITE CODE:** Lahaina fires

**Description:** MFL-AM02-041324-HM/MS/MS    **Lab ID:** 4042234-11    **Sampled:** 04/13/24 23:59

**Matrix:** Air

**Sample Volume:** 2039.985 m<sup>3</sup>

**Received:** 04/22/24 15:41

**Filter ID:**

**Analysis Date:** 04/23/24 17:24

**Comments:** Q8508891 - Received in good condition

### Inorganics by Compendium Method IO-3.5

<b>Analyte</b>	<b>CAS Number</b>	<b>Results</b>		<b>MDL</b>
		<b>ng/m<sup>3</sup> Air</b>	<b>Flag</b>	
Antimony	7440-36-0	0.124	SL	0.0308
Arsenic	7440-38-2	0.240		0.00747
Barium	7440-39-3	3.19	QB-01	0.853
Beryllium	7440-41-7	0.00654		0.00255
Cadmium	7440-43-9	0.0122	U	0.0591
Chromium	7440-47-3	1.50	U	1.76
Cobalt	7440-48-4	0.179		0.0348
Copper	7440-50-8	35.8		2.10
Lead	7439-92-1	0.694		0.171
Manganese	7439-96-5	6.37		1.51
Molybdenum	7439-98-7	2.15		0.286
Nickel	7440-02-0	1.06		0.520
Selenium	7782-49-2	0.276	LJ, QX	0.00715
Thallium	7440-28-0	0.00210	QB-01, QB-04	4.70E-4
Vanadium	7440-62-2	1.12		0.0422
Zinc	7440-66-6	40.1	U	61.3



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber

**PHONE:** (703) 885-5495    **FAX:**

## CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001

**REPORTED:** 05/01/24 10:52

**SUBMITTED:** 04/22/24

**AQS SITE CODE:**

**SITE CODE:** Lahaina fires

<b>Description:</b> MFL-AM03-041324-HM	<b>Lab ID:</b> 4042234-12	<b>Sampled:</b> 04/13/24 23:59
<b>Matrix:</b> Air	<b>Sample Volume:</b> 1895.451 m <sup>3</sup>	<b>Received:</b> 04/22/24 15:41
	<b>Filter ID:</b>	<b>Analysis Date:</b> 04/24/24 02:54

**Comments:** Q8508889 - Received in good condition

### Inorganics by Compendium Method IO-3.5

<b>Analyte</b>	<b>CAS Number</b>	<b>Results</b>		<b>MDL</b>
		<b>ng/m<sup>3</sup> Air</b>	<b>Flag</b>	
Antimony	7440-36-0	0.0964	SL	0.0331
Arsenic	7440-38-2	0.311		0.00804
Barium	7440-39-3	4.04	QB-01	0.918
Beryllium	7440-41-7	0.0191		0.00275
Cadmium	7440-43-9	0.0154	U	0.0636
Chromium	7440-47-3	2.50		1.90
Cobalt	7440-48-4	0.454		0.0374
Copper	7440-50-8	47.5		2.26
Lead	7439-92-1	0.630		0.184
Manganese	7439-96-5	11.5		1.62
Molybdenum	7439-98-7	2.17		0.308
Nickel	7440-02-0	1.70		0.560
Selenium	7782-49-2	0.305	LJ, QX	0.00769
Thallium	7440-28-0	0.00202	QB-01	5.06E-4
Vanadium	7440-62-2	1.80		0.0454
Zinc	7440-66-6	32.8	U	65.9



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber

**PHONE:** (703) 885-5495    **FAX:**

## CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001

**REPORTED:** 05/01/24 10:52

**SUBMITTED:** 04/22/24

**AQS SITE CODE:**

**SITE CODE:** Lahaina fires

<b>Description:</b> MFL-AM04-041324-HM	<b>Lab ID:</b> 4042234-13	<b>Sampled:</b> 04/13/24 23:59
<b>Matrix:</b> Air	<b>Sample Volume:</b> 1872.713 m <sup>3</sup>	<b>Received:</b> 04/22/24 15:41
	<b>Filter ID:</b>	<b>Analysis Date:</b> 04/24/24 04:03

**Comments:** Q8508887- Received in good condition

### Inorganics by Compendium Method IO-3.5

<b>Analyte</b>	<b>CAS Number</b>	<b>Results</b>		<b>MDL</b>
		<b>ng/m<sup>3</sup> Air</b>	<b>Flag</b>	
Antimony	7440-36-0	0.104	SL	0.0335
Arsenic	7440-38-2	0.287		0.00814
Barium	7440-39-3	3.42	QB-01	0.930
Beryllium	7440-41-7	0.00865		0.00278
Cadmium	7440-43-9	0.0282	U	0.0644
Chromium	7440-47-3	1.91	U	1.92
Cobalt	7440-48-4	0.267		0.0379
Copper	7440-50-8	30.6		2.28
Lead	7439-92-1	1.10		0.186
Manganese	7439-96-5	8.50		1.64
Molybdenum	7439-98-7	1.62		0.312
Nickel	7440-02-0	1.26		0.566
Selenium	7782-49-2	0.256	LJ, QX	0.00778
Thallium	7440-28-0	0.00186	QB-01	5.12E-4
Vanadium	7440-62-2	1.32		0.0460
Zinc	7440-66-6	39.3	U	66.7



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber

**PHONE:** (703) 885-5495    **FAX:**

## CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001

**REPORTED:** 05/01/24 10:52

**SUBMITTED:** 04/22/24

**AQS SITE CODE:**

**SITE CODE:** Lahaina fires

<b>Description:</b> MFL-FB01-041324-HM	<b>Lab ID:</b> 4042234-14	<b>Sampled:</b> 04/13/24 00:00
<b>Matrix:</b> Air	<b>Sample Volume:</b> 2039.985 m <sup>3</sup>	<b>Received:</b> 04/22/24 15:41
	<b>Filter ID:</b>	<b>Analysis Date:</b> 04/24/24 04:19

**Comments:** Q8508882- Received in good condition

### Inorganics by Compendium Method IO-3.5

<b>Analyte</b>	<b>CAS Number</b>	<b>Results</b>		<b>MDL</b>
		<b>ng/m<sup>3</sup> Air</b>	<b>Flag</b>	
Antimony	7440-36-0	0.0173	SL, U	0.0308
Arsenic	7440-38-2	0.00693	U	0.00747
Barium	7440-39-3	0.696	QB-01, U	0.853
Beryllium	7440-41-7	3.79E-4	U	0.00255
Cadmium	7440-43-9	6.45E-4	U	0.0591
Chromium	7440-47-3	1.00	U	1.76
Cobalt	7440-48-4	0.0139	U	0.0348
Copper	7440-50-8	0.358	U	2.10
Lead	7439-92-1	0.0259	U	0.171
Manganese	7439-96-5	0.196	U	1.51
Molybdenum	7439-98-7	0.148	U	0.286
Nickel	7440-02-0	0.505	U	0.520
Selenium	7782-49-2	ND	LJ, QX, U	0.00715
Thallium	7440-28-0	1.85E-4	QB-01, U	4.70E-4
Vanadium	7440-62-2	0.0235	U	0.0422
Zinc	7440-66-6	17.7	U	61.3



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber

**PHONE:** (703) 885-5495    **FAX:**

## CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001

**REPORTED:** 05/01/24 10:52

**SUBMITTED:** 04/22/24

**AQS SITE CODE:**

**SITE CODE:** Lahaina fires

<b>Description:</b> MFL-AM01-041424-HM	<b>Lab ID:</b> 4042234-15	<b>Sampled:</b> 04/14/24 23:59
<b>Matrix:</b> Air	<b>Sample Volume:</b> 1940.06 m <sup>3</sup>	<b>Received:</b> 04/22/24 15:41

**Filter ID:**

**Analysis Date:** 04/24/24 04:34

**Comments:** Q8508885- Received in good condition

### Inorganics by Compendium Method IO-3.5

<b>Analyte</b>	<b>CAS Number</b>	<b>Results</b>		<b>MDL</b>
		<b>ng/m<sup>3</sup> Air</b>	<b>Flag</b>	
Antimony	7440-36-0	0.128	SL	0.0324
Arsenic	7440-38-2	1.13		0.00786
Barium	7440-39-3	3.92	QB-01	0.897
Beryllium	7440-41-7	0.00796		0.00268
Cadmium	7440-43-9	0.0151	U	0.0621
Chromium	7440-47-3	2.30		1.85
Cobalt	7440-48-4	0.306		0.0366
Copper	7440-50-8	67.4		2.21
Lead	7439-92-1	0.898		0.179
Manganese	7439-96-5	9.61		1.59
Molybdenum	7439-98-7	4.24		0.301
Nickel	7440-02-0	1.86		0.547
Selenium	7782-49-2	0.292	LJ, QX	0.00751
Thallium	7440-28-0	0.00157	QB-01	4.94E-4
Vanadium	7440-62-2	1.10		0.0444
Zinc	7440-66-6	34.2	U	64.4



Tetra Tech, Inc.  
1777 Sentry Pkwy, Bldg 12  
Blue Bell, PA 19422  
**ATTN:** Ms. Chelsea Saber  
**PHONE:** (703) 885-5495    **FAX:**

## CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001  
**REPORTED:** 05/01/24 10:52  
**SUBMITTED:** 04/22/24  
**AQS SITE CODE:**  
**SITE CODE:** Lahaina fires

<b>Description:</b> MFL-AM02-041424-HM	<b>Lab ID:</b> 4042234-16	<b>Sampled:</b> 04/14/24 23:59
<b>Matrix:</b> Air	<b>Sample Volume:</b> 2014.034 m <sup>3</sup>	<b>Received:</b> 04/22/24 15:41
	<b>Filter ID:</b>	<b>Analysis Date:</b> 04/24/24 05:10

**Comments:** Q8508883- Received in good condition

### Inorganics by Compendium Method IO-3.5

<b>Analyte</b>	<b>CAS Number</b>	<b>Results</b>		<b>MDL</b>
		<b>ng/m<sup>3</sup> Air</b>	<b>Flag</b>	
Antimony	7440-36-0	0.0658	SL	0.0312
Arsenic	7440-38-2	0.287		0.00757
Barium	7440-39-3	2.03	QB-01	0.864
Beryllium	7440-41-7	0.00531		0.00259
Cadmium	7440-43-9	0.00858	U	0.0599
Chromium	7440-47-3	1.31	U	1.79
Cobalt	7440-48-4	0.146		0.0352
Copper	7440-50-8	38.4		2.12
Lead	7439-92-1	0.518		0.173
Manganese	7439-96-5	5.39		1.53
Molybdenum	7439-98-7	2.38		0.290
Nickel	7440-02-0	0.869		0.527
Selenium	7782-49-2	0.294	LJ, QX	0.00724
Thallium	7440-28-0	0.00132	QB-01	4.76E-4
Vanadium	7440-62-2	0.667		0.0427
Zinc	7440-66-6	29.9	U	62.0



Tetra Tech, Inc.  
1777 Sentry Pkwy, Bldg 12  
Blue Bell, PA 19422  
**ATTN:** Ms. Chelsea Saber  
**PHONE:** (703) 885-5495    **FAX:**

## CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001

**REPORTED:** 05/01/24 10:52

**SUBMITTED:** 04/22/24

**AQS SITE CODE:**

**SITE CODE:** Lahaina fires

<b>Description:</b> MFL-AM03-041424-HM	<b>Lab ID:</b> 4042234-17	<b>Sampled:</b> 04/14/24 23:59
<b>Matrix:</b> Air	<b>Sample Volume:</b> 1884.357 m <sup>3</sup>	<b>Received:</b> 04/22/24 15:41
	<b>Filter ID:</b>	<b>Analysis Date:</b> 04/24/24 05:26

**Comments:** Q8506892- Received in good condition

### Inorganics by Compendium Method IO-3.5

<b>Analyte</b>	<b>CAS Number</b>	<b>Results</b>		<b>MDL</b>
		<b>ng/m<sup>3</sup> Air</b>	<b>Flag</b>	
Antimony	7440-36-0	0.0713	SL	0.0333
Arsenic	7440-38-2	0.317		0.00809
Barium	7440-39-3	3.14	QB-01	0.924
Beryllium	7440-41-7	0.0144		0.00276
Cadmium	7440-43-9	0.0102	U	0.0640
Chromium	7440-47-3	2.86		1.91
Cobalt	7440-48-4	0.545		0.0376
Copper	7440-50-8	34.4		2.27
Lead	7439-92-1	0.451		0.185
Manganese	7439-96-5	10.8		1.63
Molybdenum	7439-98-7	1.64		0.310
Nickel	7440-02-0	1.77		0.563
Selenium	7782-49-2	0.321	LJ, QX	0.00774
Thallium	7440-28-0	0.00143	QB-01	5.09E-4
Vanadium	7440-62-2	1.17		0.0457
Zinc	7440-66-6	25.9	U	66.3



Tetra Tech, Inc.  
1777 Sentry Pkwy, Bldg 12  
Blue Bell, PA 19422  
**ATTN:** Ms. Chelsea Saber  
**PHONE:** (703) 885-5495    **FAX:**

## CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001

**REPORTED:** 05/01/24 10:52

**SUBMITTED:** 04/22/24

**AQS SITE CODE:**

**SITE CODE:** Lahaina fires

<b>Description:</b> MFL-AM04-041424-HM	<b>Lab ID:</b> 4042234-18	<b>Sampled:</b> 04/14/24 23:59
<b>Matrix:</b> Air	<b>Sample Volume:</b> 1883.644 m <sup>3</sup>	<b>Received:</b> 04/22/24 15:41
	<b>Filter ID:</b>	<b>Analysis Date:</b> 04/24/24 05:41

**Comments:** Q8506893- Received in good condition

### Inorganics by Compendium Method IO-3.5

<b>Analyte</b>	<b>CAS Number</b>	<b>Results</b>		<b>MDL</b>
		<b>ng/m<sup>3</sup> Air</b>	<b>Flag</b>	
Antimony	7440-36-0	0.103	SL	0.0333
Arsenic	7440-38-2	0.869		0.00809
Barium	7440-39-3	2.95	QB-01	0.924
Beryllium	7440-41-7	0.00619		0.00276
Cadmium	7440-43-9	0.0280	U	0.0640
Chromium	7440-47-3	1.99		1.91
Cobalt	7440-48-4	0.220		0.0377
Copper	7440-50-8	38.4		2.27
Lead	7439-92-1	1.02		0.185
Manganese	7439-96-5	6.85		1.63
Molybdenum	7439-98-7	2.14		0.310
Nickel	7440-02-0	1.06		0.563
Selenium	7782-49-2	0.287	LJ, QX	0.00774
Thallium	7440-28-0	0.00133	QB-01	5.09E-4
Vanadium	7440-62-2	0.778		0.0457
Zinc	7440-66-6	41.4	U	66.3



Tetra Tech, Inc.  
1777 Sentry Pkwy, Bldg 12  
Blue Bell, PA 19422  
**ATTN:** Ms. Chelsea Saber  
**PHONE:** (703) 885-5495    **FAX:**

## CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001

**REPORTED:** 05/01/24 10:52

**SUBMITTED:** 04/22/24

**AQS SITE CODE:**

**SITE CODE:** Lahaina fires

<b>Description:</b> MFL-AM01-041524-HM	<b>Lab ID:</b> 4042234-19	<b>Sampled:</b> 04/15/24 23:59
<b>Matrix:</b> Air	<b>Sample Volume:</b> 1974.48 m <sup>3</sup>	<b>Received:</b> 04/22/24 15:41
	<b>Filter ID:</b>	<b>Analysis Date:</b> 04/24/24 05:59

**Comments:** Q8506894 - Received in good condition

### Inorganics by Compendium Method IO-3.5

<b>Analyte</b>	<b>CAS Number</b>	<b>Results</b>		<b>MDL</b>
		<b>ng/m<sup>3</sup> Air</b>	<b>Flag</b>	
Antimony	7440-36-0	0.172	SL	0.0318
Arsenic	7440-38-2	3.25		0.00772
Barium	7440-39-3	6.59	QB-01	0.882
Beryllium	7440-41-7	0.0169		0.00264
Cadmium	7440-43-9	0.0616		0.0611
Chromium	7440-47-3	4.42		1.82
Cobalt	7440-48-4	0.772		0.0359
Copper	7440-50-8	69.2		2.17
Lead	7439-92-1	1.63		0.176
Manganese	7439-96-5	21.8		1.56
Molybdenum	7439-98-7	4.09		0.296
Nickel	7440-02-0	2.46		0.537
Selenium	7782-49-2	0.242	LJ, QX	0.00738
Thallium	7440-28-0	0.00175	QB-01	4.85E-4
Vanadium	7440-62-2	2.01		0.0436
Zinc	7440-66-6	46.2	U	63.3



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber

**PHONE:** (703) 885-5495    **FAX:**

## CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001

**REPORTED:** 05/01/24 10:52

**SUBMITTED:** 04/22/24

**AQS SITE CODE:**

**SITE CODE:** Lahaina fires

<b>Description:</b> MFL-AM03-041524-HM	<b>Lab ID:</b> 4042234-21	<b>Sampled:</b> 04/15/24 23:59
<b>Matrix:</b> Air	<b>Sample Volume:</b> 1951.34 m <sup>3</sup>	<b>Received:</b> 04/22/24 15:41
	<b>Filter ID:</b>	<b>Analysis Date:</b> 04/24/24 06:17

**Comments:** Q8521179 - Received in good condition

### Inorganics by Compendium Method IO-3.5

<b>Analyte</b>	<b>CAS Number</b>	<b>Results</b>		<b>MDL</b>
		<b>ng/m<sup>3</sup> Air</b>	<b>Flag</b>	
Antimony	7440-36-0	0.140	SL	0.0322
Arsenic	7440-38-2	0.151		0.00781
Barium	7440-39-3	3.22	QB-01	0.892
Beryllium	7440-41-7	0.0109		0.00267
Cadmium	7440-43-9	0.0330	U	0.0618
Chromium	7440-47-3	2.30		1.84
Cobalt	7440-48-4	0.394		0.0364
Copper	7440-50-8	36.9		2.19
Lead	7439-92-1	0.696		0.178
Manganese	7439-96-5	7.42		1.58
Molybdenum	7439-98-7	1.46		0.299
Nickel	7440-02-0	1.42		0.544
Selenium	7782-49-2	0.189	LJ, QX	0.00747
Thallium	7440-28-0	0.00101	QB-01	4.91E-4
Vanadium	7440-62-2	0.627		0.0441
Zinc	7440-66-6	42.6	U	64.0



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber

**PHONE:** (703) 885-5495    **FAX:**

## CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001

**REPORTED:** 05/01/24 10:52

**SUBMITTED:** 04/22/24

**AQS SITE CODE:**

**SITE CODE:** Lahaina fires

<b>Description:</b> MFL-AM04-041524-HM	<b>Lab ID:</b> 4042234-22	<b>Sampled:</b> 04/15/24 23:59
<b>Matrix:</b> Air	<b>Sample Volume:</b> 1981.734 m <sup>3</sup>	<b>Received:</b> 04/22/24 15:41
	<b>Filter ID:</b>	<b>Analysis Date:</b> 04/24/24 07:30

**Comments:** Q8521177 - Received in good condition

### Inorganics by Compendium Method IO-3.5

<b>Analyte</b>	<b>CAS Number</b>	<b>Results</b>		<b>MDL</b>
		<b>ng/m<sup>3</sup> Air</b>	<b>Flag</b>	
Antimony	7440-36-0	0.129	SL	0.0317
Arsenic	7440-38-2	0.389		0.00769
Barium	7440-39-3	1.91	QB-01	0.878
Beryllium	7440-41-7	0.00306		0.00263
Cadmium	7440-43-9	0.0136	U	0.0608
Chromium	7440-47-3	1.32	U	1.81
Cobalt	7440-48-4	0.115		0.0358
Copper	7440-50-8	35.6		2.16
Lead	7439-92-1	0.625		0.176
Manganese	7439-96-5	3.17		1.55
Molybdenum	7439-98-7	1.86		0.295
Nickel	7440-02-0	0.767		0.535
Selenium	7782-49-2	0.161	LJ, QX	0.00736
Thallium	7440-28-0	9.01E-4	QB-01	4.84E-4
Vanadium	7440-62-2	0.237		0.0434
Zinc	7440-66-6	32.6	LJ, QX, U	63.1



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber

**PHONE:** (703) 885-5495    **FAX:**

## CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001

**REPORTED:** 05/01/24 10:52

**SUBMITTED:** 04/22/24

**AQS SITE CODE:**

**SITE CODE:** Lahaina fires

<b>Description:</b> MFL-FB01-041524-HM	<b>Lab ID:</b> 4042234-23	<b>Sampled:</b> 04/15/24 00:00
<b>Matrix:</b> Air	<b>Sample Volume:</b> 1974.48 m <sup>3</sup>	<b>Received:</b> 04/22/24 15:41
	<b>Filter ID:</b>	<b>Analysis Date:</b> 04/24/24 08:02

**Comments:** Q8521172 - Received in good condition

### Inorganics by Compendium Method IO-3.5

<b>Analyte</b>	<b>CAS Number</b>	<b>Results</b>		<b>MDL</b>
		<b>ng/m<sup>3</sup> Air</b>	<b>Flag</b>	
Antimony	7440-36-0	0.0296	SL, U	0.0318
<b>Arsenic</b>	<b>7440-38-2</b>	<b>0.0116</b>	FB-01	<b>0.00772</b>
<b>Barium</b>	<b>7440-39-3</b>	<b>1.55</b>	FB-01, QB-01	<b>0.882</b>
Beryllium	7440-41-7	8.10E-4	U	0.00264
Cadmium	7440-43-9	0.00426	U	0.0611
Chromium	7440-47-3	0.921	U	1.82
Cobalt	7440-48-4	0.0233	U	0.0359
<b>Copper</b>	<b>7440-50-8</b>	<b>19.3</b>	FB-01	<b>2.17</b>
<b>Lead</b>	<b>7439-92-1</b>	<b>0.865</b>	FB-01	<b>0.176</b>
Manganese	7439-96-5	0.428	U	1.56
Molybdenum	7439-98-7	0.185	U	0.296
Nickel	7440-02-0	0.486	U	0.537
Selenium	7782-49-2	ND	LJ, QX, U	0.00738
Thallium	7440-28-0	1.96E-4	QB-01, U	4.85E-4
<b>Vanadium</b>	<b>7440-62-2</b>	<b>0.0491</b>	FB-01	<b>0.0436</b>
Zinc	7440-66-6	31.7	LJ, QX, U	63.3



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber

**PHONE:** (703) 885-5495    **FAX:**

## CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001

**REPORTED:** 05/01/24 10:52

**SUBMITTED:** 04/22/24

**AQS SITE CODE:**

**SITE CODE:** Lahaina fires

<b>Description:</b> MFL-AM01-041624-HM	<b>Lab ID:</b> 4042234-24	<b>Sampled:</b> 04/16/24 23:59
<b>Matrix:</b> Air	<b>Sample Volume:</b> 1955.527 m <sup>3</sup>	<b>Received:</b> 04/22/24 15:41
	<b>Filter ID:</b>	<b>Analysis Date:</b> 04/24/24 08:19

**Comments:** Q8521176 - Received in good condition

### Inorganics by Compendium Method IO-3.5

<b>Analyte</b>	<b>CAS Number</b>	<b>Results</b>		<b>MDL</b>
		<b>ng/m<sup>3</sup> Air</b>	<b>Flag</b>	
Antimony	7440-36-0	0.0819	SL	0.0321
Arsenic	7440-38-2	0.190		0.00780
Barium	7440-39-3	2.94	QB-01	0.890
Beryllium	7440-41-7	0.00266		0.00266
Cadmium	7440-43-9	0.00807	U	0.0617
Chromium	7440-47-3	1.50	U	1.84
Cobalt	7440-48-4	0.110		0.0363
Copper	7440-50-8	73.5		2.19
Lead	7439-92-1	0.445		0.178
Manganese	7439-96-5	2.85		1.57
Molybdenum	7439-98-7	4.33		0.299
Nickel	7440-02-0	1.19		0.542
Selenium	7782-49-2	0.161	LJ, QX	0.00745
Thallium	7440-28-0	0.00171	QB-01	4.90E-4
Vanadium	7440-62-2	0.396		0.0440
Zinc	7440-66-6	47.5	LJ, QX, U	63.9



Tetra Tech, Inc.  
1777 Sentry Pkwy, Bldg 12  
Blue Bell, PA 19422  
**ATTN:** Ms. Chelsea Saber  
**PHONE:** (703) 885-5495    **FAX:**

## CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001  
**REPORTED:** 05/01/24 10:52  
**SUBMITTED:** 04/22/24  
**AQS SITE CODE:**  
**SITE CODE:** Lahaina fires

<b>Description:</b> MFL-AM02-041624-HM	<b>Lab ID:</b> 4042234-25	<b>Sampled:</b> 04/16/24 23:59
<b>Matrix:</b> Air	<b>Sample Volume:</b> 1939.101 m <sup>3</sup>	<b>Received:</b> 04/22/24 15:41
	<b>Filter ID:</b>	<b>Analysis Date:</b> 04/24/24 08:37

**Comments:** Q8521175 - Received in good condition

### Inorganics by Compendium Method IO-3.5

<b>Analyte</b>	<b>CAS Number</b>	<b>Results</b>		<b>MDL</b>
		<b>ng/m<sup>3</sup> Air</b>	<b>Flag</b>	
Antimony	7440-36-0	0.236	SL	0.0324
Arsenic	7440-38-2	0.259		0.00786
Barium	7440-39-3	7.52	QB-01	0.898
Beryllium	7440-41-7	0.00912		0.00268
Cadmium	7440-43-9	0.0118	U	0.0622
Chromium	7440-47-3	2.29		1.85
Cobalt	7440-48-4	0.347		0.0366
Copper	7440-50-8	42.0		2.21
Lead	7439-92-1	0.705		0.180
Manganese	7439-96-5	9.36		1.59
Molybdenum	7439-98-7	2.40		0.301
Nickel	7440-02-0	1.75		0.547
Selenium	7782-49-2	0.193	LJ, QX	0.00752
Thallium	7440-28-0	0.00187	QB-01	4.94E-4
Vanadium	7440-62-2	1.01		0.0444
Zinc	7440-66-6	34.6	LJ, QX, U	64.4



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber

**PHONE:** (703) 885-5495    **FAX:**

## CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001

**REPORTED:** 05/01/24 10:52

**SUBMITTED:** 04/22/24

**AQS SITE CODE:**

**SITE CODE:** Lahaina fires

<b>Description:</b> MFL-AM03-041624-HM	<b>Lab ID:</b> 4042234-26	<b>Sampled:</b> 04/16/24 23:59
<b>Matrix:</b> Air	<b>Sample Volume:</b> 1922.954 m <sup>3</sup>	<b>Received:</b> 04/22/24 15:41
	<b>Filter ID:</b>	<b>Analysis Date:</b> 04/24/24 08:53

**Comments:** Q8521173 - Received in good condition

### Inorganics by Compendium Method IO-3.5

<b>Analyte</b>	<b>CAS Number</b>	<b>Results</b>		<b>MDL</b>
		<b>ng/m<sup>3</sup> Air</b>	<b>Flag</b>	
Antimony	7440-36-0	0.0837	SL	0.0327
Arsenic	7440-38-2	0.140		0.00793
Barium	7440-39-3	2.45	QB-01	0.905
Beryllium	7440-41-7	0.00546		0.00271
Cadmium	7440-43-9	0.00868	U	0.0627
Chromium	7440-47-3	1.42	U	1.87
Cobalt	7440-48-4	0.162		0.0369
Copper	7440-50-8	53.2		2.23
Lead	7439-92-1	0.413		0.181
Manganese	7439-96-5	3.86		1.60
Molybdenum	7439-98-7	2.62		0.304
Nickel	7440-02-0	1.02		0.552
Selenium	7782-49-2	0.149	LJ, QX	0.00758
Thallium	7440-28-0	0.00180	QB-01	4.98E-4
Vanadium	7440-62-2	0.478		0.0448
Zinc	7440-66-6	20.4	LJ, QX, U	65.0



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber

**PHONE:** (703) 885-5495    **FAX:**

## CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001

**REPORTED:** 05/01/24 10:52

**SUBMITTED:** 04/22/24

**AQS SITE CODE:**

**SITE CODE:** Lahaina fires

<b>Description:</b> MFL-AM04-041624-HM	<b>Lab ID:</b> 4042234-27	<b>Sampled:</b> 04/16/24 23:59
<b>Matrix:</b> Air	<b>Sample Volume:</b> 1960.305 m <sup>3</sup>	<b>Received:</b> 04/22/24 15:41
	<b>Filter ID:</b>	<b>Analysis Date:</b> 04/24/24 09:10

**Comments:** Q8521171 - Received in good condition

### Inorganics by Compendium Method IO-3.5

<b>Analyte</b>	<b>CAS Number</b>	<b>Results</b>		<b>MDL</b>
		<b>ng/m<sup>3</sup> Air</b>	<b>Flag</b>	
Antimony	7440-36-0	0.101	SL	0.0320
Arsenic	7440-38-2	0.315		0.00778
Barium	7440-39-3	3.93	QB-01	0.888
Beryllium	7440-41-7	0.00888		0.00266
Cadmium	7440-43-9	0.0143	U	0.0615
Chromium	7440-47-3	1.92		1.83
Cobalt	7440-48-4	0.287		0.0362
Copper	7440-50-8	30.9		2.18
Lead	7439-92-1	0.946		0.178
Manganese	7439-96-5	8.74		1.57
Molybdenum	7439-98-7	1.69		0.298
Nickel	7440-02-0	1.21		0.541
Selenium	7782-49-2	0.232	LJ, QX	0.00744
Thallium	7440-28-0	0.00157	QB-01	4.89E-4
Vanadium	7440-62-2	0.801		0.0439
Zinc	7440-66-6	27.6	LJ, QX, U	63.7



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber

**PHONE:** (703) 885-5495    **FAX:**

## CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001

**REPORTED:** 05/01/24 10:52

**SUBMITTED:** 04/22/24

**AQS SITE CODE:**

**SITE CODE:** Lahaina fires

<b>Description:</b> MFL-AM01-041724-HM	<b>Lab ID:</b> 4042234-28	<b>Sampled:</b> 04/17/24 23:59
<b>Matrix:</b> Air	<b>Sample Volume:</b> 1971.184 m <sup>3</sup>	<b>Received:</b> 04/22/24 15:41
	<b>Filter ID:</b>	<b>Analysis Date:</b> 04/24/24 09:28

**Comments:** Q8521170 - Received in good condition

### Inorganics by Compendium Method IO-3.5

<b>Analyte</b>	<b>CAS Number</b>	<b>Results</b>		<b>MDL</b>
		<b>ng/m<sup>3</sup> Air</b>	<b>Flag</b>	
Antimony	7440-36-0	0.0619	SL	0.0319
Arsenic	7440-38-2	0.165		0.00773
Barium	7440-39-3	3.36	QB-01	0.883
Beryllium	7440-41-7	0.00493		0.00264
Cadmium	7440-43-9	0.00687	U	0.0612
Chromium	7440-47-3	2.36		1.82
Cobalt	7440-48-4	0.288		0.0360
Copper	7440-50-8	79.1		2.17
Lead	7439-92-1	0.942		0.177
Manganese	7439-96-5	6.26		1.56
Molybdenum	7439-98-7	3.70		0.296
Nickel	7440-02-0	1.75		0.538
Selenium	7782-49-2	0.117	LJ, QX	0.00740
Thallium	7440-28-0	6.81E-4	QB-01	4.86E-4
Vanadium	7440-62-2	0.567		0.0437
Zinc	7440-66-6	54.4	LJ, QX, U	63.4



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber

**PHONE:** (703) 885-5495    **FAX:**

## CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001

**REPORTED:** 05/01/24 10:52

**SUBMITTED:** 04/22/24

**AQS SITE CODE:**

**SITE CODE:** Lahaina fires

<b>Description:</b> MFL-AM02-041724-HM	<b>Lab ID:</b> 4042234-29	<b>Sampled:</b> 04/17/24 23:59
<b>Matrix:</b> Air	<b>Sample Volume:</b> 2081.064 m <sup>3</sup>	<b>Received:</b> 04/22/24 15:41
	<b>Filter ID:</b>	<b>Analysis Date:</b> 04/24/24 09:43

**Comments:** Q8521168 - Received in good condition

### Inorganics by Compendium Method IO-3.5

<b>Analyte</b>	<b>CAS Number</b>	<b>Results</b>		<b>MDL</b>
		<b>ng/m<sup>3</sup> Air</b>	<b>Flag</b>	
Antimony	7440-36-0	0.115	SL	0.0302
Arsenic	7440-38-2	0.261		0.00733
Barium	7440-39-3	4.12	QB-01	0.837
Beryllium	7440-41-7	0.00814		0.00250
Cadmium	7440-43-9	0.0115	U	0.0579
Chromium	7440-47-3	1.94		1.73
Cobalt	7440-48-4	0.331		0.0341
Copper	7440-50-8	52.5		2.06
Lead	7439-92-1	0.778		0.167
Manganese	7439-96-5	8.88		1.48
Molybdenum	7439-98-7	2.60		0.281
Nickel	7440-02-0	1.31		0.510
Selenium	7782-49-2	0.139	LJ, QX	0.00701
Thallium	7440-28-0	8.86E-4	QB-01	4.60E-4
Vanadium	7440-62-2	0.873		0.0414
Zinc	7440-66-6	35.1	LJ, QX, U	60.0



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber

**PHONE:** (703) 885-5495    **FAX:**

## CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001

**REPORTED:** 05/01/24 10:52

**SUBMITTED:** 04/22/24

**AQS SITE CODE:**

**SITE CODE:** Lahaina fires

<b>Description:</b> MFL-AM03-041724-HM/MS/MS	<b>Lab ID:</b> 4042234-30	<b>Sampled:</b> 04/17/24 23:59
<b>Matrix:</b> Air	<b>Sample Volume:</b> 1984.52 m <sup>3</sup>	<b>Received:</b> 04/22/24 15:41
	<b>Filter ID:</b>	<b>Analysis Date:</b> 04/23/24 21:32

**Comments:** Q8521166 - Received in good condition

### Inorganics by Compendium Method IO-3.5

<b>Analyte</b>	<b>CAS Number</b>	<b>Results</b>		<b>MDL</b>
		<b>ng/m<sup>3</sup> Air</b>	<b>Flag</b>	
Antimony	7440-36-0	0.0692	SL	0.0316
Arsenic	7440-38-2	0.111		0.00768
Barium	7440-39-3	2.35	QB-01	0.877
Beryllium	7440-41-7	0.00961		0.00262
Cadmium	7440-43-9	0.00788	U	0.0608
Chromium	7440-47-3	1.86		1.81
Cobalt	7440-48-4	0.213		0.0357
Copper	7440-50-8	44.8		2.16
Lead	7439-92-1	1.32		0.175
Manganese	7439-96-5	5.23		1.55
Molybdenum	7439-98-7	2.25		0.294
Nickel	7440-02-0	1.07		0.535
Selenium	7782-49-2	0.128	LJ, QX	0.00735
Thallium	7440-28-0	8.17E-4	QB-01	4.83E-4
Vanadium	7440-62-2	0.498		0.0434
Zinc	7440-66-6	44.2	LJ, QM-07, QX, U	63.0



Tetra Tech, Inc.  
1777 Sentry Pkwy, Bldg 12  
Blue Bell, PA 19422  
**ATTN:** Ms. Chelsea Saber  
**PHONE:** (703) 885-5495    **FAX:**

## CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001

**REPORTED:** 05/01/24 10:52

**SUBMITTED:** 04/22/24

**AQS SITE CODE:**

**SITE CODE:** Lahaina fires

<b>Description:</b> MFL-AM04-041724-HM	<b>Lab ID:</b> 4042234-31	<b>Sampled:</b> 04/17/24 23:59
<b>Matrix:</b> Air	<b>Sample Volume:</b> 1963.605 m <sup>3</sup>	<b>Received:</b> 04/22/24 15:41
	<b>Filter ID:</b>	<b>Analysis Date:</b> 04/24/24 09:59

**Comments:** Q8521165 - Received in good condition

### Inorganics by Compendium Method IO-3.5

<b>Analyte</b>	<b>CAS Number</b>	<b>Results</b>		<b>MDL</b>
		<b>ng/m<sup>3</sup> Air</b>	<b>Flag</b>	
Antimony	7440-36-0	0.0955	SL	0.0320
Arsenic	7440-38-2	0.345		0.00776
Barium	7440-39-3	4.05	QB-01	0.887
Beryllium	7440-41-7	0.0120		0.00265
Cadmium	7440-43-9	0.0321	U	0.0614
Chromium	7440-47-3	3.02		1.83
Cobalt	7440-48-4	0.404		0.0361
Copper	7440-50-8	30.3		2.18
Lead	7439-92-1	0.976		0.177
Manganese	7439-96-5	12.5		1.57
Molybdenum	7439-98-7	1.77		0.297
Nickel	7440-02-0	2.03		0.540
Selenium	7782-49-2	0.233	LJ, QX	0.00742
Thallium	7440-28-0	0.00101	QB-01	4.88E-4
Vanadium	7440-62-2	0.954		0.0438
Zinc	7440-66-6	39.9	LJ, QX, U	63.6



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber

**PHONE:** (703) 885-5495    **FAX:**

## CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001

**REPORTED:** 05/01/24 10:52

**SUBMITTED:** 04/22/24

**AQS SITE CODE:**

**SITE CODE:** Lahaina fires

<b>Description:</b> MFL-FB01-041724-HM	<b>Lab ID:</b> 4042234-32	<b>Sampled:</b> 04/17/24 00:00
<b>Matrix:</b> Air	<b>Sample Volume:</b> 1971.184 m <sup>3</sup>	<b>Received:</b> 04/22/24 15:41
	<b>Filter ID:</b>	<b>Analysis Date:</b> 04/24/24 11:30

**Comments:** Q8521156 - Received in good condition

### Inorganics by Compendium Method IO-3.5

<b>Analyte</b>	<b>CAS Number</b>	<b>Results</b>		<b>MDL</b>
		<b>ng/m<sup>3</sup> Air</b>	<b>Flag</b>	
Antimony	7440-36-0	0.0202	SL, U	0.0319
Arsenic	7440-38-2	0.00339	U	0.00773
<b>Barium</b>	<b>7440-39-3</b>	<b>1.01</b>	FB-01, QB-01	<b>0.883</b>
Beryllium	7440-41-7	4.02E-4	U	0.00264
Cadmium	7440-43-9	5.23E-4	U	0.0612
Chromium	7440-47-3	0.845	U	1.82
Cobalt	7440-48-4	0.0107	U	0.0360
Copper	7440-50-8	0.391	U	2.17
Lead	7439-92-1	0.0308	U	0.177
Manganese	7439-96-5	0.169	U	1.56
Molybdenum	7439-98-7	0.147	U	0.296
Nickel	7440-02-0	0.395	U	0.538
Selenium	7782-49-2	ND	LJ, QX, U	0.00740
Thallium	7440-28-0	2.36E-4	QB-01, QB-04, U	4.86E-4
Vanadium	7440-62-2	0.0164	U	0.0437
Zinc	7440-66-6	21.7	LJ, QX, U	63.4



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber**PHONE:** (703) 885-5495    **FAX:**

# CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001**REPORTED:** 05/01/24 10:52**SUBMITTED:** 04/22/24**AQS SITE CODE:****SITE CODE:** Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Inorganics by Compendium Method IO-3.5 - Quality Control**

Batch 2404070 - B4D2306

**Calibration Blank (2404070-CCB1)**

Prepared &amp; Analyzed: 04/23/24

Antimony	2.09	ng/l								
Arsenic	5.81	ng/l								
Barium	3.88	ng/l								
Beryllium	0.531	ng/l								
Cadmium	0.362	ng/l								
Chromium	7.34	ng/l								
Cobalt	1.20	ng/l								
Copper	128	ng/l								
Lead	23.8	ng/l								
Manganese	13.0	ng/l								
Molybdenum	44.6	ng/l								
Nickel	2.71	ng/l								
Selenium	-15.2	ng/l								LJ, QX, U
Thallium	3.15	ng/l								QB-04
Vanadium	-36.0	ng/l								U
Zinc	-7.89	ng/l								U

**Calibration Blank (2404070-CCB2)**

Prepared &amp; Analyzed: 04/23/24

Antimony	0.160	ng/l								
Arsenic	5.48	ng/l								
Barium	-0.127	ng/l								U
Beryllium	0.109	ng/l								
Cadmium	-0.125	ng/l								U
Chromium	1.79	ng/l								
Cobalt	0.214	ng/l								
Copper	57.8	ng/l								
Lead	2.32	ng/l								
Manganese	2.82	ng/l								
Molybdenum	4.36	ng/l								
Nickel	0.723	ng/l								
Selenium	-26.3	ng/l								LJ, QX, U
Thallium	0.955	ng/l								
Vanadium	-27.1	ng/l								U
Zinc	-53.8	ng/l								U

**Calibration Blank (2404070-CCB3)**

Prepared: 04/23/24 Analyzed: 04/24/24

Antimony	0.276	ng/l								
Arsenic	2.05	ng/l								
Barium	-0.927	ng/l								U
Beryllium	-0.241	ng/l								U

Eastern Research Group

*The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber**PHONE:** (703) 885-5495    **FAX:**

# CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001**REPORTED:** 05/01/24 10:52**SUBMITTED:** 04/22/24**AQS SITE CODE:****SITE CODE:** Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Inorganics by Compendium Method IO-3.5 - Quality Control**

Batch 2404070 - B4D2306

**Calibration Blank (2404070-CCB3) Contin**

Prepared: 04/23/24 Analyzed: 04/24/24

Cadmium	-0.123		ng/l							U
Chromium	1.63		ng/l							
Cobalt	0.313		ng/l							
Copper	34.9		ng/l							
Lead	2.06		ng/l							
Manganese	1.26		ng/l							
Molybdenum	5.11		ng/l							
Nickel	1.10		ng/l							
Selenium	-24.5		ng/l							LJ, QX, U
Thallium	1.04		ng/l							
Vanadium	-36.6		ng/l							U
Zinc	-57.7		ng/l							U

**Calibration Blank (2404070-CCB4)**

Prepared: 04/23/24 Analyzed: 04/24/24

Antimony	1.67		ng/l							
Arsenic	12.3		ng/l							
Barium	14.2		ng/l							
Beryllium	-0.0264		ng/l							U
Cadmium	1.49		ng/l							
Chromium	23.3		ng/l							
Cobalt	4.14		ng/l							
Copper	215		ng/l							
Lead	15.1		ng/l							
Manganese	42.1		ng/l							
Molybdenum	7.53		ng/l							
Nickel	12.0		ng/l							
Selenium	-21.1		ng/l							LJ, QX, U
Thallium	0.889		ng/l							
Vanadium	-35.6		ng/l							U
Zinc	-4.37		ng/l							U

**Calibration Blank (2404070-CCB5)**

Prepared: 04/23/24 Analyzed: 04/24/24

Antimony	0.183		ng/l							
Arsenic	7.89		ng/l							
Barium	0.376		ng/l							
Beryllium	-0.674		ng/l							U
Cadmium	0.0634		ng/l							
Chromium	3.72		ng/l							
Cobalt	0.390		ng/l							
Copper	55.8		ng/l							

Eastern Research Group

*The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber**PHONE:** (703) 885-5495    **FAX:**

# CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001**REPORTED:** 05/01/24 10:52**SUBMITTED:** 04/22/24**AQS SITE CODE:****SITE CODE:** Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Inorganics by Compendium Method IO-3.5 - Quality Control**

Batch 2404070 - B4D2306

**Calibration Blank (2404070-CCB5) Contin**

Prepared: 04/23/24 Analyzed: 04/24/24

Lead	2.23	ng/l	
Manganese	2.66	ng/l	
Molybdenum	4.33	ng/l	
Nickel	3.28	ng/l	
Selenium	-5.72	ng/l	LJ, QX, U
Thallium	0.780	ng/l	
Vanadium	-42.6	ng/l	U
Zinc	-45.9	ng/l	U

**Calibration Blank (2404070-CCB6)**

Prepared: 04/23/24 Analyzed: 04/24/24

Antimony	0.602	ng/l	
Arsenic	6.34	ng/l	
Barium	0.692	ng/l	
Beryllium	-0.503	ng/l	U
Cadmium	0.0858	ng/l	
Chromium	4.40	ng/l	
Cobalt	0.358	ng/l	
Copper	68.9	ng/l	
Lead	2.63	ng/l	
Manganese	3.17	ng/l	
Molybdenum	7.15	ng/l	
Nickel	2.55	ng/l	
Selenium	-17.1	ng/l	LJ, QX, U
Thallium	1.20	ng/l	
Vanadium	-52.5	ng/l	U
Zinc	-40.2	ng/l	U

**Calibration Blank (2404070-CCB7)**

Prepared: 04/23/24 Analyzed: 04/24/24

Antimony	0.502	ng/l	
Arsenic	0.299	ng/l	
Barium	0.971	ng/l	
Beryllium	-0.152	ng/l	U
Cadmium	0.164	ng/l	
Chromium	2.50	ng/l	
Cobalt	0.353	ng/l	
Copper	74.6	ng/l	
Lead	3.91	ng/l	
Manganese	4.39	ng/l	
Molybdenum	6.88	ng/l	
Nickel	1.25	ng/l	

Eastern Research Group

*The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber**PHONE:** (703) 885-5495    **FAX:**

# CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001**REPORTED:** 05/01/24 10:52**SUBMITTED:** 04/22/24**AQS SITE CODE:****SITE CODE:** Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Inorganics by Compendium Method IO-3.5 - Quality Control**

Batch 2404070 - B4D2306

**Calibration Blank (2404070-CCB7) Contin**

Prepared: 04/23/24 Analyzed: 04/24/24

Selenium	-17.1	ng/l								LJ, QX, U
Thallium	1.41	ng/l								QB-04
Vanadium	-52.1	ng/l								U
Zinc	-19.1	ng/l								U

**Calibration Check (2404070-CCV1)**

Prepared &amp; Analyzed: 04/23/24

Antimony	20200	ng/l	20000	101	90-110					
Arsenic	20100	ng/l	20000	100	90-110					
Barium	203000	ng/l	200000	101	90-110					
Beryllium	4780	ng/l	5000.0	95.6	90-110					
Cadmium	20100	ng/l	20000	100	90-110					
Chromium	238000	ng/l	240000	99.2	90-110					
Cobalt	52100	ng/l	50000	104	90-110					
Copper	2.04E6	ng/l	2.0000E6	102	90-110					
Lead	199000	ng/l	200000	99.4	90-110					
Manganese	494000	ng/l	500000	98.9	90-110					
Molybdenum	50200	ng/l	50000	100	90-110					
Nickel	122000	ng/l	120000	102	90-110					
Selenium	20100	ng/l	20000	100	90-110					LJ, QX
Thallium	501	ng/l	500.00	100	90-110					
Vanadium	19400	ng/l	20000	97.1	90-110					
Zinc	533000	ng/l	500000	107	90-110					

**Calibration Check (2404070-CCV2)**

Prepared &amp; Analyzed: 04/23/24

Antimony	20200	ng/l	20000	101	90-110					
Arsenic	20000	ng/l	20000	100	90-110					
Barium	201000	ng/l	200000	101	90-110					
Beryllium	4720	ng/l	5000.0	94.3	90-110					
Cadmium	19900	ng/l	20000	99.4	90-110					
Chromium	236000	ng/l	240000	98.3	90-110					
Cobalt	51300	ng/l	50000	103	90-110					
Copper	2.02E6	ng/l	2.0000E6	101	90-110					
Lead	200000	ng/l	200000	100	90-110					
Manganese	494000	ng/l	500000	98.8	90-110					
Molybdenum	49200	ng/l	50000	98.4	90-110					
Nickel	120000	ng/l	120000	100	90-110					
Selenium	20300	ng/l	20000	101	90-110					LJ, QX
Thallium	494	ng/l	500.00	98.8	90-110					
Vanadium	19300	ng/l	20000	96.6	90-110					
Zinc	528000	ng/l	500000	106	90-110					

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber**PHONE:** (703) 885-5495    **FAX:**

# CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001**REPORTED:** 05/01/24 10:52**SUBMITTED:** 04/22/24**AQS SITE CODE:****SITE CODE:** Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Inorganics by Compendium Method IO-3.5 - Quality Control**

Batch 2404070 - B4D2306

**Calibration Check (2404070-CCV3)**

Prepared &amp; Analyzed: 04/23/24

Antimony	20400	ng/l	20000		102	90-110				
Arsenic	20200	ng/l	20000		101	90-110				
Barium	202000	ng/l	200000		101	90-110				
Beryllium	4730	ng/l	5000.0		94.6	90-110				
Cadmium	20100	ng/l	20000		100	90-110				
Chromium	237000	ng/l	240000		98.9	90-110				
Cobalt	51100	ng/l	50000		102	90-110				
Copper	2.02E6	ng/l	2.0000E6		101	90-110				
Lead	200000	ng/l	200000		99.9	90-110				
Manganese	492000	ng/l	500000		98.5	90-110				
Molybdenum	49500	ng/l	50000		99.1	90-110				
Nickel	120000	ng/l	120000		100	90-110				
Selenium	20500	ng/l	20000		103	90-110				LJ, QX
Thallium	497	ng/l	500.00		99.3	90-110				
Vanadium	19600	ng/l	20000		98.2	90-110				
Zinc	531000	ng/l	500000		106	90-110				

**Calibration Check (2404070-CCV4)**

Prepared: 04/23/24 Analyzed: 04/24/24

Antimony	20800	ng/l	20000		104	90-110				
Arsenic	20600	ng/l	20000		103	90-110				
Barium	206000	ng/l	200000		103	90-110				
Beryllium	5030	ng/l	5000.0		101	90-110				
Cadmium	20700	ng/l	20000		103	90-110				
Chromium	240000	ng/l	240000		100	90-110				
Cobalt	52700	ng/l	50000		105	90-110				
Copper	2.08E6	ng/l	2.0000E6		104	90-110				
Lead	204000	ng/l	200000		102	90-110				
Manganese	507000	ng/l	500000		101	90-110				
Molybdenum	51000	ng/l	50000		102	90-110				
Nickel	124000	ng/l	120000		104	90-110				
Selenium	20500	ng/l	20000		102	90-110				LJ, QX
Thallium	509	ng/l	500.00		102	90-110				
Vanadium	19500	ng/l	20000		97.4	90-110				
Zinc	544000	ng/l	500000		109	90-110				

**Calibration Check (2404070-CCV5)**

Prepared: 04/23/24 Analyzed: 04/24/24

Antimony	20800	ng/l	20000		104	90-110				
Arsenic	20700	ng/l	20000		104	90-110				
Barium	210000	ng/l	200000		105	90-110				
Beryllium	4770	ng/l	5000.0		95.4	90-110				

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

ATTN: Ms. Chelsea Saber

PHONE: (703) 885-5495 FAX:

## CERTIFICATE OF ANALYSIS

FILE #: 4205.00.003.001

REPORTED: 05/01/24 10:52

SUBMITTED: 04/22/24

AQS SITE CODE:

SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

## Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2404070 - B4D2306

## Calibration Check (2404070-CCV5) Contir

Prepared: 04/23/24 Analyzed: 04/24/24

Cadmium	20700	ng/l	20000		103	90-110				
Chromium	243000	ng/l	240000		101	90-110				
Cobalt	53800	ng/l	50000		108	90-110				
Copper	2.12E6	ng/l	2.0000E6		106	90-110				
Lead	206000	ng/l	200000		103	90-110				
Manganese	515000	ng/l	500000		103	90-110				
Molybdenum	51900	ng/l	50000		104	90-110				
Nickel	127000	ng/l	120000		105	90-110				
Selenium	20700	ng/l	20000		104	90-110				LJ, QX
Thallium	511	ng/l	500.00		102	90-110				
Vanadium	19700	ng/l	20000		98.4	90-110				
Zinc	548000	ng/l	500000		110	90-110				

## Calibration Check (2404070-CCV6)

Prepared: 04/23/24 Analyzed: 04/24/24

Antimony	20900	ng/l	20000		104	90-110				
Arsenic	20900	ng/l	20000		104	90-110				
Barium	215000	ng/l	200000		108	90-110				
Beryllium	4800	ng/l	5000.0		96.0	90-110				
Cadmium	21000	ng/l	20000		105	90-110				
Chromium	246000	ng/l	240000		103	90-110				
Cobalt	54300	ng/l	50000		109	90-110				
Copper	2.13E6	ng/l	2.0000E6		107	90-110				
Lead	206000	ng/l	200000		103	90-110				
Manganese	515000	ng/l	500000		103	90-110				
Molybdenum	53700	ng/l	50000		107	90-110				
Nickel	128000	ng/l	120000		106	90-110				
Selenium	20700	ng/l	20000		103	90-110				LJ, QX
Thallium	517	ng/l	500.00		103	90-110				
Vanadium	20400	ng/l	20000		102	90-110				
Zinc	555000	ng/l	500000		111	90-110				LJ, QX

## Calibration Check (2404070-CCV7)

Prepared: 04/23/24 Analyzed: 04/24/24

Antimony	20900	ng/l	20000		105	90-110				
Arsenic	20800	ng/l	20000		104	90-110				
Barium	213000	ng/l	200000		107	90-110				
Beryllium	4760	ng/l	5000.0		95.1	90-110				
Cadmium	21100	ng/l	20000		106	90-110				
Chromium	248000	ng/l	240000		103	90-110				
Cobalt	53400	ng/l	50000		107	90-110				
Copper	2.12E6	ng/l	2.0000E6		106	90-110				

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

ATTN: Ms. Chelsea Saber

PHONE: (703) 885-5495 FAX:

## CERTIFICATE OF ANALYSIS

FILE #: 4205.00.003.001

REPORTED: 05/01/24 10:52

SUBMITTED: 04/22/24

AQS SITE CODE:

SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

## Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2404070 - B4D2306

## Calibration Check (2404070-CCV7) Contir

Prepared: 04/23/24 Analyzed: 04/24/24

Lead	207000	ng/l	200000		103	90-110				
Manganese	512000	ng/l	500000		102	90-110				
Molybdenum	54200	ng/l	50000		108	90-110				
Nickel	126000	ng/l	120000		105	90-110				
Selenium	20500	ng/l	20000		103	90-110				LJ, QX
Thallium	515	ng/l	500.00		103	90-110				
Vanadium	20900	ng/l	20000		105	90-110				
Zinc	551000	ng/l	500000		110	90-110				

## High Cal Check (2404070-HCV1)

Prepared &amp; Analyzed: 04/23/24

Antimony	40000	ng/l	40000		99.9	95-105				
Arsenic	39800	ng/l	40000		99.5	95-105				
Barium	407000	ng/l	400000		102	95-105				
Beryllium	9750	ng/l	10000		97.5	95-105				
Cadmium	39300	ng/l	40000		98.3	95-105				
Chromium	468000	ng/l	480000		97.5	95-105				
Cobalt	96400	ng/l	100000		96.4	95-105				
Copper	3.87E6	ng/l	4.0000E6		96.9	95-105				
Lead	397000	ng/l	400000		99.3	95-105				
Manganese	969000	ng/l	1.0000E6		96.9	95-105				
Molybdenum	100000	ng/l	100000		100	95-105				
Nickel	234000	ng/l	240000		97.4	95-105				
Selenium	39700	ng/l	40000		99.4	95-105				LJ, QX
Thallium	1030	ng/l	1000.0		103	95-105				
Vanadium	39800	ng/l	40000		99.6	95-105				
Zinc	964000	ng/l	1.0000E6		96.4	95-105				

## Initial Cal Blank (2404070-ICB1)

Prepared &amp; Analyzed: 04/23/24

Antimony	0.607	ng/l								
Arsenic	-2.90	ng/l								U
Barium	1.21	ng/l								
Beryllium	-0.0928	ng/l								U
Cadmium	-0.0577	ng/l								U
Chromium	3.85	ng/l								
Cobalt	0.447	ng/l								
Copper	102	ng/l								
Lead	10.5	ng/l								
Manganese	7.46	ng/l								
Molybdenum	7.24	ng/l								
Nickel	-1.23	ng/l								U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

ATTN: Ms. Chelsea Saber

PHONE: (703) 885-5495 FAX:

## CERTIFICATE OF ANALYSIS

FILE #: 4205.00.003.001

REPORTED: 05/01/24 10:52

SUBMITTED: 04/22/24

AQS SITE CODE:

SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Inorganics by Compendium Method IO-3.5 - Quality Control**

Batch 2404070 - B4D2306

**Initial Cal Blank (2404070-ICB1) Continu**

Prepared &amp; Analyzed: 04/23/24

Selenium	-14.0		ng/l							LJ, QX, U
Thallium	1.08		ng/l							
Vanadium	-35.9		ng/l							U
Zinc	-26.0		ng/l							U

**Initial Cal Check (2404070-ICV1)**

Prepared &amp; Analyzed: 04/23/24

Antimony	19700		ng/l	20000	98.5	90-110				
Arsenic	19700		ng/l	20000	98.5	90-110				
Barium	198000		ng/l	200000	99.0	90-110				
Beryllium	4810		ng/l	5000.0	96.1	90-110				
Cadmium	20500		ng/l	20000	102	90-110				
Chromium	236000		ng/l	240000	98.4	90-110				
Cobalt	49800		ng/l	50000	99.5	90-110				
Copper	2.02E6		ng/l	2.0000E6	101	90-110				
Lead	197000		ng/l	200000	98.3	90-110				
Manganese	485000		ng/l	500000	97.0	90-110				
Molybdenum	49500		ng/l	50000	99.1	90-110				
Nickel	119000		ng/l	120000	99.4	90-110				
Selenium	20300		ng/l	20000	102	90-110				LJ, QX
Thallium	514		ng/l	500.00	103	90-110				
Vanadium	20300		ng/l	20000	102	90-110				
Zinc	525000		ng/l	500000	105	90-110				

**Interference Check A (2404070-IFA1)**

Prepared &amp; Analyzed: 04/23/24

Antimony	0.00		ng/l			80-120				U
Arsenic	0.00		ng/l			80-120				U
Barium	0.00		ng/l			80-120				U
Beryllium	0.00		ng/l			80-120				U
Cadmium	0.00		ng/l			80-120				U
Chromium	0.00		ng/l			80-120				U
Cobalt	0.00		ng/l			80-120				U
Copper	0.00		ng/l			80-120				U
Lead	0.00		ng/l			80-120				U
Manganese	0.00		ng/l			80-120				U
Molybdenum	298000		ng/l	300000	99.5	80-120				
Nickel	0.00		ng/l			80-120				U
Selenium	0.00		ng/l			80-120				LJ, QX, U
Thallium	0.00		ng/l			80-120				U
Vanadium	0.00		ng/l			80-120				U
Zinc	0.00		ng/l			80-120				U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tetra Tech, Inc.  
1777 Sentry Pkwy, Bldg 12  
Blue Bell, PA 19422  
**ATTN:** Ms. Chelsea Saber  
**PHONE:** (703) 885-5495    **FAX:**

# CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001

**REPORTED:** 05/01/24 10:52

**SUBMITTED:** 04/22/24

**AQS SITE CODE:**

**SITE CODE:** Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

## Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2404070 - B4D2306

### Interference Check B (2404070-IFB1)

Prepared & Analyzed: 04/23/24

Antimony	20600	ng/l	20000	103	80-120
Arsenic	20500	ng/l	20000	102	80-120
Barium	206000	ng/l	200000	103	80-120
Beryllium	4470	ng/l	5000.0	89.3	80-120
Cadmium	19800	ng/l	20000	98.8	80-120
Chromium	230000	ng/l	240000	96.0	80-120
Cobalt	51700	ng/l	50000	103	80-120
Copper	1.95E6	ng/l	2.0000E6	97.4	80-120
Lead	207000	ng/l	200000	103	80-120
Manganese	510000	ng/l	500000	102	80-120
Molybdenum	353000	ng/l	350000	101	80-120
Nickel	118000	ng/l	120000	98.4	80-120
Selenium	19300	ng/l	20000	96.7	80-120
Thallium	528	ng/l	500.00	106	80-120
Vanadium	18100	ng/l	20000	90.3	80-120
Zinc	496000	ng/l	500000	99.2	80-120

Batch B4D2306 - ICP-MS Extraction

### Blank (B4D2306-BLK1)

Prepared & Analyzed: 04/23/24

Antimony	ND	0.0386	ng/m <sup>3</sup> Air	SL, U
Arsenic	ND	0.00937	ng/m <sup>3</sup> Air	U
Barium	ND	1.07	ng/m <sup>3</sup> Air	QB-01, U
Beryllium	ND	0.00320	ng/m <sup>3</sup> Air	U
Cadmium	ND	0.0741	ng/m <sup>3</sup> Air	U
Chromium	ND	2.21	ng/m <sup>3</sup> Air	U
Cobalt	ND	0.0436	ng/m <sup>3</sup> Air	U
Copper	ND	2.63	ng/m <sup>3</sup> Air	U
Lead	ND	0.214	ng/m <sup>3</sup> Air	U
Manganese	ND	1.89	ng/m <sup>3</sup> Air	U
Molybdenum	ND	0.359	ng/m <sup>3</sup> Air	U
Nickel	ND	0.652	ng/m <sup>3</sup> Air	U
Selenium	ND	0.00896	ng/m <sup>3</sup> Air	LJ, QX, U
Thallium	ND	5.89E-4	ng/m <sup>3</sup> Air	QB-01, QB-04
Vanadium	ND	0.0529	ng/m <sup>3</sup> Air	U
Zinc	ND	76.8	ng/m <sup>3</sup> Air	U

### LCS (B4D2306-BS1)

Prepared & Analyzed: 04/23/24

Antimony	0.789	0.0386	ng/m <sup>3</sup> Air	1.3829	57.1	80-120	SL
Arsenic	2.68	0.00937	ng/m <sup>3</sup> Air	2.7658	97.0	80-120	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

ATTN: Ms. Chelsea Saber

PHONE: (703) 885-5495 FAX:

## CERTIFICATE OF ANALYSIS

FILE #: 4205.00.003.001

REPORTED: 05/01/24 10:52

SUBMITTED: 04/22/24

AQS SITE CODE:

SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Inorganics by Compendium Method IO-3.5 - Quality Control**

Batch B4D2306 - ICP-MS Extraction

**LCS (B4D2306-BS1) Continued**

Prepared &amp; Analyzed: 04/23/24

Barium	28.5	1.07	ng/m <sup>3</sup> Air	27.658	103	80-120	QB-01
Beryllium	1.27	0.00320	ng/m <sup>3</sup> Air	1.3829	91.5	80-120	
Cadmium	1.39	0.0741	ng/m <sup>3</sup> Air	1.3829	100	80-120	
Chromium	15.8	2.21	ng/m <sup>3</sup> Air	13.829	114	80-120	
Cobalt	1.38	0.0436	ng/m <sup>3</sup> Air	1.3829	100	80-120	
Copper	29.2	2.63	ng/m <sup>3</sup> Air	27.658	106	80-120	
Lead	13.6	0.214	ng/m <sup>3</sup> Air	13.829	98.3	80-120	
Manganese	7.97	1.89	ng/m <sup>3</sup> Air	8.2975	96.1	80-120	
Molybdenum	1.69	0.359	ng/m <sup>3</sup> Air	1.3829	122	80-120	
Nickel	3.43	0.652	ng/m <sup>3</sup> Air	2.7658	124	80-120	
Selenium	2.76	0.00896	ng/m <sup>3</sup> Air	2.7658	100	80-120	LJ, QX
Thallium	0.138	5.89E-4	ng/m <sup>3</sup> Air	0.13829	99.7	80-120	QB-01, QB-04
Vanadium	2.79	0.0529	ng/m <sup>3</sup> Air	2.7658	101	80-120	
Zinc	142	76.8	ng/m <sup>3</sup> Air	82.975	171	80-120	

**LCS (B4D2306-BS2)**

Prepared &amp; Analyzed: 04/23/24

Antimony	0.791	0.0386	ng/m <sup>3</sup> Air	1.3829	57.2	80-120	SL
Arsenic	2.66	0.00937	ng/m <sup>3</sup> Air	2.7658	96.1	80-120	
Barium	28.5	1.07	ng/m <sup>3</sup> Air	27.658	103	80-120	QB-01
Beryllium	1.23	0.00320	ng/m <sup>3</sup> Air	1.3829	88.6	80-120	
Cadmium	1.38	0.0741	ng/m <sup>3</sup> Air	1.3829	100	80-120	
Chromium	15.2	2.21	ng/m <sup>3</sup> Air	13.829	110	80-120	
Cobalt	1.37	0.0436	ng/m <sup>3</sup> Air	1.3829	98.8	80-120	
Copper	29.0	2.63	ng/m <sup>3</sup> Air	27.658	105	80-120	
Lead	13.5	0.214	ng/m <sup>3</sup> Air	13.829	98.0	80-120	
Manganese	7.86	1.89	ng/m <sup>3</sup> Air	8.2975	94.7	80-120	
Molybdenum	1.56	0.359	ng/m <sup>3</sup> Air	1.3829	113	80-120	
Nickel	3.06	0.652	ng/m <sup>3</sup> Air	2.7658	111	80-120	
Selenium	2.69	0.00896	ng/m <sup>3</sup> Air	2.7658	97.1	80-120	LJ, QX
Thallium	0.138	5.89E-4	ng/m <sup>3</sup> Air	0.13829	99.5	80-120	QB-01
Vanadium	2.76	0.0529	ng/m <sup>3</sup> Air	2.7658	99.8	80-120	
Zinc	141	76.8	ng/m <sup>3</sup> Air	82.975	170	80-120	

**Duplicate (B4D2306-DUP1)**

Source: 4042234-11

Prepared &amp; Analyzed: 04/23/24

Antimony	0.123	0.0308	ng/m <sup>3</sup> Air	0.124	0.937	10	SL
Arsenic	0.263	0.00747	ng/m <sup>3</sup> Air	0.240	9.13	10	
Barium	3.25	0.853	ng/m <sup>3</sup> Air	3.19	2.01	10	QB-01
Beryllium	0.00652	0.00255	ng/m <sup>3</sup> Air	0.00654	0.345	10	
Cadmium	ND	0.0591	ng/m <sup>3</sup> Air	ND		10	U
Chromium	ND	1.76	ng/m <sup>3</sup> Air	ND		10	U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

ATTN: Ms. Chelsea Saber

PHONE: (703) 885-5495 FAX:

## CERTIFICATE OF ANALYSIS

FILE #: 4205.00.003.001

REPORTED: 05/01/24 10:52

SUBMITTED: 04/22/24

AQS SITE CODE:

SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Inorganics by Compendium Method IO-3.5 - Quality Control***Batch B4D2306 - ICP-MS Extraction*

<b>Duplicate (B4D2306-DUP1) Continued</b>	<b>Source: 4042234-11</b>					Prepared & Analyzed: 04/23/24				
Cobalt	0.181	0.0348	ng/m <sup>3</sup> Air		0.179			1.25	10	
Copper	37.7	2.10	ng/m <sup>3</sup> Air		35.8			5.12	10	
Lead	0.684	0.171	ng/m <sup>3</sup> Air		0.694			1.43	10	
Manganese	6.35	1.51	ng/m <sup>3</sup> Air		6.37			0.393	10	
Molybdenum	2.15	0.286	ng/m <sup>3</sup> Air		2.15			0.0772	10	
Nickel	1.04	0.520	ng/m <sup>3</sup> Air		1.06			1.79	10	
Selenium	0.283	0.00715	ng/m <sup>3</sup> Air		0.276			2.63	10	LJ, QX
Thallium	0.00214	4.70E-4	ng/m <sup>3</sup> Air		0.00210			1.58	10	QB-01, QB-04
Vanadium	1.11	0.0422	ng/m <sup>3</sup> Air		1.12			0.567	10	
Zinc	ND	61.3	ng/m <sup>3</sup> Air		ND				10	U
<b>Duplicate (B4D2306-DUP2)</b>	<b>Source: 4042234-30</b>					Prepared & Analyzed: 04/23/24				
Antimony	0.0725	0.0316	ng/m <sup>3</sup> Air		0.0692			4.67	10	SL
Arsenic	0.134	0.00768	ng/m <sup>3</sup> Air		0.111			19.6	10	
Barium	2.62	0.877	ng/m <sup>3</sup> Air		2.35			10.9	10	QB-01
Beryllium	0.00960	0.00262	ng/m <sup>3</sup> Air		0.00961			0.179	10	
Cadmium	ND	0.0608	ng/m <sup>3</sup> Air		ND				10	U
Chromium	ND	1.81	ng/m <sup>3</sup> Air		1.86				10	U
Cobalt	0.218	0.0357	ng/m <sup>3</sup> Air		0.213			2.12	10	
Copper	50.2	2.16	ng/m <sup>3</sup> Air		44.8			11.3	10	
Lead	1.47	0.175	ng/m <sup>3</sup> Air		1.32			11.0	10	
Manganese	5.28	1.55	ng/m <sup>3</sup> Air		5.23			0.907	10	
Molybdenum	2.28	0.294	ng/m <sup>3</sup> Air		2.25			1.49	10	
Nickel	1.05	0.535	ng/m <sup>3</sup> Air		1.07			2.02	10	
Selenium	0.131	0.00735	ng/m <sup>3</sup> Air		0.128			2.28	10	LJ, QX
Thallium	8.48E-4	4.83E-4	ng/m <sup>3</sup> Air		8.17E-4			3.79	10	QB-01
Vanadium	0.534	0.0434	ng/m <sup>3</sup> Air		0.498			7.06	10	
Zinc	ND	63.0	ng/m <sup>3</sup> Air		ND				10	U
<b>Duplicate (B4D2306-DUP3)</b>	<b>Source: 4042234-15</b>					Prepared: 04/23/24	Analyzed: 04/24/24			
Antimony	0.126	0.0324	ng/m <sup>3</sup> Air		0.128			1.68	10	SL
Arsenic	1.12	0.00786	ng/m <sup>3</sup> Air		1.13			0.944	10	
Barium	3.93	0.897	ng/m <sup>3</sup> Air		3.92			0.232	10	QB-01
Beryllium	0.00784	0.00268	ng/m <sup>3</sup> Air		0.00796			1.48	10	
Cadmium	ND	0.0621	ng/m <sup>3</sup> Air		ND				10	U
Chromium	2.27	1.85	ng/m <sup>3</sup> Air		2.30			1.36	10	
Cobalt	0.305	0.0366	ng/m <sup>3</sup> Air		0.306			0.397	10	
Copper	66.9	2.21	ng/m <sup>3</sup> Air		67.4			0.736	10	
Lead	0.892	0.179	ng/m <sup>3</sup> Air		0.898			0.672	10	
Manganese	9.53	1.59	ng/m <sup>3</sup> Air		9.61			0.864	10	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

ATTN: Ms. Chelsea Saber

PHONE: (703) 885-5495 FAX:

## CERTIFICATE OF ANALYSIS

FILE #: 4205.00.003.001

REPORTED: 05/01/24 10:52

SUBMITTED: 04/22/24

AQS SITE CODE:

SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Inorganics by Compendium Method IO-3.5 - Quality Control***Batch B4D2306 - ICP-MS Extraction***Duplicate (B4D2306-DUP3) Continued      Source: 4042234-15      Prepared: 04/23/24 Analyzed: 04/24/24**

Molybdenum	4.22	0.301	ng/m <sup>3</sup> Air	4.24		0.530	10			
Nickel	1.86	0.547	ng/m <sup>3</sup> Air	1.86		0.170	10			
Selenium	0.291	0.00751	ng/m <sup>3</sup> Air	0.292		0.206	10	LJ, QX		
Thallium	0.00162	4.94E-4	ng/m <sup>3</sup> Air	0.00157		3.28	10	QB-01		
Vanadium	1.08	0.0444	ng/m <sup>3</sup> Air	1.10		2.35	10			
Zinc	ND	64.4	ng/m <sup>3</sup> Air	ND			10	U		

**Duplicate (B4D2306-DUP4)      Source: 4042234-22      Prepared: 04/23/24 Analyzed: 04/24/24**

Antimony	0.129	0.0317	ng/m <sup>3</sup> Air	0.129		0.0268	10	SL		
Arsenic	0.394	0.00769	ng/m <sup>3</sup> Air	0.389		1.28	10			
Barium	1.92	0.878	ng/m <sup>3</sup> Air	1.91		0.513	10	QB-01		
Beryllium	0.00305	0.00263	ng/m <sup>3</sup> Air	0.00306		0.290	10			
Cadmium	ND	0.0608	ng/m <sup>3</sup> Air	ND			10	U		
Chromium	ND	1.81	ng/m <sup>3</sup> Air	ND			10	U		
Cobalt	0.115	0.0358	ng/m <sup>3</sup> Air	0.115		0.420	10			
Copper	35.5	2.16	ng/m <sup>3</sup> Air	35.6		0.171	10			
Lead	0.618	0.176	ng/m <sup>3</sup> Air	0.625		0.978	10			
Manganese	3.19	1.55	ng/m <sup>3</sup> Air	3.17		0.564	10			
Molybdenum	1.87	0.295	ng/m <sup>3</sup> Air	1.86		0.355	10			
Nickel	0.768	0.535	ng/m <sup>3</sup> Air	0.767		0.102	10			
Selenium	0.161	0.00736	ng/m <sup>3</sup> Air	0.161		0.310	10	LJ, QX		
Thallium	8.54E-4	4.84E-4	ng/m <sup>3</sup> Air	9.01E-4		5.36	10	QB-01		
Vanadium	0.236	0.0434	ng/m <sup>3</sup> Air	0.237		0.0722	10			
Zinc	ND	63.1	ng/m <sup>3</sup> Air	ND			10	LJ, QX, U		

**Matrix Spike (B4D2306-MS1)      Source: 4042234-11      Prepared & Analyzed: 04/23/24**

Antimony	0.787	0.0308	ng/m <sup>3</sup> Air	1.1029	0.124	60.1	80-120		SL	
Arsenic	2.37	0.00747	ng/m <sup>3</sup> Air	2.2059	0.240	96.4	80-120			
Barium	25.0	0.853	ng/m <sup>3</sup> Air	22.059	3.19	98.7	80-120			QB-01
Beryllium	0.987	0.00255	ng/m <sup>3</sup> Air	1.1029	0.00654	88.9	80-120			
Cadmium	1.07	0.0591	ng/m <sup>3</sup> Air	1.1029	ND	97.4	80-120			
Chromium	12.6	1.76	ng/m <sup>3</sup> Air	11.029	ND	114	80-120			
Cobalt	1.28	0.0348	ng/m <sup>3</sup> Air	1.1029	0.179	100	80-120			
Copper	56.2	2.10	ng/m <sup>3</sup> Air	22.059	35.8	92.2	80-120			
Lead	11.6	0.171	ng/m <sup>3</sup> Air	11.029	0.694	98.8	80-120			
Manganese	12.3	1.51	ng/m <sup>3</sup> Air	6.6177	6.37	89.6	80-120			
Molybdenum	3.13	0.286	ng/m <sup>3</sup> Air	1.1029	2.15	88.9	80-120			
Nickel	3.09	0.520	ng/m <sup>3</sup> Air	2.2059	1.06	92.1	80-120			
Selenium	2.38	0.00715	ng/m <sup>3</sup> Air	2.2059	0.276	95.5	80-120			LJ, QX
Thallium	0.112	4.70E-4	ng/m <sup>3</sup> Air	0.11029	0.00210	99.3	80-120			QB-01, QB-04

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

ATTN: Ms. Chelsea Saber

PHONE: (703) 885-5495 FAX:

## CERTIFICATE OF ANALYSIS

FILE #: 4205.00.003.001

REPORTED: 05/01/24 10:52

SUBMITTED: 04/22/24

AQS SITE CODE:

SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Inorganics by Compendium Method IO-3.5 - Quality Control**

Batch B4D2306 - ICP-MS Extraction

**Matrix Spike (B4D2306-MS1) Continued Source: 4042234-11 Prepared & Analyzed: 04/23/24**

Vanadium	3.12	0.0422	ng/m <sup>3</sup> Air	2.2059	1.12	90.7	80-120		
Zinc	100	61.3	ng/m <sup>3</sup> Air	66.177	ND	152	80-120		

**Matrix Spike (B4D2306-MS2) Source: 4042234-30 Prepared & Analyzed: 04/23/24**

Antimony	0.712	0.0316	ng/m <sup>3</sup> Air	1.1338	0.0692	56.7	80-120		SL
Arsenic	2.23	0.00768	ng/m <sup>3</sup> Air	2.2676	0.111	93.4	80-120		
Barium	24.4	0.877	ng/m <sup>3</sup> Air	22.676	2.35	97.4	80-120		QB-01
Beryllium	0.996	0.00262	ng/m <sup>3</sup> Air	1.1338	0.00961	87.0	80-120		
Cadmium	1.11	0.0608	ng/m <sup>3</sup> Air	1.1338	ND	97.5	80-120		
Chromium	12.7	1.81	ng/m <sup>3</sup> Air	11.338	1.86	95.9	80-120		
Cobalt	1.30	0.0357	ng/m <sup>3</sup> Air	1.1338	0.213	96.0	80-120		
Copper	71.4	2.16	ng/m <sup>3</sup> Air	22.676	44.8	117	80-120		
Lead	12.6	0.175	ng/m <sup>3</sup> Air	11.338	1.32	99.6	80-120		
Manganese	11.3	1.55	ng/m <sup>3</sup> Air	6.8027	5.23	89.6	80-120		
Molybdenum	3.27	0.294	ng/m <sup>3</sup> Air	1.1338	2.25	90.6	80-120		
Nickel	3.03	0.535	ng/m <sup>3</sup> Air	2.2676	1.07	86.4	80-120		
Selenium	2.26	0.00735	ng/m <sup>3</sup> Air	2.2676	0.128	94.1	80-120		LJ, QX
Thallium	0.112	4.83E-4	ng/m <sup>3</sup> Air	0.11338	8.17E-4	97.9	80-120		QB-01
Vanadium	2.62	0.0434	ng/m <sup>3</sup> Air	2.2676	0.498	93.6	80-120		
Zinc	101	63.0	ng/m <sup>3</sup> Air	68.027	ND	149	80-120		

**Matrix Spike Dup (B4D2306-MSD1) Source: 4042234-11 Prepared & Analyzed: 04/23/24**

Antimony	0.788	0.0308	ng/m <sup>3</sup> Air	1.1029	0.124	60.1	80-120	0.0378	20	SL
Arsenic	2.35	0.00747	ng/m <sup>3</sup> Air	2.2059	0.240	95.6	80-120	0.805	20	
Barium	24.8	0.853	ng/m <sup>3</sup> Air	22.059	3.19	98.1	80-120	0.504	20	QB-01
Beryllium	0.985	0.00255	ng/m <sup>3</sup> Air	1.1029	0.00654	88.7	80-120	0.187	20	
Cadmium	1.08	0.0591	ng/m <sup>3</sup> Air	1.1029	ND	97.9	80-120	0.574	20	
Chromium	12.6	1.76	ng/m <sup>3</sup> Air	11.029	ND	114	80-120	0.231	20	
Cobalt	1.29	0.0348	ng/m <sup>3</sup> Air	1.1029	0.179	100	80-120	0.287	20	
Copper	60.4	2.10	ng/m <sup>3</sup> Air	22.059	35.8	112	80-120	7.30	20	
Lead	11.7	0.171	ng/m <sup>3</sup> Air	11.029	0.694	100	80-120	1.23	20	
Manganese	12.3	1.51	ng/m <sup>3</sup> Air	6.6177	6.37	89.0	80-120	0.336	20	
Molybdenum	3.24	0.286	ng/m <sup>3</sup> Air	1.1029	2.15	99.3	80-120	3.60	20	
Nickel	3.18	0.520	ng/m <sup>3</sup> Air	2.2059	1.06	96.3	80-120	2.95	20	
Selenium	2.39	0.00715	ng/m <sup>3</sup> Air	2.2059	0.276	95.6	80-120	0.134	20	LJ, QX
Thallium	0.112	4.70E-4	ng/m <sup>3</sup> Air	0.11029	0.00210	99.6	80-120	0.299	20	QB-01, QB-04
Vanadium	3.10	0.0422	ng/m <sup>3</sup> Air	2.2059	1.12	89.8	80-120	0.631	20	
Zinc	103	61.3	ng/m <sup>3</sup> Air	66.177	ND	156	80-120	2.69	20	

**Matrix Spike Dup (B4D2306-MSD2) Source: 4042234-30 Prepared & Analyzed: 04/23/24**

Antimony	0.712	0.0316	ng/m <sup>3</sup> Air	1.1338	0.0692	56.7	80-120	0.0299	20	SL
----------	-------	--------	-----------------------	--------	--------	------	--------	--------	----	----

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

ATTN: Ms. Chelsea Saber

PHONE: (703) 885-5495 FAX:

## CERTIFICATE OF ANALYSIS

FILE #: 4205.00.003.001

REPORTED: 05/01/24 10:52

SUBMITTED: 04/22/24

AQS SITE CODE:

SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

## Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B4D2306 - ICP-MS Extraction

## Matrix Spike Dup (B4D2306-MSD2) Conti

Source: 4042234-30 Prepared &amp; Analyzed: 04/23/24

Arsenic	2.28	0.00768	ng/m <sup>3</sup> Air	2.2676	0.111	95.6	80-120	2.17	20	
Barium	24.8	0.877	ng/m <sup>3</sup> Air	22.676	2.35	98.8	80-120	1.33	20	QB-01
Beryllium	1.01	0.00262	ng/m <sup>3</sup> Air	1.1338	0.00961	88.0	80-120	1.14	20	
Cadmium	1.11	0.0608	ng/m <sup>3</sup> Air	1.1338	ND	98.2	80-120	0.754	20	
Chromium	13.2	1.81	ng/m <sup>3</sup> Air	11.338	1.86	99.9	80-120	3.48	20	
Cobalt	1.34	0.0357	ng/m <sup>3</sup> Air	1.1338	0.213	99.0	80-120	2.55	20	
Copper	70.7	2.16	ng/m <sup>3</sup> Air	22.676	44.8	114	80-120	0.946	20	
Lead	12.5	0.175	ng/m <sup>3</sup> Air	11.338	1.32	98.9	80-120	0.584	20	
Manganese	11.8	1.55	ng/m <sup>3</sup> Air	6.8027	5.23	96.0	80-120	3.82	20	
Molybdenum	3.38	0.294	ng/m <sup>3</sup> Air	1.1338	2.25	99.5	80-120	3.05	20	
Nickel	3.25	0.535	ng/m <sup>3</sup> Air	2.2676	1.07	96.1	80-120	7.03	20	
Selenium	2.29	0.00735	ng/m <sup>3</sup> Air	2.2676	0.128	95.3	80-120	1.19	20	LJ, QX
Thallium	0.112	4.83E-4	ng/m <sup>3</sup> Air	0.11338	8.17E-4	97.8	80-120	0.0950	20	QB-01
Vanadium	2.65	0.0434	ng/m <sup>3</sup> Air	2.2676	0.498	94.8	80-120	1.01	20	
Zinc	95.5	63.0	ng/m <sup>3</sup> Air	68.027	ND	140	80-120	5.95	20	QM-07

## Post Spike (B4D2306-PS1)

Source: 4042234-11

Prepared &amp; Analyzed: 04/23/24

Antimony	0.344	0.0308	ng/m <sup>3</sup> Air	0.22059	0.124	99.6	75-125		SL
Arsenic	1.31	0.00747	ng/m <sup>3</sup> Air	1.1029	0.240	97.1	75-125		
Barium	5.37	0.853	ng/m <sup>3</sup> Air	2.2059	3.19	98.9	75-125		QB-01
Beryllium	0.203	0.00255	ng/m <sup>3</sup> Air	0.22059	0.00654	89.0	75-125		
Cadmium	0.120	0.0591	ng/m <sup>3</sup> Air	0.11029	ND	108	75-125		
Chromium	2.58	1.76	ng/m <sup>3</sup> Air	1.1029	ND	234	75-125		
Cobalt	0.402	0.0348	ng/m <sup>3</sup> Air	0.22059	0.179	101	75-125		
Copper	47.6	2.10	ng/m <sup>3</sup> Air	11.029	35.8	106	75-125		
Lead	22.4	0.171	ng/m <sup>3</sup> Air	22.059	0.694	98.6	75-125		
Manganese	8.56	1.51	ng/m <sup>3</sup> Air	2.2059	6.37	99.2	75-125		
Molybdenum	3.21	0.286	ng/m <sup>3</sup> Air	1.1029	2.15	96.5	75-125		
Nickel	3.24	0.520	ng/m <sup>3</sup> Air	2.2059	1.06	99.0	75-125		
Selenium	1.33	0.00715	ng/m <sup>3</sup> Air	1.1029	0.276	95.2	75-125		LJ, QX
Thallium	0.0583	4.70E-4	ng/m <sup>3</sup> Air	5.5147E-2	0.00210	102	75-125		QB-01, QB-04
Vanadium	2.12	0.0422	ng/m <sup>3</sup> Air	1.1029	1.12	91.0	75-125		
Zinc	63.7	61.3	ng/m <sup>3</sup> Air	22.059	ND	289	75-125		

## Post Spike (B4D2306-PS2)

Source: 4042234-30

Prepared &amp; Analyzed: 04/23/24

Antimony	0.293	0.0316	ng/m <sup>3</sup> Air	0.22676	0.0692	98.9	75-125		SL
Arsenic	1.21	0.00768	ng/m <sup>3</sup> Air	1.1338	0.111	96.6	75-125		
Barium	4.58	0.877	ng/m <sup>3</sup> Air	2.2676	2.35	98.2	75-125		QB-01
Beryllium	0.225	0.00262	ng/m <sup>3</sup> Air	0.22676	0.00961	95.1	75-125		
Cadmium	0.121	0.0608	ng/m <sup>3</sup> Air	0.11338	ND	107	75-125		

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

ATTN: Ms. Chelsea Saber

PHONE: (703) 885-5495 FAX:

## CERTIFICATE OF ANALYSIS

FILE #: 4205.00.003.001

REPORTED: 05/01/24 10:52

SUBMITTED: 04/22/24

AQS SITE CODE:

SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Inorganics by Compendium Method IO-3.5 - Quality Control**

Batch B4D2306 - ICP-MS Extraction

**Post Spike (B4D2306-PS2) Continued      Source: 4042234-30      Prepared & Analyzed: 04/23/24**

Chromium	2.96	1.81	ng/m <sup>3</sup> Air	1.1338	1.86	97.3	75-125			
Cobalt	0.437	0.0357	ng/m <sup>3</sup> Air	0.22676	0.213	99.0	75-125			
Copper	57.0	2.16	ng/m <sup>3</sup> Air	11.338	44.8	108	75-125			
Lead	23.7	0.175	ng/m <sup>3</sup> Air	22.676	1.32	98.7	75-125			
Manganese	7.53	1.55	ng/m <sup>3</sup> Air	2.2676	5.23	101	75-125			
Molybdenum	3.31	0.294	ng/m <sup>3</sup> Air	1.1338	2.25	93.6	75-125			
Nickel	3.31	0.535	ng/m <sup>3</sup> Air	2.2676	1.07	98.7	75-125			
Selenium	1.26	0.00735	ng/m <sup>3</sup> Air	1.1338	0.128	99.5	75-125		LJ, QX	
Thallium	0.0594	4.83E-4	ng/m <sup>3</sup> Air	5.6689E-2	8.17E-4	103	75-125		QB-01	
Vanadium	1.57	0.0434	ng/m <sup>3</sup> Air	1.1338	0.498	95.0	75-125			
Zinc	68.7	63.0	ng/m <sup>3</sup> Air	22.676	ND	303	75-125			

**Dilution Check (B4D2306-SRL1)      Source: 4042234-11      Prepared & Analyzed: 04/23/24**

Antimony	ND	0.154	ng/m <sup>3</sup> Air	ND				10	SL, U	
Arsenic	0.250	0.0374	ng/m <sup>3</sup> Air	0.240				4.31	10	
Barium	ND	4.27	ng/m <sup>3</sup> Air	ND				10	QB-01, U	
Beryllium	ND	0.0128	ng/m <sup>3</sup> Air	ND				10	U	
Cadmium	ND	0.295	ng/m <sup>3</sup> Air	ND				10	U	
Chromium	ND	8.81	ng/m <sup>3</sup> Air	ND				10	U	
Cobalt	0.180	0.174	ng/m <sup>3</sup> Air	0.179				0.307	10	
Copper	37.2	10.5	ng/m <sup>3</sup> Air	35.8				3.81	10	
Lead	ND	0.853	ng/m <sup>3</sup> Air	ND				10	U	
Manganese	ND	7.54	ng/m <sup>3</sup> Air	ND				10	U	
Molybdenum	2.13	1.43	ng/m <sup>3</sup> Air	2.15				0.796	10	
Nickel	ND	2.60	ng/m <sup>3</sup> Air	ND				10	U	
Selenium	0.250	0.0357	ng/m <sup>3</sup> Air	0.276				9.80	10	LJ, QX
Thallium	0.00296	0.00235	ng/m <sup>3</sup> Air	ND				33.8	10	QB-01, QB-04
Vanadium	1.10	0.211	ng/m <sup>3</sup> Air	1.12				1.63	10	
Zinc	ND	306	ng/m <sup>3</sup> Air	ND				10	U	

**Dilution Check (B4D2306-SRL2)      Source: 4042234-30      Prepared & Analyzed: 04/23/24**

Antimony	ND	0.158	ng/m <sup>3</sup> Air	ND				10	SL, U	
Arsenic	0.118	0.0384	ng/m <sup>3</sup> Air	0.111				6.36	10	
Barium	ND	4.39	ng/m <sup>3</sup> Air	ND				10	QB-01, U	
Beryllium	ND	0.0131	ng/m <sup>3</sup> Air	ND				10	U	
Cadmium	ND	0.304	ng/m <sup>3</sup> Air	ND				10	U	
Chromium	ND	9.06	ng/m <sup>3</sup> Air	ND				10	U	
Cobalt	0.213	0.179	ng/m <sup>3</sup> Air	0.213				0.157	10	
Copper	46.0	10.8	ng/m <sup>3</sup> Air	44.8				2.66	10	
Lead	1.29	0.877	ng/m <sup>3</sup> Air	1.32				2.45	10	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



# CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
1777 Sentry Pkwy, Bldg 12  
Blue Bell, PA 19422  
**ATTN:** Ms. Chelsea Saber  
**PHONE:** (703) 885-5495    **FAX:**

**FILE #:** 4205.00.003.001  
**REPORTED:** 05/01/24 10:52  
**SUBMITTED:** 04/22/24  
**AQS SITE CODE:**  
**SITE CODE:** Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

## Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B4D2306 - ICP-MS Extraction

Dilution Check (B4D2306-SRL2) ContinueSource: 4042234-30						Prepared & Analyzed: 04/23/24				
Manganese	ND	7.75	ng/m <sup>3</sup> Air		ND				10	U
Molybdenum	2.24	1.47	ng/m <sup>3</sup> Air		2.25		0.394	10		
Nickel	ND	2.67	ng/m <sup>3</sup> Air		ND			10	U	
Selenium	0.100	0.0367	ng/m <sup>3</sup> Air		0.128		24.6	10	LJ, QX	
Thallium	ND	0.00241	ng/m <sup>3</sup> Air		ND			10	QB-01, U	
Vanadium	0.529	0.217	ng/m <sup>3</sup> Air		0.498		6.18	10		
Zinc	ND	315	ng/m <sup>3</sup> Air		ND			10	U	



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber

**PHONE:** (703) 885-5495    **FAX:**

## CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001

**REPORTED:** 05/01/24 10:52

**SUBMITTED:** 04/22/24

**AQS SITE CODE:**

**SITE CODE:** Lahaina fires

### Notes and Definitions

U	Under Detection Limit
SL	The spike recovery was outside acceptance limits. Reported value may be biased low.
QX	Compound does not meet QC criteria. Results should be considered an estimate.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD.
QB-04	Analyte exceeds continuing calibration blank criteria
QB-01	Analyte exceeds method blank criteria
LJ	Identification of analyte is acceptable; reported value is an estimate.
FB-01	Analyte exceeds Field Blank criteria.
ND	Analyte NOT DETECTED
NR	Not Reported
MDL	Method Detection Limit
RPD	Relative Percent Difference

Note: This test is accredited under the 2016 TNI Standard.



Eastern Research Group  
601 Keystone Park Drive  
Suite 700  
Morrisville, NC 27560

May 08, 2024

Ms. Chelsea Saber  
Tetra Tech, Inc.  
1777 Sentry Pkwy, Bldg 12  
Blue Bell, PA 19422  
Project Name: Lahaina fires

Dear Ms. Chelsea Saber,

This report contains the analytical results for the sample(s) received under chain(s) of custody by Eastern Research Group on 04/29/24 14:32.

Values below the MDL for QC results in this report are recorded as ND, however the actual values are reported in the accompanying Excel report with a "U" flag (Under the detection limit). The actual values are reported in AQS.

This test is accredited under the 2016 TNI Standard for Environmental Laboratories (FL DOH Certification # E87673). All analyses were performed as described in the US EPA-approved QAPP, under the contract for National Hazardous Air Pollutant Support (US EPA Contract No. 68HERH22D0002). This cover page is an integral part of this report, and any exceptions or comments are noted on the last page.

Release of the data contained in this data package and in the data submitted in the electronic data deliverable, has been authorized by the Program Manager, or the Program Manager's designee as verified by the following signature.

The issuance of the final Certificate of Analysis takes precedence over any previous Report. If you have any questions, please contact me at 919-468-7924.

Sincerely,

Julie Swift  
Program Manager  
[julie.swift@erg.com](mailto:julie.swift@erg.com)

The information contained in this report and its attachment(s) are intended only for the use of the individual to whom it is addressed and may contain information that is privileged, confidential, or exempt from disclosure. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this report is strictly prohibited. If you have received this report in error, please notify [julie.swift@erg.com](mailto:julie.swift@erg.com) and delete the report without retaining any copies.



## CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
1777 Sentry Pkwy, Bldg 12  
Blue Bell, PA 19422  
**ATTN:** Ms. Chelsea Saber  
**PHONE:** (703) 885-5495

**FILE #:** 4205.00.003.001  
**REPORTED:** 05/08/24 13:25  
**SUBMITTED:** 04/29/24  
**AQS SITE CODE:**  
**SITE CODE:** Lahaina fires

## **ANALYTICAL REPORT FOR SAMPLES**

Eastern Research Group

*The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*



## CERTIFICATE OF ANALYSIS

Tetra Tech, Inc.  
1777 Sentry Pkwy, Bldg 12  
Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber

**PHONE:** (703) 885-5495    **FAX:**

**FILE #:** 4205.00.003.001

**REPORTED:** 05/08/24 13:25

SUBMITTED: 04/29/24

**AQS SITE CODE:**

**SITE CODE:** Lahaina fires

MFL-AM02-041524-HM

4042941-32

Air

04/15/24 23:59

04/29/24 14:32



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber

**PHONE:** (703) 885-5495    **FAX:**

## CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001

**REPORTED:** 05/08/24 13:25

**SUBMITTED:** 04/29/24

**AQS SITE CODE:**

**SITE CODE:** Lahaina fires

<b>Description:</b> MFL-AM02-041524-HM	<b>Lab ID:</b> 4042941-32	<b>Sampled:</b> 04/15/24 23:59
<b>Matrix:</b> Air	<b>Sample Volume:</b> 1026.835 m <sup>3</sup>	<b>Received:</b> 04/29/24 14:32
	<b>Filter ID:</b>	<b>Analysis Date:</b> 05/01/24 05:17

**Comments:** Q8506895 - Received in good condition

### Inorganics by Compendium Method IO-3.5

<b>Analyte</b>	<b>CAS Number</b>	<b>Results</b>		<b>MDL</b>
		<b>ng/m<sup>3</sup> Air</b>	<b>Flag</b>	
Antimony	7440-36-0	0.161	SL	0.0612
Arsenic	7440-38-2	0.660		0.0148
Barium	7440-39-3	4.19	QB-01	1.70
Beryllium	7440-41-7	0.00858		0.00507
Cadmium	7440-43-9	0.0220	U	0.117
Chromium	7440-47-3	3.12	U	3.50
Cobalt	7440-48-4	0.271		0.0691
Copper	7440-50-8	33.9		4.17
Lead	7439-92-1	1.09		0.339
Manganese	7439-96-5	7.73		2.99
Molybdenum	7439-98-7	1.59		0.569
Nickel	7440-02-0	2.25		1.03
Selenium	7782-49-2	0.274		0.0142
Thallium	7440-28-0	0.00137		9.33E-4
Vanadium	7440-62-2	0.740		0.0838
Zinc	7440-66-6	41.6	U	122



Tetra Tech, Inc.  
1777 Sentry Pkwy, Bldg 12  
Blue Bell, PA 19422  
**ATTN:** Ms. Chelsea Saber  
**PHONE:** (703) 885-5495    **FAX:**

# CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001

**REPORTED:** 05/08/24 13:25

**SUBMITTED:** 04/29/24

**AQS SITE CODE:**

**SITE CODE:** Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

## Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2404094 - B4D3006

### Calibration Blank (2404094-CCB1)

Prepared & Analyzed: 04/30/24

Antimony	0.504	ng/l	
Arsenic	0.0930	ng/l	
Barium	0.576	ng/l	
Beryllium	0.302	ng/l	
Cadmium	0.181	ng/l	
Chromium	4.55	ng/l	
Cobalt	0.474	ng/l	
Copper	52.6	ng/l	
Lead	10.5	ng/l	
Manganese	2.08	ng/l	
Molybdenum	12.0	ng/l	
Nickel	0.396	ng/l	
Selenium	9.29	ng/l	
Thallium	1.25	ng/l	
Vanadium	-40.9	ng/l	U
Zinc	16.8	ng/l	

### Calibration Blank (2404094-CCB2)

Prepared & Analyzed: 04/30/24

Antimony	0.470	ng/l	
Arsenic	-0.329	ng/l	U
Barium	0.850	ng/l	
Beryllium	0.290	ng/l	
Cadmium	0.113	ng/l	
Chromium	1.90	ng/l	
Cobalt	0.337	ng/l	
Copper	18.0	ng/l	
Lead	5.70	ng/l	
Manganese	-1.30	ng/l	U
Molybdenum	4.65	ng/l	
Nickel	0.361	ng/l	
Selenium	8.25	ng/l	
Thallium	1.08	ng/l	
Vanadium	-38.1	ng/l	U
Zinc	32.5	ng/l	

### Calibration Blank (2404094-CCB3)

Prepared & Analyzed: 04/30/24

Antimony	0.303	ng/l	
Arsenic	-0.279	ng/l	U
Barium	0.747	ng/l	
Beryllium	0.285	ng/l	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber

**PHONE:** (703) 885-5495    **FAX:**

## CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001

**REPORTED:** 05/08/24 13:25

**SUBMITTED:** 04/29/24

**AQS SITE CODE:**

**SITE CODE:** Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

### Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2404094 - B4D3006

#### Calibration Blank (2404094-CCB3) Contin

Prepared & Analyzed: 04/30/24

Cadmium	0.0568	ng/l	
Chromium	2.47	ng/l	
Cobalt	0.262	ng/l	
Copper	13.8	ng/l	
Lead	2.55	ng/l	
Manganese	-1.66	ng/l	
Molybdenum	2.36	ng/l	U
Nickel	-0.00781	ng/l	U
Selenium	0.215	ng/l	
Thallium	0.566	ng/l	
Vanadium	-26.0	ng/l	U
Zinc	10.7	ng/l	

#### Calibration Blank (2404094-CCB4)

Prepared: 04/30/24 Analyzed: 05/01/24

Antimony	0.460	ng/l	
Arsenic	0.556	ng/l	
Barium	0.842	ng/l	
Beryllium	0.289	ng/l	
Cadmium	0.121	ng/l	
Chromium	3.18	ng/l	
Cobalt	0.367	ng/l	
Copper	25.4	ng/l	
Lead	7.74	ng/l	
Manganese	-0.806	ng/l	U
Molybdenum	5.98	ng/l	
Nickel	0.726	ng/l	
Selenium	0.487	ng/l	
Thallium	1.26	ng/l	
Vanadium	-41.6	ng/l	U
Zinc	11.9	ng/l	

#### Calibration Blank (2404094-CCB5)

Prepared: 04/30/24 Analyzed: 05/01/24

Antimony	0.437	ng/l	
Arsenic	1.77	ng/l	
Barium	0.431	ng/l	
Beryllium	-0.245	ng/l	U
Cadmium	0.0387	ng/l	
Chromium	2.89	ng/l	
Cobalt	0.299	ng/l	
Copper	19.0	ng/l	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber**PHONE:** (703) 885-5495    **FAX:**

# CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001**REPORTED:** 05/08/24 13:25**SUBMITTED:** 04/29/24**AQS SITE CODE:****SITE CODE:** Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Inorganics by Compendium Method IO-3.5 - Quality Control**

Batch 2404094 - B4D3006

**Calibration Blank (2404094-CCB5) Contin**

Prepared: 04/30/24 Analyzed: 05/01/24

Lead	5.23	ng/l								
Manganese	-2.03	ng/l								U
Molybdenum	5.44	ng/l								
Nickel	1.69	ng/l								
Selenium	5.82	ng/l								
Thallium	1.13	ng/l								
Vanadium	-41.2	ng/l								U
Zinc	16.9	ng/l								

**Calibration Blank (2404094-CCB6)**

Prepared: 04/30/24 Analyzed: 05/01/24

Antimony	0.697	ng/l								
Arsenic	0.733	ng/l								
Barium	0.694	ng/l								
Beryllium	0.0530	ng/l								
Cadmium	0.143	ng/l								
Chromium	2.81	ng/l								
Cobalt	0.309	ng/l								
Copper	24.6	ng/l								
Lead	9.12	ng/l								
Manganese	-1.08	ng/l								U
Molybdenum	6.63	ng/l								
Nickel	1.00	ng/l								
Selenium	9.97	ng/l								
Thallium	1.22	ng/l								
Vanadium	-48.0	ng/l								U
Zinc	18.7	ng/l								

**Calibration Blank (2404094-CCB7)**

Prepared: 04/30/24 Analyzed: 05/01/24

Antimony	0.715	ng/l								
Arsenic	1.13	ng/l								
Barium	0.292	ng/l								
Beryllium	0.0773	ng/l								
Cadmium	0.114	ng/l								
Chromium	3.49	ng/l								
Cobalt	0.300	ng/l								
Copper	20.1	ng/l								
Lead	6.44	ng/l								
Manganese	-0.713	ng/l								U
Molybdenum	5.74	ng/l								
Nickel	1.02	ng/l								

Eastern Research Group

*The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber**PHONE:** (703) 885-5495    **FAX:**

# CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001**REPORTED:** 05/08/24 13:25**SUBMITTED:** 04/29/24**AQS SITE CODE:****SITE CODE:** Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Inorganics by Compendium Method IO-3.5 - Quality Control**

Batch 2404094 - B4D3006

**Calibration Blank (2404094-CCB7) Contin**

Prepared: 04/30/24 Analyzed: 05/01/24

Selenium	3.47		ng/l							
Thallium	1.03		ng/l							
Vanadium	-47.0		ng/l							U
Zinc	25.8		ng/l							

**Calibration Check (2404094-CCV1)**

Prepared &amp; Analyzed: 04/30/24

Antimony	19900	ng/l	20000	99.6	90-110					
Arsenic	20000	ng/l	20000	99.8	90-110					
Barium	200000	ng/l	200000	99.9	90-110					
Beryllium	4920	ng/l	5000.0	98.5	90-110					
Cadmium	20300	ng/l	20000	101	90-110					
Chromium	250000	ng/l	240000	104	90-110					
Cobalt	51500	ng/l	50000	103	90-110					
Copper	2.06E6	ng/l	2.0000E6	103	90-110					
Lead	198000	ng/l	200000	99.1	90-110					
Manganese	513000	ng/l	500000	103	90-110					
Molybdenum	49300	ng/l	50000	98.6	90-110					
Nickel	124000	ng/l	120000	103	90-110					
Selenium	19900	ng/l	20000	99.6	90-110					
Thallium	506	ng/l	500.00	101	90-110					
Vanadium	20200	ng/l	20000	101	90-110					
Zinc	515000	ng/l	500000	103	90-110					

**Calibration Check (2404094-CCV2)**

Prepared &amp; Analyzed: 04/30/24

Antimony	19800	ng/l	20000	99.0	90-110					
Arsenic	20100	ng/l	20000	100	90-110					
Barium	199000	ng/l	200000	99.7	90-110					
Beryllium	4990	ng/l	5000.0	99.8	90-110					
Cadmium	20300	ng/l	20000	101	90-110					
Chromium	254000	ng/l	240000	106	90-110					
Cobalt	52500	ng/l	50000	105	90-110					
Copper	2.10E6	ng/l	2.0000E6	105	90-110					
Lead	198000	ng/l	200000	98.8	90-110					
Manganese	523000	ng/l	500000	105	90-110					
Molybdenum	50200	ng/l	50000	100	90-110					
Nickel	126000	ng/l	120000	105	90-110					
Selenium	19900	ng/l	20000	99.4	90-110					
Thallium	487	ng/l	500.00	97.5	90-110					
Vanadium	20700	ng/l	20000	104	90-110					
Zinc	518000	ng/l	500000	104	90-110					

Eastern Research Group

*The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber**PHONE:** (703) 885-5495    **FAX:**

# CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001**REPORTED:** 05/08/24 13:25**SUBMITTED:** 04/29/24**AQS SITE CODE:****SITE CODE:** Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Inorganics by Compendium Method IO-3.5 - Quality Control**

Batch 2404094 - B4D3006

**Calibration Check (2404094-CCV3)**

Prepared &amp; Analyzed: 04/30/24

Antimony	19900	ng/l	20000		99.6	90-110
Arsenic	19800	ng/l	20000		98.9	90-110
Barium	200000	ng/l	200000		100	90-110
Beryllium	4940	ng/l	5000.0		98.7	90-110
Cadmium	20400	ng/l	20000		102	90-110
Chromium	253000	ng/l	240000		105	90-110
Cobalt	51800	ng/l	50000		104	90-110
Copper	2.09E6	ng/l	2.0000E6		104	90-110
Lead	199000	ng/l	200000		99.3	90-110
Manganese	516000	ng/l	500000		103	90-110
Molybdenum	50400	ng/l	50000		101	90-110
Nickel	125000	ng/l	120000		104	90-110
Selenium	19600	ng/l	20000		97.8	90-110
Thallium	492	ng/l	500.00		98.5	90-110
Vanadium	20500	ng/l	20000		103	90-110
Zinc	516000	ng/l	500000		103	90-110

**Calibration Check (2404094-CCV4)**

Prepared: 04/30/24 Analyzed: 05/01/24

Antimony	20000	ng/l	20000		100	90-110
Arsenic	19900	ng/l	20000		99.7	90-110
Barium	198000	ng/l	200000		98.8	90-110
Beryllium	4930	ng/l	5000.0		98.6	90-110
Cadmium	20200	ng/l	20000		101	90-110
Chromium	253000	ng/l	240000		105	90-110
Cobalt	52200	ng/l	50000		104	90-110
Copper	2.12E6	ng/l	2.0000E6		106	90-110
Lead	198000	ng/l	200000		99.0	90-110
Manganese	521000	ng/l	500000		104	90-110
Molybdenum	50300	ng/l	50000		101	90-110
Nickel	126000	ng/l	120000		105	90-110
Selenium	19700	ng/l	20000		98.4	90-110
Thallium	504	ng/l	500.00		101	90-110
Vanadium	20400	ng/l	20000		102	90-110
Zinc	518000	ng/l	500000		104	90-110

**Calibration Check (2404094-CCV5)**

Prepared: 04/30/24 Analyzed: 05/01/24

Antimony	19900	ng/l	20000		99.6	90-110
Arsenic	20100	ng/l	20000		100	90-110
Barium	200000	ng/l	200000		100	90-110
Beryllium	5030	ng/l	5000.0		101	90-110

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

ATTN: Ms. Chelsea Saber

PHONE: (703) 885-5495 FAX:

## CERTIFICATE OF ANALYSIS

FILE #: 4205.00.003.001

REPORTED: 05/08/24 13:25

SUBMITTED: 04/29/24

AQS SITE CODE:

SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Inorganics by Compendium Method IO-3.5 - Quality Control**

Batch 2404094 - B4D3006

**Calibration Check (2404094-CCV5) Contir**

Prepared: 04/30/24 Analyzed: 05/01/24

Cadmium	20300	ng/l	20000		101	90-110				
Chromium	258000	ng/l	240000		107	90-110				
Cobalt	52900	ng/l	50000		106	90-110				
Copper	2.14E6	ng/l	2.0000E6		107	90-110				
Lead	199000	ng/l	200000		99.3	90-110				
Manganese	528000	ng/l	500000		106	90-110				
Molybdenum	50800	ng/l	50000		102	90-110				
Nickel	128000	ng/l	120000		107	90-110				
Selenium	19600	ng/l	20000		97.8	90-110				
Thallium	486	ng/l	500.00		97.2	90-110				
Vanadium	20900	ng/l	20000		105	90-110				
Zinc	517000	ng/l	500000		103	90-110				

**Calibration Check (2404094-CCV6)**

Prepared: 04/30/24 Analyzed: 05/01/24

Antimony	20000	ng/l	20000		99.8	90-110				
Arsenic	19900	ng/l	20000		99.7	90-110				
Barium	199000	ng/l	200000		99.3	90-110				
Beryllium	4940	ng/l	5000.0		98.7	90-110				
Cadmium	20200	ng/l	20000		101	90-110				
Chromium	256000	ng/l	240000		107	90-110				
Cobalt	52700	ng/l	50000		105	90-110				
Copper	2.13E6	ng/l	2.0000E6		106	90-110				
Lead	198000	ng/l	200000		99.0	90-110				
Manganese	523000	ng/l	500000		105	90-110				
Molybdenum	50600	ng/l	50000		101	90-110				
Nickel	127000	ng/l	120000		106	90-110				
Selenium	19800	ng/l	20000		98.8	90-110				
Thallium	498	ng/l	500.00		99.5	90-110				
Vanadium	20800	ng/l	20000		104	90-110				
Zinc	523000	ng/l	500000		105	90-110				

**Calibration Check (2404094-CCV7)**

Prepared: 04/30/24 Analyzed: 05/01/24

Antimony	19800	ng/l	20000		99.1	90-110				
Arsenic	19800	ng/l	20000		99.1	90-110				
Barium	200000	ng/l	200000		99.9	90-110				
Beryllium	4910	ng/l	5000.0		98.3	90-110				
Cadmium	20100	ng/l	20000		100	90-110				
Chromium	256000	ng/l	240000		107	90-110				
Cobalt	52400	ng/l	50000		105	90-110				
Copper	2.11E6	ng/l	2.0000E6		106	90-110				

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber**PHONE:** (703) 885-5495    **FAX:**

# CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001**REPORTED:** 05/08/24 13:25**SUBMITTED:** 04/29/24**AQS SITE CODE:****SITE CODE:** Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Inorganics by Compendium Method IO-3.5 - Quality Control**

Batch 2404094 - B4D3006

**Calibration Check (2404094-CCV7) Contir**

Prepared: 04/30/24 Analyzed: 05/01/24

Lead	199000	ng/l	200000		99.4	90-110
Manganese	523000	ng/l	500000		105	90-110
Molybdenum	50500	ng/l	50000		101	90-110
Nickel	126000	ng/l	120000		105	90-110
Selenium	19500	ng/l	20000		97.5	90-110
Thallium	491	ng/l	500.00		98.3	90-110
Vanadium	20600	ng/l	20000		103	90-110
Zinc	518000	ng/l	500000		104	90-110

**High Cal Check (2404094-HCV1)**

Prepared &amp; Analyzed: 04/30/24

Antimony	39800	ng/l	40000		99.6	95-105
Arsenic	39800	ng/l	40000		99.6	95-105
Barium	399000	ng/l	400000		99.9	95-105
Beryllium	10000	ng/l	10000		100	95-105
Cadmium	39600	ng/l	40000		98.9	95-105
Chromium	473000	ng/l	480000		98.5	95-105
Cobalt	98200	ng/l	100000		98.2	95-105
Copper	3.94E6	ng/l	4.0000E6		98.5	95-105
Lead	402000	ng/l	400000		100	95-105
Manganese	984000	ng/l	1.0000E6		98.4	95-105
Molybdenum	99000	ng/l	100000		99.0	95-105
Nickel	236000	ng/l	240000		98.2	95-105
Selenium	39900	ng/l	40000		99.6	95-105
Thallium	1020	ng/l	1000.0		102	95-105
Vanadium	39600	ng/l	40000		99.1	95-105
Zinc	980000	ng/l	1.0000E6		98.0	95-105

Prepared &amp; Analyzed: 04/30/24

**Initial Cal Blank (2404094-ICB1)**

Antimony	0.625	ng/l
Arsenic	0.186	ng/l
Barium	0.823	ng/l
Beryllium	0.330	ng/l
Cadmium	0.0636	ng/l
Chromium	4.13	ng/l
Cobalt	0.355	ng/l
Copper	82.0	ng/l
Lead	15.7	ng/l
Manganese	3.39	ng/l
Molybdenum	7.63	ng/l
Nickel	-0.223	ng/l

U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber**PHONE:** (703) 885-5495    **FAX:**

# CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001**REPORTED:** 05/08/24 13:25**SUBMITTED:** 04/29/24**AQS SITE CODE:****SITE CODE:** Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Inorganics by Compendium Method IO-3.5 - Quality Control**

Batch 2404094 - B4D3006

**Initial Cal Blank (2404094-ICB1) Continu**

Prepared &amp; Analyzed: 04/30/24

Selenium	-0.801		ng/l							U
Thallium	0.937		ng/l							
Vanadium	-41.9		ng/l							U
Zinc	12.1		ng/l							

**Initial Cal Check (2404094-ICV1)**

Prepared &amp; Analyzed: 04/30/24

Antimony	19700		ng/l	20000	98.5	90-110				
Arsenic	19700		ng/l	20000	98.5	90-110				
Barium	195000		ng/l	200000	97.7	90-110				
Beryllium	4940		ng/l	5000.0	98.7	90-110				
Cadmium	20500		ng/l	20000	103	90-110				
Chromium	239000		ng/l	240000	99.6	90-110				
Cobalt	49600		ng/l	50000	99.1	90-110				
Copper	2.07E6		ng/l	2.0000E6	104	90-110				
Lead	196000		ng/l	200000	98.2	90-110				
Manganese	495000		ng/l	500000	99.1	90-110				
Molybdenum	48300		ng/l	50000	96.6	90-110				
Nickel	122000		ng/l	120000	101	90-110				
Selenium	20100		ng/l	20000	101	90-110				
Thallium	516		ng/l	500.00	103	90-110				
Vanadium	19700		ng/l	20000	98.4	90-110				
Zinc	512000		ng/l	500000	102	90-110				

**Interference Check A (2404094-IFA1)**

Prepared &amp; Analyzed: 04/30/24

Antimony	0.00		ng/l			80-120				U
Arsenic	0.00		ng/l			80-120				U
Barium	0.00		ng/l			80-120				U
Beryllium	0.00		ng/l			80-120				U
Cadmium	0.00		ng/l			80-120				U
Chromium	0.00		ng/l			80-120				U
Cobalt	0.00		ng/l			80-120				U
Copper	0.00		ng/l			80-120				U
Lead	0.00		ng/l			80-120				U
Manganese	0.00		ng/l			80-120				U
Molybdenum	298000		ng/l	300000	99.3	80-120				
Nickel	0.00		ng/l			80-120				U
Selenium	0.00		ng/l			80-120				U
Thallium	0.00		ng/l			80-120				U
Vanadium	0.00		ng/l			80-120				U
Zinc	0.00		ng/l			80-120				U

Eastern Research Group

*The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber**PHONE:** (703) 885-5495    **FAX:**

# CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001**REPORTED:** 05/08/24 13:25**SUBMITTED:** 04/29/24**AQS SITE CODE:****SITE CODE:** Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Inorganics by Compendium Method IO-3.5 - Quality Control***Batch 2404094 - B4D3006***Interference Check B (2404094-IFB1)**

Prepared &amp; Analyzed: 04/30/24

Antimony	19900	ng/l	20000	99.7	80-120
Arsenic	20300	ng/l	20000	102	80-120
Barium	203000	ng/l	200000	101	80-120
Beryllium	5250	ng/l	5000.0	105	80-120
Cadmium	18800	ng/l	20000	94.1	80-120
Chromium	250000	ng/l	240000	104	80-120
Cobalt	48800	ng/l	50000	97.7	80-120
Copper	1.86E6	ng/l	2.0000E6	93.0	80-120
Lead	204000	ng/l	200000	102	80-120
Manganese	531000	ng/l	500000	106	80-120
Molybdenum	345000	ng/l	350000	98.6	80-120
Nickel	114000	ng/l	120000	95.2	80-120
Selenium	19100	ng/l	20000	95.6	80-120
Thallium	525	ng/l	500.00	105	80-120
Vanadium	21900	ng/l	20000	110	80-120
Zinc	445000	ng/l	500000	88.9	80-120

*Batch 2405002 - B4D3006***Calibration Blank (2405002-CCB1)**

Prepared &amp; Analyzed: 05/01/24

Antimony	0.659	ng/l
Arsenic	0.776	ng/l
Barium	2.16	ng/l
Beryllium	0.247	ng/l
Cadmium	0.184	ng/l
Chromium	4.39	ng/l
Cobalt	0.362	ng/l
Copper	48.8	ng/l
Lead	10.2	ng/l
Manganese	7.75	ng/l
Molybdenum	12.4	ng/l
Nickel	-0.600	ng/l
Selenium	0.00885	ng/l
Thallium	1.17	ng/l
Vanadium	-40.1	ng/l
Zinc	2.03	ng/l

**Calibration Blank (2405002-CCB2)**

Prepared &amp; Analyzed: 05/01/24

Antimony	0.658	ng/l
Arsenic	0.106	ng/l
Barium	0.629	ng/l

Eastern Research Group

*The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber

**PHONE:** (703) 885-5495    **FAX:**

# CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001

**REPORTED:** 05/08/24 13:25

**SUBMITTED:** 04/29/24

**AQS SITE CODE:**

**SITE CODE:** Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

## Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2405002 - B4D3006

### Calibration Blank (2405002-CCB2) Contin

Prepared & Analyzed: 05/01/24

Beryllium	0.0983	ng/l	
Cadmium	0.125	ng/l	
Chromium	3.75	ng/l	
Cobalt	0.128	ng/l	
Copper	27.8	ng/l	
Lead	6.36	ng/l	
Manganese	5.57	ng/l	
Molybdenum	5.13	ng/l	
Nickel	-1.31	ng/l	U
Selenium	-0.927	ng/l	U
Thallium	0.918	ng/l	
Vanadium	-41.3	ng/l	U
Zinc	-3.59	ng/l	U

### Calibration Blank (2405002-CCB3)

Prepared & Analyzed: 05/01/24

Antimony	0.670	ng/l	
Arsenic	0.244	ng/l	
Barium	1.97	ng/l	
Beryllium	-0.0542	ng/l	U
Cadmium	0.160	ng/l	
Chromium	3.82	ng/l	
Cobalt	0.175	ng/l	
Copper	21.3	ng/l	
Lead	6.42	ng/l	
Manganese	5.18	ng/l	
Molybdenum	6.07	ng/l	
Nickel	-0.843	ng/l	U
Selenium	-0.00745	ng/l	U
Thallium	1.16	ng/l	
Vanadium	-40.2	ng/l	U
Zinc	-4.26	ng/l	U

### Calibration Blank (2405002-CCB4)

Prepared & Analyzed: 05/01/24

Antimony	0.559	ng/l	
Arsenic	0.319	ng/l	
Barium	0.115	ng/l	
Beryllium	-0.513	ng/l	U
Cadmium	0.0118	ng/l	
Chromium	2.32	ng/l	
Cobalt	0.0634	ng/l	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

ATTN: Ms. Chelsea Saber

PHONE: (703) 885-5495 FAX:

## CERTIFICATE OF ANALYSIS

FILE #: 4205.00.003.001

REPORTED: 05/08/24 13:25

SUBMITTED: 04/29/24

AQS SITE CODE:

SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Inorganics by Compendium Method IO-3.5 - Quality Control**

Batch 2405002 - B4D3006

**Calibration Blank (2405002-CCB4) Contin**

Prepared &amp; Analyzed: 05/01/24

Copper	22.5	ng/l								
Lead	7.43	ng/l								
Manganese	3.51	ng/l								
Molybdenum	5.38	ng/l								
Nickel	-1.20	ng/l								U
Selenium	-4.23	ng/l								U
Thallium	1.06	ng/l								
Vanadium	-41.9	ng/l								U
Zinc	4.81	ng/l								

**Calibration Blank (2405002-CCB5)**

Prepared: 05/01/24 Analyzed: 05/02/24

Antimony	0.720	ng/l								
Arsenic	0.0824	ng/l								
Barium	0.622	ng/l								
Beryllium	-0.414	ng/l								U
Cadmium	-0.00628	ng/l								U
Chromium	4.29	ng/l								
Cobalt	0.0188	ng/l								
Copper	20.0	ng/l								
Lead	7.06	ng/l								
Manganese	3.28	ng/l								
Molybdenum	5.96	ng/l								
Nickel	-1.33	ng/l								U
Selenium	-10.2	ng/l								U
Thallium	1.12	ng/l								
Vanadium	-41.2	ng/l								U
Zinc	-7.34	ng/l								U

**Calibration Check (2405002-CCV1)**

Prepared &amp; Analyzed: 05/01/24

Antimony	20000	ng/l	20000	100	90-110					
Arsenic	19900	ng/l	20000	99.3	90-110					
Barium	196000	ng/l	200000	97.8	90-110					
Beryllium	4940	ng/l	5000.0	98.9	90-110					
Cadmium	20200	ng/l	20000	101	90-110					
Chromium	248000	ng/l	240000	103	90-110					
Cobalt	50700	ng/l	50000	101	90-110					
Copper	2.04E6	ng/l	2.0000E6	102	90-110					
Lead	194000	ng/l	200000	97.1	90-110					
Manganese	507000	ng/l	500000	101	90-110					
Molybdenum	49000	ng/l	50000	98.1	90-110					

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

ATTN: Ms. Chelsea Saber

PHONE: (703) 885-5495 FAX:

## CERTIFICATE OF ANALYSIS

FILE #: 4205.00.003.001

REPORTED: 05/08/24 13:25

SUBMITTED: 04/29/24

AQS SITE CODE:

SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Inorganics by Compendium Method IO-3.5 - Quality Control**

Batch 2405002 - B4D3006

**Calibration Check (2405002-CCV1) Contir**

Prepared &amp; Analyzed: 05/01/24

Nickel	122000	ng/l	120000		101	90-110
Selenium	20000	ng/l	20000		100	90-110
Thallium	486	ng/l	500.00		97.2	90-110
Vanadium	19500	ng/l	20000		97.6	90-110
Zinc	510000	ng/l	500000		102	90-110

**Calibration Check (2405002-CCV2)**

Prepared &amp; Analyzed: 05/01/24

Antimony	19900	ng/l	20000		99.6	90-110
Arsenic	19700	ng/l	20000		98.3	90-110
Barium	194000	ng/l	200000		96.9	90-110
Beryllium	4960	ng/l	5000.0		99.3	90-110
Cadmium	20400	ng/l	20000		102	90-110
Chromium	242000	ng/l	240000		101	90-110
Cobalt	50300	ng/l	50000		101	90-110
Copper	2.04E6	ng/l	2.0000E6		102	90-110
Lead	196000	ng/l	200000		97.9	90-110
Manganese	497000	ng/l	500000		99.3	90-110
Molybdenum	49300	ng/l	50000		98.6	90-110
Nickel	121000	ng/l	120000		101	90-110
Selenium	19600	ng/l	20000		98.2	90-110
Thallium	488	ng/l	500.00		97.6	90-110
Vanadium	19100	ng/l	20000		95.4	90-110
Zinc	515000	ng/l	500000		103	90-110

**Calibration Check (2405002-CCV3)**

Prepared &amp; Analyzed: 05/01/24

Antimony	19900	ng/l	20000		99.4	90-110
Arsenic	19700	ng/l	20000		98.7	90-110
Barium	195000	ng/l	200000		97.7	90-110
Beryllium	4960	ng/l	5000.0		99.3	90-110
Cadmium	20400	ng/l	20000		102	90-110
Chromium	244000	ng/l	240000		102	90-110
Cobalt	50700	ng/l	50000		101	90-110
Copper	2.06E6	ng/l	2.0000E6		103	90-110
Lead	196000	ng/l	200000		98.0	90-110
Manganese	503000	ng/l	500000		101	90-110
Molybdenum	49800	ng/l	50000		99.5	90-110
Nickel	121000	ng/l	120000		101	90-110
Selenium	19800	ng/l	20000		99.0	90-110
Thallium	494	ng/l	500.00		98.9	90-110
Vanadium	19200	ng/l	20000		95.8	90-110

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber**PHONE:** (703) 885-5495    **FAX:**

# CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001**REPORTED:** 05/08/24 13:25**SUBMITTED:** 04/29/24**AQS SITE CODE:****SITE CODE:** Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Inorganics by Compendium Method IO-3.5 - Quality Control**

Batch 2405002 - B4D3006

**Calibration Check (2405002-CCV3) Contir**

Prepared &amp; Analyzed: 05/01/24

Zinc	517000	ng/l	500000	103	90-110
------	--------	------	--------	-----	--------

**Calibration Check (2405002-CCV4)**

Prepared &amp; Analyzed: 05/01/24

Antimony	20100	ng/l	20000	100	90-110
Arsenic	19500	ng/l	20000	97.7	90-110
Barium	195000	ng/l	200000	97.5	90-110
Beryllium	4910	ng/l	5000.0	98.2	90-110
Cadmium	20400	ng/l	20000	102	90-110
Chromium	244000	ng/l	240000	102	90-110
Cobalt	50800	ng/l	50000	102	90-110
Copper	2.07E6	ng/l	2.0000E6	103	90-110
Lead	198000	ng/l	200000	98.8	90-110
Manganese	502000	ng/l	500000	100	90-110
Molybdenum	50000	ng/l	50000	100	90-110
Nickel	121000	ng/l	120000	101	90-110
Selenium	19700	ng/l	20000	98.7	90-110
Thallium	490	ng/l	500.00	98.0	90-110
Vanadium	19200	ng/l	20000	95.9	90-110
Zinc	515000	ng/l	500000	103	90-110

**Calibration Check (2405002-CCV5)**

Prepared: 05/01/24 Analyzed: 05/02/24

Antimony	20100	ng/l	20000	100	90-110
Arsenic	19700	ng/l	20000	98.5	90-110
Barium	194000	ng/l	200000	97.1	90-110
Beryllium	5000	ng/l	5000.0	100	90-110
Cadmium	20500	ng/l	20000	102	90-110
Chromium	249000	ng/l	240000	104	90-110
Cobalt	51300	ng/l	50000	103	90-110
Copper	2.08E6	ng/l	2.0000E6	104	90-110
Lead	196000	ng/l	200000	97.9	90-110
Manganese	511000	ng/l	500000	102	90-110
Molybdenum	50400	ng/l	50000	101	90-110
Nickel	123000	ng/l	120000	102	90-110
Selenium	19400	ng/l	20000	97.1	90-110
Thallium	484	ng/l	500.00	96.7	90-110
Vanadium	19600	ng/l	20000	98.1	90-110
Zinc	516000	ng/l	500000	103	90-110

**High Cal Check (2405002-HCV1)**

Prepared &amp; Analyzed: 05/01/24

Antimony	40300	ng/l	40000	101	95-105
Arsenic	39900	ng/l	40000	99.7	95-105

Eastern Research Group

*The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber**PHONE:** (703) 885-5495    **FAX:**

# CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001**REPORTED:** 05/08/24 13:25**SUBMITTED:** 04/29/24**AQS SITE CODE:****SITE CODE:** Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Inorganics by Compendium Method IO-3.5 - Quality Control**

Batch 2405002 - B4D3006

**High Cal Check (2405002-HCV1) Continue**

Prepared &amp; Analyzed: 05/01/24

Barium	402000	ng/l	400000	101	95-105
Beryllium	10100	ng/l	10000	101	95-105
Cadmium	39700	ng/l	40000	99.4	95-105
Chromium	467000	ng/l	480000	97.3	95-105
Cobalt	97300	ng/l	100000	97.3	95-105
Copper	3.87E6	ng/l	4.0000E6	96.7	95-105
Lead	404000	ng/l	400000	101	95-105
Manganese	975000	ng/l	1.0000E6	97.5	95-105
Molybdenum	100000	ng/l	100000	100	95-105
Nickel	231000	ng/l	240000	96.4	95-105
Selenium	39900	ng/l	40000	99.6	95-105
Thallium	1010	ng/l	1000.0	101	95-105
Vanadium	39800	ng/l	40000	99.5	95-105
Zinc	976000	ng/l	1.0000E6	97.6	95-105

Prepared &amp; Analyzed: 05/01/24

**Initial Cal Blank (2405002-ICB1)**

Antimony	0.832	ng/l			
Arsenic	0.343	ng/l			
Barium	1.38	ng/l			
Beryllium	-0.0474	ng/l			U
Cadmium	0.173	ng/l			
Chromium	5.03	ng/l			
Cobalt	0.163	ng/l			
Copper	56.7	ng/l			
Lead	13.9	ng/l			
Manganese	6.96	ng/l			
Molybdenum	7.66	ng/l			
Nickel	-1.13	ng/l			U
Selenium	10.5	ng/l			
Thallium	0.993	ng/l			
Vanadium	-36.6	ng/l			U
Zinc	9.12	ng/l			

Prepared &amp; Analyzed: 05/01/24

**Initial Cal Check (2405002-ICV1)**

Antimony	20000	ng/l	20000	99.9	90-110
Arsenic	19800	ng/l	20000	99.0	90-110
Barium	197000	ng/l	200000	98.4	90-110
Beryllium	5020	ng/l	5000.0	100	90-110
Cadmium	20700	ng/l	20000	104	90-110
Chromium	239000	ng/l	240000	99.4	90-110

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

ATTN: Ms. Chelsea Saber

PHONE: (703) 885-5495 FAX:

## CERTIFICATE OF ANALYSIS

FILE #: 4205.00.003.001

REPORTED: 05/08/24 13:25

SUBMITTED: 04/29/24

AQS SITE CODE:

SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Inorganics by Compendium Method IO-3.5 - Quality Control**

Batch 2405002 - B4D3006

**Initial Cal Check (2405002-ICV1) Continu**

Prepared &amp; Analyzed: 05/01/24

Cobalt	49700	ng/l	50000		99.4	90-110				
Copper	2.08E6	ng/l	2.0000E6		104	90-110				
Lead	195000	ng/l	200000		97.6	90-110				
Manganese	498000	ng/l	500000		99.5	90-110				
Molybdenum	49400	ng/l	50000		98.8	90-110				
Nickel	121000	ng/l	120000		101	90-110				
Selenium	20600	ng/l	20000		103	90-110				
Thallium	514	ng/l	500.00		103	90-110				
Vanadium	19200	ng/l	20000		96.0	90-110				
Zinc	516000	ng/l	500000		103	90-110				

**Interference Check A (2405002-IFA1)**

Prepared &amp; Analyzed: 05/01/24

Antimony	0.00	ng/l			80-120		U			
Arsenic	0.00	ng/l			80-120		U			
Barium	0.00	ng/l			80-120		U			
Beryllium	0.00	ng/l			80-120		U			
Cadmium	0.00	ng/l			80-120		U			
Chromium	0.00	ng/l			80-120		U			
Cobalt	0.00	ng/l			80-120		U			
Copper	0.00	ng/l			80-120		U			
Lead	0.00	ng/l			80-120		U			
Manganese	0.00	ng/l			80-120		U			
Molybdenum	293000	ng/l	300000		97.8	80-120				
Nickel	0.00	ng/l			80-120		U			
Selenium	0.00	ng/l			80-120		U			
Thallium	0.00	ng/l			80-120		U			
Vanadium	0.00	ng/l			80-120		U			
Zinc	0.00	ng/l			80-120		U			

**Interference Check B (2405002-IFB1)**

Prepared &amp; Analyzed: 05/01/24

Antimony	20100	ng/l	20000		100	80-120				
Arsenic	20300	ng/l	20000		102	80-120				
Barium	204000	ng/l	200000		102	80-120				
Beryllium	5350	ng/l	5000.0		107	80-120				
Cadmium	19000	ng/l	20000		95.1	80-120				
Chromium	252000	ng/l	240000		105	80-120				
Cobalt	48400	ng/l	50000		96.8	80-120				
Copper	1.86E6	ng/l	2.0000E6		92.8	80-120				
Lead	201000	ng/l	200000		100	80-120				
Manganese	533000	ng/l	500000		107	80-120				

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber**PHONE:** (703) 885-5495    **FAX:**

# CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001**REPORTED:** 05/08/24 13:25**SUBMITTED:** 04/29/24**AQS SITE CODE:****SITE CODE:** Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Inorganics by Compendium Method IO-3.5 - Quality Control**

Batch 2405002 - B4D3006

**Interference Check B (2405002-IFB1) Cor**

Prepared &amp; Analyzed: 05/01/24

Molybdenum	341000		ng/l	350000	97.4	80-120
Nickel	113000		ng/l	120000	94.4	80-120
Selenium	19200		ng/l	20000	96.0	80-120
Thallium	514		ng/l	500.00	103	80-120
Vanadium	21400		ng/l	20000	107	80-120
Zinc	449000		ng/l	500000	89.7	80-120

Batch B4D3006 - ICP-MS Extraction

**Blank (B4D3006-BLK1)**

Prepared &amp; Analyzed: 04/30/24

Antimony	ND	0.0386	ng/m <sup>3</sup> Air				SL, U
Arsenic	ND	0.00937	ng/m <sup>3</sup> Air				U
Barium	ND	1.07	ng/m <sup>3</sup> Air				QB-01, U
Beryllium	ND	0.00320	ng/m <sup>3</sup> Air				U
Cadmium	ND	0.0741	ng/m <sup>3</sup> Air				U
Chromium	ND	2.21	ng/m <sup>3</sup> Air				U
Cobalt	ND	0.0436	ng/m <sup>3</sup> Air				U
Copper	ND	2.63	ng/m <sup>3</sup> Air				U
Lead	ND	0.214	ng/m <sup>3</sup> Air				U
Manganese	ND	1.89	ng/m <sup>3</sup> Air				U
Molybdenum	ND	0.359	ng/m <sup>3</sup> Air				U
Nickel	ND	0.652	ng/m <sup>3</sup> Air				U
Selenium	ND	0.00896	ng/m <sup>3</sup> Air				U
Thallium	ND	5.89E-4	ng/m <sup>3</sup> Air				U
Vanadium	ND	0.0529	ng/m <sup>3</sup> Air				U
Zinc	ND	76.8	ng/m <sup>3</sup> Air				U

**LCS (B4D3006-BS1)**

Prepared &amp; Analyzed: 04/30/24

Antimony	0.712	0.0386	ng/m <sup>3</sup> Air	1.3829	51.5	80-120	SL
Arsenic	2.58	0.00937	ng/m <sup>3</sup> Air	2.7658	93.3	80-120	
Barium	27.5	1.07	ng/m <sup>3</sup> Air	27.658	99.3	80-120	QB-01
Beryllium	1.28	0.00320	ng/m <sup>3</sup> Air	1.3829	92.7	80-120	
Cadmium	1.40	0.0741	ng/m <sup>3</sup> Air	1.3829	101	80-120	
Chromium	15.3	2.21	ng/m <sup>3</sup> Air	13.829	111	80-120	
Cobalt	1.41	0.0436	ng/m <sup>3</sup> Air	1.3829	102	80-120	
Copper	29.1	2.63	ng/m <sup>3</sup> Air	27.658	105	80-120	
Lead	12.9	0.214	ng/m <sup>3</sup> Air	13.829	93.2	80-120	
Manganese	7.97	1.89	ng/m <sup>3</sup> Air	8.2975	96.1	80-120	
Molybdenum	1.42	0.359	ng/m <sup>3</sup> Air	1.3829	102	80-120	
Nickel	3.28	0.652	ng/m <sup>3</sup> Air	2.7658	118	80-120	
Selenium	2.62	0.00896	ng/m <sup>3</sup> Air	2.7658	94.9	80-120	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

ATTN: Ms. Chelsea Saber

PHONE: (703) 885-5495 FAX:

## CERTIFICATE OF ANALYSIS

FILE #: 4205.00.003.001

REPORTED: 05/08/24 13:25

SUBMITTED: 04/29/24

AQS SITE CODE:

SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Inorganics by Compendium Method IO-3.5 - Quality Control**

Batch B4D3006 - ICP-MS Extraction

**LCS (B4D3006-BS1) Continued**

Prepared &amp; Analyzed: 04/30/24

Thallium	0.132	5.89E-4	ng/m <sup>3</sup> Air	0.13829	95.3	80-120
Vanadium	2.65	0.0529	ng/m <sup>3</sup> Air	2.7658	95.8	80-120
Zinc	140	76.8	ng/m <sup>3</sup> Air	82.975	168	80-120

Prepared &amp; Analyzed: 04/30/24

**LCS (B4D3006-BS2)**

Antimony	0.681	0.0386	ng/m <sup>3</sup> Air	1.3829	49.3	80-120	SL
Arsenic	2.61	0.00937	ng/m <sup>3</sup> Air	2.7658	94.4	80-120	
Barium	27.2	1.07	ng/m <sup>3</sup> Air	27.658	98.3	80-120	QB-01
Beryllium	1.28	0.00320	ng/m <sup>3</sup> Air	1.3829	92.6	80-120	
Cadmium	1.38	0.0741	ng/m <sup>3</sup> Air	1.3829	99.7	80-120	
Chromium	15.5	2.21	ng/m <sup>3</sup> Air	13.829	112	80-120	
Cobalt	1.42	0.0436	ng/m <sup>3</sup> Air	1.3829	103	80-120	
Copper	29.7	2.63	ng/m <sup>3</sup> Air	27.658	107	80-120	
Lead	13.1	0.214	ng/m <sup>3</sup> Air	13.829	94.4	80-120	
Manganese	8.00	1.89	ng/m <sup>3</sup> Air	8.2975	96.4	80-120	
Molybdenum	1.42	0.359	ng/m <sup>3</sup> Air	1.3829	103	80-120	
Nickel	3.28	0.652	ng/m <sup>3</sup> Air	2.7658	119	80-120	
Selenium	2.59	0.00896	ng/m <sup>3</sup> Air	2.7658	93.5	80-120	
Thallium	0.135	5.89E-4	ng/m <sup>3</sup> Air	0.13829	97.7	80-120	
Vanadium	2.70	0.0529	ng/m <sup>3</sup> Air	2.7658	97.6	80-120	
Zinc	138	76.8	ng/m <sup>3</sup> Air	82.975	166	80-120	

**Duplicate (B4D3006-DUP1)**

Source: 4042941-19

Prepared &amp; Analyzed: 04/30/24

Antimony	0.0602	0.0314	ng/m <sup>3</sup> Air	0.0636	5.45	10	SL
Arsenic	0.647	0.00763	ng/m <sup>3</sup> Air	0.662	2.32	10	
Barium	4.27	0.872	ng/m <sup>3</sup> Air	3.84	10.6	10	QB-01
Beryllium	0.0136	0.00261	ng/m <sup>3</sup> Air	0.0140	2.95	10	
Cadmium	ND	0.0604	ng/m <sup>3</sup> Air	ND	10	U	
Chromium	2.92	1.80	ng/m <sup>3</sup> Air	2.65	9.44	10	
Cobalt	0.597	0.0355	ng/m <sup>3</sup> Air	0.563	5.94	10	
Copper	73.3	2.14	ng/m <sup>3</sup> Air	70.3	4.09	10	
Lead	0.497	0.174	ng/m <sup>3</sup> Air	0.451	9.57	10	
Manganese	15.3	1.54	ng/m <sup>3</sup> Air	14.6	4.61	10	
Molybdenum	2.35	0.292	ng/m <sup>3</sup> Air	2.30	2.16	10	
Nickel	2.13	0.531	ng/m <sup>3</sup> Air	2.00	6.20	10	
Selenium	0.169	0.00730	ng/m <sup>3</sup> Air	0.167	1.09	10	
Thallium	0.00252	4.80E-4	ng/m <sup>3</sup> Air	0.00258	2.10	10	
Vanadium	1.51	0.0431	ng/m <sup>3</sup> Air	1.43	5.46	10	
Zinc	ND	62.6	ng/m <sup>3</sup> Air	ND	10	U	

**Duplicate (B4D3006-DUP2)**

Source: 4042941-02

Prepared &amp; Analyzed: 04/30/24

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

ATTN: Ms. Chelsea Saber

PHONE: (703) 885-5495 FAX:

## CERTIFICATE OF ANALYSIS

FILE #: 4205.00.003.001

REPORTED: 05/08/24 13:25

SUBMITTED: 04/29/24

AQS SITE CODE:

SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Inorganics by Compendium Method IO-3.5 - Quality Control***Batch B4D3006 - ICP-MS Extraction***Duplicate (B4D3006-DUP2) Continued      Source: 4042941-02      Prepared & Analyzed: 04/30/24**

Antimony	0.195	0.0306	ng/m <sup>3</sup> Air	0.185		5.56	10	SL
Arsenic	0.295	0.00742	ng/m <sup>3</sup> Air	0.284		3.64	10	
Barium	5.70	0.847	ng/m <sup>3</sup> Air	5.45		4.49	10	QB-01
Beryllium	0.0122	0.00253	ng/m <sup>3</sup> Air	0.0126		3.30	10	
Cadmium	ND	0.0587	ng/m <sup>3</sup> Air	ND			10	U
Chromium	2.04	1.75	ng/m <sup>3</sup> Air	2.16		5.69	10	
Cobalt	0.367	0.0345	ng/m <sup>3</sup> Air	0.377		2.66	10	
Copper	35.9	2.08	ng/m <sup>3</sup> Air	35.3		1.76	10	
Lead	0.985	0.169	ng/m <sup>3</sup> Air	1.07		8.64	10	
Manganese	12.0	1.50	ng/m <sup>3</sup> Air	12.1		0.897	10	
Molybdenum	1.48	0.284	ng/m <sup>3</sup> Air	1.47		0.698	10	
Nickel	1.39	0.516	ng/m <sup>3</sup> Air	1.45		4.34	10	
Selenium	0.161	0.00709	ng/m <sup>3</sup> Air	0.166		3.37	10	
Thallium	9.49E-4	4.66E-4	ng/m <sup>3</sup> Air	9.82E-4		3.43	10	
Vanadium	1.12	0.0419	ng/m <sup>3</sup> Air	1.16		3.41	10	
Zinc	ND	60.8	ng/m <sup>3</sup> Air	ND			10	U

**Duplicate (B4D3006-DUP3)      Source: 4042941-25      Prepared: 04/30/24 Analyzed: 05/01/24**

Antimony	0.0829	0.0347	ng/m <sup>3</sup> Air	0.0826		0.305	10	SL
Arsenic	0.253	0.00841	ng/m <sup>3</sup> Air	0.251		0.631	10	
Barium	2.98	0.961	ng/m <sup>3</sup> Air	2.98		0.0409	10	QB-01
Beryllium	0.0144	0.00287	ng/m <sup>3</sup> Air	0.0143		0.293	10	
Cadmium	ND	0.0665	ng/m <sup>3</sup> Air	ND			10	U
Chromium	2.27	1.98	ng/m <sup>3</sup> Air	2.27		0.0869	10	
Cobalt	0.336	0.0392	ng/m <sup>3</sup> Air	0.336		0.181	10	
Copper	82.8	2.36	ng/m <sup>3</sup> Air	82.4		0.511	10	
Lead	0.531	0.192	ng/m <sup>3</sup> Air	0.527		0.734	10	
Manganese	8.58	1.70	ng/m <sup>3</sup> Air	8.50		0.957	10	
Molybdenum	2.41	0.322	ng/m <sup>3</sup> Air	2.33		3.23	10	
Nickel	1.23	0.585	ng/m <sup>3</sup> Air	1.22		0.704	10	
Selenium	0.124	0.00805	ng/m <sup>3</sup> Air	0.131		5.35	10	
Thallium	0.00121	5.29E-4	ng/m <sup>3</sup> Air	0.00120		1.17	10	
Vanadium	0.801	0.0475	ng/m <sup>3</sup> Air	0.804		0.376	10	
Zinc	ND	69.0	ng/m <sup>3</sup> Air	ND			10	U

**Duplicate (B4D3006-DUP4)      Source: 4042941-12      Prepared: 04/30/24 Analyzed: 05/01/24**

Antimony	0.0640	0.0325	ng/m <sup>3</sup> Air	0.0645		0.698	10	SL
Arsenic	0.130	0.00790	ng/m <sup>3</sup> Air	0.127		1.97	10	
Barium	2.31	0.902	ng/m <sup>3</sup> Air	2.30		0.551	10	QB-01
Beryllium	0.00871	0.00270	ng/m <sup>3</sup> Air	0.00891		2.27	10	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

ATTN: Ms. Chelsea Saber

PHONE: (703) 885-5495 FAX:

## CERTIFICATE OF ANALYSIS

FILE #: 4205.00.003.001

REPORTED: 05/08/24 13:25

SUBMITTED: 04/29/24

AQS SITE CODE:

SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

## Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B4D3006 - ICP-MS Extraction

**Duplicate (B4D3006-DUP4) Continued      Source: 4042941-12      Prepared: 04/30/24 Analyzed: 05/01/24**

Cadmium	ND	0.0625	ng/m <sup>3</sup> Air	ND				10	U
Chromium	ND	1.86	ng/m <sup>3</sup> Air	ND				10	U
Cobalt	0.195	0.0368	ng/m <sup>3</sup> Air	0.193			0.749	10	
Copper	52.4	2.22	ng/m <sup>3</sup> Air	52.0			0.747	10	
Lead	0.443	0.180	ng/m <sup>3</sup> Air	0.448			1.15	10	
Manganese	5.13	1.59	ng/m <sup>3</sup> Air	5.07			1.06	10	
Molybdenum	2.45	0.303	ng/m <sup>3</sup> Air	2.46			0.621	10	
Nickel	1.00	0.550	ng/m <sup>3</sup> Air	0.996			0.543	10	
Selenium	0.148	0.00755	ng/m <sup>3</sup> Air	0.148			0.0669	10	
Thallium	0.00111	4.96E-4	ng/m <sup>3</sup> Air	0.00117			5.08	10	
Vanadium	0.569	0.0446	ng/m <sup>3</sup> Air	0.557			2.15	10	
Zinc	ND	64.7	ng/m <sup>3</sup> Air	ND			10	U	

**Duplicate (B4D3006-DUP5)      Source: 4042941-19R      Prepared: 04/30/24 Analyzed: 05/01/24**

Antimony	0.0612	0.0314	ng/m <sup>3</sup> Air	0.0640		4.52	10	
Arsenic	0.647	0.00763	ng/m <sup>3</sup> Air	0.653		0.925	10	
Barium	4.25	0.872	ng/m <sup>3</sup> Air	3.78		11.8	10	
Beryllium	0.0134	0.00261	ng/m <sup>3</sup> Air	0.0135		0.907	10	
Cadmium	ND	0.0604	ng/m <sup>3</sup> Air	ND			10	U
Chromium	2.83	1.80	ng/m <sup>3</sup> Air	2.58		9.30	10	
Cobalt	0.591	0.0355	ng/m <sup>3</sup> Air	0.558		5.70	10	
Copper	73.0	2.14	ng/m <sup>3</sup> Air	70.7		3.07	10	
Lead	0.499	0.174	ng/m <sup>3</sup> Air	0.452		10.0	10	
Manganese	15.1	1.54	ng/m <sup>3</sup> Air	14.4		4.85	10	
Molybdenum	2.42	0.292	ng/m <sup>3</sup> Air	2.33		3.65	10	
Nickel	2.09	0.531	ng/m <sup>3</sup> Air	1.99		5.38	10	
Selenium	0.175	0.00730	ng/m <sup>3</sup> Air	0.171		2.74	10	
Thallium	0.00243	4.80E-4	ng/m <sup>3</sup> Air	0.00256		5.32	10	
Vanadium	1.44	0.0431	ng/m <sup>3</sup> Air	1.37		5.15	10	
Zinc	ND	62.6	ng/m <sup>3</sup> Air	ND		10	U	

**Matrix Spike (B4D3006-MS1)      Source: 4042941-19      Prepared & Analyzed: 04/30/24**

Antimony	0.643	0.0314	ng/m <sup>3</sup> Air	1.1266	0.0636	51.4	80-120		SL
Arsenic	2.70	0.00763	ng/m <sup>3</sup> Air	2.2532	0.662	90.6	80-120		
Barium	24.7	0.872	ng/m <sup>3</sup> Air	22.532	3.84	92.7	80-120		QB-01
Beryllium	1.08	0.00261	ng/m <sup>3</sup> Air	1.1266	0.0140	94.6	80-120		
Cadmium	1.10	0.0604	ng/m <sup>3</sup> Air	1.1266	ND	98.1	80-120		
Chromium	14.9	1.80	ng/m <sup>3</sup> Air	11.266	2.65	109	80-120		
Cobalt	1.75	0.0355	ng/m <sup>3</sup> Air	1.1266	0.563	105	80-120		
Copper	97.4	2.14	ng/m <sup>3</sup> Air	22.532	70.3	120	80-120		QM-07

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

ATTN: Ms. Chelsea Saber

PHONE: (703) 885-5495 FAX:

## CERTIFICATE OF ANALYSIS

FILE #: 4205.00.003.001

REPORTED: 05/08/24 13:25

SUBMITTED: 04/29/24

AQS SITE CODE:

SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Inorganics by Compendium Method IO-3.5 - Quality Control**

Batch B4D3006 - ICP-MS Extraction

**Matrix Spike (B4D3006-MS1) Continued Source: 4042941-19** Prepared & Analyzed: 04/30/24

Lead	10.9	0.174	ng/m <sup>3</sup> Air	11.266	0.451	93.1	80-120			
Manganese	21.7	1.54	ng/m <sup>3</sup> Air	6.7597	14.6	105	80-120			
Molybdenum	3.27	0.292	ng/m <sup>3</sup> Air	1.1266	2.30	86.1	80-120			
Nickel	4.41	0.531	ng/m <sup>3</sup> Air	2.2532	2.00	107	80-120			
Selenium	2.17	0.00730	ng/m <sup>3</sup> Air	2.2532	0.167	88.8	80-120			
Thallium	0.107	4.80E-4	ng/m <sup>3</sup> Air	0.11266	0.00258	93.1	80-120			
Vanadium	3.76	0.0431	ng/m <sup>3</sup> Air	2.2532	1.43	103	80-120			
Zinc	96.8	62.6	ng/m <sup>3</sup> Air	67.597	ND	143	80-120			

**Matrix Spike (B4D3006-MS2)** Source: 4042941-02 Prepared & Analyzed: 04/30/24

Antimony	0.769	0.0306	ng/m <sup>3</sup> Air	1.0947	0.185	53.4	80-120			SL
Arsenic	2.31	0.00742	ng/m <sup>3</sup> Air	2.1894	0.284	92.5	80-120			
Barium	26.3	0.847	ng/m <sup>3</sup> Air	21.894	5.45	95.0	80-120			QB-01
Beryllium	1.05	0.00253	ng/m <sup>3</sup> Air	1.0947	0.0126	94.3	80-120			
Cadmium	1.08	0.0587	ng/m <sup>3</sup> Air	1.0947	ND	98.3	80-120			
Chromium	14.5	1.75	ng/m <sup>3</sup> Air	10.947	2.16	113	80-120			
Cobalt	1.55	0.0345	ng/m <sup>3</sup> Air	1.0947	0.377	107	80-120			
Copper	60.9	2.08	ng/m <sup>3</sup> Air	21.894	35.3	117	80-120			
Lead	11.0	0.169	ng/m <sup>3</sup> Air	10.947	1.07	91.0	80-120			
Manganese	19.1	1.50	ng/m <sup>3</sup> Air	6.5681	12.1	107	80-120			
Molybdenum	2.36	0.284	ng/m <sup>3</sup> Air	1.0947	1.47	81.5	80-120			
Nickel	3.81	0.516	ng/m <sup>3</sup> Air	2.1894	1.45	108	80-120			
Selenium	2.05	0.00709	ng/m <sup>3</sup> Air	2.1894	0.166	86.0	80-120			
Thallium	0.0998	4.66E-4	ng/m <sup>3</sup> Air	0.10947	9.82E-4	90.3	80-120			
Vanadium	3.51	0.0419	ng/m <sup>3</sup> Air	2.1894	1.16	107	80-120			
Zinc	112	60.8	ng/m <sup>3</sup> Air	65.681	ND	170	80-120			

**Matrix Spike (B4D3006-MS3)** Source: 4042941-19R Prepared: 04/30/24 Analyzed: 05/01/24

Antimony	0.643	0.0314	ng/m <sup>3</sup> Air	1.1266	0.0640	51.4	80-120			SL
Arsenic	2.69	0.00763	ng/m <sup>3</sup> Air	2.2532	0.653	90.6	80-120			
Barium	24.9	0.872	ng/m <sup>3</sup> Air	22.532	3.78	93.6	80-120			QB-01
Beryllium	1.08	0.00261	ng/m <sup>3</sup> Air	1.1266	0.0135	94.8	80-120			
Cadmium	1.12	0.0604	ng/m <sup>3</sup> Air	1.1266	ND	99.1	80-120			
Chromium	14.8	1.80	ng/m <sup>3</sup> Air	11.266	2.58	108	80-120			
Cobalt	1.74	0.0355	ng/m <sup>3</sup> Air	1.1266	0.558	105	80-120			
Copper	96.9	2.14	ng/m <sup>3</sup> Air	22.532	70.7	116	80-120			
Lead	11.0	0.174	ng/m <sup>3</sup> Air	11.266	0.452	93.3	80-120			
Manganese	21.6	1.54	ng/m <sup>3</sup> Air	6.7597	14.4	107	80-120			
Molybdenum	3.30	0.292	ng/m <sup>3</sup> Air	1.1266	2.33	86.2	80-120			
Nickel	4.38	0.531	ng/m <sup>3</sup> Air	2.2532	1.99	106	80-120			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

ATTN: Ms. Chelsea Saber

PHONE: (703) 885-5495 FAX:

## CERTIFICATE OF ANALYSIS

FILE #: 4205.00.003.001

REPORTED: 05/08/24 13:25

SUBMITTED: 04/29/24

AQS SITE CODE:

SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Inorganics by Compendium Method IO-3.5 - Quality Control**

Batch B4D3006 - ICP-MS Extraction

**Matrix Spike (B4D3006-MS3) Continued Source: 4042941-19R Prepared: 04/30/24 Analyzed: 05/01/24**

Selenium	2.17	0.00730	ng/m <sup>3</sup> Air	2.2532	0.171	88.5	80-120			
Thallium	0.105	4.80E-4	ng/m <sup>3</sup> Air	0.11266	0.00256	91.4	80-120			
Vanadium	3.62	0.0431	ng/m <sup>3</sup> Air	2.2532	1.37	100	80-120			
Zinc	97.5	62.6	ng/m <sup>3</sup> Air	67.597	ND	144	80-120			

**Matrix Spike Dup (B4D3006-MSD1) Source: 4042941-19 Prepared & Analyzed: 04/30/24**

Antimony	0.636	0.0314	ng/m <sup>3</sup> Air	1.1266	0.0636	50.8	80-120	1.05	20	SL
Arsenic	2.64	0.00763	ng/m <sup>3</sup> Air	2.2532	0.662	87.6	80-120	2.52	20	
Barium	25.1	0.872	ng/m <sup>3</sup> Air	22.532	3.84	94.3	80-120	1.43	20	QB-01
Beryllium	1.09	0.00261	ng/m <sup>3</sup> Air	1.1266	0.0140	95.1	80-120	0.533	20	
Cadmium	1.10	0.0604	ng/m <sup>3</sup> Air	1.1266	ND	97.9	80-120	0.162	20	
Chromium	14.8	1.80	ng/m <sup>3</sup> Air	11.266	2.65	108	80-120	0.683	20	
Cobalt	1.75	0.0355	ng/m <sup>3</sup> Air	1.1266	0.563	106	80-120	0.0431	20	
Copper	99.8	2.14	ng/m <sup>3</sup> Air	22.532	70.3	131	80-120	2.39	20	QM-07
Lead	10.9	0.174	ng/m <sup>3</sup> Air	11.266	0.451	92.6	80-120	0.530	20	
Manganese	21.9	1.54	ng/m <sup>3</sup> Air	6.7597	14.6	108	80-120	1.14	20	
Molybdenum	3.37	0.292	ng/m <sup>3</sup> Air	1.1266	2.30	95.3	80-120	3.13	20	
Nickel	4.39	0.531	ng/m <sup>3</sup> Air	2.2532	2.00	106	80-120	0.517	20	
Selenium	2.16	0.00730	ng/m <sup>3</sup> Air	2.2532	0.167	88.3	80-120	0.465	20	
Thallium	0.107	4.80E-4	ng/m <sup>3</sup> Air	0.11266	0.00258	93.0	80-120	0.0937	20	
Vanadium	3.74	0.0431	ng/m <sup>3</sup> Air	2.2532	1.43	102	80-120	0.493	20	
Zinc	101	62.6	ng/m <sup>3</sup> Air	67.597	ND	149	80-120	3.73	20	

**Matrix Spike Dup (B4D3006-MSD2) Source: 4042941-02 Prepared & Analyzed: 04/30/24**

Antimony	0.792	0.0306	ng/m <sup>3</sup> Air	1.0947	0.185	55.5	80-120	2.94	20	SL
Arsenic	2.33	0.00742	ng/m <sup>3</sup> Air	2.1894	0.284	93.6	80-120	1.02	20	
Barium	26.5	0.847	ng/m <sup>3</sup> Air	21.894	5.45	96.3	80-120	1.08	20	QB-01
Beryllium	1.08	0.00253	ng/m <sup>3</sup> Air	1.0947	0.0126	97.7	80-120	3.44	20	
Cadmium	1.06	0.0587	ng/m <sup>3</sup> Air	1.0947	ND	96.9	80-120	1.45	20	
Chromium	15.0	1.75	ng/m <sup>3</sup> Air	10.947	2.16	118	80-120	3.77	20	
Cobalt	1.58	0.0345	ng/m <sup>3</sup> Air	1.0947	0.377	110	80-120	2.53	20	
Copper	62.8	2.08	ng/m <sup>3</sup> Air	21.894	35.3	126	80-120	3.11	20	QM-07
Lead	11.2	0.169	ng/m <sup>3</sup> Air	10.947	1.07	92.7	80-120	1.65	20	
Manganese	19.6	1.50	ng/m <sup>3</sup> Air	6.5681	12.1	114	80-120	2.53	20	
Molybdenum	2.47	0.284	ng/m <sup>3</sup> Air	1.0947	1.47	91.8	80-120	4.64	20	
Nickel	3.97	0.516	ng/m <sup>3</sup> Air	2.1894	1.45	115	80-120	4.05	20	
Selenium	2.11	0.00709	ng/m <sup>3</sup> Air	2.1894	0.166	88.9	80-120	3.05	20	
Thallium	0.102	4.66E-4	ng/m <sup>3</sup> Air	0.10947	9.82E-4	92.1	80-120	2.02	20	
Vanadium	3.61	0.0419	ng/m <sup>3</sup> Air	2.1894	1.16	112	80-120	2.92	20	
Zinc	108	60.8	ng/m <sup>3</sup> Air	65.681	ND	165	80-120	3.50	20	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

ATTN: Ms. Chelsea Saber

PHONE: (703) 885-5495 FAX:

## CERTIFICATE OF ANALYSIS

FILE #: 4205.00.003.001

REPORTED: 05/08/24 13:25

SUBMITTED: 04/29/24

AQS SITE CODE:

SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Inorganics by Compendium Method IO-3.5 - Quality Control**

Batch B4D3006 - ICP-MS Extraction

**Matrix Spike Dup (B4D3006-MSD3)****Source: 4042941-19R**

Prepared: 04/30/24

Analyzed: 05/01/24

Antimony	0.632	0.0314	ng/m <sup>3</sup> Air	1.1266	0.0640	50.4	80-120	1.69	20
Arsenic	2.62	0.00763	ng/m <sup>3</sup> Air	2.2532	0.653	87.4	80-120	2.70	20
Barium	24.5	0.872	ng/m <sup>3</sup> Air	22.532	3.78	92.1	80-120	1.34	20
Beryllium	1.08	0.00261	ng/m <sup>3</sup> Air	1.1266	0.0135	94.9	80-120	0.0577	20
Cadmium	1.09	0.0604	ng/m <sup>3</sup> Air	1.1266	ND	97.1	80-120	2.00	20
Chromium	14.8	1.80	ng/m <sup>3</sup> Air	11.266	2.58	108	80-120	0.0652	20
Cobalt	1.74	0.0355	ng/m <sup>3</sup> Air	1.1266	0.558	105	80-120	0.00880	20
Copper	99.7	2.14	ng/m <sup>3</sup> Air	22.532	70.7	128	80-120	2.88	20
Lead	11.0	0.174	ng/m <sup>3</sup> Air	11.266	0.452	93.3	80-120	0.0293	20
Manganese	21.9	1.54	ng/m <sup>3</sup> Air	6.7597	14.4	110	80-120	1.03	20
Molybdenum	3.42	0.292	ng/m <sup>3</sup> Air	1.1266	2.33	96.3	80-120	3.39	20
Nickel	4.35	0.531	ng/m <sup>3</sup> Air	2.2532	1.99	105	80-120	0.871	20
Selenium	2.16	0.00730	ng/m <sup>3</sup> Air	2.2532	0.171	88.2	80-120	0.324	20
Thallium	0.105	4.80E-4	ng/m <sup>3</sup> Air	0.11266	0.00256	90.8	80-120	0.647	20
Vanadium	3.63	0.0431	ng/m <sup>3</sup> Air	2.2532	1.37	100	80-120	0.231	20
Zinc	102	62.6	ng/m <sup>3</sup> Air	67.597	ND	151	80-120	4.64	20

**Post Spike (B4D3006-PS1)****Source: 4042941-19**

Prepared &amp; Analyzed: 04/30/24

Antimony	0.286	0.0314	ng/m <sup>3</sup> Air	0.22532	0.0636	98.5	75-125		SL
Arsenic	1.73	0.00763	ng/m <sup>3</sup> Air	1.1266	0.662	94.9	75-125		
Barium	5.98	0.872	ng/m <sup>3</sup> Air	2.2532	3.84	94.8	75-125		QB-01
Beryllium	0.236	0.00261	ng/m <sup>3</sup> Air	0.22532	0.0140	98.6	75-125		
Cadmium	0.123	0.0604	ng/m <sup>3</sup> Air	0.11266	ND	110	75-125		
Chromium	4.07	1.80	ng/m <sup>3</sup> Air	1.1266	2.65	125	75-125		PS-01
Cobalt	0.828	0.0355	ng/m <sup>3</sup> Air	0.22532	0.563	118	75-125		
Copper	85.6	2.14	ng/m <sup>3</sup> Air	11.266	70.3	135	75-125		A-01
Lead	21.5	0.174	ng/m <sup>3</sup> Air	22.532	0.451	93.5	75-125		
Manganese	17.8	1.54	ng/m <sup>3</sup> Air	2.2532	14.6	141	75-125		A-01
Molybdenum	3.19	0.292	ng/m <sup>3</sup> Air	1.1266	2.30	79.2	75-125		
Nickel	4.55	0.531	ng/m <sup>3</sup> Air	2.2532	2.00	113	75-125		
Selenium	1.18	0.00730	ng/m <sup>3</sup> Air	1.1266	0.167	90.1	75-125		
Thallium	0.0563	4.80E-4	ng/m <sup>3</sup> Air	5.6331E-2	0.00258	95.3	75-125		
Vanadium	2.70	0.0431	ng/m <sup>3</sup> Air	1.1266	1.43	113	75-125		
Zinc	ND	62.6	ng/m <sup>3</sup> Air	22.532	ND	75-125			U

**Post Spike (B4D3006-PS2)****Source: 4042941-02**

Prepared &amp; Analyzed: 04/30/24

Antimony	0.406	0.0306	ng/m <sup>3</sup> Air	0.21894	0.185	101	75-125		SL
Arsenic	1.33	0.00742	ng/m <sup>3</sup> Air	1.0947	0.284	95.7	75-125		
Barium	7.62	0.847	ng/m <sup>3</sup> Air	2.1894	5.45	99.3	75-125		QB-01
Beryllium	0.230	0.00253	ng/m <sup>3</sup> Air	0.21894	0.0126	99.3	75-125		

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

ATTN: Ms. Chelsea Saber

PHONE: (703) 885-5495 FAX:

## CERTIFICATE OF ANALYSIS

FILE #: 4205.00.003.001

REPORTED: 05/08/24 13:25

SUBMITTED: 04/29/24

AQS SITE CODE:

SITE CODE: Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Inorganics by Compendium Method IO-3.5 - Quality Control**

Batch B4D3006 - ICP-MS Extraction

**Post Spike (B4D3006-PS2) Continued      Source: 4042941-02      Prepared & Analyzed: 04/30/24**

Cadmium	0.121	0.0587	ng/m <sup>3</sup> Air	0.10947	ND	111	75-125			
Chromium	3.48	1.75	ng/m <sup>3</sup> Air	1.0947	2.16	120	75-125			
Cobalt	0.620	0.0345	ng/m <sup>3</sup> Air	0.21894	0.377	111	75-125			
Copper	48.1	2.08	ng/m <sup>3</sup> Air	10.947	35.3	116	75-125			
Lead	21.6	0.169	ng/m <sup>3</sup> Air	21.894	1.07	93.6	75-125			
Manganese	14.7	1.50	ng/m <sup>3</sup> Air	2.1894	12.1	121	75-125			
Molybdenum	2.39	0.284	ng/m <sup>3</sup> Air	1.0947	1.47	84.3	75-125			
Nickel	3.84	0.516	ng/m <sup>3</sup> Air	2.1894	1.45	109	75-125			
Selenium	1.15	0.00709	ng/m <sup>3</sup> Air	1.0947	0.166	89.6	75-125			
Thallium	0.0539	4.66E-4	ng/m <sup>3</sup> Air	5.4734E-2	9.82E-4	96.7	75-125			
Vanadium	2.40	0.0419	ng/m <sup>3</sup> Air	1.0947	1.16	114	75-125			
Zinc	66.5	60.8	ng/m <sup>3</sup> Air	21.894	ND	304	75-125			

**Post Spike (B4D3006-PS3)      Source: 4042941-19R      Prepared: 04/30/24      Analyzed: 05/01/24**

Antimony	0.291	0.0314	ng/m <sup>3</sup> Air	0.22532	0.0640	101	75-125			
Arsenic	1.73	0.00763	ng/m <sup>3</sup> Air	1.1266	0.653	95.9	75-125			
Barium	5.94	0.872	ng/m <sup>3</sup> Air	2.2532	3.78	96.0	75-125			
Beryllium	0.237	0.00261	ng/m <sup>3</sup> Air	0.22532	0.0135	99.2	75-125			
Cadmium	0.125	0.0604	ng/m <sup>3</sup> Air	0.11266	ND	111	75-125			
Chromium	3.99	1.80	ng/m <sup>3</sup> Air	1.1266	2.58	125	75-125			
Cobalt	0.821	0.0355	ng/m <sup>3</sup> Air	0.22532	0.558	117	75-125			
Copper	85.5	2.14	ng/m <sup>3</sup> Air	11.266	70.7	131	75-125			
Lead	22.2	0.174	ng/m <sup>3</sup> Air	22.532	0.452	96.4	75-125			
Manganese	17.7	1.54	ng/m <sup>3</sup> Air	2.2532	14.4	146	75-125			
Molybdenum	3.30	0.292	ng/m <sup>3</sup> Air	1.1266	2.33	86.1	75-125			
Nickel	4.41	0.531	ng/m <sup>3</sup> Air	2.2532	1.99	108	75-125			
Selenium	1.21	0.00730	ng/m <sup>3</sup> Air	1.1266	0.171	92.2	75-125			
Thallium	0.0569	4.80E-4	ng/m <sup>3</sup> Air	5.6331E-2	0.00256	96.5	75-125			
Vanadium	2.65	0.0431	ng/m <sup>3</sup> Air	1.1266	1.37	113	75-125			
Zinc	ND	62.6	ng/m <sup>3</sup> Air	22.532	ND	75-125				U

**Dilution Check (B4D3006-SRL1)      Source: 4042941-19      Prepared & Analyzed: 04/30/24**

Antimony	ND	0.157	ng/m <sup>3</sup> Air	ND		10	SL, U			
Arsenic	0.672	0.0382	ng/m <sup>3</sup> Air	0.662		1.51	10			
Barium	ND	4.36	ng/m <sup>3</sup> Air	ND			QB-01, U			
Beryllium	0.0151	0.0130	ng/m <sup>3</sup> Air	0.0140		7.11	10			
Cadmium	ND	0.302	ng/m <sup>3</sup> Air	ND			10	U		
Chromium	ND	9.00	ng/m <sup>3</sup> Air	ND			10	U		
Cobalt	0.595	0.178	ng/m <sup>3</sup> Air	0.563		5.61	10			
Copper	74.7	10.7	ng/m <sup>3</sup> Air	70.3		6.02	10			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber**PHONE:** (703) 885-5495    **FAX:**

# CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001**REPORTED:** 05/08/24 13:25**SUBMITTED:** 04/29/24**AQS SITE CODE:****SITE CODE:** Lahaina fires

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Inorganics by Compendium Method IO-3.5 - Quality Control***Batch B4D3006 - ICP-MS Extraction***Dilution Check (B4D3006-SRL1) Continue** **Source: 4042941-19**      Prepared & Analyzed: 04/30/24

Lead	ND	0.872	ng/m <sup>3</sup> Air	ND				10	U
Manganese	15.7	7.70	ng/m <sup>3</sup> Air	14.6			7.02	10	
Molybdenum	2.61	1.46	ng/m <sup>3</sup> Air	2.30			12.6	10	
Nickel	ND	2.66	ng/m <sup>3</sup> Air	ND			10	U	
Selenium	0.179	0.0365	ng/m <sup>3</sup> Air	0.167			6.97	10	
Thallium	0.00345	0.00240	ng/m <sup>3</sup> Air	0.00258			28.9	10	
Vanadium	1.48	0.215	ng/m <sup>3</sup> Air	1.43			3.15	10	
Zinc	ND	313	ng/m <sup>3</sup> Air	ND			10	U	

**Dilution Check (B4D3006-SRL2)**      **Source: 4042941-02**      Prepared & Analyzed: 04/30/24

Antimony	0.179	0.153	ng/m <sup>3</sup> Air	0.185		3.14	10	SL
Arsenic	0.296	0.0371	ng/m <sup>3</sup> Air	0.284		3.90	10	
Barium	5.53	4.23	ng/m <sup>3</sup> Air	5.45		1.40	10	QB-01
Beryllium	ND	0.0127	ng/m <sup>3</sup> Air	ND		10	U	
Cadmium	ND	0.293	ng/m <sup>3</sup> Air	ND		10	U	
Chromium	ND	8.75	ng/m <sup>3</sup> Air	ND		10	U	
Cobalt	0.390	0.173	ng/m <sup>3</sup> Air	0.377		3.43	10	
Copper	37.2	10.4	ng/m <sup>3</sup> Air	35.3		5.05	10	
Lead	1.11	0.847	ng/m <sup>3</sup> Air	1.07		3.44	10	
Manganese	12.5	7.48	ng/m <sup>3</sup> Air	12.1		3.37	10	
Molybdenum	1.60	1.42	ng/m <sup>3</sup> Air	1.47		8.63	10	
Nickel	ND	2.58	ng/m <sup>3</sup> Air	ND		10	U	
Selenium	0.188	0.0355	ng/m <sup>3</sup> Air	0.166		11.9	10	
Thallium	ND	0.00233	ng/m <sup>3</sup> Air	ND		10	U	
Vanadium	1.16	0.209	ng/m <sup>3</sup> Air	1.16		0.516	10	
Zinc	ND	304	ng/m <sup>3</sup> Air	ND		10	U	



Tetra Tech, Inc.

1777 Sentry Pkwy, Bldg 12

Blue Bell, PA 19422

**ATTN:** Ms. Chelsea Saber

**PHONE:** (703) 885-5495    **FAX:**

## CERTIFICATE OF ANALYSIS

**FILE #:** 4205.00.003.001

**REPORTED:** 05/08/24 13:25

**SUBMITTED:** 04/29/24

**AQS SITE CODE:**

**SITE CODE:** Lahaina fires

### Notes and Definitions

U	Under Detection Limit
SL	The spike recovery was outside acceptance limits. Reported value may be biased low.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD.
QB-01	Analyte exceeds method blank criteria
PS-01	Post Spike exceeds DQO criteria.
FB-01	Analyte exceeds Field Blank criteria.
A-01	Parent sample >4x post spike amount
ND	Analyte NOT DETECTED
NR	Not Reported
MDL	Method Detection Limit
RPD	Relative Percent Difference

Note: This test is accredited under the 2016 TNI Standard.

**Stage 1 Data Verification Checklist – Metals**  
**HDOH CAB – Ambient Community Air Sampling – Lahaina**  
**Task Order No. 23141**

Reviewed by:

Kierra Johnson 05/09/2024 and Shanna Vasser 05/10/2024

Laboratory: Eastern Research Group – Morrisville, NC

Collection date(s): 04/15/2024 and 04/18/2024 – 04/24/2024

Report No: 4042941

- 1. Chain of custody (CoC) documentation is present.
- 2. Sample receipt condition information is present and acceptable.
- 3. Laboratory conducting the analysis is identified.
- 4. All samples submitted to the laboratory are accounted for.
- 5. Requested analytical methods were performed.
- 6. Analysis dates are provided.
- 7. Analyte results are provided.
- 8. Result qualifiers and definitions are provided.
- 9. Result units are reported.
- 10. Requested reporting limits are present.
- 11. Method detection limits are present.
- 12. Sample collection date and time are present.
- 13. No detections in field QC blanks (lot/media blanks, field blanks, etc).

Discrepancies:

- 13. Field blank detections above the method detection limit were reported for barium in MFL-FB01-041924-HM and MFL-FB01-042124-HM.

Notes:

- 1. Samples MFL-AM04-042424-HM and MFL-AM02-041524-HM had sample volumes below the acceptance criteria.