

Evaluation of Environmental Hazards at Sites with Contaminated Soil and Groundwater

Volume 2: Background Documentation for the Development of Tier 1 Environmental Action Levels

Appendix 1: Detailed Lookup Tables

Hawai'i Edition

Prepared by:

**Hawai'i Department of Health
Environmental Management Division
2385 Waimano Home Road #100
Pearl City, Hawai'i 96872**

Spring 2024 (updated 7/10/24)

(refer to Appendix 9 and Updates worksheet in EAL Surfer for summary of most recent updates)

Contacts:

Roger Brewer
Hawai'i Department of Health
Environmental Management Division
Hazard Evaluation and Emergency Response
Telephone: 1-808-586-4249
E-mail: roger.brewer@doh.hawaii.gov
<https://health.hawaii.gov/heer/guidance/ehe-and-eals/>

OR

Roxanne Kwan
Hawai'i Department of Health
Environmental Management Division
Solid and Hazard Waste Branch
Telephone: 1-808-586-4226
E-mail: roxanne.kwan@doh.hawaii.gov

DISCLAIMER

This document, *Evaluation of Environmental Hazards at Sites with Contaminated Soil and Groundwater* (Spring 2024), is a technical report prepared by staff of the Hawai'i Department of Health (HDOH), Environmental Management Division. The document updates and replaces the Fall 2017 edition. A summary of the Spring 2024 updates is provided in Appendix 9.

The document provides guidance for identification and evaluation of environmental hazards associated with contaminated soil and groundwater. The Environmental Action Levels (EALs) presented in this document and the accompanying text are specifically *not* intended to serve as: 1) a stand-alone decision making tool, 2) guidance for the preparation of a baseline environmental risk assessment, 3) a rule to determine if a waste is hazardous under the state or federal regulations, or 4) a rule to determine when the release of hazardous substances must be reported to the HDOH.

The information presented in this document is not final action. HDOH reserves the right to change this information at any time without public notice. This document is not intended, nor can it be relied upon, to create any rights enforceable by any party in litigation in areas associated with HDOH. HDOH may elect to follow the information provided herein or act at a variance with the information, based on an analysis of site-specific circumstances.

This document will be periodically updated. Please send comments, edits, etc. in writing to the above contacts. This document is not copyrighted. Copies may be freely made and distributed. It is cautioned, however, that reference to the action levels presented in this document without adequate review of the accompanying narrative could result in misinterpretation and misuse of the information.

VOLUME 2: BACKGROUND DOCUMENTATION FOR THE DEVELOPMENT OF TIER 1 SOIL AND GROUNDWATER ACTION LEVELS

APPENDICES

- 1 DEVELOPMENT OF TIER 1 LOOKUP TABLES
- 2 SUMMARY OF HUMAN HEALTH RISK-BASED EQUATIONS AND DEFAULT INPUT PARAMETER VALUES; USEPA REGIONAL SCREENING LEVELS USER'S GUIDE (NOVEMBER 2023)
- 3 RELEVANT PORTIONS OF *USER'S GUIDE FOR THE JOHNSON AND ETTINGER (1991) MODEL FOR SUBSURFACE VAPOR INTRUSION INTO BUILDINGS*; SENSITIVITY ANALYSIS OF *JOHNSON AND ETTINGER (1991) MODEL*
- 4 EXAMPLE PRINTOUTS OF VAPOR INTRUSION MODELS
- 5 DEVELOPMENT OF SOIL LEACHING SCREENING LEVELS
- 6 DEVELOPMENT OF CARBON RANGE AND TOTAL PETROLEUM HYDROCARBON RISK-BASED ACTION LEVELS
- 7 DETERMINATION OF GROUNDWATER UTILITY (HDOH 1995)
- 8 SUPPLEMENTAL HDOH TECHNICAL GUIDANCE DOCUMENTS
- 9 UPDATES TO 2017 EHE GUIDANCE DOCUMENT

GLOSSARY OF TERMS

AWQC: Aquatic Water Quality Criteria
CCC: Criterion for Continuous Concentration
CCM: Criterion for Maximum Concentration
EPA: Environmental Protection Agency
ESL: Environmental Screening Level
FVC: Final Chronic Value
HIDOH: Hawai'i Department of Health
HH: Human Health-consumption of aquatic organisms
LOEL: Lowest-Observed-Effects Level
MADEP: Massachusetts Department of Environmental Protection
MCL: Maximum Concentration Level
MOEE: Ontario Ministry of Environment and Energy
MTBE: Methyl tert-Butyl Ethylene
PCE: Tetrachloroethylene
PRG: Preliminary Remediation Goals
RBSL: Risk-Based Screening Level
RSL: Regional Screening Level
RWQCB: Regional Water Quality Control Board
TPH: Total Petroleum Hydrocarbons
USEPA: U.S. Environmental Protection Agency
USDOE: U.S. Department of Energy

APPENDIX 1

DEVELOPMENT OF TIER 1 LOOKUP TABLES

[Refer to Appendix 9 for summary of most recent updates]

APPENDIX 1

DEVELOPMENT OF TIER 1 LOOKUP TABLES

Table of Contents

1	DEVELOPMENT OF TIER 1 LOOKUP TABLES.....	1-1
1.1	INTRODUCTION.....	1-1
1.2	EXAMPLE SELECTION OF TIER 1 EALS FOR TETRACHLOROETHYLENE.....	1-3
1.3	TOXICITY FACTORS AND PHYSIOCHEMICAL CONSTANTS.....	1-4
1.4	CUMULATIVE RISK VS TARGET ACTION LEVEL.....	1-6
2	BACKGROUND AND USE OF VAPOR INTRUSION MODELS.....	2-1
2.1	BACKGROUND.....	2-1
2.2	VAPOR INTRUSION MODEL PARAMETERS.....	2-1
2.2.1	<i>Target Risks.....</i>	<i>2-2</i>
2.2.2	<i>Assumed Building Parameters.....</i>	<i>2-2</i>
2.2.3	<i>Assumed Vapor Entry Rate.....</i>	<i>2-2</i>
2.2.4	<i>Assumed Indoor Air:Subslab Soil Vapor Attenuation Factors.....</i>	<i>2-3</i>
3	INDOOR AIR AND SOIL VAPOR ACTION LEVELS.....	3-5
3.1	INTRODUCTION.....	3-5
3.2	INDOOR AIR ACTION LEVELS.....	3-5
3.3	SOIL VAPOR ACTION LEVELS.....	3-6
4	SOIL ACTION LEVELS.....	4-1
4.1	INTRODUCTION – SELECTION OF TIER 1 SOIL EALS.....	4-1
4.2	SOIL ACTION LEVELS FOR DIRECT-EXPOSURE CONCERNS.....	4-1
4.2.1	<i>Direct Exposure Models and Assumptions.....</i>	<i>4-1</i>
4.2.2	<i>Target Risks.....</i>	<i>4-3</i>
4.2.3	<i>Exposed or Potentially Exposed Soils.....</i>	<i>4-7</i>
4.2.4	<i>Isolated Soils.....</i>	<i>4-8</i>
4.2.5	<i>Soil Saturation Levels.....</i>	<i>4-8</i>
4.3	SOIL ACTION LEVELS FOR POTENTIAL VAPOR INTRUSION CONCERNS.....	4-10
4.4	SOIL ACTION LEVELS FOR LEACHING HAZARDS.....	4-12
4.4.1	<i>Default Soil Leaching Model.....</i>	<i>4-12</i>
4.4.2	<i>Soil Vapor Screening Levels for Groundwater Protection.....</i>	<i>4-16</i>
4.5	SOIL CEILING LEVELS FOR GROSS CONTAMINATION CONCERNS.....	4-18
4.6	SOIL ACTION LEVELS FOR TERRESTRIAL ECOTOXICITY.....	4-19
5	GROUNDWATER AND SURFACE WATER ACTION LEVELS.....	5-1
5.1	INTRODUCTION.....	5-1
5.2	ACTION LEVELS FOR DRINKING WATER (TOXICITY).....	5-2
5.3	ACTION LEVELS FOR AQUATIC HABITAT PROTECTION.....	5-3
5.3.1	<i>Basis of Action Levels.....</i>	<i>5-3</i>
5.3.2	<i>Surface Water Aquatic Habitat Goals.....</i>	<i>5-3</i>
5.3.3	<i>Groundwater Action levels for Aquatic Habitat Impacts.....</i>	<i>5-4</i>
5.4	GROUNDWATER ACTION LEVELS FOR POTENTIAL VAPOR INTRUSION CONCERNS.....	5-5
5.4.1	<i>Vapor Intrusion Model Parameters.....</i>	<i>5-5</i>
5.4.2	<i>Adjustment of Action levels.....</i>	<i>5-7</i>
5.5	WATER CEILING LEVELS FOR GROSS CONTAMINATION CONCERNS.....	5-8
5.6	OTHER GROUNDWATER ACTION LEVELS.....	5-9

6	ACTION LEVELS FOR TPH.....	6-1
6.1	INTRODUCTION.....	6-1
6.2	CARBON RANGE PHYSICOCHEMICAL CONSTANTS.....	6-3
6.3	CARBON RANGE MAKEUP OF FUELS, FUEL VAPORS AND DISSOLVED FUEL IN WATER	6-4
6.3.1	<i>Gasolines</i>	6-4
6.3.2	<i>Middle Distillates</i>	6-6
6.3.3	<i>Residual Fuels Distillates</i>	6-9
6.4	CALCULATION OF CARBON RANGE-WEIGHTED TPH TOXICITY FACTORS	6-10
6.5	TPH ACTION LEVELS FOR INDOOR AIR AND SOIL VAPOR.....	6-11
6.6	TPH ACTION LEVELS FOR SOIL.....	6-13
6.6.1	<i>TPH (gasolines, middle distillates)</i>	6-13
6.6.2	<i>TPH (residual fuels)</i>	6-13
6.7	TPH ACTION LEVELS FOR GROUNDWATER	6-15
6.7.1	<i>TPH Action Levels for Non-Degraded Plumes</i>	6-15
6.7.2	<i>TPH Action Levels for Partially Degraded Plumes</i>	6-16
6.8	COMPARISON OF TPH ACTION LEVELS TO WATER SAMPLE DATA	6-18
6.9	ADDITIONAL TARGET INDICATOR COMPOUNDS	6-20
6.10	ETHANOL	6-21
7	OTHER ISSUES.....	7-1
7.1	BACKGROUND CONCENTRATIONS	7-1
7.2	LABORATORY REPORTING LEVELS.....	7-2
7.3	REPORTING OF SOIL DATA	7-2
7.4	ADDITIONAL SOIL PARAMETERS	7-3
7.5	DEGRADATION TO DAUGHTER PRODUCTS.....	7-3
8	REFERENCES	8-1

FIGURES

Figure 1. Summary of Environmental Hazards Considered in Action Levels.

Figure 2 Summary of Individual Action Levels used to Select Final, Tier 1 EALs or Tetrachloroethylene.

Figure 3. Fuel types versus Carbon Range Composition.

TABLES

Table 4-1. Alternative target risk levels used to calculate action levels for select chemicals.

Table 5-1. Environmental concerns considered in groundwater action levels.

Table 6-1. Target analytes for petroleum contaminated media.

Table 6-2. Physiochemical constants and toxicity factors for BTEXMN and TPH carbon ranges.

Table 6-3. Measured BTEXMN and carbon range makeup of TPH in petroleum fuels (after Newfields 2022).

Table 6-4a. Default relative carbon range makeup of neat petroleum fuel categories in terms of toxicity-based carbon ranges.

Table 6-4b. Default carbon range makeup of TPH in petroleum fuel vapors.

Table 6-4c. Default relative carbon range makeup of dissolved-phase TPH in water.

Table 6-5. Selected toxicity factors of for individual carbon range fractions.

Table 6-6a. Weighted TPH toxicity factors for fuels and fuel vapors.

Table 6-6b. Weighted TPH toxicity factors for dissolved-phase fuels in consideration of degradation state and progressively increasing oxidation and decreasing volatility of plume (0% oxidation/50% oxidation/100% oxidation).

Table 6-6c. Toxicity-based, drinking water (tapwater) action levels for TPH associated with different fuel categories in consideration of oxidation state and volatility of plume.

DETAILED ACTION LEVEL TABLES

- A-1. SOIL ACTION LEVELS (POTENTIALLY IMPACTED GROUNDWATER IS A CURRENT OR POTENTIAL DRINKING WATER RESOURCE; SURFACE WATER BODY IS NOT LOCATED WITHIN 150M OF RELEASE SITE)
- A-2. SOIL ACTION LEVELS (POTENTIALLY IMPACTED GROUNDWATER IS A CURRENT OR POTENTIAL DRINKING WATER RESOURCE; SURFACE WATER BODY IS LOCATED WITHIN 150M OF RELEASE SITE)
- B-1. SOIL ACTION LEVELS (POTENTIALLY IMPACTED GROUNDWATER IS NOT A CURRENT OR POTENTIAL DRINKING WATER RESOURCE; SURFACE WATER BODY IS NOT LOCATED WITHIN 150M OF RELEASE SITE)
- B-2. SOIL ACTION LEVELS (POTENTIALLY IMPACTED GROUNDWATER IS NOT A CURRENT OR POTENTIAL DRINKING WATER RESOURCE; SURFACE WATER BODY IS LOCATED WITHIN 150M OF RELEASE SITE)
- C-1A. GROUNDWATER ACTION LEVELS FOR EVALUATION OF POTENTIAL VAPOR INTRUSION HAZARDS (VOLATILE CHEMICALS ONLY)
- C-1B. SOIL ACTION LEVELS FOR EVALUATION OF POTENTIAL VAPOR INTRUSION HAZARDS (VOLATILE CHEMICALS ONLY)
- C-2. SHALLOW SOIL VAPOR ACTION LEVELS FOR EVALUATION OF POTENTIAL VAPOR INTRUSION HAZARDS (VOLATILE CHEMICALS ONLY)
- C-3. INDOOR AIR ACTION LEVELS (VOLATILE CHEMICALS ONLY)
- D-1A. GROUNDWATER ACTION LEVELS (GROUNDWATER IS A CURRENT OR POTENTIAL DRINKING WATER RESOURCE) (SURFACE WATER BODY IS LOCATED WITHIN 150M OF RELEASE SITE)
- D-1B. GROUNDWATER ACTION LEVELS (GROUNDWATER IS A CURRENT OR POTENTIAL DRINKING WATER RESOURCE) (SURFACE WATER BODY IS NOT LOCATED WITHIN 150M OF RELEASE SITE)
- D-1C. GROUNDWATER ACTION LEVELS (GROUNDWATER IS NOT A CURRENT OR POTENTIAL DRINKING WATER RESOURCE) (SURFACE WATER BODY IS LOCATED WITHIN 150M OF RELEASE SITE)
- D-1D. GROUNDWATER ACTION LEVELS (GROUNDWATER IS NOT A CURRENT OR POTENTIAL DRINKING WATER RESOURCE) (SURFACE WATER BODY IS LOCATED WITHIN 150M OF RELEASE SITE)
- D-2A. SURFACE WATER ACTION LEVELS FRESH WATER HABITATS
- D-2B. SURFACE WATER ACTION LEVELS MARINE HABITATS
- D-2C. SURFACE WATER ACTION LEVELS ESTUARY HABITATS
- D-3A. FINAL DRINKING WATER ACTION LEVELS FOR HUMAN TOXICITY.
- D-3B. RISK-BASED ACTION LEVELS FOR TAPWATER
- D-4A. SUMMARY OF AQUATIC HABITAT GOALS
- D-4B. SUMMARY OF SELECTED CHRONIC AQUATIC HABITAT GOALS
- D-4C. SUMMARY OF SELECTED ACUTE AQUATIC HABITAT GOALS
- D-4D. SUMMARY OF HAWAII CHRONIC AND ACUTE SURFACE WATER (AQUATIC HABITAT) STANDARDS
- D-4E. SUMMARY OF USEPA AND OTHER PUBLISHED AQUATIC HABITAT GOALS
- D-4F. SURFACE WATER QUALITY STANDARDS FOR BIOACCUMULATION AND HUMAN CONSUMPTION OF AQUATIC ORGANISMS
- D-5. CALIFORNIA AGRICULTURAL WATER QUALITY GOALS
- E. SOIL ACTION LEVELS FOR LEACHING CONCERNS
- F-1. CRITERIA FOR ASSIGNMENT OF SOIL GROSS CONTAMINATION ACTION LEVELS
- F-2. GROSS CONTAMINATION ACTION LEVELS FOR EXPOSED OR POTENTIALLY EXPOSED SOIL
- F-3. GROSS CONTAMINATION ACTION LEVELS FOR DEEP OR OTHERWISE ISOLATED SOILS
- G-1. GROUNDWATER GROSS CONTAMINATION GROSS CONTAMINATION ACTION LEVELS (GROUNDWATER IS A CURRENT OR POTENTIAL SOURCE OF DRINKING WATER)
- G-2. GROUNDWATER GROSS CONTAMINATION GROSS CONTAMINATION ACTION LEVELS (GROUNDWATER IS NOT A CURRENT OR POTENTIAL SOURCE OF DRINKING WATER)
- G-3. SURFACE WATER GROSS CONTAMINATION ACTION LEVELS (SURFACE WATER IS A CURRENT OR POTENTIAL SOURCE OF DRINKING WATER)
- G-4. SURFACE WATER GROSS CONTAMINATION GROSS CONTAMINATION ACTION LEVELS (SURFACE WATER IS NOT A CURRENT OR POTENTIAL SOURCE OF DRINKING WATER)
- H. PHYSIO-CHEMICAL AND TOXICITY CONSTANTS USED IN MODELS

- I-1. DIRECT-EXPOSURE ACTION LEVELS, UNRESTRICTED LAND USE SCENARIO
- I-2. DIRECT-EXPOSURE ACTION LEVELS, COMMERCIAL/INDUSTRIAL LAND USE SCENARIO
- I-3. DIRECT-EXPOSURE ACTION LEVELS, CONSTRUCTION/TRENCH WORKER EXPOSURE SCENARIO
- J. TARGET ORGANS AND CHRONIC HEALTH EFFECTS
- K. BACKGROUND CONCENTRATIONS OF METALS IN SOIL
- L. SOIL ACTION LEVELS FOR TERRESTRIAL ECOTOXICITY CONCERNS

1 Development of Tier 1 Lookup Tables

1.1 Introduction

This appendix describes the compilation and development of action levels for contaminants in indoor air, soil vapor, soil, surface water and groundwater that was used to generate the final, Tier 1 Environmental Action Levels (Tier 1 EALs) presented in Volume 1. The action levels in general reflect guidance published by other sources that was directly referenced or modified for use in Hawai'i. Reference documents include publications of the U.S. Environmental Protection Agency (USEPA) and a number of individual states, as well as guidance from Canada and Europe.

Action levels for the following environmental concerns are presented (refer also to Figure 1):

Indoor Air and Soil Vapor:

- Protection of human health
 - Intrusion of subsurface vapors to building interiors.

Soil:

- Protection of human health
 - Direct/indirect exposure with impacted soil (ingestion, dermal absorption, inhalation of vapors and dust in outdoor air);
 - Intrusion of subsurface vapors to building interiors;
- Protection of groundwater quality (leaching of chemicals from soil);
- Protection against gross contamination concerns (free product, odors, etc.) and general resource degradation.

Groundwater:

- Protection of human health
 - Current or potential drinking water resource;
 - Intrusion of subsurface vapors to building interiors;
- Protection of aquatic habitats (discharges to surface water);
- Protection against gross contamination concerns (free product, odors, etc.) and general resource degradation.

For use in this document, the term "soil" refers to any unconsolidated material found in the subsurface, including actual soil, saprolite, sediment, fill material, etc.

Action levels are organized with respect to groundwater utility and threat to surface water bodies:

¹ GROUNDWATER UTILITY	² LOCATION OF NEAREST SURFACE WATER BODY	
	>150m From Release Site	≤ 150m From Release site
Current or Potential Source of Drinking Water	Soil: Table A-1 Groundwater: Table D-1b	Soil: Table A-2 Groundwater: Table D-1a
NOT a Current or Potential Source of Drinking Water	Soil: Table B-1 Groundwater: Table D-1d	Soil: Table B-2 Groundwater: Table D-1c

1. Based on location of site with respect to UIC line and Aquifer Identification and Classification technical reports (see Appendix 7).

2. Location of downgradient edge of release site from nearest surface water body. Use of groundwater action levels for sites <150m from a surface water body may be necessary if plume is suspected to have moved into this area.

Tables A and B summarize individual action levels compiled for soil overlying groundwater for the environmental concerns noted above. Table C summarizes soil, groundwater and soil vapor action levels compiled specifically for vapor intrusion and indoor-air impact concerns. Action levels for groundwater and surface water are summarized in the Table D series. Tables E, F, G and I summarize action levels for leaching, gross contamination and direct exposure. Table J summarizes potential chronic health effects posed by the chemicals listed. Table K summarizes background metal concentrations for soil. Table H summarizes physiochemical parameter values and toxicity factors used in models.

A common thread between contaminated soil and groundwater is the potential for the intrusion of volatile contaminants into existing or overlying homes and buildings. Chapter 2 provides a brief overview of vapor intrusion hazards and the models used to develop associated action levels. Chapter 3 discusses vapor intrusion action levels for indoor air and shallow (e.g., subslab) soil vapor. A discussion of action levels compiled for soil is then provided in Chapter 3. A detailed discussion of action levels compiled for surface water and groundwater is provided in Chapter 2.

Specific action levels developed for Total Petroleum Hydrocarbon (TPH) are discussed in Chapter 5. This includes an overview of the chemistry and toxicity of the non-specific, aliphatic and aromatic hydrocarbon compounds that make up the overwhelming majority mass of petroleum fuels and vapors associated with these fuels.

As discussed in Volume 1, analysis and evaluation of TPH in conjunction with targeted, individual petroleum compounds such as benzene is required at petroleum-release sites. Contrary to past beliefs, the combined TPH compounds will drive risk posed by petroleum

contamination at many sites, rather than individual chemicals like benzene or naphthalene. Risk is based on a combination of toxicity and mass. While benzene and naphthalene may be more toxic on a relative scale, the overwhelming mass of otherwise less toxic, non-specific, aliphatic and aromatic compounds can ultimately pose a greater risk to human health and the environment.

Other issues pertinent to the lookup tables are discussed in Chapter 7. This includes background concentrations of trace metals in soils, laboratory reporting limits, wet-weight versus dry-weight reporting of soil data, evaluation of salt-impacted soils and the consideration of degradation daughter products for some chemicals.

1.2 Example Selection of Tier 1 EALs for Tetrachloroethylene

Figure 2 illustrates the selection of final Tier 1 soil and groundwater EALs for the chemical tetrachloroethylene (PCE). The example assumes impacts to exposed or potentially exposed soils under an unrestricted (e.g., residential) land-use scenario. Groundwater immediately underlying the site is assumed to be a potential source of drinking water. A surface water body is assumed to be located within 150m of the release site. This scenario places the site under Table A-1 of the Tier 1 lookup tables (refer to Section 1.1).

The Tier 1 EAL for PCE in shallow soil is selected as the lowest of the individual action levels for Direct Exposure (1.1 mg/kg), Vapor Intrusion (0.098 mg/kg), Gross Contamination (170 mg/kg) and Groundwater Protection (leaching concerns, 0.64 mg/kg). The final soil EAL for PCE is the lowest of the individual action levels, or 0.098 mg/kg, based on potential vapor intrusion concerns for buildings overlying contaminated soil (see also Table A-1 in this appendix and Table A in Volume 1).

The process for selection of a Tier 1 PCE EAL in groundwater is similar (refer to Figure 2). Individual action levels for Drinking Water (5.0 µg/L), Vapor Intrusion (190 µg/L), Impacts to Aquatic Habitats (53 µg/L) and Gross Contamination (170 µg/L) concerns are compared and the lowest of these is selected for inclusion in the Volume 1 summary, Tier 1 lookup tables. In this example, the groundwater action level for drinking water concerns drives potential risks and is selected as the Tier 1 EAL (5.0 µg/L).

Selection of EALs for PCE in deep soils is similar. For deep soils, however, potential impacts to terrestrial biota are not considered, the direct-exposure action level is modified to reflect a less stringent, construction/trench worker exposure scenario, and the ceiling level for gross contamination concerns is generally somewhat less stringent. Soil action levels for leaching and groundwater protection concerns remain the same.

The process described above was carried out for each of the 100+ chemicals included in the Tier 1 lookup tables under each combination of groundwater beneficial use, soil depth and land use. The results are summarized in Tables A and B (soil) and Table D (groundwater) of this appendix. As can be seen from a review of these tables, the selection of final, Tier 1 EALs for highly mobile or highly toxic chemicals is typically driven by groundwater protection or vapor intrusion concerns (e.g., see selection process for benzene or vinyl chloride EALs in Table A-1). Final EALs for chemicals that are relatively immobile in soils but highly toxic are typically driven by direct-exposure concerns (e.g., see selection process for polychlorinated biphenyls [PCBs] in Table A-1). In contrast, selection of EALs for heavy metals that are relatively non-toxic to humans is typically driven by ecological concerns or ceiling levels for general resource degradation (e.g., see selection process for copper EAL in Table A-1). For chemicals that have particularly strong odors, selection of EALs may be driven in part by gross contamination concerns ("ceiling levels", e.g., see TPH EALs in Table B-2). The consideration of gross contamination becomes especially important in the selection of alternative action levels for relatively immobile chemicals in isolated, deep soils (e.g., refer to Tables F-3).

1.3 Toxicity Factors and Physiochemical Constants

Toxicity factors and physiochemical constants used in the soil, tapwater and vapor intrusion models for risk to human health are taken directly from the USEPA Regional Screening Levels (RSLs) guidance except as noted in footnotes to Table H (USEPA 2023). References for constants not included in the RSL guidance include: National Library of Medicine Toxnet database (NLM 2017a), NLM ChemID Plus (NLM 2017b), ATSDR Toxprofiles (ATSDR 2006) and USDOE RAIS database (USDOE 2006), in that order or preference, unless otherwise noted. Refer to footnotes in Table H for additional details on specific chemicals.

Inhalation Reference Concentrations are not available for a number of volatile chemicals included in the USEPA RSLs. Affected chemicals are indicated in the footnotes to Table H. The RSL guidance instead calls for a case-by-case review of these chemicals by a toxicologists. This is highly unlikely to occur given the widespread use of the RSLs by workers not trained in risk assessment, effectively eliminating consideration of the inhalation exposure pathway in most cases where the affected screening levels are applied. The original USEPA Region IX Preliminary Remediation Goals (PRGs), the precursors of the current RSLs, used route-to-route extrapolation to develop an interim, inhalation Reference Concentration from an oral Reference Dose for chemical where studies specific to this pathway were not available or inadequate to develop toxicity factors (USEPA 2004a; see also USEPA 1993, 2011a):

$$\text{Reference Concentration} \left(\frac{\text{mg}}{\text{m}^3} \right) = \text{Reference Dose} \times 70 \text{ kg} \times \left(\frac{1}{20 \frac{\text{m}^3}{\text{day}}} \right).$$

Although confidence in the resulting Reference Concentration is low, the need to include the chemicals in the EAL summary tables and the subsequent need to consider the inhalation exposure pathway in generic action levels outweighs limitations in the use of route-to-route extrapolation methods. Chemicals where this approach was used are noted in the footnotes of Table H. Alternative inhalation toxicity factors can be considered on a site-specific basis.

Note that estimation of Unit Inhalation Risk factors from oral cancer slope factors for volatile chemicals where the latter had been published was discontinued in the 2017 update to this guidance. This was based on discussions with toxicologists and the lack of evidence that the subject chemicals were carcinogenic via the inhalation exposure route. Inhalation toxicity factors based on noncancer risk were available or estimated for the subject chemicals (see Table H).

Several contaminants included in the HIDOH EALs are not listed in the USEPA RSLs (e.g., TPH). In these cases alternative sources were referred to for compilation of toxicity factors and physiochemical constants. Chemicals that fall in this category and references used to compile toxicity factors and constants are discussed in the footnotes of Table H.


Chemicals are subdivided in terms of volatility into the following categories for use in this guidance (see Table H):

- Volatile: Henry's Constant >0.00001 (atm-m³/mole] OR Vapor Pressure (VP) >1 mm Hg AND molecular weight <200;
- Semi-volatile: Henry's Constant >0.00001 (atm-m³/mole) OR VP >1 mm Hg and molecular weight ≥200;
- Nonvolatile: Henry's Constant ≤0.00001 (atm-m³/mole) AND VP ≤1 mm Hg.

Soil and groundwater screening levels for vapor intrusion are only developed for “volatile” chemicals as defined above (Tables E-1a and E-1b), although indoor air and subslab soil vapor screening levels are also included for semi-volatile chemicals (Tables E-2 and E-3). Tapwater and soil direct exposure screening levels are calculated using the “volatile” chemical model incorporated into the USEPA RSLs for both “volatile” and “semi-volatile” chemicals (Tables F-3b and K-1 through K-3). Soil and water screening levels for nonvolatile chemicals are generated using alternative models, as discussed below.

1.4 Cumulative Risk vs Target Action Level

Calculation of a risk-based, action level for a chemical in soil, water, air or other media requires incorporation of a target cancer risk and/or noncancer Hazard Quotient into the exposure models (see Appendix 2). Three ranges of risk are used to determine the need for additional actions at a site under investigation, as summarized in the following figure:



“Cancer risk” represents a theoretical increase in cancer occurrences based on comparison of exposure to a toxicity factor intended to reflect a one-in-a-million risk (10^{-6}). A cancer risk of less than one-in-ten thousand (10^{-4}) is considered to be insignificant and not detectable in a population. A Hazard Quotient represents the ratio of the potential exposure to the substance and the level at which no adverse, systemic or “noncancer” health effects are expected. A Hazard Quotient less than or equal to “1” indicates that adverse noncancer effects are not likely to occur, and exposure can thus be considered to have negligible hazard.

The USEPA recommends that removal of the source of contamination or exposure to the contamination be carried out if a cumulative, excess cancer risk of 10^{-4} (one-in-ten-thousand) or a noncancer Hazard Index of 1.0, calculated as the sum of Hazard Quotients for individual chemicals, is exceeded (USEPA 1989a,b, 1991, 1994, 2017b). Use of these target risk levels to develop action levels is in general not appropriate, however, since the cumulative health risk posed by the presence of multiple contaminants in soil with similar health effects could be exceeded, even though the risk posed by individual chemicals is deemed acceptable.

More conservative risk targets are instead used to develop action levels for individual chemicals. This allows the action levels to be used without the need to evaluate cumulative risk in the majority of cases. For example, an excess cancer risk of 10^{-6} (one-in-a-million) is used as the default, departure point for calculation of the majority of cancer-based action levels presented in this guidance. This allows up to 100 chemicals with similar, carcinogenic effects to be present in the soil at the corresponding action levels before a cumulative, target cancer risk of 10^{-4} is exceeded. This is highly, if not excessively,

conservative, since it is rare to identify more than five potential carcinogens associated with a single source of contamination at typical release sites.

A default, noncancer target Hazard Quotient of 0.2 is utilized to develop soil, air and soil vapor action levels (see above figure). This allows up five chemicals with similar, systemic health effects to be present in the soil at the corresponding action levels before exceedance of a cumulative, Hazard Index of 1.0 is possible. A similar target Hazard Quotient was used by the Massachusetts Department of Environmental Protection (MADEP) (MADEP 1994) and Ontario Ministry of Environment and Energy (MOEE) (MOEE 1996) to develop action levels for direct-exposure concerns. Additional evaluation may be required for sites where more than five chemicals with similar noncarcinogenic health effects are present. For reference, a compilation of chronic health effects for the chemicals listed in the EALs is provided in Table J of this appendix. Note that a noncancer Hazard Quotient of 3.0 is sometimes used to develop screening levels for emergency removal actions (e.g., USEPA 2023). This is intended to only address short-term exposure risks, however, and requires followup consideration of cumulative risk as part of a longer-term remedy.

A default Hazard Quotient of 1.0 is utilized for calculation of toxicity-based, drinking water action levels unless otherwise noted in the lookup tables (refer to Section 4.2). Consideration of potential cumulative risk is thus not directly incorporated into the resulting action levels. This is consistent with development of promulgated drinking water standards, however, and takes into consideration the likely assessment of cumulative risk in the event of actual impacts to an actively used, drinking water supply.

Less conservative, target risks that exceed the default 10^{-6} excess cancer risk or 0.2 Hazard Quotient but fall within the range for consideration of potential cumulative risk noted in the above figure are applied to some chemicals, particularly for develop of direct-exposure action levels for soil. Refer to Section 4.2.2 for discussion of specific chemicals. This was implemented to expedite the identification of impacts that could require remedial actions by upfront consideration circumstances where a single chemical typically drives cancer risk (e.g., arsenic), where there is greater confidence in toxicity factors based on noncancer studies (e.g., organochlorine pesticides), and/or widespread, natural or anthropogenic, background levels of a chemical in excess a target risk of 10^{-6} (e.g., PAHs). Additional assessment of cumulative risk could be required in rare cases where the action levels are applied to sites where complex mixtures of contaminants could cause cumulative risk targets to be exceeded.

Exposure assumptions used to develop direct-exposure and indoor-air action levels primarily reflect parameter values presented in USEPA risk assessment guidance for Superfund sites (refer to USEPA 2023). Alternative, and in some cases less conservative, exposure assumptions are presented in the USEPA technical document *Exposure Factors Handbook* (USEPA 2011c), among other examples. For example, recommended inhalation

rates for residents are 11.3 m³/day for women and 15.2 m³/day for men, in comparison to the value of 20 m³/day used to develop the direct-exposure action levels presented in this appendix (Section 4). The average time (50th percentile) spent at one residence is also stated to be 9 years, in contrast to the more conservative exposure duration used of 30 years (revised to 26 years in the 2015 USEPA RSL guidance; USEPA 2023). The average occupational tenure is similarly stated to be 6.6 years, in contrast to the occupational exposure duration used of 25 years. While the more conservative exposure assumptions are still generally recommended for use in site-specific risk assessments, the variance in the assumptions helps to demonstrate the overall conservative nature of the models referenced in this document.

As discussed in Volume 1, the action levels presented in this guidance are not intended to represent mandatory, cleanup levels. Exceedance of an action level does not necessarily indicate that an adverse health risk is present, but rather that additional action is warranted. Use of the action levels for final decision making will in many, if not most, instances be both time and cost beneficial, however. Consideration of alternative exposure assumptions, target risks and related factors in a more "site-specific" risk assessment could result in an increase of direct-exposure action levels while still allowing for cumulative risk targets to be met..

A Hazard Quotient of 1.0 was used for calculation of risk-based action levels for Total Petroleum Hydrocarbons (TPH, see Section 6 and Appendix 6). Nonspecific compounds collectively measured as TPH dominate soil, water and air impacted by releases of common, petroleum fuels and overwhelmingly drive noncancer health risks. A less stringent target Hazard Quotient is therefore considered justified. The need to calculate cumulative risks in more detail should be evaluated on a site-by-site basis.

The direct-exposure action levels do not address potential synergistic effects (e.g., 1+1=3). Synergistic effects are primarily of concern for exposure to multiple chemicals at concentrations significantly higher than those expressed in the direct-exposure EALs. Conservative target risk goals and exposure assumptions used to develop the action levels further reduce this concern. Methods to quantitatively assess synergistic effects have not been fully developed.

2 Background and Use of Vapor Intrusion

Models

2.1 Background

This section describes the general approach used to develop vapor intrusion action levels for indoor air, subslab soil vapor, soil and groundwater, presented in Sections 3, 4 and 5 of this document. Indoor air action levels are based on a model used by USEPA to generate Regional Screening Levels (RSLs) for ambient air (USEPA 2023). Subslab soil vapor action levels were developed based on estimations of indoor air exchange rates (IAERs) and building slab vapor entry rates for tropical settings published by Brewer et al. (2014). A copy of the paper is included in Appendix 3. Corresponding vapor intrusion action levels for soil and groundwater were generated using a computer spreadsheet model published by the U.S Environmental Protection Agency (USEPA 2004b and updates).

The USEPA vapor intrusion model incorporates a model presented in the document *Heuristic Model for Predicting the Intrusion Rate of Contaminant Vapors into Buildings* (Johnson and Ettinger, 1991). These models were developed to study radon intrusion into homes but were subsequently modified for use with any volatile chemical. Development of the models included calibration with field data. They are thus based on empirical data and not purely theoretical. Excerpts of key text from the USEPA guidance document is provided in Appendix 3, as is a sensitivity evaluation of the Johnson and Ettinger model.

Refer to Section 4.5 in Volume 1 of this guidance for a basic overview of vapor intrusion. The model considers both diffusive and convective flow of subsurface vapors into buildings. Diffusive flow occurs as soil vapor migrates from areas of higher concentration to areas of lower concentration. Wind effects and indoor heating can cause a decrease in air pressure inside a building and lead to upward, advective flow of subslab vapors through cracks and gaps in the floor. Potential adverse impacts to indoor air are driven by the concentration of volatile organic chemicals (VOCs) in the intruding vapors, the vapor entry rate into the structure and the exchange rate of the building with fresh, outdoor air.

2.2 Vapor Intrusion Model Parameters

Example printouts of the model as used to calculate action levels for this document are included in Appendix 4. Input parameter values used in the models are noted in the

examples (front pages). Default parameters values presented in the spreadsheet technical document were generally selected for use.

2.2.1 Target Risks

Human exposure assumptions were set equal to assumptions used in the USEPA RSLs. Unless otherwise noted in Table E-3. Action levels were calculated using a target risk of 10^{-6} for chemicals with carcinogenic health effects and a target Hazard Quotient of 0.2 for chemicals with noncarcinogenic health effects (1.0 for TPH, see Section 6). For consistency purposes, default physio-chemical constants included in the original, USEPA vapor intrusion models were replaced with constants used in the USEPA RSL models if different (refer to Table H and Appendix 4).

2.2.2 Assumed Building Parameters

Default building characteristics presented in the USEPA spreadsheet guidance were used in the models (see Appendices 3 and 4). The thickness of the building floor slab was assumed to be 15 cm. For both unrestricted (“residential”) land use and commercial/industrial exposure scenarios, the models assume a small, one-thousand square foot (9.61m x 9.61m), one-story building (ceiling height of 2.44 meters) situated on monoslab concrete base (total indoor air volume approximately 225m³). This may be overly conservative for commercial/industrial sites with existing, larger buildings but is considered to be protective of future redevelopment of such sites. The guidance default value of 1mm was used for the assumed perimeter crack width.

Default indoor-air exchange rates of one-time per hour for residences and two-times per hour for commercial/industrial buildings were used (see Brewer et al. 2014; directly input into the model). Based on the input building design and volume, this generates an indoor air exchange rate of 225 m³/hour or 3,750 L/min for a residential home model and 7,500 L/min for a commercial building of the same size (see Appendix 4). The IAERs are assumed to be conservative for the tropical climate of Hawai‘i, where buildings are not heated and windows at homes are often left open year round. Air exchange rates could be lower for homes and buildings that rely on heating, air conditioning and ventilation (HVAC) systems for ventilation. This would result in lower vapor entry rates, however, especially in cases where air conditioning is being used due to over pressurization of lower floors (see Brewer et al. 2014). Assumptions regarding persistent vapor entry due to wind effects and open windows are therefore considered to be conservative.

2.2.3 Assumed Vapor Entry Rate

An annual average, subslab vapor entry rate (Q_{soil}) of 2 L/min (per 100 m² floor area) was incorporated into the vapor intrusion models, based on estimations tropical climates

presented in Brewer et al. (2014). This was generated in the models by inputting “Sand” as the soil type for Layer A soil type and a default value of 20 g/cm-s² for the “Soil-Building Pressure Differential” parameter (see Appendix 4). The latter reflects the assumed, annual-average difference between indoor and outdoor air pressures and an under pressurization of the structure. This generates a default vapor flux rate through the building slab of approximately 38 cm³/second or two liters per minute. **A vapor entry rate of 2 L/min per 100m² floor space should be maintained for site-specific models where a larger building size is used unless otherwise approved by HIDOH.**

The vapor entry rate and the vapor intrusion models in general are highly sensitive to the permeability of vadose-zone soil immediately beneath the floor of the building. The input soil type for Layer A is one of the most critical model parameters. This is because the permeability of this zone controls the volume of air (and soil vapor) that can be convectively pulled up through the floor and into the building. The soil beneath most buildings is engineered, silty or sandy fill with moderate to high vapor permeability. This is incorporated into the models by including a 15 cm thick layer of highly permeable sand immediately beneath the building slab (Layer A). Note that it is critical to include this subslab layer of vapor-permeable fill in all site-specific, vapor intrusion models. Use of the native soil type at the subject site (e.g., more clay rich and less permeable) is not appropriate, since this may not be the soil used for structural fill immediately beneath the slab. Modifications to this assumption must be approved by HIDOH on a site-by-site basis.

The default, annual average vapor entry rates incorporated into the models are intended to reflect an overall lower vapor intrusion risk for buildings in tropical climates in comparison to colder climates, where buildings are heated for much of the year and thus more susceptible to vapor intrusion (see Brewer et al. 2014). Higher, assumed indoor-outdoor pressure differentials and correspondingly higher average vapor entry rates are typically recommended for buildings in colder climates (Brewer et al. 2014; see also USEPA 2004b, 2015a). This would be reflected by a corresponding reduction in soil vapor, soil and groundwater action levels for vapor intrusion. Example modification of HIDOH action levels for use in other climate zone is included in Section 13 of the HEER Office *Technical Guidance Manual* (HIDOH 2023A and updates).

2.2.4 Assumed Indoor Air:Subslab Soil Vapor Attenuation Factors

A key part of the action levels is the assumed attenuation of subsurface vapors as they intrude a building and mix with indoor air. Shallow soil vapor action levels for vapor intrusion are calculated by dividing the indoor air goal by an Indoor Air:Subslab Soil Vapor attenuation factor that reflects dilution of subsurface vapors upon mixing with indoor air:

$$\text{Soil Vapor Action Level} = \frac{\text{Indoor Air Action Level}}{\text{Subslab Attenuation Factor}}$$

The subslab soil attenuation factor (SSAF) reflects the ratio of the estimated, mean annual vapor entry rate and the mean annual IAER for tropical climates (see Brewer et al. 2014).

$$SSAF = \frac{\text{Vapor Entry Rate (L/min)}}{\text{Indoor Air Exchange Rate (L/min)}}$$

This generates a default, SSAF of approximately 0.0005 (1/2,000) for residential homes and 0.00025 (1/4,000) for commercial and industrial buildings. These attenuation factors are used in Section 3 to calculate subslab vapor intrusion action levels for subslab soil vapor. The default building pressure differential and IAERs are incorporated into the soil and groundwater vapor intrusion models to generate correlative action levels for those media.

Note that the vapor intrusion models used to develop soil and groundwater action levels are not sensitive to the “Soil-Building Pressure Differential” parameter. A reduction or increase in the input pressure differential and the calculated SSAF will not result in a significant change in the action levels. This is because the mass of a VOC entering an overlying structure during a given time period is governed by rate of upward diffusion from the source into the advective zone under the slab, not by the vapor entry rate, and remains unchanged. The mass of VOCs that diffuses into the advective zone and is ultimately drawn into the overlying building over a given time period is unaffected by the vapor entry rate. Reducing the flow rate of vapors under the slab and into the structure by half, for example from 4 L/min to 2 L/min, will result in a doubling of VOC concentrations in vapors under the slab. The volume of vapors entering the building is concurrently reduced by half during the same time period, however, effectively cancelling out the doubling of VOC concentrations in the vapor. This can be observed in the vapor intrusion models by reducing the “Soil-Building Pressure Differential” parameter from 40 to 20 g/cm-s². This results in a reduction of the calculated vapor entry rate from approximately 4 L/min to 2 L/min without causing a noticeable change in calculated screening level for a given VOC.

3 Indoor Air and Soil Vapor Action levels

3.1 Introduction

This section describes the development of risk-based action levels for indoor air and subslab soil vapors. Indoor air action levels were developed based on models and exposure assumptions incorporated into the USEPA Regional Screening Levels (RSLs) for ambient air (USEPA 2023). Corresponding action levels for VOCs in subslab soil vapors were estimated based on attenuation factors published by Brewer et al. (2014). These action levels are intended to correlate with and be used in conjunction with vapor intrusion action levels for subsurface soil and groundwater presented in Chapters 4 and 5 respectively.

3.2 Indoor Air Action levels

Indoor air action levels were calculated using the following equation incorporated in the model (see USEPA RSL equations in Appendix 2):

Carcinogens:

$$C_{ia} = \left(\frac{TR \times AT_c \times 365 \text{ days/yr}}{URF \times EF \times ED \times ET} \right)$$

Noncarcinogens:

$$C_{ia} = \left(\frac{THQ \times AT_{nc} \times 365 \text{ days/yr}}{\left(\frac{1}{RfC} \right) \times EF \times ED \times ET} \right)$$

where:

C_{ia} = Target indoor air concentration;

TR = Target risk (carcinogens);

THQ = Target hazard quotient (noncarcinogens);

AT_c = Averaging time for carcinogens;

AT_{nc} = Averaging time for noncarcinogens;

URF = Unit risk factor for carcinogens (carcinogens);

RfC = Reference concentration (noncarcinogens);

EF = Exposure frequency;

ED = Exposure duration;

ET = Exposure time.

Exposure time is expressed in terms of a 24 hour day. An ET of 24hr/24hrs is assumed for residents. An ET of 8hrs/24hrs is assumed for commercial/industrial workers (see Appendix 2). A summary of the indoor-air action levels calculated is provided in Table C-3. Cancer-based action levels reflect a default, target excess cancer risk of 10^{-6} unless otherwise noted (refer to Section 2.2.1 and footnotes to Table C-3).. Exceptions, including ethylbenzene and naphthalene. Noncancer-based action levels reflect a target Hazard Quotient of 0.2 unless otherwise noted. Exceptions include TPH(gasolines) and TPHmd, in which case a Hazard Quotient of 1.0 was used (refer also to Section 6). Inhalation toxicity factors for volatile chemicals are summarized in Table H.

3.3 Soil Vapor Action levels

Section 2.2.4 describes the development of default, subslab attenuation factors (SSAFs) for subsurface vapors that intrude homes and impact indoor air. A default SSAF of 0.0005 was estimated for residential homes. A default SSAF of 0.00025 was estimated for commercial/industrial structures. The latter assumes better and more consistent ventilation of businesses during normal operating hours.

Soil vapor action levels (C_{sv}) were subsequently calculated as:

$$C_{sv} = \frac{\text{Indoor Air Action Level } (\mu\text{g}/\text{m}^3)}{\text{SSAF}}$$

A summary of soil vapor action levels for volatile chemicals is provided in Tables C-2.

Note that soil vapor action levels do not take into account the actual mass of the chemical present and could be overly conservative for the evaluation of long-term impacts to indoor air. At sites where a limited amount of impacted soil or groundwater is present, the concentration of the chemical in soil vapor can be expected to decrease over time as the supply of the chemical is depleted. This would lead to steadily decreasing impacts to indoor air. Thus, while impacts to indoor air may initially exceed target goals, average, long-term impacts could conceivably fall below these goals.

This issue should be evaluated on a site-by-site basis as needed. As a conservative measure, and for the purpose of this screening levels document, it is recommended that indoor-air goals be used as "not-to-exceed" criteria and adjustment of models and soil vapor to address potential mass-balance not be carried out in the absence of strong site data. This issue is currently under reviewed. Additional information will be incorporated into the EAL document as available.

4 Soil Action levels

4.1 Introduction – Selection of Tier 1 Soil EALs

The final Tier 1 EAL for soil presented in Volume 1 of this guidance represents the lowest of a chemicals action level for direct-exposure and vapor intrusion, leaching and the chemicals maximum ceiling level (nuisance concerns etc.). The final, Tier 1 EALs presented in the Volume 1 summary tables are based on an assumption that contaminated soil is now or at some time in the future could be exposed at the ground surface *and* that no restrictions are placed on future use of the property.

Direct exposure, vapor intrusion and gross contamination action levels are compiled and presented for both unrestricted (“residential”) and commercial/industrial land use scenarios. Alternative action levels are also presented for “deep” or otherwise isolated soils that are not likely to be exposed at the ground surface in the future. Only the action levels for unrestricted (“residential”) exposure concerns were carried forward for consideration in compilation of final, Tier 1 EALs, however, (refer to Table A and B series). Alternative action levels can be incorporated into a site-specific *Environmental Hazard Evaluation* as needed (refer to Chapter 4 in Volume 1).

Consideration of published, soil action levels for terrestrial ecotoxicity in earlier editions of the EHE guidance was discontinued in 2011 due to concerns over the reliability and applicability of the screening levels to Hawai’i. This primarily applied to trace metals. A background metals study carried out in 2010 and 2011 revealed that the natural, background concentrations of several trace metals were above the published screening levels for potential ecotoxicity. This is in part due to a reliance on laboratory testing of soils with freshly applied and highly bioavailable solutions of trace metals to develop ecotoxicity action levels. The naturally occurring trace metals in the volcanic soils of Hawaii are, in contrast, generally tightly bound to iron hydroxides and other metal complexes and not significantly bioavailable to flora or fauna. As discussed in Section 4.6, a site-specific ecological evaluation is now recommended where sensitive, terrestrial habitats could be threatened by anthropogenic contaminants in soil.

4.2 Soil Action levels for Direct-Exposure Concerns

4.2.1 Direct Exposure Models and Assumptions

Direct exposure soil action (“screening”) levels for unrestricted land use (e.g., “residential”), commercial/industrial land use and construction/trench worker exposure are

presented in Tables I-1 through I-3, respectively. A summary of the models and assumptions used to develop the direct-exposure action levels for soil is provided in Appendix 2. Action levels for the Unrestricted Land Use category are based on a standard, residential exposure scenario (refer to Appendix 2). The action levels are considered to be adequate for residential housing, schools, day care and medical facilities, parks and similar sites with sensitive land use. The action levels are intended to be protective of residents and workers who may be exposed to chemicals in exposed soils on regular basis via incidental ingestion, dermal absorption, and inhalation of vapors and particulate matter.

The direct-exposure action levels closely follow the approach used to develop the USEPA RSLs, with the exceptions noted below (RSLs; USEPA 2023). Direct-exposure soil action levels generated for the Unrestricted Land Use category are consistently more stringent (lower) than action levels developed for the commercial/industrial and construction/trench worker exposure scenarios. This is due to the longer, assumed exposure duration (years) and frequency (days per year) as well as the presence of young children in comparison to the latter two scenarios (see Appendix 2). Action levels for construction and trench workers take precedence over action levels based on residential and/or commercial/industrial exposure scenarios if lower. This is the case for several chemicals that pose an increased risk via inhalation of dust particles, including a number of trace metals as well as some volatile compounds (see Table I-2).

As a default, direct-exposure models and associated physiochemical constants, toxicity factors, exposure assumptions and target risks used to develop the USEPA Regional Screening Levels (USEPA 2023) were referred to for development of the direct exposure action levels presented in this document (refer to Section 1.2). Use of the USEPA RSLs by state agencies is not mandatory, but the guidance serves as a very useful starting point for state-specific guidance. Staff in HDOH are in routine contact with the developers of the RSLs and exchange information and suggestions for specific chemicals to help ensure that the underlying fundamentals of the respective guidance documents are consistent.

Exposure assumptions incorporated into the USEPA RSLs were adhered to in most cases. Exceptions include an increase in the assumed, adult body weight from 70 kg to 80kg in recent updates of the RSLs. The original, default body weight of 70 kg was retained for use in the EALs, due to a lower, average body weight for women in Hawaii of 66 kg (City-Data.com 2017). This does not significantly affect the resulting action levels.

Preliminary Remediation Goals (PRGs) previously published USEPA Region IX included a hybrid, direct-exposure action level for total chromium in soil based on an assumed 1:6 ratio of Cr VI (highly toxic) to Cr III (minimally toxic) (USEPA 2004a). This is not included in more recently published, USEPA RSLs (USEPA 2023) and likewise omitted from the HDOH EALs. The soil action level for total chromium is instead based on an assumed natural background concentration of 1,100 mg/kg, based primarily on data for

soils developed over basaltic bedrock (refer to Table K). If the reported concentration of total chromium in soil exceeds 1,100 mg/kg then an additional evaluation of background concentrations in the area should be carried out and/or chromium in the soil should be speciated into Cr III and Cr VI and data compared to action levels for these compounds. Note that background concentrations of total chromium in soils developed over caprock can be lower than 100 mg/kg. If a release of Cr VI is suspected at a site then chromium should be speciated and evaluated, even if total chromium concentrations do not exceed the default action level of 1,100 mg/kg.

4.2.2 Target Risks

Refer to Section 1.4 for a detailed discussion of default target risk levels used to generate soil action levels. Deviations from the default, target cancer risk of 10^{-6} and a target, noncancer Hazard Quotient of 0.2 noted in Section 1.4 for calculation of direct-exposure soil action levels are summarized in Table 4-1.

Table 4-1. Alternative target risk levels used to calculate action levels for select chemicals.

Chemical	HIDOH-Specific Models
Aldrin	Target Excess Cancer Risk (ECR) of 10^{-4} applied to reflect higher confidence in noncancer toxicity factors. Target HQ = 0.5 (co-occurs with dieldrin).
Arsenic	Bioaccessibility data required if natural background exceeded, with target noncancer. Target ECR of 5×10^{-5} used to calculate bioaccessible arsenic action levels in order to reflect higher confidence in noncancer toxicity studies and background, dietary exposure; HQ of 1 applied to reflect typical dominance as risk driver when present in soil.
Chlordane (Technical)	Target ECR of 10^{-5} applied to reflect higher confidence in noncancer toxicity studies and primary risk driver when present.
Dieldrin	Target ECR of 10^{-4} applied to reflect higher confidence in noncancer toxicity factors. Target HQ = 0.5 (co-occurs with aldrin).
Dioxins (TEQ)	Refer to 2010 HIDOH action levels for TEQ dioxins. Final action level based on noncancer Hazard Quotient of 1.0.
Chromium (hexavalent)	Target ECR of 10^{-4} applied to reflect higher confidence in noncancer toxicity factors and natural background.

Chemical	HIDOH-Specific Models
Ethylbenzene	Target ECR of 10^{-5} applied to reflect higher confidence in noncancer toxicity factors.
Heptachlor, Heptachlor Epoxide	Target ECR of 10^{-5} applied to reflect higher confidence in noncancer toxicity studies and primary risk driver when present.
Lead	Residential direct-exposure soil action level of 200 mg/kg based on consideration of both health risk and anthropogenic background in urban areas.
PAHs (carcinogenic)	Target ECR of 5×10^{-5} applied to benzo(a)pyrene to reflect higher confidence in noncancer toxicity factors and address anthropogenic background. Target ECR of 10^{-5} applied to other, carcinogenic PAHs to address widespread, anthropogenic background.
PCBs (total)	Target ECR of 10^{-5} applied to reflect increased confidence in noncancer toxicity studies and address anthropogenic background.
Thallium	Target HQ of 1.0 applied to consider natural background and assumed low bioavailability in soil.
TPH	Target HQ of 1.0 applied to reflect TPH-related compounds as dominant mass and risk driver for noncancer hazard in common petroleum mixtures.

In most cases, use of an alternative, target cancer risk of 10^{-4} to 10^{-5} resulted in a cancer-based action level that was higher than the action level for noncancer hazard and the protection of young children. If so then the latter was selected as the final, direct-exposure action level (refer to Tables I-1 and I-2). Confidence in noncancer toxicity studies is also often higher than for cancer-based studies. When present, the chemicals noted above also tend to dominate or “drive” potential health risk with little additional risk posed by other chemicals present in the soil. The target, cumulative, excess cancer risk of 10^{-4} and noncancer Hazard Index of 1.0 is therefore unlikely to be exceeded. Additional evaluation of cumulative risk might be required on a site-specific basis, however, in rare cases where multiple chemicals in the above list are present in soil at concentrations that approach the Tier 1 action levels.

Due to the short, assumed exposure duration for **construction/trench workers**, direct-exposure action levels for nonvolatile chemicals are based on a target excess cancer risk of 10^{-5} (Table I-3; see also Appendix 2). An excess cancer risk of 10^{-6} was retained for carcinogenic VOCs, however, due to low confidence in the vapor emission model for this scenario (see Table I-3). A more conservative vapor emission factor is also incorporated

into the direct-exposure models for construction and trench workers to reflect poor air flow in trench and other construction environments (see Appendix 2).

Low levels of **PAHs** in soil are ubiquitous in urban environments due to auto exhaust and the use of asphalt. Anthropogenic, background concentrations of PAHs in urban area soils due to auto exhaust and other sources can easily exceed risk-based screening levels based on a conservative, excess cancer risk of 10^{-6} . Massachusetts, for example, uses a background soil screening level of 2.0 mg/kg for benzo(a)pyrene (MADEP 2002a). A target excess cancer risk of 5×10^{-5} was used to develop the unrestricted/residential soil action level for benzo(a)pyrene in order to help identify site-specific releases anticipated to exceed anthropogenic background and express a higher confidence in newly developed toxicity factors for noncancer health risks posed by exposure to benzo(a)pyrene (refer to USEPA 2023). A target risk of 5×10^{-5} likewise incorporates a reasonable safety margin for risk associated with the presence of multiple, potential carcinogens in the same soil to help ensure that a cumulative excess risk of 10^{-4} is not exceeded. This generates a soil action level of 5.7 mg/kg, which is greater than the noncancer-based action level of 3.6 mg/kg. The latter was therefore selected by HIDOH as the final, direct-exposure soil action level for benzo(a)pyrene under an unrestricted, landuse exposure scenario (refer to Table I-1). A more conservative, target risk of 10^{-5} was applied to carcinogenic PAHs that lack noncancer-based toxicity factors, A target risk of 10^{-5} was utilized for all carcinogenic PAHs under commercial/industrial and construction worker exposure scenarios, since the resulting screening levels are above anticipated background (refer to Tables I-2 and I-3).

Note that concentrations of PAHs in coal tar and older formulations of asphalt can be orders of magnitude higher than direct-exposure action levels set at a target risk of 10^{-4} . Since asphalt is likewise ubiquitous in urban environments, cleanup of soil contaminated with small particles of asphalt that was used in its intended manner is generally not warranted. This exception would not apply to sites where asphalt, coal tar or similar materials were manufactured and disposed of as waste associated with those operations.

A similar approach was taken for **PCBs**. Use of PCBs in transformers, capacitors and other electrical equipment was widespread in the 1960s and 1970s. Although less widespread than PAHs, ambient levels in soil often fall within a target risk range of 10^{-5} and 10^{-6} . In order to again help focus attention on sites where significant releases of PCBs occurred, a target excess cancer risk of 10^{-5} was used to develop direct-exposure action levels for soil. A target Hazard Quotient of 0.2 for noncarcinogenic effects was retained. Note that noncarcinogenic effects drives human health concerns for PCBs in soils under a residential exposure scenario and is used to generate the Tier 1EAL (refer to Table I-1).

A target Hazard Quotient of 1.0 was used to develop risk-based screening levels for **TPH**. Nonspecific compounds collectively reported under “TPH” dominate the total mass of

petroleum in soil, as well as water, soil vapor and indoor air (refer to Appendix 6). Use of a target HQ of 1.0 is therefore justified.

A target excess cancer risk of 10^{-5} was used for **Technical Chlordane**. This was done to reflect the cumulative inclusion of multiple chemicals (i.e., chlordane isomers, heptachlor, heptachlor epoxide) as a single concentration in the Technical Chlordane laboratory analysis, as well as the toxicity factors used in the models (see discussion in Volume 1). A target noncancer Hazard Quotient of 1.0 was used to reflect the common sole occurrence of Technical Chlordane in the absence of other contaminants (used as a termiticide around and beneath older buildings).

A target excess cancer risk of 10^{-5} was used for heptachlor and heptachlor epoxide. Heptachlor is typically the primary risk driver when present in soil. A target risk of 10^{-5} is considered to be adequate to ensure that a target, cumulate cancer risk of 10^{-4} posed by multiple carcinogenic contaminants in the soil is not exceeded.

A target excess cancer risk of 10^{-4} was used for **aldrin** and **dieldrin** to reflect low confidence in cancer slope factors and the potency of these chemicals (see update notes in Appendix 9). An updated review of cancer- and noncancer-based toxicity studies published by Hooker et al. (2013) were used to develop screening levels. A target noncancer Hazard Quotient of 0.5 was used to reflect the common co-occurrence of these two chemicals in the absence of other contaminants (aldrin used as a termiticide around and beneath older buildings, with dieldrin as a breakdown product).

A target excess cancer risk of 10^{-4} was used for **hexavalent chromium** in order to reflect natural background concentrations of this chemical in soil and groundwater (see groundwater technical memo in Appendix 8). Confidence in the cancer-based toxicity factors is also low.

Separate guidance has been prepared for **arsenic** (HIDOH 2011b) and **dioxins** (HIDOH 2010) in soil. Soil action levels presented in the respective technical memorandums are incorporated into the I-series tables of Appendix 1. Bioaccessibility tests are recommended for site-specific evaluation of arsenic-contaminated soil when the upper background concentration in soil is exceeded (e.g., 24 mg/kg). The World Health Organization Reference Dose used to develop the dioxin action levels incorporates an assumed bioavailability of 50%.

A target noncancer Hazard Quotient of 1.0 was used to generate soil action levels for **thallium** due to the potential for natural, background levels of thallium to exceed the unadjusted, direct-exposure action level (Tier 1 action level 0.78 mg/kg). Naturally occurring thallium in iron-rich, volcanic soils is expected to be tightly bound to the soil

and not significantly bioavailable. This is not considered in the direct-exposure models. The potential for a release of highly bioavailable, thallium salts at a site should be evaluated in cases where the Tier 1 action level is exceeded. Based on limited data, natural background levels of thallium in soil could approach 15 mg/kg (HIDOH 2011a).

The direct exposure soil action level of 200 mg/kg for **lead** in residential (unrestricted) soil is based on consideration of both health risk and anthropogenic background in urban areas. The current, USEPA residential RSL of 400 mg/kg is intended to reflect a target blood-lead level in children of 10 µg/dl (USEPA 2023). The HIDOH action level in part reflects recommendations to reduce the target blood level to 5 µg/dl (USEPA 2011b; USCDC 2012a,b). The model used to calculate soil screening levels for lead is not linear, however (USEPA 2007). Any future, revised USEPA RSL based on the lower blood level is likely to be somewhat lower than the HIDOH action level.

A reduction in the soil action level for lead below 200 mg/kg is not practical for heavily developed, urban areas, however. Background, anthropogenic levels of lead in urban soils from past auto exhaust and other sources is estimated to average 75-200 mg/kg and in places far exceed these values (USEPA 1994, 1998). In HIDOH's experience, the use of an action level below 200 mg/kg can complicate the identification and characterization of localized contamination that could conceivably be remediated. The HEER office does, however, recommend the inclusion of soil that exceeds the natural background action level for lead of 73 mg/kg (HIDOH 2011) in remediation plans when practicable and when the contamination can be attributed to a specific release. In contrast, if sample data indicate a concentration of lead above 200 mg/kg but below the USEPA RSL of 400 mg/kg a specific source cannot be identified then no further action is generally warranted. Capping or other efforts to minimization of exposure of young children should be considered where area-wide impacts above 400 mg/kg lead are identified, regardless of the suspected source.

4.2.3 Exposed or Potentially Exposed Soils

Direct-exposure soil action levels for unrestricted ("residential") land use (Table I-1) and commercial/industrial land use (Table I-2) are based on an assumption that the soil is, or at some time in the future could be, exposed at the ground surface where regular exposure of residents or workers could occur (refer to Section 2.4 and Section 4.26 in Volume 1). Equations and exposure assumptions used in each scenario are summarized in Appendix 2. For residential properties, it is assumed that soil within 3 meters (approximately 10 feet) of the ground surface could be exposed at the ground surface at some time in the future (e.g., installation of a swimming pool). For commercial/industrial properties, it is assumed that soil within one meter of the ground surface could be exposed during routine landscaping or shallow, utility work. This should be reviewed on a site-by-site basis and provisions for long-term management of deeper or otherwise isolated soil made as necessary. As discussed in the next section, risk-based soil action levels for

construction/trench workers take precedence over action levels for unrestricted or commercial/industrial land use if lower (refer to next section).

4.2.4 Isolated Soils

By default, soils are assumed to be “isolated” if they are greater than three meters below ground surface in a residential setting and one meter in a commercial/industrial setting (refer to previous section and Section 2.4 of Volume 1). Direct-exposure action levels for deep or otherwise isolated soils are based on the potential exposure of construction and utility workers to contaminants in soil (Table I-3). A summary of exposure assumptions used to generate the action levels is provided in Appendix 2. The exposure assumptions are based on guidance presented in the USEPA Exposure Factor Handbook (USEPA 2011c), trench-worker risk assessment guidance developed by the Massachusetts Department of Environmental Protection (MADEP 1994), general direct-exposure assumptions included in the USEPA RSL document, and professional judgment (see Appendix 2, Table 1). As discussed above, action levels were calculated using a default, target risk of 1×10^{-5} for non-volatile, carcinogenic chemicals and 1×10^{-6} for volatile chemicals. A default, target Hazard Quotient of 0.2 was applied for chemicals with noncarcinogenic health effects except as noted in the above table. A more detailed summary of exposure assumptions and selected parameter values is included in Appendix 2.

As can be seen in Table I-2, soil action levels for construction/trench workers are lower than action levels generated for commercial/industrial exposure for Cr VI and cobalt under the construction/ trench worker scenario. Action levels for these chemicals are more stringent under the construction/trench worker exposure scenario than under the commercial/industrial exposure scenario (see Table I-2). This is due to the combined high oral and/or inhalation toxicity of these chemicals and the assumed higher soil ingestion rate and higher level of airborne dust under the construction/trench worker exposure scenario. As noted in Table I-2, commercial/industrial land use direct-exposure action levels for these chemicals are replaced with construction/trench worker action levels for use in the lookup tables if less stringent.

4.2.5 Soil Saturation Levels

For chemicals that are liquids under ambient conditions, upper limits for soil direct-exposure action levels are set at the chemicals theoretical soil saturation limit or “Csat” (refer to Appendix 2, 2011). As discussed below, soil action levels for volatile chemicals are only valid if they are below the chemicals Csat concentration. Csat concentrations represent an upper limit to the applicability of the soil screening level Volatilization Factor (VF) model because a basic principle of the model (Henry’s Law) does not apply when contaminants are present in free phase (USEPA 1996a, 2002, 2004a, 2011). VF-based

inhalation soil screening levels are reliable only if they are at or below C_{sat} . This is discussed in more detail below.

The soil saturation limit represents the point at which additional contaminant mass can no longer be sorbed to soil particles (primarily organic carbon but also clays) or dissolved into soil moisture. Above this concentration it is assumed that free product (e.g., light non-aqueous phase liquid [LNAPL]) will be present in the soil. This is critical for VOCs. Above C_{sat} , the USEPA direct-exposure model is no longer technically viable for prediction of vapor emissions to outdoor air and subsequent direct exposure risks posed by inhalation.

This is because vapor emissions are estimated based on the concentration of the contaminant in soil moisture in the absence of free product (e.g., LNAPL). The model first estimates the dissolved-phase concentration of a contaminant in soil based on the input total soil concentration and the contaminants estimated soil:water equilibrium partitioning coefficient or " K_d " value (i.e., ratio of sorbed mass to dissolved-phase mass, generally calculated as the contaminants sorption coefficient or " K_{oc} " times the known or estimated concentration of organic carbon in the soil; refer to Appendix 2). The model then estimates the concentration of the chemical in soil vapor (vapor phase) by comparison of the estimated concentration in the soil moisture to the contaminants air:water equilibrium coefficient (Henry's Law constant). Fick's Law is then used to estimate the vapor emission rate of the contaminant at the ground surface.

When C_{sat} is exceeded, the assumed presence of free product violates the use of only the Henry's Law constant to estimate the concentration of the chemical in soil vapor and subsequently the vapor emission rate at the ground surface. As noted in USEPA risk assessment guidance, the direct-exposure model is no longer valid above this concentration (USEPA 1996a, 2002, 2004b, 2011). C_{sat} is used to set maximum direct-exposure action levels for volatile contaminants in the USEPA RSLs (USEPA 2023) and in past publications of the USEPA Region IX Preliminary Remediation Goals (USEPA 2004a).

Soil vapor data can be used to estimate vapor emission from soil where C_{sat} concentrations of a volatile chemical are exceeded, although direct-exposure models that allow input of soil vapor data have not been published (in preparation by HEER office). Vapor flux at the surface in the presence of free product can also be modeled mathematically. A model to do this is presented in Appendix A of the USEPA vapor intrusion guidance (USEPA 2004b, see Appendix 4). This is incorporated into the USEPA vapor intrusion model but has yet to be included in USEPA direct exposure models for soil (e.g., USEPA 2023; see below). As discussed above for direct-exposure models, the USEPA vapor intrusion model incorporates a chemical's Henry's Law constant to estimate the concentration of the chemical in soil vapor up to C_{sat} . When a residual phase is present, the vapor concentration is independent of the soil concentration but proportional to the mole fraction of the

individual component of the residual phase mixture. At this point, the vapor intrusion model numerically estimates the equilibrium vapor concentration of the chemical in soil vapor for a series of time-steps. For each time-step, the mass of each constituent that is volatilized is calculated using Raoult's Law and the appropriate mole fraction. At the end of each time-step, the total mass lost is subtracted from the initial mass and the mole fractions are recomputed for the next time-step to take into account mass balanced over time. Refer to the USEPA vapor intrusion guidance for additional information.

The 1996 and 2002 editions of USEPA's *Soil Screening Levels* guidance make an apparent error in the conclusion that the emission flux from soil to air for a chemical reaches a plateau when a chemical's C_{sat} concentration in soil has been reached (USEPA 1996a, 2002, "Soil Saturation Limit"). This error is repeated in the recently published USEPA RSLs guidance (USEPA 2023). Each document mistakenly states that C_{sat} represents the concentration *at which soil pore air is saturated with the target contaminant*. This is not the case. As noted above, C_{sat} represents the concentration of the chemical in soil in which the *sorbed- and dissolved-phases* are saturated. Saturation of these phases in the soil does *not* necessarily indicate that the vapor phase of the chemical has reached its maximum, nor that the vapor flux rate at the surface has reached a maximum. The concentration of a chemical in soil vapor at a soil concentration of C_{sat} merely reflects equilibrium conditions with the chemical in soil moisture at the chemical's solubility limit. Saturation of the vapor phase will only occur in the presence of free product in the soil, when the gas phase reaches equilibrium with the *Nonaqueous Phase Liquid* or "NAPL." The concentration of the chemical in the vapor phase at this point is likely to be significantly higher than at the point that the soil moisture has reached the solubility limit of the chemical. This is why the Henry's Law Constant-dependent, vapor flux model incorporated into most soil action level models (including the one used in this guidance) is only valid in the absence of free product in the soil (i.e., concentration of chemical in soil $< C_{sat}$). This is also the case frequently observed in soil vapor studies, where the concentration of a volatile chemical in soil vapor increases significantly in the presence of free product.

4.3 Soil Action levels for Potential Vapor Intrusion Concerns

Soil action levels for the evaluation of potential vapor intrusion concerns are presented in Table C-1b. As discussed in Section 3.3, the use of soil vapor data and action levels to evaluate this concern is preferred (refer also to Section 7 of the HEER *Technical Guidance Manual*). Vapor intrusion action levels were calculated for both unrestricted ("residential") and commercial/industrial land-use exposure scenarios. Only the action levels for unrestricted land use were carried forward for consideration in compilation of final, Tier 1 EALs (refer to Table A and B series).

A spreadsheet included with guidance published by the U.S. Environmental Protection Agency (USEPA 2004) was used to generate soil action levels for potential vapor intrusion concerns. A summary of these action levels is provided in Table C-1b. Correlative soil vapor action levels are provided in Table C-2. Target indoor air goals are provided in Table C-3. Target groundwater action levels for vapor intrusion hazards are presented in Table C-1a.

As discussed in Section 2, the spreadsheet is based on a model presented in the paper *Heuristic Model for Predicting the Intrusion Rate of Contaminant Vapors into Buildings* (Johnson and Ettinger 1991). The model considers both diffusive and convective flow of subsurface vapors into buildings. Summary text from the guidance document accompanying the spreadsheet is provided in Appendix 3, as is a sensitivity evaluation of the Johnson and Ettinger model. Example printouts of the model as used to calculate action levels for this document are included in Appendix 4. A more detailed discussion of models is provided in Section 5.4 for correlative groundwater action levels.

Input parameter values used in the soil models are noted in the example spreadsheets in Appendix 4 (see front pages). Parameter values assumed for building characteristics and human exposure were consistent with values used in the soil vapor intrusion models. The aerial extent of impacted soil is assumed to be equal to the footprint of the building. The base of the floor was assumed to immediately overlie impacted soil (depth to top of soil equals thickness of floor). The thickness of impacted soil was assumed to be 200 cm (approximately 6 feet). The soil type was assumed to be a highly permeable sand (intrinsic permeability = $1.0E-07$ cm²). The model is not significantly sensitive to the input "Depth to Top of Contamination" for impacted soil situated within a few meters of the ground surface.

A default Soil-Building Pressure Differential of 20g/cm-s^2 was used. This generates a target vapor entry rate through the building slab of approximately $38\text{ cm}^3/\text{second}$ or two liters per minute (refer to Section 2.2.3).

For nonchlorinated VOCs, field experience suggests that the vapor intrusion model typically overestimates the vapor-phase concentrations of these chemicals by an order of magnitude or more, due in part to high rates of natural biodegradation. Evaluation of this issue is ongoing. To address this in the lookup tables, soil action levels generated with the model were adjusted upwards by a factor of 10 (see Table C-1b). Collection of soil vapor data and concurrent use of soil vapor action levels for vapor intrusion concerns is strongly recommended for sites where this pathway may be of significant concern.

The USEPA spreadsheet calculates the theoretical emission rate of a chemical into an overlying building based on the properties of the chemical and the soil type. For highly

volatile chemicals (e.g., vinyl chloride), however, an unrealistic mass of the chemical per unit area would have to be present at depth to maintain the theoretical emission rates over the assumed exposure duration. To compensate, the model spreadsheet calculates a second, mass-balanced emission rate by dividing the total mass of the chemical in the soil per unit area by the input exposure duration. This conservatively assumes that the entire mass of the chemical directly beneath the building will ultimately be emitted into the building over the assumed exposure duration. For chemicals where the mass-balanced vapor emission rate is lower than the theoretical emission rate, the mass-balanced emission rate is used to generate an action level (or calculate risk).

The same action levels developed for shallow soils should be applied to deep soils for initial, screening surfaces. While conservative, the parameter for depth to impacted soil does not significantly control calculated action levels for soils within 5 to 10 meters of the ground surface. As discussed in Volume 1, the collection of soil vapor data is preferred over the use of models for more detailed evaluations of vapor intrusion hazards.

4.4 Soil Action Levels for Leaching Hazards

4.4.1 Default Soil Leaching Model

Soil action levels for leaching hazards and subsequent impacts to groundwater are summarized in Table E and included in summary lookup tables for both shallow and deep soils (refer to Tables A and B of this appendix). These action levels are intended to address potential leaching of chemicals from vadose-zone soils and subsequent impact on groundwater. The soil action levels are back calculated based on target groundwater action levels. Target groundwater action levels are summarized in the Table D series and discussed in Chapter 2.

The majority of the action levels were calculated based on an empirical equation presented in guidance published by the Massachusetts DEP (MADEP 1994):

$$C_{\text{soil}} = \text{DAF} \times C_{\text{gw}} \times 0.001 \text{ mg}/\mu\text{g}$$

$$\text{DAF} = (6207 \times H) + (0.166 \times K_{\text{oc}})$$

where: DAF = SESOIL-based dilution/attenuation factor;
H = Henry's Law Constant (atm-m³/mol);
K_{oc} = Organic carbon partition coefficient (cm³/g);
C_{soil} = Leaching based soil concentration (mg/kg);
C_{gw} = Target groundwater action level (μg/L).

The term DAF is defined for the purposes of the model as the concentration of the contaminant in soil (in mg/kg) divided by the concentration of the contaminant in groundwater (in mg/L). The algorithm was originally developed by the state of Oregon (Anderson 1992), slightly modified for use by the Massachusetts DEP (MADEP 1994) and then incorporated into the Ontario MOEE lookup table guidance (MOEE 1996). The algorithm is based on a combined use of the computer applications SESOIL and AT123D. These applications model the leaching of chemicals from the vadose zone and subsequent mixing of leachate to groundwater, respectively.

SESOIL models the generation and downward migration of leachate in the vadose zone. The AT123D application models the mixing of leachate with groundwater immediately below the impacted area. A more detailed discussion of the derivation and application of the SESOIL/AT123D algorithm as modified by the Massachusetts DEP and adopted for use by the Ontario MOEE is provided in Appendix 5. The algorithm is based on a three-meter thick vadose zone characterized by one meter of impacted soil sandwiched between two one-meter thick layers of clean soil. The lower layer immediately overlies groundwater. All vadose-zone soil is conservatively assumed to be very permeable sand that freely allows the migration of leachate to groundwater. The organic carbon content of the soil is assumed to be 0.1%. (Note that this is more conservative than the 0.6% organic carbon content assumed in the direct-exposure models.) Mixing with groundwater is modeled over a 10-meter by 10-meter area. Use of a thicker assumed sequence of impacted soil would not significantly alter the results of the model given the assumed one-meter depth to groundwater.

The model assumes an annual rainfall of 1,100 mm (approximately 43 inches). A total of 720 mm (28 inches) of the total rainfall is assumed to infiltrate the ground surface and reach groundwater (assumed to be conservative for the majority of developed areas in Hawai'i). This is assumed to also be adequate for higher rainfall areas, although a site-specific evaluation may be required for large (e.g., > one-half acre) areas of contaminated soil with persistent and highly mobile chemicals. Biodegradation during migration of leachate to groundwater is not considered. This could cause the model to be especially over conservative for non-chlorinated, petroleum compounds. The model does, however, allow for resorption and volatilization of chemicals from the leachate during migration based on the physio-chemical properties of the chemical and the assumed soil properties. Groundwater is assumed to flow at a moderate rate of approximately 73m (240 feet) per year. The concentration of a chemical in leachate is assumed to be further reduced upon mixing of the leachate with groundwater (dilution factor approximately 3).

For moderately volatile and sorptive chemicals (e.g., benzene), action levels developed using the SESOIL-derived algorithm are similar to action levels generated using the full SESOIL application under a scenario where impacted soil is within a few meters of groundwater (e.g., HIDO 1995, carried out by the principal editor of this document).

Comparison to action levels developed by full but still conservative use of SESOIL suggests, however, that the simplified algorithm may be excessively conservative in the following cases:

- Leaching of highly volatile chemicals (e.g., vinyl chloride);
- Leaching of highly sorptive chemicals (e.g., PAHs);
- Leaching of highly biodegradable chemicals (e.g., common petroleum compounds);
- Sites where the depth to groundwater is greater than 10 meters below the base of the impacted soil.

The depth-to-groundwater factor is particularly important for chemicals that exhibit one or more of the above noted characteristics. As the distance between the base of impacted soil and the top of groundwater increases, there is additional time and area for chemicals to volatilize out of the leachate, resorb to soil particles, or degrade by naturally occurring biological processes. Site-specific evaluation of the potential for leaching of chemicals from soil may be warranted in such cases (including more rigorous modeling, laboratory leaching tests, groundwater monitoring, etc.).

SESOIL modeling carried out by the Hawai'i Department of Health (HIDOH 1995) and site-specific, SPLP soil batch test carried out by consultants and HIDOH between 2005 and 2011 (see Fall 2011 update memo in Appendix 9) suggested that chemicals with sorption coefficients greater than 30,000 cm³/g will be essentially immobile in the surface under normal soil conditions and not likely to impact groundwater. The SESOIL models were run conservatively assuming an annual rainfall of 400 cm/year (158 inches/year), an infiltration rate of 144 cm/year (57 inches/year) and very permeable soil overlying fractured bedrock.

More recent site data, including laboratory batch test leaching data, suggest that chemicals with sorption coefficients as low as 5,000 cm³/g are likewise essentially immobile in soil (see notes in Appendix 9 summary of updates). This was therefore selected as the *k_{oc}* cutoff for reference to the theoretical soil saturation level as the action level for leaching if higher than the action level generated by use of the SESOIL algorithm (refer to Table E). The equation and assumptions used to calculate the saturation levels is presented and discussed in Appendix 2. The HIDOH document *Use of Laboratory Batch Tests to Evaluate Potential Leaching of Contaminants from Soil* (HIDOH 2017a) provides guidance for calculation of site-specific sorption coefficients and evaluation of potential leaching hazards.

The majority of PCBs releases are related to 1242 to 1260 range Aroclors or similar mixtures. The default *k_{oc}* of 33,000 cm³/g presented in Table H was considered to be adequately conservative for this range and used in the leaching model. For less chlorinated

PCB mixtures, a site-specific evaluation of potential leaching concerns and even possible vapor emission concerns is required.

Leaching based action levels were generated only for chemicals considered to be significantly soluble and mobile in groundwater under normal, ambient conditions (e.g., pH 5.0 to 9.0 and normal redox conditions). Leaching-based soil action levels were not developed for metals. Leaching of metals from soil is highly dependent on the species of the metal present and the geochemical nature of the soil. At sites where physio-chemical conditions may promote enhanced leaching of metals and other chemicals from soils or waste piles (e.g., mining related wastes), the use of laboratory-based leaching tests is recommended (refer to Section 4.2.3 in Volume 1).

Leaching based soil action levels were developed for perchlorate (ClO₄). Perchlorate, a salt, is not significantly sorptive, volatile or biodegradable under normal conditions. Use of the SESOIL/AT123D algorithm was therefore not considered appropriate. As an alternative, a simple, chemical partitioning model presented in the USEPA *Soil Screening Level Guidance* document was referred to (USEPA 2002):

$$C_{soil} = C_{water} \times \left((K_{oc} \times f_{oc}) + \left(\frac{\theta_w + (\theta_a \times H')}{\rho_b} \right) \right) \times DAF$$

where:

- C_{soil} = Soil action level for leaching concerns (mg/kg)
- C_{water} = Target dissolved-phase concentration of chemical (mg/L)
- K_{oc} = Sorption coefficient (L/Kg)
- f_{oc} = Fraction organic carbon in soil (g/g)
- θ_w = Water-filled porosity (L_{water}/L_{soil})
- θ_a = Air-filled porosity (L_{air}/L_{soil})
- H' = Dimensionless Henry's Number constant (“unitless”)
- ρ_b = Soil bulk density (Kg/L)
- DAF = Dilution/Attenuation Factor [(mg/kg)/(mg/L)]

This model can be used to back calculate the total soil concentration of a chemical based on a target dissolved-phase concentration of the chemical in the soil (i.e., concentration in leachate). For perchlorate, k_{oc} and H' are presumed to be zero and the equation reduces to:

$$C_{soil} = C_{water} \times \left(\frac{\theta_w}{\rho_b} \right) \times DAF$$

The default water-filled porosity in the models is 0.15 and the default soil bulk density is 1.5. Based on groundwater action levels for perchlorate of 3.6 µg/L for drinking water resources and 600 µg/L for non-drinking water resources (refer to Tables D-1a and D-1b), leaching based soil action levels of 0.00036 mg/kg and 0.06 mg/kg are generated, respectively. A dilution/attenuation factor of 20 was incorporated to account for mixing of leachate with groundwater (USEPA 2002). This yielded final soil action levels for leaching concerns for perchlorate of 0.007 mg/kg and 1.2 mg/kg (refer to Table E). Laboratory-based tests are recommended for more site-specific analysis of potential leaching of perchlorate from soil (refer to Chapter 4 in Volume 1).

4.4.2 Soil Vapor Screening Levels for Groundwater Protection

Soil vapor screening levels that can be used to indirectly evaluate leachate conditions in the vadose zone and potential threats to groundwater are presented in Table E-2 (see also Section 4.3.4 of Volume 1). The screening levels focus on volatile hydrocarbons, solvents, explosives and fumigants. The evaluation of leachate associated with petroleum fuels focuses on TPH(gasolines)asoline, TPH(middle distillates), benzene, toluene, ethylbenzene and xylenes (BTEX) and naphthalene. Testing for additional, semi-volatile, PAHs in soil vapors is not necessary to evaluate potential leachate conditions (e.g., acenaphthene or methylnaphthalenes; see Section 2.6 of Volume 1 and Section 9 of the *HIDOH Technical Guidance Manual*; HIDOH 2009).

The ultimate focus of soil leaching models is the concentration of a targeted chemical in the soil moisture or “leachate.” The leaching threat to groundwater posed by the presence of a chemical in vadose-zone soil would ideally be evaluated by the direct measurement of the dissolved-phase concentration of the chemical in pore water. This could be compared to a target groundwater screening level times an assumed, dilution-attenuation factor. The collection of adequate volumes of pore water to evaluate potential leaching hazards using currently available investigation tools is impractical, however. As an alternative, soil screening levels are developed that represent the total concentration of a chemical in soil at equilibrium with target concentrations of the chemical in soil moisture or leachate (see the previous section; see also USEPA 2002). This allows soil data to be used to evaluate potential leaching hazards as an alternative to the direct collection and testing of soil pore water. Soil batch tests can also be used to more accurately evaluate the mobility of chemicals in soil and the potential threat to groundwater (see Section 4.3.3 in Volume 1).

Although relatively simple in concept and easy to implement in the field, this approach is highly prone to error due to assumptions that must be made regarding how a chemical partitions between sorption to organic carbon (and clay) and dissolution into soil moisture. The collection of representative soil samples from the subsurface is also very prone to error, give the small number of samples typically collected and the small mass of soil ultimately analyzed (e.g., 5 grams or less than one teaspoon or volatile chemicals). The use of multi-

increment sampling (MIS) approaches and preservation of samples in methanol in the field can help, but limited coverage can still hamper the representativeness of the data (HIDOH 2009). As discussed in Section 4.3.3 of Volume 1, batch tests suggest that soil leaching overestimate the concentration of a chemical in leachate based on the total concentration of the chemical in soil by orders of magnitude (i.e., greater proportion of chemical sorbed to soil particles than predicted by standard, equilibrium model).

For volatile chemicals (VOCs), direct measurement of the vapor-phase concentration of a chemical in vadose-zone soil or bedrock offers a more accurate method for estimation of the concentration of a chemical in leachate than a soil sample. The equilibrium concentration of a chemical in soil vapor to that in leachate is described by the Henry's Constant for that chemical (ratio of concentration in soil vapor over concentration dissolved in water at an assumed temperature; see Table H). Soil vapor screening levels for potential leaching (or leachate) hazards can be developed by designating a target concentration of the chemical in soil leachate, for example the target groundwater concentration (+/- attenuation factor), and then multiplying this by the chemicals Henry's Constant. (Note that a chemical's Henry's Constant varies as a function of temperature. The Henry's Constants presented in Table H are conservatively based on an assumed temperature of 25°C, as presented in the USEPA RSL guidance; USEPA 2023.)

This approach was used to generate the soil vapor screening levels for leaching concerns presented in Table E of Volume 1 and Table E-2 of this appendix. The screening levels are based on the following, simple equation:

$$C_{soil\ gas} = C_{gw} \times H' \times DAF$$

where: $C_{soil\ vapor}$ = soil vapor screening level for leaching concerns;
 C_{gw} = Target dissolved-phase concentration of chemical in groundwater;
 H' = Dimensionless Henry's Number constant; and
DAF = Dilution-Attenuation Factor

Soil vapor screening levels focus on protection of drinking water, with the target groundwater action level set to the lowest of the toxicity-based screening level and the taste and odor threshold for the chemical (see Table D-1a). Henry's Constants for VOCs are noted in Table E-2 and Table H. A default DAF of 20 was included in the model to take into account mixing of leachate with groundwater (after USEPA 2002). For example, a concentration of 5 µg/L benzene in vadose zone leachate would in theory yield an equilibrium concentration in soil vapor of 24,000 µg/m³, taking into account the dilution-attenuation factor.

The presence of a VOC in soil vapor above its respective screening level suggests that the concentration of the VOC in soil moisture or leachate could adversely impact an unconfined, underlying drinking water aquifer. The screening levels do not consider the actual mobility of the soil moisture. Vapor concentrations would be relatively high in dry soils with little soil moisture in comparison to saturated soils with migrating leachate. Whether or not the leachate (or even the vapors) is actually mobile and poses a true threat to groundwater depends on site-specific factors, including the size of the source area and the mass of contaminant present, the rainfall infiltration rate, the rate and amount of downward moving leachate, the distance to the water table, the rate of groundwater flow and the thickness of the leachate-groundwater mixing zone. These factors need to be evaluated in more detail on a site-specific basis if the soil vapor screening levels are exceeded.

4.5 Soil Ceiling Levels for Gross Contamination Concerns

Ceiling levels for gross contamination concerns are presented in each of the EAL summary tables for soil. These action levels are intended to be protective against odor and other nuisance and aesthetic concerns, as well as restrict the presence of potentially mobile, free product and limit the overall degradation of soil quality (i.e., "gross contamination"). The selection of soil ceiling levels was based on methods originally published by the Massachusetts DEP (MADEP 1994) and also used by the Ontario MOEE (MOEE 1996), as described in the Table F series of this appendix. Only the gross contamination action levels for shallow, exposed soils are carried forward for consideration in the Tier 1 EALs (refer to Table A and B series). Alternative action levels for isolated or deeper soils are provided for reference in site-specific Environmental Hazard Evaluations as needed.

“Odor Thresholds” presented in the Table F series are intended to represent the concentration of a chemical in air at which 50% of the population can detect a chemical odor. An "Odor Index" for a chemical is calculated by dividing the chemical's vapor pressure (in Torr, at 20 to 30°C) by its odor threshold (in ppm-volume, see Tables F-2 and F-3). This provides a relative ranking of chemicals for potential nuisance concerns. As summarized in Tables F-2 (shallow soils) and F-3 (deep soils), ceiling levels were then selected based on a comparison of a chemical's vapor pressure and odor index to a table of generic action levels (Tables F-1). For chemicals that are liquids under ambient conditions, the final ceiling level was selected as the lowest of the generic level from Table F-1 and the chemical's theoretical saturation level in soil (see Appendix 2). This was intended to prevent the presence of mobile, free product in the subsurface.

4.6 Soil Action levels for Terrestrial Ecotoxicity

Soil action levels for the protection of terrestrial flora and fauna were included in 2009 and earlier editions of the HEER Office EALs. The action levels were taken directly from guidance developed by the Ontario MOEE (MOEE 1996). Action levels were available for heavy metals and a small number of high-molecular-weight organic compounds and pesticides. Action levels for both unrestricted (“residential”) and commercial/industrial land use scenarios were presented, although only the unrestricted land use action levels are considered in the Tier 1 EALs. Alternative action levels for commercial/industrial land use were provided for reference in site-specific Environmental Hazard Evaluations as needed.

Direct inclusion of the soil ecotoxicity action levels was discontinued in the Fall 2011 edition of the EALs. This was due to low confidence for use in volcanic soils, including higher-than-normal background concentration of metals in Hawaiian soils in comparison to areas on mainland where the ecotoxicity action levels were developed. Trace metals in the volcanic soils tend to be tightly bound to iron hydroxides and other minerals and not significantly available for uptake into plants. A site specific, ecological risk assessment is now recommended at sites where significant anthropogenic contamination is identified and sensitive, terrestrial ecological habitats could be threatened (see Volume 1, Section 4.2).

5 Groundwater and Surface Water Action Levels

5.1 Introduction

Action levels for groundwater are summarized in the "D" series of tables at the end of this appendix. A discuss of individual concerns considered in the action levels is provided in this Chapter and summarized below. For the purpose of developing Tier 1 action levels, it is assumed that all groundwater could at some point in time potentially discharge to a body of surface water. Discharge could occur through natural processes (e.g., natural discharge of groundwater to a stream, river, lake, wetland, bay, etc. via springs) or through human activities (e.g., pumping and discharge of groundwater at remediation or construction dewatering projects).

A summary of environmental concerns incorporated into groundwater action levels for different site scenarios is provided in Table 2-1. The final groundwater action level for sites that threaten drinking water resources reflects the lowest of a chemicals screening level for drinking water toxicity, aquatic habitat protection (discharges to surface water), indoor-air impacts (volatile chemicals only) and a "ceiling level" for tastes and odors, or other nuisance concerns (Tables D-1a and D-1b). The final groundwater EAL for sites that do not threaten drinking water resources (Tables D-1c and D-1d) reflects the lowest of a chemical's screening level for the same set of environmental concerns with the exception of the drinking water component and use of less stringent ceiling level.

As discussed below, groundwater action levels for potential discharges to aquatic habitats consider chronic surface water quality goals for sites within 150m of a surface water body and acute goals for sites >150m from a surface water body. Although not used for groundwater action levels, HDOH standards for the potential bioaccumulation of contaminants in aquatic organisms and subsequent consumption of the organisms by humans must be used to evaluate actual impacts to a body of surface water. A summary of these standards is provided in Table D-3f for reference.

Groundwater action levels should be compared to dissolved-phase chemical concentrations unless instructed by the overseeing regulatory agency. This may require filtering of turbid samples (refer to Section 6 of the HEER Office *Technical Guidance Manual*). Filtering should not be carried out on samples to be tested for volatile chemicals.

5.2 Action levels for Drinking Water (Toxicity)

A summary of drinking water standards and guidelines used in this document is provided in Table D-2. Action levels for drinking water intended to address human toxicity were generally selected based on the following order of preference:

- HIDOH Maximum Contaminant Level;
- USEPA Primary Maximum Contaminant Level;
- Risk-based goal based on USEPA Region IX Tapwater model.

HIDOH and/or USEPA Primary Maximum Contaminant Level (MCLs) are available for approximately half of the chemicals listed in the lookup tables (HIDOH 2002; USEPA 2006). Although numerous factors are taken into account in development of primary MCLs (toxicity, detection limits, attainability, etc.), these standards are primarily intended to address toxicity to humans in drinking water supplies and are used for this purpose in this document.

For chemicals where Primary MCLs have not been promulgated, a tapwater model presented in the USEPA RSLs (RSL) document (USEPA 2023) was used to calculate alternative drinking water goals (Table D-4). Toxicity factors and physiochemical constants published in the 2011 USEPA RSLs were used to develop the action levels with the exceptions noted in Table H (refer to Section 1.3). The action levels are based on a target excess cancer risk of 10^{-6} and a target Hazard Quotient for noncancer concerns of 1.0. Note that the noncancer action levels in particular may not be adequate to address potential cumulative risks concerns. The need to evaluate cumulative risks should be determined on a site-by-site basis (refer to Chapter 4 of Volume 1).

For volatile chemicals, the tapwater goals take into account uptake via inhalation of vapors during showering and other activities in addition to toxicity via normal ingestion of drinking water. Goals for nonvolatile chemicals are based on ingestion only. Equations for the USEPA RSLs for tapwater are included in Appendix 2. Risk-based goals for noncarcinogenic effects take precedence over goals for carcinogenic effects if lower. Note that the more recent RSL tapwater model includes an additional and complicated component for dermal absorption of VOCs during water use. Risk posed by exposure to VOCs in drinking water is largely driven by ingestion, however, and to a lesser extent inhalation. The inclusion of a dermal absorption pathway in the model does not significantly alter the resulting screening level and was not incorporated into the EAL model.

Drinking water goals intended to address taste and odor concerns (e.g., Secondary MCLs) take precedence if lower than toxicity-based goals. For example, the USEPA Primary MCL for xylenes is 10,000 µg/L. The USEPA Secondary MCL for xylenes is only 20 µg/L, however. The latter value should be (and is) used as the groundwater action level for drinking water concerns. This is discussed under ceiling levels for groundwater (see Section 5.5).

5.3 Action Levels for Aquatic Habitat Protection

5.3.1 Basis of Action Levels

Groundwater action levels for the protection of aquatic habitats are based on the goal that concentrations of contaminants in groundwater should meet chronic surface water goals at the point that the groundwater discharges into a body of surface water. Dilution of contaminated groundwater as it mixes with surface water is not considered under a Tier 1 assessment. In accordance with this approach, chronic surface water goals are incorporated into groundwater action levels for sites (or groundwater plumes) located within 150m of a surface water body. For more inland sites, acute surface water goals are referred to. As a default under Tier 1, the lowest of freshwater versus saltwater goals are used. The prioritization and selection of these goals is described below.

5.3.2 Surface Water Aquatic Habitat Goals

A summary of aquatic habitat goals considered for use in this document is provided in Tables D-3a and D-3b. Separate goals were compiled for freshwater and saltwater habitats.

The goals reflect a compilation of standards formally promulgated in state law by HIDOH and goals published by USEPA and other sources. Formal standards have not been promulgated for the majority of chemicals listed. Final goals were selected based on the following order of preference and availability, unless otherwise noted in Table D-4f:

- HIDOH Surface Water Standard (HIDOH 2012b);
- USEPA Region 4 (USEPA 2015c);
- USEPA Office of Pesticides (USEPA 2016);
- USGS National Water Quality Program (USGS 2012);
- U.S. Department of Energy (USDOE 1996);
- Ontario MOEE (MOEE 1996);
- USEPA AQUIRE database (USEPA 2008b);
- Toxicity-based drinking water goal.

An exception to this approach is the use of a general, acute aquatic toxicity action level of 300 µg/L published by the Canadian Council of Ministers of the Environment (CCME) for semivolatile PAHs, excluding naphthalenes (CCME 2002; refer to Table D-4e). Goals provided in each reference are generally based on dissolved-phase concentrations of the chemicals in water. Goals for arsenic, chromium III, chromium VI, lead, mercury, nickel, selenium, silver and zinc are, however, based on total concentrations (see USEPA 2015c).

The USEPA AQUIRE ECOTOX database of ecotoxicity studies was referred to for chemicals with no published aquatic habitat goals, primarily a small number of pesticides (USEPA 2008b). Emphasis was placed on 96-hour-duration aquatic animal studies (48 hours for daphnia studies). Modification factors in general followed recommendations and methods provided in the USEPA Great Lakes water quality initiative guidance (USEPA 1995). Goals provided in each reference are generally based on dissolved-phase concentrations of the chemicals in water.

Note that many if not most of the referenced aquatic ecotoxicity action levels focus on toxicity to fish and benthic organisms. Action levels based on toxicity to aquatic plants could be lower. A more site-specific evaluation of this issue should be considered where discharges of impacted groundwater might adversely affect aquatic plants.

Chronic surface water goals were compiled for all of the chemicals listed in the lookup tables (Table D-3a). Acute goals were available for approximately 75% of the chemicals listed (Table D-3b). Chronic goals were substituted as acute goals when the latter were not available and in some cases adjusted upwards. Freshwater goals were similarly substituted for saltwater ("marine") goals if the latter were not available and vice versa.

Chronic and acute surface water standards specific to Hawaii are presented in the Hawaii Administrative Rules, Title 11, Chapter 54, Section 11-54-04: Basic Water Quality Criteria (HIDOH 2012b). Surface water standards for potential bioaccumulation of chemicals in aquatic organisms and subsequent human consumption of these organisms are presented in Table D-4f. Both Hawaii and Federal standards are given. Aquatic toxicity action levels presented in Table D-4e that include a component of bioaccumulation and potential impacts to predators are noted in red (see USEPA 2015c).

5.3.3 Groundwater Action levels for Aquatic Habitat Impacts

For the purposes of this document, it is assumed that groundwater could discharge into an estuary environment (tidally influenced portions of creeks, rivers, streams, etc.). Tier 1 goals for aquatic habitat protection are therefore based on the lowest of the goals for saltwater versus freshwater environments. For settings where this is not appropriate, target surface water goals and correlative groundwater goals can be adjusted on a site-specific

basis under a Tier 2 or Tier 3 assessment. The goals should be compared to dissolved-phase chemical concentrations unless otherwise instructed by HDOH.

Dilution of groundwater upon discharge to surface water was not considered in the selection of groundwater action levels for aquatic habitat protection. Benthic organisms were assumed to be exposed to the full concentration of chemicals in impacted groundwater prior to mixing of the groundwater with surface water. Potential dilution of groundwater upon discharge to surface water or in groundwater "mixing zones" adjacent to shorelines areas was therefore not appropriate for development of conservative action levels. Adjustment of the final groundwater action levels with respect to potential dilution may, however, be appropriate on a site-specific basis (e.g., no significant benthic habitat present, see Volume 1, Section 4.3).

Note that natural background concentrations of boron, copper, lead, mercury, selenium, thallium and zinc among other metals could exceed groundwater action levels presented in the lookup tables. This issue should be evaluated on a site-by-site basis and discussed with HDOH where necessary. This potential issue has been noted for shallow groundwater in caprock sediments around the islands, although data are too sparse to prepare a strong summary.

Surface water standards for potential bioaccumulation of chemicals in aquatic organisms and subsequent human consumption of these organisms were not directly considered in the selection of groundwater action levels for potential aquatic habitat impacts. Use of these standards would be excessively conservative at the large number of relatively small sites overseen by HDOH. Consideration of the standards may be appropriate for sites where the discharge of large plumes of impacted groundwater threatens long-term impacts to important aquatic habitats. This should be evaluated on a site-by-site basis.

5.4 Groundwater Action Levels for Potential Vapor Intrusion Concerns

5.4.1 Vapor Intrusion Model Parameters

Groundwater action levels intended to address the intrusion of vapors into buildings and subsequent impact on indoor-air quality are summarized in Table C-1a and included in Tables D-1a through D-1d. Correlative soil vapor action levels and indoor air action levels are presented in Tables C-2 and C-3, respectively, and discussed in Chapter 4.

All groundwater was assumed to potentially flow offsite and pass under residential areas. Final action levels are therefore based on a unrestricted ("residential") land use exposure

scenario. Groundwater action levels for commercial/industrial areas are included in Table C-1a for reference but were not carried on for use in subsequent lookup tables.

Default building parameters including anticipated IAERs and vapor entry rates are discussed in Section 2. The same building characteristic assumptions are used to develop action levels for subslab soil vapor, soil and groundwater. In particular, a default Soil-Building Pressure Differential of 20g/cm-s^2 was incorporated into the model. This generates a targeted vapor entry rate through the building slab of approximately $38\text{ cm}^3/\text{second}$ or 2 L/min (refer to Section 2.2.3). This, combined with the default, input IAERs for residential versus commercial/industrial settings, is used to generate a targeted SSAF for the intrusion and mixing of vapors into the overlying building. The SSAF subsequently plays an important role in generation of corresponding vapor intrusion action levels for VOCs in underlying groundwater.

For the purposes of this document, the vadose-zone soil profile overlying groundwater is modeled as one meter of coarse-grained, dry, sandy soil (S) overlying two meters of somewhat more moist clayey loam (CL, 1/3 sand, 1/3 silt, 1/3 clay). This is considered to be representative of fill material commonly placed beneath the slabs of new buildings. "Sand" is defined as material that is equal to or greater than 0.075 mm in diameter (i.e., will not pass through a U.S. Standard 200 mesh sieve). Silt and clay are defined as material that is less than 0.075 mm in diameter (i.e., will pass through a U.S. Standard 200 mesh sieve). These definitions are consistent with default parameter values for soil types presented in the USEPA model (USEPA 2004). The depth from the ground surface to the top of impacted groundwater in both sets of models was assumed to be 3.0m . This is just above the minimum thickness allowed for modeling of vapor transport through a low to moderate permeability vadose-zone soil profile, due to capillary fringe height constraints.

This vadose-zone profile is similar to the profile for coastal sediments in many areas of Hawai'i. *It is important to understand, however, that the profile itself is not necessarily intended to mimic the profile at a subject site.* The primary objective of the input, model profile is instead intended to approximate concentrations of VOCs observed in shallow (e.g., subslab) soil vapor over contaminated groundwater, based on comparisons of groundwater and soil vapor data in the field. The modeled soil profile is considered to reasonably replicate groundwater and soil vapor observations in the field under most site conditions, even if the input soil types and layers do not match actual field conditions.

Input soil parameter values for total porosity, water-filled porosity and fraction organic carbon for the upper portion of the soil profiles were set equal to values used by USEPA in development of the RSLs (USEPA 2023). Soil moisture was assumed to be somewhat higher for the lower soil units than the upper units, at 0.30 (vs 0.15), consistent with the default recommended in the USEPA vapor intrusion guidance document. Default values presented in the USEPA spreadsheets were used for remaining soil properties.

Default soil vapor permeability values for the selected soil types were used in the models. For site-specific estimation of this parameter, the use of rigorous, in-situ methods intended for the design of soil vapor extraction systems is recommended. Secondary porosity and permeability in fine-grained soils can be significantly enhanced by plant roots, desiccation cracks, disturbance during redevelopment, faulting, etc. Reliance on a small number of borings or laboratory analysis could significantly underestimate the actual vapor permeability of the site and in turn underestimate the risk of potential impacts to indoor air.

Note that when using the USEPA vapor intrusion spreadsheets to back calculate a groundwater action level from an input target risk, the values appearing in the spreadsheet for "Csource" (concentration in soil vapor) and "Cbuilding" (concentration in indoor air) are based on a theoretical initial soil concentration of 1E-06 g/g or 1,000 micrograms per kilogram and are not directly related to the modeled action level. The values presented do not represent actual modeled concentrations and should be ignored.

5.4.2 Adjustment of Action levels

Field studies at sites impacted by volatile chemicals have clearly documented impacts to indoor air due to the intrusion of subsurface vapors, particularly for sites where soil or groundwater has been impacted by chlorinated volatile organic compounds. One example is the report *An Evaluation of Vapor Intrusion into Buildings Through A Study of Field Data* prepared by staff of the Massachusetts DEP (Fitzpatrick and Fitzgerald 1997). Results of the Massachusetts DEP study suggest that the vapor intrusion model may over-predict the concentration of chlorinated, volatile chemicals in soil vapor by an order of magnitude or more with respect to the measured concentration of the chemical in groundwater, although in some cases the model appeared to be slightly under conservative. More significantly, the Massachusetts DEP field study indicated that the vapor intrusion model over-predicted the soil vapor concentration of petroleum-based volatile organic compounds (e.g., benzene) in the vadose zone by up to three or more orders of magnitude. This was interpreted to reflect substantial, natural biodegradation of the vapor-phase of these chemicals in the subsurface. This in turn causes the models to over predict impacts to indoor air by several orders of magnitude and makes use of the model for this group of chemicals questionable, particularly in the absence of field-based soil vapor data.

To account for the potentially over conservative nature of the vapor intrusion model for nonchlorinated volatile chemicals, action levels generated by the model were adjusted upwards by a factor of ten (refer to Table C-1a). As discussed below, the use of soil vapor data in combination with groundwater studies may be most appropriate for evaluating sites where a more detailed evaluation of this issue is warranted. Evaluation of this issue is ongoing.

5.5 Water Ceiling Levels for Gross Contamination Concerns

Ceiling levels based on gross contamination concerns for surface water and groundwater are summarized in the Table G series. Ceiling levels for surface water and groundwater that is considered to be a current or potential source of drinking water are based on the lowest of the chemicals taste and odor threshold (e.g., Secondary MCLs), one-half the solubility and a maximum of 50,000 µg/L for any chemical based on general resource degradation concerns (Tables G-1 and G-4, after MADEP 1994). Taste and odor thresholds for drinking water were selected in the following order of preference and availability:

- HIDOH Secondary MCLs (HIDOH 2002);
- USEPA Secondary MCLs;
- California Department of Health Services Taste and Odor Action Levels;
- Taste and odor levels developed by Amoores and Hautala (as presented in Central Valley Regional Water Quality Control [RWQCBCV] 2007);
- Odor thresholds presented in Massachusetts DEP (MADEP 1994) and Ontario MOEE (MOEE 1996) guidance documents and other published reports (e.g., Young et al 1996).

Hawai'i drinking water regulations reference USEPA Secondary MCLs for a short list of chemicals (HIDOH 2002). USEPA and California DHS secondary MCLs and taste and odor thresholds were taken from the California Environmental Protection Agency (CalEPA) document *A Compilation of Water Quality Goals* (RWQCBCV 2007).

Ceiling levels for surface water and groundwater that is NOT considered to be a current or potential source of drinking water were selected in a similar manner with the exception that the drinking water taste and odor thresholds were replaced with general nuisance thresholds and gross contamination concerns (Tables G-2 and G-4). Nuisance thresholds are intended to reflect the concentration at which a chemical in water poses unacceptable odor problems or sheens.

Thresholds presented in the Massachusetts DEP and Ontario MOEE guidance documents were used as the primary sources of data. Taste and odor levels developed by Amoores and Hautala (in RWQCBCV 2007) were referred to for chemicals that lack odor thresholds in the Ontario guidance, although conservative considerations for drinking water concerns could cause these criteria to be overly stringent. It is apparent, however, that similar sources were used to develop both the Ontario MOEE and the Amoores and Hautala databases (compare Tables G-1 and G-2). In keeping with the Ontario and Massachusetts guidance documents, a ten-fold dilution/attenuation of chemical concentrations in groundwater upon discharge to surface water was assumed (non-drinking water resources, gross contamination action levels only). The potential for an adverse buildup of contaminants in

sediment over time through long-term discharges of contaminated groundwater should be evaluated on a case-by-case basis (e.g., sorption and buildup of dissolved-phase petroleum onto organic material in sediment over time).

The nuisance threshold for methyl tertiary butyl ether (MTBE) is based on average, upper range at which most subjects in a USEPA study could smell MTBE in water (180 µg/L), as summarized in the public health goals document for MTBE prepared by Cal EPA (CalEPA 1999a). This was selected as a nuisance action level for MTBE in surface water. Assuming a dilution factor of ten yields the odor threshold of 1,800 µg/L for groundwater.

Drinking water taste and odor thresholds for TPH are discussed separately in Section 6.6. Note that consideration of the aqueous solubility for individual compounds to assess the potential presence of free product in groundwater is not appropriate for petroleum mixtures. Solubility should instead be assessed on a molar composition basis using Raoult's Law. Free product is likely to be present when the sample data equals or exceeds the estimated mixture solubility of an individual compound or the sum of the individual component solubilities. One-half of the total petroleum product solubility measured as TPH can also be considered, although data might be biased high to the presence of more soluble, degradation compounds (refer to Section 6).

5.6 Other Groundwater Action Levels

Additional action levels for groundwater provided in the California EPA technical document *A Compilation of Water Quality Goals* include USEPA and National Academy of Sciences "Suggested No-Adverse-Response (SNARL)" goals for toxicity other than cancer risk and "Agricultural Water Quality" goals developed by the United Nations (RWQCBCV 2007). The SNARL goals largely duplicate risk-based action levels for drinking water presented in Table D-3. Agricultural Water Quality goals for 12 metals are provided in Table D-5. These goals were not considered in the final lookup tables but may need to be considered on a site-specific basis. The agricultural goals are higher than action levels for both drinking water and surface water protection for 7 of the 12 metals listed. Agricultural goals for copper, cobalt, selenium and zinc are higher than goals for aquatic habitat protection but are lower than goals for drinking water (i.e., drinking water goals may not be adequately protective for irrigation use). The agricultural goal for molybdenum is lower than both the drinking water goal and the surface water goal for this metal. The development of these goals was not reviewed for preparation of the EAL document.

Table 5-1. Environmental concerns considered in groundwater action levels.

Category	Drinking Water Toxicity	Drinking Water Taste and Odors	Vapor Emissions To Indoor Air	Discharges To Surface Water (Chronic Goals)	Discharges To Surface Water (Acute Goals)	Surface Water Impact Ceiling Levels
Table A-1 Source of Drinking Water; NOT Within 150m of Surface Water Body	X	X	X		X	X
Table A-2 Source of Drinking Water; Within 150m of Surface Water Body	X	X	X	X		X
Table B-1 NOT A Source of Drinking Water; NOT Within 150m of Surface Water Body			X		X	X
Table B-2 NOT A Source of Drinking Water; Within 150m of Surface Water Body			X	X		X

6 Action Levels for TPH

6.1 Introduction

Petroleum is a complex mixture of hundreds of different compounds composed of hydrogen and carbon (i.e., "hydrocarbon" compounds). The carbon range makeup of common petroleum fuels is noted in Figure 3. Non-specific, aliphatic and aromatic compounds make up the overwhelming majority of the mass in fuels and in vapors emitted from fuels (see Appendix 6). These compound and related, degradation compounds are collectively measured and assessed as "Total Petroleum Hydrocarbons" or "TPH" (refer to Volume 1, Section 2.6.1). Risk to human health and the environment posed by petroleum releases is evaluated in terms of both TPH and individual, "indicator" compounds such as benzene, toluene, ethylbenzene and xylenes as well as 1- and 2-methylnaphthalene, naphthalene (BTEXMN) and other individually targeted polyaromatic hydrocarbons (PAHs). The latter only make up a small percentage of the total mass in fuels and in vapors but can pose a significant risk due to their higher toxicity.

Testing and evaluation of the TPH component of petroleum-contaminated soil and groundwater and in associated soil vapor in addition to targeted, individual compounds is therefore important. A summary of target analytes for petroleum in soil vapor, soil and water in addition to TPH and with respect to different fuel types is provided in Table 6-1. In many cases the TPH component of the contamination will drive risk to human health and the environment over the minority fraction represented by individual BTEX and PAH compounds.

Petroleum-related, polar compounds are considered to have similar toxicities as the parent compounds and TPH action levels are applicable to both the nonpolar and polar fractions for initial screening. The use of alternative toxicity factors and physiochemical constants for metabolites can be proposed in a site-specific Environmental Hazard Evaluation. Refer to Volume 1, Section 2.6.1 and Section 9 of the HEER *Technical Guidance Manual* (HIDOH 2023A). This issue is reviewed in the ITRC document entitled *TPH Risk Evaluation at Petroleum Contaminated Sites* (ITRC 2018). Several HEER staff participated in the preparation of the document, particularly in the Chemistry and Case Studies sections of the document, both of which discuss methods to address petroleum-related degradation compounds. A more in-depth case study document was prepared with other members of the ITRC technical group and published separately by HIDOH (HIDOH 2018). The HIDOH document is referenced in the ITRC guidance. Links to recordings of webinars on the case studies are posted to the HEER Office webpage (<https://health.hawaii.gov/heer/guidance/heer-webinars/>).

The development of risk-based action levels for TPH in soil, soil vapor and groundwater is described below. For the purposes of this document, petroleum fuels are subdivided into “gasolines”, “middle distillates” and “residual fuels”, following the methodology used by the American Petroleum Institute (API 1994). Middle distillates include common diesel fuel, kerosene and jet fuels such as JP-5 and JP-8. Corresponding TPH action levels reflect the differing carbon range makeups of the fuel categories as well as differing carbon range makeups of neat, dissolved and vapor phases of each individual fuel.

Default TPH action levels for groundwater that is a current or potential source of drinking water reflect the carbon range-weighted, dissolved-phase makeup of the fuel and assume that the compounds still retain their original volatility. Alternative toxicity factors and somewhat less conservative action levels are also presented for TPH-related compounds in partially degraded plumes of contaminated groundwater that have lost some or all of their volatility. These or similar action levels based on alternative toxicity factors can be proposed for use on a site-specific basis provided that supporting laboratory data are included that document the degradation state of hydrocarbon-related compounds in the water.

Note that the above fuel groupings DO NOT directly correspond to the use of “Gasoline Range Organics (GRO),” “Diesel Range Organics (DRO)” and “Residual Range Organics (RRO)” sometimes used by laboratory to report the purgeable, volatile fraction of compounds in a sample (e.g., GRO) and the extractable, semi-volatile to nonvolatile fraction of compounds in a sample (e.g., DRO and RRO). The separate purgeable and extractable fractions of organic compounds in a sample must instead be added together to calculate a total “TPH” concentration for the sample as a whole (e.g., $TPH = GRO + DRO + RRO$). This is especially important for evaluation of data for water samples, where compounds, including hydrocarbon-related degradation products, can span over multiple laboratory reporting ranges. Refer to the document *Comparison of HDOH Total Petroleum Hydrocarbon (TPH) Action Levels to Data for Water Samples* including in Attachment 6 for additional guidance (HDOH 2024a).

A detailed laboratory study of the BTEXMN and carbon range makeup of several gasolines, middle distillates and heavy oils was carried out on behalf of the HDOH in 2022 (Newfields 2022). As described in Section 6.2 and Section 6.3, the results are used to estimate weighted, carbon range toxicity factors for calculation of risk-based action levels for TPH presented. The data expand previously published information on the carbon range makeup of different types of petroleum fuel used in previous editions of the EAL guidance (e.g., TPHCWG 1998, MADEP 1997, 2003). Published data on the carbon range makeup and toxicity of vapors associated with petroleum fuels are limited. In 2011, the HEER office carried out a soil vapor study of key, petroleum-contaminated sites in Hawai‘i to help fill this data gap and updated the environmental hazard evaluation (EHE) guidance and associated TPH EALs (HDOH 2012a). The results of that study are summarized

below. A paper published on the study (Brewer et al. 2013) and an overview of common questions regarding TPH are included in Appendix 6.

Not surprisingly, and as described below and in Appendix 6, vapors are strongly biased toward lighter-end aliphatic compounds in comparison to the parent fuel type. Significant vapors were identified at both gasoline and middle distillate release sites. Gasoline is routinely considered to be “volatile” and a potential vapor intrusion hazard. As is obvious by their distinctive smell, middle distillates such as diesel fuel are also volatile and can pose vapor intrusion hazards if present at high enough concentrations and mass in soil and groundwater.

Sections 7 and 9 of the HEER Office *Technical Guidance Manual* describes laboratory methods for testing of TPH in soil, water and soil vapor contaminated with petroleum fuels. Detailed carbon range analysis of the aliphatic and aromatic makeup of the TPH component of the petroleum and development of site-specific, TPH action levels can be carried out as needed as an alternative to the action levels published in this guidance (see Volume 1). This is not anticipated to be necessary or cost-beneficial at most sites, however. An exception might be the need for more detailed carbon range data for soil vapor at sites where reported concentrations of TPH exceed the Tier 1 action levels by less than a factor of three, the approximate magnitude that site-specific action levels might be increased over the default action level.

As discussed in the Volume 1, the use of EALs as final “cleanup levels” for petroleum-related compounds that are known to be highly biodegradable might be impracticable as well as unnecessary for sites where contamination has spread a significant distance from the original release area. Final remedial actions typically include a combination of source removal and management of residual contamination and should be coordinated with the overseeing regulatory agency (e.g., refer to HIDOH 2007).

6.2 Carbon Range Physiochemical Constants

Physiochemical constants for BTEXMN and individual aliphatic and aromatic carbon ranges are provided in Table 6-2. Default physiochemical constant values for TPH(gasolines) and TPH(middle distillates) were revised to reflect default parameter values for C9-C10 aromatics published by Massachusetts DEP (see Table H, MADEP 1997, 2002). This is primarily a factor for the soil leaching models and reflects the anticipated, preferential dissolution of more soluble and less volatile aromatic compounds into infiltrating surface water. A cap of 5,000 mg/kg was applied to leaching based screening levels due to uncertainty regarding the utility of the model at high concentrations. Free product is likely to be present in the soil at and above this level. The model only

considers desorption of contaminants from organic carbon in the soil, negating its reliability when free product is present.

Reference to C9-C10 parameter values is intended to reflect the increased mobility of TPH and TPH degradation products warranted deference to more mobile aromatic compounds, primarily with respect to the assumed sorption coefficient (K_{oc}). The increase in mobility with degradation is also reflected in application the default solubility for C9-C10 aromatics of 51 mg/L to TPH(middle distillates). This is significantly higher than a solubility for fresh product of approximately 5 mg/L (USACE 1998).

6.3 Carbon Range Makeup of Fuels, Fuel Vapors and Dissolved Fuel in Water

A laboratory study of the BTEXMN and carbon range makeup of common types of fuel was carried out on behalf of HIDOH by Newfields Environmental Forensics (Newfields 2022). Detailed laboratory reports and summary tables are provided in Appendix 6.

Laboratory data summarized in Table 6-3 for gasoline, diesel and Bunker C (Fuel Oil No. 6) were selected to represent the default BTEXMN and carbon range makeup of gasolines, middle distillates and residual fuels, respectively. Table 6-4a, Table 6-4b and Table 6-4c summarize the predicted makeup of neat, vapor and dissolved-phases each fuel category in terms of toxicity-based carbon ranges. Carbon range data for individual types of fuel were used to predict the makeup of dissolved-phase fuel in contact with water. A detailed review of the approach used and summary tables for each fuel type is provided in Appendix 6. Previous HIDOH studies were referred to designate a default, carbon range makeup of vapors emitted from neat fuels (HIDOH 2011). A copy of a paper published on the HIDOH vapor study is provided in Appendix 6 (Brewer et al. 2013).

A more in-depth review of the chemistry and carbon range makeup of different petroleum fuel types is presented in guidance published by the Total Petroleum Hydrocarbon Working Group (TPHCWG 1998). Summaries have also been published by several states, including Massachusetts (MADEP 1997, 2003) and Indiana (IDEM 2010). A brief overview of the carbon range makeup of each fuel category is provided below, with a focus on gasoline, #2 diesel fuel and residual fuels such as motor oil and Bunker C.

6.3.1 Gasolines

Neat Fuel

The default, carbon range makeup of neat gasoline fuel is summarized in Table 6-4a. Gasolines are defined as petroleum mixtures characterized by a predominance of branched alkanes and aromatic hydrocarbons with carbon ranges of C6 to C12 and lesser amounts of

straight-chain alkanes, alkenes and cycloalkanes of the same carbon range (TPHCWG 1998). Data generated by Newfields (2022) indicate an average, relative carbon range makeup of gasoline fuels of 70% C5-C8 aliphatics, 12% >C8-C18 aliphatics and 20% >C8 aromatics (excludes BTEX, methylnaphthalenes, naphthalene and other individually targeted compounds). This carbon range makeup was used to develop TPH action levels for soil contaminated with gasoline.

Vapors

The default, carbon range makeup of vapors emitted from fresh gasoline is summarized in Table 6-4b. Data for gasoline vapors presented in the USEPA Petroleum Vapor Intrusion database indicated an average carbon range makeup of 77.3% C5-C8 aliphatics, 7.3% >C8-C12 aliphatics and 15.4% >C8-C10 aromatics (Brewer et al. 2013; see also USEPA 2012). A much great dominance of gasoline vapors by C5-C8 aliphatics has been reported by other entities (e.g., BioVapor 2010). This was used to generate TPH action levels for indoor air and subslab vapors impacted by gasoline. The higher, relative proportions of longer chain aliphatics and heavier aromatics in the USEPA database could be due to weathering, inadvertent inclusion of vapor data from middle distillate release sites and/or the incorporation of volatile metabolites in the data. The latter issue has not been studied in detail. A reduction in the assumed proportion of >C8 aromatics in gasoline vapors would not significantly alter the estimated weighted toxicity or associated indoor air and subslab action levels.

Vapors associated with fresh gasoline are dominated by C2-C4 aliphatics and C5-C8 aliphatics, with only a minor component (<5%) of BTEX and non-specific aromatic compounds (see Appendix 6). Vapors associated with weathered fuel, as is the case at most gasoline-release sites, are dominated by C5-C8 aliphatics with little to no C2-C4 aliphatics remaining and again a relatively minor component of BTEX and non-specific aromatic compounds (see Appendix 6; may differ on the mainland due to local gasoline formulations). The C2-C4 aliphatics primarily pose explosion hazards. Chronic toxicity factors have not been developed for these compounds.

The ratio of TPH to benzene in soil vapor at sites contaminated with releases of older, high-benzene gasoline is typically less than 500:1, with the ratio lower (i.e., increased proportion of benzene) at fresh release sites and higher ratio at more weathered sites (i.e., preferential loss of benzene). The ratio of TPH to benzene can be much higher at more recent releases (post 2005) of gasoline due to an initially much lower proportion of benzene in the formulation in comparison to earlier formulations (see Brewer et al 2013).

Dissolved-Phase Gasoline

The default, carbon range makeup of dissolved-phase gasoline in water that is in contact with fresh fuel is noted in Table 6-4c. Refer to Appendix 6 for a detailed review of the approach used to derive the makeup and associated summary tables. Dissolved-phase

carbon ranges are predicted to be dominated by C5-C8 aliphatics (67%) and >C8 aromatics (32%), with a trace contribution from >C8-C18 aliphatics. This default carbon range makeup is used to derive TPH action levels for drinking water contaminated with gasoline.

6.3.2 Middle Distillates

Neat Fuel

The default, carbon range makeup of neat middle distillate fuels is summarized in Table 6-4a. Middle distillates (e.g., kerosene, diesel fuel, home heating fuel, JP-8 jet fuel, etc.) are characterized by a wider variety of straight, branched and cyclic alkanes, PAHs, especially naphthalene and methylnaphthalenes and heterocyclic compounds with carbon ranges of approximately C9 to C25. A small component of C5-C8 aliphatics and BTEX aromatics is also present.

Diesel was selected as the most representative fuel for this petroleum type due to its more widespread use in comparison to other fuels. Data generated by Newfields (2022) indicate a relative carbon range makeup of 62% >C8-C18 aliphatics and 33% >C8 aromatics with relatively minor amounts of >C18-C32 aliphatics and only trace amounts of C5-C8 aliphatics (0.62%). This corresponds well with the carbon range makeup of individual chemicals in diesel fuel published by the TPHCWG (TPHCWG 1998). This carbon range makeup was used to develop TPH action levels for soil contaminated with middle distillate fuels in general.

Other types of middle distillate fuels that could be encountered at release sites include JP-5 and JP-8 jet fuels stored at facilities that operate aircraft. These are more refined kerosenes which have a higher fraction of >C8-C18 aliphatics and lesser amounts of >C8 aromatics (Newfields 2022, 2023; HODOH 2024b). As discussed below, the oral toxicity of these groups of carbon range compounds is very similar. A laboratory-based study of the chemistry and toxicity of dissolved-phase JP-5 jet fuel in water is summarized in separate report published by HODOH (2023b). Laboratory reports associated with the JP-5 study (Newfields 2023) are included in Appendix 6 of this document.

Vapors

The default, carbon range makeup of vapors emitted from fresh, middle distillate fuels is summarized in Table 6-4b. Selection of a default, carbon range makeup of vapors associated with middle distillates is less straight forward than for gasolines. Published data regarding the specific, carbon range makeup of vapors associated with diesel fuel and other middle distillates is lacking. Vapor headspace chromatograms have been published by a few private entities, however (e.g. Hayes 2007, NCFS 2011). Not surprising given the chemical makeup of middle distillate fuels, the chromatograms suggest a dominance of C12 and greater aliphatic compounds in vapors associated with these fuels, with an accompanying significant amount of C5-C8 aliphatics. The increased presence of the latter

in vapor in part reflects the preferential release of lighter-end and more volatile aliphatic compounds from the fuels. Elevated C5-C8 aliphatics in the vapor could also reflect degradation of longer-chain compounds. The U.S. Geologic Survey (USGS) has documented the latter in groundwater for a diesel release site they have been monitoring since the 1980s (Chaplain et al, 2002). Aromatic compounds, including BTEX and naphthalene make up only a small amount of the total mass of vapor-phase compounds.

Commercial laboratories are only able to reliably report up to C12 aliphatics and C10 aromatics in soil vapor samples collected in summa canisters (e.g., see Hayes 2007). This is because longer-chain vapor compounds tend to condense on the inside of the canisters stick to the sides and not be included in the sample removed for testing. This in turn means that the soil vapor samples collected in summa canisters at middle distillate release sites could significantly under report the total concentration of TPH present in the soil vapor and subsequently under represent the potential vapor intrusion hazard posed by the contamination.

In order to address this potential concern HIDOH collected TO-17 sorbent tube soil vapor samples at five key petroleum sites as part of its TPH vapor study (see HIDOH 2012a). The TO-17 samples allowed full capture and extraction of the full range of petroleum compounds present in the soil vapor. The samples were collected by drawing a fixed volume of soil vapor (e.g., 50ml) through a narrow tube filled with a carbon-based sorbent material (see Appendix 6). Summa canister samples were also collected at the sites for comparison. The laboratory extracts and measures the mass of targeted VOCs captured by the sorbent material. Dividing this by the volume of soil vapor (or air) drawn through the tube yields the original concentration of the individual VOC in the soil vapor..

Soil vapor data collected by HIDOH at several middle distillate release sites in Hawai'i revealed wide variations in the ratio of C5-C8 and C9-C12+ aliphatic compounds between and even within sites (HIDOH 2012a; Brewer et al. 2013; see Appendix 6). In some cases C9-C12+ aliphatics dominated, in agreement with published chromatograms for headspace samples over diesel fuel (e.g. Hayes 2007, NCFs 2011). In other cases C5-C8 aliphatics dominated. This may have been in part due to mixing of vapors with nearby gasoline releases and/or the breakdown of longer-chain aliphatics into shorter chain aliphatics at more weather sites. Vapor samples collected over fresh fuels were likewise mixed (see Appendix 6), although it is suspected that the fuel associated with the sample that reported a higher proportion of C5-C8 aliphatics may have been excessively warmed in the sun prior to collection of the vapor sample. The distinct presence of C9-C12+ aliphatics in the soil vapor samples, however, clearly distinguishes sites with middle distillate contamination from gasoline-release sites.

Based on the results of the HEER Office study, an assumed TPH carbon range makeup of vapors associated with middle distillate fuels of 25% C5-C8 aliphatics, 75% C9-C12+

aliphatics and 0% C9-C10 aromatics was selected for development of TPH soil vapor action levels (see Table 6-4b and Appendix 6). An assumed dominance of C9-C12+ aliphatic compounds in middle distillate vapors is consistent with published chromatograms for headspace samples over diesel fuel noted above (e.g. Hayes 2007, NCFS 2011). A high percentage of C12+ aliphatics and C10+ aromatics was not, however, identified in the middle distillate sites investigated, even this was predicted by the published chromatograms (maximum 13%, see Appendix 6). This may reflect the fact that the chromatograms reflect vapors collected over fresh fuels.

Testing of vapors associated with JP-5 jet fuel (Newfields 2023; refer to HIDOH 2024b) similarly indicated a dominance of >C8-C18 aliphatics compounds (77%) in comparison to C5-C8 aliphatics (19%), with only trace amounts of >C8 aromatics (3.1%). Vapors associated with >C8 aromatics are considered to be somewhat more toxic than vapors associated with >C8-C18 aliphatics, implying that diesel poses a slightly higher exposure risk than kerosene (refer to Section 6.3).

Small amounts of BTEX and naphthalene were reported in vapor samples collected over fresh fuel. Benzene, naphthalene and other aromatic compounds were present in only trace amounts in soil vapor samples collected at targeted middle distillate release sites, however (generally <0.1%). The ratio of TPH to benzene was typically greater than 1,000:1 and in some cases over 10,000:1. Non-specific aliphatics clearly drove vapor intrusion risks at these sites over individual compounds such as benzene and naphthalene. Testing for only the latter in the soil vapor samples would have significantly underestimated the vapor intrusion risk.

Dissolved-Phase Middle Distillates

The default, carbon range makeup of dissolved-phase middle distillate fuel in water that is in contact with fresh fuel is noted in Table 6-4c. Refer to Appendix 6 for a detailed review of the approach used to derive the makeup and associated summary tables. Dissolved-phase carbon ranges are predicted to be dominated by >C8 aromatics (98%) with only trace amounts of C5-C8 aliphatics (1.9%) and >C8-C18 aliphatics (0.46%). This default carbon range makeup is used to derive TPH action levels for drinking water contaminated with middle distillates in general.

A similar makeup of dissolved-phase JP-5 jet fuel was determined by laboratory testing of water in direct contact with the fuel (Newfields 2023; refer to HIDOH 2024b). In that study, dissolved-phase JP-5 was determined to be again dominated by >C8 aromatics (99.78%) with only trace amounts of C5-C8 aliphatics identified (0.22%) and no detection of >C8-C18 aliphatics.

6.3.3 Residual Fuels Distillates

Neat Fuel

The default, carbon range makeup of neat residual fuels is summarized in Table 6-4a. Residual fuels (e.g., Fuel Oil Nos. 4, 5, and 6, lubricating oils, “waste oils”, “oil and grease,” asphalts, etc.) are characterized by complex, polar PAHs, naphthenoaromatics, asphaltenes and other high-molecular-weight, saturated hydrocarbon compounds with carbon ranges that in general fall between C24 and C40. Published data on the specific, aliphatic and aromatic makeup of the TPH fraction of residual fuels after subtracting individual, targeted PAH compounds was not identified for use in this guidance but is expected to vary widely between different products and wastes.

Detailed analysis of the BTEXMN and carbon range makeup of Bunker C and waste (used) auto motor oil was carried out on behalf of HIDOH by Newfields (2022). Waste motor oil was dominated by heavy aliphatic compounds (88% >C21 aliphatics). Bunker C contained a proportion of more toxic, >C8-C18 aliphatics (28%) and >C8 aromatics (33%) in comparison to the waste motor oil (1.5% and 10%, respectively). The relative makeup of Bunker C was therefore used to develop soil as well as drinking water action levels for TPH associated with residual fuels.

This compares reasonably well to data for presented in Table 13 of the TPHCWG document, which identifies 25% >C17+ aromatics in fresh lubricating and motor oil (TPHCWG 1998). Testing for targeted, individual PAHs in addition to TPH at residual fuel release sites is critical. Motor oil that has been heated to high temperatures can contain a significant proportion of carcinogenic, PAH compounds. Significant amounts of PAHs (e.g., naphthalene) could also be present at former gas manufacturing plants, asphalt production facilities, and other sites where PAHs made up a significant proportion of the petroleum product released.

Vapors

The presence of semivolatile aliphatics and aromatics in Bunker C fuel requires the development of corresponding indoor air action levels (refer to Section 3.2). Data on the carbon range makeup Bunker C fuel are not available. An anticipated dominance of >C8-C18 aliphatic compounds with lesser amounts of C5-C8 aliphatics identical to that selected for the default, carbon range makeup of diesel vapors is carried forward for the development of indoor air action levels (refer to Table 6-4b). Use of a harmonic rather than arithmetic mean biases the weighted toxicity factor toward the more toxic >C8-C18 aliphatics and negates a significant in TPH action levels for indoor air that consider inclusion of less toxic C5-C8 aliphatics.

The TPH fraction of soil and groundwater contaminated with residual fuels is only likely to pose significant vapor intrusion hazards if gross contamination is situated immediately

beneath building floors, especially in comparison to gasoline- and even diesel-contaminated sites (with the exception of MGP sites). Methane buildup may also be a concern at heavy fuel release sites. The carbon range makeup and weighted toxicity of vapors associated residual fuels can be evaluated on a site-specific basis as needed. As is suspected for some middle distillates sites, C5-C8 and even C9-C12 aliphatics could be present as breakdown products of longer-chain hydrocarbon compounds. Individually targeted BTEXMN compounds should best tested for in vapor samples collected from all petroleum-related sites. Naphthalene may be a concern at manufactured gas plant (MGP) sites.

Mineral oils used in electrical transformers are highly refined, fractions of crude oil with little to no chemical additives (EPRI 1998). The oils are dominated by C9-C30 aliphatics (approximately 85%) with a lesser amount of non-specific, aromatic compounds (approximately 15%) and overlap the carbon ranges discussed for middle distillates and residual fuels (see Figure 3). The volatile component of mineral oils is significantly lower than that found in middle distillates. The viscosity of the oils is also significantly greater. Carcinogenic PAHs such as benzo(a)pyrene are not present in detectable amounts. Additives including PCBs were included in older formulations of mineral oil but have been banned from new formulations since the 1970s. Releases of mineral oils from electrical transformers are relatively small in comparison to releases of diesel fuels and contamination is generally limited.

Dissolved-Phase Residual Fuels

The default, carbon range makeup of dissolved-phase residual fuel in water that is in contact with fresh product is noted in Table 6-4c. Refer to Appendix 6 for a detailed review of the approach used to derive the makeup and associated summary tables. Data for the carbon range makeup of Bunker C were again referred to. Dissolved-phase carbon ranges are predicted to be dominated by >C8 aromatics (>99%) with only trace amounts of C5-C8 aliphatics (0.12%) and no >C8-C18 aliphatic compounds. This is used to derive TPH action levels for drinking water contaminated with residual fuels. A similar overwhelming dominance of dissolved-phase, >C8 aromatics can be anticipated to be similar to all residual fuels due to the general lack of shorter chain and relatively soluble aliphatic compounds in the parent products.

6.4 Calculation of Carbon Range-Weighted TPH Toxicity Factors

Toxicity factors selected for the each of the targeted carbon ranges and exposure pathways are summarized in Table 6.5. The assumed aliphatic and aromatic carbon range makeups described in Section 6.2 were used to develop default, carbon range-weighted toxicity factors for TPH associated with neat, vapor and dissolved phases of gasolines, middle distillates and residual fuels. A detailed summary of the step-by-step approach used to

calculate weighted toxicity factors for carbon range-weighted TPH associated with each fuel category and fuel phase is provided in Appendix 6.

The following equations were used to calculate carbon range-weighted TPH Reference Doses for the ingestion and dermal absorption exposure pathways and Reference Concentrations for the inhalation exposure pathway (after ODEQ 2003):

Weighted RfD (mg/kg-day) =

$$\frac{1}{\left[\left(\frac{\text{FractionC5} \cdot 8\text{aliphatics}}{\text{C5} \cdot 8\text{aliphaticsRfD}} \right) + \left(\frac{\text{FractionC9} \cdot 12 + \text{aliphatics}}{\text{C9} \cdot 12 + \text{aliphaticsRfD}} \right) + \left(\frac{\text{FractionC19} + \text{aliphatics}}{\text{C19} + \text{aliphaticsRfD}} \right) + \left(\frac{\text{FractionC9} \cdot 10 + \text{aromatics}}{\text{C9} \cdot 10\text{aromatics} + \text{RfD}} \right) \right]}$$

Weighted RfC ($\mu\text{g}/\text{m}^3$) =

$$\frac{1}{\left[\left(\frac{\text{FractionC5} \cdot 8\text{aliphatics}}{\text{C5} \cdot 8\text{aliphaticsRfC}} \right) + \left(\frac{\text{FractionC9} \cdot 12 + \text{aliphatics}}{\text{C9} \cdot 12 + \text{aliphaticsRfC}} \right) + \left(\frac{\text{FractionC9} \cdot 10 + \text{aromatics}}{\text{C9} \cdot 10\text{aromatics} + \text{RfC}} \right) \right]}$$

Summaries of weighted toxicity factors calculated for neat-, vapor- and dissolved phases of each fuel category are noted in Table 6a, Table 6b and Table 6c, respectively. The Reference Concentration for middle distillates was adopted for vapors potentially emitted from residual fuels. The time-averaged mass of volatile hydrocarbons emitted from residual fuels can be anticipated to be significantly lower than emissions from more volatile gasoline and middle distillate fuels.

As summarized below, these toxicity factors and physiochemical constants were used to develop soil vapor, soil and groundwater TPH action levels. Risk-based action levels for TPH are based on a target, noncancer Hazard Quotient of 1.0. This is based on an assumption that TPH represents the primary noncancer risk posed by petroleum-contaminated soil, soil vapor and groundwater due to the overwhelming mass of hydrocarbon compounds included in the analysis (see Section 1.4 and Appendix 6).

6.5 TPH Action Levels for Indoor Air and Soil Vapor

Carbon range-weighted, TPH indoor air and soil vapor action levels for gasolines and middle distillates are presented in Table C-3 of the detailed EAL lookup tables. The action levels were calculated in the same manner as done for other volatile chemicals but with the use of a target, noncancer Hazard Quotient of 1.0 (see above and equations in Appendix

2). An indoor action level of 200 $\mu\text{g}/\text{m}^3$ was calculated for TPH(gasolines). An indoor action level of 130 $\mu\text{g}/\text{m}^3$ was calculated for TPH(middle distillates).

Soil vapor action levels were calculated using the default, Indoor Air:Soil vapor attenuation factors discussed in Section 2 (Residential: 1/2,000, Commercial/Industrial: 1/4,000). This generates residential soil vapor action levels of 400,000 $\mu\text{g}/\text{m}^3$ for TPH(gasolines) and 260,000 $\mu\text{g}/\text{m}^3$ for TPH(middle distillates) (Table 6-5; soil vapor action levels for carbon ranges also provided). Commercial/Industrial action levels are much higher-3,200,000 $\mu\text{g}/\text{m}^3$ for TPH(gasolines) and 2,200,000 $\mu\text{g}/\text{m}^3$ for TPH(middle distillates). This is due to both an adult-only exposure scenario and an assumed average, daily exposure time of 8 hours instead of 24 hours (see Appendix 2).

Indoor air action and subslab soil vapor action levels were not automatically generated for residual fuel due the high, average molecular weight and the assumed low volatility of these fuels (refer to Table H). Action levels for middle distillate fuels should be applied on a case-by-case basis where vapor emissions from residual fuel contamination poses a potential concern.

Petroleum release sites often contain a mix of fuels. Vapors in soil vapor could likewise be a mix of several fuel types. Applying soil vapor (and indoor air) action levels for gasolines versus middle distillate fuels is therefore not straightforward. The default, carbon range makeup assumed in the action levels can be re-evaluated on a site-specific basis as needed. Note also that the TPH indoor air action levels could be below ambient background levels for indoor and outdoor air, due to the use of petroleum-based cleaners, auto exhaust, etc.

The soil vapor action levels do not take into account an expected reduction in concentration and associated risk over time due to biodegradation. This is also true for risk-based, TPH soil action levels presented in the Table I series. This can be evaluated on a site-specific basis as needed.

The collection and evaluation of soil vapor samples at sites impacted with residual fuels is warranted where heavy contamination is to be left in place (see HDOH 2007). Soil vapor action levels for vapors associated with TPH(middle distillates) should be applied in the absence of soil vapor carbon range data. This will help to rule out potential vapor intrusion hazards and ensure that other sources of petroleum contamination were not missed.

6.6 TPH Action Levels for Soil

6.6.1 TPH (gasolines, middle distillates)

Risk-based, direct-exposure action levels for TPH(gasolines) and TPH(middle distillates) in soil can be calculated in the same manner as done for individual chemicals, using the toxicity factors noted above and physiochemical constants noted in Table H (see Chapter 4). The model calculated residential direct-exposure soil action levels of 450 mg/kg and 220 mg/kg using this approach, respectively. These action levels are highly conservative. This is particularly true for especially soil exposed at the surface, where off gassing and biodegradation is likely to be significant.

As discussed in Chapter 4, maximum, direct-exposure action levels for volatile liquids in soil are normally set equal to the contaminants theoretical soil saturation level or C_{sat} (e.g., refer to xylene action levels in Table I series). This represents the concentration above which the contaminant can no longer be sorbed to soil particles (e.g., organic carbon or clay) or dissolved into the soil moisture (e.g., solubility limits reached). Above this concentration, free product will be present in the soil. This approach was also used to establish C_{sat} and maximum direct-exposure action levels for TPH(gasolines) and TPH(middle distillates). (refer to Table I series). Residual fuels are not considered to pose significant vapor emission hazards other than the potential generation of methane and related explosion hazards (refer to Volume 1).

As discussed in Section 6.2, physio-chemical constants for the C9-C10 aromatics carbon range fraction developed by Massachusetts were referred to for calculation of soil screening levels for TPH(gasolines) and TPH(middle distillates) (MADEP 2002b, refer to Section 6.2). Ceiling levels for nuisance and other gross contamination concerns developed by Massachusetts for TPH as gasoline and diesel (latter included under "middle distillates") were modified for use in this document (MADEP 1997a,b, refer to Table F series). Based on calculated "odor indexes", a shallow soil ceiling level of 100 mg/kg was selected for unrestricted ("residential") land-use scenarios and a ceiling level of 500 mg/kg was selected for commercial/industrial land-use (both categories of TPH). For deep soils, a ceiling level of 5,000 mg/kg was retained (primarily intended to prevent the presence of potentially mobile free product in soil).

6.6.2 TPH (residual fuels)

Risk-based, direct-exposure action levels for TPH as residual fuels were calculated in the same manner as done for individual chemicals, using the toxicity factors and physiochemical constants noted earlier. The action levels developed incorporate the Particulate Emission Factor used by USEPA to calculate RSLs for nonvolatile contaminants (USEPA 2023, refer to Appendix 2). Risk-based action levels for

TPH(residual fuels) in drinking water and soil were then developed in the same manner as done for other chemicals (Table D-3 and Table I series, respectively). As discussed in Volume 1, testing for individual, target indicator compounds is also recommended for soil and groundwater contaminated by heavy fuels (e.g., PAHs, heavy metals, etc.).

Individual PAHs are likely to drive health risks posed by soils contaminated with residual fuels. The non-specific, TPH fraction of the petroleum may, however, pose gross contamination concerns even in the absence of significant PAHs. Following Massachusetts DEP guidance (MADEP 1997a,b), ceiling levels for gross contamination concerns of 500 mg/kg and 2,500 mg/kg were selected for exposed or potentially exposed soils in unrestricted (“residential”) and commercial/industrial land use scenarios, respectively (see Table F series). The MADEP ceiling level of 5,000 mg/kg was selected for isolated or otherwise deep soils.

The Massachusetts DEP did not develop specific action levels for leaching of heavy hydrocarbons from soil (refer to C19-C36 carbon range summary in Appendix 6). Residual fuels are by definition characterized by a predominance hydrocarbon compounds with carbon ranges greater than C24. These compounds are considered to be substantially less mobile in the subsurface than hydrocarbon compounds that make up the lighter-weight petroleum mixtures. For TPH that is characterized by a predominance of C23-C32 carbon range compounds, the California EPA Los Angeles Regional Water Board proposed an action level of 1,000 mg/kg for protection of drinking water resources (RWQCBLA 1996). This action level was adopted for use in this document (refer to Table E). The target TPH action level for groundwater was not specifically stated but was presumably 100 µg/L, an informal action level in use at that time. The action level is likely to be highly conservative, given the relative immobility of heavier hydrocarbons in soil..

The Los Angeles Regional Water Quality Control Board did not present a similar action level for potential leaching of TPH from soil and subsequent discharge of impacted groundwater to a body of surface water. The TPH(middle distillates) action level of 1,500 mg/kg was adopted for reference in this guidance (see Table E, refer also to Section 4.4).

The toxicity of mineral oils and vegetable oils is low. The oils are more viscous and less volatile than fuels. Significant vapor emissions from contaminated soil and groundwater are not anticipated, although methane buildup could be a concern for very large, subsurface releases. For the purpose of this guidance and in order to address potential gross contamination concerns, a TPH action level of 5,000 mg/kg is recommended for exposed soils or soils within three feet of the ground surface that has been contaminated with mineral or vegetable oil. For deeper soils an action level of 25,000 mg/kg is recommended. Refer also to the HEER Office 2007 guidance for the long-term management of petroleum-contaminated sites (HIDOH 2007). These action levels are not specifically called out in the EAL lookup tables. Soil and other media contaminated by releases of oil from electrical

equipment should also be tested for PCBs unless it can be demonstrated that PCB-based oils were never used in the equipment.

6.7 TPH Action Levels For Groundwater

6.7.1 TPH Action Levels for Non-Degraded Plumes

Carbon range-weighted and toxicity-based, drinking water action levels calculated for dissolved-phase TPH associated with gasolines, middle distillates and residual fuels are noted in Table D-3a and Table D-3b. Toxicity-based drinking water goals of 74 µg/L for gasoline and 91 µg/L each for middle distillates (e.g., diesel) and residual fuels were developed using the USEPA RSL Tapwater model and weighted toxicity factors for non-degraded (0% oxidization) plumes noted in Table 6-6b. The action levels for each fuel category consider ingestion, dermal absorption and inhalation pathways.

Past HIDOH guidance presented a taste and odor threshold for TPH in drinking water of 100 µg/L TPH(gasolines). This was based on a taste and odor threshold or “Suggested No Adverse Response Level (SNARL)” for kerosene in drinking water published by the USEPA (1980). A review of the original source documents (in Polish and Russian) by Zemo and O’Reilly (2016) identified flaws in the derivation of this threshold.

A closer review of the original references reviewed to develop the SNARL suggests that this threshold could be too low for some types of petroleum (Zemo and Reilly 2016). Most of the research was carried out in the 1940s to 1960s. The representativeness of the petroleum formulations in the studies of more recent fuels is uncertain. McFee and Wolfe (1963) reference odor thresholds for drinking water that range from 10 µg/L to 2,000 µg/L for gasoline, 82 µg/L to 667 µg/L for kerosene and heating oil, and 500 µg/L to 25,000 µg/L for heavier oils. Additional screening levels of 100 µg/L to 500 µg/L are referenced for “unrefined petroleum,” with screening levels of 1,000 µg/L to 2,000 µg/L noted for “refined petroleum.” Based on the studies presented, a taste and odor threshold for refined, low- to mid-range petroleum fuels of 500 µg/L is reasonable for initial screening purposes (see Table G-1). The adequacy of this threshold should be verified if impacts to actively used sources of drinking water are identified.

This exceeds toxicity-based action levels for TPH in drinking water and suggests that exposure to potentially significant levels of TPH in drinking water will be readily noticeable by the user (see Tables D-1a and D-1b).

For the protection of aquatic life, an action level of 500 µg/L was selected for TPH(gasolines) in freshwater and 3,700 µg/L in saltwater (see Table D-4b). A single action level of 640 µg/L was selected for TPH(middle distillates) and TPH(residual fuels) in both

freshwater and saltwater. The freshwater action level for TPH-gasoline is based on a summary of available eco-toxicity data compiled for use at the Presidio of San Francisco under Regional Water Board Order 96-070 (RWQCBSF 1998b, Montgomery Watson 1999). The TPH-gasoline criteria for saltwater and the TPH criteria for diesel and residual fuels in general are based on action levels developed for use at the San Francisco Airport under Regional Water Quality Control Board Order No. 99-045 (RWQCBSF 1999a).

The groundwater nuisance and odor concerns action level of 5,000 µg/L for TPH (all categories) noted in the Table G series for nondrinking water was taken directly from Massachusetts DEP risk assessment guidance (MADEP 1997a,b). MADEP lists a gross contamination, “Ceiling Value” of 50,000 µg/L for all aliphatic and aromatic carbon ranges. This includes an assumed, dilution factor of “10”, however. The dilution factor was omitted for used in the action levels, since as a default groundwater should meet surface water action levels at the point of discharge, both for aquatic toxicity and potential nuisance concerns. This also corresponds with the approximate solubility of diesel fuel and light motor oil in fresh water (ATSDR 2001) and is intended to address potential nuisance issues (odors, etc.) if discharged to surface water. The TPH ceiling levels for gross contamination concerns are based on 1/2 the solubility of the respective TPH categories (refer to Table G series). The solubility of gasoline in freshwater is approximately 150,000 µg/L. The solubility of diesel range and heavier fuels is assumed to be approximately 5,000 µg/L. These action levels are intended to highlight the potential presence of free product on groundwater.

6.7.2 TPH Action Levels for Partially Degraded Plumes

The toxicity-based, drinking water action levels for TPH associated with different fuel categories discussed above and presented in the EAL summary tables assume that dissolved-phase hydrocarbons are not significantly degraded and still retain 100% of their original volatility. This is considered into the inhalation pathway of the tapwater model used to derive the action levels. Alternative TPH action levels based on the oxidation state of a plume are noted in Table 6-6c.

Natural degradation and partial oxidation of dissolved-phase, BTEXMN and carbon range compounds due to biological activity will lead to a complex mixture of polar and less volatile metabolites. This will reduce vapor emissions from contaminated water and increase the TPH action level. Degraded BTEXMN will no longer be recognizable in the laboratory data as the original, parent compounds and will instead be incorporated into the measurement of “TPH” (refer to Volume 1, Section 2.6.1). Partially degraded BTEXMN and carbon range compounds are, however, assumed to retain the toxicity of the original, parent hydrocarbon in terms of exposure via ingestion or dermal absorption.

The inclusion of degraded BTEXMN compounds in the dissolved-phase, TPH mixture and the reduction in vapor emissions from the water can be considered in development of alternative action levels. Ingestion-related toxicity factors can be ascertained by considering the calculating the combined, weighted toxicity of the dissolved-phase BTEXMN and carbon ranges mixture. The relative makeup of this mixture for each fuel category is included in the summary tables provided in Appendix 6 (Table C for each fuel type). Example, alternative toxicity factors for partially and more fully degraded contamination are also noted (Table E series). The predicted reduction in vapor emissions from the water can be taken into account by reducing the Volatilization Factor (VF) incorporated into the tapwater model by an equal amount.

Two example oxidation states for each fuel category are provided in Appendix 6. A summary of adjusted toxicity factors associated with each degradation state are noted in Table 6-6b. In the first example, a 50-50 mixture of non-degraded and still volatile contaminants and partially degraded non-volatile BTEXMN and carbon range compounds is assumed (50% oxidation). This is assumed to decrease the emission of vapors from contaminated water by half, reflected by a reduction in the VF from 0.50 L/m³ to 0.25 L/m³ (refer to Appendix 2). The incorporation of degraded BTEXMN into the TPH mixture results in a slight adjustment of toxicity factors for the dermal and oral exposure pathways. The combined decrease in vapor emissions and modification of weighted, TPH toxicity factors results in a slight increase in action levels for gasolines, middle distillates and residual fuels of 108 µg/L, 127 µg/L and 106 µg/L, respectively (refer to Table 6-6c). The TPH action level for middle distillates increases more than that for residual fuels due to the assumed greater incorporation of somewhat less toxic, partially oxidized and less toxic toluene and xylenes into the TPH mixture.

In the second example, 100% of the dissolved-phase contaminants are assumed to have been partially oxidized and lost their volatility. This results in an assumed VF of “0” in the tapwater model (see Appendix 2). All of the originally dissolved-phase BTEXMN is assumed to be incorporated into the TPH mixture, again causing a modification of weighted toxicity factors for the oral and dermal exposure pathways (refer to Table 6-6b). Elimination of the inhalation pathway and incorporation of all BTEXMN into the TPH mixture Toxicity-based drinking water goals of 148 µg/L for gasolines, 193 µg/L for middle distillates and 107 µg/L for residual fuels (refer to Table 6-6c). The action level for residual fuels increases only slightly due to the assumed low proportion of less toxic toluene and xylenes originally present in the Bunker C and dissolved in drinking water (refer to summary of Bunker C in Appendix 6).

Use of the above noted, alternative TPH action levels for drinking water toxicity or similarly developed action levels for degraded plumes of petroleum-contaminated groundwater can be proposed on a site-specific basis and discussed with the overseeing regulatory agency. Sample data supporting a degraded state of the plume, including

comparison of data with and without silica gel cleanup, must be included (refer to Volume 1, Section 2.6.1).

6.8 Comparison of TPH Action Levels to Water Sample Data.

A detailed discussion of the approach to be used for comparison of HIDOH TPH action levels to water sample data, including a fact sheet on petroleum forensics, is provided in Attachment 6 (HIDOH 2024). Three categories of petroleum fuel and associated TPH EALs are presented in the EAL lookup tables: 1) Gasolines [TPH(gasolines)], 2) Middle Distillates [TPH(middle distillates)] and 3) Residual Fuels [TPH(residual fuels)]. “Middle Distillate” fuels include diesel, kerosene and jet fuel. “Residual Fuels” include motor oil and other heavy fuels and petroleum products. The action levels apply to the single, total concentration of non-specific (e.g., non BTEXMN) hydrocarbon and hydrocarbon-related degradation compounds (aka “Hydrocarbon Oxidation Products” or “HOPs”) present in a water sample and known or assumed to be associated with one of the three-noted categories of fuel. The most conservative action levels should be used for comparison to sample data if the specific type of fuel released cannot be determined or contamination is associated with a mixture of two or more of the noted fuel categories.

Scrutiny of groundwater sample data following the 2021 jet fuel release at the Navy’s Red Hill facility in Honolulu identified concerns that the total concentration of TPH-related compounds in a sample was not being adequately quantified. This led to confusion regarding comparison of fuel-specific, TPH EALs to sample data for individual ranges of organic compounds in a sample often reported separately by laboratories.

In short, there is only one concentration of non-specific, TPH-related contaminants in a sample. The concentration of “TPH” in a water sample derived for comparison to a corresponding TPH action level should be calculated as the sum of the concentration of Total Purgeable Organics for volatile compounds plus the concentration of Total Extractable Organics for semi-volatile and non-volatile compounds. Volatile compounds are commonly reported as “Gasoline Range Organics (GRO)”, for example using a combined gas chromatography and mass spectrometry (GC-MS) analysis such as Method 8260. Semi-volatile and non-volatile compounds are commonly and reported as “Diesel Range Organics (DRO)” and “Residual Range Organics (RRO)”, for example using gas chromatography Method 8015.

The terms “GRO,” “DRO” and “RRO” are used by the laboratory to convey the general makeup and distribution of hydrocarbon-related compounds in a sample and do not directly correspond to HIDOH action levels for separate categories of petroleum fuels. The concentration of TPH-related compounds in a sample must instead be calculated as:

TPH = Total Purgeable Organics + Total Extractable Organics;

or in terms of individual fuel ranges:

TPH = GRO + DRO + RRO.

Test methods for Purgeable Organic Compounds and Extractable Organic Compounds can overlap the same carbon range. Volatile compounds reported under purgeable test methods are largely lost in processing of samples to be tested using extraction methods, however. Potential double counting is therefore minimal and does not need to be considered.

The identification of middle distillate-related, organic compounds in a water sample based only on gas chromatography becomes unreliable below a laboratory Method Reporting Limit (“MRL”, aka “Laboratory Quantification Limit”) of approximately 200 µg/L. Samples of drinking water and groundwater that are a current or potential source of drinking water with reported concentrations of Total Extractable Organics (e.g., “DRO” or “RRO”) below this concentration should be retested for individual compounds using a combined GC-MS method such as Method 8270. The resulting data should be reviewed by a chemist experienced in petroleum forensics to determine if the compounds are associated with petroleum-related contamination or other, nonpetroleum-related organic matter in the water. Concentrations of organic matter below a concentration of 200 µg/L should not be reported as “TPH” and used for comparison against HDOH TPH action levels until such verification has been made.

6.9 Proposals for Alternative Action Levels

Section 4.1 in Volume 1 of the EAL guidance discusses options for development and presentation of alternative, site-specific action levels. Factors potentially applicable to petroleum-related contamination include:

- The specific type of fuel released, including the carbon range makeup of the fuel and measured or predicted partitioning into water and air/vapors (including laboratory studies of solubility, etc.; refer to Appendix 6);
- Development of alternative carbon range makeup based on testing of the fuel actually released at the site;
- Development of alternative, weighted toxicity factors based on the case-specific, carbon range makeup of the fuel and/or the carbon range makeup of vapor-phase and dissolved-phase contamination;
- Consideration of the volatility and associated inhalation risk associated with degraded plumes of groundwater or surface water based on silica gel cleanup and related sample data (refer to Section 6.7.2);
- Consideration of the current and potential future use of groundwater; and

- Potential risks to surface water quality that could be impacted by natural or intentional discharge of contaminated groundwater into an aquatic habitat.

Note that determination of the aliphatic and aromatic carbon range makeup of dissolved-phase petroleum is unlikely to be practical in most cases, due both to the degradation state of the compounds as well as limitations in commercial laboratories. As discussed in the TPH Action Level memorandum included in Appendix 6, this will normally necessitate extrapolation of the carbon range makeup of dissolved-phase petroleum from data for the parent fuel and the use of general TPH data to assess risk.

6.10 Additional Target Indicator Compounds

Laboratory measurement and assessment of each individual compound within a petroleum mixture is technically complex and generally not feasible or appropriate under most circumstances. More importantly, data regarding the physio-chemical and toxicity characteristics of the majority of petroleum compounds are lacking. Impacts to soil and water from petroleum mixtures are instead evaluated in terms of both TPH and well characterized "indicator chemicals" (e.g., benzene, toluene, ethylbenzene, xylenes and targeted PAHs). Indicator chemicals typically recommended for petroleum mixtures include (after CalEPA 1996):

Monocyclic Aromatic Compounds (primarily gasolines and middle distillates)

- benzene
- ethylbenzene
- toluene
- xylene

Fuel additives (primarily gasolines)

- MTBE
- other oxygenates as necessary

Polycyclic Aromatic Compounds (primarily middle distillates and residual fuels)

- methylnaphthalene (1- and 2-)
- acenaphthene
- acenaphthylene
- anthracene
- benzo(a)anthracene
- benzo(b)fluoranthene
- benzo(g,h,i)perylene
- benzo(a)pyrene
- benzo(k)fluoranthene
- chrysene
- dibenzo(a,h)anthracene
- fluoranthene
- fluorene
- indeno(1,2,3)pyrene

- naphthalene
- phenanthrene
- pyrene.

The TPH EALs should be used in conjunction with EALs for these chemicals. Note that volatile chemicals such as butylbenzene, isopropyl benzene, isopropyl toluene and trimethylbenzenes are often reported in analyses of gasoline and other light-end petroleum products. These chemicals are collectively addressed under action levels for “TPH” and generally do not need to be evaluated separately.

Soil and groundwater impacted by releases of waste oil may also require testing for heavy metals and chemicals such as chlorinated solvents and PCBs. Action levels for these chemicals are included in the lookup tables.

6.11 Ethanol

Gasoline formulations are anticipated to include an increasing proportion of ethanol in the near future. Soil, soil vapor, indoor air and groundwater action levels for ethanol have therefore been added to the EAL document. Human-health, chronic toxicity factors for ethanol have not been developed. Ethanol is not considered to pose chronic health risks at the low doses posed by exposure to contaminated soil and groundwater. The action levels are therefore based only on nuisance and gross contamination concerns. “Ceiling Levels” for these concerns are presented in Tables F (soil and indoor air) and I (groundwater and surface water). The final action level for each of the groundwater categories is based on an “Upper Limit” of 50 mg/L (Table G series, see also Tables D-1a and F-1b). The final soil action level presented in each of the soil categories of 45 mg/kg is based on the protection of groundwater to the noted target groundwater action level (Table E, see also Table A and B series). The leaching based action level was adjusted upwards by a factor of 10 to take into account the high, anticipated biodegradation rate of ethanol in the environment. The adequacy of this action level should be further evaluated in the field as appropriate (e.g., sites near producing water wells or bodies of surface water). The indoor air action level of 19,200 $\mu\text{g}/\text{m}^3$ (10 ppmv) is based on the published odor threshold potential for ethanol (Table F series, see also Table C-3). This concentration is well below the Occupational Safety and Health Administration (OSHA) Permissible Exposure Limit (PEL) of 1,000 ppmv for workers.

Although highly mobile in the environment, ethanol is also highly biodegradable, not significantly toxic in low dose, and is likely to only persist in the presence of other, more toxic components of gasoline, including benzene (Ulrich 1999). An assessment and cleanup of contaminated soil and groundwater to address health threats posed by associated compounds is expected to address any potential health concerns posed by exposure to residual ethanol in soil, air or water.

Table 6-1. Target analytes for petroleum contaminated media (see also Section 9 of the HEER office *Technical Guidance Manual*; HIDOH 2023A).

Petroleum Product	Media	Recommended Target Analytes
Gasolines	Soil	TPH, BTEX, naphthalene, MTBE and appropriate additives and breakdown products (e.g., DBA, TBA, lead, ethanol, etc.)
	Soil Vapor	Same as soil plus volatile additives and methane
	Groundwater	Same as soil
Middle Distillates (diesel, kerosene, Stoddard solvent, heating fuels, jet fuel, etc.)	Soil	TPH, BTEX, naphthalene, and methylnaphthalenes (1- and 2-)
	Soil Vapor	TPH, BTEX, naphthalene, and methane
	Groundwater	Same as soil
Residual Fuels (lube oils, hydraulic oils, transformer oils, Fuel Oil #6/Bunker C, waste oil, etc.)	Soil	TPH, *VOCs, naphthalene, methylnaphthalenes (1- and 2-), the remaining 16 priority pollutant PAHs, PCBs, and heavy metals unless otherwise justified
	Soil Vapor	TPH, BTEX, naphthalene, and methane
	Groundwater	same as soil

*VOCs include BTEX and chlorinated solvent compounds

Table 6-2. Physiochemical constants and toxicity factors for BTEXMN and TPH carbon ranges.

¹ Chemical/ Carbon Range		Molecular Weight	² Vapor Pressure (mmHg)	Solubility in Water (µg/L)	Henry's Constant (unitless)	Partition Coeff, k _{oc} (cm ³ /g)	Diffusion Coefficient (cm ² /s)	
							air	water
Benzene		78	95	1,790	0.23	146	0.09	1.0E-05
Toluene		92	28	526	0.27	234	0.08	9.2E-06
Ethylbenzene		106	9.6	169	0.32	446	0.07	8.5E-06
Xylenes (total)		106	8.0	106	0.27	383	0.07	8.5E-06
1-Methylnaphthalene		142	0.067	25.8	0.021	2,530	0.05	7.8E-06
2-Methylnaphthalene		142	0.055	24.6	0.021	2,480	0.05	7.8E-06
Naphthalene		128	0.085	31	0.018	1,544	0.06	8.4E-06
Volatile Carbon Ranges	C5-C8 Aliphatics	93	76	11,000	54	2,265	0.08	1 x 10 ⁻⁵
	>C8-C12 Aliphatics	120	2.2	51,000	0.33	1,778	0.07	1 x 10 ⁻⁵
	C9-C10 Aromatics	170	0.11	10	4,900	680,000	0.07	5 x 10 ⁻⁶
Nonvolatile Carbon Ranges	>C12-C18 Aliphatics	280	0.0008	0.0015	110	4.0 x 10 ⁸	-	-
	>C18-C36 Aliphatics	120	2.2	51,000	0.33	1,778	0.07	1 x 10 ⁻⁵
	>C10-C22 Aromatics	150	0.024	5,800	0.03	5,000	0.06	1 x 10 ⁻⁵

Notes

1. BTEXMN constants from USEPA (2023). Solubility based on a temperature of 25°C. Carbon range constants from Massachusetts Department of Environmental Protection (MADEP 2002) except constants from C19-C36 Aliphatics (Gustafson et al., 1997; based on EC>16-35 aliphatics in Table 7 of document).

2. Carbon range vapor pressures converted from atmospheres (1atm = 760 mmHg).

Table 6-3. Measured BTEXMN and carbon range makeup of TPH in petroleum fuels (after Newfields 2022).

Analytes	²Gasoline	³Diesel	Bunker C
Benzene	0.90%	0.01%	0.00%
Toluene	4.9%	0.07%	0.00%
Ethylbenzene	1.1%	0.16%	0.00%
Xylenes	6.1%	1.2%	0.00%
1-Methylnapthalene	0.05%	0.09%	0.09%
2-Methylnapthalene	0.10%	0.17%	0.16%
Napthalene	0.18%	0.06%	0.11%
Total BTEXMN:	13%	1.7%	0.37%
C5-C6 Aliphatics	30%	0.07%	-
>C6-C8 Aliphatics	30%	0.54%	-
>C8-C10 Aliphatics	6.5%	3.8%	-
>C10-C12 Aliphatics	2.0%	7.5%	3.0%
>C12-C16 Aliphatics	0.42%	24%	11%
>C16-C21 Aliphatics	-	26%	14%
>C21-C32 Aliphatics	-	4.3%	38%
>C8-C10 Aromatics	12%	2.7%	-
>C10-C12 Aromatics	4.3%	5.2%	1.4%
>C12-C16 Aromatics	0.70%	13%	6.3%
>C16-C21 Aromatics	-	9.2%	7.8%
>C21-C32 Aromatics	-	1.6%	18%
¹Total Carbon Ranges:	87%	98%	100%
Total BTEXMN + Carbon Ranges:	100%	100%	100%

Notes

1. Reflects adjustment of original carbon range data to generate a sum concentration of 1,000,000 mg/kg BTEXMN + carbon range (refer to detailed summary tables in Attachment 6).
2. Average gasoline composition of types tested.
3. Diesel #1.

Table 6-4a. ¹Default relative carbon range makeup of neat petroleum fuel categories in terms of toxicity-based carbon ranges.

Carbon Range	TPH(gasolines)	TPH(middle distillates)	²TPH(residual fuels)
C5-C8 aliphatics	70%	0.62%	0.00%
C9-C18 aliphatics	10%	62%	28%
C19+ aliphatics	0.00%	4.4%	38%
C9-C16 aromatics	20%	33%	33%

Notes

1. Refer to Table 6-2.

Table 6-4b. Default carbon range makeup of TPH in petroleum fuel vapors.

Carbon Range	¹TPH(gasolines)	²TPH(middle distillates)	³TPH(residual fuels)
C5-C8 aliphatics	77.3%	25%	25%
C9-C18 aliphatics	7.3%	75%	75%
C9-C16 aromatics	15.4%	0%	0%

Notes

1. Median carbon range makeup of gasoline vapors in USEPA 2013 Petroleum Vapor Intrusion database (see Brewer et al. 2013; Appendix 6).
2. HIDOH soil vapors study and published information (see Brewer et al. 2013; Appendix 6).
3. Vapor data not available for residual fuels; assumed similar to middle distillate vapors.

Table 6-4c. ¹Default relative carbon range makeup of dissolved-phase TPH in water.

Carbon Range	TPH(gasolines)	TPH(middle distillates)	²TPH(residual fuels)
C5-C8 aliphatics	67.4%	1.91%	0.00%
C9-C18 aliphatics	0.10%	0.46%	0.12%
C19+ aliphatics	-	0.00%	-
C9-C16 aromatics	32.5%	98.63%	99.88%

Notes

1. Predicted based on carbon range makeup fuel type and effective solubilities of individual carbon ranges (refer to Table 6-3a and Appendix 6).
2. Carbon range data for Bunker C used as default for “Residual Fuels;” not significantly different than data for waste motor oil also provided by Newfields Environmental Forensics (refer to Appendix 6).

Table 6-5. ¹Selected toxicity factors of for individual carbon range fractions.

Carbon Range	RfD_{Oral} (mg/kg-day)	RfD_{Dermal} (mg/kg-day)	RfC (µg/m³)
C5-C8 aliphatics	0.005	0.005	400
C9-C18 aliphatics	0.01	0.01	100
C19+ aliphatics	3.0	3.0	² nv
C9+ aromatics	0.01	0.01	60

Notes

1. USEPA (2022).
- 2.. Not significantly volatile. C17+ aromatics not considered separately.

Table 6-6a. Weighted TPH toxicity factors for fuels and fuel vapors.

Fuel Category	RfD_{Oral} (mg/kg-day)	RfD_{Dermal} (mg/kg-day)	RfC (µg/m³)
TPH(gasolines)	0.006	0.006	191
TPH(middle distillates)	0.010	0.010	123
TPH(residual fuels)	0.016	0.016	123

Table 6-6b. ¹Weighted TPH toxicity factors for dissolved-phase fuels in consideration of degradation state and progressively ²increasing oxidation and decreasing volatility of plume (0% oxidation/50% oxidation/100% oxidation).

Fuel Category	RfD_{Oral} (mg/kg-day)	RfD_{Dermal} (mg/kg-day)	³RfC (µg/m³)
TPH(gasolines)	0.006/0.007/0.009	0.010/0.010/0.011	140/140/NA
TPH(middle distillates)	0.010/0.012/0.015	0.010/0.012/0.015	61/61/NA
TPH(residual fuels)	0.0100/0.0097/0.0094	0.0100/0.0097/0.0094	60/60/NA

Notes

1. Refer Appendix 6 for method used to calculate weighted toxicity factors.
2. Oxidation state reflected by percent polar compound makeup of TPH-related compounds in water as estimated based on comparison of data with and without silica gel cleanup of sample prior to analysis. Includes consideration of partially oxidized and polar BTEXMN included with mixture reported as TPH.
3. NA: Inhalation pathway not applicable to fully oxidized and non-volatile plumes.

Table 6-6c. Toxicity-based, drinking water (tapwater) action levels for TPH associated with different fuel categories in consideration of ¹oxidation state and volatility of plume.

Fuel Category	0% Oxidation (µg/L)	50% Oxidation (µg/L)	100% Oxidation (µg/L)
TPH(gasolines)	74	108	148
TPH(middle distillates)	91	127	193
TPH(residual fuels)	91	106	107

Notes

1. Oxidation state reflected by percent polar compound makeup of TPH-related compounds in water as estimated based on comparison of data with and without silica gel cleanup of sample prior to analysis. Default TPH drinking water action levels presented in Appendix 1 summary tables based on assumed fresh release with 100% of original volatility retained.

7 Other Issues

7.1 Background Concentrations

EALs should be replaced with the natural background concentration of the chemical if the background value is higher. Table K presents a summary of natural, background metals for soils in Hawai‘i based on a study and compilation of existing data carried out in 2011 (focus on volcanic soils; HDOH 2011). Naturally occurring, background concentrations of metals in soil exceed risk-based action levels in some cases. This is especially true for arsenic, but can also occur for heavy metal such as thallium, vanadium and other metals associated with soils developed over basaltic bedrock (compare direct-exposure action levels in Table I-1 to background levels in Table K). The 2011 report includes a summary of previous background metal documents published by the Air Force (USAF 2005) and Navy (USN 2006) environmental programs in Hawai‘i. A summary of background concentrations of metals in various soil types on the mainland US has been published by the University of California (UCR 1996) and Lawrence Berkeley National Laboratory (LBNL 2002).

The risk-based action level for arsenic for soils in an unrestricted (“residential”) land use scenario is 0.42 mg/kg (refer to Table I-1). This purely risk-based action level is based on an assumed bioavailability of arsenic in soil of 100%. This is unrealistic for most soils and especially iron-rich, volcanic soils in Hawai‘i, since arsenic will tightly bind to iron in soil and not be available for uptake if the soil is incidentally ingested (see HDOH 2011b). Background concentrations of arsenic in soils in Hawai‘i typically range from 5 mg/kg to 24 mg/kg (see above references). A default, upperbound background concentration of 24 mg/kg arsenic is incorporated into the lookup tables (Table K; see also Table A and B series). Soils with total arsenic that exceed this concentration should be tested for bioaccessible arsenic (see HDOH 2011b). Upper threshold values of arsenic in soil can approach 40 to 50 mg/kg, especially in discrete samples. Concentrations of arsenic in soil tend to be higher in soils associated with silicic volcanic rocks (not present in Hawai‘i) and hydrothermally altered rocks (e.g., UCR 1996, LBNL 2002).

Background concentrations of total chromium in soil developed over basaltic bedrock can exceed several hundred ppm and in some areas up to several thousand ppm (HDOH 2011a). An upperbound, total chromium concentration of 1,100 mg/kg was selected to help to screen out sites where releases of chromium used as a screening can be assumed (see Table K; applies to volcanic soils). Note that background concentrations of total chromium in soils developed over caprock can be lower than 100 mg/kg. If a release of chromium VI

is suspected then chromium should be speciated and evaluated even if total chromium concentrations do not exceed this action level.

Available background soil data for thallium suggest that this metal is generally not detectable in the volcanic soils of Hawaii (<0.25 mg/kg). Data are lacking, however, with only ten samples referenced in the 2011 HEER Office study (HIDOH 2011a). Thallium was reported at 12 to 15 mg/kg in two samples, however. No anthropogenic source is known at these two sample sites. Nonetheless, a default background concentration of 0.25 mg/kg was selected for consideration in the Tier 1 EALs due to the high toxicity of thallium salts and the associated low action level for potential direct exposure hazards (e.g., 0.78 mg/kg for residential exposure scenarios). The potential release of thallium salts should be evaluated at sites where the reported level of thallium in soil exceeds this concentration. It is reasonable to assume that the thallium is naturally occurring and non-toxic for reported concentrations in soil between 0.25 and 15 mg/kg when there is no reason to suspect a release of thallium salts.

7.2 Laboratory Reporting Levels

Laboratory method reporting limits and background concentrations of chemicals were not directly considered in development of the lookup tables. As discussed in Volume 1 of this document, however, reporting limits approved by the overseeing regulatory agency should be used in place of the EALs presented in this document when higher.

7.3 Reporting of Soil Data

Soil data are calculated by dividing the mass of the chemical of concern detected in the soil by the total weight of the soil. The weight of a soil sample can be measured on either a dry-weight basis (i.e., excluding the weight of water in the soil sample) or a wet-weight basis (i.e., including the weight of water in the soil sample). For a typical soil sample, the inclusion of soil moisture in calculation of chemical concentrations can effectively reduce the reported concentrations by 10-20% or greater, simply because the measured total weight of the sample is greater.

From a site-investigation and risk assessment-standpoint, a difference in the reported concentration of a chemical of 10-20% is not necessarily significant. **For consistency and for comparison to soil EALs presented in this document, however, soil data should be reported on dry-weight basis.** This is in part because soil ingestion rates assumed in direct-exposure models (see Appendices 1 and 2) are based on dry-weight studies (USEPA 2011c). Comparison of wet-weight data to direct-exposure action level would technically require adjustment of the direct-exposure action levels to reflect wet weight-based soil ingestion rates. A site-specific consideration of wet-weight soil data will be dependent on assumptions in the model(s) being used to evaluate risk or generate environmental action

levels. Existing wet-weight soil data may not necessarily need to be adjusted prior to comparison to the EALs unless the introduced bias is considered to be a potentially significant factor at the site. (Note that sediment data should also be reported on a dry-weight basis.)

7.4 Additional Soil Parameters

For surface soils, action levels are also presented for Electrical Conductivity and Sodium Absorption Ratio (after MOEE 1996). Both parameters are intended primarily for evaluation of soils impacted by brines (e.g., from former salt ponds and discharges of brackish groundwater). The Sodium Absorption Ratio reflects the amount of sodium present in the soil with respect to other major cations. An overabundance of sodium can inhibit plant uptake of nutrients, reduce soil cohesion and cause excessive erosion of topsoil. The electrical conductivity of a soil reflects the total concentration of soluble salts in the soil solution. A high concentration of salts can have a significant influence on osmotic processes involved in plant growth. (NOTE: The Electrical Conductivity action levels assumes a fixed 2:1 water:soil solution in the laboratory method. The USEPA Laboratory Method 120.1(Mod) normally calls for a 1:1 dilution ratio, i.e., extract from a saturated sample. The laboratory should be notified of the need for a 2:1 dilution ratio prior to analysis.)

7.5 Degradation to Daughter Products

Consideration of the degradation of a chemical to more toxic daughter products, such as the breakdown of PCE to vinyl chloride, is an important part of site investigations. Degradation can be significant at sites where groundwater is contaminated with both chlorinated solvents and petroleum fuels (e.g., resulting from the past use of stoddard solvent at a dry cleaning facility). Elevated levels of trichloroethylene, dichloroethylene and/or vinyl chloride at a PCE-release site generally indicate the presence of co-mingled petroleum contamination and the need to test for petroleum-related compounds refer to Figure 2-4 in Volume 1).

Tier 1 lookup tables generated by the Massachusetts Department of Environmental Protection (MADEP) and other regulatory agencies incorporate a very conservative assumption that the entire mass of a parent chemical will be eventually be transformed to the daughter product at the same initial concentration (e.g., MADEP 1994, MOEE 1996). MADEP reduces the initially derived action levels for parent compounds to reflect the action levels for the more toxic daughter product, without taking into account issues such as the lower molecular weights (and lower ultimate masses) of the daughter products.

Degradation to potentially more toxic daughter products is not directly considered in the Tier 1 EALs presented in this guidance document. While the need to monitor for degradation byproducts is well founded, HDOH feels that the MADEP approach is excessively conservative and not reflective of the wide range of conditions at different sites. As an alternative, HDOH recommends that soil and groundwater samples be tested for both parent and daughter products. HDOH also strongly recommends the collection of soil vapor data at sites where initial soil or groundwater data suggests that volatile contaminants could pose potential vapor intrusion hazards (refer to Section 2.0 and Volume 1, Section 4.4, as well as Section 7 of the HEER *Technical Guidance Manual*; HDOH 2023A).

8 References

- Anderson, M., 1992, Development of Generic Soil Clean-up Levels Based on Analysis of Leachate Pathway: Environmental Clean-up Division, Department of Environmental Quality, State of Oregon, May, 1992.
- API, 1994, *Transport and Fate of Non-BTEX Petroleum Chemicals in Soils and Groundwater*: American Petroleum Institute, Health and Environmental Sciences Department, Publication No. 4593.
- ATSDR, 1995, Toxicological Profile for Gasoline: Agency for Toxic Substances and Disease Registry, June 1995.
- ATSDR, 2001, Toxicological Profiles (CD-ROM): Agency for Toxic Substances and Disease Registry, U.S. Public Health Service, published by CRC Press.
- Biovapor, 201, *Biovapor User's Manual*: GSI Environmental Inc., January 8, 2010, Houston, Texas.
- Brewer, R., Nagashima, J., Kelley, M. and M. Rigby, 2013, Risk-Based Evaluation of Total Petroleum Hydrocarbons in Vapor Intrusion Studies: *International Journal of Environmental Research and Public Health*, Volume 10, pp 2441-2467. <http://www.mdpi.com/1660-4601/10/6/2441/> (revised Table 9 (July 2014): <http://www.mdpi.com/1660-4601/11/7/7182/pdf>).
- Brewer, R., Nagashima, J., Rigby, M., Schmidt, M. and O'Neill, H., 2014, Estimation of Generic Subslab Attenuation Factors for Vapor Intrusion Investigations. *Groundwater Monitoring & Remediation*, 34: 79–92. doi: 10.1111/gwmmr.12086, <http://onlinelibrary.wiley.com/doi/10.1111/gwmmr.12086/full>
- CalEPA, 1996, *Supplemental Guidance for Human Health Multimedia Risk Assessments of Hazardous Waste Sites and Permitted Facilities*: California Department of Environmental Protection, Department of Toxic Substances Control, August 1996, www.dtsc.ca.gov/ScienceTechnology/index.html.
- CalEPA, 1999a, *Public Health Goal for Methyl Tertiary Butyl Ether (MTBE) in Drinking Water*: California Environmental Protection Agency, Office of Environmental Health Hazard Assessment, March 1999, www.oehha.ca.gov/water/phg/allphgs.html
- CalEPA, 1999b, Expedited Evaluation of Risk Assessment for Tert Butyl Alcohol (TBA) in Drinking Water: California Environmental Protection Agency, Office of Environmental Health Hazard Assessment, June 2, 1999, www.oehha.org/water/pals/tba.html.

- CalEPA, 2016a, Perchloroethylene Inhalation Cancer Unit Risk Factor Technical Support Document for Cancer Potency Factors, Appendix B (Draft May 2016): California Environmental Protection Agency, Office of Environmental Health Hazard Assessment.
- CCME, 1994, *A Protocol for the Derivation of Ecological Effects Based and Human Health Based Soil Quality Criteria for Contaminated Sites*: Canadian Council of Ministers of the Environment, Subcommittee on Environmental Quality Criteria for Contaminated Sites, December 1994.
- CCME, 2002, Canadian Environmental Quality Guidelines: Canadian Council of Ministers of the Environment, <http://www.ccme.ca/>
- Chaplin, B. P., Delin, G. N., Baker, R. J. and M. A. Lahvis, 2002, Long-Term Evolution of Biodegradation and Volatilization Rates in a Crude Oil-Contaminated Aquifer: *Bioremediation Journal*,6:3, p237-255.
<http://dx.doi.org/10.1080/10889860290777594>
- City-Data.com, 2017, Health of Residents of Honolulu County Based on CDC Behavioral Risk Factors Surveillance System Survey Questionnaires from 2003 to 2012: City-data.com, Advameg, Inc., accessed October 14, 2017.
- Cole, S., Codling, I.D., Parr, W. and Zabel, T., 1999, Guidelines for managing water quality impacts within UK European marine sites: Prepared for the United Kingdom Marine Special Areas of Conservation (SAC) Project, Task Manager: Neil Hailey, English Nature,
http://www.ukmarinesac.org.uk/pdfs/water_quality.pdf
- CountryMark, 2021, No. 6 Fuel Oil, Material Safety Data Sheet: Countrymark Refining and Logistics, LLC, December 2012.
- EPRI, 1998, Chemicals-Physical Characteristics of Mineral Insulating Oils and Environmental Risk Analysis: Electric Power Research Institute, August 1998, Technical Briefing TB111083, www.epri.com.
- Fitzpatrick, N.A. and J.J Fitzgerald, 1997, An Evaluation of Vapor Intrusion Into Buildings Through A Study of Field Data: Massachusetts Department of Environmental Protection, *in*: Soil Vapor Transport to Indoor Air Workshop, Feb. 6-7, 1997, Brea, California.
- Gustafson, J.B., Tell, J.G. and D. Orem, 1997. Selection of Representative TPH Fractions Based on Fate and Transport Considerations: Total Petroleum Hydrocarbon Working Group Series; Association for Environmental Health and Sciences: Amherst, MA, USA, Volume 3. ISBN 1-884-940-12-9.
- HIDOH, 1995, *Risk-Based Corrective Action and Decision Making at Sites With Contaminated Soil and Groundwater*: State of Hawai'i, Department of Health, December, 1995 (revised June, 1996).

HIDOH, 2002, Rules Relating to Potable Water Systems: Hawai'i Department of Health, Safe Drinking Water Branch, HAR Title 11, Chapter 20, November 2002.

HIDOH, 2007, *Long-Term Management of Petroleum-Contaminated Soil and Groundwater* Hawai'i Department of Health, Honolulu, <https://health.hawaii.gov/heer/guidance/ehe-and-eals/>

HIDOH, 2010, Update to Soil Action Levels for TEQ Dioxins and Recommended Soil Management Practices (June 2010): Hawai'i Department of Health, Office of Hazard Evaluation and Emergency Response, <https://health.hawaii.gov/heer/guidance/ehe-and-eals/>

HIDOH, 2011a, Hawaiian Islands Soil Metal Background Evaluation Report: Hawai'i Department of Health, Office of Hazard Evaluation and Emergency Response, September 2011, prepared by AECOM.

HIDOH, 2011b, Update to Soil Action Levels for inorganic Arsenic and Recommended Soil Management Practices (November 25, 2011): Hawai'i Department of Health, Office of Hazard Evaluation and Emergency Response, <https://health.hawaii.gov/heer/guidance/ehe-and-eals/>

HIDOH, 2012a, *Field Investigation of the Chemistry and Toxicity of TPH in Petroleum Vapors: Implications for Potential Vapor Intrusion Hazards*: Hawai'i Department of Health, Office of Hazard Evaluation and Emergency Response, <http://www.hawaiidoh.org/tgm-content/2600a.aspx?m=True>

HIDOH, 2012b, Water Quality Standards (HAR 11-54): : Hawai'i Department of Health, Safe Drinking Water Branch, October 2012.

HIDOH, 2017, *Use of laboratory batch tests to evaluate potential leaching of contaminants from soil*: Hawai'i Department of Health, Office of Hazard Evaluation and Emergency Response. <https://health.hawaii.gov/heer/guidance/ehe-and-eals/>

HIDOH, 2018, Collection and Use of Total Petroleum Hydrocarbon Data for the Risk-Based Evaluation of Petroleum Releases - Example Case Studies: Hawaii Department of Health, Hazard Evaluation and Emergency Response Office. October 2018. <https://health.hawaii.gov/heer/guidance/ehe-and-eals/>

HIDOH, 2023a, Technical Guidance Manual: Hawai'i Department of Health, Office of Hazard Evaluation and Emergency Response, 2023 (and updates). <https://health.hawaii.gov/heer/tgm/>

HIDOH, 2023b, Exposure Assessment: November 2021 Release of JP-5 Jet Fuel into the Joint Base Pearl Harbor Hickam and Connected Drinking Water Systems: Hawai'i Department of Health, Office of Hazard Evaluation and Emergency Response, October 2023.

- HIDOH, 2024, *Comparison of HIDOH Total Petroleum Hydrocarbon (TPH) Action Levels to Data for Water Samples*: Hawai‘i Department of Health, Office of Hazard Evaluation and Emergency Response, March 2024.
<https://health.hawaii.gov/heer/guidance/ehe-and-eals/>
- Hooker, E. P., Fulcher, K.G. and H. J. Gibb, 2013, Aldrin and Dieldrin: A Reevaluation of the Cancer and Noncancer Dose-Response Assessments: Society for Risk Analysis, DOI: 10.1111/risa.12145.
- Hutchinson, M.S., Pedersen, D., Anastas, N.D., Fitzgerald, J. and D. Silverman, 1996, Beyond TPH: Health-Based Evaluation of Petroleum Hydrocarbon Exposures: Regulatory Toxicology and Pharmacology, Vol. 24, p. 85-101.
- IARC, 1989, IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: International Agency for Research on Cancer, No. 45., Lyon, France.
<https://www.ncbi.nlm.nih.gov/books/NBK531265/>
- IDEM, 2010, Risk Integrated System of Closure, Technical Resource Guidance Document: Indiana Department of Environmental Management, June 2010.
- ITRC, 2018, *TPH Risk Evaluation at Petroleum Contaminated Sites*: Interstate Technical and Regulatory Council. <https://tphrisk-1.itrcweb.org/>
- Johnson, P. C. and R. A. Ettinger, 1991, Heuristic Model for Predicting the Intrusion Rate of Contaminant Vapors Into Buildings: Environmental Science Technology, Vol. 25, p. 1445-1452.
- LBNL, 2002, *Analysis of Background Distributions of Metals in the Soil at Lawrence Berkeley National Laboratory*: Lawrence Berkeley National Laboratory, Environmental Restoration Program, June 2002.
- MADEP, 1994, *Background Documentation for the Development of the MCP Numerical Standards*: Massachusetts Department of Environmental Protection, Bureau of Waste Site Cleanup and Office of Research and Standards, April 1994, www.state.ma.us/dep/ors/orspubs.htm.
- MADEP, 1997a, Characterizing Risks Posed by Petroleum Contaminated Sites: Implementation of the MADEP VPH/EPH Approach (and supporting spreadsheet, May 25, 1999): Massachusetts Department of Environmental Protection.
- MADEP, 1997b, Revisions to the Massachusetts Contingency Plan, 310 CMR 40.000, Massachusetts Department of Environmental Protection, Bureau of Waste Site Cleanup and Office of Research and Standards, November 7, 1997, www.state.ma.us/dep/bwsc/vph_eph.htm.
- MADEP, 2002a, Background Levels of Polycyclic Aromatic Hydrocarbons and Metals in Soil: Massachusetts Department of Environmental Protection, Bureau of Waste Site Cleanup, May 2002.

- MADEP, 2002b, *Characterizing Risks Posed by Contaminated Sites: Implementation of the MADEP VPH/EPH Approach*: Massachusetts Department of Environmental Protection, Bureau of Waste Site Cleanup, October 31, 2002.
- MADEP, 2003, *Updated Petroleum Hydrocarbon Fraction Toxicity Values for the VPH/EPH/EPH Methodology*: Massachusetts Department of Environmental Protection, Bureau of Waste Site Cleanup, November 2003.
- McKee, J.E. and H.W. Wolf. 1963, *Water Quality Criteria*: California State Water Resources Control Board, Publication 3-A (reprint June 1, 1974).
- Meillier, L., 2004, *Environmental Screening Levels Surfer*: San Francisco Bay Regional Water Quality Control Board, California Environmental Protection Agency (updated in February 2005, supplement to RWQCBSF 2005).
- MOEE, 1991, *Soil Clean-up Guidelines for Decommissioning of Industrial Lands, Background and Rationale for Development*: Ontario Ministry of Environment, ARB-207-88-PHYTO.
- MOEE, 1996, *Rational for the Development and Application of Generic Soil, Groundwater and Sediment Criteria for Use at Contaminated Sites in Ontario*: Ontario Ministry of Environment and Energy, Standards Development Branch, December, 1996, www.ene.gov.on.ca/.
- Mohr, T.K. 2001, *Solvent Stabilizer White Paper*: Santa Clara Valley Water District, San Jose, California, June 14, 2001.
- Montgomery Watson, 1999, *Development of Point of Compliance Concentrations for Gasoline in Surface Waters and Sediments of the Proposed Freshwater Stream, Presidio of San Francisco, California*: prepared by Montgomery Watson consultants for Presidio of San Francisco (Board Order No. 96-070), May 1999.
- NCFS, 2011, *Ignitable Liquids Database*: National Center for Forensic Science (accessed October 2011), <http://ilrc.ucf.edu/>
- Newfields, 2022, *Supplemental Analytical Data in Support of Hawaii Department of Health Fuel Study*: Newfields Environmental, October 28, 2022.
- Newfields, 2023, *Summary of JP-5 Water Accommodated Fraction (WAF) Study*: Newfields Environmental, June 2023. NJDOH, 2008, *Hazardous Substance Fact Sheet – Gasoline*: New Jersey Department of Health, December 2008.
- NJDOH, 2010, *Hazardous Substance Fact Sheet – Fuel Oils (light)*: New Jersey Department of Health, December 2010.
- NLM, 2017a, *Hazardous Substances Database*: National Library of Medicine (Toxnet), <http://toxnet.nlm.nih.gov/>.

- NLM, 2017b, ChemIDPlus Advanced: National Library of Medicine,
<http://chem.sis.nlm.nih.gov/chemidplus/>
- NOAA, 2008, Screening Quick Reference Tables: NOAA O&R Report 08-1, Seattle, WA,
Office of Response and Restoration Division, National Oceanic and Atmospheric
Administration, <http://response.restoration.noaa.gov/>
- NRC, 1996, Permissible Exposure Levels for Selected Military Fuel Vapors: National
Research Council (US) Subcommittee on Permissible Exposure Levels for Military
Fuels, Washington (DC): National Academies Press (US); 1996.
- Oakland, 2000, *Oakland Environmental Corrective Action: Technical Background
Document*: City of Oakland, Environmental Services Division, (prepared by L.R.
Spence. Spence Environmental Engineering and M. Gomez, City of Oakland),
January, 2000 (and updates), www.oaklandpw.com/ulrprogram/index.htm.
- Oregon DEQ, 2003, Risk-Based Decision Making for the Remediation of Petroleum-
Contaminated Sites, Oregon Department of Environmental Quality,
Environmental Cleanup and Tanks Program, September 2003,
<http://www.deq.state.or.us/lq/rbdlm.htm>
- Pascoe, G. A.; Kroeger, K., Leisle, D. and R.J. Feldpausch, 2010, Munition constituents:
Preliminary sediment screening criteria for the protection of marine benthic
invertebrates: *U.S. Navy Research*. Paper 40.
http://www.waterboards.ca.gov/centralvalley/water_issues/water_quality_standards_limits/water_quality_goals/index.shtml
- RWQCBLA, 1996, *Interim Site Assessment and Cleanup Guidebook*: California
Environmental Protection Agency, Regional Water Quality Control Board, Los
Angeles Region, May, 1996.
- RWQCBSF, 1990, *Tri-regional Board Staff Recommendations for Preliminary Evaluation
and Investigation of Underground Tank Sites*: California Environmental Protection
Agency, Regional Water Quality Control Board, San Francisco Bay Area Region,
August, 1990.
- RWQCBSF, 1998a, Recommended Interim Water Quality Objectives (or Aquatic Life
Criteria) for Methyl tertiary-Butyl Ether: California Environmental Protection
Agency, Regional Water Quality Control Board, San Francisco Bay Area Region,
Internal Memo dated September 30, 1998.
- RWQCBSF, 1998b, Fresh Water Bioassay Study and Development of Freshwater Point-
of-Compliance Concentrations, Presidio of California: California Environmental
Protection Agency, Regional Water Quality Control Board, San Francisco Bay
Area Region, Board Order No. 96-070, Technical Memorandum, October 20, 1998.

- RWQCBSF, 1999a, Adoption of Revised Site Cleanup Requirements - San Francisco International Airport: California Environmental Protection Agency, Regional Water Quality Control Board, San Francisco Bay Area Region, Board Order No. 99-045.
- RWQCBSF, 2003, Completion of Peer Review of December 2001 Risk-Based Screening Levels Document: California Environmental Protection Agency, Regional Water Quality Control Board, San Francisco Bay Area Region, April 16, 2003 (memo to James Giannopoulos, Assistant Chief, Division of Clean Water Programs, State Water Resources Control Board).
- RWQCBSF, 2005, *Screening for Environmental Concerns at Sites With Contaminated Soil and Groundwater* (February 2005): California Environmental Protection Agency, Regional Water Quality Control Board, San Francisco Bay Area Region, www.swrcb.ca.gov/~rwqcb2/EAL.htm.
- TPHCWG, 1998, *Analysis of Petroleum Hydrocarbons in Environmental Media: Total Petroleum Hydrocarbon Criteria Working Group* (ed. Wade Weisman), Amherst Scientific Publishers, Amherst, Massachusetts, ISBN 1-884-940-14-5, www.aehs.com.
- UCR, 1996, *Background Concentrations of Trace and Major Elements in California Soils*: University of California (Riverside), Division of Agriculture and Natural Resources, March 1996.
- UKSAC, 1999, Guidelines for managing water quality impacts within UK European marine sites: UK Marine SAC Project (October 1999); prepared by Cole, S., Codling, I.D., Parr, W. and T. Zabel, <http://www.ukmarinesac.org.uk/>
- Ulrich, G., 1999, The Fate and Transport of Ethanol-Blended Gasoline in the Environment: Governor's Ethanol Coalition, Lincoln, Nebraska, (October 1999), 109p, <http://www.ethanol-gec.org/coalitionstudies.htm>
- USACE, 1998, Removal of Underground Storage Tanks (USTs): U.S. Army Corps of Engineers, September 1998, EM 1110-1-4006.
- USAF, 2005, *Base-wide Ambient Metals Study, Hickam Air Force Base, O'ahu, Hawai'i* (August 26, 2005): US Air Force, 15th Airlift Wing, Environmental Restoration Program.
- USCDC, 2012a, Low Level Lead Exposure Harms Children: A Renewed Call for Primary Prevention: U.S. Centers for Disease Control and Prevention, Advisory Committee on Childhood Lead Poisoning Prevention, January 2012, Atlanta, GA.
- USCDC, 2012b, CDC Response to Advisory Committee on Childhood Lead Poisoning Prevention Recommendations in "Low Level Lead Exposure Harms Children": U.S. Centers for Disease Control and Prevention, Advisory Committee on Childhood Lead Poisoning Prevention, June 2012, Atlanta, GA.

- USCG, 1999, Chemical Hazards Response Information System (CHRIS): U.S. Coast Guard database, <http://www.chrismanual.com/findsyno.htm>.
- USDOE, 1997, *Preliminary Remediation Goals for Ecological Endpoints*: U.S. Department of Energy, Office of Environmental Management (prepared by R.A. Efroymsen, G.W. Suter II, B.E. Sample and D.S. Jones), August 1997, ES/ER/TM-162/R2, www.esd.ornl.gov/programs/ecorisk/tools.html.
- USEPA, 1989a, *Risk Assessment Guidance for Superfund. Volume I, Human Health Evaluation Manual (Part A)*: U.S. Environmental Protection Agency, Office of Emergency and Remedial Response, Publication EPA/540/1-89/092.
- USEPA, 1989b, *Risk Assessment Guidance for Superfund. Volume II, Environmental Evaluation Manual*: U.S. Environmental Protection Agency, Office of Emergency and Remedial Response, Publication EPA/540/1-89/001.
- USEPA, 1992, Reference Guide to Odor Thresholds for Hazardous Air Pollutants Listed in the Clean Air Act Amendments of 1990: U.S. Environmental Protection Agency, Office of Research and Development, March 1992, EPA/600/R-92/047.
- USEPA, 1993, Reference Dose (RfD): Description and Use in Health Risk Assessments Background Document 1A: U.S. Environmental Protection Agency, March 15, 1993.
- USEPA, 1994a, *Guidance Manual for the Integrated Exposure Uptake Biokinetic Model for Lead in Children*: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response, February 1994, EPA/540/R-93/081.
- USEPA, 1994b, *National Oil and Hazardous substances Pollution Contingency Plan, Subpart E - Hazardous Substance Response*: U.S. Environmental Protection Agency, Code of Federal Regulations, Title 40, Part 300.430(e)(2), www.access.gpo.gov/nara/cfr/.
- USEPA, 1995, *Final Water Quality Guidance for the Great Lakes System*, U.S. Environmental Protection Agency, Code of Federal Regulations, Title 40, Parts 9, 122, 123, 131 and 132, www.access.gpo.gov/nara/cfr/.
- USEPA, 1996a, *Soil Screening Guidance: Technical Background Document*: U.S. Environmental Protection Agency, Office of Emergency and Remedial Response, Publication 9355.4-17A, May, 1996.
- USEPA, 1996b, Ecotox Thresholds: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response, January, 1996, EPA 540/F-95/038, www.epa.gov/superfund/resources/ecotox/.
- USEPA, 1998, *Sources of Lead in Soil*: U.S. Environmental Protection Agency, Office of Prevention, Pesticides, and Toxic Substances, February 1998, EPA 747-R-98-001a.

- USEPA, 2002, *Perchlorate Environmental Contamination: Toxicological Review and Risk Characterization Based on Emerging Information* (draft): U.S. Environmental Protection Agency, Office of Research and Development, NCEA-1-0503 January 16, 2002.
- USEPA, 2002, *Supplemental Guidance for Developing Soil Screening Levels for Superfund Sites*: U.S. Environmental Protection Agency, Solid Waste and Emergency Response, OSWER 9355.4-24, December 2002, http://www.epa.gov/superfund/resources/soil/ssg_main.pdf
- USEPA, 2003, *Ecological Screening Levels*: U.S. Environmental Protection Agency , Region 5, August 22, 2003.
- USEPA, 2004a, *Preliminary Remediation Goals*: U.S. Environmental Protection Agency, Region IX, October 2004.
- USEPA, 2004b, *User's Guide for Subsurface Vapor Intrusion into Buildings*: U.S. Environmental Protection Agency, Office of Emergency and Remedial Response, February 2004, www.epa.gov/oerrpage/superfund/.
- USEPA, 2007, *User's Guide for the Integrated Exposure Uptake Biokinetic Model for Lead in Children (IEUBK) Windows*: U.S. Environmental Protection Agency, Office of Superfund Remediation and Technology Innovation, May 2007, EPA 9285.7-42
- USEPA, 2008a, U.S. Environmental Protection Agency, Title 40, Code of Federal Regulations, Parts 141 [Primary MCLs] and 143 [Secondary MCLs], <http://www.epa.gov/safewater/contaminants/index.html>.
- USEPA, 2008b, ECOTOX database: U.S. Environmental Protection Agency, Office of Research and Development, National Health and Environmental Effects Research Laboratory, Mid-Continent Ecology Division, <http://cfpub.epa.gov/ecotox/>.
- USEPA, 2009, *Provisional Peer-Reviewed Toxicity Values for Complex Mixtures of Aliphatic and Aromatic Hydrocarbons*; U.S. Environmental Protection Agency, Superfund Health Risk Technical Support Center, National Center for Environmental Assessment, Office of Research and Development: Washington, DC, USA, September 30, 2009.
- USEPA 2011a, *An Overview of Methods for EPA's National-Scale Air Toxics Assessment*: U.S. Environmental Protection Agency, Office of Air Quality, Planning, and Standards, January 31, 2011.
- USEPA, 2011b, *National Program Manager Guidance (Lead Risk Reduction Program)*: U.S. Environmental Protection Agency, Office of Chemical Safety and Pollution Prevention, Final FY 2012, EPA-740-B-11-001, http://www.epa.gov/planandbudget/annualplan/FY12_OCSPP_NPM_Gdnce.pdf

- USEPA, 2011c, *Exposure Factors Handbook*: U.S. Environmental Protection Agency, Office of Research and Development. September 2011, EPA/600/R-090/052F
www.epa.gov
- USEPA, 2013, *Evaluation of Empirical Data to Support. Soil Vapor Intrusion Screening Criteria for Petroleum Hydrocarbon Compounds*; U.S. Environmental Protection Agency, Office of Underground Storage Tanks, EPA 510-R-13-001.
- USEPA, 2015a, *Assessing and Mitigating the Vapor Intrusion Pathway from Subsurface Vapor Sources to Indoor Air*: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response, June 2015, Washington, D.C., OSWER Publication 9200.2-154.
- USEPA, 2015b, *Technical Guide for Addressing Petroleum Vapor Intrusion at Leaking Underground Storage Tank Sites*: U.S. Environmental Protection Agency, Office of Underground Storage Tanks, June 2015, Washington, D.C., EPA 510-R-15-001.
- USEPA, 2015c, *Region 4 Ecological Risk Assessment Supplemental Guidance (Interim Draft)*: U.S. Environmental Protection Agency, Scientific Support Section, Superfund Division EPA Region 4, August 2015.
- USEPA, 2016, *Aquatic Life Benchmarks for Pesticide Registration*: U.S. Environmental Protection Agency, Office of Pesticide Programs, Washington, DC (accessed July 2016), <https://www.epa.gov/pesticide-science-and-assessing-pesticide-risks/aquatic-life-benchmarks-pesticide-registration#benchmarks>
- USEPA, 2017, *Regional Removal Management Level (RML) Frequently Asked Questions*: U.S. Environmental Protection Agency, July 2017.
- USEPA, 2022, *Provisional Peer-Reviewed Toxicity Values for Complex Mixtures of Aliphatic and Aromatic Hydrocarbons*: U.S. Environmental Protection Agency, Office of Research and Development, September 2022, EPA/690/R-22/003F.
- USEPA, 2023, *Regional Screening Levels*: U.S. Environmental Protection Agency, November 2023, prepared by Oak Ridge National Laboratories, <https://www.epa.gov/risk/regional-screening-levels-rsls-generic-tables>
- USFWS, 1990, *Evaluation of Soil Contamination*: U.S. Fish and Wildlife Service, U.S. Department of Interior, Biological Report 90(2).
- USGS, 2012, *Prioritizing Pesticide Compounds for Analytical Methods Development*: U.S. Geological Survey, National Water-Quality Assessment Program, Scientific Investigations Report 2012–5045.
- USN, 2006, *Environmental Background Analysis of Metals in Soil at Navy O‘ahu Facilities, O‘ahu, Hawai‘i* (June 6, 2006): Department of the Navy, Naval Facilities Engineering Command, Hawaii.

- UTDEQ, 2008, Utah Test and Training Range Hazardous Waste Permit (February 13, 2003): State of Utah, Department of Environmental Quality, Division of Solid and Hazardous Waste,
<http://www.hazardouswaste.utah.gov/HWBranch/CFFSection/Adobe/UTTRpermit/Attach10.pdf>
- Van den Berg, R., Denneman, C. A. J., and Roels, J.M., 1993, Risk Assessment of Contaminated Soil: Proposals for Adjusted, Toxicologically Based Dutch Soil Clean-up Criteria: in *Contaminated Soil '93* (eds., Arendt, F., Annokkee, G.J., Bosman, R., van den Brink, W.J.), Kluwer Academic Publishers, Dordrecht, pp. 349-364.
- Vegter, J., T., 1993, Development of Soil and Groundwater Clean Up Standards in the Netherlands: IN: Developing Cleanup Standards for Contaminated Soil, Sediment, and Groundwater - How Clean is Clean?, Specialty conference Series Proceedings, Water Environment Federation, January, 1993, Washington, D.C., pp. 81-92.
- Young, W.F., Horth, H., Crane, R., Ogden, T. and M. Arnott, 1996, Taste and Odor Threshold Concentrations of Potential Water Contaminants: *Water Resources*, Vol. 30, No. 2, pp. 331-340.
- Zakikhani, M., Dortch, M. and J. Gerald, 2002, *Compilation of Physical and Chemical Properties and Toxicity Benchmarks for Military Range Compounds* (September 2002): US Army Corps of Engineers; Technical Report ERDC/EL TR-02-27,
<http://el.erd.usace.army.mil/arams/databases.html>
- Zemo, D.A. and K.T. O'Reilly. 2016. On the Basis for the 0.1 mg/L Water Quality Objective for "Taste and Odor" for Diesel in Groundwater (Letter to the Editor): *Groundwater Monitoring & Remediation* 36, No. 3. Summer 2016.
- Zemo D.A., O'Reilly K.T., Mohler R.E., Tiwary A.K., Magaw R.I. and K.A., Synowiec. 2013. Nature and estimated human toxicity of polar metabolite mixtures in groundwater quantified as TPH(middle distillates)/DRO at biodegrading fuel release sites. *Groundwater Monit Remed* 33(4):44–56.
- Zemo, D.A., O'Reilly, K.T., Mohler, R.M., Magaw, R.I., Espino Devine, C., Ahn, S. and A.K. Tiwary. 2016. Life Cycle of Petroleum Biodegradation Metabolite Plumes, and Implications for Risk Management at Fuel Release Sites. *Integrated Environmental Assessment and Management*. DOI: 10.1002/ieam.1848.

FIGURES





Figure 1. Summary of environmental hazards considered in action levels. Additional site-specific considerations include groundwater beneficial use, depth to impacted soil, soil type and land use. Evaluation of environmental hazards in addition to those shown should be carried out in a site-specific EHE.

**Tier 1 Environmental Action Levels Surfer
(Screening Levels For Specific Environmental Hazards)**

Hawai'i DOH (Summer 2016)



TETRACHLOROETHYLENE



3. EAL Surfer - De

Figure 2. Summary of individual action levels used to select final, Tier 1 EALs for tetrachloroethylene (PCE) in soils situated within 10 feet of the ground surface and in groundwater that is a current or potential source of drinking water; based on a residential land-use scenario. Final EALs presented in Volume 1 summary tables are the lowest of the individual action levels. Vapor intrusion concerns drive selection of the final soil Tier 1 EAL (0.098 mg/kg). For groundwater, drinking water toxicity concerns drive selection of final Tier 1 EAL (5.0 ug/L).




Figure 3. Fuel types versus carbon range composition.

DETAILED ACTION LEVEL TABLES

TABLE A-1. SOIL ACTION LEVELS
(Potentially impacted groundwater IS a current or potential drinking water resource;
Surface water body IS NOT located within 150m of release site)

CHEMICAL PARAMETER	Final EAL	Basis	(mg/kg)					
			¹ Gross Contamination (Odors, etc.) Table F-2	Terrestrial Ecotoxicity Table L	Background Table K	¹ Human Health		Leaching & Groundwater Protection
						Direct Exposure Table I-1	Vapor Intrusion Into Buildings Table C-1b	Drinking Water Resource Table E
ACENAPHTHENE	1.2E+02	Vapor Intrusion	1.0E+03	site-specific		6.5E+02	1.2E+02	1.2E+02
ACENAPHTHYLENE	1.3E+02	Groundwater Protection	5.0E+02	site-specific		3.4E+02	(Use soil gas)	1.3E+02
ACETONE	3.7E+00	Groundwater Protection	5.0E+02	site-specific		5.7E+03	1.4E+03	3.7E+00
ALDRIN	3.9E+00	Direct Exposure	1.0E+03	site-specific		3.9E+00		8.4E+00
AMETRYN	1.1E+01	Groundwater Protection	5.0E+02	site-specific		1.1E+02		1.1E+01
AMINO,2- DINITROTOLUENE,4,6-	9.1E-02	Groundwater Protection	5.0E+02	site-specific		1.5E+00		9.1E-02
AMINO,4- DINITROTOLUENE,2,6-	9.1E-02	Groundwater Protection	5.0E+02	site-specific		1.5E+00		9.1E-02
ANTHRACENE	4.2E+00	Vapor Intrusion	5.0E+02	site-specific		3.5E+03	4.2E+00	4.2E+00
ANTIMONY	6.3E+00	Direct Exposure	1.0E+03	site-specific	2.4E+00	6.3E+00		(Use batch test)
ARSENIC	2.4E+01	Background	1.0E+03	site-specific	2.4E+01	2.3E+01		(Use batch test)
ATRAZINE	1.1E-01	Groundwater Protection	5.0E+02	site-specific		2.3E+00		1.1E-01
BARIUM	1.0E+03	Ceiling Value	1.0E+03	site-specific	6.9E+02	3.1E+03		(Use batch test)
BENOMYL	1.6E-01	Groundwater Protection	1.0E+03	site-specific		6.3E+02		1.6E-01
BENZENE	3.0E-01	Groundwater Protection	5.0E+02	site-specific		1.2E+00	7.7E-01	3.0E-01
BENZO(a)ANTHRACENE	1.0E+01	Groundwater Protection	5.0E+02	site-specific		1.1E+01		1.0E+01
BENZO(a)PYRENE	3.6E+00	Direct Exposure	5.0E+02	site-specific		3.6E+00		2.0E+01
BENZO(b)FLUORANTHENE	5.8E+00	Groundwater Protection	5.0E+02	site-specific		1.1E+01		5.8E+00
BENZO(g,h,i)PERYLENE	3.5E+01	Groundwater Protection	5.0E+02	site-specific		4.8E+02		3.5E+01
BENZO(k)FLUORANTHENE	3.5E+01	Groundwater Protection	5.0E+02	site-specific		1.1E+02		3.5E+01
BERYLLIUM	3.1E+01	Direct Exposure	1.0E+03	site-specific	3.0E+00	3.1E+01		(Use batch test)
BIPHENYL, 1,1-	1.0E+01	Direct Exposure	5.0E+02	site-specific		1.0E+01	(Use soil gas)	2.3E+02
BIS(2-CHLOROETHYL)ETHER	7.4E-05	Groundwater Protection	5.0E+02	site-specific		2.4E-01	7.9E-03	7.4E-05
BIS(2-CHLORO-1-METHYLETHYL)ETHER	3.9E-03	Groundwater Protection	5.0E+02	site-specific		3.7E+00	(Use soil gas)	3.9E-03
BIS(2-ETHYLHEXYL)PHTHALATE	3.7E+01	Direct Exposure	5.0E+02	site-specific		3.7E+01		1.9E+02
BORON	1.0E+03	Ceiling Value	1.0E+03	site-specific		3.1E+03		(Use batch test)
BROMODICHLOROMETHANE	2.5E-03	Groundwater Protection	9.3E+02	site-specific		3.2E-01	1.6E-02	2.5E-03
BROMOFORM	6.9E-01	Groundwater Protection	5.0E+02	site-specific		2.0E+01		6.9E-01
BROMOMETHANE	2.2E-01	Vapor Intrusion	5.0E+02	site-specific		1.5E+00	2.2E-01	8.9E-01
CADMIUM	1.7E+01	Background	1.0E+03	site-specific	1.7E+01	1.5E+00		(Use batch test)
CARBON TETRACHLORIDE	1.0E-01	Vapor Intrusion	4.5E+02	site-specific		7.1E-01	1.0E-01	9.1E-01
CHLORDANE (TECHNICAL)	1.7E+01	Direct Exposure	1.0E+03	site-specific		1.7E+01		2.3E+01
CHLOROANILINE, p-	6.8E-03	Groundwater Protection	1.0E+03	site-specific		2.6E+00		6.8E-03
CHLOROENZENE	2.2E+00	Vapor Intrusion	5.0E+02	site-specific		5.9E+01	2.2E+00	2.9E+00
CHLOROETHANE	1.2E+00	Groundwater Protection	5.0E+02	site-specific		1.2E+03	1.8E+02	1.2E+00
CHLOROFORM	2.6E-02	Vapor Intrusion	5.0E+02	site-specific		3.4E-01	2.6E-02	2.0E+00
CHLOROMETHANE	4.0E+00	Vapor Intrusion	1.0E+02	site-specific		2.4E+01	4.0E+00	6.1E+01
CHLOROPHENOL, 2-	1.2E-02	Groundwater Protection	1.0E+02	site-specific		6.8E+01	3.7E+01	1.2E-02
CHROMIUM (Total)	1.1E+03	Background	-	site-specific	1.1E+03			(Use batch test)
CHROMIUM III	1.0E+03	Ceiling Value	1.0E+03	site-specific		2.3E+04		(Use batch test)
CHROMIUM VI	3.0E+01	Direct Exposure	1.0E+03	site-specific		3.0E+01		(Use batch test)
CHRYSENE	7.3E+00	Groundwater Protection	1.0E+03	site-specific		1.1E+03		7.3E+00
COBALT	8.0E+01	Background	1.0E+03	site-specific	8.0E+01	4.7E+00		(Use batch test)
COPPER	6.3E+02	Direct Exposure	1.0E+03	site-specific	2.5E+02	6.3E+02		(Use batch test)
CYANIDE (Free)	4.8E+00	Direct Exposure	1.0E+02	site-specific		4.8E+00	(Use soil gas)	(Use batch test)
CYCLO-1,3,5-TRIMETHYLENE-2,4,6-TRINITRAMINE (RDX)	1.4E-02	Groundwater Protection	5.0E+02	site-specific		8.1E+00		1.4E-02

TABLE A-1. SOIL ACTION LEVELS
(Potentially impacted groundwater IS a current or potential drinking water resource;
Surface water body IS NOT located within 150m of release site)

CHEMICAL PARAMETER	Final EAL	Basis	(mg/kg)					¹ Human Health		Leaching & Groundwater Protection
			¹ Gross Contamination (Odors, etc.) Table F-2	Terrestrial Ecotoxicity Table L	Background Table K	Direct Exposure Table I-1	Vapor Intrusion Into Buildings Table C-1b	Drinking Water Resource Table E		
DALAPON	1.1E-01	Groundwater Protection	5.0E+02	site-specific		3.8E+02		1.1E-01		
DIBENZO(a,h)ANTHTRACENE	1.1E+00	Direct Exposure	5.0E+02	site-specific		1.1E+00		2.9E+01		
DIBROMO,1,2- CHLOROPROPANE,3-	8.1E-04	Groundwater Protection	5.0E+02	site-specific		5.7E-03	(Use soil gas)	8.1E-04		
DIBROMOCHLOROMETHANE	8.8E-03	Groundwater Protection	1.0E+02	site-specific		8.0E+00	3.1E+00	8.8E-03		
DIBROMOETHANE, 1,2-	4.2E-04	Groundwater Protection	5.0E+02	site-specific		3.9E-02	1.0E-03	4.2E-04		
DICHLOROBENZENE, 1,2-	7.5E-01	Groundwater Protection	3.8E+02	site-specific		3.8E+02	8.9E+00	7.5E-01		
DICHLOROBENZENE, 1,3-	5.7E-01	Groundwater Protection	1.0E+02	site-specific		2.0E+02	(Use soil gas)	5.7E-01		
DICHLOROBENZENE, 1,4-	5.5E-02	Vapor Intrusion	5.0E+02	site-specific		2.8E+00	5.5E-02	3.9E-01		
DICHLOROBENZIDINE, 3,3-	6.6E-02	Groundwater Protection	5.0E+02	site-specific		1.2E+00		6.6E-02		
DICHLORODIPHENYLDICHLOROETHANE (DDD)	2.2E+00	Direct Exposure	5.0E+02	site-specific		2.2E+00		6.3E+01		
DICHLORODIPHENYLDICHLOROETHYLENE (DDE)	1.9E+00	Direct Exposure	5.0E+02	site-specific		1.9E+00		2.8E+01		
DICHLORODIPHENYLTRICHLOROETHANE (DDT)	1.8E+00	Direct Exposure	1.0E+03	site-specific		1.8E+00		5.6E+00		
DICHLOROETHANE, 1,1-	1.1E-01	Groundwater Protection	5.0E+02	site-specific		3.8E+00	3.8E-01	1.1E-01		
DICHLOROETHANE, 1,2-	2.3E-02	Vapor Intrusion	5.0E+02	site-specific		5.0E-01	2.3E-02	7.0E-02		
DICHLOROETHYLENE, 1,1-	1.2E+00	Groundwater Protection	5.0E+02	site-specific		4.9E+01	8.9E+00	1.2E+00		
DICHLOROETHYLENE, Cis 1,2-	1.8E+00	Vapor Intrusion	1.0E+02	site-specific		1.3E+01	1.8E+00	2.2E+00		
DICHLOROETHYLENE, Trans 1,2-	1.8E+00	Vapor Intrusion	5.0E+02	site-specific		1.5E+01	1.8E+00	6.5E+00		
DICHLOROPHENOL, 2,4-	7.3E-03	Groundwater Protection	5.0E+02	site-specific		3.8E+01		7.3E-03		
DICHLOROPHENOXYACETIC ACID (2,4-D)	3.4E-01	Groundwater Protection	5.0E+02	site-specific		1.4E+02		3.4E-01		
DICHLOROPROPANE, 1,2-	1.4E-01	Groundwater Protection	1.0E+02	site-specific		2.6E+00	1.6E-01	1.4E-01		
DICHLOROPROPENE, 1,3-	1.6E-02	Groundwater Protection	5.0E+02	site-specific		1.9E+00	1.5E-01	1.6E-02		
DIELDRI	2.5E+00	Direct Exposure	1.0E+03	site-specific		2.5E+00		2.4E+01		
DIETHYLPHTHALATE	1.7E+01	Groundwater Protection	5.0E+02	site-specific		1.0E+04		1.7E+01		
DIMETHYLPHENOL, 2,4-	2.9E+01	Groundwater Protection	1.0E+02	site-specific		2.5E+02		2.9E+01		
DIMETHYLPHTHALATE	7.4E+01	Groundwater Protection	5.0E+02	site-specific		1.3E+05		7.4E+01		
DINITROBENZENE, 1,3-	1.1E-01	Groundwater Protection	5.0E+02	site-specific		1.3E+00		1.1E-01		
DINITROPHENOL, 2,4-	3.0E+00	Groundwater Protection	5.0E+02	site-specific		2.5E+01		3.0E+00		
DINITROTOLUENE, 2,4- (2,4-DNT)	2.3E-02	Groundwater Protection	5.0E+02	site-specific		1.7E+00		2.3E-02		
DINITROTOLUENE, 2,6- (2,6-DNT)	4.7E-03	Groundwater Protection	5.0E+02	site-specific		3.5E-01		4.7E-03		
DIOXANE, 1,4-	2.1E-04	Groundwater Protection	5.0E+02	site-specific		5.3E+00	(Use soil gas)	2.1E-04		
DIOXINS (TEQ)	2.4E-04	Direct Exposure	1.0E+03	site-specific	2.0E-05	2.4E-04		3.0E-01		
DIURON	6.5E-01	Groundwater Protection	5.0E+02	site-specific		2.5E+01		6.5E-01		
ENDOSULFAN	1.3E+01	Groundwater Protection	5.0E+02	site-specific		9.4E+01		1.3E+01		
ENDRIN	3.8E+00	Direct Exposure	5.0E+02	site-specific		3.8E+00		3.0E+01		
ETHANOL	0.0E+00	Groundwater Protection	5.0E+02	site-specific				0.0E+00		
ETHYLBENZENE	3.7E+00	Groundwater Protection	4.8E+02	site-specific		6.2E+01	2.4E+01	3.7E+00		
FLUORANTHENE	1.2E+02	Groundwater Protection	5.0E+02	site-specific		4.8E+02		1.2E+02		
FLUORENE	9.3E+01	Vapor Intrusion	5.0E+02	site-specific		4.5E+02	9.3E+01	3.8E+02		
GLYPHOSATE	2.4E+02	Groundwater Protection	5.0E+02	site-specific		1.3E+03		2.4E+02		
HEPTACHLOR	1.3E+00	Direct Exposure	1.0E+03	site-specific		1.3E+00		4.5E+01		
HEPTACHLOR EPOXIDE	2.0E-01	Direct Exposure	1.0E+03	site-specific		2.0E-01		1.2E+01		
HEXACHLOROBENZENE	1.6E-01	Direct Exposure	5.0E+02	site-specific		1.6E-01		2.3E-01		
HEXACHLOROBUTADIENE	5.7E-02	Groundwater Protection	5.0E+02	site-specific		1.3E+00		5.7E-02		
HEXACHLOROCYCLOHEXANE (gamma) LINDANE	7.5E-02	Groundwater Protection	5.0E+02	site-specific		5.5E-01		7.5E-02		
HEXACHLOROETHANE	5.2E-02	Groundwater Protection	5.0E+02	site-specific		2.0E+00		5.2E-02		

TABLE A-1. SOIL ACTION LEVELS
(Potentially impacted groundwater IS a current or potential drinking water resource;
Surface water body IS NOT located within 150m of release site)

CHEMICAL PARAMETER	Final EAL	Basis	(mg/kg)					
			¹ Gross Contamination (Odors, etc.) Table F-2	Terrestrial Ecotoxicity Table L	Background Table K	¹ Human Health		Leaching & Groundwater Protection
						Direct Exposure Table I-1	Vapor Intrusion Into Buildings Table C-1b	Drinking Water Resource Table E
HEXAZINONE	1.4E+01	Groundwater Protection	5.0E+02	site-specific		4.2E+02		1.4E+01
INDENO(1,2,3-cd)PYRENE	5.7E+00	Groundwater Protection	5.0E+02	site-specific		1.1E+01		5.7E+00
ISOPHORONE	8.5E-01	Groundwater Protection	5.0E+02	site-specific		5.5E+02		8.5E-01
LEAD	2.0E+02	Direct Exposure	1.0E+03	site-specific	7.3E+01	2.0E+02		(Use batch test)
MERCURY	4.7E+00	Direct Exposure	5.0E+02	site-specific	7.2E-01	4.7E+00		(Use batch test)
METHOXYCHLOR	1.6E+01	Groundwater Protection	5.0E+02	site-specific		6.3E+01		1.6E+01
METHYL ETHYL KETONE	9.3E+00	Groundwater Protection	5.0E+02	site-specific		5.6E+03	2.2E+03	9.3E+00
METHYL ISOBUTYL KETONE	3.8E+00	Groundwater Protection	1.0E+02	site-specific		3.4E+03	1.3E+03	3.8E+00
METHYL MERCURY	1.6E+00	Direct Exposure	1.0E+02	site-specific		1.6E+00		(Use batch test)
METHYL TERT BUTYL ETHER	2.8E-02	Groundwater Protection	1.0E+02	site-specific		5.0E+01	2.3E+00	2.8E-02
METHYLENE CHLORIDE	1.2E-01	Groundwater Protection	5.0E+02	site-specific		5.8E+01	2.2E+01	1.2E-01
METHYLNAPHTHALENE, 1-	4.2E+00	Groundwater Protection	5.0E+02	site-specific		1.7E+02	3.9E+02	4.2E+00
METHYLNAPHTHALENE, 2-	4.1E+00	Groundwater Protection	5.0E+02	site-specific		3.8E+01	4.4E+01	4.1E+00
MOLYBDENUM	7.8E+01	Direct Exposure	1.0E+03	site-specific	4.0E+00	7.8E+01		(Use batch test)
NAPHTHALENE	4.4E+00	Groundwater Protection	5.0E+02	site-specific		2.1E+01	7.0E+00	4.4E+00
NICKEL	4.1E+02	Background	1.0E+03	site-specific	4.1E+02	1.2E+02		(Use batch test)
NITROBENZENE	5.3E-03	Groundwater Protection	5.0E+02	site-specific		5.6E+00	(Use soil gas)	5.3E-03
NITROGLYCERIN	3.8E-02	Groundwater Protection	5.0E+02	site-specific		1.3E+00		3.8E-02
NITROTOLUENE, 2-	1.9E-02	Groundwater Protection	5.0E+02	site-specific		3.1E+00	(Use soil gas)	1.9E-02
NITROTOLUENE, 3-	1.1E-01	Groundwater Protection	5.0E+02	site-specific		1.3E+00		1.1E-01
NITROTOLUENE, 4-	2.6E-01	Groundwater Protection	5.0E+02	site-specific		3.3E+01		2.6E-01
PENTACHLOROPHENOL	9.8E-02	Groundwater Protection	5.0E+02	site-specific		9.8E-01		9.8E-02
PENTAERYTHRITOLTETRANITRATE (PETN)	1.9E+00	Groundwater Protection	5.0E+02	site-specific		1.1E+02		1.9E+00
PERCHLORATE	7.0E-03	Groundwater Protection	1.0E+03	site-specific		1.1E+01		7.0E-03
PHENANTHRENE	4.6E+02	Direct Exposure	5.0E+02	site-specific		4.6E+02	(Use soil gas)	5.8E+02
PHENOL	9.3E+00	Groundwater Protection	5.0E+02	site-specific		3.8E+03		9.3E+00
POLYCHLORINATED BIPHENYLS (PCBs)	1.2E+00	Direct Exposure	5.0E+02	site-specific		1.2E+00		3.4E+01
PROPICONAZOLE	1.1E+02	Groundwater Protection	5.0E+02	site-specific		1.3E+03		1.1E+02
PYRENE	4.4E+01	Vapor Intrusion	5.0E+02	site-specific		3.6E+02	4.4E+01	6.1E+02
SELENIUM	7.8E+01	Direct Exposure	1.0E+03	site-specific	7.1E+00	7.8E+01		(Use batch test)
SILVER	7.8E+01	Direct Exposure	1.0E+03	site-specific	1.5E+00	7.8E+01		(Use batch test)
SIMAZINE	9.7E-02	Groundwater Protection	5.0E+02	site-specific		4.4E+00		9.7E-02
STYRENE	9.1E-01	Groundwater Protection	5.0E+02	site-specific		8.7E+02	4.5E+02	9.1E-01
TERBACIL	2.1E+00	Groundwater Protection	5.0E+02	site-specific		1.6E+02		2.1E+00
tert-BUTYL ALCOHOL	2.4E-02	Groundwater Protection	1.0E+02	site-specific		1.3E+03	(Use soil gas)	2.4E-02
TETRACHLOROETHANE, 1,1,1,2-	1.7E-02	Groundwater Protection	1.0E+02	site-specific		2.2E+00	(Use soil gas)	1.7E-02
TETRACHLOROETHANE, 1,1,2,2-	1.4E-03	Groundwater Protection	5.0E+02	site-specific		6.4E-01	1.0E-02	1.4E-03
TETRACHLOROETHYLENE	9.8E-02	Vapor Intrusion	1.7E+02	site-specific		1.1E+00	9.8E-02	6.4E-01
TETRACHLOROPHENOL, 2,3,4,6-	5.1E-01	Groundwater Protection	5.0E+02	site-specific		3.8E+02		5.1E-01
TETRANITRO-1,3,5,7-TETRAAZOCYCLOOCTANE (HMX)	8.8E+01	Groundwater Protection	5.0E+02	site-specific		7.7E+02		8.8E+01
THALLIUM	7.8E-01	Direct Exposure	1.0E+03	site-specific	2.5E-01	7.8E-01		(Use batch test)
TOLUENE	3.2E+00	Groundwater Protection	5.0E+02	site-specific		8.2E+02	8.2E+02	3.2E+00
TOXAPHENE	4.8E-01	Direct Exposure	5.0E+02	site-specific		4.8E-01		2.5E+02
TPH (gasolines)	1.0E+02	Ceiling Value	1.0E+02	site-specific		1.9E+02	(Use soil gas)	1.7E+02
TPH (middle distillates)	1.8E+02	Direct Exposure	5.0E+02	site-specific		1.8E+02	(Use soil gas)	2.1E+02

TABLE A-1. SOIL ACTION LEVELS
(Potentially impacted groundwater IS a current or potential drinking water resource;
Surface water body IS NOT located within 150m of release site)

CHEMICAL PARAMETER	Final EAL	Basis	(mg/kg)					
			¹ Gross Contamination (Odors, etc.) Table F-2	Terrestrial Ecotoxicity Table L	Background Table K	¹ Human Health		Leaching & Groundwater Protection
						Direct Exposure Table I-1	Vapor Intrusion Into Buildings Table C-1b	Drinking Water Resource Table E
TPH (residual fuels)	5.0E+02	Ceiling Value	5.0E+02	site-specific		1.3E+03		1.0E+03
TRICHLOROBENZENE, 1,2,4-	1.8E-01	Vapor Intrusion	5.0E+02	site-specific		1.2E+01	1.8E-01	1.6E+01
TRICHLOROETHANE, 1,1,1-	2.3E+01	Groundwater Protection	5.0E+02	site-specific		6.4E+02	2.2E+02	2.3E+01
TRICHLOROETHANE, 1,1,2-	8.9E-03	Vapor Intrusion	1.0E+02	site-specific		3.2E-01	8.9E-03	7.6E-02
TRICHLOROETHYLENE	8.9E-02	Vapor Intrusion	5.0E+02	site-specific		8.9E-01	8.9E-02	3.6E-01
TRICHLOROPHENOL, 2,4,5-	4.5E+00	Groundwater Protection	1.0E+02	site-specific		1.3E+03		4.5E+00
TRICHLOROPHENOL, 2,4,6-	2.6E-01	Groundwater Protection	5.0E+02	site-specific		1.3E+01		2.6E-01
TRICHLOROPHENOXYACETIC ACID, 2,4,5- (2,4,5-T)	2.8E+00	Groundwater Protection	1.0E+03	site-specific		1.3E+02		2.8E+00
TRICHLOROPHENOXYPROPIONIC ACID, 2,4,5- (2,4,5-TP)	1.5E+00	Groundwater Protection	5.0E+02	site-specific		1.0E+02		1.5E+00
TRICHLOROPROPANE, 1,2,3-	5.0E-03	Direct Exposure	1.0E+02	site-specific		5.0E-03	(Use soil gas)	1.3E-02
TRICHLOROPROPENE, 1,2,3-	1.6E-01	Direct Exposure	1.0E+02	site-specific		1.6E-01	(Use soil gas)	4.4E-01
TRIFLURALIN	1.8E+01	Groundwater Protection	1.0E+02	site-specific		8.7E+01		1.8E+01
TRINITROBENZENE, 1,3,5-	7.5E+00	Groundwater Protection	5.0E+02	site-specific		4.5E+02		7.5E+00
TRINITROPHENYLMETHYLNITRAMINE, 2,4,6- (TETRYL)	3.0E+01	Groundwater Protection	5.0E+02	site-specific		3.1E+01		3.0E+01
TRINITROTOLUENE, 2,4,6- (TNT)	1.2E+00	Groundwater Protection	5.0E+02	site-specific		7.3E+00		1.2E+00
VANADIUM	7.7E+02	Background	1.0E+03	site-specific	7.7E+02	7.8E+01		(Use batch test)
VINYL CHLORIDE	3.6E-02	Vapor Intrusion	5.0E+02	site-specific		5.9E-02	3.6E-02	3.5E-01
XYLENES	2.1E+00	Groundwater Protection	2.6E+02	site-specific		1.3E+02	4.5E+01	2.1E+00
ZINC	1.0E+03	Ceiling Value	1.0E+03	site-specific	3.5E+02	4.7E+03		(Use batch test)
Electrical Conductivity (mS/cm, USEPA Method 120.1 MOD)	2.0	-	-	-		-	-	-
Sodium Adsorption Ratio	5.0	-	-	-		-	-	-

Notes:
1. Based on unrestricted current or future land use. Considered adequate for residential housing, schools, medical facilities, day-care centers, parks and other sensitive uses.
Final Environmental Action Level is lowest of gross contamination, ecotoxicity, direct-exposure, vapor intrusion and leaching action levels.
Assumes soil pH 5.0 to 9.0.
Soil data should be reported on dry-weight basis (see Chapter 7).
TPH -Total Petroleum Hydrocarbons. See text for discussion of different TPH categories.

TABLE A-2. SOIL ACTION LEVELS
(Potentially impacted groundwater IS a current or potential drinking water resource;
Surface water body IS located within 150m of release site)

CHEMICAL PARAMETER	Final EAL	Basis	(mg/kg)					
			¹ Gross Contamination (Odors, etc.)	Terrestrial Ecotoxicity	Background	¹ Human Health		Leaching & Groundwater Protection
						Table F-2	Table L	Table K
Table E								
ACENAPHTHENE	1.2E+02	Vapor Intrusion	1.0E+03	site-specific			6.5E+02	1.2E+02
ACENAPHTHYLENE	5.5E+00	Groundwater Protection	5.0E+02	site-specific			3.4E+02	(Use soil gas) 5.5E+00
ACETONE	9.2E-01	Groundwater Protection	5.0E+02	site-specific			5.7E+03	1.4E+03 9.2E-01
ALDRIN	3.9E+00	Direct Exposure	1.0E+03	site-specific			3.9E+00	8.4E+00
AMETRYN	1.1E+01	Groundwater Protection	5.0E+02	site-specific			1.1E+02	1.1E+01
AMINO,2- DINITROTOLUENE,4,6-	9.1E-02	Groundwater Protection	5.0E+02	site-specific			1.5E+00	9.1E-02
AMINO,4- DINITROTOLUENE,2,6-	9.1E-02	Groundwater Protection	5.0E+02	site-specific			1.5E+00	9.1E-02
ANTHRACENE	4.2E+00	Vapor Intrusion	5.0E+02	site-specific			3.5E+03	4.2E+00 4.2E+00
ANTIMONY	6.3E+00	Direct Exposure	1.0E+03	site-specific	2.4E+00		6.3E+00	(Use batch test)
ARSENIC	2.4E+01	Background	1.0E+03	site-specific	2.4E+01		2.3E+01	(Use batch test)
ATRAZINE	1.1E-01	Groundwater Protection	5.0E+02	site-specific			2.3E+00	1.1E-01
BARIUM	1.0E+03	Ceiling Value	1.0E+03	site-specific	6.9E+02		3.1E+03	(Use batch test)
BENOMYL	7.8E-03	Groundwater Protection	1.0E+03	site-specific			6.3E+02	7.8E-03
BENZENE	3.0E-01	Groundwater Protection	5.0E+02	site-specific			1.2E+00	7.7E-01 3.0E-01
BENZO(a)ANTHRACENE	1.0E+01	Groundwater Protection	5.0E+02	site-specific			1.1E+01	1.0E+01
BENZO(a)PYRENE	3.6E+00	Direct Exposure	5.0E+02	site-specific			3.6E+00	5.9E+00
BENZO(b)FLUORANTHENE	5.8E+00	Groundwater Protection	5.0E+02	site-specific			1.1E+01	5.8E+00
BENZO(g,h,i)PERYLENE	3.5E+01	Groundwater Protection	5.0E+02	site-specific			4.8E+02	3.5E+01
BENZO(k)FLUORANTHENE	3.5E+01	Groundwater Protection	5.0E+02	site-specific			1.1E+02	3.5E+01
BERYLLIUM	3.1E+01	Direct Exposure	1.0E+03	site-specific	3.0E+00		3.1E+01	(Use batch test)
BIPHENYL, 1,1-	1.0E+01	Direct Exposure	5.0E+02	site-specific			1.0E+01	(Use soil gas) 2.3E+02
BIS(2-CHLOROETHYL)ETHER	7.4E-05	Groundwater Protection	5.0E+02	site-specific			2.4E-01	7.9E-03 7.4E-05
BIS(2-CHLORO-1-METHYLETHYL)ETHER	3.9E-03	Groundwater Protection	5.0E+02	site-specific			3.7E+00	(Use soil gas) 3.9E-03
BIS(2-ETHYLHEXYL)PHTHALATE	3.7E+01	Direct Exposure	5.0E+02	site-specific			3.7E+01	1.9E+02
BORON	1.0E+03	Ceiling Value	1.0E+03	site-specific			3.1E+03	(Use batch test)
BROMODICHLOROMETHANE	2.5E-03	Groundwater Protection	9.3E+02	site-specific			3.2E-01	1.6E-02 2.5E-03
BROMOFORM	6.9E-01	Groundwater Protection	5.0E+02	site-specific			2.0E+01	6.9E-01
BROMOMETHANE	2.2E-01	Vapor Intrusion	5.0E+02	site-specific			1.5E+00	2.2E-01 7.6E-01
CADMIUM	1.7E+01	Background	1.0E+03	site-specific	1.7E+01		1.5E+00	(Use batch test)
CARBON TETRACHLORIDE	1.0E-01	Vapor Intrusion	4.5E+02	site-specific			7.1E-01	1.0E-01 9.1E-01
CHLORDANE (TECHNICAL)	1.7E+01	Direct Exposure	1.0E+03	site-specific			1.7E+01	2.3E+01
CHLOROANILINE, p-	6.8E-03	Groundwater Protection	1.0E+03	site-specific			2.6E+00	6.8E-03
CHLOROBENZENE	1.5E+00	Groundwater Protection	5.0E+02	site-specific			5.9E+01	2.2E+00 1.5E+00
CHLOROETHANE	1.2E+00	Groundwater Protection	5.0E+02	site-specific			1.2E+03	1.8E+02 1.2E+00
CHLOROFORM	2.6E-02	Vapor Intrusion	5.0E+02	site-specific			3.4E-01	2.6E-02 7.9E-01
CHLOROMETHANE	4.0E+00	Vapor Intrusion	1.0E+02	site-specific			2.4E+01	4.0E+00 6.1E+01
CHLOROPHENOL, 2-	1.2E-02	Groundwater Protection	1.0E+02	site-specific			6.8E+01	3.7E+01 1.2E-02
CHROMIUM (Total)	1.1E+03	Background	-	site-specific	1.1E+03			(Use batch test)
CHROMIUM III	1.0E+03	Ceiling Value	1.0E+03	site-specific			2.3E+04	(Use batch test)
CHROMIUM VI	3.0E+01	Direct Exposure	1.0E+03	site-specific			3.0E+01	(Use batch test)
CHRYSENE	7.3E+00	Groundwater Protection	1.0E+03	site-specific			1.1E+03	7.3E+00
COBALT	8.0E+01	Background	1.0E+03	site-specific	8.0E+01		4.7E+00	(Use batch test)
COPPER	6.3E+02	Direct Exposure	1.0E+03	site-specific	2.5E+02		6.3E+02	(Use batch test)
CYANIDE (Free)	4.8E+00	Direct Exposure	1.0E+02	site-specific			4.8E+00	(Use soil gas) (Use batch test)
CYCLO-1,3,5-TRIMETHYLENE-2,4,6-TRINITRAMINE (RDX)	1.4E-02	Groundwater Protection	5.0E+02	site-specific			8.1E+00	1.4E-02
DALAPON	1.1E-01	Groundwater Protection	5.0E+02	site-specific			3.8E+02	1.1E-01

TABLE A-2. SOIL ACTION LEVELS
(Potentially impacted groundwater IS a current or potential drinking water resource;
Surface water body IS located within 150m of release site)

CHEMICAL PARAMETER	Final EAL	Basis	(mg/kg)					
			¹ Gross Contamination (Odors, etc.)	Terrestrial Ecotoxicity	Background	¹ Human Health		Leaching & Groundwater Protection
						Table F-2	Table L	Table K
						Table I-1	Table C-1b	Table E
DIBENZO(a,h)ANTHTRACENE	1.1E+00	Direct Exposure	5.0E+02	site-specific		1.1E+00		2.9E+01
DIBROMO,1,2- CHLOROPROPANE,3-	8.1E-04	Groundwater Protection	5.0E+02	site-specific		5.7E-03	(Use soil gas)	8.1E-04
DIBROMOCHLOROMETHANE	8.8E-03	Groundwater Protection	1.0E+02	site-specific		8.0E+00	3.1E+00	8.8E-03
DIBROMOETHANE, 1,2-	4.2E-04	Groundwater Protection	5.0E+02	site-specific		3.9E-02	1.0E-03	4.2E-04
DICHLOROBENZENE, 1,2-	7.5E-01	Groundwater Protection	3.8E+02	site-specific		3.8E+02	8.9E+00	7.5E-01
DICHLOROBENZENE, 1,3-	5.7E-01	Groundwater Protection	1.0E+02	site-specific		2.0E+02	(Use soil gas)	5.7E-01
DICHLOROBENZENE, 1,4-	5.5E-02	Vapor Intrusion	5.0E+02	site-specific		2.8E+00	5.5E-02	3.9E-01
DICHLOROBENZIDINE, 3,3-	6.6E-02	Groundwater Protection	5.0E+02	site-specific		1.2E+00		6.6E-02
DICHLORODIPHENYLDICHLOROETHANE (DDD)	2.2E+00	Direct Exposure	5.0E+02	site-specific		2.2E+00		6.3E+01
DICHLORODIPHENYLDICHLOROETHYLENE (DDE)	1.9E+00	Direct Exposure	5.0E+02	site-specific		1.9E+00		2.8E+01
DICHLORODIPHENYLTRICHLOROETHANE (DDT)	1.8E+00	Direct Exposure	1.0E+03	site-specific		1.8E+00		5.6E+00
DICHLOROETHANE, 1,1-	1.1E-01	Groundwater Protection	5.0E+02	site-specific		3.8E+00	3.8E-01	1.1E-01
DICHLOROETHANE, 1,2-	2.3E-02	Vapor Intrusion	5.0E+02	site-specific		5.0E-01	2.3E-02	7.0E-02
DICHLOROETHYLENE, 1,1-	1.2E+00	Groundwater Protection	5.0E+02	site-specific		4.9E+01	8.9E+00	1.2E+00
DICHLOROETHYLENE, Cis 1,2-	1.8E+00	Vapor Intrusion	1.0E+02	site-specific		1.3E+01	1.8E+00	2.2E+00
DICHLOROETHYLENE, Trans 1,2-	1.8E+00	Vapor Intrusion	5.0E+02	site-specific		1.5E+01	1.8E+00	6.5E+00
DICHLOROPHENOL, 2,4-	7.3E-03	Groundwater Protection	5.0E+02	site-specific		3.8E+01		7.3E-03
DICHLOROPHENOXYACETIC ACID (2,4-D)	3.4E-01	Groundwater Protection	5.0E+02	site-specific		1.4E+02		3.4E-01
DICHLOROPROPANE, 1,2-	1.4E-01	Groundwater Protection	1.0E+02	site-specific		2.6E+00	1.6E-01	1.4E-01
DICHLOROPROPENE, 1,3-	2.1E-03	Groundwater Protection	5.0E+02	site-specific		1.9E+00	1.5E-01	2.1E-03
DIELDRIN	2.5E+00	Direct Exposure	1.0E+03	site-specific		2.5E+00		2.4E+01
DIETHYLPHTHALATE	3.7E+00	Groundwater Protection	5.0E+02	site-specific		1.0E+04		3.7E+00
DIMETHYLPHENOL, 2,4-	9.8E+00	Groundwater Protection	1.0E+02	site-specific		2.5E+02		9.8E+00
DIMETHYLPHTHALATE	2.6E+01	Groundwater Protection	5.0E+02	site-specific		1.3E+05		2.6E+01
DINITROBENZENE, 1,3-	1.1E-01	Groundwater Protection	5.0E+02	site-specific		1.3E+00		1.1E-01
DINITROPHENOL, 2,4-	1.1E+00	Groundwater Protection	5.0E+02	site-specific		2.5E+01		1.1E+00
DINITROTOLUENE, 2,4- (2,4-DNT)	2.3E-02	Groundwater Protection	5.0E+02	site-specific		1.7E+00		2.3E-02
DINITROTOLUENE, 2,6- (2,6-DNT)	4.7E-03	Groundwater Protection	5.0E+02	site-specific		3.5E-01		4.7E-03
DIOXANE, 1,4-	2.1E-04	Groundwater Protection	5.0E+02	site-specific		5.3E+00	(Use soil gas)	2.1E-04
DIOXINS (TEQ)	2.4E-04	Direct Exposure	1.0E+03	site-specific	2.0E-05	2.4E-04		3.0E-01
DIURON	6.5E-01	Groundwater Protection	5.0E+02	site-specific		2.5E+01		6.5E-01
ENDOSULFAN	1.3E+01	Groundwater Protection	5.0E+02	site-specific		9.4E+01		1.3E+01
ENDRIN	3.8E+00	Direct Exposure	5.0E+02	site-specific		3.8E+00		3.0E+01
ETHANOL	0.0E+00	Groundwater Protection	5.0E+02	site-specific				0.0E+00
ETHYLBENZENE	9.0E-01	Groundwater Protection	4.8E+02	site-specific		6.2E+01	2.4E+01	9.0E-01
FLUORANTHENE	8.7E+01	Groundwater Protection	5.0E+02	site-specific		4.8E+02		8.7E+01
FLUORENE	9.3E+01	Vapor Intrusion	5.0E+02	site-specific		4.5E+02	9.3E+01	9.3E+01
GLYPHOSATE	2.4E+02	Groundwater Protection	5.0E+02	site-specific		1.3E+03		2.4E+02
HEPTACHLOR	1.3E+00	Direct Exposure	1.0E+03	site-specific		1.3E+00		4.5E+01
HEPTACHLOR EPOXIDE	2.0E-01	Direct Exposure	1.0E+03	site-specific		2.0E-01		1.2E+01
HEXACHLOROBENZENE	1.6E-01	Direct Exposure	5.0E+02	site-specific		1.6E-01		2.3E-01
HEXACHLOROBUTADIENE	5.7E-02	Groundwater Protection	5.0E+02	site-specific		1.3E+00		5.7E-02
HEXACHLOROCYCLOHEXANE (gamma) LINDANE	2.9E-02	Groundwater Protection	5.0E+02	site-specific		5.5E-01		2.9E-02
HEXACHLOROETHANE	5.2E-02	Groundwater Protection	5.0E+02	site-specific		2.0E+00		5.2E-02
HEXAZINONE	1.4E+01	Groundwater Protection	5.0E+02	site-specific		4.2E+02		1.4E+01
INDENO(1,2,3-cd)PYRENE	5.7E+00	Groundwater Protection	5.0E+02	site-specific		1.1E+01		5.7E+00

TABLE A-2. SOIL ACTION LEVELS
(Potentially impacted groundwater IS a current or potential drinking water resource;
Surface water body IS located within 150m of release site)

CHEMICAL PARAMETER	Final EAL	Basis	(mg/kg)					Human Health		Leaching & Groundwater Protection
			Gross Contamination (Odors, etc.)	Terrestrial Ecotoxicity	Background	Direct Exposure	Vapor Intrusion Into Buildings	Drinking Water Resource		
									Table F-2	Table L
ISOPHORONE	8.5E-01	Groundwater Protection	5.0E+02	site-specific		5.5E+02		8.5E-01		
LEAD	2.0E+02	Direct Exposure	1.0E+03	site-specific	7.3E+01	2.0E+02		(Use batch test)		
MERCURY	4.7E+00	Direct Exposure	5.0E+02	site-specific	7.2E-01	4.7E+00		(Use batch test)		
METHOXYCHLOR	1.6E+01	Groundwater Protection	5.0E+02	site-specific		6.3E+01		1.6E+01		
METHYL ETHYL KETONE	9.3E+00	Groundwater Protection	5.0E+02	site-specific		5.6E+03	2.2E+03	9.3E+00		
METHYL ISOBUTYL KETONE	5.0E-01	Groundwater Protection	1.0E+02	site-specific		3.4E+03	1.3E+03	5.0E-01		
METHYL MERCURY	1.6E+00	Direct Exposure	1.0E+02	site-specific		1.6E+00		(Use batch test)		
METHYL TERT BUTYL ETHER	2.8E-02	Groundwater Protection	1.0E+02	site-specific		5.0E+01	2.3E+00	2.8E-02		
METHYLENE CHLORIDE	1.2E-01	Groundwater Protection	5.0E+02	site-specific		5.8E+01	2.2E+01	1.2E-01		
METHYLNAPHTHALENE, 1-	8.9E-01	Groundwater Protection	5.0E+02	site-specific		1.7E+02	3.9E+02	8.9E-01		
METHYLNAPHTHALENE, 2-	1.9E+00	Groundwater Protection	5.0E+02	site-specific		3.8E+01	4.4E+01	1.9E+00		
MOLYBDENUM	7.8E+01	Direct Exposure	1.0E+03	site-specific	4.0E+00	7.8E+01		(Use batch test)		
NAPHTHALENE	3.1E+00	Groundwater Protection	5.0E+02	site-specific		2.1E+01	7.0E+00	3.1E+00		
NICKEL	4.1E+02	Background	1.0E+03	site-specific	4.1E+02	1.2E+02		(Use batch test)		
NITROBENZENE	5.3E-03	Groundwater Protection	5.0E+02	site-specific		5.6E+00	(Use soil gas)	5.3E-03		
NITROGLYCERIN	3.8E-02	Groundwater Protection	5.0E+02	site-specific		1.3E+00		3.8E-02		
NITROTOLUENE, 2-	1.9E-02	Groundwater Protection	5.0E+02	site-specific		3.1E+00	(Use soil gas)	1.9E-02		
NITROTOLUENE, 3-	1.1E-01	Groundwater Protection	5.0E+02	site-specific		1.3E+00		1.1E-01		
NITROTOLUENE, 4-	2.6E-01	Groundwater Protection	5.0E+02	site-specific		3.3E+01		2.6E-01		
PENTACHLOROPHENOL	9.8E-02	Groundwater Protection	5.0E+02	site-specific		9.8E-01		9.8E-02		
PENTAERYTHRITOLTETRANITRATE (PETN)	1.9E+00	Groundwater Protection	5.0E+02	site-specific		1.1E+02		1.9E+00		
PERCHLORATE	7.0E-03	Groundwater Protection	1.0E+03	site-specific		1.1E+01		7.0E-03		
PHENANTHRENE	6.9E+01	Groundwater Protection	5.0E+02	site-specific		4.6E+02	(Use soil gas)	6.9E+01		
PHENOL	1.8E+00	Groundwater Protection	5.0E+02	site-specific		3.8E+03		1.8E+00		
POLYCHLORINATED BIPHENYLS (PCBs)	1.2E+00	Direct Exposure	5.0E+02	site-specific		1.2E+00		3.4E+01		
PROPIONAZOLE	2.5E+01	Groundwater Protection	5.0E+02	site-specific		1.3E+03		2.5E+01		
PYRENE	4.4E+01	Vapor Intrusion	5.0E+02	site-specific		3.6E+02	4.4E+01	4.4E+01		
SELENIUM	7.8E+01	Direct Exposure	1.0E+03	site-specific	7.1E+00	7.8E+01		(Use batch test)		
SILVER	7.8E+01	Direct Exposure	1.0E+03	site-specific	1.5E+00	7.8E+01		(Use batch test)		
SIMAZINE	9.7E-02	Groundwater Protection	5.0E+02	site-specific		4.4E+00		9.7E-02		
STYRENE	9.1E-01	Groundwater Protection	5.0E+02	site-specific		8.7E+02	4.5E+02	9.1E-01		
TERBACIL	2.1E+00	Groundwater Protection	5.0E+02	site-specific		1.6E+02		2.1E+00		
tert-BUTYL ALCOHOL	2.4E-02	Groundwater Protection	1.0E+02	site-specific		1.3E+03	(Use soil gas)	2.4E-02		
TETRACHLOROETHANE, 1,1,1,2-	1.7E-02	Groundwater Protection	1.0E+02	site-specific		2.2E+00	(Use soil gas)	1.7E-02		
TETRACHLOROETHANE, 1,1,2,2-	1.4E-03	Groundwater Protection	5.0E+02	site-specific		6.4E-01	1.0E-02	1.4E-03		
TETRACHLOROETHYLENE	9.8E-02	Vapor Intrusion	1.7E+02	site-specific		1.1E+00	9.8E-02	6.4E-01		
TETRACHLOROPHENOL, 2,3,4,6-	5.6E-02	Groundwater Protection	5.0E+02	site-specific		3.8E+02		5.6E-02		
TETRANITRO-1,3,5,7-TETRAAZOCYCLOOCTANE (HMX)	1.9E+01	Groundwater Protection	5.0E+02	site-specific		7.7E+02		1.9E+01		
THALLIUM	7.8E-01	Direct Exposure	1.0E+03	site-specific	2.5E-01	7.8E-01		(Use batch test)		
TOLUENE	7.8E-01	Groundwater Protection	5.0E+02	site-specific		8.2E+02	8.2E+02	7.8E-01		
TOXAPHENE	4.8E-01	Direct Exposure	5.0E+02	site-specific		4.8E-01		2.5E+02		
TPH (gasolines)	1.0E+02	Ceiling Value	1.0E+02	site-specific		1.9E+02	(Use soil gas)	1.7E+02		
TPH (middle distillates)	1.8E+02	Direct Exposure	5.0E+02	site-specific		1.8E+02	(Use soil gas)	2.1E+02		
TPH (residual fuels)	5.0E+02	Ceiling Value	5.0E+02	site-specific		1.3E+03		1.0E+03		
TRICHLOROETHYLENE, 1,1,2-	1.8E-01	Vapor Intrusion	5.0E+02	site-specific		1.2E+01	1.8E-01	1.6E+01		
TRICHLOROETHANE, 1,1,1-	1.2E+00	Groundwater Protection	5.0E+02	site-specific		6.4E+02	2.2E+02	1.2E+00		

TABLE A-2. SOIL ACTION LEVELS
(Potentially impacted groundwater IS a current or potential drinking water resource;
Surface water body IS located within 150m of release site)

CHEMICAL PARAMETER	Final EAL	Basis	(mg/kg)					
			¹ Gross Contamination (Odors, etc.)	Terrestrial Ecotoxicity	Background	¹ Human Health		Leaching & Groundwater Protection
						Table F-2	Table L	Table K
						Table I-1	Table C-1b	Table E
TRICHLOROETHANE, 1,1,2-	8.9E-03	Vapor Intrusion	1.0E+02	site-specific		3.2E-01	8.9E-03	7.6E-02
TRICHLOROETHYLENE	8.9E-02	Vapor Intrusion	5.0E+02	site-specific		8.9E-01	8.9E-02	3.6E-01
TRICHLOROPHENOL, 2,4,5-	5.0E-01	Groundwater Protection	1.0E+02	site-specific		1.3E+03		5.0E-01
TRICHLOROPHENOL, 2,4,6-	2.6E-01	Groundwater Protection	5.0E+02	site-specific		1.3E+01		2.6E-01
TRICHLOROPHENOXYACETIC ACID, 2,4,5- (2,4,5-T)	2.8E+00	Groundwater Protection	1.0E+03	site-specific		1.3E+02		2.8E+00
TRICHLOROPHENOXYPROPIONIC ACID, 2,4,5- (2,4,5-TP)	8.7E-01	Groundwater Protection	5.0E+02	site-specific		1.0E+02		8.7E-01
TRICHLOROPROPANE, 1,2,3-	5.0E-03	Direct Exposure	1.0E+02	site-specific		5.0E-03	(Use soil gas)	1.3E-02
TRICHLOROPROPENE, 1,2,3-	1.6E-01	Direct Exposure	1.0E+02	site-specific		1.6E-01	(Use soil gas)	4.4E-01
TRIFLURALIN	1.8E+01	Groundwater Protection	1.0E+02	site-specific		8.7E+01		1.8E+01
TRINITROBENZENE, 1,3,5-	2.8E+00	Groundwater Protection	5.0E+02	site-specific		4.5E+02		2.8E+00
TRINITROPHENYLMETHYLNITRAMINE, 2,4,6- (TETRYL)	3.0E+01	Groundwater Protection	5.0E+02	site-specific		3.1E+01		3.0E+01
TRINITROTOLUENE, 2,4,6- (TNT)	1.2E+00	Groundwater Protection	5.0E+02	site-specific		7.3E+00		1.2E+00
VANADIUM	7.7E+02	Background	1.0E+03	site-specific	7.7E+02	7.8E+01		(Use batch test)
VINYL CHLORIDE	3.6E-02	Vapor Intrusion	5.0E+02	site-specific		5.9E-02	3.6E-02	3.5E-01
XYLENES	1.4E+00	Groundwater Protection	2.6E+02	site-specific		1.3E+02	4.5E+01	1.4E+00
ZINC	1.0E+03	Ceiling Value	1.0E+03	site-specific	3.5E+02	4.7E+03		(Use batch test)
Electrical Conductivity (mS/cm, USEPA Method 120.1 MOD)	2.0	-	-	-	-	-	-	-
Sodium Adsorption Ratio	5.0	-	-	-	-	-	-	-

Notes:
1. Based on unrestricted current or future land use. Considered adequate for residential housing, schools, medical facilities, day-care centers, parks and other sensitive uses.
Final Environmental Action Level is lowest of gross contamination, ecotoxicity, direct-exposure, vapor intrusion and leaching action levels.
Assumes soil pH 5.0 to 9.0.
Soil data should be reported on dry-weight basis (see Chapter 7).
TPH -Total Petroleum Hydrocarbons. See text for discussion of different TPH categories.

TABLE B-1. SOIL ACTION LEVELS
(Potentially impacted groundwater IS NOT a current or potential drinking water resource;
Surface water body IS NOT located within 150m of release site)

CHEMICAL PARAMETER	(mg/kg)							
	Final EAL	Basis	¹ Gross Contamination (Odors, etc.) Table F-2	Terrestrial Ecotoxicity Table L	Background Table K	¹ Human Health		Leaching & Groundwater Protection
						Direct Exposure Table I-1	Vapor Intrusion Into Buildings Table C-1b	NON-Drinking Water Resource Table E
ACENAPHTHENE	1.2E+02	Vapor Intrusion	1.0E+03	site-specific		6.5E+02	1.2E+02	1.7E+02
ACENAPHTHYLENE	1.3E+02	Groundwater Protection	5.0E+02	site-specific		3.4E+02	(Use soil gas)	1.3E+02
ACETONE	9.2E+00	Groundwater Protection	5.0E+02	site-specific		5.7E+03	1.4E+03	9.2E+00
ALDRIN	3.9E+00	Direct Exposure	1.0E+03	site-specific		3.9E+00		1.8E+01
AMETRYN	1.1E+02	Direct Exposure	5.0E+02	site-specific		1.1E+02		1.3E+02
AMINO,2,-DINITROTOLUENE,4,6-	1.5E+00	Direct Exposure	5.0E+02	site-specific		1.5E+00		7.5E+00
AMINO,4,-DINITROTOLUENE,2,6-	1.5E+00	Direct Exposure	5.0E+02	site-specific		1.5E+00		4.6E+00
ANTHRACENE	4.2E+00	Vapor Intrusion	5.0E+02	site-specific		3.5E+03	4.2E+00	4.2E+00
ANTIMONY	6.3E+00	Direct Exposure	1.0E+03	site-specific	2.4E+00	6.3E+00		(Use batch test)
ARSENIC	2.4E+01	Background	1.0E+03	site-specific	2.4E+01	2.3E+01		(Use batch test)
ATRAZINE	2.3E+00	Direct Exposure	5.0E+02	site-specific		2.3E+00		1.2E+01
BARIUM	1.0E+03	Ceiling Value	1.0E+03	site-specific	6.9E+02	3.1E+03		(Use batch test)
BENOMYL	1.6E-01	Groundwater Protection	1.0E+03	site-specific		6.3E+02		1.6E-01
BENZENE	7.7E-01	Vapor Intrusion	5.0E+02	site-specific		1.2E+00	7.7E-01	1.0E+02
BENZO(a)ANTHRACENE	1.1E+01	Direct Exposure	5.0E+02	site-specific		1.1E+01		1.4E+02
BENZO(a)PYRENE	3.6E+00	Direct Exposure	5.0E+02	site-specific		3.6E+00		7.8E+01
BENZO(b)FLUORANTHENE	1.1E+01	Direct Exposure	5.0E+02	site-specific		1.1E+01		7.5E+01
BENZO(g,h,i)PERYLENE	3.5E+01	Groundwater Protection	5.0E+02	site-specific		4.8E+02		3.5E+01
BENZO(k)FLUORANTHENE	3.9E+01	Groundwater Protection	5.0E+02	site-specific		1.1E+02		3.9E+01
BERYLLIUM	3.1E+01	Direct Exposure	1.0E+03	site-specific	3.0E+00	3.1E+01		(Use batch test)
BIPHENYL, 1,1-	1.0E+01	Direct Exposure	5.0E+02	site-specific		1.0E+01	(Use soil gas)	2.3E+02
BIS(2-CHLOROETHYL)ETHER	7.9E-03	Vapor Intrusion	5.0E+02	site-specific		2.4E-01	7.9E-03	9.6E-01
BIS(2-CHLORO-1-METHYLETHYL)ETHER	3.9E-03	Groundwater Protection	5.0E+02	site-specific		3.7E+00	(Use soil gas)	3.9E-03
BIS(2-ETHYLHEXYL)PHTHALATE	3.7E+01	Direct Exposure	5.0E+02	site-specific		3.7E+01		5.4E+02
BORON	1.0E+03	Ceiling Value	1.0E+03	site-specific		3.1E+03		(Use batch test)
BROMODICHLOROMETHANE	1.6E-02	Vapor Intrusion	9.3E+02	site-specific		3.2E-01	1.6E-02	2.1E+00
BROMOFORM	9.5E+00	Groundwater Protection	5.0E+02	site-specific		2.0E+01		9.5E+00
BROMOMETHANE	2.2E-01	Vapor Intrusion	5.0E+02	site-specific		1.5E+00	2.2E-01	1.8E+00
CADMIUM	1.7E+01	Background	1.0E+03	site-specific	1.7E+01	1.5E+00		(Use batch test)
CARBON TETRACHLORIDE	1.0E-01	Vapor Intrusion	4.5E+02	site-specific		7.1E-01	1.0E-01	2.0E+01
CHLORDANE (TECHNICAL)	1.7E+01	Direct Exposure	1.0E+03	site-specific		1.7E+01		2.3E+01
CHLOROANILINE, p-	2.6E+00	Direct Exposure	1.0E+03	site-specific		2.6E+00		8.6E+00
CHLOROBENZENE	2.2E+00	Vapor Intrusion	5.0E+02	site-specific		5.9E+01	2.2E+00	1.3E+01
CHLOROETHANE	1.2E+01	Groundwater Protection	5.0E+02	site-specific		1.2E+03	1.8E+02	1.2E+01
CHLOROFORM	2.6E-02	Vapor Intrusion	5.0E+02	site-specific		3.4E-01	2.6E-02	3.1E+00
CHLOROMETHANE	4.0E+00	Vapor Intrusion	1.0E+02	site-specific		2.4E+01	4.0E+00	6.1E+01
CHLOROPHENOL, 2-	1.2E-01	Groundwater Protection	1.0E+02	site-specific		6.8E+01	3.7E+01	1.2E-01
CHROMIUM (Total)	1.1E+03	Background	-	site-specific	1.1E+03			(Use batch test)
CHROMIUM III	1.0E+03	Ceiling Value	1.0E+03	site-specific		2.3E+04		(Use batch test)
CHROMIUM VI	3.0E+01	Direct Exposure	1.0E+03	site-specific		3.0E+01		(Use batch test)
CHRYSENE	3.0E+01	Groundwater Protection	1.0E+03	site-specific		1.1E+03		3.0E+01
COBALT	8.0E+01	Background	1.0E+03	site-specific	8.0E+01	4.7E+00		(Use batch test)
COPPER	6.3E+02	Direct Exposure	1.0E+03	site-specific	2.5E+02	6.3E+02		(Use batch test)
CYANIDE (Free)	4.8E+00	Direct Exposure	1.0E+02	site-specific		4.8E+00	(Use soil gas)	(Use batch test)
CYCL0-1,3,5-TRIMETHYLENE-2,4,6-TRINITRAMINE (RDX)	7.7E+00	Groundwater Protection	5.0E+02	site-specific		8.1E+00		7.7E+00

TABLE B-1. SOIL ACTION LEVELS
(Potentially impacted groundwater IS NOT a current or potential drinking water resource;
Surface water body IS NOT located within 150m of release site)

CHEMICAL PARAMETER	(mg/kg)							
	Final EAL	Basis	¹ Gross Contamination (Odors, etc.) Table F-2	Terrestrial Ecotoxicity Table L	Background Table K	¹ Human Health		Leaching & Groundwater Protection
						Direct Exposure Table I-1	Vapor Intrusion Into Buildings Table C-1b	NON-Drinking Water Resource Table E
DALAPON	1.6E+00	Groundwater Protection	5.0E+02	site-specific		3.8E+02		1.6E+00
DIBENZO(a,h)ANTHTRACENE	1.1E+00	Direct Exposure	5.0E+02	site-specific		1.1E+00		4.0E+02
DIBROMO,1,2- CHLOROPROPANE,3-	8.1E-04	Groundwater Protection	5.0E+02	site-specific		5.7E-03	(Use soil gas)	8.1E-04
DIBROMOCHLOROMETHANE	3.1E+00	Vapor Intrusion	1.0E+02	site-specific		8.0E+00	3.1E+00	2.9E+01
DIBROMOETHANE, 1,2-	1.0E-03	Vapor Intrusion	5.0E+02	site-specific		3.9E-02	1.0E-03	2.0E-01
DICHLOROBENZENE, 1,2-	7.5E+00	Groundwater Protection	3.8E+02	site-specific		3.8E+02	8.9E+00	7.5E+00
DICHLOROBENZENE, 1,3-	4.2E+01	Groundwater Protection	1.0E+02	site-specific		2.0E+02	(Use soil gas)	4.2E+01
DICHLOROBENZENE, 1,4-	5.5E-02	Vapor Intrusion	5.0E+02	site-specific		2.8E+00	5.5E-02	8.5E+00
DICHLOROBENZIDINE, 3,3-	1.2E+00	Direct Exposure	5.0E+02	site-specific		1.2E+00		2.2E+01
DICHLORODIPHENYLDICHLOROETHANE (DDD)	2.2E+00	Direct Exposure	5.0E+02	site-specific		2.2E+00		6.3E+01
DICHLORODIPHENYLDICHLOROETHYLENE (DDE)	1.9E+00	Direct Exposure	5.0E+02	site-specific		1.9E+00		1.4E+02
DICHLORODIPHENYLTRICHLOROETHANE (DDT)	1.8E+00	Direct Exposure	1.0E+03	site-specific		1.8E+00		5.6E+00
DICHLOROETHANE, 1,1-	3.8E-01	Vapor Intrusion	5.0E+02	site-specific		3.8E+00	3.8E-01	3.3E+01
DICHLOROETHANE, 1,2-	2.3E-02	Vapor Intrusion	5.0E+02	site-specific		5.0E-01	2.3E-02	2.6E+00
DICHLOROETHYLENE, 1,1-	8.9E+00	Vapor Intrusion	5.0E+02	site-specific		4.9E+01	8.9E+00	6.5E+02
DICHLOROETHYLENE, Cis 1,2-	1.8E+00	Vapor Intrusion	1.0E+02	site-specific		1.3E+01	1.8E+00	1.8E+02
DICHLOROETHYLENE, Trans 1,2-	1.8E+00	Vapor Intrusion	5.0E+02	site-specific		1.5E+01	1.8E+00	1.7E+02
DICHLOROPHENOL, 2,4-	7.3E-02	Groundwater Protection	5.0E+02	site-specific		3.8E+01		7.3E-02
DICHLOROPHENOXYACETIC ACID (2,4-D)	6.4E-01	Groundwater Protection	5.0E+02	site-specific		1.4E+02		6.4E-01
DICHLOROPROPANE, 1,2-	1.6E-01	Vapor Intrusion	1.0E+02	site-specific		2.6E+00	1.6E-01	2.7E+00
DICHLOROPROPENE, 1,3-	1.5E-01	Vapor Intrusion	5.0E+02	site-specific		1.9E+00	1.5E-01	8.9E+00
DIELDRIN	2.5E+00	Direct Exposure	1.0E+03	site-specific		2.5E+00		2.4E+01
DIETHYLPHTHALATE	1.7E+01	Groundwater Protection	5.0E+02	site-specific		1.0E+04		1.7E+01
DIMETHYLPHENOL, 2,4-	5.7E+01	Groundwater Protection	1.0E+02	site-specific		2.5E+02		5.7E+01
DIMETHYLPHTHALATE	7.4E+01	Groundwater Protection	5.0E+02	site-specific		1.3E+05		7.4E+01
DINITROBENZENE, 1,3-	1.3E+00	Direct Exposure	5.0E+02	site-specific		1.3E+00		5.8E+00
DINITROPHENOL, 2,4-	2.5E+01	Direct Exposure	5.0E+02	site-specific		2.5E+01		2.9E+01
DINITROTOLUENE, 2,4- (2,4-DNT)	1.7E+00	Direct Exposure	5.0E+02	site-specific		1.7E+00		1.1E+01
DINITROTOLUENE, 2,6- (2,6-DNT)	3.5E-01	Direct Exposure	5.0E+02	site-specific		3.5E-01		1.1E+01
DIOXANE, 1,4-	5.3E+00	Direct Exposure	5.0E+02	site-specific		5.3E+00	(Use soil gas)	2.3E+01
DIOXINS (TEQ)	2.4E-04	Direct Exposure	1.0E+03	site-specific	2.0E-05	2.4E-04		3.0E-01
DIURON	3.6E+00	Groundwater Protection	5.0E+02	site-specific		2.5E+01		3.6E+00
ENDOSULFAN	1.3E+01	Groundwater Protection	5.0E+02	site-specific		9.4E+01		1.3E+01
ENDRIN	3.8E+00	Direct Exposure	5.0E+02	site-specific		3.8E+00		3.0E+01
ETHANOL	0.0E+00	Groundwater Protection	5.0E+02	site-specific				0.0E+00
ETHYLBENZENE	1.7E+01	Groundwater Protection	4.8E+02	site-specific		6.2E+01	2.4E+01	1.7E+01
FLUORANTHENE	1.2E+02	Groundwater Protection	5.0E+02	site-specific		4.8E+02		1.2E+02
FLUORENE	9.3E+01	Vapor Intrusion	5.0E+02	site-specific		4.5E+02	9.3E+01	4.6E+02
GLYPHOSATE	5.0E+02	Ceiling Value	5.0E+02	site-specific		1.3E+03		7.5E+03
HEPTACHLOR	1.3E+00	Direct Exposure	1.0E+03	site-specific		1.3E+00		4.5E+01
HEPTACHLOR EPOXIDE	2.0E-01	Direct Exposure	1.0E+03	site-specific		2.0E-01		1.2E+01
HEXACHLOROBENZENE	1.6E-01	Direct Exposure	5.0E+02	site-specific		1.6E-01		2.3E-01
HEXACHLOROBUTADIENE	1.3E+00	Direct Exposure	5.0E+02	site-specific		1.3E+00		2.2E+00
HEXACHLOROXYCLOHEXANE (gamma) LINDANE	7.5E-02	Groundwater Protection	5.0E+02	site-specific		5.5E-01		7.5E-02
HEXACHLOROETHANE	2.0E+00	Direct Exposure	5.0E+02	site-specific		2.0E+00		5.7E+00

TABLE B-1. SOIL ACTION LEVELS
(Potentially impacted groundwater IS NOT a current or potential drinking water resource;
Surface water body IS NOT located within 150m of release site)

CHEMICAL PARAMETER	(mg/kg)							
	Final EAL	Basis	¹ Gross Contamination (Odors, etc.) Table F-2	Terrestrial Ecotoxicity Table L	Background Table K	¹ Human Health		Leaching & Groundwater Protection
						Direct Exposure Table I-1	Vapor Intrusion Into Buildings Table C-1b	NON-Drinking Water Resource Table E
HEXAZINONE	4.2E+02	Direct Exposure	5.0E+02	site-specific		4.2E+02		1.1E+03
INDENO(1,2,3-cd)PYRENE	1.1E+01	Direct Exposure	5.0E+02	site-specific		1.1E+01		3.1E+01
ISOPHORONE	4.7E+01	Groundwater Protection	5.0E+02	site-specific		5.5E+02		4.7E+01
LEAD	2.0E+02	Direct Exposure	1.0E+03	site-specific	7.3E+01	2.0E+02		(Use batch test)
MERCURY	4.7E+00	Direct Exposure	5.0E+02	site-specific	7.2E-01	4.7E+00		(Use batch test)
METHOXYCHLOR	1.6E+01	Groundwater Protection	5.0E+02	site-specific		6.3E+01		1.6E+01
METHYL ETHYL KETONE	5.5E+01	Groundwater Protection	5.0E+02	site-specific		5.6E+03	2.2E+03	5.5E+01
METHYL ISOBUTYL KETONE	6.5E+00	Groundwater Protection	1.0E+02	site-specific		3.4E+03	1.3E+03	6.5E+00
METHYL MERCURY	1.6E+00	Direct Exposure	1.0E+02	site-specific		1.6E+00		(Use batch test)
METHYL TERT BUTYL ETHER	2.3E+00	Vapor Intrusion	1.0E+02	site-specific		5.0E+01	2.3E+00	1.0E+01
METHYLENE CHLORIDE	2.2E+01	Vapor Intrusion	5.0E+02	site-specific		5.8E+01	2.2E+01	2.0E+02
METHYLNAPHTHALENE, 1-	1.6E+01	Groundwater Protection	5.0E+02	site-specific		1.7E+02	3.9E+02	1.6E+01
METHYLNAPHTHALENE, 2-	1.7E+01	Groundwater Protection	5.0E+02	site-specific		3.8E+01	4.4E+01	1.7E+01
MOLYBDENUM	7.8E+01	Direct Exposure	1.0E+03	site-specific	4.0E+00	7.8E+01		(Use batch test)
NAPHTHALENE	7.0E+00	Vapor Intrusion	5.0E+02	site-specific		2.1E+01	7.0E+00	5.4E+01
NICKEL	4.1E+02	Background	1.0E+03	site-specific	4.1E+02	1.2E+02		(Use batch test)
NITROBENZENE	5.6E+00	Direct Exposure	5.0E+02	site-specific		5.6E+00	(Use soil gas)	7.5E+01
NITROGLYCERIN	1.3E+00	Direct Exposure	5.0E+02	site-specific		1.3E+00		3.1E+00
NITROTOLUENE, 2-	3.1E+00	Direct Exposure	5.0E+02	site-specific		3.1E+00	(Use soil gas)	3.9E+01
NITROTOLUENE, 3-	1.3E+00	Direct Exposure	5.0E+02	site-specific		1.3E+00		2.3E+01
NITROTOLUENE, 4-	2.5E+01	Groundwater Protection	5.0E+02	site-specific		3.3E+01		2.5E+01
PENTACHLOROPHENOL	9.8E-01	Direct Exposure	5.0E+02	site-specific		9.8E-01		1.3E+00
PENTAERYTHRITOLTETRANITRATE (PETN)	1.1E+02	Direct Exposure	5.0E+02	site-specific		1.1E+02		2.3E+03
PERCHLORATE	1.2E+00	Groundwater Protection	1.0E+03	site-specific		1.1E+01		1.2E+00
PHENANTHRENE	4.6E+02	Direct Exposure	5.0E+02	site-specific		4.6E+02	(Use soil gas)	7.0E+02
PHENOL	9.3E+00	Groundwater Protection	5.0E+02	site-specific		3.8E+03		9.3E+00
POLYCHLORINATED BIPHENYLS (PCBs)	1.2E+00	Direct Exposure	5.0E+02	site-specific		1.2E+00		4.3E+01
PROPICONAZOLE	1.1E+02	Groundwater Protection	5.0E+02	site-specific		1.3E+03		1.1E+02
PYRENE	4.4E+01	Vapor Intrusion	5.0E+02	site-specific		3.6E+02	4.4E+01	6.1E+02
SELENIUM	7.8E+01	Direct Exposure	1.0E+03	site-specific	7.1E+00	7.8E+01		(Use batch test)
SILVER	7.8E+01	Direct Exposure	1.0E+03	site-specific	1.5E+00	7.8E+01		(Use batch test)
SIMAZINE	1.9E+00	Groundwater Protection	5.0E+02	site-specific		4.4E+00		1.9E+00
STYRENE	1.0E+01	Groundwater Protection	5.0E+02	site-specific		8.7E+02	4.5E+02	1.0E+01
TERBACIL	2.1E+00	Groundwater Protection	5.0E+02	site-specific		1.6E+02		2.1E+00
tert-BUTYL ALCOHOL	2.0E+01	Groundwater Protection	1.0E+02	site-specific		1.3E+03	(Use soil gas)	2.0E+01
TETRACHLOROETHANE, 1,1,1,2-	2.2E+00	Direct Exposure	1.0E+02	site-specific		2.2E+00	(Use soil gas)	2.3E+01
TETRACHLOROETHANE, 1,1,2,2-	1.0E-02	Vapor Intrusion	5.0E+02	site-specific		6.4E-01	1.0E-02	4.3E+00
TETRACHLOROETHYLENE	9.8E-02	Vapor Intrusion	1.7E+02	site-specific		1.1E+00	9.8E-02	2.5E+01
TETRACHLOROPHENOL, 2,3,4,6-	5.1E-01	Groundwater Protection	5.0E+02	site-specific		3.8E+02		5.1E-01
TETRANITRO-1,3,5,7-TETRAAZOCYCLOOCTANE (HMX)	1.1E+02	Groundwater Protection	5.0E+02	site-specific		7.7E+02		1.1E+02
THALLIUM	7.8E-01	Direct Exposure	1.0E+03	site-specific	2.5E-01	7.8E-01		(Use batch test)
TOLUENE	3.2E+01	Groundwater Protection	5.0E+02	site-specific		8.2E+02	8.2E+02	3.2E+01
TOXAPHENE	4.8E-01	Direct Exposure	5.0E+02	site-specific		4.8E-01		2.5E+02
TPH (gasolines)	1.0E+02	Ceiling Value	1.0E+02	site-specific		1.9E+02	(Use soil gas)	5.0E+03
TPH (middle distillates)	1.8E+02	Direct Exposure	5.0E+02	site-specific		1.8E+02	(Use soil gas)	5.0E+03

TABLE B-1. SOIL ACTION LEVELS
(Potentially impacted groundwater IS NOT a current or potential drinking water resource;
Surface water body IS NOT located within 150m of release site)

CHEMICAL PARAMETER	(mg/kg)							
	Final EAL	Basis	¹ Gross Contamination (Odors, etc.) Table F-2	Terrestrial Ecotoxicity Table L	Background Table K	¹ Human Health		Leaching & Groundwater Protection
						Direct Exposure Table I-1	Vapor Intrusion Into Buildings Table C-1b	NON-Drinking Water Resource Table E
TPH (residual fuels)	5.0E+02	Ceiling Value	5.0E+02	site-specific		1.3E+03		5.0E+03
TRICHLOROBENZENE, 1,2,4-	1.8E-01	Vapor Intrusion	5.0E+02	site-specific		1.2E+01	1.8E-01	9.8E+01
TRICHLOROETHANE, 1,1,1-	2.2E+02	Vapor Intrusion	5.0E+02	site-specific		6.4E+02	2.2E+02	6.8E+02
TRICHLOROETHANE, 1,1,2-	8.9E-03	Vapor Intrusion	1.0E+02	site-specific		3.2E-01	8.9E-03	1.6E+00
TRICHLOROETHYLENE	8.9E-02	Vapor Intrusion	5.0E+02	site-specific		8.9E-01	8.9E-02	1.5E+01
TRICHLOROPHENOL, 2,4,5-	4.5E+00	Groundwater Protection	1.0E+02	site-specific		1.3E+03		4.5E+00
TRICHLOROPHENOL, 2,4,6-	2.5E+00	Groundwater Protection	5.0E+02	site-specific		1.3E+01		2.5E+00
TRICHLOROPHENOXYACETIC ACID, 2,4,5- (2,4,5-T)	1.2E+01	Groundwater Protection	1.0E+03	site-specific		1.3E+02		1.2E+01
TRICHLOROPHENOXYPROPIONIC ACID, 2,4,5- (2,4,5-TP)	7.9E+00	Groundwater Protection	5.0E+02	site-specific		1.0E+02		7.9E+00
TRICHLOROPROPANE, 1,2,3-	5.0E-03	Direct Exposure	1.0E+02	site-specific		5.0E-03	(Use soil gas)	3.0E+00
TRICHLOROPROPENE, 1,2,3-	1.6E-01	Direct Exposure	1.0E+02	site-specific		1.6E-01	(Use soil gas)	4.4E-01
TRIFLURALIN	5.6E+01	Groundwater Protection	1.0E+02	site-specific		8.7E+01		5.6E+01
TRINITROBENZENE, 1,3,5-	7.5E+00	Groundwater Protection	5.0E+02	site-specific		4.5E+02		7.5E+00
TRINITROPHENYLMETHYLNITRAMINE, 2,4,6- (TETRYL)	3.0E+01	Groundwater Protection	5.0E+02	site-specific		3.1E+01		3.0E+01
TRINITROTOLUENE, 2,4,6- (TNT)	7.3E+00	Direct Exposure	5.0E+02	site-specific		7.3E+00		9.8E+01
VANADIUM	7.7E+02	Background	1.0E+03	site-specific	7.7E+02	7.8E+01		(Use batch test)
VINYL CHLORIDE	3.6E-02	Vapor Intrusion	5.0E+02	site-specific		5.9E-02	3.6E-02	3.3E+00
XYLENES	2.4E+01	Groundwater Protection	2.6E+02	site-specific		1.3E+02	4.5E+01	2.4E+01
ZINC	1.0E+03	Ceiling Value	1.0E+03	site-specific	3.5E+02	4.7E+03		(Use batch test)
Electrical Conductivity (mS/cm, USEPA Method 120.1 MOD)	2.0	-	-	-	-	-	-	-
Sodium Adsorption Ratio	5.0	-	-	-	-	-	-	-

Notes:
1. Based on unrestricted current or future land use. Considered adequate for residential housing, schools, medical facilities, day-care centers, parks and other sensitive uses.
Final Environmental Action Level is lowest of gross contamination, ecotoxicity, direct-exposure, vapor intrusion and leaching action levels.
Assumes soil pH 5.0 to 9.0.
Soil data should be reported on dry-weight basis (see Chapter 7).
TPH -Total Petroleum Hydrocarbons. See text for discussion of different TPH categories.

TABLE B-2. SOIL ACTION LEVELS
(Potentially impacted groundwater IS NOT a current or potential drinking water resource;
Surface water body IS located within 150m of release site)

CHEMICAL PARAMETER	(mg/kg)							
	Final EAL	Basis	¹ Gross Contamination (Odors, etc.) Table F-2	Terrestrial Ecotoxicity Table L	Background Table K	¹ Human Health		Leaching & Groundwater Protection
						Direct Exposure Table I-1	Vapor Intrusion Into Buildings Table C-1b	NON-Drinking Water Resource Table E
ACENAPHTHENE	1.2E+02	Vapor Intrusion	1.0E+03	site-specific		6.5E+02	1.2E+02	1.2E+02
ACENAPHTHYLENE	5.5E+00	Groundwater Protection	5.0E+02	site-specific		3.4E+02	(Use soil gas)	5.5E+00
ACETONE	9.2E-01	Groundwater Protection	5.0E+02	site-specific		5.7E+03	1.4E+03	9.2E-01
ALDRIN	3.9E+00	Direct Exposure	1.0E+03	site-specific		3.9E+00		8.4E+00
AMETRYN	5.0E+01	Groundwater Protection	5.0E+02	site-specific		1.1E+02		5.0E+01
AMINO,2- DINITROTOLUENE,4,6-	8.5E-01	Groundwater Protection	5.0E+02	site-specific		1.5E+00		8.5E-01
AMINO,4- DINITROTOLUENE,2,6-	5.2E-01	Groundwater Protection	5.0E+02	site-specific		1.5E+00		5.2E-01
ANTHRACENE	4.2E+00	Vapor Intrusion	5.0E+02	site-specific		3.5E+03	4.2E+00	4.2E+00
ANTIMONY	6.3E+00	Direct Exposure	1.0E+03	site-specific	2.4E+00	6.3E+00		(Use batch test)
ARSENIC	2.4E+01	Background	1.0E+03	site-specific	2.4E+01	2.3E+01		(Use batch test)
ATRAZINE	4.5E-01	Groundwater Protection	5.0E+02	site-specific		2.3E+00		4.5E-01
BARIUM	1.0E+03	Ceiling Value	1.0E+03	site-specific	6.9E+02	3.1E+03		(Use batch test)
BENOMYL	7.8E-03	Groundwater Protection	1.0E+03	site-specific		6.3E+02		7.8E-03
BENZENE	7.7E-01	Vapor Intrusion	5.0E+02	site-specific		1.2E+00	7.7E-01	4.3E+00
BENZO(a)ANTHRACENE	1.0E+01	Groundwater Protection	5.0E+02	site-specific		1.1E+01		1.0E+01
BENZO(a)PYRENE	3.6E+00	Direct Exposure	5.0E+02	site-specific		3.6E+00		5.9E+00
BENZO(b)FLUORANTHENE	1.1E+01	Direct Exposure	5.0E+02	site-specific		1.1E+01		6.8E+01
BENZO(g,h,i)PERYLENE	3.5E+01	Groundwater Protection	5.0E+02	site-specific		4.8E+02		3.5E+01
BENZO(k)FLUORANTHENE	3.9E+01	Groundwater Protection	5.0E+02	site-specific		1.1E+02		3.9E+01
BERYLLIUM	3.1E+01	Direct Exposure	1.0E+03	site-specific	3.0E+00	3.1E+01		(Use batch test)
BIPHENYL, 1,1-	1.0E+01	Direct Exposure	5.0E+02	site-specific		1.0E+01	(Use soil gas)	2.3E+02
BIS(2-CHLOROETHYL)ETHER	7.9E-03	Vapor Intrusion	5.0E+02	site-specific		2.4E-01	7.9E-03	9.6E-01
BIS(2-CHLORO-1-METHYLETHYL)ETHER	3.9E-03	Groundwater Protection	5.0E+02	site-specific		3.7E+00	(Use soil gas)	3.9E-03
BIS(2-ETHYLHEXYL)PHTHALATE	3.7E+01	Direct Exposure	5.0E+02	site-specific		3.7E+01		1.9E+02
BORON	1.0E+03	Ceiling Value	1.0E+03	site-specific		3.1E+03		(Use batch test)
BROMODICHLOROMETHANE	1.6E-02	Vapor Intrusion	9.3E+02	site-specific		3.2E-01	1.6E-02	2.1E+00
BROMOFORM	2.0E+00	Groundwater Protection	5.0E+02	site-specific		2.0E+01		2.0E+00
BROMOMETHANE	2.2E-01	Vapor Intrusion	5.0E+02	site-specific		1.5E+00	2.2E-01	7.6E-01
CADMIUM	1.7E+01	Background	1.0E+03	site-specific	1.7E+01	1.5E+00		(Use batch test)
CARBON TETRACHLORIDE	1.0E-01	Vapor Intrusion	4.5E+02	site-specific		7.1E-01	1.0E-01	1.8E+00
CHLORDANE (TECHNICAL)	1.7E+01	Direct Exposure	1.0E+03	site-specific		1.7E+01		2.3E+01
CHLOROANILINE, p-	3.6E-01	Groundwater Protection	1.0E+03	site-specific		2.6E+00		3.6E-01
CHLOROENZENE	1.5E+00	Groundwater Protection	5.0E+02	site-specific		5.9E+01	2.2E+00	1.5E+00
CHLOROETHANE	1.2E+01	Groundwater Protection	5.0E+02	site-specific		1.2E+03	1.8E+02	1.2E+01
CHLOROFORM	2.6E-02	Vapor Intrusion	5.0E+02	site-specific		3.4E-01	2.6E-02	7.9E-01
CHLOROMETHANE	4.0E+00	Vapor Intrusion	1.0E+02	site-specific		2.4E+01	4.0E+00	6.1E+01
CHLOROPHENOL, 2-	1.2E-01	Groundwater Protection	1.0E+02	site-specific		6.8E+01	3.7E+01	1.2E-01
CHROMIUM (Total)	1.1E+03	Background	-	site-specific	1.1E+03			(Use batch test)
CHROMIUM III	1.0E+03	Ceiling Value	1.0E+03	site-specific		2.3E+04		(Use batch test)
CHROMIUM VI	3.0E+01	Direct Exposure	1.0E+03	site-specific		3.0E+01		(Use batch test)
CHRYSENE	3.0E+01	Groundwater Protection	1.0E+03	site-specific		1.1E+03		3.0E+01
COBALT	8.0E+01	Background	1.0E+03	site-specific	8.0E+01	4.7E+00		(Use batch test)
COPPER	6.3E+02	Direct Exposure	1.0E+03	site-specific	2.5E+02	6.3E+02		(Use batch test)
CYANIDE (Free)	4.8E+00	Direct Exposure	1.0E+02	site-specific		4.8E+00	(Use soil gas)	(Use batch test)
CYCLO-1,3,5-TRIMETHYLENE-2,4,6-TRINITRAMINE (RDX)	1.2E+00	Groundwater Protection	5.0E+02	site-specific		8.1E+00		1.2E+00

TABLE B-2. SOIL ACTION LEVELS
(Potentially impacted groundwater IS NOT a current or potential drinking water resource;
Surface water body IS located within 150m of release site)

CHEMICAL PARAMETER	(mg/kg)							
	Final EAL	Basis	¹ Gross Contamination (Odors, etc.) Table F-2	Terrestrial Ecotoxicity Table L	Background Table K	¹ Human Health		Leaching & Groundwater Protection
						Direct Exposure Table I-1	Vapor Intrusion Into Buildings Table C-1b	NON-Drinking Water Resource Table E
DALAPON	1.6E-01	Groundwater Protection	5.0E+02	site-specific		3.8E+02		1.6E-01
DIBENZO(a,h)ANTHTRACENE	1.1E+00	Direct Exposure	5.0E+02	site-specific		1.1E+00		2.5E+02
DIBROMO,1,2- CHLOROPROPANE,3-	8.1E-04	Groundwater Protection	5.0E+02	site-specific		5.7E-03	(Use soil gas)	8.1E-04
DIBROMOCHLOROMETHANE	3.4E-01	Groundwater Protection	1.0E+02	site-specific		8.0E+00	3.1E+00	3.4E-01
DIBROMOETHANE, 1,2-	1.0E-03	Vapor Intrusion	5.0E+02	site-specific		3.9E-02	1.0E-03	2.0E-01
DICHLORO BENZENE, 1,2-	1.1E+00	Groundwater Protection	3.8E+02	site-specific		3.8E+02	8.9E+00	1.1E+00
DICHLORO BENZENE, 1,3-	2.5E+00	Groundwater Protection	1.0E+02	site-specific		2.0E+02	(Use soil gas)	2.5E+00
DICHLORO BENZENE, 1,4-	5.5E-02	Vapor Intrusion	5.0E+02	site-specific		2.8E+00	5.5E-02	7.3E-01
DICHLORO BENZIDINE, 3,3-	1.2E+00	Direct Exposure	5.0E+02	site-specific		1.2E+00		2.4E+00
DICHLORODIPHENYLDICHLOROETHANE (DDD)	2.2E+00	Direct Exposure	5.0E+02	site-specific		2.2E+00		6.3E+01
DICHLORODIPHENYLDICHLOROETHYLENE (DDE)	1.9E+00	Direct Exposure	5.0E+02	site-specific		1.9E+00		2.8E+01
DICHLORODIPHENYLTRICHLOROETHANE (DDT)	1.8E+00	Direct Exposure	1.0E+03	site-specific		1.8E+00		5.6E+00
DICHLOROETHANE, 1,1-	3.8E-01	Vapor Intrusion	5.0E+02	site-specific		3.8E+00	3.8E-01	1.9E+00
DICHLOROETHANE, 1,2-	2.3E-02	Vapor Intrusion	5.0E+02	site-specific		5.0E-01	2.3E-02	2.6E+00
DICHLOROETHYLENE, 1,1-	4.2E+00	Groundwater Protection	5.0E+02	site-specific		4.9E+01	8.9E+00	4.2E+00
DICHLOROETHYLENE, Cis 1,2-	1.8E+00	Vapor Intrusion	1.0E+02	site-specific		1.3E+01	1.8E+00	2.0E+01
DICHLOROETHYLENE, Trans 1,2-	1.8E+00	Vapor Intrusion	5.0E+02	site-specific		1.5E+01	1.8E+00	3.6E+01
DICHLOROPHENOL, 2,4-	7.3E-02	Groundwater Protection	5.0E+02	site-specific		3.8E+01		7.3E-02
DICHLOROPHENOXYACETIC ACID (2,4-D)	3.4E-01	Groundwater Protection	5.0E+02	site-specific		1.4E+02		3.4E-01
DICHLOROPROPANE, 1,2-	1.6E-01	Vapor Intrusion	1.0E+02	site-specific		2.6E+00	1.6E-01	2.7E+00
DICHLOROPROPENE, 1,3-	2.1E-03	Groundwater Protection	5.0E+02	site-specific		1.9E+00	1.5E-01	2.1E-03
DIELDRIN	2.5E+00	Direct Exposure	1.0E+03	site-specific		2.5E+00		2.4E+01
DIETHYLPHTHALATE	3.7E+00	Groundwater Protection	5.0E+02	site-specific		1.0E+04		3.7E+00
DIMETHYLPHENOL, 2,4-	9.8E+00	Groundwater Protection	1.0E+02	site-specific		2.5E+02		9.8E+00
DIMETHYLPHTHALATE	2.6E+01	Groundwater Protection	5.0E+02	site-specific		1.3E+05		2.6E+01
DINITROBENZENE, 1,3-	5.8E-01	Groundwater Protection	5.0E+02	site-specific		1.3E+00		5.8E-01
DINITROPHENOL, 2,4-	1.1E+00	Groundwater Protection	5.0E+02	site-specific		2.5E+01		1.1E+00
DINITROTOLUENE, 2,4- (2,4-DNT)	8.7E-01	Groundwater Protection	5.0E+02	site-specific		1.7E+00		8.7E-01
DINITROTOLUENE, 2,6- (2,6-DNT)	3.5E-01	Direct Exposure	5.0E+02	site-specific		3.5E-01		7.9E+00
DIOXANE, 1,4-	5.3E+00	Direct Exposure	5.0E+02	site-specific		5.3E+00	(Use soil gas)	2.3E+01
DIOXINS (TEQ)	2.4E-04	Direct Exposure	1.0E+03	site-specific	2.0E-05	2.4E-04		3.0E-01
DIURON	1.1E+00	Groundwater Protection	5.0E+02	site-specific		2.5E+01		1.1E+00
ENDOSULFAN	1.3E+01	Groundwater Protection	5.0E+02	site-specific		9.4E+01		1.3E+01
ENDRIN	3.8E+00	Direct Exposure	5.0E+02	site-specific		3.8E+00		3.0E+01
ETHANOL	0.0E+00	Groundwater Protection	5.0E+02	site-specific				0.0E+00
ETHYLBENZENE	9.0E-01	Groundwater Protection	4.8E+02	site-specific		6.2E+01	2.4E+01	9.0E-01
FLUORANTHENE	8.7E+01	Groundwater Protection	5.0E+02	site-specific		4.8E+02		8.7E+01
FLUORENE	9.3E+01	Vapor Intrusion	5.0E+02	site-specific		4.5E+02	9.3E+01	9.3E+01
GLYPHOSATE	5.0E+02	Ceiling Value	5.0E+02	site-specific		1.3E+03		6.3E+02
HEPTACHLOR	1.3E+00	Direct Exposure	1.0E+03	site-specific		1.3E+00		4.5E+01
HEPTACHLOR EPOXIDE	2.0E-01	Direct Exposure	1.0E+03	site-specific		2.0E-01		1.2E+01
HEXACHLORO BENZENE	1.6E-01	Direct Exposure	5.0E+02	site-specific		1.6E-01		2.3E-01
HEXACHLOROBUTADIENE	6.1E-02	Groundwater Protection	5.0E+02	site-specific		1.3E+00		6.1E-02
HEXACHLOROCYCLOHEXANE (gamma) LINDANE	2.9E-02	Groundwater Protection	5.0E+02	site-specific		5.5E-01		2.9E-02
HEXACHLOROETHANE	6.8E-01	Groundwater Protection	5.0E+02	site-specific		2.0E+00		6.8E-01

TABLE B-2. SOIL ACTION LEVELS
(Potentially impacted groundwater IS NOT a current or potential drinking water resource;
Surface water body IS located within 150m of release site)

CHEMICAL PARAMETER	Final EAL	Basis	(mg/kg)					
			¹ Gross Contamination (Odors, etc.) Table F-2	Terrestrial Ecotoxicity Table L	Background Table K	¹ Human Health		Leaching & Groundwater Protection NON-Drinking Water Resource Table E
						Direct Exposure Table I-1	Vapor Intrusion Into Buildings Table C-1b	
HEXAZINONE	3.7E+02	Groundwater Protection	5.0E+02	site-specific		4.2E+02		3.7E+02
INDENO(1,2,3-cd)PYRENE	1.1E+01	Direct Exposure	5.0E+02	site-specific		1.1E+01		3.1E+01
ISOPHORONE	1.0E+01	Groundwater Protection	5.0E+02	site-specific		5.5E+02		1.0E+01
LEAD	2.0E+02	Direct Exposure	1.0E+03	site-specific	7.3E+01	2.0E+02		(Use batch test)
MERCURY	4.7E+00	Direct Exposure	5.0E+02	site-specific	7.2E-01	4.7E+00		(Use batch test)
METHOXYCHLOR	1.6E+01	Groundwater Protection	5.0E+02	site-specific		6.3E+01		1.6E+01
METHYL ETHYL KETONE	1.5E+01	Groundwater Protection	5.0E+02	site-specific		5.6E+03	2.2E+03	1.5E+01
METHYL ISOBUTYL KETONE	5.0E-01	Groundwater Protection	1.0E+02	site-specific		3.4E+03	1.3E+03	5.0E-01
METHYL MERCURY	1.6E+00	Direct Exposure	1.0E+02	site-specific		1.6E+00		(Use batch test)
METHYL TERT BUTYL ETHER	2.3E+00	Vapor Intrusion	1.0E+02	site-specific		5.0E+01	2.3E+00	4.1E+00
METHYLENE CHLORIDE	2.2E+01	Vapor Intrusion	5.0E+02	site-specific		5.8E+01	2.2E+01	3.6E+01
METHYLNAPHTHALENE, 1-	8.9E-01	Groundwater Protection	5.0E+02	site-specific		1.7E+02	3.9E+02	8.9E-01
METHYLNAPHTHALENE, 2-	1.9E+00	Groundwater Protection	5.0E+02	site-specific		3.8E+01	4.4E+01	1.9E+00
MOLYBDENUM	7.8E+01	Direct Exposure	1.0E+03	site-specific	4.0E+00	7.8E+01		(Use batch test)
NAPHTHALENE	3.1E+00	Groundwater Protection	5.0E+02	site-specific		2.1E+01	7.0E+00	3.1E+00
NICKEL	4.1E+02	Background	1.0E+03	site-specific	4.1E+02	1.2E+02		(Use batch test)
NITROBENZENE	5.6E+00	Direct Exposure	5.0E+02	site-specific		5.6E+00	(Use soil gas)	1.4E+01
NITROGLYCERIN	3.5E-01	Groundwater Protection	5.0E+02	site-specific		1.3E+00		3.5E-01
NITROTOLUENE, 2-	3.1E+00	Direct Exposure	5.0E+02	site-specific		3.1E+00	(Use soil gas)	4.4E+00
NITROTOLUENE, 3-	1.3E+00	Direct Exposure	5.0E+02	site-specific		1.3E+00		2.5E+00
NITROTOLUENE, 4-	2.8E+00	Groundwater Protection	5.0E+02	site-specific		3.3E+01		2.8E+00
PENTACHLOROPHENOL	7.8E-01	Groundwater Protection	5.0E+02	site-specific		9.8E-01		7.8E-01
PENTAERYTHRITOLTETRANITRATE (PETN)	1.1E+02	Direct Exposure	5.0E+02	site-specific		1.1E+02		2.3E+03
PERCHLORATE	1.2E+00	Groundwater Protection	1.0E+03	site-specific		1.1E+01		1.2E+00
PHENANTHRENE	6.9E+01	Groundwater Protection	5.0E+02	site-specific		4.6E+02	(Use soil gas)	6.9E+01
PHENOL	1.8E+00	Groundwater Protection	5.0E+02	site-specific		3.8E+03		1.8E+00
POLYCHLORINATED BIPHENYLS (PCBs)	1.2E+00	Direct Exposure	5.0E+02	site-specific		1.2E+00		3.4E+01
PROPICONAZOLE	2.5E+01	Groundwater Protection	5.0E+02	site-specific		1.3E+03		2.5E+01
PYRENE	4.4E+01	Vapor Intrusion	5.0E+02	site-specific		3.6E+02	4.4E+01	4.4E+01
SELENIUM	7.8E+01	Direct Exposure	1.0E+03	site-specific	7.1E+00	7.8E+01		(Use batch test)
SILVER	7.8E+01	Direct Exposure	1.0E+03	site-specific	1.5E+00	7.8E+01		(Use batch test)
SIMAZINE	2.2E-01	Groundwater Protection	5.0E+02	site-specific		4.4E+00		2.2E-01
STYRENE	2.9E+00	Groundwater Protection	5.0E+02	site-specific		8.7E+02	4.5E+02	2.9E+00
TERBACIL	2.1E+00	Groundwater Protection	5.0E+02	site-specific		1.6E+02		2.1E+00
tert-BUTYL ALCOHOL	7.3E+00	Groundwater Protection	1.0E+02	site-specific		1.3E+03	(Use soil gas)	7.3E+00
TETRACHLOROETHANE, 1,1,1,2-	3.2E-01	Groundwater Protection	1.0E+02	site-specific		2.2E+00	(Use soil gas)	3.2E-01
TETRACHLOROETHANE, 1,1,2,2-	1.0E-02	Vapor Intrusion	5.0E+02	site-specific		6.4E-01	1.0E-02	3.6E+00
TETRACHLOROETHYLENE	9.8E-02	Vapor Intrusion	1.7E+02	site-specific		1.1E+00	9.8E-02	6.8E+00
TETRACHLOROPHENOL, 2,3,4,6-	5.6E-02	Groundwater Protection	5.0E+02	site-specific		3.8E+02		5.6E-02
TETRANITRO-1,3,5,7-TETRAAZOCYCLOOCTANE (HMX)	1.9E+01	Groundwater Protection	5.0E+02	site-specific		7.7E+02		1.9E+01
THALLIUM	7.8E-01	Direct Exposure	1.0E+03	site-specific	2.5E-01	7.8E-01		(Use batch test)
TOLUENE	7.8E-01	Groundwater Protection	5.0E+02	site-specific		8.2E+02	8.2E+02	7.8E-01
TOXAPHENE	4.8E-01	Direct Exposure	5.0E+02	site-specific		4.8E-01		2.5E+02
TPH (gasolines)	1.0E+02	Ceiling Value	1.0E+02	site-specific		1.9E+02	(Use soil gas)	1.2E+03
TPH (middle distillates)	1.8E+02	Direct Exposure	5.0E+02	site-specific		1.8E+02	(Use soil gas)	1.5E+03

TABLE B-2. SOIL ACTION LEVELS
(Potentially impacted groundwater IS NOT a current or potential drinking water resource;
Surface water body IS located within 150m of release site)

CHEMICAL PARAMETER	(mg/kg)							
	Final EAL	Basis	¹ Gross Contamination (Odors, etc.) Table F-2	Terrestrial Ecotoxicity Table L	Background Table K	¹ Human Health		Leaching & Groundwater Protection
						Direct Exposure Table I-1	Vapor Intrusion Into Buildings Table C-1b	NON-Drinking Water Resource Table E
TPH (residual fuels)	5.0E+02	Ceiling Value	5.0E+02	site-specific		1.3E+03		1.5E+03
TRICHLOROBENZENE, 1,2,4-	1.8E-01	Vapor Intrusion	5.0E+02	site-specific		1.2E+01	1.8E-01	2.6E+01
TRICHLOROETHANE, 1,1,1-	1.2E+00	Groundwater Protection	5.0E+02	site-specific		6.4E+02	2.2E+02	1.2E+00
TRICHLOROETHANE, 1,1,2-	8.9E-03	Vapor Intrusion	1.0E+02	site-specific		3.2E-01	8.9E-03	1.6E+00
TRICHLOROETHYLENE	8.9E-02	Vapor Intrusion	5.0E+02	site-specific		8.9E-01	8.9E-02	3.4E+00
TRICHLOROPHENOL, 2,4,5-	5.0E-01	Groundwater Protection	1.0E+02	site-specific		1.3E+03		5.0E-01
TRICHLOROPHENOL, 2,4,6-	3.1E-01	Groundwater Protection	5.0E+02	site-specific		1.3E+01		3.1E-01
TRICHLOROPHENOXYACETIC ACID, 2,4,5- (2,4,5-T)	1.2E+01	Groundwater Protection	1.0E+03	site-specific		1.3E+02		1.2E+01
TRICHLOROPHENOXYPROPIONIC ACID, 2,4,5- (2,4,5-TP)	8.7E-01	Groundwater Protection	5.0E+02	site-specific		1.0E+02		8.7E-01
TRICHLOROPROPANE, 1,2,3-	5.0E-03	Direct Exposure	1.0E+02	site-specific		5.0E-03	(Use soil gas)	3.0E-01
TRICHLOROPROPENE, 1,2,3-	1.6E-01	Direct Exposure	1.0E+02	site-specific		1.6E-01	(Use soil gas)	4.4E-01
TRIFLURALIN	1.8E+01	Groundwater Protection	1.0E+02	site-specific		8.7E+01		1.8E+01
TRINITROBENZENE, 1,3,5-	2.8E+00	Groundwater Protection	5.0E+02	site-specific		4.5E+02		2.8E+00
TRINITROPHENYLMETHYLNITRAMINE, 2,4,6- (TETRYL)	3.0E+01	Groundwater Protection	5.0E+02	site-specific		3.1E+01		3.0E+01
TRINITROTOLUENE, 2,4,6- (TNT)	6.1E+00	Groundwater Protection	5.0E+02	site-specific		7.3E+00		6.1E+00
VANADIUM	7.7E+02	Background	1.0E+03	site-specific	7.7E+02	7.8E+01		(Use batch test)
VINYL CHLORIDE	3.6E-02	Vapor Intrusion	5.0E+02	site-specific		5.9E-02	3.6E-02	3.3E+00
XYLENES	1.4E+00	Groundwater Protection	2.6E+02	site-specific		1.3E+02	4.5E+01	1.4E+00
ZINC	1.0E+03	Ceiling Value	1.0E+03	site-specific	3.5E+02	4.7E+03		(Use batch test)
Electrical Conductivity (mS/cm, USEPA Method 120.1 MOD)	2.0	-	-	-	-	-	-	-
Sodium Adsorption Ratio	5.0	-	-	-	-	-	-	-

Notes:
1. Based on unrestricted current or future land use. Considered adequate for residential housing, schools, medical facilities, day-care centers, parks and other sensitive uses.
Final Environmental Action Level is lowest of gross contamination, ecotoxicity, direct-exposure, vapor intrusion and leaching action levels.
Assumes soil pH 5.0 to 9.0.
Soil data should be reported on dry-weight basis (see Chapter 7).
TPH -Total Petroleum Hydrocarbons. See text for discussion of different TPH categories.

**TABLE C-1a. GROUNDWATER ACTION LEVELS
FOR EVALUATION OF POTENTIAL VAPOR INTRUSION HAZARDS
(volatile chemicals only)**

CHEMICAL PARAMETER	Physical State		^{1,3} Unrestricted Land Use	Commercial/Industrial Land Use Only
			(ug/L)	(ug/L)
#ACENAPHTHENE	V	S	3.9E+03	3.9E+03
ACENAPHTHYLENE	V	S	(Use soil gas)	(Use soil gas)
#ACETONE	V	L	6.6E+07	5.6E+08
ALDRIN	SV	S		
AMETRYN	NV	S		
AMINO,2- DINITROTOLUENE,4,6-	NV	S		
AMINO,4- DINITROTOLUENE,2,6-	NV	S		
#ANTHRACENE	V	S	4.3E+01	4.3E+01
ANTIMONY	NV	S		
ARSENIC	NV	S		
ATRAZINE	NV	S		
BARIUM	NV	S		
BENOMYL	NV	S		
#BENZENE	V	L	2.3E+03	2.0E+04
BENZO(a)ANTHRACENE	SV	S		
BENZO(a)PYRENE	NV	S		
BENZO(b)FLUORANTHENE	NV	S		
BENZO(g,h,i)PERYLENE	NV	S		
BENZO(k)FLUORANTHENE	NV	S		
BERYLLIUM	NV	S		
BIPHENYL, 1,1-	V	S	(Use soil gas)	(Use soil gas)
BIS(2-CHLOROETHYL)ETHER	V	L	1.8E+02	1.5E+03
BIS(2-CHLORO-1-METHYLETHYL)ETHER	V	L	(Use soil gas)	(Use soil gas)
BIS(2-ETHYLHEXYL)PHTHALATE	NV	S		
BORON	NV	S		
BROMODICHLOROMETHANE	V	L	1.1E+02	1.0E+03
BROMOFORM	SV	S		
BROMOMETHANE	V	G	4.1E+02	3.5E+03
CADMIUM	NV	S		
CARBON TETRACHLORIDE	V	L	1.1E+02	9.6E+02
CHLORDANE (TECHNICAL)	SV	S		
CHLOROANILINE, p-	NV	S		
CHLORO BENZENE	V	L	1.2E+04	1.0E+05
CHLOROETHANE	V	G	2.4E+05	2.0E+06
CHLOROFORM	V	L	1.1E+02	9.5E+02
CHLOROMETHANE	V	G	5.2E+03	4.4E+04
CHLOROPHENOL, 2-	V	L	8.8E+04	7.4E+05
CHROMIUM (Total)	NV	S		
CHROMIUM III	NV	S		
CHROMIUM VI	NV	S		
CHRYSENE	NV	S		
COBALT	NV	S		
COPPER	NV	S		
CYANIDE (Free)	V	S	(Use soil gas)	(Use soil gas)
CYCLO-1,3,5-TRIMETHYLENE-2,4,6-TRINITRAMINE (RDX)	NV	S		
DALAPON	NV	L		
DIBENZO(a,h)ANTHTRACENE	NV	S		
DIBROMO, 1,2- CHLOROPROPANE,3-	V	L	(Use soil gas)	(Use soil gas)
DIBROMOCHLOROMETHANE	V	S	4.9E+04	4.1E+05
DIBROMOETHANE, 1,2-	V	S	1.9E+01	1.6E+02
DICHLORO BENZENE, 1,2-	V	L	8.3E+04	1.6E+05
DICHLORO BENZENE, 1,3-	V	L	(Use soil gas)	(Use soil gas)
DICHLORO BENZENE, 1,4-	V	S	4.5E+02	3.9E+03
DICHLORO BENZIDINE, 3,3-	NV	S		
DICHLORODIPHENYLDICHLOROETHANE (DDD)	NV	S		

**TABLE C-1a. GROUNDWATER ACTION LEVELS
FOR EVALUATION OF POTENTIAL VAPOR INTRUSION HAZARDS
(volatile chemicals only)**

CHEMICAL PARAMETER	Physical State		^{1,3} Unrestricted Land Use	Commercial/Industrial Land Use Only
			(ug/L)	(ug/L)
DICHLORODIPHENYLDICHLOROETHYLENE (DDE)	SV	S		
DICHLORODIPHENYLTRICHLOROETHANE (DDT)	NV	S		
DICHLOROETHANE, 1,1-	V	L	1.1E+03	9.6E+03
DICHLOROETHANE, 1,2-	V	L	1.8E+02	1.6E+03
DICHLOROETHYLENE, 1,1-	V	L	6.6E+03	5.6E+04
DICHLOROETHYLENE, Cis 1,2-	V	L	6.4E+03	5.4E+04
DICHLOROETHYLENE, Trans 1,2-	V	L	3.3E+03	2.8E+04
DICHLOROPHENOL, 2,4-	NV	S		
DICHLOROPHENOXYACETIC ACID (2,4-D)	NV	S		
DICHLOROPROPANE, 1,2-	V	L	9.1E+02	7.9E+03
DICHLOROPROPENE, 1,3-	V	L	6.7E+02	5.9E+03
DIELDRIN	NV	S		
DIETHYLPHTHALATE	NV	S		
#DIMETHYLPHENOL, 2,4-	NV	S		
DIMETHYLPHTHALATE	NV	S		
DINITROBENZENE, 1,3-	NV	S		
DINITROPHENOL, 2,4-	NV	S		
DINITROTOLUENE, 2,4- (2,4-DNT)	NV	S		
DINITROTOLUENE, 2,6- (2,6-DNT)	NV	S		
DIOXANE, 1,4-	V	L	(Use soil gas)	(Use soil gas)
DIOXINS (TEQ)	SV	S		
DIURON	NV	S		
ENDOSULFAN	SV	S		
ENDRIN	NV	S		
ETHANOL	V	L		
#ETHYLBENZENE	V	L	7.6E+04	1.7E+05
FLUORANTHENE	NV	S		
#FLUORENE	V	S	1.7E+03	1.7E+03
GLYPHOSATE	NV	S		
HEPTACHLOR	SV	S		
HEPTACHLOR EPOXIDE	SV	S		
HEXACHLOROENZENE	SV	S		
HEXACHLOROBUTADIENE	SV	S		
HEXACHLOROCYCLOHEXANE (gamma) LINDANE	NV	S		
HEXACHLOROETHANE	SV	S		
HEXAZINONE	NV	S		
INDENO(1,2,3-cd)PYRENE	NV	S		
ISOPHORONE	NV	L		
LEAD	NV	S		
MERCURY	NV	S		
METHOXYCHLOR	NV	S		
#METHYL ETHYL KETONE	V	L	2.2E+08	2.2E+08
#METHYL ISOBUTYL KETONE	V	L	1.9E+07	1.9E+07
METHYL MERCURY	NV	S		
METHYL TERT BUTYL ETHER	V	L	3.1E+04	2.7E+05
METHYLENE CHLORIDE	V	L	7.6E+04	7.9E+05
#METHYLNAPHTHALENE, 1-	V	S	2.6E+04	2.6E+04
#METHYLNAPHTHALENE, 2-	V	S	2.5E+04	2.5E+04
MOLYBDENUM	NV	S		
#NAPHTHALENE	V	S	2.9E+04	3.1E+04
NICKEL	NV	S		
NITROBENZENE	V	L	(Use soil gas)	(Use soil gas)
NITROGLYCERIN	NV	L		
NITROTOLUENE, 2-	V	S	(Use soil gas)	(Use soil gas)
NITROTOLUENE, 3-	NV	S		

**TABLE C-1a. GROUNDWATER ACTION LEVELS
FOR EVALUATION OF POTENTIAL VAPOR INTRUSION HAZARDS
(volatile chemicals only)**

CHEMICAL PARAMETER	Physical State		^{1,3} Unrestricted Land Use	Commercial/Industrial Land Use Only
			(ug/L)	(ug/L)
NITROTOLUENE, 4-	NV	S		
PENTACHLOROPHENOL	NV	S		
PENTAERYTHRITOLTETRANITRATE (PETN)	NV	S		
PERCHLORATE	NV	S		
PHENANTHRENE	V	S	(Use soil gas)	(Use soil gas)
PHENOL	NV	S		
POLYCHLORINATED BIPHENYLS (PCBs)	SV	S		
PROPICONAZOLE	NV	L		
#PYRENE	V	S	1.4E+02	1.4E+02
SELENIUM	NV	S		
SILVER	NV	S		
SIMAZINE	NV	S		
#STYRENE	V	L	3.1E+05	3.1E+05
TERBACIL	NV	S		
tert-BUTYL ALCOHOL	V	L	(Use soil gas)	(Use soil gas)
TETRACHLOROETHANE, 1,1,1,2-	V	L	(Use soil gas)	(Use soil gas)
TETRACHLOROETHANE, 1,1,2,2-	V	L	2.4E+02	2.1E+03
TETRACHLOROETHYLENE	V	L	1.9E+02	1.7E+03
TETRACHLOROPHENOL, 2,3,4,6-	NV	S		
TETRANITRO-1,3,5,7-TETRAAZOCYCLOOCTANE (HMX)	NV	S		
THALLIUM	NV	S		
#TOLUENE	V	L	5.3E+05	5.3E+05
TOXAPHENE	NV	S		
TPH (gasolines)	V	L	(Use soil gas)	
TPH (middle distillates)	V	L	(Use soil gas)	
TPH (residual fuels)	SV	L		
TRICHLOROBENZENE, 1,2,4-	V	S	1.3E+03	1.1E+04
TRICHLOROETHANE, 1,1,1-	V	L	3.4E+05	1.3E+06
TRICHLOROETHANE, 1,1,2-	V	L	1.1E+02	9.0E+02
TRICHLOROETHYLENE	V	L	2.1E+02	1.8E+03
TRICHLOROPHENOL, 2,4,5-	NV	S		
TRICHLOROPHENOL, 2,4,6-	NV	S		
TRICHLOROPHENOXYACETIC ACID, 2,4,5- (2,4,5-T)	NV	S		
TRICHLOROPHENOXYPROPIONIC ACID, 2,4,5- (2,4,5-TP)	NV	S		
TRICHLOROPROPANE, 1,2,3-	V	L	(Use soil gas)	(Use soil gas)
TRICHLOROPROPENE, 1,2,3-	V	L	(Use soil gas)	(Use soil gas)
TRIFLURALIN	SV	S		
TRINITROBENZENE, 1,3,5-	NV	S		
TRINITROPHENYLMETHYLNITRAMINE, 2,4,6- (TETRYL)	NV	S		
TRINITROTOLUENE, 2,4,6- (TNT)	NV	S		
VANADIUM	NV	S		

**TABLE C-1a. GROUNDWATER ACTION LEVELS
FOR EVALUATION OF POTENTIAL VAPOR INTRUSION HAZARDS
(volatile chemicals only)**

CHEMICAL PARAMETER	Physical State		^{1,3} Unrestricted Land Use	Commercial/Industrial Land Use Only
			(ug/L)	(ug/L)
VINYL CHLORIDE	V	G	1.8E+01	6.1E+02
#XYLENES	V	L	1.1E+05	1.1E+05
ZINC	NV	S		

Notes:

- Based on unrestricted current or future land use. Considered adequate for residential housing, schools, medical facilities, day-care centers and other sensitive uses.
- Soil model: One meter dry sandy soil (92% sand, 5% silt, 3% clay) over one meter moist clayey loam (33% sand, 34% silt, 33% clay). Used to reflect general field calibration of groundwater data to soil gas data.
- For inclusion in Tier 1 action levels, all groundwater assumed to potentially migrate under a residential area. Action levels for protection of indoor air under a residential exposure scenario carried forward for use at both residential and commercial/industrial sites (see Table D series).

Action levels calculated using spreadsheet provided with User's Guide for the USEPA vapor intrusion guidance (USEPA 2004)
Assumed vadose-zone thickness/depth to groundwater three meters. See Appendix 1 text for model details.
Physical state of chemical at ambient conditions (V - volatile, NV - nonvolatile, S -solid, L - liquid, G - gas).
Chemical considered to be "volatile" if Henry's number (atm m3/mole) >0.00001 and molecular weight <200.
Dibromochloromethane, dibromochloropropane and pyrene considered volatile for purposes of modeling (USEPA 2004, 2008).
Target cancer risk = 1E-06, Target Hazard Quotient = 0.2 except as noted.
"#": Nonchlorinated VOCs (except MTBE) adjusted upwards by factor of ten to account for assumed biodegradation in vadose-zone prior to emission at surface.

**TABLE C-1b. SOIL ACTION LEVELS
FOR EVALUATION OF POTENTIAL VAPOR INTRUSION HAZARDS
(volatile chemicals only)
(Use with Soil Gas Action Levels for sites with significant VOC releases)**

CHEMICAL PARAMETER	Physical State		¹ Unrestricted Land Use	Commercial/Industrial Land Use Only
			(mg/kg)	(mg/kg)
#ACENAPHTHENE	V	S	1.2E+02	1.2E+02
ACENAPHTHYLENE	V	S	(Use soil gas)	(Use soil gas)
#ACETONE	V	L	1.4E+03	1.1E+04
ALDRIN	SV	S		
AMETRYN	NV	S		
AMINO,2- DINITROTOLUENE,4,6-	NV	S		
AMINO,4- DINITROTOLUENE,2,6-	NV	S		
#ANTHRACENE	V	S	4.2E+00	4.2E+00
ANTIMONY	NV	S		
ARSENIC	NV	S		
ATRAZINE	NV	S		
BARIUM	NV	S		
BENOMYL	NV	S		
#BENZENE	V	L	7.7E-01	5.6E+00
BENZO(a)ANTHRACENE	SV	S		
BENZO(a)PYRENE	NV	S		
BENZO(b)FLUORANTHENE	NV	S		
BENZO(g,h,i)PERYLENE	NV	S		
BENZO(k)FLUORANTHENE	NV	S		
BERYLLIUM	NV	S		
BIPHENYL, 1,1-	V	S	(Use soil gas)	(Use soil gas)
BIS(2-CHLOROETHYL)ETHER	V	L	7.9E-03	6.7E-02
BIS(2-CHLORO-1-METHYLETHYL)ETHER	V	L	(Use soil gas)	(Use soil gas)
BIS(2-ETHYLHEXYL)PHTHALATE	NV	S		
BORON	NV	S		
BROMODICHLOROMETHANE	V	L	1.6E-02	1.2E-01
BROMOFORM	SV	S		
BROMOMETHANE	V	G	2.2E-01	1.6E+00
CADMIUM	NV	S		
CARBON TETRACHLORIDE	V	L	1.0E-01	7.3E-01
CHLORDANE (TECHNICAL)	SV	S		
CHLOROANILINE, p-	NV	S		
CHLOROBENZENE	V	L	2.2E+00	1.6E+01
CHLOROETHANE	V	G	1.8E+02	1.2E+03
CHLOROFORM	V	L	2.6E-02	1.9E-01
CHLOROMETHANE	V	G	4.0E+00	2.8E+01
CHLOROPHENOL, 2-	V	L	3.7E+01	3.1E+02
CHROMIUM (Total)	NV	S		
CHROMIUM III	NV	S		
CHROMIUM VI	NV	S		
CHRYSENE	NV	S		
COBALT	NV	S		
COPPER	NV	S		
CYANIDE (Free)	V	S	(Use soil gas)	(Use soil gas)
CYCLO-1,3,5-TRIMETHYLENE-2,4,6-TRINITRAMINE (RDX)	NV	S		
DALAPON	NV	L		
DIBENZO(a,h)ANTHRACENE	NV	S		
DIBROMO,1,2- CHLOROPROPANE,3-	V	L	(Use soil gas)	(Use soil gas)
DIBROMOCHLOROMETHANE	V	S	3.1E+00	2.2E+01
DIBROMOETHANE, 1,2-	V	S	1.0E-03	7.3E-03
DICHLOROBENZENE, 1,2-	V	L	8.9E+00	6.2E+01
DICHLOROBENZENE, 1,3-	V	L	(Use soil gas)	(Use soil gas)
DICHLOROBENZENE, 1,4-	V	S	5.5E-02	4.0E-01
DICHLOROBENZIDINE, 3,3-	NV	S		
DICHLORODIPHENYLDICHLOROETHANE (DDD)	NV	S		

**TABLE C-1b. SOIL ACTION LEVELS
FOR EVALUATION OF POTENTIAL VAPOR INTRUSION HAZARDS
(volatile chemicals only)
(Use with Soil Gas Action Levels for sites with significant VOC releases)**

CHEMICAL PARAMETER	Physical State		¹ Unrestricted Land Use	Commercial/Industrial Land Use Only
			(mg/kg)	(mg/kg)
DICHLORODIPHENYLDICHLOROETHYLENE (DDE)	SV	S		
DICHLORODIPHENYLTRICHLOROETHANE (DDT)	NV	S		
DICHLOROETHANE, 1,1-	V	L	3.8E-01	2.7E+00
DICHLOROETHANE, 1,2-	V	L	2.3E-02	1.7E-01
DICHLOROETHYLENE, 1,1-	V	L	8.9E+00	6.2E+01
DICHLOROETHYLENE, Cis 1,2-	V	L	1.8E+00	1.2E+01
DICHLOROETHYLENE, Trans 1,2-	V	L	1.8E+00	1.2E+01
DICHLOROPHENOL, 2,4-	NV	S		
DICHLOROPHENOXYACETIC ACID (2,4-D)	NV	S		
DICHLOROPROPANE, 1,2-	V	L	1.6E-01	1.2E+00
DICHLOROPROPENE, 1,3-	V	L	1.5E-01	1.1E+00
DIELDRIN	NV	S		
DIETHYLPHTHALATE	NV	S		
#DIMETHYLPHENOL, 2,4-	NV	S		
DIMETHYLPHTHALATE	NV	S		
DINITROBENZENE, 1,3-	NV	S		
DINITROPHENOL, 2,4-	NV	S		
DINITROTOLUENE, 2,4- (2,4-DNT)	NV	S		
DINITROTOLUENE, 2,6- (2,6-DNT)	NV	S		
DIOXANE, 1,4-	V	L	(Use soil gas)	(Use soil gas)
DIOXINS (TEQ)	SV	S		
DIURON	NV	S		
ENDOSULFAN	SV	S		
ENDRIN	NV	S		
ETHANOL	V	L		
#ETHYLBENZENE	V	L	2.4E+01	1.7E+02
FLUORANTHENE	NV	S		
#FLUORENE	V	S	9.3E+01	9.3E+01
GLYPHOSATE	NV	S		
HEPTACHLOR	SV	S		
HEPTACHLOR EPOXIDE	SV	S		
HEXACHLOROBENZENE	SV	S		
HEXACHLOROBUTADIENE	SV	S		
HEXACHLOROCYCLOHEXANE (gamma) LINDANE	NV	S		
HEXACHLOROETHANE	SV	S		
HEXAZINONE	NV	S		
INDENO(1,2,3-cd)PYRENE	NV	S		
ISOPHORONE	NV	L		
LEAD	NV	S		
MERCURY	NV	S		
METHOXYCHLOR	NV	S		
#METHYL ETHYL KETONE	V	L	2.2E+03	1.6E+04
#METHYL ISOBUTYL KETONE	V	L	1.3E+03	3.4E+03
METHYL MERCURY	NV	S		
METHYL TERT BUTYL ETHER	V	L	2.3E+00	1.7E+01
METHYLENE CHLORIDE	V	L	2.2E+01	1.9E+02
#METHYLNAPHTHALENE, 1-	V	S	3.9E+02	3.9E+02
#METHYLNAPHTHALENE, 2-	V	S	4.4E+01	3.6E+02
MOLYBDENUM	NV	S		
#NAPHTHALENE	V	S	7.0E+00	5.8E+01
NICKEL	NV	S		
NITROBENZENE	V	L	(Use soil gas)	(Use soil gas)
NITROGLYCERIN	NV	L		
NITROTOLUENE, 2-	V	S	(Use soil gas)	(Use soil gas)

**TABLE C-1b. SOIL ACTION LEVELS
FOR EVALUATION OF POTENTIAL VAPOR INTRUSION HAZARDS
(volatile chemicals only)
(Use with Soil Gas Action Levels for sites with significant VOC releases)**

CHEMICAL PARAMETER	Physical State		¹ Unrestricted Land Use	Commercial/Industrial Land Use Only
			(mg/kg)	(mg/kg)
NITROTOLUENE, 3-	NV	S		
NITROTOLUENE, 4-	NV	S		
PENTACHLOROPHENOL	NV	S		
PENTAERYTHRITOLTETRANITRATE (PETN)	NV	S		
PERCHLORATE	NV	S		
PHENANTHRENE	V	S	(Use soil gas)	(Use soil gas)
PHENOL	NV	S		
POLYCHLORINATED BIPHENYLS (PCBs)	SV	S		
PROPICONAZOLE	NV	L		
#PYRENE	V	S	4.4E+01	4.4E+01
SELENIUM	NV	S		
SILVER	NV	S		
SIMAZINE	NV	S		
#STYRENE	V	L	4.5E+02	8.7E+02
TERBACIL	NV	S		
tert-BUTYL ALCOHOL	V	L	(Use soil gas)	(Use soil gas)
TETRACHLOROETHANE, 1,1,1,2-	V	L	(Use soil gas)	(Use soil gas)
TETRACHLOROETHANE, 1,1,2,2-	V	L	1.0E-02	7.5E-02
TETRACHLOROETHYLENE	V	L	9.8E-02	7.2E-01
TETRACHLOROPHENOL, 2,3,4,6-	NV	S		
TETRANITRO-1,3,5,7-TETRAAZOCYCLOOCTANE (HMX)	NV	S		
THALLIUM	NV	S		
#TOLUENE	V	L	8.2E+02	8.2E+02
TOXAPHENE	NV	S		
TPH (gasolines)	V	L	(Use soil gas)	(Use soil gas)
TPH (middle distillates)	V	L	(Use soil gas)	(Use soil gas)
TPH (residual fuels)	SV	L		
TRICHLOROENZENE, 1,2,4-	V	S	1.8E-01	1.4E+00
TRICHLOROETHANE, 1,1,1-	V	L	2.2E+02	6.4E+02
TRICHLOROETHANE, 1,1,2-	V	L	8.9E-03	6.2E-02
TRICHLOROETHYLENE	V	L	8.9E-02	6.2E-01
TRICHLOROPHENOL, 2,4,5-	NV	S		
TRICHLOROPHENOL, 2,4,6-	NV	S		
TRICHLOROPHENOXYACETIC ACID, 2,4,5- (2,4,5-T)	NV	S		
TRICHLOROPHENOXYPROPIONIC ACID, 2,4,5- (2,4,5-TP)	NV	S		
TRICHLOROPROPANE, 1,2,3-	V	L	(Use soil gas)	(Use soil gas)
TRICHLOROPROPENE, 1,2,3-	V	L	(Use soil gas)	(Use soil gas)
TRIFLURALIN	SV	S		
TRINITROBENZENE, 1,3,5-	NV	S		
TRINITROPHENYLMETHYLNITRAMINE, 2,4,6- (TETRYL)	NV	S		
TRINITROTOLUENE, 2,4,6- (TNT)	NV	S		
VANADIUM	NV	S		

**TABLE C-1b. SOIL ACTION LEVELS
FOR EVALUATION OF POTENTIAL VAPOR INTRUSION HAZARDS
(volatile chemicals only)
(Use with Soil Gas Action Levels for sites with significant VOC releases)**

CHEMICAL PARAMETER	Physical State		¹ Unrestricted Land Use	Commercial/Industrial Land Use Only
			(mg/kg)	(mg/kg)
VINYL CHLORIDE	V	G	3.6E-02	9.9E-01
#XYLENES	V	L	4.5E+01	2.6E+02
ZINC	NV	S		

Notes:

1. Based on unrestricted current or future land use. Considered adequate for residential housing, schools, medical facilities, day-care centers and other sensitive uses.

Action levels calculated using spreadsheet provided with User's Guide for the USEPA vapor intrusion guidance (USEPA 2004)
Soil model: Two meters dry sandy soil (92% sand, 5% silt, 3% clay) directly underlying building foundation.
Physical state of chemical at ambient conditions (V - volatile, NV - nonvolatile, S -solid, L - liquid, G - gas).
Chemical considered to be "volatile" if Henry's number (atm m3/mole) >0.00001 and molecular weight <200.
Dibromochloromethane, dibromochloropropane and pyrene considered volatile for purposes of modeling (USEPA 2004, 2008).
Target cancer risk = 1E-06, Target Hazard Quotient = 0.2 except as noted.
"#": Nonchlorinated VOCs (except MTBE) adjusted upwards by factor of ten to account for assumed biodegradation in vadose-zone prior to emission at surface.

**TABLE C-2. ¹SHALLOW SOIL VAPOR ACTION LEVELS
FOR EVALUATION OF POTENTIAL VAPOR INTRUSION HAZARDS
(volatile chemicals only)**

CHEMICAL PARAMETER	Physical State		² Unrestricted Land Use			Commercial/Industrial Land Use Only		
			Lowest Residential	Carcinogenic Effects	Noncarcinogenic Effects	Lowest C/I	Carcinogenic Effects	Noncarcinogenic Effects
			(ug/m ³)	(ug/m ³)	(ug/m ³)	(ug/m ³)	(ug/m ³)	(ug/m ³)
ACENAPHTHENE	V	S	8.8E+04		8.8E+04	7.4E+05		7.4E+05
ACENAPHTHYLENE	V	S	6.7E+04		6.7E+04	5.6E+05		5.6E+05
ACETONE	V	L	1.3E+06		1.3E+06	1.1E+07		1.1E+07
ALDRIN	SV	S	1.1E+02	1.1E+02		1.0E+03	1.0E+03	
AMETRYN	NV	S						
AMINO,2- DINITROTOLUENE,4,6-	NV	S						
AMINO,4- DINITROTOLUENE,2,6-	NV	S						
ANTHRACENE	V	S	4.6E+05		4.6E+05	3.9E+06		3.9E+06
ANTIMONY	NV	S						
ARSENIC	NV	S						
ATRAZINE	NV	S						
BARIUM	NV	S						
BENOMYL	NV	S						
BENZENE	V	L	7.2E+02	7.2E+02	1.3E+04	6.3E+03	6.3E+03	1.1E+05
BENZO(a)ANTHRACENE	SV	S	3.4E+02	3.4E+02		8.2E+03	8.2E+03	
BENZO(a)PYRENE	NV	S						
BENZO(b)FLUORANTHENE	NV	S						
BENZO(g,h,i)PERYLENE	NV	S						
BENZO(k)FLUORANTHENE	NV	S						
BERYLLIUM	NV	S						
BIPHENYL, 1,1-	V	S	1.7E+02		1.7E+02	1.4E+03		1.4E+03
BIS(2-CHLOROETHYL)ETHER	V	L	1.7E+01	1.7E+01		1.5E+02	1.5E+02	
BIS(2-CHLORO-1-METHYLETHYL)ETHER	V	L	5.6E+02	5.6E+02	5.8E+04	4.9E+03	4.9E+03	4.9E+05
BIS(2-ETHYLHEXYL)PHTHALATE	NV	S						
BORON	NV	S						
BROMODICHLOROMETHANE	V	L	1.5E+02	1.5E+02	1.2E+04	1.3E+03	1.3E+03	9.8E+04
BROMOFORM	SV	S	5.1E+03	5.1E+03		4.5E+04	4.5E+04	
BROMOMETHANE	V	G	2.1E+03		2.1E+03	1.8E+04		1.8E+04
CADMIUM	NV	S						
CARBON TETRACHLORIDE	V	L	9.4E+02	9.4E+02	4.2E+04	8.2E+03	8.2E+03	3.5E+05
CHLORDANE (TECHNICAL)	SV	S	5.6E+02	5.6E+02	1.5E+03	4.9E+03	4.9E+03	1.2E+04
CHLOROANILINE, p-	NV	S						
CHLOROBENZENE	V	L	2.1E+04		2.1E+04	1.8E+05		1.8E+05
CHLOROETHANE	V	G	1.7E+06		1.7E+06	1.4E+07		1.4E+07
CHLOROFORM	V	L	2.4E+02	2.4E+02	4.1E+04	2.1E+03	2.1E+03	3.4E+05
CHLOROMETHANE	V	G	3.8E+04		3.8E+04	3.2E+05		3.2E+05
CHLOROPHENOL, 2-	V	L	7.3E+03		7.3E+03	6.1E+04		6.1E+04
CHROMIUM (Total)	NV	S						
CHROMIUM III	NV	S						
CHROMIUM VI	NV	S						
CHRYSENE	NV	S						
COBALT	NV	S						
COPPER	NV	S						
CYANIDE (Free)	V	S	3.3E+02		3.3E+02	2.8E+03		2.8E+03
CYCLO-1,3,5-TRIMETHYLENE-2,4,6-TRINITRAMINE (RDX)	NV	S						
DALAPON	NV	L						

**TABLE C-2. ¹SHALLOW SOIL VAPOR ACTION LEVELS
FOR EVALUATION OF POTENTIAL VAPOR INTRUSION HAZARDS
(volatile chemicals only)**

CHEMICAL PARAMETER	Physical State		² Unrestricted Land Use			Commercial/Industrial Land Use Only		
			Lowest Residential	Carcinogenic Effects	Noncarcinogenic Effects	Lowest C/I	Carcinogenic Effects	Noncarcinogenic Effects
			(ug/m ³)	(ug/m ³)	(ug/m ³)	(ug/m ³)	(ug/m ³)	(ug/m ³)
DIBENZO(a,h)ANTHTRACENE	NV	S						
DIBROMO,1,2- CHLOROPROPANE,3-	V	L	3.4E-01	3.4E-01	8.3E+01	8.2E+00	8.2E+00	7.0E+02
DIBROMOCHLOROMETHANE	V	S	2.9E+04		2.9E+04	2.5E+05		2.5E+05
DIBROMOETHANE, 1,2-	V	S	9.4E+00	9.4E+00	3.8E+03	8.2E+01	8.2E+01	3.2E+04
DICHLOROBENZENE, 1,2-	V	L	8.3E+04		8.3E+04	7.0E+05		7.0E+05
DICHLOROBENZENE, 1,3-	V	L	5.0E+04		5.0E+04	4.2E+05		4.2E+05
DICHLOROBENZENE, 1,4-	V	S	5.1E+02	5.1E+02	3.3E+05	4.5E+03	4.5E+03	2.8E+06
DICHLOROBENZIDINE, 3,3-	NV	S						
DICHLORODIPHENYLDICHLOROETHANE (DDD)	NV	S						
DICHLORODIPHENYLDICHLOROETHYLENE (DDE)	SV	S	5.8E+01	5.8E+01		5.1E+02	5.1E+02	
DICHLORODIPHENYLTRICHLOROETHANE (DDT)	NV	S						
DICHLOROETHANE, 1,1-	V	L	3.5E+03	3.5E+03	2.9E+05	3.1E+04	3.1E+04	2.5E+06
DICHLOROETHANE, 1,2-	V	L	2.2E+02	2.2E+02	2.9E+03	1.9E+03	1.9E+03	2.5E+04
DICHLOROETHYLENE, 1,1-	V	L	8.3E+04		8.3E+04	7.0E+05		7.0E+05
DICHLOROETHYLENE, Cis 1,2-	V	L	1.7E+04		1.7E+04	1.4E+05		1.4E+05
DICHLOROETHYLENE, Trans 1,2-	V	L	1.7E+04		1.7E+04	1.4E+05		1.4E+05
DICHLOROPHENOL, 2,4-	NV	S						
DICHLOROPHENOXYACETIC ACID (2,4-D)	NV	S						
DICHLOROPROPANE, 1,2-	V	L	1.5E+03	1.5E+03	1.7E+03	1.3E+04	1.3E+04	1.4E+04
DICHLOROPROPENE, 1,3-	V	L	1.4E+03	1.4E+03	8.3E+03	1.2E+04	1.2E+04	7.0E+04
DIELDRIN	NV	S						
DIETHYLPHTHALATE	NV	S						
DIMETHYLPHENOL, 2,4-	NV	S						
DIMETHYLPHTHALATE	NV	S						
DINITROBENZENE, 1,3-	NV	S						
DINITROPHENOL, 2,4-	NV	S						
DINITROTOLUENE, 2,4- (2,4-DNT)	NV	S						
DINITROTOLUENE, 2,6- (2,6-DNT)	NV	S						
DIOXANE, 1,4-	V	L	1.1E+03	1.1E+03	1.3E+04	9.8E+03	9.8E+03	1.1E+05
DIOXINS (TEQ)	SV	S	1.5E-02	1.5E-02	8.3E-02	1.3E-01	1.3E-01	7.0E-01
DIURON	NV	S						
ENDOSULFAN	SV	S						
ENDRIN	NV	S						
ETHANOL	V	L						
ETHYLBENZENE	V	L	2.2E+04	2.2E+04	4.2E+05	2.0E+05	2.0E+05	3.5E+06
FLUORANTHENE	NV	S						
FLUORENE	V	S	5.8E+04		5.8E+04	4.9E+05		4.9E+05
GLYPHOSATE	NV	S						
HEPTACHLOR	SV	S	4.3E+01	4.3E+01		3.8E+02	3.8E+02	
HEPTACHLOR EPOXIDE	SV	S	2.2E+01	2.2E+01		1.9E+02	1.9E+02	
HEXACHLOROBENZENE	SV	S	1.2E+01	1.2E+01		1.1E+02	1.1E+02	
HEXACHLOROBUTADIENE	SV	S	2.6E+02	2.6E+02		2.2E+03	2.2E+03	
HEXACHLOROCYCLOHEXANE (gamma) LINDANE	NV	S						
HEXACHLOROETHANE	SV	S	5.1E+02	5.1E+02	1.3E+04	4.5E+03	4.5E+03	1.1E+05
HEXAZINONE	NV	S						

**TABLE C-2. ¹SHALLOW SOIL VAPOR ACTION LEVELS
FOR EVALUATION OF POTENTIAL VAPOR INTRUSION HAZARDS
(volatile chemicals only)**

CHEMICAL PARAMETER	Physical State		² Unrestricted Land Use			Commercial/Industrial Land Use Only		
			Lowest Residential	Carcinogenic Effects	Noncarcinogenic Effects	Lowest C/I	Carcinogenic Effects	Noncarcinogenic Effects
			(ug/m ³)	(ug/m ³)	(ug/m ³)	(ug/m ³)	(ug/m ³)	(ug/m ³)
INDENO(1,2,3-cd)PYRENE	NV	S						
ISOPHORONE	NV	L						
LEAD	NV	S						
MERCURY	NV	S						
METHOXYCHLOR	NV	S						
METHYL ETHYL KETONE	V	L	2.1E+06		2.1E+06	1.8E+07		1.8E+07
METHYL ISOBUTYL KETONE	V	L	1.3E+06		1.3E+06	1.1E+07		1.1E+07
METHYL MERCURY	NV	S						
METHYL TERT BUTYL ETHER	V	L	2.2E+04	2.2E+04	1.3E+06	1.9E+05	1.9E+05	1.1E+07
METHYLENE CHLORIDE	V	L	2.0E+05	2.0E+05	2.5E+05	2.1E+06	4.9E+06	2.1E+06
METHYLNAPHTHALENE, 1-	V	S	1.0E+05		1.0E+05	8.6E+05		8.6E+05
METHYLNAPHTHALENE, 2-	V	S	5.8E+03		5.8E+03	4.9E+04		4.9E+04
MOLYBDENUM	NV	S						
NAPHTHALENE	V	S	1.3E+03	1.7E+03	1.3E+03	1.1E+04	1.4E+04	1.1E+04
NICKEL	NV	S						
NITROBENZENE	V	L	1.4E+02	1.4E+02	3.8E+03	1.2E+03	1.2E+03	3.2E+04
NITROGLYCERIN	NV	L						
NITROTOLUENE, 2-	V	S	1.3E+03		1.3E+03	1.1E+04		1.1E+04
NITROTOLUENE, 3-	NV	S						
NITROTOLUENE, 4-	NV	S						
PENTACHLOROPHENOL	NV	S						
PENTAERYTHRITOLTETRANITRATE (PETN)	NV	S						
PERCHLORATE	NV	S						
PHENANTHRENE	V	S	5.8E+04		5.8E+04	4.9E+05		4.9E+05
PHENOL	NV	S						
POLYCHLORINATED BIPHENYLS (PCBs)	SV	S	9.9E+01	9.9E+01		8.6E+02	8.6E+02	
PROPICONAZOLE	NV	L						
PYRENE	V	S	4.4E+04		4.4E+04	3.7E+05		3.7E+05
SELENIUM	NV	S						
SILVER	NV	S						
SIMAZINE	NV	S						
STYRENE	V	L	4.2E+05		4.2E+05	3.5E+06		3.5E+06
TERBACIL	NV	S						
tert-BUTYL ALCOHOL	V	L	2.1E+06		2.1E+06	1.8E+07		1.8E+07
TETRACHLOROETHANE, 1,1,1,2-	V	L	7.6E+02	7.6E+02	4.4E+04	6.6E+03	6.6E+03	3.7E+05
TETRACHLOROETHANE, 1,1,2,2-	V	L	9.7E+01	9.7E+01		8.5E+02	8.5E+02	
TETRACHLOROETHYLENE	V	L	9.2E+02	9.2E+02	1.7E+04	8.0E+03	8.0E+03	1.4E+05
TETRACHLOROPHENOL, 2,3,4,6-	NV	S						
TETRANITRO-1,3,5,7-TETRAAZOCYCLOOCTANE (HMX)	NV	S						
THALLIUM	NV	S						
TOLUENE	V	L	2.1E+06		2.1E+06	1.8E+07		1.8E+07
TOXAPHENE	NV	S						
TPH (gasolines)	V	L	4.0E+05		4.0E+05	3.3E+06		3.3E+06
TPH (middle distillates)	V	L	2.6E+05		2.6E+05	2.2E+06		2.2E+06
TPH (residual fuels)	SV	L	2.6E+05		2.6E+05	2.2E+06		2.2E+06

**TABLE C-2. ¹SHALLOW SOIL VAPOR ACTION LEVELS
FOR EVALUATION OF POTENTIAL VAPOR INTRUSION HAZARDS
(volatile chemicals only)**

CHEMICAL PARAMETER	Physical State		² Unrestricted Land Use			Commercial/Industrial Land Use Only		
			Lowest Residential	Carcinogenic Effects	Noncarcinogenic Effects	Lowest C/I	Carcinogenic Effects	Noncarcinogenic Effects
			(ug/m ³)	(ug/m ³)	(ug/m ³)	(ug/m ³)	(ug/m ³)	(ug/m ³)
TRICHLOROBENZENE, 1,2,4-	V	S	8.3E+02		8.3E+02	7.0E+03		7.0E+03
TRICHLOROETHANE, 1,1,1-	V	L	2.1E+06		2.1E+06	1.8E+07		1.8E+07
TRICHLOROETHANE, 1,1,2-	V	L	8.3E+01	3.5E+02	8.3E+01	7.0E+02	3.1E+03	7.0E+02
TRICHLOROETHYLENE	V	L	8.3E+02	9.6E+02	8.3E+02	7.0E+03	1.2E+04	7.0E+03
TRICHLOROPHENOL, 2,4,5-	NV	S						
TRICHLOROPHENOL, 2,4,6-	NV	S						
TRICHLOROPHENOXYACETIC ACID, 2,4,5- (2,4,5-T)	NV	S						
TRICHLOROPHENOXYPROPIONIC ACID, 2,4,5- (2,4,5-TP)	NV	S						
TRICHLOROPROPANE, 1,2,3-	V	L	1.3E+02		1.3E+02	1.1E+03		1.1E+03
TRICHLOROPROPENE, 1,2,3-	V	L	1.3E+02		1.3E+02	1.1E+03		1.1E+03
TRIFLURALIN	SV	S						
TRINITROBENZENE, 1,3,5-	NV	S						
TRINITROPHENYLMETHYLNITRAMINE, 2,4,6- (TETRYL)	NV	S						
TRINITROTOLUENE, 2,4,6- (TNT)	NV	S						
VANADIUM	NV	S						
VINYL CHLORIDE	V	G	3.4E+02	3.4E+02	4.2E+04	1.1E+04	1.1E+04	3.5E+05
XYLENES	V	L	4.2E+04		4.2E+04	3.5E+05		3.5E+05
ZINC	NV	S						

Notes:

- Shallow soil gas defined as soil gas sample data collected within 1.5 meters (five feet) from a building foundation or the ground surface. Assumes very permeable (e.g., sandy) fill material immediately beneath building slab or could be present below future buildings following redevelopment. Evaluation of deeper soil gas data (e.g., >1.5m bgs) should be carried out on a site-specific basis.
- Based on unrestricted current or future land use. Considered adequate for residential housing, schools, medical facilities, day-care centers and other sensitive uses.

Soil gas action levels intended to be protective of indoor air quality, calculated for volatile chemicals only.
Physical state of chemical at ambient conditions (V - volatile, NV - nonvolatile, S - solid, L - liquid, G - gas).
Chemical considered to be "volatile" if Henry's number (atm m³/mole) >0.00001 and molecular weight <200.
Dibromochloromethane, dibromochloropropane and pyrene considered volatile for purposes of modeling (USEPA 2004, 2008).
Target cancer risk = 1E-06, Target Hazard Quotient = 0.2 for all chemicals except as noted.
Target Hazard Quotient = 1.0 for TPH.
Residential soil gas:indoor air attenuation factor = 0.001 (1/1000). Commercial/Industrial soil gas:indoor air attenuation factor = 0.0005 (1/2000). Refer to Section 3.3.
Soil gas action levels for TPHgasolines based on action levels for TPHmiddle distillates due to potential for mixture of fuel types at release sites.
Soil gas action levels do not address mass-balance issues. May be overly conservative for sites with low permeability soils immediately beneath a building slab or limited soil impacts and no source of VOCs in groundwater.
Indoor-air sampling and/or passive vapor mitigation measures may be prudent for sites where concentrations of chemicals in soil gas approach but do not exceed action levels. Consider other sources of VOCs in all indoor air studies.

**TABLE C-3. INDOOR AIR ACTION LEVELS
(volatile chemicals only)**

CHEMICAL PARAMETER	Physical State		Health-Based Action Levels							50% Odor Recognition Threshold (Table F-2) (ug/m ³)	
			Unit Risk Factor URF (ug/m ³) ⁻¹	Reference Concentration RfC (ug/m ³)	Unrestricted Land Use			Commercial/Industrial Use Only			
					Lowest Residential (ug/m ³)	Indoor Air (carcinogens) (ug/m ³)	Indoor Air (noncarcinogens) (ug/m ³)	Lowest C/I (ug/m ³)	Indoor Air (carcinogens) (ug/m ³)		Indoor Air (noncarcinogens) (ug/m ³)
ACENAPHTHENE	V	S		2.1E+02	4.4E+01		4.4E+01	1.8E+02		1.8E+02	5.13E+02
ACENAPHTHYLENE	V	S		1.6E+02	3.3E+01		3.3E+01	1.4E+02		1.4E+02	-
ACETONE	V	L		3.2E+03	6.6E+02		6.6E+02	2.8E+03		2.8E+03	3.09E+04
ALDRIN	SV	S	4.9E-03		5.7E-02	5.7E-02		2.5E-01	2.5E-01		2.63E+02
AMETRYN	NV	S									-
AMINO,2- DINITROTOLUENE,4,6-	NV	S									-
AMINO,4- DINITROTOLUENE,2,6-	NV	S									-
ANTHRACENE	V	S		1.1E+03	2.3E+02		2.3E+02	9.6E+02		9.6E+02	-
ANTIMONY	NV	S									-
ARSENIC	NV	S									-
ATRAZINE	NV	S									-
BARIUM	NV	S									-
BENOMYL	NV	S									-
BENZENE	V	L	7.8E-06	3.0E+01	3.6E-01	3.6E-01	6.3E+00	1.6E+00	1.6E+00	2.6E+01	4.89E+03
BENZO(a)ANTHRACENE	SV	S	6.0E-05		1.7E-01	1.7E-01		2.0E+00	2.0E+00		-
BENZO(a)PYRENE	NV	S									-
BENZO(b)FLUORANTHENE	NV	S									-
BENZO(g,h,i)PERYLENE	NV	S									-
BENZO(k)FLUORANTHENE	NV	S									-
BERYLLIUM	NV	S									-
BIPHENYL, 1,1-	V	S		4.0E-01	8.3E-02		8.3E-02	3.5E-01		3.5E-01	6.00E+01
BIS(2-CHLOROETHYL)ETHER	V	L	3.3E-04		8.5E-03	8.5E-03		3.7E-02	3.7E-02		2.87E+02
BIS(2-CHLORO-1-METHYLETHYL)ETHER	V	L	1.0E-05	1.4E+02	2.8E-01	2.8E-01	2.9E+01	1.2E+00	1.2E+00	1.2E+02	2.24E+03
BIS(2-ETHYLHEXYL)PHTHALATE	NV	S									-
BORON	NV	S									-
BROMODICHLOROMETHANE	V	L	3.7E-05	2.8E+01	7.6E-02	7.6E-02	5.8E+00	3.3E-01	3.3E-01	2.5E+01	1.10E+07
BROMOFORM	SV	S	1.1E-06		2.6E+00	2.6E+00		1.1E+01	1.1E+01		1.35E+04
BROMOMETHANE	V	G		5.0E+00	1.0E+00		1.0E+00	4.4E+00		4.4E+00	8.00E+04
CADMIUM	NV	S									-
CARBON TETRACHLORIDE	V	L	6.0E-06	1.0E+02	4.7E-01	4.7E-01	2.1E+01	2.0E+00	2.0E+00	8.8E+01	6.30E+04
CHLORDANE (TECHNICAL)	SV	S	1.0E-04	7.0E-01	2.8E-01	2.8E-01	7.3E-01	1.2E+00	1.2E+00	3.1E+00	8.40E+00
CHLOROANILINE, p-	NV	S									-
CHLOROENZENE	V	L		5.0E+01	1.0E+01		1.0E+01	4.4E+01		4.4E+01	1.00E+03
CHLOROETHANE	V	G		4.0E+03	8.3E+02		8.3E+02	3.5E+03		3.5E+03	3.80E+05
CHLOROFORM	V	L	2.3E-05	9.8E+01	1.2E-01	1.2E-01	2.0E+01	5.3E-01	5.3E-01	8.6E+01	4.22E+05
CHLOROMETHANE	V	G		9.0E+01	1.9E+01		1.9E+01	7.9E+01		7.9E+01	-
CHLOROPHENOL, 2-	V	L		1.8E+01	3.7E+00		3.7E+00	1.5E+01		1.5E+01	1.90E+01
CHROMIUM (Total)	NV	S									-
CHROMIUM III	NV	S									-
CHROMIUM VI	NV	S									-
CHRYSENE	NV	S									-
COBALT	NV	S									-
COPPER	NV	S									-
CYANIDE (Free)	V	S		8.0E-01	1.7E-01		1.7E-01	7.0E-01		7.0E-01	6.52E+02
CYCLO-1,3,5-TRIMETHYLENE-2,4,6-TRINITRAMINE (RDX)	NV	S									-

**TABLE C-3. INDOOR AIR ACTION LEVELS
(volatile chemicals only)**

CHEMICAL PARAMETER	Physical State		Health-Based Action Levels								50% Odor Recognition Threshold (Table F-2) (ug/m ³)	
			Unit Risk Factor URF (ug/m ³) ⁻¹	Reference Concentration RfC (ug/m ³)	Unrestricted Land Use			Commercial/Industrial Use Only				
					Lowest Residential (ug/m ³)	Indoor Air (carcinogens) (ug/m ³)	Indoor Air (noncarcinogens) (ug/m ³)	Lowest C/I (ug/m ³)	Indoor Air (carcinogens) (ug/m ³)	Indoor Air (noncarcinogens) (ug/m ³)		
DALAPON	NV	L										-
DIBENZO(a,h)ANTHTRACENE	NV	S										-
DIBROMO,1,2- CHLOROPROPANE,3-	V	L	6.0E-03	2.0E-01	1.7E-04	1.7E-04	4.2E-02	2.0E-03	2.0E-03	1.8E-01		-
DIBROMOCHLOROMETHANE	V	S		7.0E+01	1.5E+01		1.5E+01	6.1E+01		6.1E+01		-
DIBROMOETHANE, 1,2-	V	S	6.0E-04	9.0E+00	4.7E-03	4.7E-03	1.9E+00	2.0E-02	2.0E-02	7.9E+00		2.00E+05
DICHLOROBENZENE, 1,2-	V	L		2.0E+02	4.2E+01		4.2E+01	1.8E+02		1.8E+02		3.05E+05
DICHLOROBENZENE, 1,3-	V	L		1.2E+02	2.5E+01		2.5E+01	1.1E+02		1.1E+02		-
DICHLOROBENZENE, 1,4-	V	S	1.1E-05	8.0E+02	2.6E-01	2.6E-01	1.7E+02	1.1E+00	1.1E+00	7.0E+02		1.10E+03
DICHLOROBENZIDINE, 3,3-	NV	S										-
DICHLORODIPHENYLDICHLOROETHANE (DDD)	NV	S										-
DICHLORODIPHENYLDICHLOROETHYLENE (DDE)	SV	S	9.7E-05		2.9E-02	2.9E-02		1.3E-01	1.3E-01			-
DICHLORODIPHENYLTRICHLOROETHANE (DDT)	NV	S										-
DICHLOROETHANE, 1,1-	V	L	1.6E-06	7.0E+02	1.8E+00	1.8E+00	1.5E+02	7.7E+00	7.7E+00	6.1E+02		1.25E+05
DICHLOROETHANE, 1,2-	V	L	2.6E-05	7.0E+00	1.1E-01	1.1E-01	1.5E+00	4.7E-01	4.7E-01	6.1E+00		2.42E+03
DICHLOROETHYLENE, 1,1-	V	L		2.0E+02	4.2E+01		4.2E+01	1.8E+02		1.8E+02		2.00E+06
DICHLOROETHYLENE, Cis 1,2-	V	L		4.0E+01	8.3E+00		8.3E+00	3.5E+01		3.5E+01		-
DICHLOROETHYLENE, Trans 1,2-	V	L		4.0E+01	8.3E+00		8.3E+00	3.5E+01		3.5E+01		6.73E+04
DICHLOROPHENOL, 2,4-	NV	S										1.40E+03
DICHLOROPHENOXYACETIC ACID (2,4-D)	NV	S										-
DICHLOROPROPANE, 1,2-	V	L	3.7E-06	4.0E+00	7.6E-01	7.6E-01	8.3E-01	3.3E+00	3.3E+00	3.5E+00		1.19E+03
DICHLOROPROPENE, 1,3-	V	L	4.0E-06	2.0E+01	7.0E-01	7.0E-01	4.2E+00	3.1E+00	3.1E+00	1.8E+01		4.16E+03
DIELDRIN	NV	S										-
DIETHYLPHTHALATE	NV	S										-
DIMETHYLPHENOL, 2,4-	NV	S										1.00E+00
DIMETHYLPHTHALATE	NV	S										-
DINITROBENZENE, 1,3-	NV	S										-
DINITROPHENOL, 2,4-	NV	S										-
DINITROTOLUENE, 2,4- (2,4-DNT)	NV	S										-
DINITROTOLUENE, 2,6- (2,6-DNT)	NV	S										-
DIOXANE, 1,4-	V	L	5.0E-06	3.0E+01	5.6E-01	5.6E-01	6.3E+00	2.5E+00	2.5E+00	2.6E+01		6.12E+05
DIOXINS (TEQ)	SV	S	3.8E+01	4.0E-05	7.4E-06	7.4E-06	4.2E-05	3.2E-05	3.2E-05	1.8E-04		-
DIURON	NV	S										-
ENDOSULFAN	SV	S										-
ENDRIN	NV	S										-
ETHANOL	V	L										1.92E+04
ETHYLBENZENE	V	L	2.5E-06	1.0E+03	1.1E+01	1.1E+01	2.1E+02	4.9E+01	4.9E+01	8.8E+02		2.00E+03
FLUORANTHENE	NV	S										-
FLUORENE	V	S		1.4E+02	2.9E+01		2.9E+01	1.2E+02		1.2E+02		-
GLYPHOSATE	NV	S										-
HEPTACHLOR	SV	S	1.3E-03		2.2E-02	2.2E-02		9.4E-02	9.4E-02			3.00E+02
HEPTACHLOR EPOXIDE	SV	S	2.6E-03		1.1E-02	1.1E-02		4.7E-02	4.7E-02			3.00E+02
HEXACHLOROBENZENE	SV	S	4.6E-04		6.1E-03	6.1E-03		2.7E-02	2.7E-02			-
HEXACHLOROBUTADIENE	SV	S	2.2E-05		1.3E-01	1.3E-01		5.6E-01	5.6E-01			1.20E+04
HEXACHLOROCYCLOHEXANE (gamma) LINDANE	NV	S										-

**TABLE C-3. INDOOR AIR ACTION LEVELS
(volatile chemicals only)**

CHEMICAL PARAMETER	Physical State		Health-Based Action Levels								50% Odor Recognition Threshold (Table F-2) (ug/m ³)
			Unit Risk Factor URF (ug/m ³) ⁻¹	Reference Concentration RfC (ug/m ³)	Unrestricted Land Use			Commercial/Industrial Use Only			
					Lowest Residential (ug/m ³)	Indoor Air (carcinogens) (ug/m ³)	Indoor Air (noncarcinogens) (ug/m ³)	Lowest C/I (ug/m ³)	Indoor Air (carcinogens) (ug/m ³)	Indoor Air (noncarcinogens) (ug/m ³)	
HEXACHLOROETHANE	SV	S	1.1E-05	3.0E+01	2.6E-01	2.6E-01	6.3E+00	1.1E+00	1.1E+00	2.6E+01	-
HEXAZINONE	NV	S									-
INDENO(1,2,3-cd)PYRENE	NV	S									-
ISOPHORONE	NV	L									-
LEAD	NV	S									-
MERCURY	NV	S									-
METHOXYCHLOR	NV	S									-
METHYL ETHYL KETONE	V	L		5.0E+03	1.0E+03		1.0E+03	4.4E+03		4.4E+03	3.20E+04
METHYL ISOBUTYL KETONE	V	L		3.0E+03	6.3E+02		6.3E+02	2.6E+03		2.6E+03	4.20E+02
METHYL MERCURY	NV	S									-
METHYL TERT BUTYL ETHER	V	L	2.6E-07	3.0E+03	1.1E+01	1.1E+01	6.3E+02	4.7E+01	4.7E+01	2.6E+03	5.30E+02
METHYLENE CHLORIDE	V	L	1.0E-08	6.0E+02	1.0E+02	1.0E+02	1.3E+02	5.3E+02	1.2E+03	5.3E+02	5.60E+05
METHYLNAPHTHALENE, 1-	V	S		2.5E+02	5.1E+01		5.1E+01	2.1E+02		2.1E+02	6.80E+01
METHYLNAPHTHALENE, 2-	V	S		1.4E+01	2.9E+00		2.9E+00	1.2E+01		1.2E+01	6.80E+01
MOLYBDENUM	NV	S									-
NAPHTHALENE	V	S	3.4E-05	3.0E+00	6.3E-01	8.3E-01	6.3E-01	2.6E+00	3.6E+00	2.6E+00	4.40E+02
NICKEL	NV	S									-
NITROBENZENE	V	L	4.0E-05	9.0E+00	7.0E-02	7.0E-02	1.9E+00	3.1E-01	3.1E-01	7.9E+00	-
NITROGLYCERIN	NV	L									-
NITROTOLUENE, 2-	V	S		3.2E+00	6.6E-01		6.6E-01	2.8E+00		2.8E+00	-
NITROTOLUENE, 3-	NV	S									-
NITROTOLUENE, 4-	NV	S									-
PENTACHLOROPHENOL	NV	S									-
PENTAERYTHRITOLTETRANITRATE (PETN)	NV	S									-
PERCHLORATE	NV	S									-
PHENANTHRENE	V	S		1.4E+02	2.9E+01		2.9E+01	1.2E+02		1.2E+02	5.50E+01
PHENOL	NV	S									1.56E+02
POLYCHLORINATED BIPHENYLS (PCBs)	SV	S	5.7E-04		4.9E-02	4.9E-02		2.2E-01	2.2E-01		-
PROPICONAZOLE	NV	L									-
PYRENE	V	S		1.1E+02	2.2E+01		2.2E+01	9.2E+01		9.2E+01	-
SELENIUM	NV	S									-
SILVER	NV	S									-
SIMAZINE	NV	S									-
STYRENE	V	L		1.0E+03	2.1E+02		2.1E+02	8.8E+02		8.8E+02	1.36E+03
TERBACIL	NV	S									-
tert-BUTYL ALCOHOL	V	L		5.0E+03	1.0E+03		1.0E+03	4.4E+03		4.4E+03	-
TETRACHLOROETHANE, 1,1,1,2-	V	L	7.4E-06	1.1E+02	3.8E-01	3.8E-01	2.2E+01	1.7E+00	1.7E+00	9.2E+01	-
TETRACHLOROETHANE, 1,1,2,2-	V	L	5.8E-05		4.8E-02	4.8E-02		2.1E-01	2.1E-01		1.05E+04
TETRACHLOROETHYLENE	V	L	6.1E-06	4.0E+01	4.6E-01	4.6E-01	8.3E+00	2.0E+00	2.0E+00	3.5E+01	3.17E+04
TETRACHLOROPHENOL, 2,3,4,6-	NV	S									-
TETRANITRO-1,3,5,7-TETRAAZOCYCLOOCTANE (HMX)	NV	S									-
THALLIUM	NV	S									-
TOLUENE	V	L		5.0E+03	1.0E+03		1.0E+03	4.4E+03		4.4E+03	3.00E+04
TOXAPHENE	NV	S									-

**TABLE C-3. INDOOR AIR ACTION LEVELS
(volatile chemicals only)**

CHEMICAL PARAMETER	Physical State		Health-Based Action Levels							50% Odor Recognition Threshold (Table F-2) (ug/m ³)	
			Unit Risk Factor URF (ug/m ³) ⁻¹	Reference Concentration RfC (ug/m ³)	Unrestricted Land Use			Commercial/Industrial Use Only			
					Lowest Residential (ug/m ³)	Indoor Air (carcinogens) (ug/m ³)	Indoor Air (noncarcinogens) (ug/m ³)	Lowest C/I (ug/m ³)	Indoor Air (carcinogens) (ug/m ³)		Indoor Air (noncarcinogens) (ug/m ³)
TPH (gasolines)	V	L		1.9E+02	2.0E+02		2.0E+02	8.4E+02		8.4E+02	1.10E+03
TPH (middle distillates)	V	L		1.2E+02	1.3E+02		1.3E+02	5.4E+02		5.4E+02	5.00E+03
TPH (residual fuels)	SV	L		1.2E+02	1.3E+02		1.3E+02	5.4E+02		5.4E+02	-
TRICHLOROBENZENE, 1,2,4-	V	S		2.0E+00	4.2E-01		4.2E-01	1.8E+00		1.8E+00	2.20E+04
TRICHLOROETHANE, 1,1,1-	V	L		5.0E+03	1.0E+03		1.0E+03	4.4E+03		4.4E+03	6.51E+04
TRICHLOROETHANE, 1,1,2-	V	L	1.6E-05	2.0E-01	4.2E-02	1.8E-01	4.2E-02	1.8E-01	7.7E-01	1.8E-01	-
TRICHLOROETHYLENE	V	L	4.1E-06	2.0E+00	4.2E-01	4.8E-01	4.2E-01	1.8E+00	3.0E+00	1.8E+00	1.36E+06
TRICHLOROPHENOL, 2,4,5-	NV	S									-
TRICHLOROPHENOL, 2,4,6-	NV	S									3.00E-01
TRICHLOROPHENOXYACETIC ACID, 2,4,5- (2,4,5-T)	NV	S									-
TRICHLOROPHENOXYPROPIONIC ACID, 2,4,5- (2,4,5-TP)	NV	S									-
TRICHLOROPROPANE, 1,2,3-	V	L		3.0E-01	6.3E-02		6.3E-02	2.6E-01		2.6E-01	-
TRICHLOROPROPENE, 1,2,3-	V	L		3.0E-01	6.3E-02		6.3E-02	2.6E-01		2.6E-01	-
TRIFLURALIN	SV	S									-
TRINITROBENZENE, 1,3,5-	NV	S									-
TRINITROPHENYLMETHYLNITRAMINE, 2,4,6- (TETRYL)	NV	S									-
TRINITROTOLUENE, 2,4,6- (TNT)	NV	S									-
VANADIUM	NV	S									-
VINYL CHLORIDE	V	G	4.4E-06	1.0E+02	1.7E-01	1.7E-01	2.1E+01	2.8E+00	2.8E+00	8.8E+01	7.71E+05
XYLENES	V	L		1.0E+02	2.1E+01		2.1E+01	8.8E+01		8.8E+01	4.41E+02
ZINC	NV	S									-

Notes:
1. Based on unrestricted current or future land use. Considered adequate for residential housing, schools, medical facilities, day-care centers and other sensitive uses.
Target cancer risk = 10⁻⁶, Target Hazard Quotient = 0.2 for all chemicals except as noted. Target 10⁻⁵ risk applied to ethylbenzene, 1-methylnaphthalene and naphthalene. Target HQ of 1.0 applied to TPHg and TPHmd.
Target Hazard Quotient = 1.0 for TPH (see Appendix 1 and Appendix 9 Fall 2011 EAL update memo).
Physical state of chemical at ambient conditions (V - volatile, NV - nonvolatile, S - solid, L - liquid, G - gas).
Chemical considered to be "volatile" if Henry's number (atm m³/mole) >0.00001 and molecular weight <200.
Dibromochloromethane, dibromochloropropane and pyrene considered volatile for purposes of modeling (USEPA 2004, 2011).
Action levels calculated using spreadsheet provided with User's Guide for the USEPA vapor intrusion guidance (USEPA 2004, refer to Appendix 2 for equations and default input parameter values).
Indoor air action levels listed only for volatile chemicals included in database of referenced model spreadsheet (plus MTBE).
outdoor air from petroleum-based cleaners, auto exhaust, etc.
Indoor air action level for ethanol based on potential odor concerns (refer to Chapter 4 and Table F series). Human health risk toxicity data not available but likely to exceed odor thresholds.
50% Odor Recognition Thresholds from Massachusetts Department of Environmental Protection (MADEP, 1994) and ATSDR; included for reference (potential nuisance concerns, see Table F series).

TABLE D-1a. GROUNDWATER ACTION LEVELS
(Groundwater IS a current or potential drinking water resource)
(Surface water body IS located within 150 meters of release site)
(ug/l)

CONTAMINANT	Final Groundwater Action Level	Basis	Gross Contamination (Taste & Odors, etc.)	Drinking Water Toxicity	Vapor Intrusion Into Buildings	Aquatic Habitat Impacts (chronic)
			Table G-1	Table D-3a	Table C-1a	Table D-4a
ACENAPHTHENE	1.5E+01	Aquatic Habitat Goal	2.0E+01	4.4E+02	3.9E+03	1.5E+01
ACENAPHTHYLENE	1.3E+01	Aquatic Habitat Goal	2.0E+03	3.0E+02	(Use soil gas)	1.3E+01
ACETONE	1.5E+03	Aquatic Habitat Goal	2.0E+04	6.0E+03	6.6E+07	1.5E+03
ALDRIN	1.4E-04	Aquatic Habitat Goal	8.5E+00	1.2E-03		1.4E-04
AMETRYN	1.5E+02	Drinking Water Toxicity	5.0E+04	1.5E+02		7.0E+02
AMINO,2- DINITROTOLUENE,4,6-	1.9E+00	Drinking Water Toxicity	5.0E+04	1.9E+00		1.8E+01
AMINO,4- DINITROTOLUENE,2,6-	1.9E+00	Drinking Water Toxicity	5.0E+04	1.9E+00		1.1E+01
ANTHRACENE	2.0E-02	Aquatic Habitat Goal	2.2E+01	1.6E+03	4.3E+01	2.0E-02
ANTIMONY	6.0E+00	Drinking Water Toxicity	5.0E+04	6.0E+00		3.0E+01
ARSENIC	1.0E+01	Drinking Water Toxicity	5.0E+04	1.0E+01		3.6E+01
ATRAZINE	3.0E+00	Drinking Water Toxicity	2.0E+01	3.0E+00		1.2E+01
BARIUM	2.2E+02	Aquatic Habitat Goal	5.0E+04	2.0E+03		2.2E+02
BENOMYL	1.4E-01	Aquatic Habitat Goal	1.9E+03	9.7E+02		1.4E-01
BENZENE	5.0E+00	Drinking Water Toxicity	1.7E+02	5.0E+00	2.3E+03	7.1E+01
BENZO(a)ANTHRACENE	2.7E-02	Aquatic Habitat Goal	4.7E+00	5.2E-02		2.7E-02
BENZO(a)PYRENE	6.0E-02	Aquatic Habitat Goal	8.0E-01	2.0E-01		6.0E-02
BENZO(b)FLUORANTHENE	5.8E-02	Drinking Water Toxicity	7.5E-01	5.8E-02		6.8E-01
BENZO(g,h,i)PERYLENE	1.3E-01	Gross Contamination	1.3E-01	6.5E+01		4.4E-01
BENZO(k)FLUORANTHENE	3.6E-01	Drinking Water Toxicity	4.0E-01	3.6E-01		6.4E-01
BERYLLIUM	6.6E-01	Aquatic Habitat Goal	5.0E+04	4.0E+00		6.6E-01
BIPHENYL, 1,1-	5.0E-01	Gross Contamination	5.0E-01	3.9E+00	(Use soil gas)	6.5E+00
BIS(2-CHLOROETHYL)ETHER	1.4E-02	Drinking Water Toxicity	3.6E+02	1.4E-02	1.8E+02	2.4E+03
BIS(2-CHLORO-1-METHYLETHYL)ETHER	3.6E-01	Aquatic Habitat Goal	3.2E+02	3.6E-01	(Use soil gas)	3.6E-01
BIS(2-ETHYLHEXYL)PHTHALATE	3.0E+00	Aquatic Habitat Goal	1.4E+02	6.0E+00		3.0E+00
BORON	9.8E+02	Drinking Water Toxicity	5.0E+04	9.8E+02		1.0E+03
BROMODICHLOROMETHANE	1.3E-01	Drinking Water Toxicity	5.0E+04	1.3E-01	1.1E+02	3.4E+02
BROMOFORM	8.0E+01	Drinking Water Toxicity	5.1E+02	8.0E+01		2.3E+02
BROMOMETHANE	1.6E+01	Aquatic Habitat Goal	5.0E+04	1.9E+01	4.1E+02	1.6E+01
CADMIUM	3.0E+00	Aquatic Habitat Goal	5.0E+04	5.0E+00		3.0E+00
CARBON TETRACHLORIDE	5.0E+00	Drinking Water Toxicity	5.2E+02	5.0E+00	1.1E+02	9.8E+00
CHLORDANE (TECHNICAL)	4.0E-03	Aquatic Habitat Goal	2.5E+00	2.0E+00		4.0E-03
CHLOROANILINE, p-	3.7E-01	Drinking Water Toxicity	5.0E+04	3.7E-01		1.9E+01
CHLOROBENZENE	2.5E+01	Aquatic Habitat Goal	5.0E+01	1.0E+02	1.2E+04	2.5E+01
CHLOROETHANE	1.6E+01	Gross Contamination	1.6E+01	4.8E+04	2.4E+05	4.8E+04
CHLOROFORM	2.8E+01	Aquatic Habitat Goal	2.4E+03	7.0E+01	1.1E+02	2.8E+01
CHLOROMETHANE	1.1E+03	Aquatic Habitat Goal	5.0E+04	1.1E+03	5.2E+03	1.1E+03
CHLOROPHENOL, 2-	1.8E-01	Gross Contamination	1.8E-01	6.3E+01	8.8E+04	3.2E+01
CHROMIUM (Total)	1.1E+01	Aquatic Habitat Goal	5.0E+04	1.0E+02		1.1E+01
CHROMIUM III	2.0E+01	Aquatic Habitat Goal	5.0E+04	1.2E+04		2.0E+01
CHROMIUM VI	2.0E-01	Drinking Water Toxicity	5.0E+04	2.0E-01		1.1E+01
CHRYSENE	2.4E-01	Drinking Water Toxicity	1.0E+00	2.4E-01		2.0E+00
COBALT	2.4E+00	Drinking Water Toxicity	5.0E+04	2.4E+00		1.9E+01
COPPER	2.9E+00	Aquatic Habitat Goal	1.0E+03	1.3E+03		2.9E+00
CYANIDE (Free)	1.0E+00	Aquatic Habitat Goal	1.7E+02	2.0E+02	(Use soil gas)	1.0E+00
CYCLO-1,3,5-TRIMETHYLENE-2,4,6-TRINITRAMINE (RDX)	9.7E-01	Drinking Water Toxicity	3.0E+04	9.7E-01		7.9E+01
DALAPON	2.0E+02	Drinking Water Toxicity	5.0E+04	2.0E+02		3.0E+02

TABLE D-1a. GROUNDWATER ACTION LEVELS
(Groundwater IS a current or potential drinking water resource)
(Surface water body IS located within 150 meters of release site)
(ug/l)

CONTAMINANT	Final Groundwater Action Level	Basis	Gross Contamination (Taste & Odors, etc.)	Drinking Water Toxicity	Vapor Intrusion Into Buildings	Aquatic Habitat Impacts (chronic)
			Table G-1	Table D-3a	Table C-1a	Table D-4a
DIBENZO(a,h)ANTHTRACENE	4.8E-03	Drinking Water Toxicity	1.3E+00	4.8E-03		8.0E-01
DIBROMO,1,2- CHLOROPROPANE,3-	4.0E-02	Aquatic Habitat Goal	1.0E+01	4.0E-02	(Use soil gas)	4.0E-02
DIBROMOCHLOROMETHANE	8.7E-01	Drinking Water Toxicity	5.0E+04	8.7E-01	4.9E+04	3.4E+01
DIBROMOETHANE, 1,2-	4.0E-02	Drinking Water Toxicity	5.0E+04	4.0E-02	1.9E+01	1.4E+03
DICHLORO BENZENE, 1,2-	1.0E+01	Gross Contamination	1.0E+01	6.0E+02	8.3E+04	1.4E+01
DICHLORO BENZENE, 1,3-	5.0E+00	Gross Contamination	5.0E+00	3.0E+02	(Use soil gas)	2.2E+01
DICHLORO BENZENE, 1,4-	5.0E+00	Gross Contamination	5.0E+00	7.5E+01	4.5E+02	9.4E+00
DICHLORO BENZIDINE, 3,3-	1.3E-01	Drinking Water Toxicity	1.6E+03	1.3E-01		4.5E+00
DICHLORODIPHENYLDICHLOROETHANE (DDD)	1.1E-02	Aquatic Habitat Goal	4.5E+01	2.6E-02		1.1E-02
DICHLORODIPHENYLDICHLOROETHYLENE (DDE)	8.9E-03	Drinking Water Toxicity	2.0E+01	8.9E-03		4.1E-01
DICHLORODIPHENYLTRICHLOROETHANE (DDT)	1.0E-03	Aquatic Habitat Goal	2.8E+00	6.2E-03		1.0E-03
DICHLOROETHANE, 1,1-	2.8E+00	Drinking Water Toxicity	5.0E+04	2.8E+00	1.1E+03	4.7E+01
DICHLOROETHANE, 1,2-	5.0E+00	Drinking Water Toxicity	7.0E+03	5.0E+00	1.8E+02	9.1E+02
DICHLOROETHYLENE, 1,1-	7.0E+00	Drinking Water Toxicity	1.5E+03	7.0E+00	6.6E+03	2.5E+01
DICHLOROETHYLENE, Cis 1,2-	7.0E+01	Drinking Water Toxicity	5.0E+04	7.0E+01	6.4E+03	6.2E+02
DICHLOROETHYLENE, Trans 1,2-	1.0E+02	Drinking Water Toxicity	2.6E+02	1.0E+02	3.3E+03	5.6E+02
DICHLOROPHENOL, 2,4-	3.0E-01	Gross Contamination	3.0E-01	4.6E+01		1.1E+01
DICHLOROPHENOXYACETIC ACID (2,4-D)	7.0E+01	Aquatic Habitat Goal	5.0E+04	7.0E+01		7.0E+01
DICHLOROPROPANE, 1,2-	5.0E+00	Drinking Water Toxicity	1.0E+01	5.0E+00	9.1E+02	5.2E+02
DICHLOROPROPENE, 1,3-	6.0E-02	Aquatic Habitat Goal	5.0E+04	4.7E-01	6.7E+02	6.0E-02
DIELDRIN	1.9E-03	Aquatic Habitat Goal	4.1E+01	3.5E-03		1.9E-03
DIETHYLPHTHALATE	2.1E+02	Aquatic Habitat Goal	5.0E+04	1.5E+04		2.1E+02
DIMETHYLPHENOL, 2,4-	1.2E+02	Aquatic Habitat Goal	4.0E+02	3.6E+02		1.2E+02
DIMETHYLPHTHALATE	1.1E+03	Aquatic Habitat Goal	5.0E+04	1.9E+05		1.1E+03
DINITROBENZENE, 1,3-	2.0E+00	Drinking Water Toxicity	5.0E+04	2.0E+00		1.0E+01
DINITROPHENOL, 2,4-	1.4E+01	Aquatic Habitat Goal	5.0E+04	3.9E+01		1.4E+01
DINITROTOLUENE, 2,4- (2,4-DNT)	2.4E-01	Drinking Water Toxicity	5.0E+04	2.4E-01		9.1E+00
DINITROTOLUENE, 2,6- (2,6-DNT)	4.9E-02	Drinking Water Toxicity	5.0E+04	4.9E-02		8.1E+01
DIOXANE, 1,4-	4.6E-01	Drinking Water Toxicity	5.0E+04	4.6E-01	(Use soil gas)	3.4E+05
DIOXINS (TEQ)	3.1E-09	Aquatic Habitat Goal	1.0E-01	3.0E-05		3.1E-09
DIURON	3.6E+01	Drinking Water Toxicity	2.1E+04	3.6E+01		6.0E+01
ENDOSULFAN	8.7E-03	Aquatic Habitat Goal	1.6E+02	9.9E+01		8.7E-03
ENDRIN	2.3E-03	Aquatic Habitat Goal	4.1E+01	2.0E+00		2.3E-03
ETHANOL	0.0E+00	Aquatic Habitat Goal	5.0E+04			0.0E+00
ETHYLBENZENE	7.3E+00	Aquatic Habitat Goal	3.0E+01	7.0E+02	7.6E+04	7.3E+00
FLUORANTHENE	8.0E-01	Aquatic Habitat Goal	1.3E+02	1.1E+02		8.0E-01
FLUORENE	3.9E+00	Aquatic Habitat Goal	8.5E+02	2.5E+02	1.7E+03	3.9E+00
GLYPHOSATE	7.0E+02	Drinking Water Toxicity	5.0E+04	7.0E+02		1.8E+03
HEPTACHLOR	3.6E-03	Aquatic Habitat Goal	2.0E+01	4.0E-01		3.6E-03
HEPTACHLOR EPOXIDE	3.6E-03	Aquatic Habitat Goal	1.0E+02	2.0E-01		3.6E-03
HEXACHLORO BENZENE	3.0E-04	Aquatic Habitat Goal	3.1E+00	1.0E+00		3.0E-04
HEXACHLOROBUTADIENE	2.8E-01	Drinking Water Toxicity	6.0E+00	2.8E-01		3.0E-01
HEXACHLOROCYCLOHEXANE (gamma) LINDANE	6.3E-02	Aquatic Habitat Goal	3.7E+03	2.0E-01		6.3E-02
HEXACHLOROETHANE	9.2E-01	Drinking Water Toxicity	1.0E+01	9.2E-01		1.2E+01
HEXAZINONE	6.4E+02	Drinking Water Toxicity	5.0E+04	6.4E+02		1.7E+04
INDENO(1,2,3-cd)PYRENE	1.8E-02	Drinking Water Toxicity	9.5E-02	1.8E-02		2.8E-01

TABLE D-1a. GROUNDWATER ACTION LEVELS
(Groundwater IS a current or potential drinking water resource)
(Surface water body IS located within 150 meters of release site)
(ug/l)

CONTAMINANT	Final Groundwater Action Level	Basis	Gross Contamination (Taste & Odors, etc.)	Drinking Water Toxicity	Vapor Intrusion Into Buildings	Aquatic Habitat Impacts (chronic)
			Table G-1	Table D-3a	Table C-1a	Table D-4a
ISOPHORONE	7.8E+01	Drinking Water Toxicity	5.0E+04	7.8E+01		9.2E+02
LEAD	5.6E+00	Aquatic Habitat Goal	5.0E+04	1.5E+01		5.6E+00
MERCURY	2.5E-02	Aquatic Habitat Goal	5.0E+04	2.0E+00		2.5E-02
METHOXYCHLOR	3.0E-02	Aquatic Habitat Goal	5.0E+01	4.0E+01		3.0E-02
METHYL ETHYL KETONE	8.4E+03	Gross Contamination	8.4E+03	9.9E+03	2.2E+08	1.4E+04
METHYL ISOBUTYL KETONE	1.7E+02	Aquatic Habitat Goal	1.3E+03	3.6E+04	1.9E+07	1.7E+02
METHYL MERCURY	2.8E-03	Aquatic Habitat Goal	5.0E+04	2.0E+00		2.8E-03
METHYL TERT BUTYL ETHER	5.0E+00	Gross Contamination	5.0E+00	1.4E+01	3.1E+04	7.3E+02
METHYLENE CHLORIDE	5.0E+00	Drinking Water Toxicity	9.1E+03	5.0E+00	7.6E+04	1.5E+03
METHYLNAPHTHALENE, 1-	2.1E+00	Aquatic Habitat Goal	1.0E+01	1.1E+01	2.6E+04	2.1E+00
METHYLNAPHTHALENE, 2-	4.7E+00	Aquatic Habitat Goal	1.0E+01	3.0E+01	2.5E+04	4.7E+00
MOLYBDENUM	9.9E+01	Drinking Water Toxicity	5.0E+04	9.9E+01		3.7E+02
NAPHTHALENE	1.2E+01	Aquatic Habitat Goal	2.1E+01	1.7E+01	2.9E+04	1.2E+01
NICKEL	5.0E+00	Aquatic Habitat Goal	5.0E+04	3.8E+02		5.0E+00
NITROBENZENE	1.4E-01	Drinking Water Toxicity	5.0E+04	1.4E-01	(Use soil gas)	3.8E+02
NITROGLYCERIN	2.0E+00	Drinking Water Toxicity	5.0E+04	2.0E+00		1.8E+01
NITROTOLUENE, 2-	3.1E-01	Drinking Water Toxicity	5.0E+04	3.1E-01	(Use soil gas)	7.1E+01
NITROTOLUENE, 3-	1.7E+00	Drinking Water Toxicity	5.0E+04	1.7E+00		4.2E+01
NITROTOLUENE, 4-	4.3E+00	Drinking Water Toxicity	5.0E+04	4.3E+00		4.6E+01
PENTACHLOROPHENOL	1.0E+00	Drinking Water Toxicity	3.0E+01	1.0E+00		7.9E+00
PENTAERYTHRITOLTETRANITRATE (PETN)	1.7E+01	Drinking Water Toxicity	2.2E+04	1.7E+01		8.5E+05
PERCHLORATE	1.5E+01	Drinking Water Toxicity	5.0E+04	1.5E+01		6.0E+02
PHENANTHRENE	2.3E+00	Aquatic Habitat Goal	4.1E+02	2.5E+02	(Use soil gas)	2.3E+00
PHENOL	5.8E+01	Aquatic Habitat Goal	7.9E+03	5.8E+03		5.8E+01
POLYCHLORINATED BIPHENYLS (PCBs)	1.4E-02	Aquatic Habitat Goal	2.2E+01	5.0E-01		1.4E-02
PROPICONAZOLE	9.5E+01	Aquatic Habitat Goal	5.0E+04	1.6E+03		9.5E+01
PYRENE	4.6E+00	Aquatic Habitat Goal	6.8E+01	1.1E+02	1.4E+02	4.6E+00
SELENIUM	5.0E+00	Aquatic Habitat Goal	5.0E+04	5.0E+01		5.0E+00
SILVER	1.0E-01	Aquatic Habitat Goal	1.0E+02	1.0E+02		1.0E-01
SIMAZINE	4.0E+00	Drinking Water Toxicity	3.1E+03	4.0E+00		9.0E+00
STYRENE	1.0E+01	Gross Contamination	1.0E+01	1.0E+02	3.1E+05	3.2E+01
TERBACIL	2.5E+02	Aquatic Habitat Goal	5.0E+04	2.5E+02		2.5E+02
tert-BUTYL ALCOHOL	6.0E+01	Drinking Water Toxicity	5.0E+04	6.0E+01	(Use soil gas)	1.8E+04
TETRACHLOROETHANE, 1,1,1,2-	5.7E-01	Drinking Water Toxicity	5.0E+04	5.7E-01	(Use soil gas)	1.1E+01
TETRACHLOROETHANE, 1,1,2,2-	7.6E-02	Drinking Water Toxicity	5.0E+02	7.6E-02	2.4E+02	2.0E+02
TETRACHLOROETHYLENE	5.0E+00	Drinking Water Toxicity	1.7E+02	5.0E+00	1.9E+02	5.3E+01
TETRACHLOROPHENOL, 2,3,4,6-	1.2E+00	Aquatic Habitat Goal	1.2E+04	2.2E+02		1.2E+00
TETRANITRO-1,3,5,7-TETRAAZOCYCLOOCTANE (HMX)	2.2E+02	Aquatic Habitat Goal	2.5E+03	1.0E+03		2.2E+02
THALLIUM	2.0E+00	Drinking Water Toxicity	5.0E+04	2.0E+00		6.0E+00
TOLUENE	9.8E+00	Aquatic Habitat Goal	4.0E+01	1.0E+03	5.3E+05	9.8E+00
TOXAPHENE	2.0E-04	Aquatic Habitat Goal	1.4E+02	3.0E+00		2.0E-04
TPH (gasolines)	7.4E+01	Drinking Water Toxicity	5.0E+02	7.4E+01	(Use soil gas)	5.0E+02
TPH (middle distillates)	9.1E+01	Drinking Water Toxicity	5.0E+02	9.1E+01	(Use soil gas)	6.4E+02
TPH (residual fuels)	9.1E+01	Drinking Water Toxicity	5.0E+02	9.1E+01		6.4E+02
TRICHLOROETHANE, 1,1,2-	7.0E+01	Drinking Water Toxicity	3.0E+03	7.0E+01	1.3E+03	1.1E+02
TRICHLOROETHANE, 1,1,1-	1.1E+01	Aquatic Habitat Goal	9.7E+02	2.0E+02	3.4E+05	1.1E+01

TABLE D-1a. GROUNDWATER ACTION LEVELS
(Groundwater IS a current or potential drinking water resource)
(Surface water body IS located within 150 meters of release site)
(ug/l)

CONTAMINANT	¹ Final Groundwater Action Level	Basis	Gross Contamination (Taste & Odors, etc.)	Drinking Water Toxicity	Vapor Intrusion Into Buildings	Aquatic Habitat Impacts (chronic)
			Table G-1	Table D-3a	Table C-1a	Table D-4a
TRICHLOROETHANE, 1,1,2-	5.0E+00	Drinking Water Toxicity	5.0E+04	5.0E+00	1.1E+02	7.3E+02
TRICHLOROETHYLENE	5.0E+00	Drinking Water Toxicity	3.1E+02	5.0E+00	2.1E+02	4.7E+01
TRICHLOROPHENOL, 2,4,5-	1.9E+00	Aquatic Habitat Goal	2.0E+02	1.2E+03		1.9E+00
TRICHLOROPHENOL, 2,4,6-	4.1E+00	Drinking Water Toxicity	1.0E+02	4.1E+00		4.9E+00
TRICHLOROPHENOXYACETIC ACID, 2,4,5- (2,4,5-T)	1.6E+02	Drinking Water Toxicity	5.0E+04	1.6E+02		6.9E+02
TRICHLOROPHENOXYPROPIONIC ACID, 2,4,5- (2,4,5-TP)	3.0E+01	Aquatic Habitat Goal	3.6E+04	5.0E+01		3.0E+01
TRICHLOROPROPANE, 1,2,3-	6.0E-01	Drinking Water Toxicity	5.0E+04	6.0E-01	(Use soil gas)	1.4E+01
TRICHLOROPROPENE, 1,2,3-	3.3E+00	Aquatic Habitat Goal	5.0E+04	3.3E+00	(Use soil gas)	3.3E+00
TRIFLURALIN	1.1E+00	Aquatic Habitat Goal	9.0E+01	2.2E+00		1.1E+00
TRINITROBENZENE, 1,3,5-	1.0E+01	Aquatic Habitat Goal	5.0E+04	3.5E+02		1.0E+01
TRINITROPHENYLMETHYLNITRAMINE, 2,4,6- (TETRYL)	3.9E+01	Aquatic Habitat Goal	3.7E+04	3.9E+01		3.9E+01
TRINITROTOLUENE, 2,4,6- (TNT)	2.5E+00	Drinking Water Toxicity	5.0E+04	2.5E+00		1.3E+01
VANADIUM	2.7E+01	Aquatic Habitat Goal	5.0E+04	9.6E+01		2.7E+01
VINYL CHLORIDE	2.0E+00	Drinking Water Toxicity	3.4E+03	2.0E+00	1.8E+01	9.3E+02
XYLENES	1.3E+01	Aquatic Habitat Goal	2.0E+01	1.0E+04	1.1E+05	1.3E+01
ZINC	2.2E+01	Aquatic Habitat Goal	5.0E+03	6.0E+03		2.2E+01

Notes:

1. Lowest of action levels for gross contamination, drinking water toxicity, vapor intrusion and aquatic habitat impacts. Used to develop soil leaching action levels for protection of groundwater quality.

TPH -Total Petroleum Hydrocarbons. See text for discussion of different TPH categories.

Gross Contamination: Odor threshold, 1/2 solubility or 50000 ug/L maximum, whichever is lower. Intended to limit general groundwater resource degradation.

Drinking Water Toxicity: Based on primary maximum concentration levels (MCLs), or equivalent. Considered protective of human health.

Vapor Intrusion: Addresses potential emission of volatile chemicals from groundwater into buildings and subsequent impact on indoor air. Assumes moderately permeable, sandy soil or fill material immediately beneath building slab and unrestricted ("residential") land use (refer to Chapter 5).

Aquatic Habitat Impacts: Addresses potential discharge of groundwater to estuarine aquatic habitat and subsequent impact on aquatic life; dilution of groundwater upon discharge to surface water not considered, in order to take into account potential impacts to benthic organisms (see Chapter 5).

Review of aquatic ecotoxicity data for ethanol underway. Based on preliminary review of available data, chronic toxicity screening levels likely to be significantly greater than ceiling level of 50,000 ug/L (refer to USEPA 2003b, ECOTOX database).

Method reporting limits and background concentrations replace final screening level as appropriate.

TABLE D-1b. GROUNDWATER ACTION LEVELS
(Groundwater IS a current or potential drinking water resource)
(Surface water body IS NOT located within 150m of release site)
(ug/l)

CONTAMINANT	Final Groundwater Action Level	Basis	Gross Contamination (Taste & Odors, etc.)	Drinking Water Toxicity	Vapor Intrusion Into Buildings	Aquatic Habitat Impacts (acute)
			Table G-1	Table D-3a	Table C-1a	Table D-4a
ACENAPHTHENE	2.0E+01	Gross Contamination	2.0E+01	4.4E+02	3.9E+03	3.2E+02
ACENAPHTHYLENE	3.0E+02	Aquatic Habitat Goal	2.0E+03	3.0E+02	(Use soil gas)	3.0E+02
ACETONE	6.0E+03	Drinking Water Toxicity	2.0E+04	6.0E+03	6.6E+07	1.5E+04
ALDRIN	1.2E-03	Drinking Water Toxicity	8.5E+00	1.2E-03		1.3E+00
AMETRYN	1.5E+02	Drinking Water Toxicity	5.0E+04	1.5E+02		1.8E+03
AMINO,2- DINITROTOLUENE,4,6-	1.9E+00	Drinking Water Toxicity	5.0E+04	1.9E+00		1.6E+02
AMINO,4- DINITROTOLUENE,2,6-	1.9E+00	Drinking Water Toxicity	5.0E+04	1.9E+00		9.8E+01
ANTHRACENE	1.8E-01	Aquatic Habitat Goal	2.2E+01	1.6E+03	4.3E+01	1.8E-01
ANTIMONY	6.0E+00	Drinking Water Toxicity	5.0E+04	6.0E+00		1.8E+02
ARSENIC	1.0E+01	Drinking Water Toxicity	5.0E+04	1.0E+01		6.9E+01
ATRAZINE	3.0E+00	Drinking Water Toxicity	2.0E+01	3.0E+00		3.3E+02
BARIUM	2.0E+03	Aquatic Habitat Goal	5.0E+04	2.0E+03		2.0E+03
BENOMYL	2.8E+00	Aquatic Habitat Goal	1.9E+03	9.7E+02		2.8E+00
BENZENE	5.0E+00	Drinking Water Toxicity	1.7E+02	5.0E+00	2.3E+03	1.7E+03
BENZO(a)ANTHRACENE	5.2E-02	Drinking Water Toxicity	4.7E+00	5.2E-02		3.0E+02
BENZO(a)PYRENE	2.0E-01	Drinking Water Toxicity	8.0E-01	2.0E-01		3.0E+02
BENZO(b)FLUORANTHENE	5.8E-02	Drinking Water Toxicity	7.5E-01	5.8E-02		3.0E+02
BENZO(g,h,i)PERYLENE	1.3E-01	Gross Contamination	1.3E-01	6.5E+01		3.0E+02
BENZO(k)FLUORANTHENE	3.6E-01	Drinking Water Toxicity	4.0E-01	3.6E-01		3.0E+02
BERYLLIUM	4.0E+00	Drinking Water Toxicity	5.0E+04	4.0E+00		3.5E+01
BIPHENYL, 1,1-	5.0E-01	Gross Contamination	5.0E-01	3.9E+00	(Use soil gas)	2.6E+01
BIS(2-CHLOROETHYL)ETHER	1.4E-02	Drinking Water Toxicity	3.6E+02	1.4E-02	1.8E+02	2.4E+04
BIS(2-CHLORO-1-METHYLETHYL)ETHER	3.6E-01	Aquatic Habitat Goal	3.2E+02	3.6E-01	(Use soil gas)	3.6E-01
BIS(2-ETHYLHEXYL)PHTHALATE	6.0E+00	Drinking Water Toxicity	1.4E+02	6.0E+00		2.7E+01
BORON	9.8E+02	Drinking Water Toxicity	5.0E+04	9.8E+02		3.4E+04
BROMODICHLOROMETHANE	1.3E-01	Drinking Water Toxicity	5.0E+04	1.3E-01	1.1E+02	3.1E+03
BROMOFORM	8.0E+01	Drinking Water Toxicity	5.1E+02	8.0E+01		1.1E+03
BROMOMETHANE	1.9E+01	Drinking Water Toxicity	5.0E+04	1.9E+01	4.1E+02	3.8E+01
CADMIUM	3.0E+00	Aquatic Habitat Goal	5.0E+04	5.0E+00		3.0E+00
CARBON TETRACHLORIDE	5.0E+00	Drinking Water Toxicity	5.2E+02	5.0E+00	1.1E+02	1.2E+04
CHLORDANE (TECHNICAL)	9.0E-02	Aquatic Habitat Goal	2.5E+00	2.0E+00		9.0E-02
CHLOROANILINE, p-	3.7E-01	Drinking Water Toxicity	5.0E+04	3.7E-01		4.6E+02
CHLOROBENZENE	5.0E+01	Gross Contamination	5.0E+01	1.0E+02	1.2E+04	2.2E+02
CHLOROETHANE	1.6E+01	Gross Contamination	1.6E+01	4.8E+04	2.4E+05	4.8E+04
CHLOROFORM	7.0E+01	Drinking Water Toxicity	2.4E+03	7.0E+01	1.1E+02	4.9E+02
CHLOROMETHANE	1.1E+03	Aquatic Habitat Goal	5.0E+04	1.1E+03	5.2E+03	1.1E+03
CHLOROPHENOL, 2-	1.8E-01	Gross Contamination	1.8E-01	6.3E+01	8.8E+04	4.0E+02
CHROMIUM (Total)	1.6E+01	Aquatic Habitat Goal	5.0E+04	1.0E+02		1.6E+01
CHROMIUM III	5.7E+02	Aquatic Habitat Goal	5.0E+04	1.2E+04		5.7E+02
CHROMIUM VI	2.0E-01	Drinking Water Toxicity	5.0E+04	2.0E-01		1.6E+01
CHRYSENE	2.4E-01	Drinking Water Toxicity	1.0E+00	2.4E-01		3.0E+02
COBALT	2.4E+00	Drinking Water Toxicity	5.0E+04	2.4E+00		1.2E+02
COPPER	2.9E+00	Aquatic Habitat Goal	1.0E+03	1.3E+03		2.9E+00
CYANIDE (Free)	1.0E+00	Aquatic Habitat Goal	1.7E+02	2.0E+02	(Use soil gas)	1.0E+00
CYCLO-1,3,5-TRIMETHYLENE-2,4,6-TRINITRAMINE (RDX)	9.7E-01	Drinking Water Toxicity	3.0E+04	9.7E-01		5.2E+02
DALAPON	2.0E+02	Drinking Water Toxicity	5.0E+04	2.0E+02		3.0E+03

TABLE D-1b. GROUNDWATER ACTION LEVELS
(Groundwater IS a current or potential drinking water resource)
(Surface water body IS NOT located within 150m of release site)
(ug/l)

CONTAMINANT	Final Groundwater Action Level	Basis	Gross Contamination (Taste & Odors, etc.)	Drinking Water Toxicity	Vapor Intrusion Into Buildings	Aquatic Habitat Impacts (acute)
			Table G-1	Table D-3a	Table C-1a	Table D-4a
DIBENZO(a,h)ANTHTRACENE	4.8E-03	Drinking Water Toxicity	1.3E+00	4.8E-03		3.0E+02
DIBROMO,1,2- CHLOROPROPANE,3-	4.0E-02	Aquatic Habitat Goal	1.0E+01	4.0E-02	(Use soil gas)	4.0E-02
DIBROMOCHLOROMETHANE	8.7E-01	Drinking Water Toxicity	5.0E+04	8.7E-01	4.9E+04	2.9E+03
DIBROMOETHANE, 1,2-	4.0E-02	Drinking Water Toxicity	5.0E+04	4.0E-02	1.9E+01	1.4E+03
DICHLORO BENZENE, 1,2-	1.0E+01	Gross Contamination	1.0E+01	6.0E+02	8.3E+04	3.7E+02
DICHLORO BENZENE, 1,3-	5.0E+00	Gross Contamination	5.0E+00	3.0E+02	(Use soil gas)	3.7E+02
DICHLORO BENZENE, 1,4-	5.0E+00	Gross Contamination	5.0E+00	7.5E+01	4.5E+02	3.7E+02
DICHLORO BENZIDINE, 3,3-	1.3E-01	Drinking Water Toxicity	1.6E+03	1.3E-01		4.1E+01
DICHLORODIPHENYLDICHLOROETHANE (DDD)	2.6E-02	Drinking Water Toxicity	4.5E+01	2.6E-02		1.9E-01
DICHLORODIPHENYLDICHLOROETHYLENE (DDE)	8.9E-03	Drinking Water Toxicity	2.0E+01	8.9E-03		7.0E+00
DICHLORODIPHENYLTRICHLOROETHANE (DDT)	6.2E-03	Drinking Water Toxicity	2.8E+00	6.2E-03		1.3E-02
DICHLOROETHANE, 1,1-	2.8E+00	Drinking Water Toxicity	5.0E+04	2.8E+00	1.1E+03	8.3E+02
DICHLOROETHANE, 1,2-	5.0E+00	Drinking Water Toxicity	7.0E+03	5.0E+00	1.8E+02	3.8E+04
DICHLOROETHYLENE, 1,1-	7.0E+00	Drinking Water Toxicity	1.5E+03	7.0E+00	6.6E+03	3.9E+03
DICHLOROETHYLENE, Cis 1,2-	7.0E+01	Drinking Water Toxicity	5.0E+04	7.0E+01	6.4E+03	5.5E+03
DICHLOROETHYLENE, Trans 1,2-	1.0E+02	Drinking Water Toxicity	2.6E+02	1.0E+02	3.3E+03	1.0E+04
DICHLOROPHENOL, 2,4-	3.0E-01	Gross Contamination	3.0E-01	4.6E+01		6.7E+02
DICHLOROPHENOXYACETIC ACID (2,4-D)	7.0E+01	Drinking Water Toxicity	5.0E+04	7.0E+01		1.3E+02
DICHLOROPROPANE, 1,2-	5.0E+00	Drinking Water Toxicity	1.0E+01	5.0E+00	9.1E+02	3.4E+03
DICHLOROPROPENE, 1,3-	4.7E-01	Drinking Water Toxicity	5.0E+04	4.7E-01	6.7E+02	2.6E+02
DIELDRIN	3.5E-03	Drinking Water Toxicity	4.1E+01	3.5E-03		7.1E-01
DIETHYLPHTHALATE	9.8E+02	Aquatic Habitat Goal	5.0E+04	1.5E+04		9.8E+02
DIMETHYLPHENOL, 2,4-	3.6E+02	Drinking Water Toxicity	4.0E+02	3.6E+02		7.0E+02
DIMETHYLPHTHALATE	3.2E+03	Aquatic Habitat Goal	5.0E+04	1.9E+05		3.2E+03
DINITROBENZENE, 1,3-	2.0E+00	Drinking Water Toxicity	5.0E+04	2.0E+00		1.0E+02
DINITROPHENOL, 2,4-	3.9E+01	Drinking Water Toxicity	5.0E+04	3.9E+01		3.8E+02
DINITROTOLUENE, 2,4- (2,4-DNT)	2.4E-01	Drinking Water Toxicity	5.0E+04	2.4E-01		1.1E+02
DINITROTOLUENE, 2,6- (2,6-DNT)	4.9E-02	Drinking Water Toxicity	5.0E+04	4.9E-02		1.1E+02
DIOXANE, 1,4-	4.6E-01	Drinking Water Toxicity	5.0E+04	4.6E-01	(Use soil gas)	3.4E+06
DIOXINS (TEQ)	3.0E-05	Drinking Water Toxicity	1.0E-01	3.0E-05		3.0E-03
DIURON	3.6E+01	Drinking Water Toxicity	2.1E+04	3.6E+01		2.0E+02
ENDOSULFAN	3.4E-02	Aquatic Habitat Goal	1.6E+02	9.9E+01		3.4E-02
ENDRIN	3.7E-02	Aquatic Habitat Goal	4.1E+01	2.0E+00		3.7E-02
ETHANOL	0.0E+00	Aquatic Habitat Goal	5.0E+04			0.0E+00
ETHYLBENZENE	3.0E+01	Gross Contamination	3.0E+01	7.0E+02	7.6E+04	1.4E+02
FLUORANTHENE	1.3E+01	Aquatic Habitat Goal	1.3E+02	1.1E+02		1.3E+01
FLUORENE	2.5E+02	Drinking Water Toxicity	8.5E+02	2.5E+02	1.7E+03	3.0E+02
GLYPHOSATE	7.0E+02	Drinking Water Toxicity	5.0E+04	7.0E+02		2.2E+04
HEPTACHLOR	5.3E-02	Aquatic Habitat Goal	2.0E+01	4.0E-01		5.3E-02
HEPTACHLOR EPOXIDE	5.3E-02	Aquatic Habitat Goal	1.0E+02	2.0E-01		5.3E-02
HEXACHLORO BENZENE	3.0E-04	Aquatic Habitat Goal	3.1E+00	1.0E+00		3.0E-04
HEXACHLOROBUTADIENE	2.8E-01	Drinking Water Toxicity	6.0E+00	2.8E-01		1.1E+01
HEXACHLORO CYCLOHEXANE (gamma) LINDANE	1.6E-01	Aquatic Habitat Goal	3.7E+03	2.0E-01		1.6E-01
HEXACHLOROETHANE	9.2E-01	Drinking Water Toxicity	1.0E+01	9.2E-01		3.1E+02
HEXAZINONE	6.4E+02	Drinking Water Toxicity	5.0E+04	6.4E+02		1.4E+05
INDENO(1,2,3-cd)PYRENE	1.8E-02	Drinking Water Toxicity	9.5E-02	1.8E-02		3.0E+02

TABLE D-1b. GROUNDWATER ACTION LEVELS
(Groundwater IS a current or potential drinking water resource)
(Surface water body IS NOT located within 150m of release site)
(ug/l)

CONTAMINANT	Final Groundwater Action Level	Basis	Gross Contamination (Taste & Odors, etc.)	Drinking Water Toxicity	Vapor Intrusion Into Buildings	Aquatic Habitat Impacts (acute)
			Table G-1	Table D-3a	Table C-1a	Table D-4a
ISOPHORONE	7.8E+01	Drinking Water Toxicity	5.0E+04	7.8E+01		4.3E+03
LEAD	1.5E+01	Drinking Water Toxicity	5.0E+04	1.5E+01		2.9E+01
MERCURY	2.0E+00	Drinking Water Toxicity	5.0E+04	2.0E+00		2.1E+00
METHOXYCHLOR	7.0E-01	Aquatic Habitat Goal	5.0E+01	4.0E+01		7.0E-01
METHYL ETHYL KETONE	8.4E+03	Gross Contamination	8.4E+03	9.9E+03	2.2E+08	2.0E+05
METHYL ISOBUTYL KETONE	1.3E+03	Gross Contamination	1.3E+03	3.6E+04	1.9E+07	2.2E+03
METHYL MERCURY	9.9E-02	Aquatic Habitat Goal	5.0E+04	2.0E+00		9.9E-02
METHYL TERT BUTYL ETHER	5.0E+00	Gross Contamination	5.0E+00	1.4E+01	3.1E+04	6.5E+03
METHYLENE CHLORIDE	5.0E+00	Drinking Water Toxicity	9.1E+03	5.0E+00	7.6E+04	8.5E+03
METHYLNAPHTHALENE, 1-	1.0E+01	Gross Contamination	1.0E+01	1.1E+01	2.6E+04	3.7E+01
METHYLNAPHTHALENE, 2-	1.0E+01	Gross Contamination	1.0E+01	3.0E+01	2.5E+04	4.2E+01
MOLYBDENUM	9.9E+01	Drinking Water Toxicity	5.0E+04	9.9E+01		7.2E+03
NAPHTHALENE	1.7E+01	Drinking Water Toxicity	2.1E+01	1.7E+01	2.9E+04	7.7E+02
NICKEL	5.0E+00	Aquatic Habitat Goal	5.0E+04	3.8E+02		5.0E+00
NITROBENZENE	1.4E-01	Drinking Water Toxicity	5.0E+04	1.4E-01	(Use soil gas)	2.0E+03
NITROGLYCERIN	2.0E+00	Drinking Water Toxicity	5.0E+04	2.0E+00		1.6E+02
NITROTOLUENE, 2-	3.1E-01	Drinking Water Toxicity	5.0E+04	3.1E-01	(Use soil gas)	6.4E+02
NITROTOLUENE, 3-	1.7E+00	Drinking Water Toxicity	5.0E+04	1.7E+00		3.8E+02
NITROTOLUENE, 4-	4.3E+00	Drinking Water Toxicity	5.0E+04	4.3E+00		4.1E+02
PENTACHLOROPHENOL	1.0E+00	Drinking Water Toxicity	3.0E+01	1.0E+00		1.3E+01
PENTAERYTHRITOLTETRANITRATE (PETN)	1.7E+01	Drinking Water Toxicity	2.2E+04	1.7E+01		8.5E+05
PERCHLORATE	1.5E+01	Drinking Water Toxicity	5.0E+04	1.5E+01		5.0E+03
PHENANTHRENE	2.5E+02	Drinking Water Toxicity	4.1E+02	2.5E+02	(Use soil gas)	3.0E+02
PHENOL	3.0E+02	Aquatic Habitat Goal	7.9E+03	5.8E+03		3.0E+02
POLYCHLORINATED BIPHENYLS (PCBs)	5.0E-01	Drinking Water Toxicity	2.2E+01	5.0E-01		2.0E+00
PROPICONAZOLE	4.3E+02	Aquatic Habitat Goal	5.0E+04	1.6E+03		4.3E+02
PYRENE	6.8E+01	Gross Contamination	6.8E+01	1.1E+02	1.4E+02	3.0E+02
SELENIUM	2.0E+01	Aquatic Habitat Goal	5.0E+04	5.0E+01		2.0E+01
SILVER	1.0E+00	Aquatic Habitat Goal	1.0E+02	1.0E+02		1.0E+00
SIMAZINE	4.0E+00	Drinking Water Toxicity	3.1E+03	4.0E+00		8.0E+01
STYRENE	1.0E+01	Gross Contamination	1.0E+01	1.0E+02	3.1E+05	2.9E+02
TERBACIL	2.5E+02	Aquatic Habitat Goal	5.0E+04	2.5E+02		2.5E+02
tert-BUTYL ALCOHOL	6.0E+01	Drinking Water Toxicity	5.0E+04	6.0E+01	(Use soil gas)	1.8E+05
TETRACHLOROETHANE, 1,1,1,2-	5.7E-01	Drinking Water Toxicity	5.0E+04	5.7E-01	(Use soil gas)	7.7E+02
TETRACHLOROETHANE, 1,1,2,2-	7.6E-02	Drinking Water Toxicity	5.0E+02	7.6E-02	2.4E+02	9.1E+02
TETRACHLOROETHYLENE	5.0E+00	Drinking Water Toxicity	1.7E+02	5.0E+00	1.9E+02	1.8E+03
TETRACHLOROPHENOL, 2,3,4,6-	1.1E+01	Aquatic Habitat Goal	1.2E+04	2.2E+02		1.1E+01
TETRANITRO-1,3,5,7-TETRAAZOCYCLOOCTANE (HMX)	1.0E+03	Drinking Water Toxicity	2.5E+03	1.0E+03		1.2E+03
THALLIUM	2.0E+00	Drinking Water Toxicity	5.0E+04	2.0E+00		4.7E+02
TOLUENE	4.0E+01	Gross Contamination	4.0E+01	1.0E+03	5.3E+05	2.1E+03
TOXAPHENE	2.1E-01	Aquatic Habitat Goal	1.4E+02	3.0E+00		2.1E-01
TPH (gasolines)	7.4E+01	Drinking Water Toxicity	5.0E+02	7.4E+01	(Use soil gas)	5.0E+03
TPH (middle distillates)	9.1E+01	Drinking Water Toxicity	5.0E+02	9.1E+01	(Use soil gas)	2.5E+03
TPH (residual fuels)	9.1E+01	Drinking Water Toxicity	5.0E+02	9.1E+01		2.5E+03
TRICHLOROBENZENE, 1,2,4-	7.0E+01	Drinking Water Toxicity	3.0E+03	7.0E+01	1.3E+03	4.2E+02
TRICHLOROETHANE, 1,1,1-	2.0E+02	Drinking Water Toxicity	9.7E+02	2.0E+02	3.4E+05	6.0E+03

TABLE D-1b. GROUNDWATER ACTION LEVELS
(Groundwater IS a current or potential drinking water resource)
(Surface water body IS NOT located within 150m of release site)
(ug/l)

CONTAMINANT	Final Groundwater Action Level	Basis	Gross Contamination (Taste & Odors, etc.)	Drinking Water Toxicity	Vapor Intrusion Into Buildings	Aquatic Habitat Impacts (acute)
			Table G-1	Table D-3a	Table C-1a	Table D-4a
TRICHLOROETHANE, 1,1,2-	5.0E+00	Drinking Water Toxicity	5.0E+04	5.0E+00	1.1E+02	5.2E+03
TRICHLOROETHYLENE	5.0E+00	Drinking Water Toxicity	3.1E+02	5.0E+00	2.1E+02	7.0E+02
TRICHLOROPHENOL, 2,4,5-	1.7E+01	Aquatic Habitat Goal	2.0E+02	1.2E+03		1.7E+01
TRICHLOROPHENOL, 2,4,6-	4.1E+00	Drinking Water Toxicity	1.0E+02	4.1E+00		3.9E+01
TRICHLOROPHOXYACETIC ACID, 2,4,5- (2,4,5-T)	1.6E+02	Drinking Water Toxicity	5.0E+04	1.6E+02		6.9E+02
TRICHLOROPHOXYPROPIONIC ACID, 2,4,5- (2,4,5-TP)	5.0E+01	Drinking Water Toxicity	3.6E+04	5.0E+01		2.7E+02
TRICHLOROPROPANE, 1,2,3-	6.0E-01	Drinking Water Toxicity	5.0E+04	6.0E-01	(Use soil gas)	1.4E+02
TRICHLOROPROPENE, 1,2,3-	3.3E+00	Aquatic Habitat Goal	5.0E+04	3.3E+00	(Use soil gas)	3.3E+00
TRIFLURALIN	2.2E+00	Drinking Water Toxicity	9.0E+01	2.2E+00		2.1E+01
TRINITROBENZENE, 1,3,5-	2.7E+01	Aquatic Habitat Goal	5.0E+04	3.5E+02		2.7E+01
TRINITROPHENYLMETHYLNITRAMINE, 2,4,6- (TETRYL)	3.9E+01	Aquatic Habitat Goal	3.7E+04	3.9E+01		3.9E+01
TRINITROTOLUENE, 2,4,6- (TNT)	2.5E+00	Drinking Water Toxicity	5.0E+04	2.5E+00		2.1E+02
VANADIUM	9.0E+01	Aquatic Habitat Goal	5.0E+04	9.6E+01		9.0E+01
VINYL CHLORIDE	2.0E+00	Drinking Water Toxicity	3.4E+03	2.0E+00	1.8E+01	8.4E+03
XYLENES	2.0E+01	Gross Contamination	2.0E+01	1.0E+04	1.1E+05	2.3E+02
ZINC	2.2E+01	Aquatic Habitat Goal	5.0E+03	6.0E+03		2.2E+01

Notes:

1. Lowest of action levels for gross contamination, drinking water toxicity, vapor intrusion and aquatic habitat impacts. Used to develop soil leaching action levels for protection of groundwater quality.

TPH -Total Petroleum Hydrocarbons. See text for discussion of different TPH categories.

Gross Contamination: Odor threshold, 1/2 solubility or 50000 ug/L maximum, whichever is lower. Intended to limit general groundwater resource degradation.

Drinking Water Toxicity: Based on primary maximum concentration levels (MCLs), or equivalent. Considered protective of human health.

Vapor Intrusion: Addresses potential emission of volatile chemicals from groundwater into buildings and subsequent impact on indoor air. Assumes moderately permeable, sandy soil or fill material immediately beneath building slab and unrestricted ("residential") land use (refer to Chapter 5).

Aquatic Habitat Impacts: Addresses potential discharge of groundwater to estuarine aquatic habitat and subsequent impact on aquatic life; dilution of groundwater upon discharge to surface water not considered, in order to take into account potential impacts to benthic organisms (see Chapter 5).

Review of aquatic ecotoxicity data for ethanol underway. Based on preliminary review of available data, chronic toxicity screening levels likely to be significantly greater than ceiling level of 50,000 ug/L (refer to USEPA 2003b, ECOTOX database).

Method reporting limits and background concentrations replace final screening level as appropriate.

TABLE D-1c. GROUNDWATER ACTION LEVELS
(Groundwater IS NOT a current or potential drinking water resource)
(Surface water body IS located within 150m of release site)
(ug/l)

CONTAMINANT	Final Groundwater Action Level	Basis	Gross Contamination (Odors, etc.)	Vapor Intrusion Into Buildings	Aquatic Habitat Impacts (chronic)
			Table G-2	Table C-1a	Table D-4a
ACENAPHTHENE	1.5E+01	Aquatic Habitat Goal	2.0E+02	3.9E+03	1.5E+01
ACENAPHTHYLENE	1.3E+01	Aquatic Habitat Goal	2.0E+03	(Use soil gas)	1.3E+01
ACETONE	1.5E+03	Aquatic Habitat Goal	5.0E+04	6.6E+07	1.5E+03
ALDRIN	1.4E-04	Aquatic Habitat Goal	8.5E+00		1.4E-04
AMETRYN	7.0E+02	Aquatic Habitat Goal	5.0E+04		7.0E+02
AMINO-2- DINITROTOLUENE,4,6-	1.8E+01	Aquatic Habitat Goal	5.0E+04		1.8E+01
AMINO-4- DINITROTOLUENE,2,6-	1.1E+01	Aquatic Habitat Goal	5.0E+04		1.1E+01
ANTHRACENE	2.0E-02	Aquatic Habitat Goal	2.2E+01	4.3E+01	2.0E-02
ANTIMONY	3.0E+01	Aquatic Habitat Goal	5.0E+04		3.0E+01
ARSENIC	3.6E+01	Aquatic Habitat Goal	5.0E+04		3.6E+01
ATRAZINE	1.2E+01	Aquatic Habitat Goal	1.8E+04		1.2E+01
BARIUM	2.2E+02	Aquatic Habitat Goal	5.0E+04		2.2E+02
BENOMYL	1.4E-01	Aquatic Habitat Goal	1.9E+03		1.4E-01
BENZENE	7.1E+01	Aquatic Habitat Goal	2.0E+04	2.3E+03	7.1E+01
BENZO(a)ANTHRACENE	2.7E-02	Aquatic Habitat Goal	4.7E+00		2.7E-02
BENZO(a)PYRENE	6.0E-02	Aquatic Habitat Goal	8.0E-01		6.0E-02
BENZO(b)FLUORANTHENE	6.8E-01	Aquatic Habitat Goal	7.5E-01		6.8E-01
BENZO(g,h,i)PERYLENE	1.3E-01	Gross Contamination	1.3E-01		4.4E-01
BENZO(k)FLUORANTHENE	4.0E-01	Gross Contamination	4.0E-01		6.4E-01
BERYLLIUM	6.6E-01	Aquatic Habitat Goal	5.0E+04		6.6E-01
BIPHENYL, 1,1-	5.0E+00	Gross Contamination	5.0E+00	(Use soil gas)	6.5E+00
BIS(2-CHLOROETHYL)ETHER	1.8E+02	Vapor Intrusion	3.6E+03	1.8E+02	2.4E+03
BIS(2-CHLORO-1-METHYLETHYL)ETHER	3.6E-01	Aquatic Habitat Goal	3.2E+03	(Use soil gas)	3.6E-01
BIS(2-ETHYLHEXYL)PHTHALATE	3.0E+00	Aquatic Habitat Goal	1.4E+02		3.0E+00
BORON	1.0E+03	Aquatic Habitat Goal	5.0E+04		1.0E+03
BROMODICHLOROMETHANE	1.1E+02	Vapor Intrusion	5.0E+04	1.1E+02	3.4E+02
BROMOFORM	2.3E+02	Aquatic Habitat Goal	5.1E+03		2.3E+02
BROMOMETHANE	1.6E+01	Aquatic Habitat Goal	5.0E+04	4.1E+02	1.6E+01
CADMIUM	3.0E+00	Aquatic Habitat Goal	5.0E+04		3.0E+00
CARBON TETRACHLORIDE	9.8E+00	Aquatic Habitat Goal	5.2E+03	1.1E+02	9.8E+00
CHLORDANE (TECHNICAL)	4.0E-03	Aquatic Habitat Goal	2.5E+01		4.0E-03
CHLOROANILINE, p-	1.9E+01	Aquatic Habitat Goal	5.0E+04		1.9E+01
CHLOROBENZENE	2.5E+01	Aquatic Habitat Goal	5.0E+02	1.2E+04	2.5E+01
CHLOROETHANE	1.6E+02	Gross Contamination	1.6E+02	2.4E+05	4.8E+04
CHLOROFORM	2.8E+01	Aquatic Habitat Goal	2.4E+04	1.1E+02	2.8E+01
CHLOROMETHANE	1.1E+03	Aquatic Habitat Goal	5.0E+04	5.2E+03	1.1E+03
CHLOROPHENOL, 2-	1.8E+00	Gross Contamination	1.8E+00	8.8E+04	3.2E+01
CHROMIUM (Total)	1.1E+01	Aquatic Habitat Goal	5.0E+04		1.1E+01
CHROMIUM III	2.0E+01	Aquatic Habitat Goal	5.0E+04		2.0E+01
CHROMIUM VI	1.1E+01	Aquatic Habitat Goal	5.0E+04		1.1E+01
CHRYSENE	1.0E+00	Gross Contamination	1.0E+00		2.0E+00
COBALT	1.9E+01	Aquatic Habitat Goal	5.0E+04		1.9E+01
COPPER	2.9E+00	Aquatic Habitat Goal	5.0E+04		2.9E+00
CYANIDE (Free)	1.0E+00	Aquatic Habitat Goal	1.7E+03	(Use soil gas)	1.0E+00
CYCLO-1,3,5-TRIMETHYLENE-2,4,6-TRINITRAMINE (RDX)	7.9E+01	Aquatic Habitat Goal	3.0E+04		7.9E+01
DALAPON	3.0E+02	Aquatic Habitat Goal	5.0E+04		3.0E+02

TABLE D-1c. GROUNDWATER ACTION LEVELS
(Groundwater IS NOT a current or potential drinking water resource)
(Surface water body IS located within 150m of release site)
(ug/l)

CONTAMINANT	Final Groundwater Action Level	Basis	Gross Contamination (Odors, etc.)	Vapor Intrusion Into Buildings	Aquatic Habitat Impacts (chronic)
			Table G-2	Table C-1a	Table D-4a
DIBENZO(a,h)ANTHTRACENE	8.0E-01	Aquatic Habitat Goal	1.3E+00		8.0E-01
DIBROMO,1,2- CHLOROPROPANE,3-	4.0E-02	Aquatic Habitat Goal	1.0E+02	(Use soil gas)	4.0E-02
DIBROMOCHLOROMETHANE	3.4E+01	Aquatic Habitat Goal	5.0E+04	4.9E+04	3.4E+01
DIBROMOETHANE, 1,2-	1.9E+01	Vapor Intrusion	5.0E+04	1.9E+01	1.4E+03
DICHLOROBENZENE, 1,2-	1.4E+01	Aquatic Habitat Goal	1.0E+02	8.3E+04	1.4E+01
DICHLOROBENZENE, 1,3-	2.2E+01	Aquatic Habitat Goal	5.0E+04	(Use soil gas)	2.2E+01
DICHLOROBENZENE, 1,4-	9.4E+00	Aquatic Habitat Goal	1.1E+02	4.5E+02	9.4E+00
DICHLOROBENZIDINE, 3,3-	4.5E+00	Aquatic Habitat Goal	1.6E+03		4.5E+00
DICHLORODIPHENYLDICHLOROETHANE (DDD)	1.1E-02	Aquatic Habitat Goal	4.5E+01		1.1E-02
DICHLORODIPHENYLDICHLOROETHYLENE (DDE)	4.1E-01	Aquatic Habitat Goal	2.0E+01		4.1E-01
DICHLORODIPHENYLTRICHLOROETHANE (DDT)	1.0E-03	Aquatic Habitat Goal	2.8E+00		1.0E-03
DICHLOROETHANE, 1,1-	4.7E+01	Aquatic Habitat Goal	5.0E+04	1.1E+03	4.7E+01
DICHLOROETHANE, 1,2-	1.8E+02	Vapor Intrusion	5.0E+04	1.8E+02	9.1E+02
DICHLOROETHYLENE, 1,1-	2.5E+01	Aquatic Habitat Goal	1.5E+04	6.6E+03	2.5E+01
DICHLOROETHYLENE, Cis 1,2-	6.2E+02	Aquatic Habitat Goal	5.0E+04	6.4E+03	6.2E+02
DICHLOROETHYLENE, Trans 1,2-	5.6E+02	Aquatic Habitat Goal	2.6E+03	3.3E+03	5.6E+02
DICHLOROPHENOL, 2,4-	3.0E+00	Gross Contamination	3.0E+00		1.1E+01
DICHLOROPHENOXYACETIC ACID (2,4-D)	7.0E+01	Aquatic Habitat Goal	5.0E+04		7.0E+01
DICHLOROPROPANE, 1,2-	1.0E+02	Gross Contamination	1.0E+02	9.1E+02	5.2E+02
DICHLOROPROPENE, 1,3-	6.0E-02	Aquatic Habitat Goal	5.0E+04	6.7E+02	6.0E-02
DIELDRIN	1.9E-03	Aquatic Habitat Goal	9.8E+01		1.9E-03
DIETHYLPHTHALATE	2.1E+02	Aquatic Habitat Goal	5.0E+04		2.1E+02
DIMETHYLPHENOL, 2,4-	1.2E+02	Aquatic Habitat Goal	4.0E+03		1.2E+02
DIMETHYLPHTHALATE	1.1E+03	Aquatic Habitat Goal	5.0E+04		1.1E+03
DINITROBENZENE, 1,3-	1.0E+01	Aquatic Habitat Goal	5.0E+04		1.0E+01
DINITROPHENOL, 2,4-	1.4E+01	Aquatic Habitat Goal	5.0E+04		1.4E+01
DINITROTOLUENE, 2,4- (2,4-DNT)	9.1E+00	Aquatic Habitat Goal	5.0E+04		9.1E+00
DINITROTOLUENE, 2,6- (2,6-DNT)	8.1E+01	Aquatic Habitat Goal	5.0E+04		8.1E+01
DIOXANE, 1,4-	5.0E+04	Gross Contamination	5.0E+04	(Use soil gas)	3.4E+05
DIOXINS (TEQ)	3.1E-09	Aquatic Habitat Goal	1.0E-01		3.1E-09
DIURON	6.0E+01	Aquatic Habitat Goal	2.1E+04		6.0E+01
ENDOSULFAN	8.7E-03	Aquatic Habitat Goal	1.6E+02		8.7E-03
ENDRIN	2.3E-03	Aquatic Habitat Goal	1.3E+02		2.3E-03
ETHANOL	0.0E+00	Aquatic Habitat Goal	5.0E+04		0.0E+00
ETHYLBENZENE	7.3E+00	Aquatic Habitat Goal	3.0E+02	7.6E+04	7.3E+00
FLUORANTHENE	8.0E-01	Aquatic Habitat Goal	1.3E+02		8.0E-01
FLUORENE	3.9E+00	Aquatic Habitat Goal	8.5E+02	1.7E+03	3.9E+00
GLYPHOSATE	1.8E+03	Aquatic Habitat Goal	5.0E+04		1.8E+03
HEPTACHLOR	3.6E-03	Aquatic Habitat Goal	9.0E+01		3.6E-03
HEPTACHLOR EPOXIDE	3.6E-03	Aquatic Habitat Goal	1.0E+02		3.6E-03
HEXACHLOROBENZENE	3.0E-04	Aquatic Habitat Goal	3.1E+00		3.0E-04
HEXACHLOROBUTADIENE	3.0E-01	Aquatic Habitat Goal	6.0E+01		3.0E-01
HEXACHLOROCYCLOHEXANE (gamma) LINDANE	6.3E-02	Aquatic Habitat Goal	3.7E+03		6.3E-02
HEXACHLOROETHANE	1.2E+01	Aquatic Habitat Goal	1.0E+02		1.2E+01
HEXAZINONE	1.7E+04	Aquatic Habitat Goal	5.0E+04		1.7E+04

TABLE D-1c. GROUNDWATER ACTION LEVELS
(Groundwater IS NOT a current or potential drinking water resource)
(Surface water body IS located within 150m of release site)
(ug/l)

CONTAMINANT	Final Groundwater Action Level	Basis	Gross Contamination (Odors, etc.)	Vapor Intrusion Into Buildings	Aquatic Habitat Impacts (chronic)
			Table G-2	Table C-1a	Table D-4a
INDENO(1,2,3-cd)PYRENE	9.5E-02	Gross Contamination	9.5E-02		2.8E-01
ISOPHORONE	9.2E+02	Aquatic Habitat Goal	5.0E+04		9.2E+02
LEAD	5.6E+00	Aquatic Habitat Goal	5.0E+04		5.6E+00
MERCURY	2.5E-02	Aquatic Habitat Goal	5.0E+04		2.5E-02
METHOXYCHLOR	3.0E-02	Aquatic Habitat Goal	5.0E+01		3.0E-02
METHYL ETHYL KETONE	1.4E+04	Aquatic Habitat Goal	5.0E+04	2.2E+08	1.4E+04
METHYL ISOBUTYL KETONE	1.7E+02	Aquatic Habitat Goal	1.3E+04	1.9E+07	1.7E+02
METHYL MERCURY	2.8E-03	Aquatic Habitat Goal	5.0E+04		2.8E-03
METHYL TERT BUTYL ETHER	7.3E+02	Aquatic Habitat Goal	1.8E+03	3.1E+04	7.3E+02
METHYLENE CHLORIDE	1.5E+03	Aquatic Habitat Goal	5.0E+04	7.6E+04	1.5E+03
METHYLNAPHTHALENE, 1-	2.1E+00	Aquatic Habitat Goal	1.0E+02	2.6E+04	2.1E+00
METHYLNAPHTHALENE, 2-	4.7E+00	Aquatic Habitat Goal	1.0E+02	2.5E+04	4.7E+00
MOLYBDENUM	3.7E+02	Aquatic Habitat Goal	5.0E+04		3.7E+02
NAPHTHALENE	1.2E+01	Aquatic Habitat Goal	2.1E+02	2.9E+04	1.2E+01
NICKEL	5.0E+00	Aquatic Habitat Goal	5.0E+04		5.0E+00
NITROBENZENE	3.8E+02	Aquatic Habitat Goal	5.0E+04	(Use soil gas)	3.8E+02
NITROGLYCERIN	1.8E+01	Aquatic Habitat Goal	5.0E+04		1.8E+01
NITROTOLUENE, 2-	7.1E+01	Aquatic Habitat Goal	5.0E+04	(Use soil gas)	7.1E+01
NITROTOLUENE, 3-	4.2E+01	Aquatic Habitat Goal	5.0E+04		4.2E+01
NITROTOLUENE, 4-	4.6E+01	Aquatic Habitat Goal	5.0E+04		4.6E+01
PENTACHLOROPHENOL	7.9E+00	Aquatic Habitat Goal	5.9E+03		7.9E+00
PENTAERYTHRITOLTETRANITRATE (PETN)	2.2E+04	Gross Contamination	2.2E+04		8.5E+05
PERCHLORATE	6.0E+02	Aquatic Habitat Goal	5.0E+04		6.0E+02
PHENANTHRENE	2.3E+00	Aquatic Habitat Goal	4.1E+02	(Use soil gas)	2.3E+00
PHENOL	5.8E+01	Aquatic Habitat Goal	5.0E+04		5.8E+01
POLYCHLORINATED BIPHENYLS (PCBs)	1.4E-02	Aquatic Habitat Goal	2.2E+01		1.4E-02
PROPICONAZOLE	9.5E+01	Aquatic Habitat Goal	5.0E+04		9.5E+01
PYRENE	4.6E+00	Aquatic Habitat Goal	6.8E+01	1.4E+02	4.6E+00
SELENIUM	5.0E+00	Aquatic Habitat Goal	5.0E+04		5.0E+00
SILVER	1.0E-01	Aquatic Habitat Goal	5.0E+04		1.0E-01
SIMAZINE	9.0E+00	Aquatic Habitat Goal	3.1E+03		9.0E+00
STYRENE	3.2E+01	Aquatic Habitat Goal	1.1E+02	3.1E+05	3.2E+01
TERBACIL	2.5E+02	Aquatic Habitat Goal	5.0E+04		2.5E+02
tert-BUTYL ALCOHOL	1.8E+04	Aquatic Habitat Goal	5.0E+04	(Use soil gas)	1.8E+04
TETRACHLOROETHANE, 1,1,1,2-	1.1E+01	Aquatic Habitat Goal	5.0E+04	(Use soil gas)	1.1E+01
TETRACHLOROETHANE, 1,1,2,2-	2.0E+02	Aquatic Habitat Goal	5.0E+03	2.4E+02	2.0E+02
TETRACHLOROETHYLENE	5.3E+01	Aquatic Habitat Goal	3.0E+03	1.9E+02	5.3E+01
TETRACHLOROPHENOL, 2,3,4,6-	1.2E+00	Aquatic Habitat Goal	1.2E+04		1.2E+00
TETRANITRO-1,3,5,7-TETRAAZOCYCLOOCTANE (HMX)	2.2E+02	Aquatic Habitat Goal	2.5E+03		2.2E+02
THALLIUM	6.0E+00	Aquatic Habitat Goal	5.0E+04		6.0E+00
TOLUENE	9.8E+00	Aquatic Habitat Goal	4.0E+02	5.3E+05	9.8E+00
TOXAPHENE	2.0E-04	Aquatic Habitat Goal	1.4E+02		2.0E-04
TPH (gasolines)	5.0E+02	Aquatic Habitat Goal	5.0E+03	(Use soil gas)	5.0E+02
TPH (middle distillates)	6.4E+02	Aquatic Habitat Goal	5.0E+03	(Use soil gas)	6.4E+02
TPH (residual fuels)	6.4E+02	Aquatic Habitat Goal	5.0E+03		6.4E+02

TABLE D-1c. GROUNDWATER ACTION LEVELS
(Groundwater IS NOT a current or potential drinking water resource)
(Surface water body IS located within 150m of release site)
(ug/l)

CONTAMINANT	¹ Final Groundwater Action Level	Basis	Gross Contamination (Odors, etc.)	Vapor Intrusion Into Buildings	Aquatic Habitat Impacts (chronic)
			Table G-2	Table C-1a	Table D-4a
TRICHLOROBENZENE, 1,2,4-	1.1E+02	Aquatic Habitat Goal	2.5E+04	1.3E+03	1.1E+02
TRICHLOROETHANE, 1,1,1-	1.1E+01	Aquatic Habitat Goal	5.0E+04	3.4E+05	1.1E+01
TRICHLOROETHANE, 1,1,2-	1.1E+02	Vapor Intrusion	5.0E+04	1.1E+02	7.3E+02
TRICHLOROETHYLENE	4.7E+01	Aquatic Habitat Goal	5.0E+04	2.1E+02	4.7E+01
TRICHLOROPHENOL, 2,4,5-	1.9E+00	Aquatic Habitat Goal	2.0E+03		1.9E+00
TRICHLOROPHENOL, 2,4,6-	4.9E+00	Aquatic Habitat Goal	1.0E+03		4.9E+00
TRICHLOROPHENOXYACETIC ACID, 2,4,5- (2,4,5-T)	6.9E+02	Aquatic Habitat Goal	5.0E+04		6.9E+02
TRICHLOROPHENOXYPROPIONIC ACID, 2,4,5- (2,4,5-TP)	3.0E+01	Aquatic Habitat Goal	3.6E+04		3.0E+01
TRICHLOROPROPANE, 1,2,3-	1.4E+01	Aquatic Habitat Goal	5.0E+04	(Use soil gas)	1.4E+01
TRICHLOROPROPENE, 1,2,3-	3.3E+00	Aquatic Habitat Goal	5.0E+04	(Use soil gas)	3.3E+00
TRIFLURALIN	1.1E+00	Aquatic Habitat Goal	9.0E+01		1.1E+00
TRINITROBENZENE, 1,3,5-	1.0E+01	Aquatic Habitat Goal	5.0E+04		1.0E+01
TRINITROPHENYLMETHYLNITRAMINE, 2,4,6- (TETRYL)	3.9E+01	Aquatic Habitat Goal	3.7E+04		3.9E+01
TRINITROTOLUENE, 2,4,6- (TNT)	1.3E+01	Aquatic Habitat Goal	5.0E+04		1.3E+01
VANADIUM	2.7E+01	Aquatic Habitat Goal	5.0E+04		2.7E+01
VINYL CHLORIDE	1.8E+01	Vapor Intrusion	3.4E+04	1.8E+01	9.3E+02
XYLENES	1.3E+01	Aquatic Habitat Goal	5.3E+03	1.1E+05	1.3E+01
ZINC	2.2E+01	Aquatic Habitat Goal	5.0E+04		2.2E+01

Notes:

1. Lowest of action levels for gross contamination, vapor intrusion and aquatic habitat impacts. Used to develop soil leaching action levels for protection of groundwater quality.

TPH -Total Petroleum Hydrocarbons. See text for discussion of different TPH categories.

Gross Contamination: Odor threshold, 1/2 solubility or 50000 ug/L maximum, whichever is lower. Intended to limit general groundwater resource degradation.

Vapor Intrusion: Addresses potential emission of volatile chemicals from groundwater into buildings and subsequent impact on indoor air. Assumes moderately permeable, sandy soil or fill material immediately beneath building slab and unrestricted ("residential") land use (refer to Chapter 5).

Aquatic Habitat Impacts: Addresses potential discharge of groundwater to estuarine aquatic habitat and subsequent impact on aquatic life; dilution of groundwater upon discharge to surface water not considered, in order to take into account potential impacts to benthic organisms (see Chapter 5).

Review of aquatic ecotoxicity data for ethanol underway. Based on preliminary review of available data, chronic toxicity screening levels likely to be significantly greater than ceiling level of 50,000 ug/L (refer to USEPA 2003b, ECOTOX database).

Method reporting limits and background concentrations replace final screening level as appropriate.

TABLE D-1d. GROUNDWATER ACTION LEVELS
(Groundwater IS NOT a current or potential drinking water resource)
(Surface water body IS NOT located within 150m of release site)
(ug/l)

CONTAMINANT	Final Groundwater Action Level	Basis	Gross Contamination (Odors, etc.)	Vapor Intrusion Into Buildings	Aquatic Habitat Impacts (acute)
			Table G-2	Table C-1a	Table D-4a
ACENAPHTHENE	2.0E+02	Gross Contamination	2.0E+02	3.9E+03	3.2E+02
ACENAPHTHYLENE	3.0E+02	Aquatic Habitat Goal	2.0E+03	(Use soil gas)	3.0E+02
ACETONE	1.5E+04	Aquatic Habitat Goal	5.0E+04	6.6E+07	1.5E+04
ALDRIN	1.3E+00	Aquatic Habitat Goal	8.5E+00		1.3E+00
AMETRYN	1.8E+03	Aquatic Habitat Goal	5.0E+04		1.8E+03
AMINO,2- DINITROTOLUENE,4,6-	1.6E+02	Aquatic Habitat Goal	5.0E+04		1.6E+02
AMINO,4- DINITROTOLUENE,2,6-	9.8E+01	Aquatic Habitat Goal	5.0E+04		9.8E+01
ANTHRACENE	1.8E-01	Aquatic Habitat Goal	2.2E+01	4.3E+01	1.8E-01
ANTIMONY	1.8E+02	Aquatic Habitat Goal	5.0E+04		1.8E+02
ARSENIC	6.9E+01	Aquatic Habitat Goal	5.0E+04		6.9E+01
ATRAZINE	3.3E+02	Aquatic Habitat Goal	1.8E+04		3.3E+02
BARIUM	2.0E+03	Aquatic Habitat Goal	5.0E+04		2.0E+03
BENOMYL	2.8E+00	Aquatic Habitat Goal	1.9E+03		2.8E+00
BENZENE	1.7E+03	Aquatic Habitat Goal	2.0E+04	2.3E+03	1.7E+03
BENZO(a)ANTHRACENE	4.7E+00	Gross Contamination	4.7E+00		3.0E+02
BENZO(a)PYRENE	8.0E-01	Gross Contamination	8.0E-01		3.0E+02
BENZO(b)FLUORANTHENE	7.5E-01	Gross Contamination	7.5E-01		3.0E+02
BENZO(g,h,i)PERYLENE	1.3E-01	Gross Contamination	1.3E-01		3.0E+02
BENZO(k)FLUORANTHENE	4.0E-01	Gross Contamination	4.0E-01		3.0E+02
BERYLLIUM	3.5E+01	Aquatic Habitat Goal	5.0E+04		3.5E+01
BIPHENYL, 1,1-	5.0E+00	Gross Contamination	5.0E+00	(Use soil gas)	2.6E+01
BIS(2-CHLOROETHYL)ETHER	1.8E+02	Vapor Intrusion	3.6E+03	1.8E+02	2.4E+04
BIS(2-CHLORO-1-METHYLETHYL)ETHER	3.6E-01	Aquatic Habitat Goal	3.2E+03	(Use soil gas)	3.6E-01
BIS(2-ETHYLHEXYL)PHTHALATE	2.7E+01	Aquatic Habitat Goal	1.4E+02		2.7E+01
BORON	3.4E+04	Aquatic Habitat Goal	5.0E+04		3.4E+04
BROMODICHLOROMETHANE	1.1E+02	Vapor Intrusion	5.0E+04	1.1E+02	3.1E+03
BROMOFORM	1.1E+03	Aquatic Habitat Goal	5.1E+03		1.1E+03
BROMOMETHANE	3.8E+01	Aquatic Habitat Goal	5.0E+04	4.1E+02	3.8E+01
CADMIUM	3.0E+00	Aquatic Habitat Goal	5.0E+04		3.0E+00
CARBON TETRACHLORIDE	1.1E+02	Vapor Intrusion	5.2E+03	1.1E+02	1.2E+04
CHLORDANE (TECHNICAL)	9.0E-02	Aquatic Habitat Goal	2.5E+01		9.0E-02
CHLOROANILINE, p-	4.6E+02	Aquatic Habitat Goal	5.0E+04		4.6E+02
CHLOROBENZENE	2.2E+02	Aquatic Habitat Goal	5.0E+02	1.2E+04	2.2E+02
CHLOROETHANE	1.6E+02	Gross Contamination	1.6E+02	2.4E+05	4.8E+04
CHLOROFORM	1.1E+02	Vapor Intrusion	2.4E+04	1.1E+02	4.9E+02
CHLOROMETHANE	1.1E+03	Aquatic Habitat Goal	5.0E+04	5.2E+03	1.1E+03
CHLOROPHENOL, 2-	1.8E+00	Gross Contamination	1.8E+00	8.8E+04	4.0E+02
CHROMIUM (Total)	1.6E+01	Aquatic Habitat Goal	5.0E+04		1.6E+01
CHROMIUM III	5.7E+02	Aquatic Habitat Goal	5.0E+04		5.7E+02
CHROMIUM VI	1.6E+01	Aquatic Habitat Goal	5.0E+04		1.6E+01
CHRYSENE	1.0E+00	Gross Contamination	1.0E+00		3.0E+02
COBALT	1.2E+02	Aquatic Habitat Goal	5.0E+04		1.2E+02
COPPER	2.9E+00	Aquatic Habitat Goal	5.0E+04		2.9E+00
CYANIDE (Free)	1.0E+00	Aquatic Habitat Goal	1.7E+03	(Use soil gas)	1.0E+00
CYCLO-1,3,5-TRIMETHYLENE-2,4,6-TRINITRAMINE (RDX)	5.2E+02	Aquatic Habitat Goal	3.0E+04		5.2E+02
DALAPON	3.0E+03	Aquatic Habitat Goal	5.0E+04		3.0E+03

TABLE D-1d. GROUNDWATER ACTION LEVELS
(Groundwater IS NOT a current or potential drinking water resource)
(Surface water body IS NOT located within 150m of release site)
(ug/l)

CONTAMINANT	Final Groundwater Action Level	Basis	Gross Contamination (Odors, etc.)	Vapor Intrusion Into Buildings	Aquatic Habitat Impacts (acute)
			Table G-2	Table C-1a	Table D-4a
DIBENZO(a,h)ANTHTRACENE	1.3E+00	Gross Contamination	1.3E+00		3.0E+02
DIBROMO,1,2- CHLOROPROPANE,3-	4.0E-02	Aquatic Habitat Goal	1.0E+02	(Use soil gas)	4.0E-02
DIBROMOCHLOROMETHANE	2.9E+03	Aquatic Habitat Goal	5.0E+04	4.9E+04	2.9E+03
DIBROMOETHANE, 1,2-	1.9E+01	Vapor Intrusion	5.0E+04	1.9E+01	1.4E+03
DICHLOROBENZENE, 1,2-	1.0E+02	Gross Contamination	1.0E+02	8.3E+04	3.7E+02
DICHLOROBENZENE, 1,3-	3.7E+02	Aquatic Habitat Goal	5.0E+04	(Use soil gas)	3.7E+02
DICHLOROBENZENE, 1,4-	1.1E+02	Gross Contamination	1.1E+02	4.5E+02	3.7E+02
DICHLOROBENZIDINE, 3,3-	4.1E+01	Aquatic Habitat Goal	1.6E+03		4.1E+01
DICHLORODIPHENYLDICHLOROETHANE (DDD)	1.9E-01	Aquatic Habitat Goal	4.5E+01		1.9E-01
DICHLORODIPHENYLDICHLOROETHYLENE (DDE)	7.0E+00	Aquatic Habitat Goal	2.0E+01		7.0E+00
DICHLORODIPHENYLTRICHLOROETHANE (DDT)	1.3E-02	Aquatic Habitat Goal	2.8E+00		1.3E-02
DICHLOROETHANE, 1,1-	8.3E+02	Aquatic Habitat Goal	5.0E+04	1.1E+03	8.3E+02
DICHLOROETHANE, 1,2-	1.8E+02	Vapor Intrusion	5.0E+04	1.8E+02	3.8E+04
DICHLOROETHYLENE, 1,1-	3.9E+03	Aquatic Habitat Goal	1.5E+04	6.6E+03	3.9E+03
DICHLOROETHYLENE, Cis 1,2-	5.5E+03	Aquatic Habitat Goal	5.0E+04	6.4E+03	5.5E+03
DICHLOROETHYLENE, Trans 1,2-	2.6E+03	Gross Contamination	2.6E+03	3.3E+03	1.0E+04
DICHLOROPHENOL, 2,4-	3.0E+00	Gross Contamination	3.0E+00		6.7E+02
DICHLOROPHENOXYACETIC ACID (2,4-D)	1.3E+02	Aquatic Habitat Goal	5.0E+04		1.3E+02
DICHLOROPROPANE, 1,2-	1.0E+02	Gross Contamination	1.0E+02	9.1E+02	3.4E+03
DICHLOROPROPENE, 1,3-	2.6E+02	Aquatic Habitat Goal	5.0E+04	6.7E+02	2.6E+02
DIELDRIN	7.1E-01	Aquatic Habitat Goal	9.8E+01		7.1E-01
DIETHYLPHTHALATE	9.8E+02	Aquatic Habitat Goal	5.0E+04		9.8E+02
DIMETHYLPHENOL, 2,4-	7.0E+02	Aquatic Habitat Goal	4.0E+03		7.0E+02
DIMETHYLPHTHALATE	3.2E+03	Aquatic Habitat Goal	5.0E+04		3.2E+03
DINITROBENZENE, 1,3-	1.0E+02	Aquatic Habitat Goal	5.0E+04		1.0E+02
DINITROPHENOL, 2,4-	3.8E+02	Aquatic Habitat Goal	5.0E+04		3.8E+02
DINITROTOLUENE, 2,4- (2,4-DNT)	1.1E+02	Aquatic Habitat Goal	5.0E+04		1.1E+02
DINITROTOLUENE, 2,6- (2,6-DNT)	1.1E+02	Aquatic Habitat Goal	5.0E+04		1.1E+02
DIOXANE, 1,4-	5.0E+04	Gross Contamination	5.0E+04	(Use soil gas)	3.4E+06
DIOXINS (TEQ)	3.0E-03	Aquatic Habitat Goal	1.0E-01		3.0E-03
DIURON	2.0E+02	Aquatic Habitat Goal	2.1E+04		2.0E+02
ENDOSULFAN	3.4E-02	Aquatic Habitat Goal	1.6E+02		3.4E-02
ENDRIN	3.7E-02	Aquatic Habitat Goal	1.3E+02		3.7E-02
ETHANOL	0.0E+00	Aquatic Habitat Goal	5.0E+04		0.0E+00
ETHYLBENZENE	1.4E+02	Aquatic Habitat Goal	3.0E+02	7.6E+04	1.4E+02
FLUORANTHENE	1.3E+01	Aquatic Habitat Goal	1.3E+02		1.3E+01
FLUORENE	3.0E+02	Aquatic Habitat Goal	8.5E+02	1.7E+03	3.0E+02
GLYPHOSATE	2.2E+04	Aquatic Habitat Goal	5.0E+04		2.2E+04
HEPTACHLOR	5.3E-02	Aquatic Habitat Goal	9.0E+01		5.3E-02
HEPTACHLOR EPOXIDE	5.3E-02	Aquatic Habitat Goal	1.0E+02		5.3E-02
HEXACHLOROENZENE	3.0E-04	Aquatic Habitat Goal	3.1E+00		3.0E-04
HEXACHLOROBUTADIENE	1.1E+01	Aquatic Habitat Goal	6.0E+01		1.1E+01
HEXACHLOROCYCLOHEXANE (gamma) LINDANE	1.6E-01	Aquatic Habitat Goal	3.7E+03		1.6E-01
HEXACHLOROETHANE	1.0E+02	Gross Contamination	1.0E+02		3.1E+02
HEXAZINONE	5.0E+04	Gross Contamination	5.0E+04		1.4E+05

TABLE D-1d. GROUNDWATER ACTION LEVELS
(Groundwater IS NOT a current or potential drinking water resource)
(Surface water body IS NOT located within 150m of release site)
(ug/l)

CONTAMINANT	Final Groundwater Action Level	Basis	Gross Contamination (Odors, etc.)	Vapor Intrusion Into Buildings	Aquatic Habitat Impacts (acute)
			Table G-2	Table C-1a	Table D-4a
INDENO(1,2,3-cd)PYRENE	9.5E-02	Gross Contamination	9.5E-02		3.0E+02
ISOPHORONE	4.3E+03	Aquatic Habitat Goal	5.0E+04		4.3E+03
LEAD	2.9E+01	Aquatic Habitat Goal	5.0E+04		2.9E+01
MERCURY	2.1E+00	Aquatic Habitat Goal	5.0E+04		2.1E+00
METHOXYCHLOR	7.0E-01	Aquatic Habitat Goal	5.0E+01		7.0E-01
METHYL ETHYL KETONE	5.0E+04	Gross Contamination	5.0E+04	2.2E+08	2.0E+05
METHYL ISOBUTYL KETONE	2.2E+03	Aquatic Habitat Goal	1.3E+04	1.9E+07	2.2E+03
METHYL MERCURY	9.9E-02	Aquatic Habitat Goal	5.0E+04		9.9E-02
METHYL TERT BUTYL ETHER	1.8E+03	Gross Contamination	1.8E+03	3.1E+04	6.5E+03
METHYLENE CHLORIDE	8.5E+03	Aquatic Habitat Goal	5.0E+04	7.6E+04	8.5E+03
METHYLNAPHTHALENE, 1-	3.7E+01	Aquatic Habitat Goal	1.0E+02	2.6E+04	3.7E+01
METHYLNAPHTHALENE, 2-	4.2E+01	Aquatic Habitat Goal	1.0E+02	2.5E+04	4.2E+01
MOLYBDENUM	7.2E+03	Aquatic Habitat Goal	5.0E+04		7.2E+03
NAPHTHALENE	2.1E+02	Gross Contamination	2.1E+02	2.9E+04	7.7E+02
NICKEL	5.0E+00	Aquatic Habitat Goal	5.0E+04		5.0E+00
NITROBENZENE	2.0E+03	Aquatic Habitat Goal	5.0E+04	(Use soil gas)	2.0E+03
NITROGLYCERIN	1.6E+02	Aquatic Habitat Goal	5.0E+04		1.6E+02
NITROTOLUENE, 2-	6.4E+02	Aquatic Habitat Goal	5.0E+04	(Use soil gas)	6.4E+02
NITROTOLUENE, 3-	3.8E+02	Aquatic Habitat Goal	5.0E+04		3.8E+02
NITROTOLUENE, 4-	4.1E+02	Aquatic Habitat Goal	5.0E+04		4.1E+02
PENTACHLOROPHENOL	1.3E+01	Aquatic Habitat Goal	5.9E+03		1.3E+01
PENTAERYTHRITOLTETRANITRATE (PETN)	2.2E+04	Gross Contamination	2.2E+04		8.5E+05
PERCHLORATE	5.0E+03	Aquatic Habitat Goal	5.0E+04		5.0E+03
PHENANTHRENE	3.0E+02	Aquatic Habitat Goal	4.1E+02	(Use soil gas)	3.0E+02
PHENOL	3.0E+02	Aquatic Habitat Goal	5.0E+04		3.0E+02
POLYCHLORINATED BIPHENYLS (PCBs)	2.0E+00	Aquatic Habitat Goal	2.2E+01		2.0E+00
PROPIONAZOLE	4.3E+02	Aquatic Habitat Goal	5.0E+04		4.3E+02
PYRENE	6.8E+01	Gross Contamination	6.8E+01	1.4E+02	3.0E+02
SELENIUM	2.0E+01	Aquatic Habitat Goal	5.0E+04		2.0E+01
SILVER	1.0E+00	Aquatic Habitat Goal	5.0E+04		1.0E+00
SIMAZINE	8.0E+01	Aquatic Habitat Goal	3.1E+03		8.0E+01
STYRENE	1.1E+02	Gross Contamination	1.1E+02	3.1E+05	2.9E+02
TERBACIL	2.5E+02	Aquatic Habitat Goal	5.0E+04		2.5E+02
tert-BUTYL ALCOHOL	5.0E+04	Gross Contamination	5.0E+04	(Use soil gas)	1.8E+05
TETRACHLOROETHANE, 1,1,1,2-	7.7E+02	Aquatic Habitat Goal	5.0E+04	(Use soil gas)	7.7E+02
TETRACHLOROETHANE, 1,1,2,2-	2.4E+02	Vapor Intrusion	5.0E+03	2.4E+02	9.1E+02
TETRACHLOROETHYLENE	1.9E+02	Vapor Intrusion	3.0E+03	1.9E+02	1.8E+03
TETRACHLOROPHENOL, 2,3,4,6-	1.1E+01	Aquatic Habitat Goal	1.2E+04		1.1E+01
TETRANITRO-1,3,5,7-TETRAAZOCYCLOOCTANE (HMX)	1.2E+03	Aquatic Habitat Goal	2.5E+03		1.2E+03
THALLIUM	4.7E+02	Aquatic Habitat Goal	5.0E+04		4.7E+02
TOLUENE	4.0E+02	Gross Contamination	4.0E+02	5.3E+05	2.1E+03
TOXAPHENE	2.1E-01	Aquatic Habitat Goal	1.4E+02		2.1E-01
TPH (gasolines)	5.0E+03	Aquatic Habitat Goal	5.0E+03	(Use soil gas)	5.0E+03
TPH (middle distillates)	2.5E+03	Aquatic Habitat Goal	5.0E+03	(Use soil gas)	2.5E+03
TPH (residual fuels)	2.5E+03	Aquatic Habitat Goal	5.0E+03		2.5E+03

TABLE D-1d. GROUNDWATER ACTION LEVELS
(Groundwater IS NOT a current or potential drinking water resource)
(Surface water body IS NOT located within 150m of release site)
(ug/l)

CONTAMINANT	Final Groundwater Action Level	Basis	Gross Contamination (Odors, etc.)	Vapor Intrusion Into Buildings	Aquatic Habitat Impacts (acute)
			Table G-2	Table C-1a	Table D-4a
TRICHLOROBENZENE, 1,2,4-	4.2E+02	Aquatic Habitat Goal	2.5E+04	1.3E+03	4.2E+02
TRICHLOROETHANE, 1,1,1-	6.0E+03	Aquatic Habitat Goal	5.0E+04	3.4E+05	6.0E+03
TRICHLOROETHANE, 1,1,2-	1.1E+02	Vapor Intrusion	5.0E+04	1.1E+02	5.2E+03
TRICHLOROETHYLENE	2.1E+02	Vapor Intrusion	5.0E+04	2.1E+02	7.0E+02
TRICHLOROPHENOL, 2,4,5-	1.7E+01	Aquatic Habitat Goal	2.0E+03		1.7E+01
TRICHLOROPHENOL, 2,4,6-	3.9E+01	Aquatic Habitat Goal	1.0E+03		3.9E+01
TRICHLOROPHENOXYACETIC ACID, 2,4,5- (2,4,5-T)	6.9E+02	Aquatic Habitat Goal	5.0E+04		6.9E+02
TRICHLOROPHENOXYPROPIONIC ACID, 2,4,5- (2,4,5-TP)	2.7E+02	Aquatic Habitat Goal	3.6E+04		2.7E+02
TRICHLOROPROPANE, 1,2,3-	1.4E+02	Aquatic Habitat Goal	5.0E+04	(Use soil gas)	1.4E+02
TRICHLOROPROPENE, 1,2,3-	3.3E+00	Aquatic Habitat Goal	5.0E+04	(Use soil gas)	3.3E+00
TRIFLURALIN	2.1E+01	Aquatic Habitat Goal	9.0E+01		2.1E+01
TRINITROBENZENE, 1,3,5-	2.7E+01	Aquatic Habitat Goal	5.0E+04		2.7E+01
TRINITROPHENYLMETHYLNITRAMINE, 2,4,6- (TETRYL)	3.9E+01	Aquatic Habitat Goal	3.7E+04		3.9E+01
TRINITROTOLUENE, 2,4,6- (TNT)	2.1E+02	Aquatic Habitat Goal	5.0E+04		2.1E+02
VANADIUM	9.0E+01	Aquatic Habitat Goal	5.0E+04		9.0E+01
VINYL CHLORIDE	1.8E+01	Vapor Intrusion	3.4E+04	1.8E+01	8.4E+03
XYLENES	2.3E+02	Aquatic Habitat Goal	5.3E+03	1.1E+05	2.3E+02
ZINC	2.2E+01	Aquatic Habitat Goal	5.0E+04		2.2E+01

Notes:
1. Lowest of action levels for gross contamination, vapor intrusion and aquatic habitat impacts. Used to develop soil leaching action levels for protection of groundwater quality.

TPH -Total Petroleum Hydrocarbons. See text for discussion of different TPH categories.
Gross Contamination: Odor threshold, 1/2 solubility or 50000 ug/L maximum, whichever is lower. Intended to limit general groundwater resource degradation.
Vapor Intrusion: Addresses potential emission of volatile chemicals from groundwater into buildings and subsequent impact on indoor air. Assumes moderately permeable, sandy soil or fill material immediately beneath building slab and unrestricted ("residential") land use (refer to Chapter 5).
Aquatic Habitat Impacts: Addresses potential discharge of groundwater to estuarine aquatic habitat and subsequent impact on aquatic life; dilution of groundwater upon discharge to surface water not considered, in order to take into account potential impacts to benthic organisms (see Chapter 5).
Review of aquatic ecotoxicity data for ethanol underway. Based on preliminary review of available data, chronic toxicity screening levels likely to be significantly greater than ceiling level of 50,000 ug/L (refer to USEPA 2003b, ECOTOX database).
Method reporting limits and background concentrations replace final screening level as appropriate.

TABLE D-2a. SURFACE WATER ACTION LEVELS
Fresh Water Habitats
(ug/l)

CHEMICAL PARAMETER	Final Surface Water Action Level	Basis	Gross Contamination (Taste & Odors, etc.)	Drinking Water (Toxicity)	Fresh Water Aquatic Habitat Goal (Chronic Toxicity)	Bioaccumulation and Human Consumption
			Table G-3	Table D-3a	Table D-4a	Table D-4f
ACENAPHTHENE	1.5E+01	Aquatic Habitat Chronic Toxicity	2.0E+01	4.4E+02	1.5E+01	9.9E+02
ACENAPHTHYLENE	1.3E+01	Aquatic Habitat Chronic Toxicity	2.0E+03	3.0E+02	1.3E+01	
ACETONE	1.7E+03	Aquatic Habitat Chronic Toxicity	2.0E+04	6.0E+03	1.7E+03	
ALDRIN	2.6E-05	Bioaccumulation/Human Consumption	8.5E+00	1.2E-03	3.5E-02	2.6E-05
AMETRYN	1.5E+00	Drinking Water Toxicity	5.0E+04	1.5E+02	7.0E+02	
AMINO,2- DINITROTOLUENE,4,6-	1.9E+00	Drinking Water Toxicity	5.0E+04	1.9E+00	1.8E+01	
AMINO,4- DINITROTOLUENE,2,6-	1.9E+00	Drinking Water Toxicity	5.0E+04	1.9E+00	1.1E+01	
ANTHRACENE	2.0E-02	Aquatic Habitat Chronic Toxicity	2.2E+01	1.6E+03	2.0E-02	4.0E+04
ANTIMONY	6.0E+00	Drinking Water Toxicity	5.0E+04	6.0E+00	1.3E+02	1.5E+04
ARSENIC	1.4E-01	Bioaccumulation/Human Consumption	5.0E+04	1.0E+01	1.9E+02	1.4E-01
ATRAZINE	3.0E+00	Drinking Water Toxicity	2.0E+01	3.0E+00	1.2E+01	
BARIUM	2.2E+02	Aquatic Habitat Chronic Toxicity	5.0E+04	2.0E+03	2.2E+02	
BENOMYL	1.4E-01	Aquatic Habitat Chronic Toxicity	1.9E+03	9.7E+02	1.4E-01	
BENZENE	5.0E+00	Drinking Water Toxicity	1.7E+02	5.0E+00	1.6E+02	1.3E+01
BENZO(a)ANTHRACENE	1.8E-02	Bioaccumulation/Human Consumption	4.7E+00	5.2E-02	4.7E+00	1.8E-02
BENZO(a)PYRENE	1.8E-02	Bioaccumulation/Human Consumption	8.0E-01	2.0E-01	6.0E-02	1.8E-02
BENZO(b)FLUORANTHENE	1.8E-02	Bioaccumulation/Human Consumption	7.5E-01	5.8E-02	2.6E+00	1.8E-02
BENZO(g,h,i)PERYLENE	1.3E-01	Ceiling Value	1.3E-01	6.5E+01	4.4E-01	
BENZO(k)FLUORANTHENE	1.8E-02	Bioaccumulation/Human Consumption	4.0E-01	3.6E-01	6.4E-01	1.8E-02
BERYLLIUM	3.8E-02	Bioaccumulation/Human Consumption	5.0E+04	4.0E+00	1.1E+01	3.8E-02
BIPHENYL, 1,1-	5.0E-01	Ceiling Value	5.0E-01	3.9E+00	6.5E+00	
BIS(2-CHLOROETHYL)ETHER	1.4E-02	Drinking Water Toxicity	3.6E+02	1.4E-02	2.4E+03	4.4E-01
BIS(2-CHLORO-1-METHYLETHYL)ETHER	3.6E-01	Drinking Water Toxicity	3.2E+02	3.6E-01	3.6E-01	1.4E+03
BIS(2-ETHYLHEXYL)PHTHALATE	2.2E+00	Bioaccumulation/Human Consumption	1.4E+02	6.0E+00	3.0E+00	2.2E+00
BORON	9.8E+02	Drinking Water Toxicity	5.0E+04	9.8E+02	7.2E+03	
BROMODICHLOROMETHANE	1.3E-01	Drinking Water Toxicity	5.0E+04	1.3E-01	3.4E+02	
BROMOFORM	8.0E+01	Drinking Water Toxicity	5.1E+02	8.0E+01	2.3E+02	1.4E+02
BROMOMETHANE	1.6E+00	Aquatic Habitat Chronic Toxicity	5.0E+04	1.9E+01	1.6E+01	1.5E+03
CADMIUM	3.0E+00	Aquatic Habitat Chronic Toxicity	5.0E+04	5.0E+00	3.0E+00	
CARBON TETRACHLORIDE	2.3E+00	Bioaccumulation/Human Consumption	5.2E+02	5.0E+00	7.7E+01	2.3E+00
CHLORDANE (TECHNICAL)	1.6E-05	Bioaccumulation/Human Consumption	2.5E+00	2.0E+00	4.3E-03	1.6E-05
CHLOROANILINE, p-	3.7E-01	Drinking Water Toxicity	5.0E+04	3.7E-01	1.9E+01	
CHLOROENZENE	2.5E+01	Aquatic Habitat Chronic Toxicity	5.0E+01	1.0E+02	2.5E+01	2.1E+04
CHLOROETHANE	1.6E+01	Ceiling Value	1.6E+01	4.8E+04	4.8E+04	
CHLOROFORM	5.1E+00	Bioaccumulation/Human Consumption	2.4E+03	7.0E+01	1.4E+02	5.1E+00
CHLOROMETHANE	1.1E+03	Drinking Water Toxicity	5.0E+04	1.1E+03	1.1E+03	
CHLOROPHENOL, 2-	1.8E-01	Ceiling Value	1.8E-01	6.3E+01	3.2E+01	1.5E+02
CHROMIUM (Total)	1.1E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	1.0E+02	1.1E+01	
CHROMIUM III	7.4E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	1.2E+04	7.4E+01	
CHROMIUM VI	2.0E-01	Drinking Water Toxicity	5.0E+04	2.0E-01	1.1E+01	
CHRYSENE	1.8E-02	Bioaccumulation/Human Consumption	1.0E+00	2.4E-01	4.7E+00	1.8E-02
COBALT	2.4E+00	Drinking Water Toxicity	5.0E+04	2.4E+00	1.9E+01	
COPPER	6.0E+00	Aquatic Habitat Chronic Toxicity	1.0E+03	1.3E+03	6.0E+00	
CYANIDE (Free)	5.2E+00	Aquatic Habitat Chronic Toxicity	1.7E+02	2.0E+02	5.2E+00	2.2E+05

TABLE D-2a. SURFACE WATER ACTION LEVELS
Fresh Water Habitats
(ug/l)

CHEMICAL PARAMETER	Final Surface Water Action Level	Basis	Gross Contamination (Taste & Odors, etc.)	Drinking Water (Toxicity)	Fresh Water Aquatic Habitat Goal (Chronic Toxicity)	Bioaccumulation and Human Consumption
			Table G-3	Table D-3a	Table D-4a	Table D-4f
CYCLO-1,3,5-TRIMETHYLENE-2,4,6-TRINITRAMINE (RDX)	9.7E-01	Drinking Water Toxicity	3.0E+04	9.7E-01	7.9E+01	
DALAPON	2.0E+02	Drinking Water Toxicity	5.0E+04	2.0E+02	3.0E+02	
DIBENZO(a,h)ANTHTRACENE	4.8E-03	Drinking Water Toxicity	1.3E+00	4.8E-03	8.0E-01	1.8E-02
DIBROMO, 1,2- CHLOROPROPANE, 3-	4.0E-02	Drinking Water Toxicity	1.0E+01	4.0E-02	4.0E-02	
DIBROMOCHLOROMETHANE	8.7E-01	Drinking Water Toxicity	5.0E+04	8.7E-01	3.2E+02	1.3E+01
DIBROMOETHANE, 1,2-	4.0E-02	Drinking Water Toxicity	5.0E+04	4.0E-02	1.4E+03	
DICHLOROBENZENE, 1,2-	1.0E+01	Ceiling Value	1.0E+01	6.0E+02	2.3E+01	8.5E+02
DICHLOROBENZENE, 1,3-	2.2E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	3.0E+02	2.2E+01	8.5E+02
DICHLOROBENZENE, 1,4-	5.0E+00	Ceiling Value	5.0E+00	7.5E+01	9.4E+00	8.5E+02
DICHLOROBENZIDINE, 3,3-	7.0E-03	Bioaccumulation/Human Consumption	1.6E+03	1.3E-01	4.5E+00	7.0E-03
DICHLORODIPHENYLDICHLOROETHANE (DDD)	3.1E-04	Bioaccumulation/Human Consumption	4.5E+01	2.6E-02	1.1E-02	3.1E-04
DICHLORODIPHENYLDICHLOROETHYLENE (DDE)	2.2E-04	Bioaccumulation/Human Consumption	2.0E+01	8.9E-03	4.1E-01	2.2E-04
DICHLORODIPHENYLTRICHLOROETHANE (DDT)	8.0E-06	Bioaccumulation/Human Consumption	2.8E+00	6.2E-03	1.0E-03	8.0E-06
DICHLOROETHANE, 1,1-	2.8E+00	Drinking Water Toxicity	5.0E+04	2.8E+00	4.1E+02	
DICHLOROETHANE, 1,2-	5.0E+00	Drinking Water Toxicity	7.0E+03	5.0E+00	2.0E+03	7.9E+01
DICHLOROETHYLENE, 1,1-	6.0E-01	Bioaccumulation/Human Consumption	1.5E+03	7.0E+00	1.3E+02	6.0E-01
DICHLOROETHYLENE, Cis 1,2-	7.0E+01	Drinking Water Toxicity	5.0E+04	7.0E+01	6.2E+02	
DICHLOROETHYLENE, Trans 1,2-	1.0E+02	Drinking Water Toxicity	2.6E+02	1.0E+02	5.6E+02	140000
DICHLOROPHENOL, 2,4-	3.0E-01	Ceiling Value	3.0E-01	4.6E+01	1.1E+01	2.9E+02
DICHLOROPHENOXYACETIC ACID (2,4-D)	7.0E+01	Drinking Water Toxicity	5.0E+04	7.0E+01	7.9E+01	
DICHLOROPROPANE, 1,2-	5.0E+00	Drinking Water Toxicity	1.0E+01	5.0E+00	5.2E+02	1.5E+01
DICHLOROPROPENE, 1,3-	4.7E-01	Drinking Water Toxicity	5.0E+04	4.7E-01	1.7E+00	4.6E+00
DIELDRIN	2.5E-05	Bioaccumulation/Human Consumption	4.1E+01	3.5E-03	1.9E-03	2.5E-05
DIETHYLPHTHALATE	2.2E+02	Aquatic Habitat Chronic Toxicity	5.0E+04	1.5E+04	2.2E+02	4.4E+04
DIMETHYLPHENOL, 2,4-	1.2E+02	Aquatic Habitat Chronic Toxicity	4.0E+02	3.6E+02	1.2E+02	8.5E+02
DIMETHYLPHTHALATE	1.1E+03	Aquatic Habitat Chronic Toxicity	5.0E+04	1.9E+05	1.1E+03	1.1E+06
DINITROBENZENE, 1,3-	2.0E+00	Drinking Water Toxicity	5.0E+04	2.0E+00	2.2E+01	
DINITROPHENOL, 2,4-	3.9E+01	Drinking Water Toxicity	5.0E+04	3.9E+01	7.1E+01	5.3E+03
DINITROTOLUENE, 2,4- (2,4-DNT)	2.4E-01	Drinking Water Toxicity	5.0E+04	2.4E-01	4.4E+01	3.0E+00
DINITROTOLUENE, 2,6- (2,6-DNT)	4.9E-02	Drinking Water Toxicity	5.0E+04	4.9E-02	8.1E+01	
DIOXANE, 1,4-	4.6E-01	Drinking Water Toxicity	5.0E+04	4.6E-01	3.4E+05	
DIOXINS (TEQ)	3.1E-09	Aquatic Habitat Chronic Toxicity	1.0E-01	3.0E-05	3.1E-09	5.0E-09
DIURON	3.6E+01	Drinking Water Toxicity	2.1E+04	3.6E+01	6.0E+01	
ENDOSULFAN	5.6E-02	Aquatic Habitat Chronic Toxicity	1.6E+02	9.9E+01	5.6E-02	5.2E+01
ENDRIN	2.3E-03	Aquatic Habitat Chronic Toxicity	4.1E+01	2.0E+00	2.3E-03	8.1E-01
ETHANOL	0.0E+00	Drinking Water Toxicity	5.0E+04	0.0E+00	0.0E+00	
ETHYLBENZENE	3.0E+01	Ceiling Value	3.0E+01	7.0E+02	6.1E+01	1.1E+03
FLUORANTHENE	8.0E-01	Aquatic Habitat Chronic Toxicity	1.3E+02	1.1E+02	8.0E-01	1.8E+01
FLUORENE	1.9E+01	Aquatic Habitat Chronic Toxicity	8.5E+02	2.5E+02	1.9E+01	5.3E+03
GLYPHOSATE	7.0E+02	Drinking Water Toxicity	5.0E+04	7.0E+02	1.8E+03	
HEPTACHLOR	9.0E-05	Bioaccumulation/Human Consumption	2.0E+01	4.0E-01	3.8E-03	9.0E-05
HEPTACHLOR EPOXIDE	3.9E-05	Bioaccumulation/Human Consumption	1.0E+02	2.0E-01	3.8E-03	3.9E-05
HEXACHLOROBENZENE	2.4E-04	Bioaccumulation/Human Consumption	3.1E+00	1.0E+00	3.0E-04	2.4E-04
HEXACHLOROBUTADIENE	2.8E-01	Drinking Water Toxicity	6.0E+00	2.8E-01	1.0E+00	1.6E+01

TABLE D-2a. SURFACE WATER ACTION LEVELS
Fresh Water Habitats
(ug/l)

CHEMICAL PARAMETER	Final Surface Water Action Level	Basis	Gross Contamination (Taste & Odors, etc.)	Drinking Water (Toxicity)	Fresh Water Aquatic Habitat Goal (Chronic Toxicity)	Bioaccumulation and Human Consumption
			Table G-3	Table D-3a	Table D-4a	Table D-4f
HEXACHLOROCYCLOHEXANE (gamma) LINDANE	2.0E-02	Bioaccumulation/Human Consumption	3.7E+03	2.0E-01	8.0E-02	2.0E-02
HEXACHLOROETHANE	9.2E-01	Drinking Water Toxicity	1.0E+01	9.2E-01	1.2E+01	2.9E+00
HEXAZINONE	6.4E+02	Drinking Water Toxicity	5.0E+04	6.4E+02	1.7E+04	
INDENO(1,2,3-cd)PYRENE	1.8E-02	Drinking Water Toxicity	9.5E-02	1.8E-02	2.8E-01	1.8E-02
ISOPHORONE	7.8E+01	Drinking Water Toxicity	5.0E+04	7.8E+01	9.2E+02	1.7E+05
LEAD	1.5E+01	Drinking Water Toxicity	5.0E+04	1.5E+01	2.9E+01	
MERCURY	4.7E-02	Bioaccumulation/Human Consumption	5.0E+04	2.0E+00	5.5E-01	4.7E-02
METHOXYCHLOR	3.0E-02	Aquatic Habitat Chronic Toxicity	5.0E+01	4.0E+01	3.0E-02	
METHYL ETHYL KETONE	8.4E+03	Ceiling Value	8.4E+03	9.9E+03	2.2E+04	
METHYL ISOBUTYL KETONE	1.7E+02	Aquatic Habitat Chronic Toxicity	1.3E+03	3.6E+04	1.7E+02	
METHYL MERCURY	2.8E-03	Aquatic Habitat Chronic Toxicity	5.0E+04	2.0E+00	2.8E-03	
METHYL TERT BUTYL ETHER	5.0E+00	Ceiling Value	5.0E+00	1.4E+01	7.3E+02	
METHYLENE CHLORIDE	5.0E+00	Drinking Water Toxicity	9.1E+03	5.0E+00	1.5E+03	5.9E+02
METHYLNAPHTHALENE, 1-	2.1E+00	Aquatic Habitat Chronic Toxicity	1.0E+01	1.1E+01	2.1E+00	
METHYLNAPHTHALENE, 2-	4.7E+00	Aquatic Habitat Chronic Toxicity	1.0E+01	3.0E+01	4.7E+00	
MOLYBDENUM	9.9E+01	Drinking Water Toxicity	5.0E+04	9.9E+01	8.0E+02	
NAPHTHALENE	1.7E+01	Drinking Water Toxicity	2.1E+01	1.7E+01	2.1E+01	
NICKEL	5.0E+00	Aquatic Habitat Chronic Toxicity	5.0E+04	3.8E+02	5.0E+00	3.3E+01
NITROBENZENE	1.4E-01	Drinking Water Toxicity	5.0E+04	1.4E-01	3.8E+02	
NITROGLYCERIN	2.0E+00	Drinking Water Toxicity	5.0E+04	2.0E+00	1.8E+01	
NITROTOLUENE, 2-	3.1E-01	Drinking Water Toxicity	5.0E+04	3.1E-01	7.1E+01	
NITROTOLUENE, 3-	1.7E+00	Drinking Water Toxicity	5.0E+04	1.7E+00	4.2E+01	
NITROTOLUENE, 4-	4.3E+00	Drinking Water Toxicity	5.0E+04	4.3E+00	4.6E+01	
PENTACHLOROPHENOL	1.0E+00	Drinking Water Toxicity	3.0E+01	1.0E+00	1.3E+01	3.0E+00
PENTAERYTHRITOLTETRANITRATE (PETN)	1.7E+01	Drinking Water Toxicity	2.2E+04	1.7E+01	8.5E+05	
PERCHLORATE	1.5E+01	Drinking Water Toxicity	5.0E+04	1.5E+01	6.0E+02	
PHENANTHRENE	2.3E+00	Aquatic Habitat Chronic Toxicity	4.1E+02	2.5E+02	2.3E+00	
PHENOL	1.6E+02	Aquatic Habitat Chronic Toxicity	7.9E+03	5.8E+03	1.6E+02	1.7E+06
POLYCHLORINATED BIPHENYLS (PCBs)	7.9E-05	Bioaccumulation/Human Consumption	2.2E+01	5.0E-01	1.4E-02	7.9E-05
PROPICONAZOLE	9.5E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	1.6E+03	9.5E+01	
PYRENE	4.6E+00	Aquatic Habitat Chronic Toxicity	6.8E+01	1.1E+02	4.6E+00	4.0E+03
SELENIUM	5.0E+00	Aquatic Habitat Chronic Toxicity	5.0E+04	5.0E+01	5.0E+00	
SILVER	1.0E+00	Aquatic Habitat Chronic Toxicity	1.0E+02	1.0E+02	1.0E+00	
SIMAZINE	4.0E+00	Drinking Water Toxicity	3.1E+03	4.0E+00	9.0E+00	
STYRENE	1.0E+01	Ceiling Value	1.0E+01	1.0E+02	3.2E+01	
TERBACIL	2.5E+02	Drinking Water Toxicity	5.0E+04	2.5E+02	1.2E+03	
tert-BUTYL ALCOHOL	6.0E+01	Drinking Water Toxicity	5.0E+04	6.0E+01	1.8E+04	
TETRACHLOROETHANE, 1,1,1,2-	5.7E-01	Drinking Water Toxicity	5.0E+04	5.7E-01	8.5E+01	
TETRACHLOROETHANE, 1,1,2,2-	7.6E-02	Drinking Water Toxicity	5.0E+02	7.6E-02	2.0E+02	3.5E+00
TETRACHLOROETHYLENE	2.9E+00	Bioaccumulation/Human Consumption	1.7E+02	5.0E+00	5.3E+01	2.9E+00
TETRACHLOROPHENOL, 2,3,4,6-	1.2E+00	Aquatic Habitat Chronic Toxicity	1.2E+04	2.2E+02	1.2E+00	
TETRANITRO-1,3,5,7-TETRAAZOCYCLOOCTANE (HMX)	2.2E+02	Aquatic Habitat Chronic Toxicity	2.5E+03	1.0E+03	2.2E+02	
THALLIUM	2.0E+00	Drinking Water Toxicity	5.0E+04	2.0E+00	6.0E+00	1.6E+01
TOLUENE	4.0E+01	Ceiling Value	4.0E+01	1.0E+03	6.2E+01	1.4E+05

TABLE D-2a. SURFACE WATER ACTION LEVELS
Fresh Water Habitats
(ug/l)

CHEMICAL PARAMETER	Final Surface Water Action Level	Basis	Gross Contamination (Taste & Odors, etc.)	Drinking Water (Toxicity)	Fresh Water Aquatic Habitat Goal (Chronic Toxicity)	Bioaccumulation and Human Consumption
			Table G-3	Table D-3a	Table D-4a	Table D-4f
TOXAPHENE	2.0E-04	Aquatic Habitat Chronic Toxicity	1.4E+02	3.0E+00	2.0E-04	2.4E-04
TPH (gasolines)	7.4E+01	Drinking Water Toxicity	5.0E+02	7.4E+01	5.0E+02	
TPH (middle distillates)	9.1E+01	Drinking Water Toxicity	5.0E+02	9.1E+01	6.4E+02	
TPH (residual fuels)	9.1E+01	Drinking Water Toxicity	5.0E+02	9.1E+01	6.4E+02	
TRICHLOROBENZENE, 1,2,4-	7.0E+01	Drinking Water Toxicity	3.0E+03	7.0E+01	1.3E+02	
TRICHLOROETHANE, 1,1,1-	7.6E+01	Aquatic Habitat Chronic Toxicity	9.7E+02	2.0E+02	7.6E+01	3.4E+05
TRICHLOROETHANE, 1,1,2-	5.0E+00	Drinking Water Toxicity	5.0E+04	5.0E+00	7.3E+02	1.4E+01
TRICHLOROETHYLENE	5.0E+00	Drinking Water Toxicity	3.1E+02	5.0E+00	2.0E+02	2.6E+01
TRICHLOROPHENOL, 2,4,5-	1.9E+00	Aquatic Habitat Chronic Toxicity	2.0E+02	1.2E+03	1.9E+00	3.6E+03
TRICHLOROPHENOL, 2,4,6-	1.2E+00	Bioaccumulation/Human Consumption	1.0E+02	4.1E+00	4.9E+00	1.2E+00
TRICHLOROPHENOXYACETIC ACID, 2,4,5- (2,4,5-T)	1.6E+02	Drinking Water Toxicity	5.0E+04	1.6E+02	6.9E+02	-
TRICHLOROPHENOXYPROPIONIC ACID, 2,4,5- (2,4,5-TP)	3.0E+01	Aquatic Habitat Chronic Toxicity	3.6E+04	5.0E+01	3.0E+01	
TRICHLOROPROPANE, 1,2,3-	6.0E-01	Drinking Water Toxicity	5.0E+04	6.0E-01	1.4E+01	
TRICHLOROPROPENE, 1,2,3-	3.3E+00	Drinking Water Toxicity	5.0E+04	3.3E+00	3.3E+00	
TRIFLURALIN	1.1E+00	Aquatic Habitat Chronic Toxicity	9.0E+01	2.2E+00	1.1E+00	
TRINITROBENZENE, 1,3,5-	1.1E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	3.5E+02	1.1E+01	
TRINITROPHENYLMETHYLNITRAMINE, 2,4,6- (TETRYL)	3.9E+01	Drinking Water Toxicity	3.7E+04	3.9E+01	3.9E+01	
TRINITROTOLUENE, 2,4,6- (TNT)	2.5E+00	Drinking Water Toxicity	5.0E+04	2.5E+00	1.3E+01	
VANADIUM	2.7E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	9.6E+01	2.7E+01	
VINYL CHLORIDE	2.0E+00	Drinking Water Toxicity	3.4E+03	2.0E+00	9.3E+02	1.7E+02
XYLENES	2.0E+01	Ceiling Value	2.0E+01	1.0E+04	2.7E+01	
ZINC	2.2E+01	Aquatic Habitat Chronic Toxicity	5.0E+03	6.0E+03	2.2E+01	

Notes:
1. Lowest of gross contamination, drinking water toxicity, aquatic habitat and bioaccumulation action levels.

TPH -Total Petroleum Hydrocarbons. See text for discussion of different TPH categories.
Gross Contamination: Odor threshold, 1/2 solubility or 50000 ug/L maximum, whichever is lower. Intended to limit nuisances and general resource degradation.
Review of aquatic ecotoxicity data for ethanol underway. Based on preliminary review of available data, chronic toxicity screening levels likely to be significantly greater than ceiling level of 50,000 ug/L (refer to USEPA 2003b, ECOTOX database).
Method reporting limits and background concentrations replace final screening level as appropriate.

TABLE D-2b. SURFACE WATER ACTION LEVELS
Marine Habitats
(ug/l)

CHEMICAL PARAMETER	¹ Final Surface Water Action Level	Basis	Gross Contamination (Odors, etc.)	Marine Aquatic Habitat Goal (Chronic Toxicity)	Bioaccumulation and Human Consumption
			Table G-4	Table D-4a	Table D-4F
ACENAPHTHENE	2.0E+01	Ceiling Level	2.0E+01	2.0E+01	9.9E+02
ACENAPHTHYLENE	3.1E+02	Aquatic Habitat Chronic Toxicity	2.0E+03	3.1E+02	
ACETONE	1.5E+03	Aquatic Habitat Chronic Toxicity	2.0E+04	1.5E+03	
ALDRIN	2.6E-05	Bioaccumulation/Human Consumption	8.5E+00	1.4E-04	2.6E-05
AMETRYN	7.0E+02	Aquatic Habitat Chronic Toxicity	5.0E+04	7.0E+02	
AMINO,2- DINITROTOLUENE,4,6-	2.0E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	2.0E+01	
AMINO,4- DINITROTOLUENE,2,6-	1.1E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	1.1E+01	
ANTHRACENE	7.3E-01	Aquatic Habitat Chronic Toxicity	2.2E+01	7.3E-01	4.0E+04
ANTIMONY	3.0E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	3.0E+01	1.5E+04
ARSENIC	1.4E-01	Bioaccumulation/Human Consumption	5.0E+04	3.6E+01	1.4E-01
ATRAZINE	1.2E+01	Aquatic Habitat Chronic Toxicity	1.8E+04	1.2E+01	
BARIUM	2.2E+02	Aquatic Habitat Chronic Toxicity	5.0E+04	2.2E+02	
BENOMYL	1.4E-01	Aquatic Habitat Chronic Toxicity	1.9E+03	1.4E-01	
BENZENE	1.3E+01	Bioaccumulation/Human Consumption	2.0E+03	7.1E+01	1.3E+01
BENZO(a)ANTHRACENE	1.8E-02	Bioaccumulation/Human Consumption	4.7E+00	2.7E-02	1.8E-02
BENZO(a)PYRENE	1.8E-02	Bioaccumulation/Human Consumption	8.0E-01	3.0E-01	1.8E-02
BENZO(b)FLUORANTHENE	1.8E-02	Bioaccumulation/Human Consumption	7.5E-01	6.8E-01	1.8E-02
BENZO(g,h,i)PERYLENE	1.3E-01	Ceiling Level	1.3E-01	4.4E-01	
BENZO(k)FLUORANTHENE	1.8E-02	Bioaccumulation/Human Consumption	4.0E-01	6.4E-01	1.8E-02
BERYLLIUM	3.8E-02	Bioaccumulation/Human Consumption	5.0E+04	6.6E-01	3.8E-02
BIPHENYL, 1,1-	5.0E-01	Ceiling Level	5.0E-01	1.4E+01	
BIS(2-CHLOROETHYL)ETHER	4.4E-01	Bioaccumulation/Human Consumption	3.6E+02	2.4E+03	4.4E-01
BIS(2-CHLORO-1-METHYLETHYL)ETHER	3.6E-01	Aquatic Habitat Chronic Toxicity	3.2E+02	3.6E-01	1.4E+03
BIS(2-ETHYLHEXYL)PHTHALATE	2.2E+00	Bioaccumulation/Human Consumption	1.4E+02	3.0E+00	2.2E+00
BORON	1.0E+03	Aquatic Habitat Chronic Toxicity	5.0E+04	1.0E+03	
BROMODICHLOROMETHANE	3.4E+02	Aquatic Habitat Chronic Toxicity	5.0E+04	3.4E+02	
BROMOFORM	1.4E+02	Bioaccumulation/Human Consumption	5.1E+02	3.2E+02	1.4E+02
BROMOMETHANE	1.6E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	1.6E+01	1.5E+03
CADMIUM	9.3E+00	Aquatic Habitat Chronic Toxicity	5.0E+04	9.3E+00	
CARBON TETRACHLORIDE	2.3E+00	Bioaccumulation/Human Consumption	5.2E+02	9.8E+00	2.3E+00
CHLORDANE (TECHNICAL)	1.6E-05	Bioaccumulation/Human Consumption	2.5E+00	4.0E-03	1.6E-05
CHLOROANILINE, p-	1.9E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	1.9E+01	
CHLOROBENZENE	5.0E+01	Ceiling Level	5.0E+01	6.4E+01	2.1E+04
CHLOROETHANE	1.6E+01	Ceiling Level	1.6E+01	4.8E+04	
CHLOROFORM	5.1E+00	Bioaccumulation/Human Consumption	2.4E+03	2.8E+01	5.1E+00
CHLOROMETHANE	1.1E+03	Aquatic Habitat Chronic Toxicity	5.0E+04	1.1E+03	
CHLOROPHENOL, 2-	1.8E-01	Ceiling Level	1.8E-01	4.0E+02	1.5E+02
CHROMIUM (Total)	5.0E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	5.0E+01	
CHROMIUM III	2.0E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	2.0E+01	
CHROMIUM VI	5.0E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	5.0E+01	
CHRYSENE	1.8E-02	Bioaccumulation/Human Consumption	1.0E+00	2.0E+00	1.8E-02
COBALT	2.3E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	2.3E+01	
COPPER	2.9E+00	Aquatic Habitat Chronic Toxicity	5.0E+04	2.9E+00	
CYANIDE (Free)	1.0E+00	Aquatic Habitat Chronic Toxicity	1.7E+02	1.0E+00	2.2E+05

TABLE D-2b. SURFACE WATER ACTION LEVELS
Marine Habitats
(ug/l)

CHEMICAL PARAMETER	¹ Final Surface Water Action Level	Basis	Gross Contamination (Odors, etc.)	Marine Aquatic Habitat Goal (Chronic Toxicity)	Bioaccumulation and Human Consumption
			Table G-4	Table D-4a	Table D-4F
CYCLO-1,3,5-TRIMETHYLENE-2,4,6-TRINITRAMINE (RDX)	1.9E+02	Aquatic Habitat Chronic Toxicity	3.0E+04	1.9E+02	
DALAPON	3.0E+02	Aquatic Habitat Chronic Toxicity	5.0E+04	3.0E+02	
DIBENZO(a,h)ANTHTRACENE	1.8E-02	Bioaccumulation/Human Consumption	1.3E+00	7.1E+00	1.8E-02
DIBROMO,1,2- CHLOROPROPANE,3-	4.0E-02	Aquatic Habitat Chronic Toxicity	1.0E+01	4.0E-02	
DIBROMOCHLOROMETHANE	1.3E+01	Bioaccumulation/Human Consumption	5.0E+04	3.4E+01	1.3E+01
DIBROMOETHANE, 1,2-	1.4E+03	Aquatic Habitat Chronic Toxicity	5.0E+04	1.4E+03	
DICHLOROBENZENE, 1,2-	1.0E+01	Ceiling Level	1.0E+01	1.4E+01	8.5E+02
DICHLOROBENZENE, 1,3-	7.1E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	7.1E+01	8.5E+02
DICHLOROBENZENE, 1,4-	1.1E+01	Ceiling Level	1.1E+01	1.5E+01	8.5E+02
DICHLOROBENZIDINE, 3,3-	7.0E-03	Bioaccumulation/Human Consumption	1.6E+03	4.5E+00	7.0E-03
DICHLORODIPHENYLDICHLOROETHANE (DDD)	3.1E-04	Bioaccumulation/Human Consumption	4.5E+01	1.1E-02	3.1E-04
DICHLORODIPHENYLDICHLOROETHYLENE (DDE)	2.2E-04	Bioaccumulation/Human Consumption	2.0E+01	4.1E-01	2.2E-04
DICHLORODIPHENYLTRICHLOROETHANE (DDT)	8.0E-06	Bioaccumulation/Human Consumption	2.8E+00	1.0E-03	8.0E-06
DICHLOROETHANE, 1,1-	4.7E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	4.7E+01	
DICHLOROETHANE, 1,2-	7.9E+01	Bioaccumulation/Human Consumption	2.0E+04	9.1E+02	7.9E+01
DICHLOROETHYLENE, 1,1-	6.0E-01	Bioaccumulation/Human Consumption	1.5E+03	2.5E+01	6.0E-01
DICHLOROETHYLENE, Cis 1,2-	6.2E+02	Aquatic Habitat Chronic Toxicity	5.0E+04	6.2E+02	
DICHLOROETHYLENE, Trans 1,2-	2.6E+02	Ceiling Level	2.6E+02	5.6E+02	140000
DICHLOROPHENOL, 2,4-	3.0E-01	Ceiling Level	3.0E-01	7.9E+02	2.9E+02
DICHLOROPHENOXYACETIC ACID (2,4-D)	7.0E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	7.0E+01	
DICHLOROPROPANE, 1,2-	1.0E+01	Ceiling Level	1.0E+01	5.2E+02	1.5E+01
DICHLOROPROPENE, 1,3-	6.0E-02	Aquatic Habitat Chronic Toxicity	5.0E+04	6.0E-02	4.6E+00
DIELDRIN	2.5E-05	Bioaccumulation/Human Consumption	4.1E+01	1.9E-03	2.5E-05
DIETHYLPHTHALATE	2.1E+02	Aquatic Habitat Chronic Toxicity	5.0E+04	2.1E+02	4.4E+04
DIMETHYLPHENOL, 2,4-	1.2E+02	Aquatic Habitat Chronic Toxicity	4.0E+02	1.2E+02	8.5E+02
DIMETHYLPHTHALATE	2.9E+03	Aquatic Habitat Chronic Toxicity	5.0E+04	2.9E+03	1.1E+06
DINITROBENZENE, 1,3-	1.0E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	1.0E+01	
DINITROPHENOL, 2,4-	1.4E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	1.4E+01	5.3E+03
DINITROTOLUENE, 2,4- (2,4-DNT)	3.0E+00	Bioaccumulation/Human Consumption	5.0E+04	9.1E+00	3.0E+00
DINITROTOLUENE, 2,6- (2,6-DNT)	8.1E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	8.1E+01	
DIOXANE, 1,4-	5.0E+04	Ceiling Level	5.0E+04	5.0E+05	
DIOXINS (TEQ)	3.1E-09	Aquatic Habitat Chronic Toxicity	1.0E-01	3.1E-09	5.0E-09
DIURON	6.0E+01	Aquatic Habitat Chronic Toxicity	2.1E+04	6.0E+01	
ENDOSULFAN	8.7E-03	Aquatic Habitat Chronic Toxicity	1.6E+02	8.7E-03	5.2E+01
ENDRIN	2.3E-03	Aquatic Habitat Chronic Toxicity	4.1E+01	2.3E-03	8.1E-01
ETHANOL	0.0E+00	Aquatic Habitat Chronic Toxicity	5.0E+04	0.0E+00	
ETHYLBENZENE	7.3E+00	Aquatic Habitat Chronic Toxicity	3.0E+01	7.3E+00	1.1E+03
FLUORANTHENE	7.1E+00	Aquatic Habitat Chronic Toxicity	1.3E+02	7.1E+00	1.8E+01
FLUORENE	3.9E+00	Aquatic Habitat Chronic Toxicity	8.5E+02	3.9E+00	5.3E+03
GLYPHOSATE	1.8E+03	Aquatic Habitat Chronic Toxicity	5.0E+04	1.8E+03	
HEPTACHLOR	9.0E-05	Bioaccumulation/Human Consumption	2.0E+01	3.6E-03	9.0E-05
HEPTACHLOR EPOXIDE	3.9E-05	Bioaccumulation/Human Consumption	1.0E+02	3.6E-03	3.9E-05
HEXACHLOROBENZENE	2.4E-04	Bioaccumulation/Human Consumption	3.1E+00	3.0E-04	2.4E-04
HEXACHLOROBUTADIENE	3.0E-01	Aquatic Habitat Chronic Toxicity	6.0E+00	3.0E-01	1.6E+01

TABLE D-2b. SURFACE WATER ACTION LEVELS
Marine Habitats
(ug/l)

CHEMICAL PARAMETER	¹ Final Surface Water Action Level	Basis	Gross Contamination (Odors, etc.)	Marine Aquatic Habitat Goal (Chronic Toxicity)	Bioaccumulation and Human Consumption
			Table G-4	Table D-4a	Table D-4F
HEXACHLOROCYCLOHEXANE (gamma) LINDANE	2.0E-02	Bioaccumulation/Human Consumption	3.7E+03	6.3E-02	2.0E-02
HEXACHLOROETHANE	2.9E+00	Bioaccumulation/Human Consumption	1.0E+01	1.2E+01	2.9E+00
HEXAZINONE	1.7E+04	Aquatic Habitat Chronic Toxicity	5.0E+04	1.7E+04	
INDENO(1,2,3-cd)PYRENE	1.8E-02	Bioaccumulation/Human Consumption	9.5E-02	2.8E-01	1.8E-02
ISOPHORONE	9.2E+02	Aquatic Habitat Chronic Toxicity	5.0E+04	9.2E+02	1.7E+05
LEAD	5.6E+00	Aquatic Habitat Chronic Toxicity	5.0E+04	5.6E+00	
MERCURY	2.5E-02	Aquatic Habitat Chronic Toxicity	5.0E+04	2.5E-02	4.7E-02
METHOXYCHLOR	3.0E-02	Aquatic Habitat Chronic Toxicity	5.0E+01	3.0E-02	
METHYL ETHYL KETONE	8.4E+03	Ceiling Level	8.4E+03	1.4E+04	
METHYL ISOBUTYL KETONE	1.7E+02	Aquatic Habitat Chronic Toxicity	1.3E+03	1.7E+02	
METHYL MERCURY	2.8E-03	Aquatic Habitat Chronic Toxicity	5.0E+04	2.8E-03	
METHYL TERT BUTYL ETHER	1.8E+02	Ceiling Level	1.8E+02	1.8E+04	
METHYLENE CHLORIDE	5.9E+02	Bioaccumulation/Human Consumption	9.1E+03	2.2E+03	5.9E+02
METHYLNAPHTHALENE, 1-	2.1E+00	Aquatic Habitat Chronic Toxicity	1.0E+01	2.1E+00	
METHYLNAPHTHALENE, 2-	1.0E+01	Ceiling Level	1.0E+01	7.2E+01	
MOLYBDENUM	3.7E+02	Aquatic Habitat Chronic Toxicity	5.0E+04	3.7E+02	
NAPHTHALENE	1.2E+01	Aquatic Habitat Chronic Toxicity	2.1E+01	1.2E+01	
NICKEL	8.3E+00	Aquatic Habitat Chronic Toxicity	5.0E+04	8.3E+00	3.3E+01
NITROBENZENE	3.8E+02	Aquatic Habitat Chronic Toxicity	5.0E+04	3.8E+02	
NITROGLYCERIN	1.8E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	1.8E+01	
NITROTOLUENE, 2-	7.1E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	7.1E+01	
NITROTOLUENE, 3-	4.2E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	4.2E+01	
NITROTOLUENE, 4-	4.6E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	4.6E+01	
PENTACHLOROPHENOL	3.0E+00	Bioaccumulation/Human Consumption	5.9E+02	7.9E+00	3.0E+00
PENTAERYTHRITOLTETRANITRATE (PETN)	2.2E+04	Ceiling Level	2.2E+04	8.5E+05	
PERCHLORATE	6.0E+02	Aquatic Habitat Chronic Toxicity	5.0E+04	6.0E+02	
PHENANTHRENE	4.6E+00	Aquatic Habitat Chronic Toxicity	4.1E+02	4.6E+00	
PHENOL	5.8E+01	Aquatic Habitat Chronic Toxicity	7.9E+03	5.8E+01	1.7E+06
POLYCHLORINATED BIPHENYLS (PCBs)	7.9E-05	Bioaccumulation/Human Consumption	2.2E+01	3.0E-02	7.9E-05
PROPICONAZOLE	9.5E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	9.5E+01	
PYRENE	1.0E+01	Aquatic Habitat Chronic Toxicity	6.8E+01	1.0E+01	4.0E+03
SELENIUM	7.1E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	7.1E+01	
SILVER	1.0E-01	Aquatic Habitat Chronic Toxicity	5.0E+04	1.0E-01	
SIMAZINE	9.0E+00	Aquatic Habitat Chronic Toxicity	3.1E+03	9.0E+00	
STYRENE	1.1E+01	Ceiling Level	1.1E+01	3.2E+01	
TERBACIL	2.5E+02	Aquatic Habitat Chronic Toxicity	5.0E+04	2.5E+02	
tert-BUTYL ALCOHOL	1.8E+04	Aquatic Habitat Chronic Toxicity	5.0E+04	1.8E+04	
TETRACHLOROETHANE, 1,1,1,2-	1.1E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	1.1E+01	
TETRACHLOROETHANE, 1,1,2,2-	3.5E+00	Bioaccumulation/Human Consumption	5.0E+02	6.1E+02	3.5E+00
TETRACHLOROETHYLENE	2.9E+00	Bioaccumulation/Human Consumption	3.0E+02	1.5E+02	2.9E+00
TETRACHLOROPHENOL, 2,3,4,6-	1.2E+00	Aquatic Habitat Chronic Toxicity	1.2E+04	1.2E+00	
TETRANITRO-1,3,5,7-TETRAAZOCYCLOOCTANE (HMX)	3.3E+02	Aquatic Habitat Chronic Toxicity	2.5E+03	3.3E+02	
THALLIUM	1.2E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	1.2E+01	1.6E+01
TOLUENE	9.8E+00	Aquatic Habitat Chronic Toxicity	4.0E+01	9.8E+00	1.4E+05

TABLE D-2b. SURFACE WATER ACTION LEVELS
Marine Habitats
(ug/l)

CHEMICAL PARAMETER	¹ Final Surface Water Action Level	Basis	Gross Contamination (Odors, etc.)	Marine Aquatic Habitat Goal (Chronic Toxicity)	Bioaccumulation and Human Consumption
			Table G-4	Table D-4a	Table D-4F
TOXAPHENE	2.0E-04	Aquatic Habitat Chronic Toxicity	1.4E+02	2.0E-04	2.4E-04
TPH (gasolines)	3.7E+03	Aquatic Habitat Chronic Toxicity	5.0E+03	3.7E+03	
TPH (middle distillates)	6.4E+02	Aquatic Habitat Chronic Toxicity	5.0E+03	6.4E+02	
TPH (residual fuels)	6.4E+02	Aquatic Habitat Chronic Toxicity	5.0E+03	6.4E+02	
TRICHLOROBENZENE, 1,2,4-	1.1E+02	Aquatic Habitat Chronic Toxicity	3.0E+03	1.1E+02	
TRICHLOROETHANE, 1,1,1-	1.1E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	1.1E+01	3.4E+05
TRICHLOROETHANE, 1,1,2-	1.4E+01	Bioaccumulation/Human Consumption	5.0E+04	1.2E+03	1.4E+01
TRICHLOROETHYLENE	2.6E+01	Bioaccumulation/Human Consumption	1.0E+04	4.7E+01	2.6E+01
TRICHLOROPHENOL, 2,4,5-	1.2E+01	Aquatic Habitat Chronic Toxicity	2.0E+02	1.2E+01	3.6E+03
TRICHLOROPHENOL, 2,4,6-	1.2E+00	Bioaccumulation/Human Consumption	1.0E+02	6.5E+00	1.2E+00
TRICHLOROPHENOXYACETIC ACID, 2,4,5- (2,4,5-T)	6.9E+02	Aquatic Habitat Chronic Toxicity	5.0E+04	6.9E+02	
TRICHLOROPHENOXYPROPIONIC ACID, 2,4,5- (2,4,5-TP)	5.0E+01	Aquatic Habitat Chronic Toxicity	3.6E+04	5.0E+01	
TRICHLOROPROPANE, 1,2,3-	1.4E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	1.4E+01	
TRICHLOROPROPENE, 1,2,3-	3.3E+00	Aquatic Habitat Chronic Toxicity	5.0E+04	3.3E+00	
TRIFLURALIN	1.1E+00	Aquatic Habitat Chronic Toxicity	9.0E+01	1.1E+00	
TRINITROBENZENE, 1,3,5-	1.0E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	1.0E+01	
TRINITROPHENYLMETHYLNITRAMINE, 2,4,6- (TETRYL)	3.9E+01	Aquatic Habitat Chronic Toxicity	3.7E+04	3.9E+01	
TRINITROTOLUENE, 2,4,6- (TNT)	2.0E+01	Ceiling Level	2.0E+01	9.0E+01	
VANADIUM	8.1E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	8.1E+01	
VINYL CHLORIDE	1.7E+02	Bioaccumulation/Human Consumption	3.4E+03	9.3E+02	1.7E+02
XYLENES	1.3E+01	Aquatic Habitat Chronic Toxicity	5.3E+02	1.3E+01	
ZINC	8.6E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	8.6E+01	

Notes:

1. Lowest of gross contamination, aquatic habitat and bioaccumulation action levels.

TPH -Total Petroleum Hydrocarbons. See text for discussion of different TPH categories.
Ceiling Level: Odor threshold, 1/2 solubility or 50000 ug/L maximum, whichever is lower. Intended to limit nuisances and general resource degradation.
Review of aquatic ecotoxicity data for ethanol underway. Based on preliminary review of available data, chronic toxicity screening levels likely to be significantly greater than ceiling level of 50,000 ug/L (refer to USEPA 2003b, ECOTOX database).
Method reporting limits and background concentrations replace final screening level as appropriate.

TABLE D-2c. SURFACE WATER ACTION LEVELS
***Estuary Habitats**
(ug/l)

CHEMICAL PARAMETER	1Final Surface Water Action Level	Basis	Gross Contamination (Odors, etc.)	Estuary Aquatic Habitat Goal (Chronic Toxicity)	Bioaccumulation and Human Consumption
			Table G-4	Table D-4a	Table D-4f
ACENAPHTHENE	1.5E+01	Aquatic Habitat Chronic Toxicity	2.0E+01	1.5E+01	9.9E+02
ACENAPHTHYLENE	1.3E+01	Aquatic Habitat Chronic Toxicity	2.0E+03	1.3E+01	
ACETONE	1.5E+03	Aquatic Habitat Chronic Toxicity	2.0E+04	1.5E+03	
ALDRIN	2.6E-05	Bioaccumulation/Human Consumption	8.5E+00	1.4E-04	2.6E-05
AMETRYN	7.0E+02	Aquatic Habitat Chronic Toxicity	5.0E+04	7.0E+02	
AMINO,2- DINITROTOLUENE,4,6-	1.8E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	1.8E+01	
AMINO,4- DINITROTOLUENE,2,6-	1.1E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	1.1E+01	
ANTHRACENE	2.0E-02	Aquatic Habitat Chronic Toxicity	2.2E+01	2.0E-02	4.0E+04
ANTIMONY	3.0E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	3.0E+01	1.5E+04
ARSENIC	1.4E-01	Bioaccumulation/Human Consumption	5.0E+04	3.6E+01	1.4E-01
ATRAZINE	1.2E+01	Aquatic Habitat Chronic Toxicity	1.8E+04	1.2E+01	
BARIUM	2.2E+02	Aquatic Habitat Chronic Toxicity	5.0E+04	2.2E+02	
BENOMYL	1.4E-01	Aquatic Habitat Chronic Toxicity	1.9E+03	1.4E-01	
BENZENE	1.3E+01	Bioaccumulation/Human Consumption	2.0E+03	7.1E+01	1.3E+01
BENZO(a)ANTHRACENE	1.8E-02	Bioaccumulation/Human Consumption	4.7E+00	2.7E-02	1.8E-02
BENZO(a)PYRENE	1.8E-02	Bioaccumulation/Human Consumption	8.0E-01	6.0E-02	1.8E-02
BENZO(b)FLUORANTHENE	1.8E-02	Bioaccumulation/Human Consumption	7.5E-01	6.8E-01	1.8E-02
BENZO(g,h,i)PERYLENE	1.3E-01	Ceiling Level	1.3E-01	4.4E-01	
BENZO(k)FLUORANTHENE	1.8E-02	Bioaccumulation/Human Consumption	4.0E-01	6.4E-01	1.8E-02
BERYLLIUM	3.8E-02	Bioaccumulation/Human Consumption	5.0E+04	6.6E-01	3.8E-02
BIPHENYL, 1,1-	5.0E-01	Ceiling Level	5.0E-01	6.5E+00	
BIS(2-CHLOROETHYL)ETHER	4.4E-01	Bioaccumulation/Human Consumption	3.6E+02	2.4E+03	4.4E-01
BIS(2-CHLORO-1-METHYLETHYL)ETHER	3.6E-01	Aquatic Habitat Chronic Toxicity	3.2E+02	3.6E-01	1.4E+03
BIS(2-ETHYLHEXYL)PHTHALATE	2.2E+00	Bioaccumulation/Human Consumption	1.4E+02	3.0E+00	2.2E+00
BORON	1.0E+03	Aquatic Habitat Chronic Toxicity	5.0E+04	1.0E+03	
BROMODICHLOROMETHANE	3.4E+02	Aquatic Habitat Chronic Toxicity	5.0E+04	3.4E+02	
BROMOFORM	1.4E+02	Bioaccumulation/Human Consumption	5.1E+02	2.3E+02	1.4E+02
BROMOMETHANE	1.6E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	1.6E+01	1.5E+03
CADMIUM	3.0E+00	Aquatic Habitat Chronic Toxicity	5.0E+04	3.0E+00	
CARBON TETRACHLORIDE	2.3E+00	Bioaccumulation/Human Consumption	5.2E+02	9.8E+00	2.3E+00
CHLORDANE (TECHNICAL)	1.6E-05	Bioaccumulation/Human Consumption	2.5E+00	4.0E-03	1.6E-05
CHLOROANILINE, p-	1.9E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	1.9E+01	
CHLOROBENZENE	2.5E+01	Aquatic Habitat Chronic Toxicity	5.0E+01	2.5E+01	2.1E+04
CHLOROETHANE	1.6E+01	Ceiling Level	1.6E+01	4.8E+04	
CHLOROFORM	5.1E+00	Bioaccumulation/Human Consumption	2.4E+03	2.8E+01	5.1E+00
CHLOROMETHANE	1.1E+03	Aquatic Habitat Chronic Toxicity	5.0E+04	1.1E+03	
CHLOROPHENOL, 2-	1.8E-01	Ceiling Level	1.8E-01	3.2E+01	1.5E+02
CHROMIUM (Total)	1.1E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	1.1E+01	
CHROMIUM III	2.0E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	2.0E+01	
CHROMIUM VI	1.1E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	1.1E+01	
CHRYSENE	1.8E-02	Bioaccumulation/Human Consumption	1.0E+00	2.0E+00	1.8E-02
COBALT	1.9E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	1.9E+01	
COPPER	2.9E+00	Aquatic Habitat Chronic Toxicity	5.0E+04	2.9E+00	
CYANIDE (Free)	1.0E+00	Aquatic Habitat Chronic Toxicity	1.7E+02	1.0E+00	2.2E+05

TABLE D-2c. SURFACE WATER ACTION LEVELS
***Estuary Habitats**
(ug/l)

CHEMICAL PARAMETER	¹ Final Surface Water Action Level	Basis	Gross Contamination (Odors, etc.)	Estuary Aquatic Habitat Goal (Chronic Toxicity)	Bioaccumulation and Human Consumption
			Table G-4	Table D-4a	Table D-4f
CYCLO-1,3,5-TRIMETHYLENE-2,4,6-TRINITRAMINE (RDX)	7.9E+01	Aquatic Habitat Chronic Toxicity	3.0E+04	7.9E+01	
DALAPON	3.0E+02	Aquatic Habitat Chronic Toxicity	5.0E+04	3.0E+02	
DIBENZO(a,h)ANTHTRACENE	1.8E-02	Bioaccumulation/Human Consumption	1.3E+00	8.0E-01	1.8E-02
DIBROMO,1,2- CHLOROPROPANE,3-	4.0E-02	Aquatic Habitat Chronic Toxicity	1.0E+01	4.0E-02	
DIBROMOCHLOROMETHANE	1.3E+01	Bioaccumulation/Human Consumption	5.0E+04	3.4E+01	1.3E+01
DIBROMOETHANE, 1,2-	1.4E+03	Aquatic Habitat Chronic Toxicity	5.0E+04	1.4E+03	
DICHLOROBENZENE, 1,2-	1.0E+01	Ceiling Level	1.0E+01	1.4E+01	8.5E+02
DICHLOROBENZENE, 1,3-	2.2E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	2.2E+01	8.5E+02
DICHLOROBENZENE, 1,4-	9.4E+00	Aquatic Habitat Chronic Toxicity	1.1E+01	9.4E+00	8.5E+02
DICHLOROENZIDINE, 3,3-	7.0E-03	Bioaccumulation/Human Consumption	1.6E+03	4.5E+00	7.0E-03
DICHLORODIPHENYLDICHLOROETHANE (DDD)	3.1E-04	Bioaccumulation/Human Consumption	4.5E+01	1.1E-02	3.1E-04
DICHLORODIPHENYLDICHLOROETHYLENE (DDE)	2.2E-04	Bioaccumulation/Human Consumption	2.0E+01	4.1E-01	2.2E-04
DICHLORODIPHENYLTRICHLOROETHANE (DDT)	8.0E-06	Bioaccumulation/Human Consumption	2.8E+00	1.0E-03	8.0E-06
DICHLOROETHANE, 1,1-	4.7E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	4.7E+01	
DICHLOROETHANE, 1,2-	7.9E+01	Bioaccumulation/Human Consumption	2.0E+04	9.1E+02	7.9E+01
DICHLOROETHYLENE, 1,1-	6.0E-01	Bioaccumulation/Human Consumption	1.5E+03	2.5E+01	6.0E-01
DICHLOROETHYLENE, Cis 1,2-	6.2E+02	Aquatic Habitat Chronic Toxicity	5.0E+04	6.2E+02	
DICHLOROETHYLENE, Trans 1,2-	2.6E+02	Ceiling Level	2.6E+02	5.6E+02	140000
DICHLOROPHENOL, 2,4-	3.0E-01	Ceiling Level	3.0E-01	1.1E+01	2.9E+02
DICHLOROPHENOXYACETIC ACID (2,4-D)	7.0E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	7.0E+01	
DICHLOROPROPANE, 1,2-	1.0E+01	Ceiling Level	1.0E+01	5.2E+02	1.5E+01
DICHLOROPROPENE, 1,3-	6.0E-02	Aquatic Habitat Chronic Toxicity	5.0E+04	6.0E-02	4.6E+00
DIELDRIN	2.5E-05	Bioaccumulation/Human Consumption	4.1E+01	1.9E-03	2.5E-05
DIETHYLPHTHALATE	2.1E+02	Aquatic Habitat Chronic Toxicity	5.0E+04	2.1E+02	4.4E+04
DIMETHYLPHENOL, 2,4-	1.2E+02	Aquatic Habitat Chronic Toxicity	4.0E+02	1.2E+02	8.5E+02
DIMETHYLPHTHALATE	1.1E+03	Aquatic Habitat Chronic Toxicity	5.0E+04	1.1E+03	1.1E+06
DINITROBENZENE, 1,3-	1.0E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	1.0E+01	
DINITROPHENOL, 2,4-	1.4E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	1.4E+01	5.3E+03
DINITROTOLUENE, 2,4- (2,4-DNT)	3.0E+00	Bioaccumulation/Human Consumption	5.0E+04	9.1E+00	3.0E+00
DINITROTOLUENE, 2,6- (2,6-DNT)	8.1E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	8.1E+01	
DIOXANE, 1,4-	5.0E+04	Ceiling Level	5.0E+04	3.4E+05	
DIOXINS (TEQ)	3.1E-09	Aquatic Habitat Chronic Toxicity	1.0E-01	3.1E-09	5.0E-09
DIURON	6.0E+01	Aquatic Habitat Chronic Toxicity	2.1E+04	6.0E+01	
ENDOSULFAN	8.7E-03	Aquatic Habitat Chronic Toxicity	1.6E+02	8.7E-03	5.2E+01
ENDRIN	2.3E-03	Aquatic Habitat Chronic Toxicity	4.1E+01	2.3E-03	8.1E-01
ETHANOL	0.0E+00	Aquatic Habitat Chronic Toxicity	5.0E+04	0.0E+00	
ETHYLBENZENE	7.3E+00	Aquatic Habitat Chronic Toxicity	3.0E+01	7.3E+00	1.1E+03
FLUORANTHENE	8.0E-01	Aquatic Habitat Chronic Toxicity	1.3E+02	8.0E-01	1.8E+01
FLUORENE	3.9E+00	Aquatic Habitat Chronic Toxicity	8.5E+02	3.9E+00	5.3E+03
GLYPHOSATE	1.8E+03	Aquatic Habitat Chronic Toxicity	5.0E+04	1.8E+03	
HEPTACHLOR	9.0E-05	Bioaccumulation/Human Consumption	2.0E+01	3.6E-03	9.0E-05
HEPTACHLOR EPOXIDE	3.9E-05	Bioaccumulation/Human Consumption	1.0E+02	3.6E-03	3.9E-05
HEXACHLOROBENZENE	2.4E-04	Bioaccumulation/Human Consumption	3.1E+00	3.0E-04	2.4E-04
HEXACHLOROBUTADIENE	3.0E-01	Aquatic Habitat Chronic Toxicity	6.0E+00	3.0E-01	1.6E+01

TABLE D-2c. SURFACE WATER ACTION LEVELS
***Estuary Habitats**
(ug/l)

CHEMICAL PARAMETER	¹ Final Surface Water Action Level	Basis	Gross Contamination (Odors, etc.)	Estuary Aquatic Habitat Goal (Chronic Toxicity)	Bioaccumulation and Human Consumption
			Table G-4	Table D-4a	Table D-4f
HEXACHLOROCYCLOHEXANE (gamma) LINDANE	2.0E-02	Bioaccumulation/Human Consumption	3.7E+03	6.3E-02	2.0E-02
HEXACHLOROETHANE	2.9E+00	Bioaccumulation/Human Consumption	1.0E+01	1.2E+01	2.9E+00
HEXAZINONE	1.7E+04	Aquatic Habitat Chronic Toxicity	5.0E+04	1.7E+04	
INDENO(1,2,3-cd)PYRENE	1.8E-02	Bioaccumulation/Human Consumption	9.5E-02	2.8E-01	1.8E-02
ISOPHORONE	9.2E+02	Aquatic Habitat Chronic Toxicity	5.0E+04	9.2E+02	1.7E+05
LEAD	5.6E+00	Aquatic Habitat Chronic Toxicity	5.0E+04	5.6E+00	
MERCURY	2.5E-02	Aquatic Habitat Chronic Toxicity	5.0E+04	2.5E-02	4.7E-02
METHOXYCHLOR	3.0E-02	Aquatic Habitat Chronic Toxicity	5.0E+01	3.0E-02	
METHYL ETHYL KETONE	8.4E+03	Ceiling Level	8.4E+03	1.4E+04	
METHYL ISOBUTYL KETONE	1.7E+02	Aquatic Habitat Chronic Toxicity	1.3E+03	1.7E+02	
METHYL MERCURY	2.8E-03	Aquatic Habitat Chronic Toxicity	5.0E+04	2.8E-03	
METHYL TERT BUTYL ETHER	1.8E+02	Ceiling Level	1.8E+02	7.3E+02	
METHYLENE CHLORIDE	5.9E+02	Bioaccumulation/Human Consumption	9.1E+03	1.5E+03	5.9E+02
METHYLNAPHTHALENE, 1-	2.1E+00	Aquatic Habitat Chronic Toxicity	1.0E+01	2.1E+00	
METHYLNAPHTHALENE, 2-	4.7E+00	Aquatic Habitat Chronic Toxicity	1.0E+01	4.7E+00	
MOLYBDENUM	3.7E+02	Aquatic Habitat Chronic Toxicity	5.0E+04	3.7E+02	
NAPHTHALENE	1.2E+01	Aquatic Habitat Chronic Toxicity	2.1E+01	1.2E+01	
NICKEL	5.0E+00	Aquatic Habitat Chronic Toxicity	5.0E+04	5.0E+00	3.3E+01
NITROBENZENE	3.8E+02	Aquatic Habitat Chronic Toxicity	5.0E+04	3.8E+02	
NITROGLYCERIN	1.8E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	1.8E+01	
NITROTOLUENE, 2-	7.1E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	7.1E+01	
NITROTOLUENE, 3-	4.2E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	4.2E+01	
NITROTOLUENE, 4-	4.6E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	4.6E+01	
PENTACHLOROPHENOL	3.0E+00	Bioaccumulation/Human Consumption	5.9E+02	7.9E+00	3.0E+00
PENTAERYTHRITOLTETRANITRATE (PETN)	2.2E+04	Ceiling Level	2.2E+04	8.5E+05	
PERCHLORATE	6.0E+02	Aquatic Habitat Chronic Toxicity	5.0E+04	6.0E+02	
PHENANTHRENE	2.3E+00	Aquatic Habitat Chronic Toxicity	4.1E+02	2.3E+00	
PHENOL	5.8E+01	Aquatic Habitat Chronic Toxicity	7.9E+03	5.8E+01	1.7E+06
POLYCHLORINATED BIPHENYLS (PCBs)	7.9E-05	Bioaccumulation/Human Consumption	2.2E+01	1.4E-02	7.9E-05
PROPICONAZOLE	9.5E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	9.5E+01	
PYRENE	4.6E+00	Aquatic Habitat Chronic Toxicity	6.8E+01	4.6E+00	4.0E+03
SELENIUM	5.0E+00	Aquatic Habitat Chronic Toxicity	5.0E+04	5.0E+00	
SILVER	1.0E-01	Aquatic Habitat Chronic Toxicity	5.0E+04	1.0E-01	
SIMAZINE	9.0E+00	Aquatic Habitat Chronic Toxicity	3.1E+03	9.0E+00	
STYRENE	1.1E+01	Ceiling Level	1.1E+01	3.2E+01	
TERBACIL	2.5E+02	Aquatic Habitat Chronic Toxicity	5.0E+04	2.5E+02	
tert-BUTYL ALCOHOL	1.8E+04	Aquatic Habitat Chronic Toxicity	5.0E+04	1.8E+04	
TETRACHLOROETHANE, 1,1,1,2-	1.1E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	1.1E+01	
TETRACHLOROETHANE, 1,1,2,2-	3.5E+00	Bioaccumulation/Human Consumption	5.0E+02	2.0E+02	3.5E+00
TETRACHLOROETHYLENE	2.9E+00	Bioaccumulation/Human Consumption	3.0E+02	5.3E+01	2.9E+00
TETRACHLOROPHENOL, 2,3,4,6-	1.2E+00	Aquatic Habitat Chronic Toxicity	1.2E+04	1.2E+00	
TETRANITRO-1,3,5,7-TETRAAZOCYCLOOCTANE (HMX)	2.2E+02	Aquatic Habitat Chronic Toxicity	2.5E+03	2.2E+02	
THALLIUM	6.0E+00	Aquatic Habitat Chronic Toxicity	5.0E+04	6.0E+00	1.6E+01
TOLUENE	9.8E+00	Aquatic Habitat Chronic Toxicity	4.0E+01	9.8E+00	1.4E+05

TABLE D-2c. SURFACE WATER ACTION LEVELS
***Estuary Habitats**
(ug/l)

CHEMICAL PARAMETER	¹ Final Surface Water Action Level	Basis	Gross Contamination (Odors, etc.)	Estuary Aquatic Habitat Goal (Chronic Toxicity)	Bioaccumulation and Human Consumption
			Table G-4	Table D-4a	Table D-4f
TOXAPHENE	2.0E-04	Aquatic Habitat Chronic Toxicity	1.4E+02	2.0E-04	2.4E-04
TPH (gasolines)	5.0E+02	Aquatic Habitat Chronic Toxicity	5.0E+03	5.0E+02	
TPH (middle distillates)	6.4E+02	Aquatic Habitat Chronic Toxicity	5.0E+03	6.4E+02	
TPH (residual fuels)	6.4E+02	Aquatic Habitat Chronic Toxicity	5.0E+03	6.4E+02	
TRICHLOROBENZENE, 1,2,4-	1.1E+02	Aquatic Habitat Chronic Toxicity	3.0E+03	1.1E+02	
TRICHLOROETHANE, 1,1,1-	1.1E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	1.1E+01	3.4E+05
TRICHLOROETHANE, 1,1,2-	1.4E+01	Bioaccumulation/Human Consumption	5.0E+04	7.3E+02	1.4E+01
TRICHLOROETHYLENE	2.6E+01	Bioaccumulation/Human Consumption	1.0E+04	4.7E+01	2.6E+01
TRICHLOROPHENOL, 2,4,5-	1.9E+00	Aquatic Habitat Chronic Toxicity	2.0E+02	1.9E+00	3.6E+03
TRICHLOROPHENOL, 2,4,6-	1.2E+00	Bioaccumulation/Human Consumption	1.0E+02	4.9E+00	1.2E+00
TRICHLOROPHENOXYACETIC ACID, 2,4,5- (2,4,5-T)	6.9E+02	Aquatic Habitat Chronic Toxicity	5.0E+04	6.9E+02	
TRICHLOROPHENOXYPROPIONIC ACID, 2,4,5- (2,4,5-TP)	3.0E+01	Aquatic Habitat Chronic Toxicity	3.6E+04	3.0E+01	
TRICHLOROPROPANE, 1,2,3-	1.4E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	1.4E+01	
TRICHLOROPROPENE, 1,2,3-	3.3E+00	Aquatic Habitat Chronic Toxicity	5.0E+04	3.3E+00	
TRIFLURALIN	1.1E+00	Aquatic Habitat Chronic Toxicity	9.0E+01	1.1E+00	
TRINITROBENZENE, 1,3,5-	1.0E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	1.0E+01	
TRINITROPHENYLMETHYLNITRAMINE, 2,4,6- (TETRYL)	3.9E+01	Aquatic Habitat Chronic Toxicity	3.7E+04	3.9E+01	
TRINITROTOLUENE, 2,4,6- (TNT)	1.3E+01	Aquatic Habitat Chronic Toxicity	2.0E+01	1.3E+01	
VANADIUM	2.7E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	2.7E+01	
VINYL CHLORIDE	1.7E+02	Bioaccumulation/Human Consumption	3.4E+03	9.3E+02	1.7E+02
XYLENES	1.3E+01	Aquatic Habitat Chronic Toxicity	5.3E+02	1.3E+01	
ZINC	2.2E+01	Aquatic Habitat Chronic Toxicity	5.0E+04	2.2E+01	

Notes:
***Estuary Habitats: Mixed freshwater/marine water habitats.**
1. Lowest of gross contamination, aquatic habitat and bioaccumulation action levels.

TPH -Total Petroleum Hydrocarbons. See text for discussion of different TPH categories.
Ceiling Level: Odor threshold, 1/2 solubility or 50000 ug/L maximum, whichever is lower. Intended to limit nuisances and general resource degradation.
Review of aquatic ecotoxicity data for ethanol underway. Based on preliminary review of available data, chronic toxicity screening levels likely to be significantly greater than ceiling level of 50,000 ug/L (refer to USEPA 2003b, ECOTOX database).
Method reporting limits and background concentrations replace final screening level as appropriate.

TABLE D-3a. FINAL DRINKING WATER ACTION LEVELS FOR HUMAN TOXICITY.
(ug/L)

CHEMICAL PARAMETER	Final Action Level	Basis	HDOH Primary MCL	Other Criteria	Reference	Risk-Based Action Level (Table D-3b)	Basis
ACENAPHTHENE	4.4E+02	noncarcinogenic effects				4.4E+02	noncarcinogenic effects
ACENAPHTHYLENE	3.0E+02	noncarcinogenic effects				3.0E+02	noncarcinogenic effects
ACETONE	6.0E+03	noncarcinogenic effects				6.0E+03	noncarcinogenic effects
ALDRIN	1.2E-03	carcinogenic effects				1.2E-03	carcinogenic effects
AMETRYN	1.5E+02	noncarcinogenic effects				1.5E+02	noncarcinogenic effects
AMINO,2- DINITROTOLUENE,4,6-	1.9E+00	noncarcinogenic effects				1.9E+00	noncarcinogenic effects
AMINO,4- DINITROTOLUENE,2,6-	1.9E+00	noncarcinogenic effects				1.9E+00	noncarcinogenic effects
ANTHRACENE	1.6E+03	noncarcinogenic effects				1.6E+03	noncarcinogenic effects
ANTIMONY	6.0E+00	HDOH Primary MCL	6.0E+00			8.0E+00	noncarcinogenic effects
ARSENIC	1.0E+01	HDOH Primary MCL	1.0E+01			2.0E-02	carcinogenic effects
ATRAZINE	3.0E+00	HDOH Primary MCL	3.0E+00			3.0E-01	carcinogenic effects
BARIUM	2.0E+03	HDOH Primary MCL	2.0E+03			4.0E+03	noncarcinogenic effects
BENOMYL	9.7E+02	noncarcinogenic effects				9.7E+02	noncarcinogenic effects
BENZENE	5.0E+00	HDOH Primary MCL	5.0E+00			4.6E-01	carcinogenic effects
BENZO(a)ANTHRACENE	5.2E-02	carcinogenic effects				5.2E-02	carcinogenic effects
BENZO(a)PYRENE	2.0E-01	HDOH Primary MCL	2.0E-01			3.5E-03	carcinogenic effects
BENZO(b)FLUORANTHENE	5.8E-02	carcinogenic effects				5.8E-02	carcinogenic effects
BENZO(g,h,i)PERYLENE	6.5E+01	noncarcinogenic effects				6.5E+01	noncarcinogenic effects
BENZO(k)FLUORANTHENE	3.6E-01	carcinogenic effects				3.6E-01	carcinogenic effects
BERYLLIUM	4.0E+00	HDOH Primary MCL	4.0E+00			3.9E+01	noncarcinogenic effects
BIPHENYL, 1,1-	3.9E+00	carcinogenic effects				3.9E+00	carcinogenic effects
BIS(2-CHLOROETHYL)ETHER	1.4E-02	carcinogenic effects				1.4E-02	carcinogenic effects
BIS(2-CHLORO-1-METHYLETHYL)ETHER	3.6E-01	carcinogenic effects				3.6E-01	carcinogenic effects
BIS(2-ETHYLHEXYL)PHTHALATE	6.0E+00	HDOH Primary MCL	6.0E+00			6.7E-02	carcinogenic effects
BORON	9.8E+02	noncarcinogenic effects				9.8E+02	noncarcinogenic effects
BROMODICHLOROMETHANE	1.3E-01	carcinogenic effects				1.3E-01	carcinogenic effects
BROMOFORM	8.0E+01	HDOH Primary MCL	8.0E+01		Total Trihalomethanes	9.2E+00	carcinogenic effects
BROMOMETHANE	1.9E+01	noncarcinogenic effects				1.9E+01	noncarcinogenic effects
CADMIUM	5.0E+00	HDOH Primary MCL	5.0E+00			2.0E+00	noncarcinogenic effects
CARBON TETRACHLORIDE	5.0E+00	HDOH Primary MCL	5.0E+00			4.5E-01	carcinogenic effects
CHLORDANE (TECHNICAL)	2.0E+00	HDOH Primary MCL	2.0E+00			2.3E-02	carcinogenic effects
CHLOROANILINE, p-	3.7E-01	carcinogenic effects				3.7E-01	carcinogenic effects
CHLOROBENZENE	1.0E+02	HDOH Primary MCL	1.0E+02			2.0E+02	noncarcinogenic effects
CHLOROETHANE	4.8E+04	noncarcinogenic effects				4.8E+04	noncarcinogenic effects
CHLOROFORM	7.0E+01	HDOH public health goal		7.0E+01	HDOH public health goal	2.2E-01	carcinogenic effects
CHLOROMETHANE	1.1E+03	noncarcinogenic effects				1.1E+03	noncarcinogenic effects
CHLOROPHENOL, 2-	6.3E+01	noncarcinogenic effects				6.3E+01	noncarcinogenic effects
CHROMIUM (Total)	1.0E+02	HDOH Primary MCL	1.0E+02				not applicable
CHROMIUM III	1.2E+04	noncarcinogenic effects				1.2E+04	noncarcinogenic effects
CHROMIUM VI	2.0E-01	carcinogenic effects				2.0E-01	carcinogenic effects
CHRYSENE	2.4E-01	mutagenic effects				2.4E-01	mutagenic effects
COBALT	2.4E+00	noncarcinogenic effects				2.4E+00	noncarcinogenic effects
COPPER	1.3E+03	HDOH Primary MCL	1.3E+03			8.0E+02	noncarcinogenic effects

TABLE D-3a. FINAL DRINKING WATER ACTION LEVELS FOR HUMAN TOXICITY.
(ug/L)

CHEMICAL PARAMETER	Final Action Level	Basis	HDOH Primary MCL	Other Criteria	Reference	Risk-Based Action Level (Table D-3b)	Basis
CYANIDE (Free)	2.0E+02	HDOH Primary MCL	2.0E+02			2.7E+00	noncarcinogenic effects
CYCLO-1,3,5-TRIMETHYLENE-2,4,6-TRINITRAMINE (RDX)	9.7E-01	carcinogenic effects				9.7E-01	carcinogenic effects
DALAPON	2.0E+02	HDOH Primary MCL	2.0E+02			6.0E+02	noncarcinogenic effects
DIBENZO(a,h)ANTHTRACENE	4.8E-03	carcinogenic effects				4.8E-03	carcinogenic effects
DIBROMO,1,2- CHLOROPROPANE,3-	4.0E-02	HDOH Primary MCL	4.0E-02			3.3E-04	mutagenic effects
DIBROMOCHLOROMETHANE	8.7E-01	carcinogenic effects				8.7E-01	carcinogenic effects
DIBROMOETHANE, 1,2-	4.0E-02	HDOH Primary MCL	4.0E-02			7.5E-03	carcinogenic effects
DICHLOROENZENE, 1,2-	6.0E+02	HDOH Primary MCL	6.0E+02			7.8E+02	noncarcinogenic effects
DICHLOROENZENE, 1,3-	3.0E+02	noncarcinogenic effects				3.0E+02	noncarcinogenic effects
DICHLOROENZENE, 1,4-	7.5E+01	HDOH Primary MCL	7.5E+01			4.8E-01	carcinogenic effects
DICHLOROENZIDINE, 3,3-	1.3E-01	carcinogenic effects				1.3E-01	carcinogenic effects
DICHLORODIPHENYLDICHLOROETHANE (DDD)	2.6E-02	carcinogenic effects				2.6E-02	carcinogenic effects
DICHLORODIPHENYLDICHLOROETHYLENE (DDE)	8.9E-03	carcinogenic effects				8.9E-03	carcinogenic effects
DICHLORODIPHENYLTRICHLOROETHANE (DDT)	6.2E-03	carcinogenic effects				6.2E-03	carcinogenic effects
DICHLOROETHANE, 1,1-	2.8E+00	carcinogenic effects				2.8E+00	carcinogenic effects
DICHLOROETHANE, 1,2-	5.0E+00	USEPA MCL		5.0E+00	USEPA MCL	1.7E-01	carcinogenic effects
DICHLOROETHYLENE, 1,1-	7.0E+00	HDOH Primary MCL	7.0E+00			6.5E+02	noncarcinogenic effects
DICHLOROETHYLENE, Cis 1,2-	7.0E+01	HDOH Primary MCL	7.0E+01			3.4E+01	noncarcinogenic effects
DICHLOROETHYLENE, Trans 1,2-	1.0E+02	HDOH Primary MCL	1.0E+02			2.1E+02	noncarcinogenic effects
DICHLOROPHENOL, 2,4-	4.6E+01	noncarcinogenic effects				4.6E+01	noncarcinogenic effects
DICHLOROPHENOXYACETIC ACID (2,4-D)	7.0E+01	HDOH Primary MCL	7.0E+01			1.7E+02	noncarcinogenic effects
DICHLOROPROPANE, 1,2-	5.0E+00	HDOH Primary MCL	5.0E+00			8.5E-01	carcinogenic effects
DICHLOROPROPENE, 1,3-	4.7E-01	carcinogenic effects				4.7E-01	carcinogenic effects
DIELDRIN	3.5E-03	carcinogenic effects				3.5E-03	carcinogenic effects
DIETHYLPHTHALATE	1.5E+04	noncarcinogenic effects				1.5E+04	noncarcinogenic effects
DIMETHYLPHENOL, 2,4-	3.6E+02	noncarcinogenic effects				3.6E+02	noncarcinogenic effects
DIMETHYLPHTHALATE	1.9E+05	noncarcinogenic effects				1.9E+05	noncarcinogenic effects
DINITROBENZENE, 1,3-	2.0E+00	noncarcinogenic effects				2.0E+00	noncarcinogenic effects
DINITROPHENOL, 2,4-	3.9E+01	noncarcinogenic effects				3.9E+01	noncarcinogenic effects
DINITROTOLUENE, 2,4- (2,4-DNT)	2.4E-01	carcinogenic effects				2.4E-01	carcinogenic effects
DINITROTOLUENE, 2,6- (2,6-DNT)	4.9E-02	carcinogenic effects				4.9E-02	carcinogenic effects
DIOXANE, 1,4-	4.6E-01	carcinogenic effects				4.6E-01	carcinogenic effects
DIOXINS (TEQ)	3.0E-05	HDOH Primary MCL	3.0E-05			1.6E-08	carcinogenic effects
DIURON	3.6E+01	noncarcinogenic effects				3.6E+01	noncarcinogenic effects
ENDOSULFAN	9.9E+01	noncarcinogenic effects				9.9E+01	noncarcinogenic effects
ENDRIN	2.0E+00	HDOH Primary MCL	2.0E+00			2.0E+00	noncarcinogenic effects
ETHANOL	0.0E+00	not available				0.0E+00	carcinogenic effects
ETHYLBENZENE	7.0E+02	HDOH Primary MCL	7.0E+02			1.5E+00	carcinogenic effects
FLUORANTHENE	1.1E+02	noncarcinogenic effects				1.1E+02	noncarcinogenic effects
FLUORENE	2.5E+02	noncarcinogenic effects				2.5E+02	noncarcinogenic effects
GLYPHOSATE	7.0E+02	HDOH Primary MCL	7.0E+02			2.0E+03	noncarcinogenic effects
HEPTACHLOR	4.0E-01	HDOH Primary MCL	4.0E-01			1.7E-03	carcinogenic effects
HEPTACHLOR EPOXIDE	2.0E-01	HDOH Primary MCL	2.0E-01			3.4E-03	carcinogenic effects

TABLE D-3a. FINAL DRINKING WATER ACTION LEVELS FOR HUMAN TOXICITY.
(ug/L)

CHEMICAL PARAMETER	Final Action Level	Basis	HDOH Primary MCL	Other Criteria	Reference	Risk-Based Action Level (Table D-3b)	Basis
HEXACHLOROENZENE	1.0E+00	HDOH Primary MCL	1.0E+00			4.7E-03	carcinogenic effects
HEXACHLOROBUTADIENE	2.8E-01	carcinogenic effects				2.8E-01	carcinogenic effects
HEXACHLOROCYCLOHEXANE (gamma) LINDANE	2.0E-01	HDOH Primary MCL	2.0E-01			4.0E-02	carcinogenic effects
HEXACHLOROETHANE	9.2E-01	carcinogenic effects				9.2E-01	carcinogenic effects
HEXAZINONE	6.4E+02	noncarcinogenic effects				6.4E+02	noncarcinogenic effects
INDENO(1,2,3-cd)PYRENE	1.8E-02	carcinogenic effects				1.8E-02	carcinogenic effects
ISOPHORONE	7.8E+01	carcinogenic effects				7.8E+01	carcinogenic effects
LEAD	1.5E+01	HDOH Primary MCL	1.5E+01				
MERCURY	2.0E+00	HDOH Primary MCL	2.0E+00			6.0E+00	noncarcinogenic effects
METHOXYCHLOR	4.0E+01	HDOH Primary MCL	4.0E+01			3.2E+01	noncarcinogenic effects
METHYL ETHYL KETONE	9.9E+03	noncarcinogenic effects				9.9E+03	noncarcinogenic effects
METHYL ISOBUTYL KETONE	3.6E+04	noncarcinogenic effects				3.6E+04	noncarcinogenic effects
METHYL MERCURY	2.0E+00	noncarcinogenic effects				2.0E+00	noncarcinogenic effects
METHYL TERT BUTYL ETHER	1.4E+01	carcinogenic effects				1.4E+01	carcinogenic effects
METHYLENE CHLORIDE	5.0E+00	USEPA MCL		5.0E+00	USEPA MCL	9.9E+00	mutagenic effects
METHYLNAPHTHALENE, 1-	1.1E+01	carcinogenic effects				1.1E+01	carcinogenic effects
METHYLNAPHTHALENE, 2-	3.0E+01	noncarcinogenic effects				3.0E+01	noncarcinogenic effects
MOLYBDENUM	9.9E+01	noncarcinogenic effects				9.9E+01	noncarcinogenic effects
NAPHTHALENE	1.7E+01	CDPH notification level		1.7E+01	CDPH notification level	1.2E-01	carcinogenic effects
NICKEL	3.8E+02	noncarcinogenic effects				3.8E+02	noncarcinogenic effects
NITROBENZENE	1.4E-01	carcinogenic effects				1.4E-01	carcinogenic effects
NITROGLYCERIN	2.0E+00	noncarcinogenic effects				2.0E+00	noncarcinogenic effects
NITROTOLUENE, 2-	3.1E-01	carcinogenic effects				3.1E-01	carcinogenic effects
NITROTOLUENE, 3-	1.7E+00	noncarcinogenic effects				1.7E+00	noncarcinogenic effects
NITROTOLUENE, 4-	4.3E+00	carcinogenic effects				4.3E+00	carcinogenic effects
PENTACHLOROPHENOL	1.0E+00	HDOH Primary MCL	1.0E+00			3.8E-02	carcinogenic effects
PENTAERYTHRITOLTETRANITRATE (PETN)	1.7E+01	carcinogenic effects				1.7E+01	carcinogenic effects
PERCHLORATE	1.5E+01	USEPA MCL		1.5E+01	USEPA MCL	1.4E+01	noncarcinogenic effects
PHENANTHRENE	2.5E+02	noncarcinogenic effects				2.5E+02	noncarcinogenic effects
PHENOL	5.8E+03	noncarcinogenic effects				5.8E+03	noncarcinogenic effects
POLYCHLORINATED BIPHENYLS (PCBs)	5.0E-01	HDOH Primary MCL	5.0E-01			1.1E-03	carcinogenic effects
PROPICONAZOLE	1.6E+03	noncarcinogenic effects				1.6E+03	noncarcinogenic effects
PYRENE	1.1E+02	noncarcinogenic effects				1.1E+02	noncarcinogenic effects
SELENIUM	5.0E+01	HDOH Primary MCL	5.0E+01			9.9E+01	noncarcinogenic effects
SILVER	1.0E+02	noncarcinogenic effects				1.0E+02	noncarcinogenic effects
SIMAZINE	4.0E+00	HDOH Primary MCL	4.0E+00			6.1E-01	carcinogenic effects
STYRENE	1.0E+02	HDOH Primary MCL	1.0E+02			2.3E+03	noncarcinogenic effects
TERBACIL	2.5E+02	noncarcinogenic effects				2.5E+02	noncarcinogenic effects
tert-BUTYL ALCOHOL	6.0E+01	carcinogenic effects				6.0E+01	carcinogenic effects
TETRACHLOROETHANE, 1,1,1,2-	5.7E-01	carcinogenic effects				5.7E-01	carcinogenic effects
TETRACHLOROETHANE, 1,1,2,2-	7.6E-02	carcinogenic effects				7.6E-02	carcinogenic effects
TETRACHLOROETHYLENE	5.0E+00	HDOH Primary MCL	5.0E+00			6.6E-01	carcinogenic effects
TETRACHLOROPHENOL, 2,3,4,6-	2.2E+02	noncarcinogenic effects				2.2E+02	noncarcinogenic effects

TABLE D-3a. FINAL DRINKING WATER ACTION LEVELS FOR HUMAN TOXICITY.
(ug/L)

CHEMICAL PARAMETER	Final Action Level	Basis	HDOH Primary MCL	Other Criteria	Reference	Risk-Based Action Level (Table D-3b)	Basis
TETRANITRO-1,3,5,7-TETRAAZOCYCLOOCTANE (HMX)	1.0E+03	noncarcinogenic effects				1.0E+03	noncarcinogenic effects
THALLIUM	2.0E+00	HDOH Primary MCL	2.0E+00			2.0E-01	noncarcinogenic effects
TOLUENE	1.0E+03	HDOH Primary MCL	1.0E+03			1.2E+03	noncarcinogenic effects
TOXAPHENE	3.0E+00	HDOH Primary MCL	3.0E+00			1.1E-02	carcinogenic effects
TPH (gasolines)	7.4E+01	noncarcinogenic effects				7.4E+01	noncarcinogenic effects
TPH (middle distillates)	9.1E+01	noncarcinogenic effects				9.1E+01	noncarcinogenic effects
TPH (residual fuels)	9.1E+01	noncarcinogenic effects				9.1E+01	noncarcinogenic effects
TRICHLOROBENZENE, 1,2,4-	7.0E+01	HDOH Primary MCL	7.0E+01			1.1E+00	carcinogenic effects
TRICHLOROETHANE, 1,1,1-	2.0E+02	HDOH Primary MCL	2.0E+02			2.2E+04	noncarcinogenic effects
TRICHLOROETHANE, 1,1,2-	5.0E+00	HDOH Primary MCL	5.0E+00			2.8E-01	carcinogenic effects
TRICHLOROETHYLENE	5.0E+00	HDOH Primary MCL	5.0E+00			2.4E-01	mutagenic effects
TRICHLOROPHENOL, 2,4,5-	1.2E+03	noncarcinogenic effects				1.2E+03	noncarcinogenic effects
TRICHLOROPHENOL, 2,4,6-	4.1E+00	carcinogenic effects				4.1E+00	carcinogenic effects
TRICHLOROPHENOXYACETIC ACID, 2,4,5- (2,4,5-T)	1.6E+02	noncarcinogenic effects				1.6E+02	noncarcinogenic effects
TRICHLOROPHENOXYPROPIONIC ACID, 2,4,5- (2,4,5-TP)	5.0E+01	HDOH Primary MCL	5.0E+01			1.1E+02	noncarcinogenic effects
TRICHLOROPROPANE, 1,2,3-	6.0E-01	HDOH Primary MCL	6.0E-01			7.2E-04	mutagenic effects
TRICHLOROPROPENE, 1,2,3-	3.3E+00	noncarcinogenic effects				3.3E+00	noncarcinogenic effects
TRIFLURALIN	2.2E+00	carcinogenic effects				2.2E+00	carcinogenic effects
TRINITROBENZENE, 1,3,5-	3.5E+02	noncarcinogenic effects				3.5E+02	noncarcinogenic effects
TRINITROPHENYLMETHYLNITRAMINE, 2,4,6- (TETRYL)	3.9E+01	noncarcinogenic effects				3.9E+01	noncarcinogenic effects
TRINITROTOLUENE, 2,4,6- (TNT)	2.5E+00	carcinogenic effects				2.5E+00	carcinogenic effects
VANADIUM	9.6E+01	noncarcinogenic effects				9.6E+01	noncarcinogenic effects
VINYL CHLORIDE	2.0E+00	HDOH Primary MCL	2.0E+00			1.5E-02	carcinogenic effects
XYLENES	1.0E+04	HDOH Primary MCL	1.0E+04			1.1E+03	noncarcinogenic effects
ZINC	6.0E+03	noncarcinogenic effects				6.0E+03	noncarcinogenic effects

Source (unless otherwise noted):
Hawai'i Department of Health Primary Maximum Concentration Level. (HDOH 2009).
CDPH: California Department of Public Health, Drinking Water Notification Level (December 2007), <http://ww2.cdph.ca.gov/certific/drinkingwater/Pages/NotificationLevels.aspx>

Notes:
Used for development of groundwater and soil screening levels.
Final health-based screening level for drinking water: HDOH Primary MCLs or, in order of preference and availability, USEPA Primary MCL and risk-based Tapwater Goal (Table D-3b)
TPH - Total Petroleum Hydrocarbons. See text for discussion of different TPH categories.

**TABLE D-3b. RISK-BASED ACTION LEVELS FOR TAPWATER
(ug/l)**

CHEMICAL PARAMETER	Lowest Tapwater Goal (ug/L)	Basis	Carcinogenic Effects	Mutagenic Effects	Noncancer Effects
ACENAPHTHENE	4.4E+02	noncarcinogenic effects			4.4E+02
ACENAPHTHYLENE	3.0E+02	noncarcinogenic effects			3.0E+02
ACETONE	6.0E+03	noncarcinogenic effects			6.0E+03
ALDRIN	1.2E-03	carcinogenic effects	1.2E-03		1.1E-01
AMETRYN	1.5E+02	noncarcinogenic effects			1.5E+02
AMINO,2- DINITROTOLUENE,4,6-	1.9E+00	noncarcinogenic effects			1.9E+00
AMINO,4- DINITROTOLUENE,2,6-	1.9E+00	noncarcinogenic effects			1.9E+00
ANTHRACENE	1.6E+03	noncarcinogenic effects			1.6E+03
ANTIMONY	8.0E+00	noncarcinogenic effects			8.0E+00
ARSENIC	2.0E-02	carcinogenic effects	2.0E-02		6.0E+00
ATRAZINE	3.0E-01	carcinogenic effects	3.0E-01		5.4E+01
BARIUM	4.0E+03	noncarcinogenic effects			4.0E+03
BENOMYL	9.7E+02	noncarcinogenic effects			9.7E+02
BENZENE	4.6E-01	carcinogenic effects	4.6E-01		5.9E+01
BENZO(a)ANTHRACENE	5.2E-02	carcinogenic effects	5.2E-02	2.1E-01	
BENZO(a)PYRENE	3.5E-03	carcinogenic effects	3.5E-03	2.2E-02	2.9E-01
BENZO(b)FLUORANTHENE	5.8E-02	carcinogenic effects	5.8E-02	2.1E-01	
BENZO(g,h,i)PERYLENE	6.5E+01	noncarcinogenic effects			6.5E+01
BENZO(k)FLUORANTHENE	3.6E-01	carcinogenic effects	3.6E-01	9.6E-01	
BERYLLIUM	3.9E+01	noncarcinogenic effects			3.9E+01
BIPHENYL, 1,1-	3.9E+00	carcinogenic effects	3.9E+00		4.8E+00
BIS(2-CHLOROETHYL)ETHER	1.4E-02	carcinogenic effects	1.4E-02		
BIS(2-CHLORO-1-METHYLETHYL)ETHER	3.6E-01	carcinogenic effects	3.6E-01		5.0E+02
BIS(2-ETHYLHEXYL)PHTHALATE	6.7E-02	carcinogenic effects	6.7E-02		5.3E+00
BORON	9.8E+02	noncarcinogenic effects			9.8E+02
BROMODICHLOROMETHANE	1.3E-01	carcinogenic effects	1.3E-01		1.0E+02
BROMOFORM	9.2E+00	carcinogenic effects	9.2E+00		3.8E+02
BROMOMETHANE	1.9E+01	noncarcinogenic effects			1.9E+01
CADMIUM	2.0E+00	noncarcinogenic effects			2.0E+00
CARBON TETRACHLORIDE	4.5E-01	carcinogenic effects	4.5E-01		6.2E+01
CHLORDANE (TECHNICAL)	2.3E-02	carcinogenic effects	2.3E-02		1.1E+00
CHLOROANILINE, p-	3.7E-01	carcinogenic effects	3.7E-01		9.5E+00
CHLOROBENZENE	2.0E+02	noncarcinogenic effects			2.0E+02
CHLOROETHANE	4.8E+04	noncarcinogenic effects			4.8E+04
CHLOROFORM	2.2E-01	carcinogenic effects	2.2E-01		1.6E+02
CHLOROMETHANE	1.1E+03	noncarcinogenic effects			1.1E+03
CHLOROPHENOL, 2-	6.3E+01	noncarcinogenic effects			6.3E+01
CHROMIUM (Total)		not applicable			
CHROMIUM III	1.2E+04	noncarcinogenic effects			1.2E+04
CHROMIUM VI	2.0E-01	carcinogenic effects	2.0E-01	4.3E+00	5.8E+01
CHRYSENE	2.4E-01	mutagenic effects	4.8E+00	2.4E-01	
COBALT	2.4E+00	noncarcinogenic effects			2.4E+00
COPPER	8.0E+02	noncarcinogenic effects			8.0E+02
CYANIDE (Free)	2.7E+00	noncarcinogenic effects			2.7E+00
CYCL0-1,3,5-TRIMETHYLENE-2,4,6-TRINITRAMINE (RDX)	9.7E-01	carcinogenic effects	9.7E-01		8.0E+01
DALAPON	6.0E+02	noncarcinogenic effects			6.0E+02
DIBENZO(a,h)ANTHTRACENE	4.8E-03	carcinogenic effects	4.8E-03	2.2E-02	
DIBROMO,1,2- CHLOROPROPANE,3-	3.3E-04	mutagenic effects	9.3E-04	3.3E-04	1.4E+00
DIBROMOCHLOROMETHANE	8.7E-01	carcinogenic effects	8.7E-01		2.6E+02
DIBROMOETHANE, 1,2-	7.5E-03	carcinogenic effects	7.5E-03		6.6E+01
DICHLOROBENZENE, 1,2-	7.8E+02	noncarcinogenic effects			7.8E+02
DICHLOROBENZENE, 1,3-	3.0E+02	noncarcinogenic effects			3.0E+02
DICHLOROBENZENE, 1,4-	4.8E-01	carcinogenic effects	4.8E-01		8.0E+02
DICHLOROBENZIDINE, 3,3-	1.3E-01	carcinogenic effects	1.3E-01		
DICHLORODIPHENYLDICHLOROETHANE (DDD)	2.6E-02	carcinogenic effects	2.6E-02		8.6E-01
DICHLORODIPHENYLDICHLOROETHYLENE (DDE)	8.9E-03	carcinogenic effects	8.9E-03		4.2E-01
DICHLORODIPHENYLTRICHLOROETHANE (DDT)	6.2E-03	carcinogenic effects	6.2E-03		2.9E-01
DICHLOROETHANE, 1,1-	2.8E+00	carcinogenic effects	2.8E+00		2.6E+03
DICHLOROETHANE, 1,2-	1.7E-01	carcinogenic effects	1.7E-01		4.8E+01
DICHLOROETHYLENE, 1,1-	6.5E+02	noncarcinogenic effects			6.5E+02
DICHLOROETHYLENE, Cis 1,2-	3.4E+01	noncarcinogenic effects			3.4E+01
DICHLOROETHYLENE, Trans 1,2-	2.1E+02	noncarcinogenic effects			2.1E+02
DICHLOROPHENOL, 2,4-	4.6E+01	noncarcinogenic effects			4.6E+01
DICHLOROPHENOXYACETIC ACID (2,4-D)	1.7E+02	noncarcinogenic effects			1.7E+02
DICHLOROPROPANE, 1,2-	8.5E-01	carcinogenic effects	8.5E-01		4.5E+01
DICHLOROPROPENE, 1,3-	4.7E-01	carcinogenic effects	4.7E-01		1.7E+02
DIELDRIN	3.5E-03	carcinogenic effects	3.5E-03		5.3E-01
DIETHYLPHTHALATE	1.5E+04	noncarcinogenic effects			1.5E+04
DIMETHYLPHENOL, 2,4-	3.6E+02	noncarcinogenic effects			3.6E+02
DIMETHYLPHTHALATE	1.9E+05	noncarcinogenic effects			1.9E+05
DINITROBENZENE, 1,3-	2.0E+00	noncarcinogenic effects			2.0E+00
DINITROPHENOL, 2,4-	3.9E+01	noncarcinogenic effects			3.9E+01
DINITROTOLUENE, 2,4- (2,4-DNT)	2.4E-01	carcinogenic effects	2.4E-01		3.8E+01

**TABLE D-3b. RISK-BASED ACTION LEVELS FOR TAPWATER
(ug/l)**

CHEMICAL PARAMETER	Lowest Tapwater Goal (ug/L)	Basis	Carcinogenic Effects	Mutagenic Effects	Noncancer Effects
DINITROTOLUENE, 2,6- (2,6-DNT)	4.9E-02	carcinogenic effects	4.9E-02		5.7E+00
DIOXANE, 1,4-	4.6E-01	carcinogenic effects	4.6E-01		2.2E+02
DIOXINS (TEQ)	1.6E-08	carcinogenic effects	1.6E-08		1.9E-06
DIURON	3.6E+01	noncarcinogenic effects			3.6E+01
ENDOSULFAN	9.9E+01	noncarcinogenic effects			9.9E+01
ENDRIN	2.0E+00	noncarcinogenic effects			2.0E+00
ETHANOL	0.0E+00	carcinogenic effects			(no toxicity)
ETHYLBENZENE	1.5E+00	carcinogenic effects	1.5E+00		6.2E+02
FLUORANTHENE	1.1E+02	noncarcinogenic effects			1.1E+02
FLUORENE	2.5E+02	noncarcinogenic effects			2.5E+02
GLYPHOSATE	2.0E+03	noncarcinogenic effects			2.0E+03
HEPTACHLOR	1.7E-03	carcinogenic effects	1.7E-03		2.1E-01
HEPTACHLOR EPOXIDE	3.4E-03	carcinogenic effects	3.4E-03		1.1E-01
HEXACHLOROBENZENE	4.7E-03	carcinogenic effects	4.7E-03		2.1E-02
HEXACHLOROBUTADIENE	2.8E-01	carcinogenic effects	2.8E-01		6.0E+00
HEXACHLOROCYCLOHEXANE (gamma) LINDANE	4.0E-02	carcinogenic effects	4.0E-02		3.5E+00
HEXACHLOROETHANE	9.2E-01	carcinogenic effects	9.2E-01		6.9E+00
HEXAZINONE	6.4E+02	noncarcinogenic effects			6.4E+02
INDENO(1,2,3-cd)PYRENE	1.8E-02	carcinogenic effects	1.8E-02	2.1E-01	
ISOPHORONE	7.8E+01	carcinogenic effects	7.8E+01		3.8E+03
LEAD					
MERCURY	6.0E+00	noncarcinogenic effects			6.0E+00
METHOXYCHLOR	3.2E+01	noncarcinogenic effects			3.2E+01
METHYL ETHYL KETONE	9.9E+03	noncarcinogenic effects			9.9E+03
METHYL ISOBUTYL KETONE	3.6E+04	noncarcinogenic effects			3.6E+04
METHYL MERCURY	2.0E+00	noncarcinogenic effects			2.0E+00
METHYL TERT BUTYL ETHER	1.4E+01	carcinogenic effects	1.4E+01		3.6E+04
METHYLENE CHLORIDE	9.9E+00	mutagenic effects	3.5E+01	9.9E+00	1.1E+02
METHYLNAPHTHALENE, 1-	1.1E+01	carcinogenic effects	1.1E+01		5.1E+02
METHYLNAPHTHALENE, 2-	3.0E+01	noncarcinogenic effects			3.0E+01
MOLYBDENUM	9.9E+01	noncarcinogenic effects			9.9E+01
NAPHTHALENE	1.2E-01	carcinogenic effects	1.2E-01		3.1E+01
NICKEL	3.8E+02	noncarcinogenic effects			3.8E+02
NITROBENZENE	1.4E-01	carcinogenic effects	1.4E-01		2.8E+01
NITROGLYCERIN	2.0E+00	noncarcinogenic effects	4.5E+00		2.0E+00
NITROTOLUENE, 2-	3.1E-01	carcinogenic effects	3.1E-01		1.1E+01
NITROTOLUENE, 3-	1.7E+00	noncarcinogenic effects			1.7E+00
NITROTOLUENE, 4-	4.3E+00	carcinogenic effects	4.3E+00		7.1E+01
PENTACHLOROPHENOL	3.8E-02	carcinogenic effects	3.8E-02		2.1E+01
PENTAERYTHRITOLTETRANITRATE (PETN)	1.7E+01	carcinogenic effects	1.7E+01		1.7E+02
PERCHLORATE	1.4E+01	noncarcinogenic effects			1.4E+01
PHENANTHRENE	2.5E+02	noncarcinogenic effects			2.5E+02
PHENOL	5.8E+03	noncarcinogenic effects			5.8E+03
POLYCHLORINATED BIPHENYLS (PCBs)	1.1E-03	carcinogenic effects	1.1E-03		1.2E-02
PROPICONAZOLE	1.6E+03	noncarcinogenic effects			1.6E+03
PYRENE	1.1E+02	noncarcinogenic effects			1.1E+02
SELENIUM	9.9E+01	noncarcinogenic effects			9.9E+01
SILVER	1.0E+02	noncarcinogenic effects			1.0E+02
SIMAZINE	6.1E-01	carcinogenic effects	6.1E-01		9.4E+01
STYRENE	2.3E+03	noncarcinogenic effects			2.3E+03
TERBACIL	2.5E+02	noncarcinogenic effects			2.5E+02
tert-BUTYL ALCOHOL	6.0E+01	carcinogenic effects	6.0E+01		7.0E+03
TETRACHLOROETHANE, 1,1,1,2-	5.7E-01	carcinogenic effects	5.7E-01		3.5E+02
TETRACHLOROETHANE, 1,1,2,2-	7.6E-02	carcinogenic effects	7.6E-02		3.6E+02
TETRACHLOROETHYLENE	6.6E-01	carcinogenic effects	6.6E-01		6.8E+01
TETRACHLOROPHENOL, 2,3,4,6-	2.2E+02	noncarcinogenic effects			2.2E+02
TETRANITRO-1,3,5,7-TETRAAZOCYCLOOCTANE (HMX)	1.0E+03	noncarcinogenic effects			1.0E+03
THALLIUM	2.0E-01	noncarcinogenic effects			2.0E-01
TOLUENE	1.2E+03	noncarcinogenic effects			1.2E+03
TOXAPHENE	1.1E-02	carcinogenic effects	1.1E-02		3.0E-01
TPH (gasolines)	7.4E+01	noncarcinogenic effects			7.4E+01
TPH (middle distillates)	9.1E+01	noncarcinogenic effects			9.1E+01
TPH (residual fuels)	9.1E+01	noncarcinogenic effects			9.1E+01
TRICHLOROBENZENE, 1,2,4-	1.1E+00	carcinogenic effects	1.1E+00		1.9E+01
TRICHLOROETHANE, 1,1,1-	2.2E+04	noncarcinogenic effects			2.2E+04
TRICHLOROETHANE, 1,1,2-	2.8E-01	carcinogenic effects	2.8E-01		2.3E+00
TRICHLOROETHYLENE	2.4E-01	mutagenic effects	7.1E-01	2.4E-01	6.4E+00
TRICHLOROPHENOL, 2,4,5-	1.2E+03	noncarcinogenic effects			1.2E+03
TRICHLOROPHENOL, 2,4,6-	4.1E+00	carcinogenic effects	4.1E+00		1.2E+01
TRICHLOROPHENOXYACETIC ACID, 2,4,5- (2,4,5-T)	1.6E+02	noncarcinogenic effects			1.6E+02
TRICHLOROPHENOXYPROPIONIC ACID, 2,4,5- (2,4,5-TP)	1.1E+02	noncarcinogenic effects			1.1E+02
TRICHLOROPROPANE, 1,2,3-	7.2E-04	mutagenic effects	2.3E-03	7.2E-04	3.4E+00

**TABLE D-3b. RISK-BASED ACTION LEVELS FOR TAPWATER
(ug/l)**

CHEMICAL PARAMETER	Lowest Tapwater Goal (ug/L)	Basis	Carcinogenic Effects	Mutagenic Effects	Noncancer Effects
TRICHLOROPROPENE, 1,2,3-	3.3E+00	noncarcinogenic effects			3.3E+00
TRIFLURALIN	2.2E+00	carcinogenic effects	2.2E+00		3.4E+01
TRINITROBENZENE, 1,3,5-	3.5E+02	noncarcinogenic effects			3.5E+02
TRINITROPHENYLMETHYLNITRAMINE, 2,4,6- (TETRYL)	3.9E+01	noncarcinogenic effects			3.9E+01
TRINITROTOLUENE, 2,4,6- (TNT)	2.5E+00	carcinogenic effects	2.5E+00		9.8E+00
VANADIUM	9.6E+01	noncarcinogenic effects			9.6E+01
VINYL CHLORIDE	1.5E-02	carcinogenic effects	1.5E-02	2.8E-02	5.4E+01
XYLENES	1.1E+03	noncarcinogenic effects			1.1E+03
ZINC	6.0E+03	noncarcinogenic effects			6.0E+03

References:
Calculated using Tap Water equations in USEPA Regional Screening Levels guidance (USEPA 2011a).

Notes:
Addresses use of water for drinking water and inhalation of volatile chemicals during showering.
Target risk = 10⁻⁶. Target HQ = 1.0. See Appendix 2 for equations.
TPH (gasolines) action level rounded from 95 ug/L to 100 ug/L.

TABLE D-4a. SUMMARY OF AQUATIC HABITAT GOALS

CONTAMINANT	Estuarine		Freshwater		Marine	
	Chronic Aquatic Toxicity (ug/L)	Acute Aquatic Toxicity (ug/L)	Chronic Aquatic Toxicity (ug/L)	Acute Aquatic Toxicity (ug/L)	Chronic Aquatic Toxicity (ug/L)	Acute Aquatic Toxicity (ug/L)
ACENAPHTHENE	1.5E+01	3.2E+02	1.5E+01	5.7E+02	2.0E+01	3.2E+02
ACENAPHTHYLENE	1.3E+01	3.0E+02	1.3E+01	3.0E+02	3.1E+02	3.0E+02
ACETONE	1.5E+03	1.5E+04	1.7E+03	1.5E+04	1.5E+03	2.8E+04
ALDRIN	1.4E-04	1.3E+00	3.5E-02	3.0E+00	1.4E-04	1.3E+00
AMETRYN	7.0E+02	1.8E+03	7.0E+02	1.8E+03	7.0E+02	1.8E+03
AMINO,2- DINITROTOLUENE,4,6-	1.8E+01	1.6E+02	1.8E+01	1.6E+02	2.0E+01	1.8E+02
AMINO,4- DINITROTOLUENE,2,6-	1.1E+01	9.8E+01	1.1E+01	9.8E+01	1.1E+01	9.8E+01
ANTHRACENE	2.0E-02	1.8E-01	2.0E-02	1.8E-01	7.3E-01	1.3E+01
ANTIMONY	3.0E+01	1.8E+02	1.3E+02	3.0E+03	3.0E+01	1.8E+02
ARSENIC	3.6E+01	6.9E+01	1.9E+02	3.6E+02	3.6E+01	6.9E+01
ATRAZINE	1.2E+01	3.3E+02	1.2E+01	3.3E+02	1.2E+01	3.3E+02
BARIUM	2.2E+02	2.0E+03	2.2E+02	2.0E+03	2.2E+02	2.0E+03
BENOMYL	1.4E-01	2.8E+00	1.4E-01	2.8E+00	1.4E-01	2.8E+00
BENZENE	7.1E+01	1.7E+03	1.6E+02	1.8E+03	7.1E+01	1.7E+03
BENZO(a)ANTHRACENE	2.7E-02	3.0E+02	4.7E+00	3.0E+02	2.7E-02	3.0E+02
BENZO(a)PYRENE	6.0E-02	3.0E+02	6.0E-02	3.0E+02	3.0E-01	3.0E+02
BENZO(b)FLUORANTHENE	6.8E-01	3.0E+02	2.6E+00	3.0E+02	6.8E-01	3.0E+02
BENZO(g,h,i)PERYLENE	4.4E-01	3.0E+02	4.4E-01	3.0E+02	4.4E-01	3.0E+02
BENZO(k)FLUORANTHENE	6.4E-01	3.0E+02	6.4E-01	3.0E+02	6.4E-01	3.0E+02
BERYLLIUM	6.6E-01	3.5E+01	1.1E+01	4.3E+01	6.6E-01	3.5E+01
BIPHENYL, 1,1-	6.5E+00	2.6E+01	6.5E+00	2.6E+01	1.4E+01	2.6E+01
BIS(2-CHLOROETHYL)ETHER	2.4E+03	2.4E+04	2.4E+03	2.4E+04	2.4E+03	2.4E+04
BIS(2-CHLORO-1-METHYLETHYL)ETHER	3.6E-01	3.6E-01	3.6E-01	3.6E-01	3.6E-01	3.6E-01
BIS(2-ETHYLHEXYL)PHTHALATE	3.0E+00	2.7E+01	3.0E+00	2.7E+01	3.0E+00	2.7E+01
BORON	1.0E+03	3.4E+04	7.2E+03	3.4E+04	1.0E+03	3.4E+04
BROMODICHLOROMETHANE	3.4E+02	3.1E+03	3.4E+02	3.1E+03	3.4E+02	3.1E+03
BROMOFORM	2.3E+02	1.1E+03	2.3E+02	1.1E+03	3.2E+02	2.3E+03
BROMOMETHANE	1.6E+01	3.8E+01	1.6E+01	3.8E+01	1.6E+01	3.8E+01
CADMIUM	3.0E+00	3.0E+00	3.0E+00	3.0E+00	9.3E+00	4.3E+01
CARBON TETRACHLORIDE	9.8E+00	1.2E+04	7.7E+01	1.2E+04	9.8E+00	1.6E+04
CHLORDANE (TECHNICAL)	4.0E-03	9.0E-02	4.3E-03	2.4E+00	4.0E-03	9.0E-02
CHLOROANILINE, p-	1.9E+01	4.6E+02	1.9E+01	4.6E+02	1.9E+01	4.6E+02
CHLOROBENZENE	2.5E+01	2.2E+02	2.5E+01	2.2E+02	6.4E+01	1.1E+03
CHLOROETHANE	4.8E+04	4.8E+04	4.8E+04	4.8E+04	4.8E+04	4.8E+04
CHLOROFORM	2.8E+01	4.9E+02	1.4E+02	9.6E+03	2.8E+01	4.9E+02
CHLOROMETHANE	1.1E+03	1.1E+03	1.1E+03	1.1E+03	1.1E+03	1.1E+03
CHLOROPHENOL, 2-	3.2E+01	4.0E+02	3.2E+01	1.4E+03	4.0E+02	4.0E+02
CHROMIUM (Total)	1.1E+01	1.6E+01	1.1E+01	1.6E+01	5.0E+01	1.0E+03
CHROMIUM III	2.0E+01	5.7E+02	7.4E+01	5.7E+02	2.0E+01	5.7E+02
CHROMIUM VI	1.1E+01	1.6E+01	1.1E+01	1.6E+01	5.0E+01	1.1E+03
CHRYSENE	2.0E+00	3.0E+02	4.7E+00	3.0E+02	2.0E+00	3.0E+02
COBALT	1.9E+01	1.2E+02	1.9E+01	1.2E+02	2.3E+01	1.5E+03

TABLE D-4a. SUMMARY OF AQUATIC HABITAT GOALS

CONTAMINANT	Estuarine		Freshwater		Marine	
	Chronic Aquatic Toxicity (ug/L)	Acute Aquatic Toxicity (ug/L)	Chronic Aquatic Toxicity (ug/L)	Acute Aquatic Toxicity (ug/L)	Chronic Aquatic Toxicity (ug/L)	Acute Aquatic Toxicity (ug/L)
COPPER	2.9E+00	2.9E+00	6.0E+00	6.0E+00	2.9E+00	2.9E+00
CYANIDE (Free)	1.0E+00	1.0E+00	5.2E+00	2.2E+01	1.0E+00	1.0E+00
CYCLO-1,3,5-TRIMETHYLENE-2,4,6-TRINITRAMINE (RDX)	7.9E+01	5.2E+02	7.9E+01	5.2E+02	1.9E+02	7.0E+02
DALAPON	3.0E+02	3.0E+03	3.0E+02	3.0E+03	3.0E+02	3.0E+03
DIBENZO(a,h)ANTHTRACENE	8.0E-01	3.0E+02	8.0E-01	3.0E+02	7.1E+00	3.0E+02
DIBROMO-3-CHLOROPROPANE, 1,2-	4.0E-02	4.0E-02	4.0E-02	4.0E-02	4.0E-02	4.0E-02
DIBROMOCHLOROMETHANE	3.4E+01	2.9E+03	3.2E+02	2.9E+03	3.4E+01	2.9E+03
DIBROMOETHANE, 1,2-	1.4E+03	1.4E+03	1.4E+03	1.4E+03	1.4E+03	1.4E+03
DICHLOROBENZENE, 1,2-	1.4E+01	3.7E+02	2.3E+01	3.7E+02	1.4E+01	6.6E+02
DICHLOROBENZENE, 1,3-	2.2E+01	3.7E+02	2.2E+01	3.7E+02	7.1E+01	6.6E+02
DICHLOROBENZENE, 1,4-	9.4E+00	3.7E+02	9.4E+00	3.7E+02	1.5E+01	6.6E+02
DICHLOROBENZIDINE, 3,3-	4.5E+00	4.1E+01	4.5E+00	4.1E+01	4.5E+00	4.1E+01
DICHLORODIPHENYLDICHLOROETHANE (DDD)	1.1E-02	1.9E-01	1.1E-02	1.9E-01	1.1E-02	1.9E-01
DICHLORODIPHENYLDICHLOROETHYLENE (DDE)	4.1E-01	7.0E+00	4.1E-01	7.0E+00	4.1E-01	7.0E+00
DICHLORODIPHENYLTRICHLOROETHANE (DDT)	1.0E-03	1.3E-02	1.0E-03	1.1E+00	1.0E-03	1.3E-02
DICHLOROETHANE, 1,1-	4.7E+01	8.3E+02	4.1E+02	3.7E+03	4.7E+01	8.3E+02
DICHLOROETHANE, 1,2-	9.1E+02	3.8E+04	2.0E+03	3.9E+04	9.1E+02	3.8E+04
DICHLOROETHYLENE, 1,1-	2.5E+01	3.9E+03	1.3E+02	3.9E+03	2.5E+01	7.5E+04
DICHLOROETHYLENE, Cis 1,2-	6.2E+02	5.5E+03	6.2E+02	5.5E+03	6.2E+02	5.5E+03
DICHLOROETHYLENE, Trans 1,2-	5.6E+02	1.0E+04	5.6E+02	1.0E+04	5.6E+02	1.0E+04
DICHLOROPHENOL, 2,4-	1.1E+01	6.7E+02	1.1E+01	6.7E+02	7.9E+02	7.9E+02
DICHLOROPHENOXYACETIC ACID (2,4-D)	7.0E+01	1.3E+02	7.9E+01	1.3E+02	7.0E+01	1.3E+02
DICHLOROPROPANE, 1,2-	5.2E+02	3.4E+03	5.2E+02	7.7E+03	5.2E+02	3.4E+03
DICHLOROPROPENE, 1,3-	6.0E-02	2.6E+02	1.7E+00	2.0E+03	6.0E-02	2.6E+02
DIELDRIN	1.9E-03	7.1E-01	1.9E-03	2.5E+00	1.9E-03	7.1E-01
DIETHYLPHTHALATE	2.1E+02	9.8E+02	2.2E+02	9.8E+02	2.1E+02	1.8E+03
DIMETHYLPHENOL, 2,4-	1.2E+02	7.0E+02	1.2E+02	7.0E+02	1.2E+02	1.1E+03
DIMETHYLPHTHALATE	1.1E+03	3.2E+03	1.1E+03	3.2E+03	2.9E+03	3.2E+03
DINITROBENZENE, 1,3-	1.0E+01	1.0E+02	2.2E+01	1.0E+02	1.0E+01	1.1E+02
DINITROPHENOL, 2,4-	1.4E+01	3.8E+02	7.1E+01	3.8E+02	1.4E+01	3.8E+02
DINITROTOLUENE, 2,4- (2,4-DNT)	9.1E+00	1.1E+02	4.4E+01	1.1E+02	9.1E+00	2.0E+02
DINITROTOLUENE, 2,6- (2,6-DNT)	8.1E+01	1.1E+02	8.1E+01	1.1E+02	8.1E+01	2.0E+02
DIOXANE, 1,4-	3.4E+05	3.4E+06	3.4E+05	3.4E+06	5.0E+05	5.0E+06
DIOXINS (TEQ)	3.1E-09	3.0E-03	3.1E-09	3.0E-03	3.1E-09	3.0E-03
DIURON	6.0E+01	2.0E+02	6.0E+01	2.0E+02	6.0E+01	5.5E+02
ENDOSULFAN	8.7E-03	3.4E-02	5.6E-02	2.2E-01	8.7E-03	3.4E-02
ENDRIN	2.3E-03	3.7E-02	2.3E-03	1.8E-01	2.3E-03	3.7E-02
ETHANOL	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00
ETHYLBENZENE	7.3E+00	1.4E+02	6.1E+01	1.1E+04	7.3E+00	1.4E+02
FLUORANTHENE	8.0E-01	1.3E+01	8.0E-01	1.3E+03	7.1E+00	1.3E+01
FLUORENE	3.9E+00	3.0E+02	1.9E+01	3.0E+02	3.9E+00	3.0E+02

TABLE D-4a. SUMMARY OF AQUATIC HABITAT GOALS

CONTAMINANT	Estuarine		Freshwater		Marine	
	Chronic Aquatic Toxicity (ug/L)	Acute Aquatic Toxicity (ug/L)	Chronic Aquatic Toxicity (ug/L)	Acute Aquatic Toxicity (ug/L)	Chronic Aquatic Toxicity (ug/L)	Acute Aquatic Toxicity (ug/L)
GLYPHOSATE	1.8E+03	2.2E+04	1.8E+03	2.2E+04	1.8E+03	2.2E+04
HEPTACHLOR	3.6E-03	5.3E-02	3.8E-03	5.2E-01	3.6E-03	5.3E-02
HEPTACHLOR EPOXIDE	3.6E-03	5.3E-02	3.8E-03	5.2E-01	3.6E-03	5.3E-02
HEXACHLOROBENZENE	3.0E-04	3.0E-04	3.0E-04	3.0E-04	3.0E-04	3.0E-04
HEXACHLOROBUTADIENE	3.0E-01	1.1E+01	1.0E+00	3.0E+01	3.0E-01	1.1E+01
HEXACHLOROCYCLOHEXANE (gamma) LINDANE	6.3E-02	1.6E-01	8.0E-02	2.0E+00	6.3E-02	1.6E-01
HEXACHLOROETHANE	1.2E+01	3.1E+02	1.2E+01	3.3E+02	1.2E+01	3.1E+02
HEXAZINONE	1.7E+04	1.4E+05	1.7E+04	1.4E+05	1.7E+04	1.4E+05
INDENO(1,2,3-cd)PYRENE	2.8E-01	3.0E+02	2.8E-01	3.0E+02	2.8E-01	3.0E+02
ISOPHORONE	9.2E+02	4.3E+03	9.2E+02	3.9E+04	9.2E+02	4.3E+03
LEAD	5.6E+00	2.9E+01	2.9E+01	2.9E+01	5.6E+00	1.4E+02
MERCURY	2.5E-02	2.1E+00	5.5E-01	2.4E+00	2.5E-02	2.1E+00
METHOXYCHLOR	3.0E-02	7.0E-01	3.0E-02	7.0E-01	3.0E-02	7.0E-01
METHYL ETHYL KETONE	1.4E+04	2.0E+05	2.2E+04	2.0E+05	1.4E+04	2.4E+05
METHYL ISOBUTYL KETONE	1.7E+02	2.2E+03	1.7E+02	2.2E+03	1.7E+02	2.2E+03
METHYL MERCURY	2.8E-03	9.9E-02	2.8E-03	9.9E-02	2.8E-03	9.9E-02
METHYL TERT BUTYL ETHER	7.3E+02	6.5E+03	7.3E+02	6.5E+03	1.8E+04	5.3E+04
METHYLENE CHLORIDE	1.5E+03	8.5E+03	1.5E+03	8.5E+03	2.2E+03	2.6E+04
METHYLNAPHTHALENE, 1-	2.1E+00	3.7E+01	2.1E+00	3.7E+01	2.1E+00	3.7E+01
METHYLNAPHTHALENE, 2-	4.7E+00	4.2E+01	4.7E+00	4.2E+01	7.2E+01	8.6E+01
MOLYBDENUM	3.7E+02	7.2E+03	8.0E+02	7.2E+03	3.7E+02	1.6E+04
NAPHTHALENE	1.2E+01	7.7E+02	2.1E+01	7.7E+02	1.2E+01	7.8E+02
NICKEL	5.0E+00	5.0E+00	5.0E+00	5.0E+00	8.3E+00	7.5E+01
NITROBENZENE	3.8E+02	2.0E+03	3.8E+02	9.0E+03	3.8E+02	2.0E+03
NITROGLYCERIN	1.8E+01	1.6E+02	1.8E+01	1.6E+02	1.8E+01	1.6E+02
NITROTOLUENE, 2-	7.1E+01	6.4E+02	7.1E+01	6.4E+02	7.1E+01	6.4E+02
NITROTOLUENE, 3-	4.2E+01	3.8E+02	4.2E+01	3.8E+02	4.2E+01	3.8E+02
NITROTOLUENE, 4-	4.6E+01	4.1E+02	4.6E+01	4.1E+02	4.6E+01	4.1E+02
PENTACHLOROPHENOL	7.9E+00	1.3E+01	1.3E+01	2.0E+01	7.9E+00	1.3E+01
PENTAERYTHRITOLTETRANITRATE (PETN)	8.5E+05	8.5E+05	8.5E+05	8.5E+05	8.5E+05	8.5E+05
PERCHLORATE	6.0E+02	5.0E+03	6.0E+02	5.0E+03	6.0E+02	5.0E+03
PHENANTHRENE	2.3E+00	3.0E+02	2.3E+00	3.0E+02	4.6E+00	3.0E+02
PHENOL	5.8E+01	3.0E+02	1.6E+02	4.7E+03	5.8E+01	3.0E+02
POLYCHLORINATED BIPHENYLS (PCBs)	1.4E-02	2.0E+00	1.4E-02	2.0E+00	3.0E-02	1.0E+01
PROPICONAZOLE	9.5E+01	4.3E+02	9.5E+01	4.3E+02	9.5E+01	4.3E+02
PYRENE	4.6E+00	3.0E+02	4.6E+00	3.0E+02	1.0E+01	3.0E+02
SELENIUM	5.0E+00	2.0E+01	5.0E+00	2.0E+01	7.1E+01	3.0E+02
SILVER	1.0E-01	1.0E+00	1.0E+00	1.0E+00	1.0E-01	2.3E+00
SIMAZINE	9.0E+00	8.0E+01	9.0E+00	8.0E+01	9.0E+00	8.0E+01
STYRENE	3.2E+01	2.9E+02	3.2E+01	2.9E+02	3.2E+01	2.9E+02
TERBACIL	2.5E+02	2.5E+02	1.2E+03	2.3E+04	2.5E+02	2.5E+02

TABLE D-4a. SUMMARY OF AQUATIC HABITAT GOALS

CONTAMINANT	Estuarine		Freshwater		Marine	
	Chronic Aquatic Toxicity (ug/L)	Acute Aquatic Toxicity (ug/L)	Chronic Aquatic Toxicity (ug/L)	Acute Aquatic Toxicity (ug/L)	Chronic Aquatic Toxicity (ug/L)	Acute Aquatic Toxicity (ug/L)
tert-BUTYL ALCOHOL	1.8E+04	1.8E+05	1.8E+04	1.8E+05	1.8E+04	1.8E+05
TETRACHLOROETHANE, 1,1,1,2-	1.1E+01	7.7E+02	8.5E+01	3.1E+03	1.1E+01	7.7E+02
TETRACHLOROETHANE, 1,1,2,2-	2.0E+02	9.1E+02	2.0E+02	9.1E+02	6.1E+02	3.0E+03
TETRACHLOROETHYLENE	5.3E+01	1.8E+03	5.3E+01	1.8E+03	1.5E+02	3.4E+03
TETRACHLOROPHENOL, 2,3,4,6-	1.2E+00	1.1E+01	1.2E+00	1.1E+01	1.2E+00	1.1E+01
TETRANITRO-1,3,5,7-TETRAAZOCYCLOOCTANE (HMX)	2.2E+02	1.2E+03	2.2E+02	1.2E+03	3.3E+02	1.9E+03
THALLIUM	6.0E+00	4.7E+02	6.0E+00	4.7E+02	1.2E+01	7.1E+02
TOLUENE	9.8E+00	2.1E+03	6.2E+01	5.8E+03	9.8E+00	2.1E+03
TOXAPHENE	2.0E-04	2.1E-01	2.0E-04	7.3E-01	2.0E-04	2.1E-01
TPH (gasolines)	5.0E+02	5.0E+03	5.0E+02	5.0E+03	3.7E+03	5.0E+03
TPH (middle distillates)	6.4E+02	2.5E+03	6.4E+02	2.5E+03	6.4E+02	2.5E+03
TPH (residual fuels)	6.4E+02	2.5E+03	6.4E+02	2.5E+03	6.4E+02	2.5E+03
TRICHLOROBENZENE, 1,2,4-	1.1E+02	4.2E+02	1.3E+02	4.2E+02	1.1E+02	7.0E+02
TRICHLOROETHANE, 1,1,1-	1.1E+01	6.0E+03	7.6E+01	6.0E+03	1.1E+01	1.0E+04
TRICHLOROETHANE, 1,1,2-	7.3E+02	5.2E+03	7.3E+02	6.0E+03	1.2E+03	5.2E+03
TRICHLOROETHYLENE	4.7E+01	7.0E+02	2.0E+02	1.5E+04	4.7E+01	7.0E+02
TRICHLOROPHENOL, 2,4,5-	1.9E+00	1.7E+01	1.9E+00	1.7E+01	1.2E+01	2.6E+02
TRICHLOROPHENOL, 2,4,6-	4.9E+00	3.9E+01	4.9E+00	3.9E+01	6.5E+00	3.9E+01
TRICHLOROPHENOXYACETIC ACID, 2,4,5- (2,4,5-T)	6.9E+02	6.9E+02	6.9E+02	6.9E+02	6.9E+02	6.9E+02
TRICHLOROPHENOXYPROPIONIC ACID, 2,4,5- (2,4,5-TP)	3.0E+01	2.7E+02	3.0E+01	2.7E+02	5.0E+01	2.7E+02
TRICHLOROPROPANE, 1,2,3-	1.4E+01	1.4E+02	1.4E+01	1.4E+02	1.4E+01	1.4E+02
TRICHLOROPROPENE, 1,2,3-	3.3E+00	3.3E+00	3.3E+00	3.3E+00	3.3E+00	3.3E+00
TRIFLURALIN	1.1E+00	2.1E+01	1.1E+00	2.1E+01	1.1E+00	2.1E+01
TRINITROBENZENE, 1,3,5-	1.0E+01	2.7E+01	1.1E+01	2.7E+01	1.0E+01	3.0E+01
TRINITROPHENYLMETHYLNITRAMINE, 2,4,6- (TETRYL)	3.9E+01	3.9E+01	3.9E+01	3.9E+01	3.9E+01	3.9E+01
TRINITROTOLUENE, 2,4,6- (TNT)	1.3E+01	2.1E+02	1.3E+01	2.1E+02	9.0E+01	5.7E+02
VANADIUM	2.7E+01	9.0E+01	2.7E+01	1.2E+02	8.1E+01	9.0E+01
VINYL CHLORIDE	9.3E+02	8.4E+03	9.3E+02	8.4E+03	9.3E+02	8.4E+03
XYLENES	1.3E+01	2.3E+02	2.7E+01	2.4E+02	1.3E+01	2.3E+02
ZINC	2.2E+01	2.2E+01	2.2E+01	2.2E+01	8.6E+01	9.5E+01

Notes:
Reference: Appendix 1, Table D-4b (chronic) and D-4c (acute).
Aquatic goals for estuarine environments based on lowest of lowest of freshwater and marine goals.

TABLE D-4b. SUMMARY OF SELECTED CHRONIC AQUATIC HABITAT GOALS

CHEMICAL PARAMETER	¹ Aquatic Habitat Goals					
	¹ Estuarine Aquatic Habitat Goal (ug/L)	Basis	Lowest Freshwater Aquatic Habitat Goal (ug/L)	Basis	Lowest Marine Aquatic Habitat Goal (ug/L)	Basis
ACENAPHTHENE	1.5E+01	USEPA Chronic FW	1.5E+01	USEPA Chronic FW	2.0E+01	USEPA Chronic SW
ACENAPHTHYLENE	1.3E+01	USEPA Chronic FW	1.3E+01	USEPA Chronic FW	3.1E+02	USEPA Chronic SW
ACETONE	1.5E+03	USEPA Chronic SW	1.7E+03	USEPA Chronic FW	1.5E+03	USEPA Chronic SW
ALDRIN	1.4E-04	USEPA Chronic SW	3.5E-02	USEPA Chronic FW	1.4E-04	USEPA Chronic SW
AMETRYN	7.0E+02	USEPA Off Pesticides (FW)	7.0E+02	USEPA Off Pesticides	7.0E+02	USEPA Off Pesticides (FW)
AMINO,2- DINITROTOLUENE,4,6-	1.8E+01	USEPA Chronic FW	1.8E+01	USEPA Chronic FW	2.0E+01	USEPA Chronic SW
AMINO,4- DINITROTOLUENE,2,6-	1.1E+01	USEPA Reg IV (FW)	1.1E+01	USEPA Chronic FW	1.1E+01	USEPA Reg IV (FW)
ANTHRACENE	2.0E-02	USEPA Chronic FW	2.0E-02	USEPA Chronic FW	7.3E-01	USEPA Chronic SW
ANTIMONY	3.0E+01	USEPA Chronic SW	1.3E+02	USEPA Chronic FW	3.0E+01	USEPA Chronic SW
ARSENIC	3.6E+01	Hawaii Chronic SW WQS	1.9E+02	Hawaii Chronic FW WQS	3.6E+01	Hawaii Chronic SW WQS
ATRAZINE	1.2E+01	USEPA Reg IV (FW)	1.2E+01	USEPA Chronic FW	1.2E+01	USEPA Reg IV (FW)
BARIUM	2.2E+02	USEPA Chronic SW	2.2E+02	USEPA Chronic FW	2.2E+02	USEPA Chronic SW
BENOMYL	1.4E-01	5% USGS 2012 FW acute	1.4E-01	5% USGS 2012 acute	1.4E-01	5% USGS 2012 FW acute
BENZENE	7.1E+01	USEPA Chronic SW	1.6E+02	USEPA Chronic FW	7.1E+01	USEPA Chronic SW
BENZO(a)ANTHRACENE	2.7E-02	USEPA Chronic SW	4.7E+00	USEPA Chronic FW	2.7E-02	USEPA Chronic SW
BENZO(a)PYRENE	6.0E-02	USEPA Chronic FW	6.0E-02	USEPA Chronic FW	3.0E-01	USEPA Chronic SW
BENZO(b)FLUORANTHENE	6.8E-01	USEPA Chronic SW	2.6E+00	USEPA Chronic FW	6.8E-01	USEPA Chronic SW
BENZO(g,h,i)PERYLENE	4.4E-01	USEPA Chronic SW	4.4E-01	USEPA Chronic FW	4.4E-01	USEPA Chronic SW
BENZO(k)FLUORANTHENE	6.4E-01	USEPA Chronic SW	6.4E-01	USEPA Chronic FW	6.4E-01	USEPA Chronic SW
BERYLLIUM	6.6E-01	USEPA Chronic SW	1.1E+01	USEPA Chronic FW	6.6E-01	USEPA Chronic SW
BIPHENYL, 1,1-	6.5E+00	USEPA Chronic FW	6.5E+00	USEPA Chronic FW	1.4E+01	USEPA Chronic SW
BIS(2-CHLOROETHYL)ETHER	2.4E+03	USDOE Chronic (FW)	2.4E+03	USDOE Chronic	2.4E+03	USDOE Chronic (FW)
BIS(2-CHLORO-1-METHYLETHYL)ETHER	3.6E-01	=Drinking Water Toxicity	3.6E-01	=Drinking Water Toxicity)	3.6E-01	=Drinking Water Toxicity
BIS(2-ETHYLHEXYL)PHTHALATE	3.0E+00	USEPA Chronic SW	3.0E+00	USEPA Chronic FW	3.0E+00	USEPA Chronic SW
BORON	1.0E+03	USEPA Chronic SW	7.2E+03	USEPA Chronic FW	1.0E+03	USEPA Chronic SW
BROMODICHLOROMETHANE	3.4E+02	USEPA Reg IV (FW)	3.4E+02	USEPA Chronic FW	3.4E+02	USEPA Reg IV (FW)
BROMOFORM	2.3E+02	USEPA Chronic FW	2.3E+02	USEPA Chronic FW	3.2E+02	USEPA Chronic SW
BROMOMETHANE	1.6E+01	USEPA Reg IV (FW)	1.6E+01	USEPA Chronic FW	1.6E+01	USEPA Reg IV (FW)
CADMIUM	3.0E+00	Hawaii Chronic FW WQS	3.0E+00	Hawaii Chronic FW WQS	9.3E+00	Hawaii Chronic SW WQS
CARBON TETRACHLORIDE	9.8E+00	USEPA Chronic SW	7.7E+01	USEPA Chronic FW	9.8E+00	USEPA Chronic SW
CHLORDANE (TECHNICAL)	4.0E-03	Hawaii Chronic SW WQS	4.3E-03	Hawaii Chronic FW WQS	4.0E-03	Hawaii Chronic SW WQS
CHLOROANILINE, p-	1.9E+01	USEPA Reg IV (FW)	1.9E+01	USEPA Chronic FW	1.9E+01	USEPA Reg IV (FW)
CHLOROBENZENE	2.5E+01	USEPA Chronic FW	2.5E+01	USEPA Chronic FW	6.4E+01	USEPA Chronic SW
CHLOROETHANE	4.8E+04	=Drinking Water Toxicity	4.8E+04	=Drinking Water Toxicity)	4.8E+04	=Drinking Water Toxicity
CHLOROFORM	2.8E+01	USEPA Chronic SW	1.4E+02	USEPA Chronic FW	2.8E+01	USEPA Chronic SW
CHLOROMETHANE	1.1E+03	=Drinking Water Toxicity	1.1E+03	=Drinking Water Toxicity)	1.1E+03	=Drinking Water Toxicity
CHLOROPHENOL, 2-	3.2E+01	USEPA Chronic FW	3.2E+01	USEPA Chronic FW	4.0E+02	USEPA Chronic SW
CHROMIUM (Total)	1.1E+01	Reg IV Cr VI	1.1E+01	Reg IV Cr VI	5.0E+01	Reg IV Cr VI
CHROMIUM III	2.0E+01	USEPA Chronic SW	7.4E+01	USEPA Chronic FW	2.0E+01	USEPA Chronic SW
CHROMIUM VI	1.1E+01	Hawaii Chronic FW WQS	1.1E+01	Hawaii Chronic FW WQS	5.0E+01	Hawaii Chronic SW WQS
CHRYSENE	2.0E+00	USEPA Chronic SW	4.7E+00	USEPA Chronic FW	2.0E+00	USEPA Chronic SW
COBALT	1.9E+01	USEPA Chronic FW	1.9E+01	USEPA Chronic FW	2.3E+01	USEPA Chronic SW

TABLE D-4b. SUMMARY OF SELECTED CHRONIC AQUATIC HABITAT GOALS

CHEMICAL PARAMETER	¹ Aquatic Habitat Goals					
	¹ Estuarine Aquatic Habitat Goal (ug/L)	Basis	Lowest Freshwater Aquatic Habitat Goal (ug/L)	Basis	Lowest Marine Aquatic Habitat Goal (ug/L)	Basis
COPPER	2.9E+00	Hawaii Chronic SW WQS	6.0E+00	Hawaii Chronic FW WQS	2.9E+00	Hawaii Chronic SW WQS
CYANIDE (Free)	1.0E+00	Hawaii Chronic SW WQS	5.2E+00	Hawaii Chronic FW WQS	1.0E+00	Hawaii Chronic SW WQS
CYCLO-1,3,5-TRIMETHYLENE-2,4,6-TRINITRAMINE (RDX)	7.9E+01	USEPA Chronic FW	7.9E+01	USEPA Chronic FW	1.9E+02	USEPA Chronic SW
DALAPON	3.0E+02	USEPA ACQUIRE (5% FW LC50)	3.0E+02	USEPA ACQUIRE (5% FW LC50)	3.0E+02	USEPA ACQUIRE (5% FW LC50)
DIBENZO(a,h)ANTHTRACENE	8.0E-01	USEPA Chronic FW	8.0E-01	USEPA Chronic FW	7.1E+00	USEPA Chronic SW
DIBROMO,1,2- CHLOROPROPANE,3-	4.0E-02	=Drinking Water Toxicity	4.0E-02	=Drinking Water Toxicity	4.0E-02	=Drinking Water Toxicity
DIBROMOCHLOROMETHANE	3.4E+01	USEPA Chronic SW	3.2E+02	USEPA Chronic FW	3.4E+01	USEPA Chronic SW
DIBROMOETHANE, 1,2-	1.4E+03	50% MOEE FW Chronic AWQC	1.4E+03	50% MOEE FW Chronic AWQC	1.4E+03	50% MOEE FW Chronic AWQC
DICHLOROBENZENE, 1,2-	1.4E+01	USEPA Chronic SW	2.3E+01	USEPA Chronic FW	1.4E+01	USEPA Chronic SW
DICHLOROBENZENE, 1,3-	2.2E+01	USEPA Chronic FW	2.2E+01	USEPA Chronic FW	7.1E+01	USEPA Chronic SW
DICHLOROBENZENE, 1,4-	9.4E+00	USEPA Chronic FW	9.4E+00	USEPA Chronic FW	1.5E+01	USEPA Chronic SW
DICHLOROBENZIDINE, 3,3-	4.5E+00	USEPA Reg IV (FW)	4.5E+00	USEPA Chronic FW	4.5E+00	USEPA Reg IV (FW)
DICHLORODIPHENYLDICHLOROETHANE (DDD)	1.1E-02	USEPA Chronic SW	1.1E-02	USEPA Chronic FW	1.1E-02	USEPA Chronic SW
DICHLORODIPHENYLDICHLOROETHYLENE (DDE)	4.1E-01	USEPA Reg IV (FW)	4.1E-01	USEPA Chronic FW	4.1E-01	USEPA Reg IV (FW)
DICHLORODIPHENYLTRICHLOROETHANE (DDT)	1.0E-03	Hawaii Chronic SW WQS	1.0E-03	Hawaii Chronic FW WQS	1.0E-03	Hawaii Chronic SW WQS
DICHLOROETHANE, 1,1-	4.7E+01	USEPA Chronic SW	4.1E+02	USEPA Chronic FW	4.7E+01	USEPA Chronic SW
DICHLOROETHANE, 1,2-	9.1E+02	USEPA Chronic SW	2.0E+03	USEPA Chronic FW	9.1E+02	USEPA Chronic SW
DICHLOROETHYLENE, 1,1-	2.5E+01	USEPA Chronic SW	1.3E+02	USEPA Chronic FW	2.5E+01	USEPA Chronic SW
DICHLOROETHYLENE, Cis 1,2-	6.2E+02	USEPA Reg IV (FW)	6.2E+02	USEPA Chronic FW	6.2E+02	USEPA Reg IV (FW)
DICHLOROETHYLENE, Trans 1,2-	5.6E+02	USEPA Reg IV (FW)	5.6E+02	USEPA Chronic FW	5.6E+02	USEPA Reg IV (FW)
DICHLOROPHENOL, 2,4-	1.1E+01	USEPA Chronic FW	1.1E+01	USEPA Chronic FW	7.9E+02	USEPA Chronic SW
DICHLOROPHENOXYACETIC ACID (2,4-D)	7.0E+01	USEPA Chronic SW	7.9E+01	USEPA Chronic FW	7.0E+01	USEPA Chronic SW
DICHLOROPROPANE, 1,2-	5.2E+02	USEPA Reg IV (FW)	5.2E+02	USEPA Chronic FW	5.2E+02	USEPA Reg IV (FW)
DICHLOROPROPENE, 1,3-	6.0E-02	USEPA Chronic SW	1.7E+00	USEPA Chronic FW	6.0E-02	USEPA Chronic SW
DIELDRIN	1.9E-03	Hawaii Chronic SW WQS	1.9E-03	Hawaii Chronic FW WQS	1.9E-03	Hawaii Chronic SW WQS
DIETHYLPHTHALATE	2.1E+02	USEPA Chronic SW	2.2E+02	USEPA Chronic FW	2.1E+02	USEPA Chronic SW
DIMETHYLPHENOL, 2,4-	1.2E+02	USEPA Reg IV (FW)	1.2E+02	USEPA Chronic FW	1.2E+02	USEPA Reg IV (FW)
DIMETHYLPHTHALATE	1.1E+03	USEPA Chronic FW	1.1E+03	USEPA Chronic FW	2.9E+03	USEPA Chronic SW
DINITROBENZENE, 1,3-	1.0E+01	USEPA Chronic SW	2.2E+01	USEPA Chronic FW	1.0E+01	USEPA Chronic SW
DINITROPHENOL, 2,4-	1.4E+01	USEPA Chronic SW	7.1E+01	USEPA Chronic FW	1.4E+01	USEPA Chronic SW
DINITROTOLUENE, 2,4- (2,4-DNT)	9.1E+00	USEPA Chronic SW	4.4E+01	USEPA Chronic FW	9.1E+00	USEPA Chronic SW
DINITROTOLUENE, 2,6- (2,6-DNT)	8.1E+01	USEPA Reg IV (FW)	8.1E+01	USEPA Chronic FW	8.1E+01	USEPA Reg IV (FW)
DIOXANE, 1,4-	3.4E+05	Mohr (5% Acute FW LC 50)	3.4E+05	Mohr (5% Acute FW LC 50)	5.0E+05	Mohr (5% Acute SW LC 50)
DIOXINS (TEQ)	3.1E-09	USEPA Reg IV (FW)	3.1E-09	USEPA Chronic FW	3.1E-09	USEPA Reg IV (FW)
DIURON	6.0E+01	USEPA ACQUIRE (50% FW EC50)	6.0E+01	USEPA ACQUIRE (50% FW EC50)	6.0E+01	USEPA ACQUIRE (50% FW EC50)
ENDOSULFAN	8.7E-03	Hawaii Chronic SW WQS	5.6E-02	Hawaii Chronic FW WQS	8.7E-03	Hawaii Chronic SW WQS
ENDRIN	2.3E-03	Hawaii Chronic SW WQS	2.3E-03	Hawaii Chronic FW WQS	2.3E-03	Hawaii Chronic SW WQS
ETHANOL	0.0E+00	not available	0.0E+00	not available	0.0E+00	=Drinking Water Toxicity
ETHYLBENZENE	7.3E+00	USEPA Chronic SW	6.1E+01	USEPA Chronic FW	7.3E+00	USEPA Chronic SW
FLUORANTHENE	8.0E-01	USEPA Chronic FW	8.0E-01	USEPA Chronic FW	7.1E+00	USEPA Chronic SW
FLUORENE	3.9E+00	USEPA Chronic SW	1.9E+01	USEPA Chronic FW	3.9E+00	USEPA Chronic SW
GLYPHOSATE	1.8E+03	USEPA Off Pesticides (FW)	1.8E+03	USEPA Off Pesticides	1.8E+03	USEPA Off Pesticides (FW)

TABLE D-4b. SUMMARY OF SELECTED CHRONIC AQUATIC HABITAT GOALS

CHEMICAL PARAMETER	¹ Aquatic Habitat Goals					
	¹ Estuarine Aquatic Habitat Goal (ug/L)	Basis	Lowest Freshwater Aquatic Habitat Goal (ug/L)	Basis	Lowest Marine Aquatic Habitat Goal (ug/L)	Basis
HEPTACHLOR	3.6E-03	Hawaii Chronic SW WQS	3.8E-03	Hawaii Chronic FW WQS	3.6E-03	Hawaii Chronic SW WQS
HEPTACHLOR EPOXIDE	3.6E-03	USEPA Chronic SW	3.8E-03	USEPA Chronic FW	3.6E-03	USEPA Chronic SW
HEXACHLOROBENZENE	3.0E-04	USEPA Reg IV (FW)	3.0E-04	USEPA Chronic FW	3.0E-04	USEPA Reg IV (FW)
HEXACHLOROBUTADIENE	3.0E-01	USEPA Chronic SW	1.0E+00	USEPA Chronic FW	3.0E-01	USEPA Chronic SW
HEXACHLOROCYCLOHEXANE (gamma) LINDANE	6.3E-02	USEPA Chronic SW	8.0E-02	Hawaii Chronic FW WQS	6.3E-02	USEPA Chronic SW
HEXACHLOROETHANE	1.2E+01	USEPA Chronic SW	1.2E+01	USEPA Chronic FW	1.2E+01	USEPA Chronic SW
HEXAZINONE	1.7E+04	USEPA Off Pesticides (FW)	1.7E+04	USEPA Off Pesticides	1.7E+04	USEPA Off Pesticides (FW)
INDENO(1,2,3-cd)PYRENE	2.8E-01	USEPA Chronic SW	2.8E-01	USEPA Chronic FW	2.8E-01	USEPA Chronic SW
ISOPHORONE	9.2E+02	USEPA Reg IV (FW)	9.2E+02	USEPA Chronic FW	9.2E+02	USEPA Reg IV (FW)
LEAD	5.6E+00	Hawaii Chronic SW WQS	2.9E+01	Hawaii Chronic FW WQS	5.6E+00	Hawaii Chronic SW WQS
MERCURY	2.5E-02	Hawaii Chronic SW WQS	5.5E-01	Hawaii Chronic FW WQS	2.5E-02	Hawaii Chronic SW WQS
METHOXYCHLOR	3.0E-02	Hawaii Chronic SW WQS	3.0E-02	Hawaii Chronic FW WQS	3.0E-02	Hawaii Chronic SW WQS
METHYL ETHYL KETONE	1.4E+04	USEPA Chronic SW	2.2E+04	USEPA Chronic FW	1.4E+04	USEPA Chronic SW
METHYL ISOBUTYL KETONE	1.7E+02	USEPA Chronic SW	1.7E+02	USEPA Chronic FW	1.7E+02	USEPA Chronic SW
METHYL MERCURY	2.8E-03	USEPA Chronic SW	2.8E-03	USEPA Chronic FW	2.8E-03	USEPA Chronic SW
METHYL TERT BUTYL ETHER	7.3E+02	USEPA Chronic FW	7.3E+02	USEPA Chronic FW	1.8E+04	USEPA Chronic SW
METHYLENE CHLORIDE	1.5E+03	USEPA Chronic FW	1.5E+03	USEPA Chronic FW	2.2E+03	USEPA Chronic SW
METHYLNAPHTHALENE, 1-	2.1E+00	USEPA Chronic SW	2.1E+00	USEPA Chronic FW	2.1E+00	USEPA Chronic SW
METHYLNAPHTHALENE, 2-	4.7E+00	USEPA Chronic FW	4.7E+00	USEPA Chronic FW	7.2E+01	USEPA Chronic SW
MOLYBDENUM	3.7E+02	USEPA Chronic SW	8.0E+02	USEPA Chronic FW	3.7E+02	USEPA Chronic SW
NAPHTHALENE	1.2E+01	USEPA Chronic SW	2.1E+01	USEPA Chronic FW	1.2E+01	USEPA Chronic SW
NICKEL	5.0E+00	Hawaii Chronic FW WQS	5.0E+00	Hawaii Chronic FW WQS	8.3E+00	Hawaii Chronic SW WQS
NITROBENZENE	3.8E+02	USEPA Reg IV (FW)	3.8E+02	USEPA Chronic FW	3.8E+02	USEPA Reg IV (FW)
NITROGLYCERIN	1.8E+01	USEPA Reg IV (FW)	1.8E+01	USEPA Chronic FW	1.8E+01	USEPA Reg IV (FW)
NITROTOLUENE, 2-	7.1E+01	USEPA Reg IV (FW)	7.1E+01	USEPA Chronic FW	7.1E+01	USEPA Reg IV (FW)
NITROTOLUENE, 3-	4.2E+01	USEPA Reg IV (FW)	4.2E+01	USEPA Chronic FW	4.2E+01	USEPA Reg IV (FW)
NITROTOLUENE, 4-	4.6E+01	USEPA Reg IV (FW)	4.6E+01	USEPA Chronic FW	4.6E+01	USEPA Reg IV (FW)
PENTACHLOROPHENOL	7.9E+00	USEPA Chronic SW	1.3E+01	Hawaii Chronic FW WQS	7.9E+00	USEPA Chronic SW
PENTAERYTHRITOLTETRANITRATE (PETN)	8.5E+05	Pascoe et al. (chronic FW)	8.5E+05	Pascoe et al. (chronic FW)	8.5E+05	Pascoe et al. (chronic FW)
PERCHLORATE	6.0E+02	USEPA 2002	6.0E+02	USEPA 2002	6.0E+02	USEPA 2002
PHENANTHRENE	2.3E+00	USEPA Chronic FW	2.3E+00	USEPA Chronic FW	4.6E+00	USEPA Chronic SW
PHENOL	5.8E+01	USEPA Chronic SW	1.6E+02	USEPA Chronic FW	5.8E+01	USEPA Chronic SW
POLYCHLORINATED BIPHENYLS (PCBs)	1.4E-02	Hawaii Chronic FW WQS	1.4E-02	Hawaii Chronic FW WQS	3.0E-02	Hawaii Chronic SW WQS
PROPICONAZOLE	9.5E+01	USEPA Off Pesticides (FW)	9.5E+01	USEPA Off Pesticides	9.5E+01	USEPA Off Pesticides (FW)
PYRENE	4.6E+00	USEPA Chronic FW	4.6E+00	USEPA Chronic FW	1.0E+01	USEPA Chronic SW
SELENIUM	5.0E+00	Hawaii Chronic FW WQS	5.0E+00	Hawaii Chronic FW WQS	7.1E+01	Hawaii Chronic SW WQS
SILVER	1.0E-01	USEPA Chronic SW	1.0E+00	Hawaii Chronic FW WQS	1.0E-01	USEPA Chronic SW
SIMAZINE	9.0E+00	USEPA Reg IV (FW)	9.0E+00	USEPA Chronic FW	9.0E+00	USEPA Reg IV (FW)
STYRENE	3.2E+01	USEPA Reg IV (FW)	3.2E+01	USEPA Chronic FW	3.2E+01	USEPA Reg IV (FW)
TERBACIL	2.5E+02	=Drinking Water Toxicity	1.2E+03	USEPA Off Pesticides	2.5E+02	=Drinking Water Toxicity
tert-BUTYL ALCOHOL	1.8E+04	USEPA ACQUIRE (10% FW LC0)	1.8E+04	USEPA ACQUIRE (10% FW LC0)	1.8E+04	USEPA ACQUIRE (10% FW LC0)
TETRACHLOROETHANE, 1,1,1,2-	1.1E+01	USEPA Chronic SW	8.5E+01	USEPA Chronic FW	1.1E+01	USEPA Chronic SW

TABLE D-4b. SUMMARY OF SELECTED CHRONIC AQUATIC HABITAT GOALS

CHEMICAL PARAMETER	¹ Aquatic Habitat Goals					
	¹ Estuarine Aquatic Habitat Goal (ug/L)	Basis	Lowest Freshwater Aquatic Habitat Goal (ug/L)	Basis	Lowest Marine Aquatic Habitat Goal (ug/L)	Basis
TETRACHLOROETHANE, 1,1,2,2-	2.0E+02	USEPA Chronic FW	2.0E+02	USEPA Chronic FW	6.1E+02	USEPA Chronic SW
TETRACHLOROETHYLENE	5.3E+01	USEPA Chronic FW	5.3E+01	USEPA Chronic FW	1.5E+02	Hawaii Chronic SW WQS
TETRACHLOROPHENOL, 2,3,4,6-	1.2E+00	USEPA Reg IV (FW)	1.2E+00	USEPA Chronic FW	1.2E+00	USEPA Reg IV (FW)
TETRANITRO-1,3,5,7-TETRAAZOCYCLOOCTANE (HMX)	2.2E+02	USEPA Chronic FW	2.2E+02	USEPA Chronic FW	3.3E+02	USEPA Chronic SW
THALLIUM	6.0E+00	USEPA Chronic FW	6.0E+00	USEPA Chronic FW	1.2E+01	USEPA Chronic SW
TOLUENE	9.8E+00	USEPA Chronic SW	6.2E+01	USEPA Chronic FW	9.8E+00	USEPA Chronic SW
TOXAPHENE	2.0E-04	Hawaii Chronic SW WQS	2.0E-04	Hawaii Chronic FW WQS	2.0E-04	Hawaii Chronic SW WQS
TPH (gasolines)	5.0E+02	CalEPA FW Chronic	5.0E+02	CalEPA FW Chronic	3.7E+03	CalEPA Chronic (SW)
TPH (middle distillates)	6.4E+02	CalEPA Chronic (FW)	6.4E+02	CalEPA FW Chronic	6.4E+02	CalEPA Chronic (FW)
TPH (residual fuels)	6.4E+02	CalEPA Chronic (FW)	6.4E+02	CaEPA FW Chronic	6.4E+02	CalEPA Chronic (FW)
TRICHLOROBENZENE, 1,2,4-	1.1E+02	USEPA Chronic SW	1.3E+02	USEPA Chronic FW	1.1E+02	USEPA Chronic SW
TRICHLOROETHANE, 1,1,1-	1.1E+01	USEPA Chronic SW	7.6E+01	USEPA Chronic FW	1.1E+01	USEPA Chronic SW
TRICHLOROETHANE, 1,1,2-	7.3E+02	USEPA Chronic FW	7.3E+02	USEPA Chronic FW	1.2E+03	USEPA Chronic SW
TRICHLOROETHYLENE	4.7E+01	USEPA Chronic SW	2.0E+02	USEPA Chronic FW	4.7E+01	USEPA Chronic SW
TRICHLOROPHENOL, 2,4,5-	1.9E+00	USEPA Chronic FW	1.9E+00	USEPA Chronic FW	1.2E+01	USEPA Chronic SW
TRICHLOROPHENOL, 2,4,6-	4.9E+00	USEPA Chronic FW	4.9E+00	USEPA Chronic FW	6.5E+00	USEPA Chronic SW
TRICHLOROPHENOXYACETIC ACID, 2,4,5- (2,4,5-T)	6.9E+02	USEPA Reg. V FW Chronic	6.9E+02	USEPA Reg. V FW Chronic	6.9E+02	USEPA Reg. V FW Chronic
TRICHLOROPHENOXYPROPIONIC ACID, 2,4,5- (2,4,5-TP)	3.0E+01	USEPA Chronic FW	3.0E+01	USEPA Chronic FW	5.0E+01	USEPA Chronic SW
TRICHLOROPROPANE, 1,2,3-	1.4E+01	USEPA ACQUIRE (50% FW EC50)	1.4E+01	USEPA ACQUIRE (50% FW EC50)	1.4E+01	USEPA ACQUIRE (50% FW EC50)
TRICHLOROPROPENE, 1,2,3-	3.3E+00	=Drinking Water Toxicity	3.3E+00	=Drinking Water Toxicity	3.3E+00	=Drinking Water Toxicity
TRIFLURALIN	1.1E+00	USEPA Reg IV (FW)	1.1E+00	USEPA Chronic FW	1.1E+00	USEPA Reg IV (FW)
TRINITROBENZENE, 1,3,5-	1.0E+01	USEPA Chronic SW	1.1E+01	USEPA Chronic FW	1.0E+01	USEPA Chronic SW
TRINITROPHENYLMETHYLNITRAMINE, 2,4,6- (TETRYL)	3.9E+01	=Drinking Water Toxicity	3.9E+01	=Drinking Water Toxicity	3.9E+01	=Drinking Water Toxicity
TRINITROTOLUENE, 2,4,6- (TNT)	1.3E+01	USEPA Chronic FW	1.3E+01	USEPA Chronic FW	9.0E+01	USEPA Chronic SW
VANADIUM	2.7E+01	USEPA Chronic FW	2.7E+01	USEPA Chronic FW	8.1E+01	USEPA Chronic SW

TABLE D-4b. SUMMARY OF SELECTED CHRONIC AQUATIC HABITAT GOALS

CHEMICAL PARAMETER	¹ Aquatic Habitat Goals					
	¹ Estuarine Aquatic Habitat Goal (ug/L)	Basis	Lowest Freshwater Aquatic Habitat Goal (ug/L)	Basis	Lowest Marine Aquatic Habitat Goal (ug/L)	Basis
VINYL CHLORIDE	9.3E+02	USEPA Reg. IV SW Chronic	9.3E+02	USEPA Chronic FW	9.3E+02	USEPA Reg. IV SW Chronic
XYLENES	1.3E+01	USEPA Chronic SW	2.7E+01	USEPA Chronic FW	1.3E+01	USEPA Chronic SW
ZINC	2.2E+01	Hawaii Chronic FW WQS	2.2E+01	Hawaii Chronic FW WQS	8.6E+01	Hawaii Chronic SW WQS
Notes:						
1. Refer to Table D-4d and D-4e for summary of aquatic habitat goal sources. Used for selection of groundwater action levels.						
2. Estuarine Goal = Lowest of Freshwater vs Saltwater chronic goals.						
3. Drinking water goal substituted as aquatic habitat goal if latter was not available (see text).						

TABLE D-4c. SUMMARY OF SELECTED ACUTE AQUATIC HABITAT GOALS

CONTAMINANT	¹ Aquatic Habitat Goals					
	¹ Estuarine Acute Aquatic Habitat Goal (ug/L)	Basis	Freshwater Acute Aquatic Habitat Goal (ug/L)	Basis	Saltwater Acute Aquatic Habitat Goal (ug/L)	Basis
ACENAPHTHENE	3.2E+02	Hawaii Acute SW WQS	5.7E+02	Hawaii Acute FW WQS	3.2E+02	Hawaii Acute SW WQS
ACENAPHTHYLENE	3.0E+02	CCME 2002	3.0E+02	CCME 2002	3.0E+02	CCME 2002
ACETONE	1.5E+04	USEPA Acute FW	1.5E+04	USEPA Acute FW	2.8E+04	USEPA Acute SW
ALDRIN	1.3E+00	Hawaii Acute SW WQS	3.0E+00	Hawaii Acute FW WQS	1.3E+00	Hawaii Acute SW WQS
AMETRYN	1.8E+03	USEPA Off Pesticides (FW)	1.8E+03	USEPA Off Pesticides	1.8E+03	USEPA Off Pesticides (FW)
AMINO,2- DINITROTOLUENE,4,6-	1.6E+02	USEPA Acute FW	1.6E+02	USEPA Acute FW	1.8E+02	USEPA Acute SW
AMINO,4- DINITROTOLUENE,2,6-	9.8E+01	USEPA Reg IV (FW)	9.8E+01	USEPA Acute FW	9.8E+01	USEPA Reg IV (FW)
ANTHRACENE	1.8E-01	USEPA Acute FW	1.8E-01	USEPA Acute FW	1.3E+01	USEPA Acute SW
ANTIMONY	1.8E+02	USEPA Acute SW	3.0E+03	Hawaii Acute FW WQS	1.8E+02	USEPA Acute SW
ARSENIC	6.9E+01	Hawaii Acute SW WQS	3.6E+02	Hawaii Acute FW WQS	6.9E+01	Hawaii Acute SW WQS
ATRAZINE	3.3E+02	USEPA Reg IV (FW)	3.3E+02	USEPA Acute FW	3.3E+02	USEPA Reg IV (FW)
BARIUM	2.0E+03	USEPA Acute SW	2.0E+03	USEPA Acute FW	2.0E+03	USEPA Acute SW
BENOMYL	2.8E+00	USGS Acute (FW)	2.8E+00	USGS 2012	2.8E+00	USGS Acute (FW)
BENZENE	1.7E+03	Hawaii Acute SW WQS	1.8E+03	Hawaii Acute FW WQS	1.7E+03	Hawaii Acute SW WQS
BENZO(a)ANTHRACENE	3.0E+02	CCME 2002	3.0E+02	CCME 2002	3.0E+02	CCME 2002
BENZO(a)PYRENE	3.0E+02	CCME 2002	3.0E+02	CCME 2002	3.0E+02	CCME 2002
BENZO(b)FLUORANTHENE	3.0E+02	CCME 2002	3.0E+02	CCME 2002	3.0E+02	CCME 2002
BENZO(g,h,i)PERYLENE	3.0E+02	CCME 2002	3.0E+02	CCME 2002	3.0E+02	CCME 2002
BENZO(k)FLUORANTHENE	3.0E+02	CCME 2002	3.0E+02	CCME 2002	3.0E+02	CCME 2002
BERYLLIUM	3.5E+01	USEPA Acute SW	4.3E+01	Hawaii Acute FW WQS	3.5E+01	USEPA Acute SW
BIPHENYL, 1,1-	2.6E+01	USEPA Reg IV (FW)	2.6E+01	USEPA Acute FW	2.6E+01	USEPA Reg IV (FW)
BIS(2-CHLOROETHYL)ETHER	2.4E+04	USDOE Acute (FW)	2.4E+04	USDOE Acute	2.4E+04	USDOE Acute (FW)
BIS(2-CHLORO-1-METHYLETHYL)ETHER	3.6E-01	=Drinking Water Toxicity	3.6E-01	=Drinking Water Toxicity	3.6E-01	=Drinking Water Toxicity
BIS(2-ETHYLHEXYL)PHTHALATE	2.7E+01	USEPA Acute SW	2.7E+01	USEPA Acute FW	2.7E+01	USEPA Acute SW
BORON	3.4E+04	USEPA Reg IV (FW)	3.4E+04	USEPA Acute FW	3.4E+04	USEPA Reg IV (FW)
BROMODICHLOROMETHANE	3.1E+03	USEPA Reg IV (FW)	3.1E+03	USEPA Acute FW	3.1E+03	USEPA Reg IV (FW)
BROMOFORM	1.1E+03	USEPA Acute FW	1.1E+03	USEPA Acute FW	2.3E+03	USEPA Acute SW
BROMOMETHANE	3.8E+01	USEPA Reg IV (FW)	3.8E+01	USEPA Acute FW	3.8E+01	USEPA Reg IV (FW)
CADMIUM	3.0E+00	Hawaii Acute FW WQS	3.0E+00	Hawaii Acute FW WQS	4.3E+01	Hawaii Acute SW WQS
CARBON TETRACHLORIDE	1.2E+04	Hawaii Acute FW WQS	1.2E+04	Hawaii Acute FW WQS	1.6E+04	Hawaii Acute SW WQS
CHLORDANE (TECHNICAL)	9.0E-02	Hawaii Acute SW WQS	2.4E+00	Hawaii Acute FW WQS	9.0E-02	Hawaii Acute SW WQS
CHLOROANILINE, p-	4.6E+02	USEPA Reg IV (FW)	4.6E+02	USEPA Acute FW	4.6E+02	USEPA Reg IV (FW)
CHLOROBENZENE	2.2E+02	USEPA Acute FW	2.2E+02	USEPA Acute FW	1.1E+03	USEPA Acute SW
CHLOROETHANE	4.8E+04	=Drinking Water Toxicity	4.8E+04	=Drinking Water Toxicity	4.8E+04	=Drinking Water Toxicity
CHLOROFORM	4.9E+02	USEPA Acute SW	9.6E+03	Hawaii Acute FW WQS	4.9E+02	USEPA Acute SW
CHLOROMETHANE	1.1E+03	=Drinking Water Toxicity	1.1E+03	=Drinking Water Toxicity	1.1E+03	=Drinking Water Toxicity
CHLOROPHENOL, 2-	4.0E+02	USEPA Reg IV (SW chronic)	1.4E+03	Hawaii Acute FW WQS	4.0E+02	USEPA Reg IV (SW chronic)
CHROMIUM (Total)	1.6E+01	Reg IV Cr VI	1.6E+01	Reg IV Cr VI	1.0E+03	Reg IV Cr VI
CHROMIUM III	5.7E+02	USEPA Reg IV (FW)	5.7E+02	USEPA Acute FW	5.7E+02	USEPA Reg IV (FW)
CHROMIUM VI	1.6E+01	Hawaii Acute FW WQS	1.6E+01	Hawaii Acute FW WQS	1.1E+03	Hawaii Acute SW WQS
CHRYSENE	3.0E+02	CCME 2002	3.0E+02	CCME 2002	3.0E+02	CCME 2002
COBALT	1.2E+02	USEPA Acute FW	1.2E+02	USEPA Acute FW	1.5E+03	USEPA Acute SW
COPPER	2.9E+00	Hawaii Acute SW WQS	6.0E+00	Hawaii Acute FW WQS	2.9E+00	Hawaii Acute SW WQS

TABLE D-4c. SUMMARY OF SELECTED ACUTE AQUATIC HABITAT GOALS

CONTAMINANT	¹ Aquatic Habitat Goals					
	¹ Estuarine Acute Aquatic Habitat Goal (ug/L)	Basis	Freshwater Acute Aquatic Habitat Goal (ug/L)	Basis	Saltwater Acute Aquatic Habitat Goal (ug/L)	Basis
CYANIDE (Free)	1.0E+00	Hawaii Acute SW WQS	2.2E+01	Hawaii Acute FW WQS	1.0E+00	Hawaii Acute SW WQS
CYCLO-1,3,5-TRIMETHYLENE-2,4,6-TRINITRAMINE (RDX)	5.2E+02	USEPA Acute FW	5.2E+02	USEPA Acute FW	7.0E+02	USEPA Acute SW
DALAPON	3.0E+03	USEPA AQUIRE (50% FW LC50)	3.0E+03	USEPA AQUIRE (50% FW LC50)	3.0E+03	USEPA AQUIRE (50% FW LC50)
DIBENZO(a,h)ANTHTRACENE	3.0E+02	CCME 2002	3.0E+02	CCME 2002	3.0E+02	CCME 2002
DIBROMO-3-CHLOROPROPANE, 1,2-	4.0E-02	=Drinking Water Toxicity	4.0E-02	=Drinking Water Toxicity	4.0E-02	=Drinking Water Toxicity
DIBROMOCHLOROMETHANE	2.9E+03	USEPA Reg IV (FW)	2.9E+03	USEPA Acute FW	2.9E+03	USEPA Reg IV (FW)
DIBROMOETHANE, 1,2-	1.4E+03	50% MOEE FW Chronic AWQC	1.4E+03	50% MOEE FW Chronic AWQC	1.4E+03	50% MOEE FW Chronic AWQC
DICHLOROBENZENE, 1,2-	3.7E+02	Hawaii Acute FW WQS	3.7E+02	Hawaii Acute FW WQS	6.6E+02	Hawaii Acute SW WQS
DICHLOROBENZENE, 1,3-	3.7E+02	Hawaii Acute FW WQS	3.7E+02	Hawaii Acute FW WQS	6.6E+02	Hawaii Acute SW WQS
DICHLOROBENZENE, 1,4-	3.7E+02	Hawaii Acute FW WQS	3.7E+02	Hawaii Acute FW WQS	6.6E+02	Hawaii Acute SW WQS
DICHLOROBENZIDINE, 3,3-	4.1E+01	USEPA Reg IV (FW)	4.1E+01	USEPA Acute FW	4.1E+01	USEPA Reg IV (FW)
DICHLORODIPHENYLDICHLOROETHANE (DDD)	1.9E-01	USEPA Acute SW	1.9E-01	USEPA Acute FW	1.9E-01	USEPA Acute SW
DICHLORODIPHENYLDICHLOROETHYLENE (DDE)	7.0E+00	USEPA Reg IV (FW)	7.0E+00	USEPA Acute FW	7.0E+00	USEPA Reg IV (FW)
DICHLORODIPHENYLTRICHLOROETHANE (DDT)	1.3E-02	Hawaii Acute SW WQS	1.1E+00	Hawaii Acute FW WQS	1.3E-02	Hawaii Acute SW WQS
DICHLOROETHANE, 1,1-	8.3E+02	USEPA Acute SW	3.7E+03	USEPA Acute FW	8.3E+02	USEPA Acute SW
DICHLOROETHANE, 1,2-	3.8E+04	Hawaii Acute SW WQS	3.9E+04	Hawaii Acute FW WQS	3.8E+04	Hawaii Acute SW WQS
DICHLOROETHYLENE, 1,1-	3.9E+03	Hawaii Acute FW WQS	3.9E+03	Hawaii Acute FW WQS	7.5E+04	Hawaii Acute SW WQS
DICHLOROETHYLENE, Cis 1,2-	5.5E+03	USEPA Reg IV (FW)	5.5E+03	USEPA Acute FW	5.5E+03	USEPA Reg IV (FW)
DICHLOROETHYLENE, Trans 1,2-	1.0E+04	USEPA Reg IV (FW)	1.0E+04	USEPA Acute FW	1.0E+04	USEPA Reg IV (FW)
DICHLOROPHENOL, 2,4-	6.7E+02	Hawaii Acute FW WQS	6.7E+02	Hawaii Acute FW WQS	7.9E+02	USEPA Reg IV (SW chronic)
DICHLOROPHENOXYACETIC ACID (2,4-D)	1.3E+02	USEPA Reg IV (FW)	1.3E+02	USEPA Acute FW	1.3E+02	USEPA Reg IV (FW)
DICHLOROPROPANE, 1,2-	3.4E+03	Hawaii Acute SW WQS	7.7E+03	Hawaii Acute FW WQS	3.4E+03	Hawaii Acute SW WQS
DICHLOROPROPENE, 1,3-	2.6E+02	Hawaii Acute SW WQS	2.0E+03	Hawaii Acute FW WQS	2.6E+02	Hawaii Acute SW WQS
DIELDRIN	7.1E-01	Hawaii Acute SW WQS	2.5E+00	Hawaii Acute FW WQS	7.1E-01	Hawaii Acute SW WQS
DIETHYLPHTHALATE	9.8E+02	USEPA Acute FW	9.8E+02	USEPA Acute FW	1.8E+03	USEPA Acute SW
DIMETHYLPHENOL, 2,4-	7.0E+02	Hawaii Acute FW WQS	7.0E+02	Hawaii Acute FW WQS	1.1E+03	USEPA Reg IV (FW)
DIMETHYLPHTHALATE	3.2E+03	USEPA Reg IV (FW)	3.2E+03	USEPA Acute FW	3.2E+03	USEPA Reg IV (FW)
DINITROBENZENE, 1,3-	1.0E+02	USEPA Acute FW	1.0E+02	USEPA Acute FW	1.1E+02	USEPA Acute SW
DINITROPHENOL, 2,4-	3.8E+02	0.0E+00	3.8E+02	USEPA Acute FW	3.8E+02	0.0E+00
DINITROTOLUENE, 2,4- (2,4-DNT)	1.1E+02	Hawaii Acute FW WQS	1.1E+02	Hawaii Acute FW WQS	2.0E+02	Hawaii Acute SW WQS
DINITROTOLUENE, 2,6- (2,6-DNT)	1.1E+02	Hawaii Acute FW WQS	1.1E+02	Hawaii Acute FW WQS	2.0E+02	Hawaii Acute SW WQS
DIOXANE, 1,4-	3.4E+06	Mohr (50% FW LC50)	3.4E+06	Mohr (50% FW LC50)	5.0E+06	Mohr (50% SW LC50)
DIOXINS (TEQ)	3.0E-03	USEPA Reg IV (FW)	3.0E-03	Hawaii Acute FW WQS	3.0E-03	USEPA Reg IV (FW)
DIURON	2.0E+02	USEPA AQUIRE (50% FW LC50)	2.0E+02	USEPA AQUIRE (50% FW LC50)	5.5E+02	USEPA AQUIRE (50% SW LC50)
ENDOSULFAN	3.4E-02	Hawaii Acute SW WQS	2.2E-01	Hawaii Acute FW WQS	3.4E-02	Hawaii Acute SW WQS
ENDRIN	3.7E-02	Hawaii Acute SW WQS	1.8E-01	Hawaii Acute FW WQS	3.7E-02	Hawaii Acute SW WQS
ETHANOL	0.0E+00	not available	0.0E+00	not available	0.0E+00	=Drinking Water Toxicity
ETHYLBENZENE	1.4E+02	Hawaii Acute SW WQS	1.1E+04	Hawaii Acute FW WQS	1.4E+02	Hawaii Acute SW WQS
FLUORANTHENE	1.3E+01	Hawaii Acute SW WQS	1.3E+03	Hawaii Acute FW WQS	1.3E+01	Hawaii Acute SW WQS
FLUORENE	3.0E+02	CCME 2002	3.0E+02	CCME 2002	3.0E+02	CCME 2002
GLYPHOSATE	2.2E+04	USEPA Off Pesticides (FW)	2.2E+04	USEPA Off Pesticides	2.2E+04	USEPA Off Pesticides (FW)
HEPTACHLOR	5.3E-02	Hawaii Acute SW WQS	5.2E-01	Hawaii Acute FW WQS	5.3E-02	Hawaii Acute SW WQS
HEPTACHLOR EPOXIDE	5.3E-02	USEPA Acute SW	5.2E-01	USEPA Acute FW	5.3E-02	USEPA Acute SW

TABLE D-4c. SUMMARY OF SELECTED ACUTE AQUATIC HABITAT GOALS

CONTAMINANT	¹ Aquatic Habitat Goals					
	¹ Estuarine Acute Aquatic Habitat Goal (ug/L)	Basis	Freshwater Acute Aquatic Habitat Goal (ug/L)	Basis	Saltwater Acute Aquatic Habitat Goal (ug/L)	Basis
HEXACHLORO BENZENE	3.0E-04	USEPA Reg IV (FW chronic)	3.0E-04	USEPA Reg IV (FW chronic)	3.0E-04	USEPA Reg IV (FW chronic)
HEXACHLORO BUTADIENE	1.1E+01	Hawaii Acute SW WQS	3.0E+01	Hawaii Acute FW WQS	1.1E+01	Hawaii Acute SW WQS
HEXACHLORO CYCLOHEXANE (gamma) LINDANE	1.6E-01	Hawaii Acute SW WQS	2.0E+00	Hawaii Acute FW WQS	1.6E-01	Hawaii Acute SW WQS
HEXACHLORO ETHANE	3.1E+02	Hawaii Acute SW WQS	3.3E+02	Hawaii Acute FW WQS	3.1E+02	Hawaii Acute SW WQS
HEXAZINONE	1.4E+05	USEPA Off Pesticides (FW)	1.4E+05	USEPA Off Pesticides	1.4E+05	USEPA Off Pesticides (FW)
INDENO(1,2,3-cd)PYRENE	3.0E+02	CCME 2002	3.0E+02	CCME 2002	3.0E+02	CCME 2002
ISOPHORONE	4.3E+03	Hawaii Acute SW WQS	3.9E+04	Hawaii Acute FW WQS	4.3E+03	Hawaii Acute SW WQS
LEAD	2.9E+01	Hawaii Acute FW WQS	2.9E+01	Hawaii Acute FW WQS	1.4E+02	Hawaii Acute SW WQS
MERCURY	2.1E+00	Hawaii Acute SW WQS	2.4E+00	Hawaii Acute FW WQS	2.1E+00	Hawaii Acute SW WQS
METHOXYCHLOR	7.0E-01	USEPA Reg IV (FW)	7.0E-01	USEPA Acute FW	7.0E-01	USEPA Reg IV (FW)
METHYL ETHYL KETONE	2.0E+05	USEPA Acute FW	2.0E+05	USEPA Acute FW	2.4E+05	USEPA Acute SW
METHYL ISOBUTYL KETONE	2.2E+03	USEPA Acute SW	2.2E+03	USEPA Acute FW	2.2E+03	USEPA Acute SW
METHYL MERCURY	9.9E-02	USEPA Acute SW	9.9E-02	USEPA Acute FW	9.9E-02	USEPA Acute SW
METHYL TERT BUTYL ETHER	6.5E+03	USEPA Acute FW	6.5E+03	USEPA Acute FW	5.3E+04	USEPA Acute SW
METHYLENE CHLORIDE	8.5E+03	USEPA Acute FW	8.5E+03	USEPA Acute FW	2.6E+04	USEPA Acute SW
METHYLNAPHTHALENE, 1-	3.7E+01	USEPA Acute SW	3.7E+01	USEPA Acute FW	3.7E+01	USEPA Acute SW
METHYLNAPHTHALENE, 2-	4.2E+01	USEPA Acute FW	4.2E+01	USEPA Acute FW	8.6E+01	USEPA Acute SW
MOLYBDENUM	7.2E+03	USEPA Acute FW	7.2E+03	USEPA Acute FW	1.6E+04	USEPA Acute SW
NAPHTHALENE	7.7E+02	Hawaii Acute FW WQS	7.7E+02	Hawaii Acute FW WQS	7.8E+02	Hawaii Acute SW WQS
NICKEL	5.0E+00	Hawaii Acute FW WQS	5.0E+00	Hawaii Acute FW WQS	7.5E+01	Hawaii Acute SW WQS
NITROBENZENE	2.0E+03	Hawaii Acute SW WQS	9.0E+03	Hawaii Acute FW WQS	2.0E+03	Hawaii Acute SW WQS
NITROGLYCERIN	1.6E+02	USEPA Reg IV (FW)	1.6E+02	USEPA Acute FW	1.6E+02	USEPA Reg IV (FW)
NITROTOLUENE, 2-	6.4E+02	USEPA Reg IV (FW)	6.4E+02	USEPA Acute FW	6.4E+02	USEPA Reg IV (FW)
NITROTOLUENE, 3-	3.8E+02	USEPA Reg IV (FW)	3.8E+02	USEPA Acute FW	3.8E+02	USEPA Reg IV (FW)
NITROTOLUENE, 4-	4.1E+02	USEPA Reg IV (FW)	4.1E+02	USEPA Acute FW	4.1E+02	USEPA Reg IV (FW)
PENTACHLOROPHENOL	1.3E+01	Hawaii Acute SW WQS	2.0E+01	Hawaii Acute FW WQS	1.3E+01	Hawaii Acute SW WQS
PENTAERYTHRITOLTETRANITRATE (PETN)	8.5E+05	Pascoe et al. (chronic FW)	8.5E+05	Pascoe et al. (chronic FW)	8.5E+05	Pascoe et al. (chronic FW)
PERCHLORATE	5.0E+03	USEPA 2002	5.0E+03	USEPA 2002	5.0E+03	USEPA 2002
PHENANTHRENE	3.0E+02	CCME 2002	3.0E+02	CCME 2002	3.0E+02	CCME 2002
PHENOL	3.0E+02	USEPA Acute SW	4.7E+03	Hawaii Acute FW WQS	3.0E+02	USEPA Acute SW
POLYCHLORINATED BIPHENYLS (PCBs)	2.0E+00	Hawaii Acute FW WQS	2.0E+00	Hawaii Acute FW WQS	1.0E+01	Hawaii Acute SW WQS
PROPIONAZOLE	4.3E+02	USEPA Off Pesticides (FW)	4.3E+02	USEPA Off Pesticides	4.3E+02	USEPA Off Pesticides (FW)
PYRENE	3.0E+02	CCME 2002	3.0E+02	CCME 2002	3.0E+02	CCME 2002
SELENIUM	2.0E+01	Hawaii Acute FW WQS	2.0E+01	Hawaii Acute FW WQS	3.0E+02	Hawaii Acute SW WQS
SILVER	1.0E+00	Hawaii Acute FW WQS	1.0E+00	Hawaii Acute FW WQS	2.3E+00	Hawaii Acute SW WQS
SIMAZINE	8.0E+01	USEPA Reg IV (FW)	8.0E+01	USEPA Acute FW	8.0E+01	USEPA Reg IV (FW)
STYRENE	2.9E+02	USEPA Reg IV (FW)	2.9E+02	USEPA Acute FW	2.9E+02	USEPA Reg IV (FW)
TERBACIL	2.5E+02	=Drinking Water Toxicity	2.3E+04	USEPA Off Pesticides	2.5E+02	=Drinking Water Toxicity
tert-BUTYL ALCOHOL	1.8E+05	USEPA ACQUIRE (FW LC0)	1.8E+05	USEPA ACQUIRE (FW LC0)	1.8E+05	USEPA ACQUIRE (FW LC0)
TETRACHLOROETHANE, 1,1,1,2-	7.7E+02	USEPA Reg IV (FW)	3.1E+03	Hawaii Acute FW WQS	7.7E+02	USEPA Reg IV (FW)
TETRACHLOROETHANE, 1,1,2,2-	9.1E+02	USEPA Acute FW	9.1E+02	USEPA Acute FW	3.0E+03	Hawaii Acute SW WQS
TETRACHLOROETHYLENE	1.8E+03	Hawaii Acute FW WQS	1.8E+03	Hawaii Acute FW WQS	3.4E+03	Hawaii Acute SW WQS
TETRACHLOROPHENOL, 2,3,4,6-	1.1E+01	USEPA Reg IV (FW)	1.1E+01	USEPA Acute FW	1.1E+01	USEPA Reg IV (FW)

TABLE D-4c. SUMMARY OF SELECTED ACUTE AQUATIC HABITAT GOALS

CONTAMINANT	¹ Aquatic Habitat Goals					
	¹ Estuarine Acute Aquatic Habitat Goal (ug/L)	Basis	Freshwater Acute Aquatic Habitat Goal (ug/L)	Basis	Saltwater Acute Aquatic Habitat Goal (ug/L)	Basis
TETRANITRO-1,3,5,7-TETRAAZOCYCLOOCTANE (HMX)	1.2E+03	USEPA Acute FW	1.2E+03	USEPA Acute FW	1.9E+03	USEPA Acute SW
THALLIUM	4.7E+02	Hawaii Acute FW WQS	4.7E+02	Hawaii Acute FW WQS	7.1E+02	Hawaii Acute SW WQS
TOLUENE	2.1E+03	Hawaii Acute SW WQS	5.8E+03	Hawaii Acute FW WQS	2.1E+03	Hawaii Acute SW WQS
TOXAPHENE	2.1E-01	Hawaii Acute SW WQS	7.3E-01	Hawaii Acute FW WQS	2.1E-01	Hawaii Acute SW WQS
TPH (gasolines)	5.0E+03	Ceiling Level	5.0E+03	Ceiling Level	5.0E+03	Ceiling Level
TPH (middle distillates)	2.5E+03	Ceiling Level	2.5E+03	Ceiling Level	2.5E+03	Ceiling Level
TPH (residual fuels)	2.5E+03	Ceiling Level	2.5E+03	Ceiling Level	2.5E+03	Ceiling Level
TRICHLOROBENZENE, 1,2,4-	4.2E+02	USEPA Acute FW	4.2E+02	USEPA Acute FW	7.0E+02	USEPA Acute SW
TRICHLOROETHANE, 1,1,1-	6.0E+03	Hawaii Acute FW WQS	6.0E+03	Hawaii Acute FW WQS	1.0E+04	Hawaii Acute SW WQS
TRICHLOROETHANE, 1,1,2-	5.2E+03	USEPA Acute SW	6.0E+03	Hawaii Acute FW WQS	5.2E+03	USEPA Acute SW
TRICHLOROETHYLENE	7.0E+02	Hawaii Acute SW WQS	1.5E+04	Hawaii Acute FW WQS	7.0E+02	Hawaii Acute SW WQS
TRICHLOROPHENOL, 2,4,5-	1.7E+01	USEPA Acute FW	1.7E+01	USEPA Acute FW	2.6E+02	USEPA Acute SW
TRICHLOROPHENOL, 2,4,6-	3.9E+01	USEPA Reg IV (FW)	3.9E+01	USEPA Acute FW	3.9E+01	USEPA Reg IV (FW)
TRICHLOROPHENOXYACETIC ACID, 2,4,5- (2,4,5-T)	6.9E+02	USEPA Reg. V FW Chronic	6.9E+02	USEPA Reg. V FW Chronic	6.9E+02	USEPA Reg. V FW Chronic
TRICHLOROPHENOXYPROPIONIC ACID, 2,4,5- (2,4,5-TP)	2.7E+02	USEPA Reg IV (FW)	2.7E+02	USEPA Acute FW	2.7E+02	USEPA Reg IV (FW)
TRICHLOROPROPANE, 1,2,3-	1.4E+02	USEPA ACQUIRE (5xFW EC50)	1.4E+02	USEPA ACQUIRE (5xFW EC50)	1.4E+02	USEPA ACQUIRE (5xFW EC50)
TRICHLOROPROPENE, 1,2,3-	3.3E+00	=Drinking Water Toxicity	3.3E+00	=Drinking Water Toxicity	3.3E+00	=Drinking Water Toxicity
TRIFLURALIN	2.1E+01	USEPA Reg IV (FW)	2.1E+01	USEPA Acute FW	2.1E+01	USEPA Reg IV (FW)
TRINITROBENZENE, 1,3,5-	2.7E+01	USEPA Acute FW	2.7E+01	USEPA Acute FW	3.0E+01	USEPA Acute SW
TRINITROPHENYLMETHYLNITRAMINE, 2,4,6- (TETRYL)	3.9E+01	=Drinking Water Toxicity	3.9E+01	=Drinking Water Toxicity	3.9E+01	=Drinking Water Toxicity
TRINITROTOLUENE, 2,4,6- (TNT)	2.1E+02	USEPA Acute FW	2.1E+02	USEPA Acute FW	5.7E+02	USEPA Acute SW
VANADIUM	9.0E+01	USEPA Acute SW	1.2E+02	USEPA Acute FW	9.0E+01	USEPA Acute SW
VINYL CHLORIDE	8.4E+03	USEPA Reg IV SW Acute	8.4E+03	USEPA Acute FW	8.4E+03	USEPA Reg IV SW Acute
XYLENES	2.3E+02	USEPA Acute SW	2.4E+02	USEPA Acute FW	2.3E+02	USEPA Acute SW
ZINC	2.2E+01	Hawaii Acute FW WQS	2.2E+01	Hawaii Acute FW WQS	9.5E+01	Hawaii Acute SW WQS

Notes:
1. Refer to Table D-4d and D-4e for summary of aquatic habitat goal sources. Used for selection of groundwater action levels.
2. Estuarine Goal = Lowest of Freshwater vs Saltwater chronic goals.
3. Drinking water goal substituted as aquatic habitat goal if latter was not available (see text).

TABLE D-4d. SUMMARY OF HAWAII CHRONIC AND ACUTE SURFACE WATER (AQUATIC HABITAT) STANDARDS

CONTAMINANT	Freshwater (ug/L)		Saltwater (ug/L)	
	Chronic	Acute	Chronic	Acute
ACENAPHTHENE		5.7E+02		3.2E+02
ACENAPHTHYLENE				
ACETONE				
ALDRIN		3.0E+00		1.3E+00
AMETRYN				
AMINO,2- DINITROTOLUENE,4,6-				
AMINO,4- DINITROTOLUENE,2,6-				
ANTHRACENE				
ANTIMONY		3.0E+03		
ARSENIC	1.9E+02	3.6E+02	3.6E+01	6.9E+01
ATRAZINE				
BARIUM				
BENOMYL				
BENZENE		1.8E+03		1.7E+03
BENZO(a)ANTHRACENE				
BENZO(a)PYRENE				
BENZO(b)FLUORANTHENE				
BENZO(g,h,i)PERYLENE				
BENZO(k)FLUORANTHENE				
BERYLLIUM		4.3E+01		
BIPHENYL, 1,1-				
BIS(2-CHLOROETHYL)ETHER				
BIS(2-CHLORO-1-METHYLETHYL)ETHER				
BIS(2-ETHYLHEXYL)PHTHALATE				
BORON				
BROMODICHLOROMETHANE				
BROMOFORM				
BROMOMETHANE				
CADMIUM	3.0E+00	3.0E+00	9.3E+00	4.3E+01
CARBON TETRACHLORIDE		1.2E+04		1.6E+04
CHLORDANE (TECHNICAL)	4.3E-03	2.4E+00	4.0E-03	9.0E-02
CHLOROANILINE, p-				
CHLOROBENZENE				
CHLOROETHANE				
CHLOROFORM		9.6E+03		
CHLOROMETHANE				
CHLOROPHENOL, 2-		1.4E+03		
CHROMIUM (Total)				
CHROMIUM III				
CHROMIUM VI	1.1E+01	1.6E+01	5.0E+01	1.1E+03
CHRYSENE				
COBALT				
COPPER	6.0E+00	6.0E+00	2.9E+00	2.9E+00
CYANIDE (Free)	5.2E+00	2.2E+01	1.0E+00	1.0E+00
CYCLO-1,3,5-TRIMETHYLENE-2,4,6-TRINITRAMINE (RDX)				
DALAPON				
DIBENZO(a,h)ANTHTRACENE				
DIBROMO-3-CHLOROPROPANE, 1,2-				
DIBROMOCHLOROMETHANE				
DIBROMOETHANE, 1,2-				
DICHLOROBENZENE, 1,2-		3.7E+02		6.6E+02
DICHLOROBENZENE, 1,3-		3.7E+02		6.6E+02

**TABLE D-4d. SUMMARY OF HAWAII CHRONIC AND ACUTE
SURFACE WATER (AQUATIC HABITAT) STANDARDS**

CONTAMINANT	Freshwater (ug/L)		Saltwater (ug/L)	
	Chronic	Acute	Chronic	Acute
DICHLOROBENZENE, 1,4-		3.7E+02		6.6E+02
DICHLOROBENZIDINE, 3,3-				
DICHLORODIPHENYLDICHLOROETHANE (DDD)				
DICHLORODIPHENYLDICHLOROETHYLENE (DDE)				
DICHLORODIPHENYLTRICHLOROETHANE (DDT)	1.0E-03	1.1E+00	1.0E-03	1.3E-02
DICHLOROETHANE, 1,1-				
DICHLOROETHANE, 1,2-		3.9E+04		3.8E+04
DICHLOROETHYLENE, 1,1-		3.9E+03		7.5E+04
DICHLOROETHYLENE, Cis 1,2-				
DICHLOROETHYLENE, Trans 1,2-				
DICHLOROPHENOL, 2,4-		6.7E+02		
DICHLOROPHENOXYACETIC ACID (2,4-D)				
DICHLOROPROPANE, 1,2-		7.7E+03		3.4E+03
DICHLOROPROPENE, 1,3-		2.0E+03		2.6E+02
DIELDRIN	1.9E-03	2.5E+00	1.9E-03	7.1E-01
DIETHYLPHTHALATE				
DIMETHYLPHENOL, 2,4-		7.0E+02		
DIMETHYLPHTHALATE				
DINITROBENZENE, 1,3-				
DINITROPHENOL, 2,4-				
DINITROTOLUENE, 2,4- (2,4-DNT)		1.1E+02		2.0E+02
DINITROTOLUENE, 2,6- (2,6-DNT)		1.1E+02		2.0E+02
DIOXANE, 1,4-				
DIOXINS (TEQ)		3.0E-03		
DIURON				
ENDOSULFAN	5.6E-02	2.2E-01	8.7E-03	3.4E-02
ENDRIN	2.3E-03	1.8E-01	2.3E-03	3.7E-02
ETHANOL				
ETHYLBENZENE		1.1E+04		1.4E+02
FLUORANTHENE		1.3E+03		1.3E+01
FLUORENE				
GLYPHOSATE				
HEPTACHLOR	3.8E-03	5.2E-01	3.6E-03	5.3E-02
HEPTACHLOR EPOXIDE				
HEXACHLOROENZENE				
HEXACHLOROBUTADIENE		3.0E+01		1.1E+01
HEXACHLOROCYCLOHEXANE (gamma) LINDANE	8.0E-02	2.0E+00		1.6E-01
HEXACHLOROETHANE		3.3E+02		3.1E+02
HEXAZINONE				
INDENO(1,2,3-cd)PYRENE				
ISOPHORONE		3.9E+04		4.3E+03
LEAD	2.9E+01	2.9E+01	5.6E+00	1.4E+02
MERCURY	5.5E-01	2.4E+00	2.5E-02	2.1E+00
METHOXYCHLOR	3.0E-02		3.0E-02	
METHYL ETHYL KETONE				
METHYL ISOBUTYL KETONE				
METHYL MERCURY				
METHYL TERT BUTYL ETHER				
METHYLENE CHLORIDE				
METHYLNAPHTHALENE, 1-				
METHYLNAPHTHALENE, 2-				
MOLYBDENUM				
NAPHTHALENE		7.7E+02		7.8E+02
NICKEL	5.0E+00	5.0E+00	8.3E+00	7.5E+01
NITROBENZENE		9.0E+03		2.0E+03
NITROGLYCERIN				

TABLE D-4d. SUMMARY OF HAWAII CHRONIC AND ACUTE SURFACE WATER (AQUATIC HABITAT) STANDARDS

CONTAMINANT	Freshwater (ug/L)		Saltwater (ug/L)	
	Chronic	Acute	Chronic	Acute
NITROTOLUENE, 2-				
NITROTOLUENE, 3-				
NITROTOLUENE, 4-				
PENTACHLOROPHENOL	1.3E+01	2.0E+01		1.3E+01
PENTAERYTHRITOLTETRANITRATE (PETN)				
PERCHLORATE				
PHENANTHRENE				
PHENOL		4.7E+03		
POLYCHLORINATED BIPHENYLS (PCBs)	1.4E-02	2.0E+00	3.0E-02	1.0E+01
PROPICONAZOLE				
PYRENE				
SELENIUM	5.0E+00	2.0E+01	7.1E+01	3.0E+02
SILVER	1.0E+00	1.0E+00		2.3E+00
SIMAZINE				
STYRENE				
TERBACIL				
tert-BUTYL ALCOHOL				
TETRACHLOROETHANE, 1,1,1,2-		3.1E+03		
TETRACHLOROETHANE, 1,1,2,2-				3.0E+03
TETRACHLOROETHYLENE		1.8E+03	1.45E+02	3.4E+03
TETRACHLOROPHENOL, 2,3,4,6-				
TETRANITRO-1,3,5,7-TETRAAZOCYCLOOCTANE (HMX)				
THALLIUM		4.7E+02		7.1E+02
TOLUENE		5.8E+03		2.1E+03
TOXAPHENE	2.0E-04	7.3E-01	2.0E-04	2.1E-01
TPH (gasolines)				
TPH (middle distillates)				
TPH (residual fuels)				
TRICHLOROETHANE, 1,2,4-				
TRICHLOROETHANE, 1,1,1-		6.0E+03		1.0E+04
TRICHLOROETHANE, 1,1,2-		6.0E+03		
TRICHLOROETHYLENE		1.5E+04		7.0E+02
TRICHLOROPHENOL, 2,4,5-				
TRICHLOROPHENOL, 2,4,6-				
TRICHLOROPHENOXYACETIC ACID, 2,4,5- (2,4,5-T)				
TRICHLOROPHENOXYPROPIONIC ACID, 2,4,5- (2,4,5-TP)				
TRICHLOROPROPANE, 1,2,3-				
TRICHLOROPROPENE, 1,2,3-				
TRIFLURALIN				
TRINITROBENZENE, 1,3,5-				
TRINITROPHENYLMETHYLNITRAMINE, 2,4,6- (TETRYL)				
TRINITROTOLUENE, 2,4,6- (TNT)				
VANADIUM				
VINYL CHLORIDE				
XYLENES				
ZINC	2.2E+01	2.2E+01	8.6E+01	9.5E+01

Primary Reference:

1. Hawaii Administrative Rules, Title 11, Chapter 54, Section 11-54-04: Basic Water Quality Criteria, October 2012.

**TABLE D-4e. SUMMARY OF USEPA AND OTHER PUBLISHED AQUATIC HABITAT GOALS
(ug/l)**

CONTAMINANT	Freshwater						Marine					
	USEPA Reg IV Chronic	USEPA Reg IV Acute	Other Chronic	Basis	Other Acute	Basis	USEPA Reg IV Chronic	USEPA Reg IV Acute	Other Chronic	Basis	Other Acute	Basis
ACENAPHTHENE	1.5E+01				3.0E+02	CCME 2002	2.0E+01				3.0E+02	CCME 2002
ACENAPHTHYLENE	1.3E+01				3.0E+02	CCME 2002	3.1E+02				3.0E+02	CCME 2002
ACETONE	1.7E+03	1.5E+04					1.5E+03	2.8E+04				
ALDRIN	3.5E-02	3.0E+00					1.4E-04	1.3E+00				
AMETRYN			7.0E+02	USEPA Off Pesticides	1.8E+03	USEPA Off Pesticides			7.0E+02	USEPA Off Pesticides (FW)	1.8E+03	USEPA Off Pesticides (FW)
AMINO 2- DINITROTOLUENE,4,6-	1.8E+01	1.6E+02					2.0E+01	1.8E+02				
AMINO 4- DINITROTOLUENE,2,6-	1.1E+01	9.8E+01							1.1E+01	USEPA Reg IV (FW)	9.8E+01	USEPA Reg IV (FW)
ANTHRACENE	2.0E-02	1.8E-01					7.3E-01	1.3E+01			3.0E+02	CCME 2002
ANTIMONY	1.3E+02	3.0E+02					3.0E+01	1.8E+02				
ARSENIC	1.5E+02	3.4E+02					3.6E+01	6.9E+01				
ATRAZINE	1.2E+01	3.3E+02							1.2E+01	USEPA Reg IV (FW)	3.3E+02	USEPA Reg IV (FW)
BARIUM	2.2E+02	2.0E+03					2.2E+02	2.0E+03				
BENOMYL			1.4E-01	5% USGS 2012 acute	2.8E+00	USGS 2012			1.4E-01	5% USGS 2012 FW acute	2.8E+00	USGS Acute (FW)
BENZENE	1.6E+02	7.0E+02					7.1E+01				7.0E+02	USEPA Reg IV (FW)
BENZO(a)ANTHRACENE	4.7E+00				3.0E+02	CCME 2002	2.7E-02				3.0E+02	CCME 2002
BENZO(a)PYRENE	6.0E-02				3.0E+02	CCME 2002	3.0E-01				3.0E+02	CCME 2002
BENZO(b)FLUORANTHENE	2.6E+00				3.0E+02	CCME 2002	6.8E-01				3.0E+02	CCME 2002
BENZO(g,h,i)PERYLENE	4.4E-01				3.0E+02	CCME 2002	4.4E-01				3.0E+02	CCME 2002
BENZO(k)FLUORANTHENE	6.4E-01				3.0E+02	CCME 2002	6.4E-01				3.0E+02	CCME 2002
BERYLLIUM	1.1E+01	9.3E+01					6.6E-01	3.5E+01				
BIPHENYL, 1,1-	6.5E+00	2.6E+01					1.4E+01				2.6E+01	USEPA Reg IV (FW)
BIS(2-CHLOROETHYL)ETHER			2.4E+03	USDOE Chronic	2.4E+04	USDOE Acute			2.4E+03	USDOE Chronic (FW)	2.4E+04	USDOE Acute (FW)
BIS(2-CHLORO-1-METHYLETHYL)ETHER												
BIS(2-ETHYLHEXYL)PHTHALATE	3.0E+00	2.7E+01					3.0E+00	2.7E+01				
BORON	7.2E+03	3.4E+04					1.0E+03				3.4E+04	USEPA Reg IV (FW)
BROMODICHLOROMETHANE	3.4E+02	3.1E+03							3.4E+02	USEPA Reg IV (FW)	3.1E+03	USEPA Reg IV (FW)
BROMOFORM	2.3E+02	1.1E+03					3.2E+02	2.3E+03				
BROMOMETHANE	1.6E+01	3.8E+01							1.6E+01	USEPA Reg IV (FW)	3.8E+01	USEPA Reg IV (FW)
CADMIUM	2.5E-01	2.0E+00					8.8E+00	4.0E+01				
CARBON TETRACHLORIDE	7.7E+01	6.9E+02					9.8E+00	1.8E+02				
CHLORDANE (TECHNICAL)	4.3E-03	2.4E+00					5.9E-04	4.0E-03				
CHLOROANILINE, p-	1.9E+01	4.6E+02							1.9E+01	USEPA Reg IV (FW)	4.6E+02	USEPA Reg IV (FW)
CHLORO BENZENE	2.5E+01	2.2E+02					6.4E+01	1.1E+03				
CHLOROETHANE												
CHLOROFORM	1.4E+02	1.3E+03					2.8E+01	4.9E+02				
CHLOROMETHANE												
CHLOROPHENOL, 2-	3.2E+01	2.9E+02					4.0E+02				4.0E+02	USEPA Reg IV (SW chronic)
CHROMIUM (Total)			1.1E+01	Reg IV Cr VI	1.6E+01	Reg IV Cr VI			5.0E+01	Reg IV Cr VI	1.0E+03	Reg IV Cr VI
CHROMIUM III	7.4E+01	5.7E+02					2.0E+01				5.7E+02	USEPA Reg IV (FW)
CHROMIUM VI	1.1E+01	1.6E+01					5.0E+01	1.1E+03				
CHRYSENE	4.7E+00				3.0E+02	CCME 2002	2.0E+00				3.0E+02	CCME 2002
COBALT	1.9E+01	1.2E+02					2.3E+01	1.5E+03				
COPPER	9.0E+00	1.3E+01					3.1E+00	4.8E+00				
CYANIDE (Free)	5.2E+00	2.2E+01					1.0E+00	1.0E+00				
CYCLO-1,3,5-TRIMETHYLENE-2,4,6-TRINITRAMINE (RDX)	7.9E+01	5.2E+02					1.9E+02	7.0E+02				
DALAPON			3.0E+02	USEPA AQUIRE (5% FW LC50)	3.0E+03	USEPA AQUIRE (50% FW LC50)			3.0E+02	USEPA AQUIRE (5% FW LC50)	3.0E+03	USEPA AQUIRE (50% FW LC50)
DIBENZO(a,h)ANTHTRACENE	8.0E-01				3.0E+02	CCME 2002	7.1E+00				3.0E+02	CCME 2002
DIBROMO-3-CHLOROPROPANE, 1,2-												
DIBROMOCHLOROMETHANE	3.2E+02	2.9E+03					3.4E+01				2.9E+03	USEPA Reg IV (FW)
DIBROMOETHANE, 1,2-			1.4E+03	50% MOEE FW Chronic AWQC	1.4E+03	50% MOEE FW Chronic AWQC			1.4E+03	50% MOEE FW Chronic AWQC	1.4E+03	50% MOEE FW Chronic AWQC
DICHLORO BENZENE, 1,2-	2.3E+01	1.3E+02					1.4E+01	2.6E+02				
DICHLORO BENZENE, 1,3-	2.2E+01	7.9E+01					7.1E+01	6.3E+02				
DICHLORO BENZENE, 1,4-	9.4E+00	5.7E+01					1.5E+01	1.8E+02				
DICHLORO BENZIDINE, 3,3-	4.5E+00	4.1E+01							4.5E+00	USEPA Reg IV (FW)	4.1E+01	USEPA Reg IV (FW)
DICHLORODIPHENYLDICHLOROETHANE (DDD)	1.1E-02	1.9E-01					1.1E-02	1.9E-01				
DICHLORODIPHENYLDICHLOROETHYLENE (DDE)	4.1E-01	7.0E+00							4.1E-01	USEPA Reg IV (FW)	7.0E+00	USEPA Reg IV (FW)
DICHLORODIPHENYLTRICHLOROETHANE (DDT)	3.2E-03	1.1E+00					1.0E-03	1.3E-01				
DICHLOROETHANE, 1,1-	4.1E+02	3.7E+03					4.7E+01	8.3E+02				
DICHLOROETHANE, 1,2-	2.0E+03	8.2E+03					9.1E+02	8.8E+03				
DICHLOROETHYLENE, 1,1-	1.3E+02	1.2E+03					2.5E+01	4.5E+02				
DICHLOROETHYLENE, Cis 1,2-	6.2E+02	5.5E+03							6.2E+02	USEPA Reg IV (FW)	5.5E+03	USEPA Reg IV (FW)
DICHLOROETHYLENE, Trans 1,2-	5.6E+02	1.0E+04							5.6E+02	USEPA Reg IV (FW)	1.0E+04	USEPA Reg IV (FW)
DICHLOROPHENOL, 2,4-	1.1E+01	1.1E+02					7.9E+02				7.9E+02	USEPA Reg IV (SW chronic)
DICHLOROPHENOXYACETIC ACID (2,4-D)	7.9E+01	1.3E+02					7.0E+01				1.3E+02	USEPA Reg IV (FW)

**TABLE D-4e. SUMMARY OF USEPA AND OTHER PUBLISHED AQUATIC HABITAT GOALS
(ug/l)**

CONTAMINANT	Freshwater						Marine					
	USEPA Reg IV Chronic	USEPA Reg IV Acute	Other Chronic	Basis	Other Acute	Basis	USEPA Reg IV Chronic	USEPA Reg IV Acute	Other Chronic	Basis	Other Acute	Basis
DICHLOROPROPANE, 1,2-	5.2E+02	3.3E+03					3.4E+03	5.2E+02		USEPA Reg IV (FW)		
DICHLOROPROPENE, 1,3-	1.7E+00	1.5E+01					6.0E-02	9.9E-01				
DIELDRIN	5.6E-02	2.4E-01					1.9E-03	7.1E-01				
DIETHYLPHTHALATE	2.2E+02	9.8E+02					2.1E+02	1.8E+03				
DIMETHYLPHENOL, 2,4-	1.2E+02	1.1E+03						1.2E+02	USEPA Reg IV (FW)	1.1E+03	USEPA Reg IV (FW)	
DIMETHYLPHTHALATE	1.1E+03	3.2E+03					2.9E+03			3.2E+03	USEPA Reg IV (FW)	
DINITROBENZENE, 1,3-	2.2E+01	1.0E+02					1.0E+01	1.1E+02			USEPA Reg IV (FW)	
DINITROPHENOL, 2,4-	7.1E+01	3.8E+02					1.4E+01			3.8E+02		
DINITROTOLUENE, 2,4- (2,4-DNT)	4.4E+01	3.9E+02					9.1E+00	2.0E+02				
DINITROTOLUENE, 2,6- (2,6-DNT)	8.1E+01	7.3E+02						2.0E+02	8.1E+01	USEPA Reg IV (FW)		
DIOXANE, 1,4-			3.4E+05	Mohr (5% Acute FW LC 50)	3.4E+06	Mohr (50% FW LC50)			5.0E+05	Mohr (5% Acute SW LC 50)	5.0E+06	Mohr (50% SW LC50)
DIOXINS (TEQ)	3.1E-09	3.0E-03							3.1E-09	USEPA Reg IV (FW)	3.0E-03	USEPA Reg IV (FW)
DIURON			6.0E+01	USEPA AQUIRE (50% FW EC50)	2.0E+02	USEPA AQUIRE (50% FW LC50)			6.0E+01	USEPA AQUIRE (50% FW EC50)	5.5E+02	USEPA AQUIRE (50% SW LC50)
ENDOSULFAN	1.0E-02	1.1E-01					8.7E-03	3.4E-02				
ENDRIN	3.6E-02	8.6E-02					2.3E-03	3.7E-02				
ETHANOL												
ETHYLBENZENE	6.1E+01	5.5E+02					7.3E+00	1.3E+02				
FLUORANTHENE	8.0E-01				3.0E+02	CCME 2002	7.1E+00			3.0E+02	CCME 2002	
FLUORENE	1.9E+01				3.0E+02	CCME 2002	3.9E+00			3.0E+02	CCME 2002	
GLYPHOSATE			1.8E+03	USEPA Off Pesticides	2.2E+04	USEPA Off Pesticides			1.8E+03	USEPA Off Pesticides (FW)	2.2E+04	USEPA Off Pesticides (FW)
HEPTACHLOR	3.8E-03	5.2E-01					3.6E-03	5.3E-02				
HEPTACHLOR EPOXIDE	3.8E-03	5.2E-01					3.6E-03	5.3E-02				
HEXACHLOROBENZENE	3.0E-04				3.0E-04	USEPA Reg IV (FW chronic)			3.0E-04	USEPA Reg IV (FW)	3.0E-04	USEPA Reg IV (FW chronic)
HEXACHLOROBUTADIENE	1.0E+00	1.0E+01					3.0E-01	3.0E+00				
HEXACHLOROCYCLOHEXANE (gamma) LINDANE	1.1E-01	9.5E-01					6.3E-02	1.6E-01				
HEXACHLOROETHANE	1.2E+01	2.1E+02					1.2E+01	2.1E+02				
HEXAZINONE			1.7E+04	USEPA Off Pesticides	1.4E+05	USEPA Off Pesticides			1.7E+04	USEPA Off Pesticides (FW)	1.4E+05	USEPA Off Pesticides (FW)
INDENO(1,2,3-cd)PYRENE	2.8E-01				3.0E+02	CCME 2002	2.8E-01				3.0E+02	CCME 2002
ISOPHORONE	9.2E+02	7.5E+03							9.2E+02	USEPA Reg IV (FW)	7.5E+03	USEPA Reg IV (FW)
LEAD	2.5E+00	6.5E+01					8.1E+00	2.1E+02				
MERCURY	7.7E-01	1.4E+00					9.4E-01	1.8E+00				
METHOXYCHLOR	3.0E-02	7.0E-01					1.9E-02			7.0E-01	USEPA Reg IV (FW)	
METHYL ETHYL KETONE	2.2E+04	2.0E+05					1.4E+04	2.4E+05				
METHYL ISOBUTYL KETONE	1.7E+02	2.2E+03					1.7E+02	2.2E+03				
METHYL MERCURY	2.8E-03	9.9E-02					2.8E-03	9.9E-02				
METHYL TERT BUTYL ETHER	7.3E+02	6.5E+03					1.8E+04	5.3E+04				
METHYLENE CHLORIDE	1.5E+03	8.5E+03					2.2E+03	2.6E+04				
METHYLNAPHTHALENE, 1-	2.1E+00	3.7E+01					2.1E+00	3.7E+01				
METHYLNAPHTHALENE, 2-	4.7E+00	4.2E+01					7.2E+01	8.6E+01				
MOLYBDENUM	8.0E+02	7.2E+03					3.7E+02	1.6E+04				
NAPHTHALENE	2.1E+01	1.7E+02					1.2E+01	1.9E+02				
NICKEL	5.2E+01	4.7E+02					8.2E+00	7.4E+01				
NITROBENZENE	3.8E+02	2.0E+03						2.0E+03	3.8E+02	USEPA Reg IV (FW)		
NITROGLYCERIN	1.8E+01	1.6E+02							1.8E+01	USEPA Reg IV (FW)	1.6E+02	USEPA Reg IV (FW)
NITROTOLUENE, 2-	7.1E+01	6.4E+02							7.1E+01	USEPA Reg IV (FW)	6.4E+02	USEPA Reg IV (FW)
NITROTOLUENE, 3-	4.2E+01	3.8E+02							4.2E+01	USEPA Reg IV (FW)	3.8E+02	USEPA Reg IV (FW)
NITROTOLUENE, 4-	4.6E+01	4.1E+02							4.6E+01	USEPA Reg IV (FW)	4.1E+02	USEPA Reg IV (FW)
PENTACHLOROPHENOL	1.5E+01	1.9E+01					7.9E+00	1.3E+01				
PENTAERYTHRITOLTETRANITRATE (PETN)			8.5E+05	Pascoe et al. (chronic FW)	8.5E+05	Pascoe et al. (chronic FW)			8.5E+05	Pascoe et al. (chronic FW)	8.5E+05	Pascoe et al. (chronic FW)
PERCHLORATE			6.0E+02	USEPA 2002	5.0E+03	USEPA 2002			6.0E+02	USEPA 2002	5.0E+03	USEPA 2002
PHENANTHRENE	2.3E+00				3.0E+02	CCME 2002	4.6E+00				3.0E+02	CCME 2002
PHENOL	1.6E+02	4.7E+03					5.8E+01	3.0E+02				
POLYCHLORINATED BIPHENYLS (PCBs)	7.4E-05	1.4E-02							7.4E-05	USEPA Reg IV (FW)	1.4E-02	USEPA Reg IV (FW)
PROPICONAZOLE			9.5E+01	USEPA Off Pesticides	4.3E+02	USEPA Off Pesticides			9.5E+01	USEPA Off Pesticides (FW)	4.3E+02	USEPA Off Pesticides (FW)
PYRENE	4.6E+00				3.0E+02	CCME 2002	1.0E+01				3.0E+02	CCME 2002
SELENIUM	5.0E+00	2.0E+01					7.1E+01	2.9E+02				
SILVER	8.0E-02	3.2E+00					1.0E-01	1.9E+00				
SIMAZINE	9.0E+00	8.0E+01							9.0E+00	USEPA Reg IV (FW)	8.0E+01	USEPA Reg IV (FW)
STYRENE	3.2E+01	2.9E+02							3.2E+01	USEPA Reg IV (FW)	2.9E+02	USEPA Reg IV (FW)
TERBACIL			1.2E+03	USEPA Off Pesticides	2.3E+04	USEPA Off Pesticides						
tert-BUTYL ALCOHOL			1.8E+04	USEPA AQUIRE (10% FW LC0)	1.8E+05	USEPA AQUIRE (FW LC0)			1.8E+04	USEPA AQUIRE (10% FW LC0)	1.8E+05	USEPA AQUIRE (FW LC0)
TETRACHLOROETHANE, 1,1,1,2-	8.5E+01	7.7E+02					1.1E+01				7.7E+02	USEPA Reg IV (FW)
TETRACHLOROETHANE, 1,1,2,2-	2.0E+02	9.1E+02					6.1E+02	2.1E+03				
TETRACHLOROETHYLENE	5.3E+01	4.3E+02					9.8E+01	8.3E+02				

**TABLE D-4e. SUMMARY OF USEPA AND OTHER PUBLISHED AQUATIC HABITAT GOALS
(ug/l)**

CONTAMINANT	Freshwater						Marine					
	USEPA Reg IV Chronic	USEPA Reg IV Acute	Other Chronic	Basis	Other Acute	Basis	USEPA Reg IV Chronic	USEPA Reg IV Acute	Other Chronic	Basis	Other Acute	Basis
TETRACHLOROPHENOL, 2,3,4,6-	1.2E+00	1.1E+01							1.2E+00	USEPA Reg IV (FW)	1.1E+01	USEPA Reg IV (FW)
TETRANITRO-1,3,5,7-TETRAAZOCYCLOOCTANE (HMX)	2.2E+02	1.2E+03					3.3E+02	1.9E+03				
THALLIUM	6.0E+00	5.4E+01					1.2E+01	1.1E+02				
TOLUENE	6.2E+01	5.6E+02					9.8E+00	1.2E+02				
TOXAPHENE	2.0E-04	7.3E-01					2.0E-04	2.1E-01				
TPH (gasolines)			5.0E+02	CalEPA FW Chronic	5.0E+03	Ceiling Level			3.7E+03	CalEPA Chronic (SW)	5.0E+03	Ceiling Level
TPH (middle distillates)			6.4E+02	CalEPA FW Chronic	2.5E+03	Ceiling Level			6.4E+02	CalEPA Chronic (FW)	2.5E+03	Ceiling Level
TPH (residual fuels)			6.4E+02	CalEPA FW Chronic	2.5E+03	Ceiling Level			6.4E+02	CalEPA Chronic (FW)	2.5E+03	Ceiling Level
TRICHLOROBENZENE, 1,2,4-	1.3E+02	4.2E+02					1.1E+02	7.0E+02				
TRICHLOROETHANE, 1,1,1-	7.6E+01	6.9E+02					1.1E+01	2.0E+02				
TRICHLOROETHANE, 1,1,2-	7.3E+02	3.2E+03					1.2E+03	5.2E+03				
TRICHLOROETHYLENE	2.0E+02	2.0E+03					4.7E+01	4.4E+02				
TRICHLOROPHENOL, 2,4,5-	1.9E+00	1.7E+01					1.2E+01	2.6E+02				
TRICHLOROPHENOL, 2,4,6-	4.9E+00	3.9E+01					6.5E+00				3.9E+01	USEPA Reg IV (FW)
TRICHLOROPHENOXYACETIC ACID, 2,4,5- (2,4,5-T)			6.9E+02	USEPA Reg. V FW Chronic	6.9E+02	USEPA Reg. V FW Chronic			6.9E+02	USEPA Reg. V FW Chronic	6.9E+02	USEPA Reg. V FW Chronic
TRICHLOROPHENOXYPROPIONIC ACID, 2,4,5- (2,4,5-TP)	3.0E+01	2.7E+02					5.0E+01				2.7E+02	USEPA Reg IV (FW)
TRICHLOROPROPANE, 1,2,3-			1.4E+01	USEPA AQUIRE (50% FW EC50)	1.4E+02	USEPA AQUIRE (5xFW EC50)			1.4E+01	USEPA AQUIRE (50% FW EC50)	1.4E+02	USEPA AQUIRE (5xFW EC50)
TRICHLOROPROPENE, 1,2,3-									1.1E+00	USEPA Reg IV (FW)	2.1E+01	USEPA Reg IV (FW)
TRIFLURALIN	1.1E+00	2.1E+01										
TRINITROBENZENE, 1,3,5-	1.1E+01	2.7E+01					1.0E+01	3.0E+01				
TRINITROPHENYLMETHYLNITRAMINE, 2,4,6- (TETRYL)												
TRINITROTOLUENE, 2,4,6- (TNT)	1.3E+01	2.1E+02					9.0E+01	5.7E+02				
VANADIUM	2.7E+01	1.2E+02					8.1E+01	9.0E+01				
VINYL CHLORIDE	9.3E+02	8.4E+03							9.3E+02	USEPA Reg. IV SW Chronic	8.4E+03	USEPA Reg IV SW Acute
XYLENES	2.7E+01	2.4E+02					1.3E+01	2.3E+02	1.0E+02	5% Acute SW LC 50	1.0E+03	50% SW LC50
ZINC	1.2E+02	1.2E+02					8.1E+01	9.0E+01				

References:
Primary sources USEPA Region IV (2015) and USEPA Office of Pesticides Aquatic Life Benchmarks database (USEPA 2016b; accessed July 2016). See also USDOE (1997), MOEE (1996), USEPA (2002), USEPA Reg 5 (2003), Pascoe et al. (2010). USEPA AQUIRE ecotox database referred to for pesticides that lacked published, aquatic toxicity screening levels (USEPA 2008b).

Notes:
Used for development of groundwater and soil action levels.
See text for prioritization and selection of surface water quality action levels.
Red: Screening level based on bioaccumulation.
1,4 Dioxane: LC 50 values for presented in "Solvent Stabilizers White Paper" (Mohr 2001).
Perchlorate: Chronic and acute goals from "Perchlorate Environmental Contamination" (USEPA 2002).
tert Butyl Alcohol (TBA): Chronic aquatic goal based on in-house review of USEPA ECOTOX database for TBA (USEPA 2008b). Ten percent of LC0 concentration for Lepomis macrochirus (Bluegill) selected as most conservative goal of data presented.
AWQC: Aquatic Water Quality Criteria
EC50: 50% Effects Concentration
LC0: 0% Lethal Concentration
LC50: 50% Lethal Concentration
FW: Freshwater
SW: Saltwater
TPH Total Petroleum Hydrocarbons. See text for discussion of different TPH categories.
USDOE: US Dept of Energy (Oak Ridge National Laboratories)
USDOE: US Dept of Energy (Oak Ridge National Laboratories)
USEPA: U.S. Environmental Protection Agency

**TABLE D-4f. SURFACE WATER QUALITY STANDARDS FOR BIOACCUMULATION
AND HUMAN CONSUMPTION OF AQUATIC ORGANISMS
(ug/l)**

CONTAMINANT	Selected Criteria	Basis	¹ HI DOH WQS	² USEPA NWQC
ACENAPHTHENE	9.9E+02	USEPA Aquatic Organism Consumption		9.9E+02
ACENAPHTHYLENE				
ACETONE				
ALDRIN	2.6E-05	HI DOH Fish Consumption	2.6E-05	5.0E-05
AMETRYN				
AMINO,2- DINITROTOLUENE,4,6-				
AMINO,4- DINITROTOLUENE,2,6-				
ANTHRACENE	4.0E+04	USEPA Aquatic Organism Consumption		4.0E+04
ANTIMONY	1.5E+04	HI DOH Fish Consumption	1.5E+04	6.4E+02
ARSENIC	1.4E-01	USEPA Aquatic Organism Consumption		1.4E-01
ATRAZINE				
BARIUM				
BENOMYL				
BENZENE	1.3E+01	HI DOH Fish Consumption	1.3E+01	5.1E+01
BENZO(a)ANTHRACENE	1.8E-02	USEPA Aquatic Organism Consumption		1.8E-02
BENZO(a)PYRENE	1.8E-02	USEPA Aquatic Organism Consumption		1.8E-02
BENZO(b)FLUORANTHENE	1.8E-02	USEPA Aquatic Organism Consumption		1.8E-02
BENZO(g,h,i)PERYLENE				
BENZO(k)FLUORANTHENE	1.8E-02	USEPA Aquatic Organism Consumption		1.8E-02
BERYLLIUM	3.8E-02	HI DOH Fish Consumption	3.8E-02	
BIPHENYL, 1,1-				
BIS(2-CHLOROETHYL)ETHER	4.4E-01	HI DOH Fish Consumption	4.4E-01	5.3E-01
BIS(2-CHLORO-1-METHYLETHYL)ETHER	1.4E+03	HI DOH Fish Consumption	1.4E+03	6.5E+04
BIS(2-ETHYLHEXYL)PHTHALATE	2.2E+00	USEPA Aquatic Organism Consumption		2.2E+00
BORON				
BROMODICHLOROMETHANE				
BROMOFORM	1.4E+02	USEPA Aquatic Organism Consumption		1.4E+02
BROMOMETHANE	1.5E+03	USEPA Aquatic Organism Consumption		1.5E+03
CADMIUM				
CARBON TETRACHLORIDE	2.3E+00	HI DOH Fish Consumption	2.3E+00	1.6E+00
CHLORDANE (TECHNICAL)	1.6E-05	HI DOH Fish Consumption	1.6E-05	8.1E-04
CHLOROANILINE, p-				
CHLOROBENZENE	2.1E+04	USEPA Aquatic Organism Consumption		2.1E+04
CHLOROETHANE				
CHLOROFORM	5.1E+00	HI DOH Fish Consumption	5.1E+00	4.7E+02
CHLOROMETHANE				
CHLOROPHENOL, 2-	1.5E+02	USEPA Aquatic Organism Consumption		1.5E+02
CHROMIUM (Total)				
CHROMIUM III				
CHROMIUM VI				
CHRYSENE	1.8E-02	USEPA Aquatic Organism Consumption		1.8E-02
COBALT				

**TABLE D-4f. SURFACE WATER QUALITY STANDARDS FOR BIOACCUMULATION
AND HUMAN CONSUMPTION OF AQUATIC ORGANISMS
(ug/l)**

CONTAMINANT	Selected Criteria	Basis	¹ HI DOH WQS	² USEPA NWQC
COPPER				
CYANIDE (Free)	2.2E+05	USEPA Aquatic Organism Consumption		2.2E+05
CYCLO-1,3,5-TRIMETHYLENE-2,4,6-TRINITRAMINE (RDX)				
DALAPON				
DIBENZO(a,h)ANTHTRACENE	1.8E-02	USEPA Aquatic Organism Consumption		1.8E-02
DIBROMO-3-CHLOROPROPANE, 1,2-				
DIBROMOCHLOROMETHANE	1.3E+01	USEPA Aquatic Organism Consumption		1.3E+01
DIBROMOETHANE, 1,2-				
DICHLOROBENZENE, 1,2-	8.5E+02	HI DOH Fish Consumption	8.5E+02	1.7E+04
DICHLOROBENZENE, 1,3-	8.5E+02	HI DOH Fish Consumption	8.5E+02	9.6E+02
DICHLOROBENZENE, 1,4-	8.5E+02	HI DOH Fish Consumption	8.5E+02	2.6E+03
DICHLOROBENZIDINE, 3,3-	7.0E-03	HI DOH Fish Consumption	7.0E-03	2.8E-02
DICHLORODIPHENYLDICHLOROETHANE (DDD)	3.1E-04	USEPA Aquatic Organism Consumption		3.1E-04
DICHLORODIPHENYLDICHLOROETHYLENE (DDE)	2.2E-04	USEPA Aquatic Organism Consumption		2.2E-04
DICHLORODIPHENYLTRICHLOROETHANE (DDT)	8.0E-06	HI DOH Fish Consumption	8.0E-06	2.2E-04
DICHLOROETHANE, 1,1-				
DICHLOROETHANE, 1,2-	7.9E+01	HI DOH Fish Consumption	7.9E+01	3.7E+01
DICHLOROETHYLENE, 1,1-	6.0E-01	HI DOH Fish Consumption	6.0E-01	3.2E+00
DICHLOROETHYLENE, Cis 1,2-				
DICHLOROETHYLENE, Trans 1,2-	140000	USEPA Aquatic Organism Consumption		140000
DICHLOROPHENOL, 2,4-	2.9E+02	USEPA Aquatic Organism Consumption		2.9E+02
DICHLOROPHENOXYACETIC ACID (2,4-D)				
DICHLOROPROPANE, 1,2-	1.5E+01	USEPA Aquatic Organism Consumption		1.5E+01
DICHLOROPROPENE, 1,3-	4.6E+00	HI DOH Fish Consumption	4.6E+00	1.7E+03
DIELDRIN	2.5E-05	HI DOH Fish Consumption	2.5E-05	5.4E-05
DIETHYLPHTHALATE	4.4E+04	USEPA Aquatic Organism Consumption		4.4E+04
DIMETHYLPHENOL, 2,4-	8.5E+02	USEPA Aquatic Organism Consumption		8.5E+02
DIMETHYLPHTHALATE	1.1E+06	USEPA Aquatic Organism Consumption		1.1E+06
DINITROBENZENE, 1,3-				
DINITROPHENOL, 2,4-	5.3E+03	USEPA Aquatic Organism Consumption		5.3E+03
DINITROTOLUENE, 2,4- (2,4-DNT)	3.0E+00	HI DOH Fish Consumption	3.0E+00	3.4E+00
DINITROTOLUENE, 2,6- (2,6-DNT)				
DIOXANE, 1,4-				
DIOXINS (TEQ)	5.0E-09	HI DOH Fish Consumption	5.0E-09	5.1E-09
DIURON				
ENDOSULFAN	5.2E+01	HI DOH Fish Consumption	5.2E+01	8.9E+01
ENDRIN	8.1E-01	USEPA Aquatic Organism Consumption		8.1E-01
ETHANOL				
ETHYLBENZENE	1.1E+03	HI DOH Fish Consumption	1.1E+03	2.9E+04
FLUORANTHENE	1.8E+01	HI DOH Fish Consumption	1.8E+01	1.4E+02
FLUORENE	5.3E+03	USEPA Aquatic Organism Consumption		5.3E+03
GLYPHOSATE				

**TABLE D-4f. SURFACE WATER QUALITY STANDARDS FOR BIOACCUMULATION
AND HUMAN CONSUMPTION OF AQUATIC ORGANISMS
(ug/l)**

CONTAMINANT	Selected Criteria	Basis	¹ HI DOH WQS	² USEPA NWQC
HEPTACHLOR	9.0E-05	HI DOH Fish Consumption	9.0E-05	7.9E-05
HEPTACHLOR EPOXIDE	3.9E-05	USEPA Aquatic Organism Consumption		3.9E-05
HEXACHLOROBENZENE	2.4E-04	HI DOH Fish Consumption	2.4E-04	2.9E-04
HEXACHLOROBUTADIENE	1.6E+01	HI DOH Fish Consumption	1.6E+01	1.8E+01
HEXACHLOROCYCLOHEXANE (gamma) LINDANE	2.0E-02	HI DOH Fish Consumption	2.0E-02	6.3E-02
HEXACHLOROETHANE	2.9E+00	HI DOH Fish Consumption	2.9E+00	3.3E+00
HEXAZINONE				
INDENO(1,2,3-cd)PYRENE	1.8E-02	USEPA Aquatic Organism Consumption		1.8E-02
ISOPHORONE	1.7E+05	HI DOH Fish Consumption	1.70E+05	
LEAD				
MERCURY	4.7E-02	HI DOH Fish Consumption	4.7E-02	3.0E-01
METHOXYCHLOR				
METHYL ETHYL KETONE				
METHYL ISOBUTYL KETONE				
METHYL MERCURY				
METHYL TERT BUTYL ETHER				
METHYLENE CHLORIDE	5.9E+02	USEPA Aquatic Organism Consumption		5.9E+02
METHYLNAPHTHALENE, 1-				
METHYLNAPHTHALENE, 2-				
MOLYBDENUM				
NAPHTHALENE				
NICKEL	3.3E+01	HI DOH Fish Consumption	3.3E+01	4.6E+03
NITROBENZENE				
NITROGLYCERIN				
NITROTOLUENE, 2-				
NITROTOLUENE, 3-				
NITROTOLUENE, 4-				
PENTACHLOROPHENOL	3.0E+00	USEPA Aquatic Organism Consumption		3.0E+00
PENTAERYTHRITOLTETRANITRATE (PETN)				
PERCHLORATE				
PHENANTHRENE				
PHENOL	1.7E+06	USEPA Aquatic Organism Consumption		1.7E+06
POLYCHLORINATED BIPHENYLS (PCBs)	7.9E-05	HI DOH Fish Consumption	7.9E-05	6.4E-05
PROPICONAZOLE				
PYRENE	4.0E+03	USEPA Aquatic Organism Consumption		4.0E+03
SELENIUM				
SILVER				
SIMAZINE				
STYRENE				
TERBACIL				
tert-BUTYL ALCOHOL				
TETRACHLOROETHANE, 1,1,1,2-				

**TABLE D-4f. SURFACE WATER QUALITY STANDARDS FOR BIOACCUMULATION
AND HUMAN CONSUMPTION OF AQUATIC ORGANISMS
(ug/l)**

CONTAMINANT	Selected Criteria	Basis	¹ HI DOH WQS	² USEPA NWQC
TETRACHLOROETHANE, 1,1,2,2-	3.5E+00	HI DOH Fish Consumption	3.5E+00	4.0E+00
TETRACHLOROETHYLENE	2.9E+00	HI DOH Fish Consumption	2.90E+00	3.3E+00
TETRACHLOROPHENOL, 2,3,4,6-				
TETRANITRO-1,3,5,7-TETRAAZOCYCLOOCTANE (HMX)				
THALLIUM	1.6E+01	HI DOH Fish Consumption	1.6E+01	6.3E+00
TOLUENE	1.4E+05	HI DOH Fish Consumption	1.4E+05	2.0E+05
TOXAPHENE	2.4E-04	HI DOH Fish Consumption	2.4E-04	2.8E-04
TPH (gasolines)				
TPH (middle distillates)				
TPH (residual fuels)				
TRICHLOROBENZENE, 1,2,4-				
TRICHLOROETHANE, 1,1,1-	3.4E+05	HI DOH Fish Consumption	3.4E+05	
TRICHLOROETHANE, 1,1,2-	1.4E+01	HI DOH Fish Consumption	1.4E+01	1.6E+01
TRICHLOROETHYLENE	2.6E+01	HI DOH Fish Consumption	2.6E+01	3.0E+01
TRICHLOROPHENOL, 2,4,5-	3.6E+03	USEPA Aquatic Organism Consumption		3.6E+03
TRICHLOROPHENOL, 2,4,6-	1.2E+00	HI DOH Fish Consumption	1.2E+00	
TRICHLOROPHENOXYACETIC ACID, 2,4,5- (2,4,5-T)				
TRICHLOROPHENOXYPROPIONIC ACID, 2,4,5- (2,4,5-TP)				
TRICHLOROPROPANE, 1,2,3-				
TRICHLOROPROPENE, 1,2,3-				
TRIFLURALIN				
TRINITROPHENYLMETHYLNITRAMINE, 2,4,6- (TETRYL)				
TRINITROTOLUENE, 1,3,5-				
TRINITROTOLUENE, 2,4,6- (TNT)				
VANADIUM				
VINYL CHLORIDE	1.7E+02	HI DOH Fish Consumption	1.70E+02	5.30E+02
XYLENES				
ZINC				

References:

1. Hawai'i Administrative Rules, Title 11, Chapter 54, Section 11-54-04: Basic Water Quality Criteria, August 2009.
2. USEPA National Recommended Water Quality Criteria (USEPA 2006).

Notes:

Hawai'i Surface Water Quality Standards for fish consumption considered if available.
Addresses potential accumulation of chemical in aquatic organisms and subsequent consumption by humans.

**TABLE D-5. CALIFORNIA AGRICULTURAL
WATER QUALITY GOALS
(ug/l)**

CHEMICAL PARAMETER	Agricultural Water Quality Goals
ACENAPHTHENE	-
ACENAPHTHYLENE	-
ACETONE	-
ALDRIN	-
AMETRYN	-
AMINO,2- DINITROTOLUENE,4,6-	-
AMINO,4- DINITROTOLUENE,2,6-	-
ANTHRACENE	-
ANTIMONY	-
ARSENIC	1.0E+02
ATRAZINE	-
BARIUM	-
BENOMYL	-
BENZENE	-
BENZO(a)ANTHRACENE	-
BENZO(a)PYRENE	-
BENZO(b)FLUORANTHENE	-
BENZO(g,h,i)PERYLENE	-
BENZO(k)FLUORANTHENE	-
BERYLLIUM	1.0E+02
BIPHENYL, 1,1-	-
BIS(2-CHLOROETHYL)ETHER	-
BIS(2-CHLORO-1-METHYLETHYL)ETHER	-
BIS(2-ETHYLHEXYL)PHTHALATE	-
BORON	7.0E+02
BROMODICHLOROMETHANE	-
BROMOFORM	-
BROMOMETHANE	-
CADMIUM	1.0E+01
CARBON TETRACHLORIDE	-
CHLORDANE (TECHNICAL)	-
CHLOROANILINE, p-	-
CHLOROBENZENE	-
CHLOROETHANE	-
CHLOROFORM	-
CHLOROMETHANE	-
CHLOROPHENOL, 2-	-
CHROMIUM (Total)	-
CHROMIUM III	-
CHROMIUM VI	1.0E+02
CHRYSENE	-
COBALT	5.0E+01
COPPER	2.0E+02
CYANIDE (Free)	-
CYCL0-1,3,5-TRIMETHYLENE-2,4,6-TRINITRAMINE (RDX)	-
DALAPON	-
DIBENZO(a,h)ANTHTRACENE	-
DIBROMO,1,2- CHLOROPROPANE,3-	-
DIBROMOCHLOROMETHANE	-
DIBROMOETHANE, 1,2-	-
DICHLOROBENZENE, 1,2-	-
DICHLOROBENZENE, 1,3-	-
DICHLOROBENZENE, 1,4-	-
DICHLOROBENZIDINE, 3,3-	-

**TABLE D-5. CALIFORNIA AGRICULTURAL
WATER QUALITY GOALS
(ug/l)**

CHEMICAL PARAMETER	Agricultural Water Quality Goals
DICHLORODIPHENYLDICHLOROETHANE (DDD)	-
DICHLORODIPHENYLDICHLOROETHYLENE (DDE)	-
DICHLORODIPHENYLTRICHLOROETHANE (DDT)	-
DICHLOROETHANE, 1,1-	-
DICHLOROETHANE, 1,2-	-
DICHLOROETHYLENE, 1,1-	-
DICHLOROETHYLENE, Cis 1,2-	-
DICHLOROETHYLENE, Trans 1,2-	-
DICHLOROPHENOL, 2,4-	-
DICHLOROPHENOXYACETIC ACID (2,4-D)	-
DICHLOROPROPANE, 1,2-	-
DICHLOROPROPENE, 1,3-	-
DIELDRIN	-
DIETHYLPHTHALATE	-
DIMETHYLPHENOL, 2,4-	-
DIMETHYLPHTHALATE	-
DINITROBENZENE, 1,3-	-
DINITROPHENOL, 2,4-	-
DINITROTOLUENE, 2,4- (2,4-DNT)	-
DINITROTOLUENE, 2,6- (2,6-DNT)	-
DIOXANE, 1,4-	-
DIOXINS (TEQ)	-
DIURON	-
ENDOSULFAN	-
ENDRIN	-
ETHANOL	-
ETHYLBENZENE	-
FLUORANTHENE	-
FLUORENE	-
GLYPHOSATE	-
HEPTACHLOR	-
HEPTACHLOR EPOXIDE	-
HEXACHLOROBENZENE	-
HEXACHLOROBUTADIENE	-
HEXACHLOROCYCLOHEXANE (gamma) LINDANE	-
HEXACHLOROETHANE	-
HEXAZINONE	-
INDENO(1,2,3-cd)PYRENE	-
ISOPHORONE	-
LEAD	-
MERCURY	-
METHOXYCHLOR	-
METHYL ETHYL KETONE	-
METHYL ISOBUTYL KETONE	-
METHYL MERCURY	-
METHYL TERT BUTYL ETHER	-
METHYLENE CHLORIDE	-
METHYLNAPHTHALENE, 1-	-
METHYLNAPHTHALENE, 2-	-
MOLYBDENUM	1.0E+01
NAPHTHALENE	-
NICKEL	2.0E+02
NITROBENZENE	-

**TABLE D-5. CALIFORNIA AGRICULTURAL
WATER QUALITY GOALS
(ug/l)**

CHEMICAL PARAMETER	Agricultural Water Quality Goals
NITROGLYCERIN	-
NITROTOLUENE, 2-	-
NITROTOLUENE, 3-	-
NITROTOLUENE, 4-	-
PENTACHLOROPHENOL	-
PENTAERYTHRITOLTETRANITRATE (PETN)	-
PERCHLORATE	-
PHENANTHRENE	-
PHENOL	-
POLYCHLORINATED BIPHENYLS (PCBs)	-
PROPICONAZOLE	-
PYRENE	-
SELENIUM	2.0E+01
SILVER	-
SIMAZINE	-
STYRENE	-
TERBACIL	-
tert-BUTYL ALCOHOL	-
TETRACHLOROETHANE, 1,1,1,2-	-
TETRACHLOROETHANE, 1,1,2,2-	-
TETRACHLOROETHYLENE	-
TETRACHLOROPHENOL, 2,3,4,6-	-
TETRANITRO-1,3,5,7-TETRAAZOCYCLOOCTANE (HMX)	-
THALLIUM	-
TOLUENE	-
TOXAPHENE	-
TPH (gasolines)	-
TPH (middle distillates)	-
TPH (residual fuels)	-
TRICHLOROBENZENE, 1,2,4-	-
TRICHLOROETHANE, 1,1,1-	-
TRICHLOROETHANE, 1,1,2-	-
TRICHLOROETHYLENE	-
TRICHLOROPHENOL, 2,4,5-	-
TRICHLOROPHENOL, 2,4,6-	-
TRICHLOROPHENOXYACETIC ACID, 2,4,5- (2,4,5-T)	-
TRICHLOROPHENOXYPROPIONIC ACID, 2,4,5- (2,4,5-TP)	-
TRICHLOROPROPANE, 1,2,3-	-
TRICHLOROPROPENE, 1,2,3-	-
TRIFLURALIN	-
TRINITROBENZENE, 1,3,5-	-
TRINITROPHENYLMETHYLNITRAMINE, 2,4,6- (TETRYL)	-
TRINITROTOLUENE, 2,4,6- (TNT)	-
VANADIUM	1.0E+02
VINYL CHLORIDE	-
XYLENES	-
ZINC	2.0E+03
References: A <i>Compilation of Water Quality Goals</i> (RWQCBCV 2007).	
Notes: Addresses use of water (including groundwater) for agricultural/irrigation purposes.	

TABLE E. SOIL ACTION LEVELS FOR LEACHING CONCERNS

CONTAMINANT	Organic Carbon Coefficient (Koc) (cm ² /g)	Henry's Law Constant (H) (atm-m ³ /mol)	Dilution/Attenuation Factor (DAF)	Saturation Limit (mg/kg)	Target Groundwater Concentrations				Soil Leaching Action Levels			
					Drinking Water IS Threatened		Drinking Water NOT Threatened		Drinking Water IS Threatened		Drinking Water NOT Threatened	
					Target Groundwater Concentration (Surface Water Within 150m; Table D-1a) (ug/L)	Target Groundwater Concentration (Surface Water NOT Within 150m; Table D-1b) (ug/L)	Target Groundwater Concentration (Surface Water Within 150m; Table D-1c) (ug/L)	Target Groundwater Concentration (Surface Water NOT Within 150m; Table D-1d) (ug/L)	Soil Leaching Action Level (Surface Water Within 150m) (mg/kg)	Soil Leaching Action Level (Surface Water NOT Within 150m) (mg/kg)	Soil Leaching Action Level (Surface Water Within 150m) (mg/kg)	Soil Leaching Action Level (Surface Water NOT Within 150m) (mg/kg)
#ACENAPHTHENE	5.03E+03	1.80E-04	8.36E+02	1.2E+02	1.5E+01	2.0E+01	1.5E+01	2.0E+02	1.2E+02	1.2E+02	1.2E+02	1.7E+02
ACENAPHTHYLENE	2.50E+03	1.45E-03	4.24E+02	5.9E+01	1.3E+01	3.0E+02	1.3E+01	3.0E+02	5.5E+00	1.3E+02	5.5E+00	1.3E+02
ACETONE	2.40E+00	3.50E-05	6.16E-01	1.1E+05	1.5E+03	6.0E+03	1.5E+03	1.5E+04	9.2E-01	3.7E+00	9.2E-01	9.2E+00
#ALDRIN	8.20E+04	4.40E-05	1.36E+04	8.4E+00	1.4E-04	1.2E-03	1.4E-04	1.3E+00	8.4E+00	8.4E+00	8.4E+00	1.8E+01
AMETRYN	4.28E+02	2.40E-09	7.11E+01	5.6E+02	1.5E-02	1.5E+02	7.0E+02	1.8E+03	1.1E+01	1.1E+01	5.0E+01	1.3E+02
AMINO-2-DINITROTOLUENE,4,6-	2.83E+02	3.30E-11	4.70E+01	2.2E+03	1.9E+00	1.9E+00	1.8E+01	1.6E+02	9.1E-02	9.1E-02	8.5E-01	7.5E+00
AMINO-4-DINITROTOLUENE,2,6-	2.83E+02	3.30E-11	4.70E+01	2.2E+03	1.9E+00	1.9E+00	1.1E+01	9.8E+01	9.1E-02	9.1E-02	5.2E-01	4.6E+00
#ANTHRACENE	1.64E+04	5.60E-05	2.72E+03	4.2E+00	2.0E-02	1.8E-01	2.0E-02	1.8E-01	4.2E+00	4.2E+00	4.2E+00	4.2E+00
ANTIMONY					6.0E+00	6.0E+00	3.0E+01	1.8E+02	(Use batch test)	(Use batch test)	(Use batch test)	(Use batch test)
ARSENIC					1.0E+01	1.0E+01	3.6E+01	6.9E+01	(Use batch test)	(Use batch test)	(Use batch test)	(Use batch test)
ATRAZINE	2.25E+02	2.40E-09	3.73E+01	5.1E+01	3.0E+00	3.0E+00	1.2E+01	3.3E+02	1.1E-01	1.1E-01	4.5E-01	1.2E+01
BARIUM					2.2E+02	2.0E+03	2.2E+02	2.0E+03	(Use batch test)	(Use batch test)	(Use batch test)	(Use batch test)
BENOMYL	3.36E+02	4.90E-12	5.58E+01	8.0E+00	1.4E-01	2.8E+00	1.4E-01	2.8E+00	7.8E-03	1.6E-01	7.8E-03	1.6E-01
BENZENE	1.50E+02	5.60E-03	5.97E+01	1.9E+03	5.0E+00	5.0E+00	7.1E+01	1.7E+03	3.0E-01	3.0E-01	4.3E+00	1.0E+02
#BENZO(a)ANTHRACENE	1.77E+05	1.20E-05	2.94E+04	1.0E+01	2.7E-02	5.2E-02	2.7E-02	4.7E+00	1.0E+01	1.0E+01	1.0E+01	1.4E+02
#BENZO(a)PYRENE	5.87E+05	4.60E-07	9.75E+04	5.6E+00	6.0E-02	2.0E-01	6.0E-02	8.0E-01	5.9E+00	2.0E+01	5.9E+00	7.8E+01
#BENZO(b)FLUORANTHENE	5.99E+05	6.60E-07	9.95E+04	5.4E+00	5.8E-02	5.8E-02	6.8E-01	7.5E-01	5.8E+00	5.8E+00	6.8E+01	7.5E+01
#BENZO(g,h,i)PERYLENE	1.60E+06	1.44E-07	2.66E+05	2.5E+00	1.3E-01	1.3E-01	1.3E-01	1.3E-01	3.5E+01	3.5E+01	3.5E+01	3.5E+01
#BENZO(k)FLUORANTHENE	5.87E+05	5.80E-07	9.75E+04	2.8E+00	3.6E-01	3.6E-01	4.0E-01	4.0E-01	3.5E+01	3.5E+01	3.9E+01	3.9E+01
BERYLLIUM					6.6E-01	4.0E+00	6.6E-01	3.5E+01	(Use batch test)	(Use batch test)	(Use batch test)	(Use batch test)
#BIPHENYL, 1,1-	5.13E+03	3.10E-04	8.53E+02	2.3E+02	5.0E-01	5.0E-01	5.0E+00	5.0E+00	2.3E+02	2.3E+02	2.3E+02	2.3E+02
BIS(2-CHLOROETHYL)ETHER	3.22E+01	1.70E-05	5.45E+00	5.0E+03	1.4E-02	1.4E-02	1.8E+02	1.8E+02	7.4E-05	7.4E-05	9.6E-01	9.6E-01
BIS(2-CHLORO-1-METHYLETHYL)ETHER	6.10E+01	1.13E-04	1.08E+01	7.9E+02	3.6E-01	3.6E-01	3.6E-01	3.6E-01	3.9E-03	3.9E-03	3.9E-03	3.9E-03
BIS(2-ETHYLHEXYL)PHTHALATE	1.20E+05	2.70E-07	1.99E+04	1.9E+02	3.0E+00	3.0E+00	3.0E+00	2.7E+01	1.9E+02	1.9E+02	1.9E+02	5.4E+02
BORON					9.8E+02	9.8E+02	1.0E+03	3.4E+04	(Use batch test)	(Use batch test)	(Use batch test)	(Use batch test)
BROMODICHLOROMETHANE	3.18E+01	2.10E-03	1.83E+01	9.3E+02	1.3E-01	1.3E-01	1.1E+02	1.1E+02	2.5E-03	2.5E-03	2.1E+00	2.1E+00
BROMOFORM	3.18E+01	5.40E-04	8.63E+00	9.1E+02	8.0E+01	8.0E+01	2.3E+02	1.1E+03	6.9E-01	6.9E-01	2.0E+00	9.5E+00
BROMOMETHANE	1.32E+01	7.30E-03	4.75E+01	3.6E+03	1.6E-01	1.9E+01	1.6E+01	3.8E+01	7.6E-01	8.9E-01	7.6E-01	1.8E+00
CADIUM					3.0E+00	3.0E+00	3.0E+00	3.0E+00	(Use batch test)	(Use batch test)	(Use batch test)	(Use batch test)
CARBON TETRACHLORIDE	4.39E+01	2.80E-02	1.81E+02	4.5E+02	5.0E+00	5.0E+00	9.8E+00	1.1E+02	9.1E-01	9.1E-01	1.8E+00	2.0E+01
#CHLORDANE (TECHNICAL)	6.75E+04	4.90E-05	1.12E+04	2.3E+01	4.0E-03	9.0E-02	4.0E-03	9.0E-02	2.3E+01	2.3E+01	2.3E+01	2.3E+01
CHLOROANILINE, p-	1.13E+02	1.20E-06	1.87E+01	3.0E+03	3.7E-01	3.7E-01	1.9E+01	4.6E+02	6.8E-03	6.8E-03	3.6E-01	8.6E+00
CHLOROBENZENE	2.34E+02	3.10E-03	5.81E+01	7.6E+02	2.5E+01	5.0E+01	2.5E+01	2.2E+02	1.5E+00	2.9E+00	1.5E+00	1.3E+01
CHLOROETHANE	2.17E+01	1.10E-02	7.19E+01	2.1E+03	1.6E+01	1.6E+01	1.6E+02	1.6E+02	1.2E+00	1.2E+00	1.2E+01	1.2E+01
CHLOROFORM	3.18E+01	3.70E-03	2.82E+01	2.5E+03	2.8E+01	7.0E+01	2.8E+01	1.1E+02	7.9E-01	2.0E+00	7.9E-01	3.1E+00
CHLOROMETHANE	1.32E+01	8.80E-03	5.68E+01	1.3E+03	1.1E+03	1.1E+03	1.1E+03	1.1E+03	6.1E+01	6.1E+01	6.1E+01	6.1E+01
CHLOROPHENOL, 2-	3.88E+02	1.10E-05	6.45E+01	2.7E+04	1.8E-01	1.8E-01	1.8E+00	1.8E+00	1.2E-02	1.2E-02	1.2E-01	1.2E-01
CHROMIUM (Total)					1.1E+01	1.6E+01	1.1E+01	1.6E+01	(Use batch test)	(Use batch test)	(Use batch test)	(Use batch test)
CHROMIUM III					2.0E+01	5.7E+02	2.0E+01	5.7E+02	(Use batch test)	(Use batch test)	(Use batch test)	(Use batch test)
CHROMIUM VI					2.0E-01	2.0E-01	1.1E+01	1.6E+01	(Use batch test)	(Use batch test)	(Use batch test)	(Use batch test)
#CHRYSENE	1.81E+05	5.20E-06	3.00E+04	2.2E+00	2.4E-01	2.4E-01	1.0E+00	1.0E+00	7.3E+00	7.3E+00	3.0E+01	3.0E+01
COBALT					2.4E+00	2.4E+00	1.9E+01	1.2E+02	(Use batch test)	(Use batch test)	(Use batch test)	(Use batch test)
COPPER					2.9E+00	2.9E+00	2.9E+00	2.9E+00	(Use batch test)	(Use batch test)	(Use batch test)	(Use batch test)
CYANIDE (Free)		1.00E-04			1.0E+00	1.0E+00	1.0E+00	1.0E+00	(Use batch test)	(Use batch test)	(Use batch test)	(Use batch test)
CYCLO-1,3,5-TRIMETHYLENE-2,4,6-TRINITRAMINE (RDX)	8.91E+01	2.00E-11	1.48E+01	3.8E+01	9.7E-01	9.7E-01	7.9E+01	5.2E+02	1.4E-02	1.4E-02	1.2E+00	7.7E+00
DALAPON	3.20E+00	5.70E-08	5.32E-01	6.0E+04	2.0E+02	2.0E+02	3.0E+02	3.0E+03	1.1E-01	1.1E-01	1.6E-01	1.6E+00
#DIBENZO(a,h)ANTHRACENE	1.91E+06	1.40E-07	3.17E+05	2.9E+01	4.8E-03	4.8E-03	8.0E-01	1.3E+00	2.9E+01	2.9E+01	2.5E+02	4.0E+02
DIBROMO 1,2- CHLOROPROPANE,3-	1.16E+02	1.50E-04	2.02E+01	9.8E+02	4.0E-02	4.0E-02	4.0E-02	4.0E-02	8.1E-04	8.1E-04	8.1E-04	8.1E-04
DIBROMOCHLOROMETHANE	3.18E+01	7.80E-04	1.01E+01	8.0E+02	8.7E-01	8.7E-01	3.4E+01	2.9E+03	8.8E-03	8.8E-03	3.4E-01	2.9E+01
DIBROMOETHANE, 1,2-	3.96E+01	6.50E-04	1.06E+01	1.3E+03	4.0E-02	4.0E-02	1.9E+01	1.9E+01	4.2E-04	4.2E-04	2.0E-01	2.0E-01
DICHLOROBENZENE, 1,2-	3.83E+02	1.90E-03	7.54E+01	3.8E+02	1.0E+01	1.0E+01	1.4E+01	1.0E+02	7.5E-01	7.5E-01	1.1E+00	7.5E+00
DICHLOROBENZENE, 1,3-	6.17E+02	1.90E-03	1.14E+02	6.0E+02	5.0E+00	5.0E+00	2.2E+01	3.7E+02	5.7E-01	5.7E-01	2.5E+00	4.2E+01
DICHLOROBENZENE, 1,4-	3.75E+02	2.40E-03	7.72E+01	1.9E+02	5.0E+00	5.0E+00	9.4E+00	1.1E+02	3.9E-01	3.9E-01	7.3E-01	8.5E+00
DICHLOROBENZIDINE, 3,3-	3.19E+03	2.80E-11	5.30E+02	6.0E+01	1.3E-01	1.3E-01	4.5E+00	4.1E+01	6.6E-02	6.6E-02	2.4E+00	2.2E+01
#DICHLORODIPHENYLDICHLOROETHANE (DDD)	1.18E+05	6.60E-06	1.95E+04	6.3E+01	1.1E-02	2.6E-02	1.1E-02	1.1E-02	6.3E+01	6.3E+01	6.3E+01	6.3E+01
#DICHLORODIPHENYLDICHLOROETHYLENE (DDE)	1.18E+05	4.20E-05	1.95E+04	2.8E+01	8.9E-03	8.9E-03	4.1E-01	7.0E+00	2.8E+01	2.8E+01	2.8E+01	1.4E+02
#DICHLORODIPHENYLTRICHLOROETHANE (DDT)	1.69E+05	8.30E-06	2.80E+04	5.6E+00	1.0E-03	6.2E-03	1.0E-03	1.3E-02	5.6E+00	5.6E+00	5.6E+00	5.6E+00
DICHLOROETHANE, 1,1-	3.18E+01	5.60E-03	4.00E+01	1.7E+03	2.8E+00	2.8E+00	4.7E+01	8.3E+02	1.1E-01	1.1E-01	1.9E+00	3.3E+01
DICHLOROETHANE, 1,2-	3.96E+01	1.20E-03	1.40E+01	3.0E+03	5.0E+00	5.0E+00	1.8E+02	1.8E+02	7.0E-02	7.0E-02	2.6E+00	2.6E+00
DICHLOROETHYLENE, 1,1-	3.18E+01	2.60E-02	1.67E+02	1.2E+03	7.0E+00	7.0E+00	2.5E+01	3.9E+03	1.2E+00	1.2E+00	4.2E+00	6.5E+02
DICHLOROETHYLENE, Cis 1,2-	3.96E+01	4.10E-03	3.20E+01	2.4E+03	7.0E+01	7.0E+01	6.2E+02	5.5E+03	2.2E+00	2.2E+00	2.0E+01	1.8E+02
DICHLOROETHYLENE, Trans 1,2-	3.96E+01	9.40E-03	6.49E+01	1.9E+03	1.0E+02	1.0E+02	5.6E+02	2.6E+03	6.5E+00	6.5E+00	3.6E+01	1.7E+02
DICHLOROPHENOL, 2,4-	1.47E+02	4.30E-06	2.44E+01	5.5E+03	3.0E-01	3.0E-01	3.0E+00	3.0E+00	7.3E-03	7.3E-03	7.3E-02	7.3E-02
DICHLOROPHENOXYACETIC ACID (2,4-D)	2.96E+01	3.50E-08	4.92E+00	1.9E+02	7.0E+01	7.0E+01	7.0E+01	1.3E+02	3.4E-01	3.4E-01	3.4E-01	6.4E-01

TABLE E. SOIL ACTION LEVELS FOR LEACHING CONCERNS

CONTAMINANT	Organic Carbon Coefficient (Koc) (cm ² /g)	Henry's Law Constant (H) (atm-m ³ /mol)	Dilution/Attenuation Factor (DAF)	Saturation Limit (mg/kg)	Target Groundwater Concentrations				Soil Leaching Action Levels			
					Drinking Water IS Threatened		Drinking Water NOT Threatened		Drinking Water IS Threatened		Drinking Water NOT Threatened	
					Target Groundwater Concentration (Surface Water Within 150m; Table D-1a) (ug/L)	Target Groundwater Concentration (Surface Water NOT Within 150m; Table D-1b) (ug/L)	Target Groundwater Concentration (Surface Water Within 150m; Table D-1c) (ug/L)	Target Groundwater Concentration (Surface Water NOT Within 150m; Table D-1d) (ug/L)	Soil Leaching Action Level (Surface Water Within 150m) (mg/kg)	Soil Leaching Action Level (Surface Water NOT Within 150m) (mg/kg)	Soil Leaching Action Level (Surface Water Within 150m) (mg/kg)	Soil Leaching Action Level (Surface Water NOT Within 150m) (mg/kg)
DICHLOROPROPANE, 1,2-	6.07E+01	2.80E-03	2.75E+01	1.4E+03	5.0E+00	5.0E+00	1.0E+02	1.0E+02	1.4E-01	1.4E-01	2.7E+00	2.7E+00
DICHLOROPROPENE, 1,3-	7.22E+01	3.60E-03	3.43E+01	1.6E+03	6.0E-02	4.7E-01	6.0E-02	2.6E+02	2.1E-03	1.6E-02	2.1E-03	8.9E+00
#DIELDRIN	2.01E+04	1.00E-05	3.34E+03	2.4E+01	1.9E-03	3.5E-03	1.9E-03	7.1E-01	2.4E+01	2.4E+01	2.4E+01	2.4E+01
DIETHYLPHTHALATE	1.05E+02	6.10E-07	1.74E+01	7.9E+02	2.1E+02	9.8E+02	2.1E+02	9.8E+02	3.7E+00	1.7E+01	3.7E+00	1.7E+01
DIMETHYLPHENOL, 2,4-	4.92E+02	9.50E-07	8.16E+01	2.4E+04	1.2E+02	3.6E+02	1.2E+02	7.0E+02	9.8E+00	2.9E+01	9.8E+00	5.7E+01
DIMETHYLPHTHALATE	1.40E+02	1.05E-07	2.32E+01	4.7E+03	1.1E+03	3.2E+03	1.1E+03	3.2E+03	2.6E+01	7.4E+01	2.6E+01	7.4E+01
DINITROBENZENE, 1,3-	3.52E+02	4.90E-08	5.84E+01	1.2E+03	2.0E+00	2.0E+00	1.0E+01	1.0E+02	1.1E-01	1.1E-01	5.8E-01	5.8E+00
DINITROPHENOL, 2,4-	4.81E+02	8.60E-08	7.65E+01	8.0E+03	1.4E+01	3.9E+01	1.4E+01	3.8E+02	1.1E+00	3.0E+00	1.1E+00	2.9E+01
DINITROTOLUENE, 2,4- (2,4-DNT)	5.76E+02	5.40E-08	9.55E+01	7.1E+02	2.4E-01	2.4E-01	9.1E+00	1.1E+02	2.3E-02	2.3E-02	8.7E-01	1.1E+01
DINITROTOLUENE, 2,6- (2,6-DNT)	5.87E+02	7.50E-07	9.75E+01	6.6E+02	4.9E-02	4.9E-02	8.1E+01	1.1E+02	4.7E-03	4.7E-03	7.9E+00	1.1E+01
DIOXANE, 1,4-	2.60E+00	4.80E-06	4.61E-01	1.2E+05	4.6E-01	4.6E-01	5.0E+04	5.0E+04	2.1E-04	2.1E-04	2.3E+01	2.3E+01
#DIOXINS (TEQ)	2.49E+05	5.00E-05	4.14E+04	3.0E-01	3.1E-09	3.0E-05	3.1E-09	3.0E-03	3.0E-01	3.0E-01	3.0E-01	3.0E-01
DIURON	1.09E+02	5.00E-10	1.81E+01	3.2E+01	3.6E+01	3.6E+01	6.0E+01	2.0E+02	6.5E-01	6.5E-01	1.1E+00	3.6E+00
#ENDOSULFAN	6.76E+03	6.50E-05	1.12E+03	1.3E+01	8.7E-03	3.4E-02	8.7E-03	3.4E-02	1.3E+01	1.3E+01	1.3E+01	1.3E+01
#ENDRIN	2.01E+04	6.40E-06	3.33E+03	3.0E+01	2.3E-03	3.7E-02	2.3E-03	3.7E-02	3.0E+01	3.0E+01	3.0E+01	3.0E+01
ETHANOL	3.09E-01	6.29E-06	9.03E-02	1.0E+05	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00
ETHYLBENZENE	4.46E+02	7.90E-03	1.23E+02	4.8E+02	7.3E+00	3.0E+01	7.3E+00	1.4E+02	9.0E-01	3.7E+00	9.0E-01	1.7E+01
#FLUORANTHENE	5.55E+04	8.90E-06	9.20E+03	8.7E+01	8.0E-01	1.3E+01	8.0E-01	1.3E+01	8.7E+01	1.2E+02	8.7E+01	1.2E+02
#FLUORENE	9.16E+03	9.60E-05	1.52E+03	9.3E+01	3.9E+00	2.5E+02	3.9E+00	3.0E+02	9.3E+01	3.8E+02	9.3E+01	4.6E+02
GLYPHOSATE	2.10E+03	2.10E-12	3.49E+02	1.3E+05	7.0E+02	7.0E+02	1.8E+03	2.2E+04	2.4E+02	2.4E+02	6.3E+02	7.5E+03
#HEPTACHLOR	4.13E+04	2.90E-04	6.85E+03	4.5E+01	3.6E-03	5.3E-02	3.6E-03	5.3E-02	4.5E+01	4.5E+01	4.5E+01	4.5E+01
#HEPTACHLOR EPOXIDE	1.01E+04	2.10E-05	1.68E+03	1.2E+01	3.6E-03	5.3E-02	3.6E-03	5.3E-02	1.2E+01	1.2E+01	1.2E+01	1.2E+01
#HEXACHLOROBENZENE	6.20E+03	1.70E-03	1.04E+03	2.3E-01	3.0E-04	3.0E-04	3.0E-04	3.0E-04	2.3E-01	2.3E-01	2.3E-01	2.3E-01
HEXACHLOROBUTADIENE	8.45E+02	1.00E-02	2.02E+02	1.7E+01	2.8E-01	2.8E-01	3.0E-01	1.1E+01	5.7E-02	5.7E-02	6.1E-02	2.2E+00
HEXACHLOROXYCLOHEXANE (gamma) LINDANE	2.81E+03	5.10E-06	4.66E+02	1.2E+02	6.3E-02	1.6E-01	6.3E-02	1.6E-01	2.9E-02	2.9E-02	2.9E-02	7.5E-02
HEXACHLOROETHANE	1.97E+02	3.90E-03	5.69E+01	6.6E+01	9.2E-01	9.2E-01	1.2E+01	1.0E+02	5.2E-02	5.2E-02	6.8E-01	5.7E+00
HEXAZINONE	1.29E+02	2.30E-12	2.15E+01	2.9E+04	6.4E+02	6.4E+02	1.7E+04	5.0E+04	1.4E+01	1.4E+01	3.7E+02	1.1E+03
#INDENO(1,2,3-cd)PYRENE	1.95E+06	3.50E-07	3.24E+05	2.2E+00	1.8E-02	1.8E-02	9.5E-02	9.5E-02	5.7E+00	5.7E+00	3.1E+01	3.1E+01
ISOPHORONE	6.50E+01	6.60E-06	1.08E+01	5.9E+03	7.8E-01	7.8E-01	9.2E+02	4.3E+03	8.5E-01	8.5E-01	1.0E+01	4.7E+01
LEAD					5.6E+00	1.5E+01	5.6E+00	2.9E+01	(Use batch test)	(Use batch test)	(Use batch test)	(Use batch test)
MERCURY					2.5E-02	2.0E+00	2.5E-02	2.1E+00	(Use batch test)	(Use batch test)	(Use batch test)	(Use batch test)
#METHOXYCHLOR	2.69E+04	2.00E-07	4.46E+03	1.6E+01	3.0E-02	7.0E-01	3.0E-02	7.0E-01	1.6E+01	1.6E+01	1.6E+01	1.6E+01
METHYL ETHYL KETONE	4.51E+00	5.70E-05	1.10E+00	2.8E+04	8.4E+03	8.4E+03	1.4E+04	5.0E+04	9.3E+00	9.3E+00	1.5E+01	5.5E+01
METHYL ISOBUTYL KETONE	1.26E+01	1.40E-04	2.96E+00	3.4E+03	1.7E+02	1.3E+03	1.7E+02	2.2E+03	5.0E-01	3.8E+00	5.0E-01	6.5E+00
METHYL MERCURY					2.8E-03	9.9E-02	2.8E-03	9.9E-02	(Use batch test)	(Use batch test)	(Use batch test)	(Use batch test)
METHYL TERT BUTYL ETHER	1.16E+01	5.90E-04	5.58E+00	8.9E+03	5.0E+00	5.0E+00	7.3E+02	1.8E+03	2.8E-02	2.8E-02	4.1E+00	1.0E+01
METHYLENE CHLORIDE	2.17E+01	3.30E-03	2.41E+01	3.3E+03	5.0E+00	5.0E+00	1.5E+03	8.5E+03	1.2E-01	1.2E-01	3.6E+01	2.0E+02
METHYLNAPHTHALENE, 1-	2.53E+03	5.10E-04	4.23E+02	3.9E+02	2.1E+00	1.0E+01	2.1E+00	3.7E+01	8.9E-01	4.2E+00	8.9E-01	1.6E+01
METHYLNAPHTHALENE, 2-	2.48E+03	5.20E-04	4.15E+02	3.7E+02	4.7E+00	1.0E+01	4.7E+00	4.2E+01	1.9E+00	4.1E+00	1.9E+00	1.7E+01
MOLYBDENUM					9.9E+01	9.9E+01	3.7E+02	7.2E+03	(Use batch test)	(Use batch test)	(Use batch test)	(Use batch test)
NAPHTHALENE	1.54E+03	4.40E-04	2.59E+02	2.9E+02	1.2E+01	1.7E+01	1.2E+01	2.1E+02	3.1E+00	4.4E+00	3.1E+00	5.4E+01
NICKEL					5.0E+00	5.0E+00	5.0E+00	5.0E+00	(Use batch test)	(Use batch test)	(Use batch test)	(Use batch test)
NITROBENZENE	2.26E+02	2.40E-05	3.77E+01	3.0E+03	1.4E-01	1.4E-01	3.8E+02	2.0E+03	5.3E-03	5.3E-03	1.4E+01	7.5E+01
NITROGLYCERIN	1.16E+02	8.70E-08	1.92E+01	1.1E+03	2.0E+00	2.0E+00	1.8E+01	1.6E+02	3.8E-02	3.8E-02	3.5E-01	3.1E+00
NITROTOLUENE, 2-	3.71E+02	1.30E-05	6.16E+01	1.5E+03	3.1E-01	3.1E-01	7.1E+01	6.4E+02	1.9E-02	1.9E-02	4.4E+00	3.9E+01
NITROTOLUENE, 3-	3.83E+02	9.30E-06	6.03E+01	1.1E+03	1.7E+00	1.7E+00	4.2E+01	3.8E+02	1.1E-01	1.1E-01	2.5E+00	2.3E+01
NITROTOLUENE, 4-	3.83E+02	5.60E-06	6.03E+01	1.0E+03	4.3E+00	4.3E+00	4.6E+01	4.1E+02	2.6E-01	2.6E-01	2.8E+00	2.5E+01
PENTACHLOROPHENOL	5.92E+02	2.50E-08	9.83E+01	5.1E+01	1.0E+00	1.0E+00	7.9E+00	1.3E+01	9.8E-02	9.8E-02	7.8E-01	1.3E+00
PENTAERYTHRITOL TETRANITRATE (PETN)	6.48E+02	1.30E-09	1.08E+02	1.7E+02	1.7E+01	1.7E+01	2.2E+04	2.3E+04	1.9E+00	1.9E+00	2.3E+03	2.3E+03
PERCHLORATE					1.5E+01	1.5E+01	6.0E+02	5.0E+03	7.0E-03	7.0E-03	1.2E+00	1.2E+00
#PHENANTHRENE	1.40E+04	3.93E-05	2.32E+03	6.9E+01	2.3E+00	2.5E+02	2.3E+00	3.0E+02	6.9E+01	2.5E+02	6.9E+01	7.0E+02
PHENOL	1.87E+02	3.30E-07	3.11E+01	1.0E+05	5.8E+01	3.0E+02	5.8E+01	3.0E+02	1.8E+00	9.3E+00	1.8E+00	9.3E+00
#POLYCHLORINATED BIPHENYLS (PCBs)	1.31E+05	2.80E-04	2.17E+04	3.4E+01	1.4E-02	5.0E-01	1.4E-02	2.0E+00	3.4E+01	3.4E+01	3.4E+01	4.3E+01
PROPIONAZOLE	1.56E+03	1.70E-09	2.58E+02	1.0E+03	9.5E+01	4.3E+02	9.5E+01	4.3E+02	2.5E+01	1.1E+02	2.5E+01	1.1E+02
#PYRENE	5.43E+04	1.20E-05	9.02E+03	4.4E+01	4.6E+00	6.8E+01	4.6E+00	6.8E+01	4.4E+01	6.1E+02	4.4E+01	6.1E+02
SELENIUM					5.0E+00	2.0E+01	5.0E+00	2.0E+01	(Use batch test)	(Use batch test)	(Use batch test)	(Use batch test)
SILVER					1.0E-01	1.0E+00	1.0E-01	1.0E+00	(Use batch test)	(Use batch test)	(Use batch test)	(Use batch test)
SIMAZINE	1.47E+02	9.40E-10	2.43E+01	6.1E+00	4.0E+00	4.0E+00	9.0E+00	8.0E+01	9.7E-02	9.7E-02	2.2E-01	1.9E+00
STYRENE	4.46E+02	2.80E-03	9.14E+01	8.7E+02	1.0E+01	1.0E+01	3.2E+01	1.1E+02	9.1E-01	9.1E-01	2.9E+00	1.0E+01
TERBACIL	5.01E+01	1.20E-10	8.32E+00	2.8E+02	2.5E+02	2.5E+02	2.5E+02	2.5E+02	2.1E+00	2.1E+00	2.1E+00	2.1E+00
tert-BUTYL ALCOHOL	2.10E+00	9.10E-06	4.05E-01	1.1E+05	6.0E+01	6.0E+01	1.8E+04	5.0E+04	2.4E-02	2.4E-02	7.3E+00	2.0E+01
TETRACHLOROETHANE, 1,1,1,2-	8.60E+01	2.50E-03	2.98E+01	6.8E+02	5.7E-01	5.7E-01	1.1E+01	1.7E+02	1.7E-02	1.7E-02	3.2E-01	2.3E+01
TETRACHLOROETHANE, 1,1,2,2-	9.49E+01	3.70E-04	1.81E+01	1.9E+03	7.6E-02	7.6E-02	2.0E+02	2.4E+02	1.4E-03	1.4E-03	3.6E+00	4.3E+00
TETRACHLOROETHYLENE	9.49E+01	1.80E-02	1.27E+02	1.7E+02	5.0E+00	5.0E+00	5.3E+01	1.9E+02	6.4E-01	6.4E-01	6.8E+00	2.5E+01

TABLE E. SOIL ACTION LEVELS FOR LEACHING CONCERNS

CONTAMINANT	Organic Carbon Coefficient (Koc) (cm ³ /g)	Henry's Law Constant (H) (atm-m ³ /mol)	Dilution/Attenuation Factor (DAF)	Saturation Limit (mg/kg)	Target Groundwater Concentrations				Soil Leaching Action Levels			
					Drinking Water IS Threatened		Drinking Water NOT Threatened		Drinking Water IS Threatened		Drinking Water NOT Threatened	
					Target Groundwater Concentration (Surface Water Within 150m; Table D-1a) (ug/L)	Target Groundwater Concentration (Surface Water NOT Within 150m; Table D-1b) (ug/L)	Target Groundwater Concentration (Surface Water Within 150m; Table D-1c) (ug/L)	Target Groundwater Concentration (Surface Water NOT Within 150m; Table D-1d) (ug/L)	Soil Leaching Action Level (Surface Water Within 150m) (mg/kg)	Soil Leaching Action Level (Surface Water NOT Within 150m) (mg/kg)	Soil Leaching Action Level (Surface Water Within 150m) (mg/kg)	Soil Leaching Action Level (Surface Water NOT Within 150m) (mg/kg)
TETRACHLOROPHENOL, 2,3,4,6-	2.80E+02	8.80E-06	4.65E+01	4.1E+01	1.2E+00	1.1E+01	1.2E+00	1.1E+01	5.6E-02	5.1E-01	5.6E-02	5.1E-01
TETRANITRO-1,3,5,7-TETRAAZOCYCLOOCTANE (HMX)	5.32E+02	8.70E-10	8.82E+01	1.6E+01	2.2E+02	1.0E+03	2.2E+02	1.2E+03	1.9E+01	8.8E+01	1.9E+01	1.1E+02
THALLIUM					2.0E+00	2.0E+00	6.0E+00	4.7E+02	(Use batch test)	(Use batch test)	(Use batch test)	(Use batch test)
TOLUENE	2.34E+02	6.60E-03	7.98E+01	8.2E+02	9.8E+00	4.0E+01	9.8E+00	4.0E+02	7.8E-01	3.2E+00	7.8E-01	3.2E+01
#TOXAPHENE	7.72E+04	6.00E-06	1.28E+04	2.5E+02	2.0E-04	2.1E-01	2.0E-04	2.1E-01	2.5E+02	2.5E+02	2.5E+02	2.5E+02
TPH (gasolines)	1.78E+03	3.30E-01	2.34E+03	2.0E+03	7.4E+01	7.4E+01	5.0E+02	5.0E+03	1.7E+02	1.7E+02	1.2E+03	5.0E+03
TPH (middle distillates)	1.78E+03	3.30E-01	2.34E+03	6.8E+02	9.1E+01	9.1E+01	6.4E+02	2.5E+03	2.1E+02	2.1E+02	1.5E+03	5.0E+03
TPH (residual fuels)					9.1E+01	9.1E+01	6.4E+02	2.5E+03	1.0E+03	1.0E+03	1.5E+03	5.0E+03
TRICHLOROBENZENE, 1,2,4-	1.36E+03	1.40E-03	2.34E+02	4.0E+02	7.0E+01	7.0E+01	1.1E+02	4.2E+02	1.6E+01	1.6E+01	2.6E+01	9.8E+01
TRICHLOROETHANE, 1,1,1-	4.39E+01	1.70E-02	1.13E+02	6.4E+02	1.1E+01	2.0E+02	1.1E+01	6.0E+03	1.2E+00	2.3E+01	1.2E+00	6.8E+02
TRICHLOROETHANE, 1,1,2-	6.07E+01	8.20E-04	1.52E+01	2.2E+03	5.0E+00	5.0E+00	1.1E+02	1.1E+02	7.6E-02	7.6E-02	1.6E+00	1.6E+00
TRICHLOROETHYLENE	6.07E+01	9.90E-03	7.15E+01	6.9E+02	5.0E+00	5.0E+00	4.7E+01	2.1E+02	3.6E-01	3.6E-01	3.4E+00	1.5E+01
TRICHLOROPHENOL, 2,4,5-	1.60E+03	1.60E-06	2.65E+02	1.2E+04	1.9E+00	1.7E+01	1.9E+00	1.7E+01	5.0E-01	4.5E+00	5.0E-01	4.5E+00
TRICHLOROPHENOL, 2,4,6-	3.81E+02	2.60E-06	6.33E+01	1.9E+03	4.1E+00	4.1E+00	4.9E+00	3.9E+01	2.6E-01	2.6E-01	3.1E-01	2.5E+00
TRICHLOROPHENOXYACETIC ACID, 2,4,5- (2,4,5-T)	1.07E+02	8.70E-09	1.78E+01	2.1E+02	1.6E+02	1.6E+02	6.9E+02	6.9E+02	2.8E+00	2.8E+00	1.2E+01	1.2E+01
TRICHLOROPHENOXYPROPIONIC ACID, 2,4,5- (2,4,5-TP)	1.75E+02	9.10E-09	2.91E+01	8.2E+01	3.0E+01	5.0E+01	3.0E+01	2.7E+02	8.7E-01	1.5E+00	8.7E-01	7.9E+00
TRICHLOROPROPANE, 1,2,3-	1.16E+02	3.40E-04	2.13E+01	1.4E+03	6.0E-01	6.0E-01	1.4E+01	1.4E+02	1.3E-02	1.3E-02	3.0E-01	3.0E+00
TRICHLOROPROPENE, 1,2,3-	1.16E+02	1.80E-02	1.31E+02	3.1E+02	3.3E+00	3.3E+00	3.3E+00	3.3E+00	4.4E-01	4.4E-01	4.4E-01	4.4E-01
#TRIFLURALIN	1.64E+04	1.00E-04	2.72E+03	1.8E+01	1.1E+00	2.2E+00	1.1E+00	2.1E+01	1.8E+01	1.8E+01	1.8E+01	5.6E+01
TRINITROBENZENE, 1,3,5-	1.68E+03	6.50E-09	2.79E+02	2.8E+03	1.0E+01	2.7E+01	1.0E+01	2.7E+01	2.8E+00	7.5E+00	2.8E+00	7.5E+00
TRINITROPHENYLMETHYLNITRAMINE, 2,4,6- (TETRYL)	4.81E+03	2.70E-09	7.64E+02	2.1E+03	3.9E+01	3.9E+01	3.9E+01	3.9E+01	3.0E+01	3.0E+01	3.0E+01	3.0E+01
TRINITROTOLUENE, 2,4,6- (TNT)	2.81E+03	2.10E-08	4.67E+02	2.0E+03	2.5E+00	2.5E+00	1.3E+01	2.1E+02	1.2E+00	1.2E+00	6.1E+00	9.8E+01
VANADIUM					2.7E+01	9.0E+01	2.7E+01	9.0E+01	(Use batch test)	(Use batch test)	(Use batch test)	(Use batch test)
VINYL CHLORIDE	2.17E+01	2.80E-02	1.77E+02	3.9E+03	2.0E+00	2.0E+00	1.8E+01	1.8E+01	3.5E-01	3.5E-01	3.3E+00	3.3E+00
XYLENES	3.83E+02	6.60E-03	1.05E+02	2.6E+02	1.3E+01	2.0E+01	1.3E+01	2.3E+02	1.4E+00	2.1E+00	1.4E+00	2.4E+01
ZINC					2.2E+01	2.2E+01	2.2E+01	2.2E+01	(Use batch test)	(Use batch test)	(Use batch test)	(Use batch test)

Notes:

Soil leaching equation from Ontario MOEE guidance (see text).

Groundwater Category Drinking Water Resource - protective of groundwater that is a source of drinking water AND protective of discharge of groundwater to a surface water and subsequent impact on aquatic life.

Groundwater Category NON-Drinking Water Resource - protective of discharge of impacted groundwater to surface water and subsequent impact on aquatic life.

Leaching model used considered to be excessively conservative for highly sorptive chemicals. For chemicals with Koc values greater than 5,000 cm³/g, theoretical soil saturation level ("sat") used in place of leaching model action level if higher (see text). Soil saturation levels calculated using equation presented in USEPA Regional Screening Levels guidance (USEPA 2023, see Appendix 2).

Physio-Chemical constants for chemicals from USEPA RSLs guidance (USEPA 2016) or Ontario MOEE (MOEE 1996) when not available unless otherwise noted (see also Table H).

TPH - Total Petroleum Hydrocarbons. See text for discussion of different TPH categories. TPH action levels presented in 1996 HIDOH RBCA document applied to NDW, >150m from surface water groundwater category. May be applicable to other areas on a site-by-site basis if groundwater monitoring indicates that leaching of residual contamination from soil is not significant hazard.

Physio-Chemical constants for TPH (gasolines and middle distillates) based on constants developed for C11 to C22 aromatic carbon range fraction by Massachusetts DEP and used to develop action levels for leaching of TPH in general from soil (MADEP 1997, refer to Table H). Soil leaching level rounded to nearest hundred.

Ethanol Dilution/Attenuation Factor (DAF) modified by a factor of ten to take into account anticipated high biodegradation rate in nature (refer to Chapter 5 of Appendix 1).

Action levels for TPH categories rounded to nearest 100 mg/kg.

TPH (residual fuels) soil action level for leaching from California Regional Water Board, Region 4 - drinking water protection, C23-C32 carbon range (RWQCBLA 1996).

Action levels for perchlorate calculated using leaching equation in USEPA Soil Screening Guidance and assumed Dilution/Attenuation Factor of 20 (see text).

TABLE E-2. ¹SOIL VAPOR ACTION LEVELS FOR EVALUATION OF VADOSE-ZONE LEACHATE AND PROTECTION OF DRINKING WATER AQUIFERS

(²volatile hydrocarbons, solvents, explosives and fumigants)

CHEMICAL	Physical State		² Potential Vapor-Phase COPC?	³ Henry's Law Constant (H')	⁴ Target Groundwater Screening Level (µg/L)	¹ Soil Vapor Action Level (ug/m3)
				(unitless)	(ug/L)	(ug/m3)
ACENAPHTHENE	V	S	No	-	-	-
ACENAPHTHYLENE	V	S	No	-	-	-
ACETONE	V	L	Yes	1.40E-03	6.0E+03	1.7E+05
ALDRIN	SV	S	No	-	-	-
AMETRYN	NV	S	No	-	-	-
AMINO,2- DINITROTOLUENE,3,6-	NV	S	No	-	-	-
AMINO,4- DINITROTOLUENE,2,6-	NV	S	No	-	-	-
ANTHRACENE	V	S	No	-	-	-
ANTIMONY	NV	S	No	-	-	-
ARSENIC	NV	S	No	-	-	-
ATRAZINE	NV	S	No	-	-	-
BARIUM	NV	S	No	-	-	-
BENOMYL	NV	S	No	-	-	-
BENZENE	V	L	Yes	2.30E-01	5.0E+00	2.3E+04
BENZO(a)ANTHRACENE	SV	S	No	-	-	-
BENZO(a)PYRENE	NV	S	No	-	-	-
BENZO(b)FLUORANTHENE	NV	S	No	-	-	-
BENZO(g,h,i)PERYLENE	NV	S	No	-	-	-
BENZO(k)FLUORANTHENE	NV	S	No	-	-	-
BERYLLIUM	NV	S	No	-	-	-
BIPHENYL, 1,1-	V	S	Yes	1.30E-02	5.0E-01	1.3E+02
BIS(2-CHLOROETHYL)ETHER	V	L	Yes	7.00E-04	1.4E-02	1.9E-01
BIS(2-CHLORO-1-METHYLETHYL)ETHER	V	L	Yes	4.63E-03	3.6E-01	3.3E+01
BIS(2-ETHYLHEXYL)PHTHALATE	NV	S	No	-	-	-
BORON	NV	S	No	-	-	-
BROMODICHLOROMETHANE	V	L	Yes	8.70E-02	1.3E-01	2.3E+02
BROMOFORM	SV	S	No	-	-	-
BROMOMETHANE	V	G	Yes	3.00E-01	1.9E+01	1.1E+05
CADMIUM	NV	S	No	-	-	-
CARBON TETRACHLORIDE	V	L	Yes	1.10E+00	5.0E+00	1.1E+05
CHLORDANE (TECHNICAL)	SV	S	No	-	-	-
CHLOROANILINE, p-	NV	S	No	-	-	-
CHLOROBENZENE	V	L	Yes	1.30E-01	5.0E+01	1.3E+05
CHLOROETHANE	V	G	Yes	4.50E-01	1.6E+01	1.4E+05
CHLOROFORM	V	L	Yes	1.50E-01	7.0E+01	2.1E+05
CHLOROMETHANE	V	G	Yes	3.60E-01	1.1E+03	7.7E+06
CHLOROPHENOL, 2-	V	L	Yes	4.60E-04	1.8E-01	1.7E+00
CHROMIUM (Total)	NV	S	No	-	-	-
CHROMIUM III	NV	S	No	-	-	-
CHROMIUM VI	NV	S	No	-	-	-
CHRYSENE	NV	S	No	-	-	-
COBALT	NV	S	No	-	-	-
COPPER	NV	S	No	-	-	-
CYANIDE (Free)	V	S	No	-	-	-
CYCLO-1,3,5-TRIMETHYLENE-2,4,6-TRINITRAMINE (RDX)	NV	S	No	-	-	-
DALAPON	NV	L	No	-	-	-
DIBENZO(a,h)ANTHTRACENE	NV	S	No	-	-	-
DIBROMO,1,2- CHLOROPROPANE,3-	V	L	Yes	6.00E-03	4.0E-02	4.8E+00
DIBROMOCHLOROMETHANE	V	S	Yes	3.20E-02	8.7E-01	5.6E+02
DIBROMOETHANE, 1,2-	V	S	Yes	2.70E-02	4.0E-02	2.2E+01
DICHLOROBENZENE, 1,2-	V	L	Yes	7.80E-02	1.0E+01	1.6E+04
DICHLOROBENZENE, 1,3-	V	L	Yes	7.79E-02	5.0E+00	7.8E+03
DICHLOROBENZENE, 1,4-	V	S	Yes	9.90E-02	5.0E+00	9.9E+03
DICHLOROBENZIDINE, 3,3-	NV	S	No	-	-	-
DICHLORODIPHENYLDICHLOROETHANE (DDD)	NV	S	No	-	-	-
DICHLORODIPHENYLDICHLOROETHYLENE (DDE)	SV	S	No	-	-	-
DICHLORODIPHENYLTRICHLOROETHANE (DDT)	NV	S	No	-	-	-
DICHLOROETHANE, 1,1-	V	L	Yes	2.30E-01	2.8E+00	1.3E+04
DICHLOROETHANE, 1,2-	V	L	Yes	4.80E-02	5.0E+00	4.8E+03

TABLE E-2. ¹SOIL VAPOR ACTION LEVELS FOR EVALUATION OF VADOSE-ZONE LEACHATE AND PROTECTION OF DRINKING WATER AQUIFERS

(²volatile hydrocarbons, solvents, explosives and fumigants)

CHEMICAL	Physical State		² Potential Vapor-Phase COPC?	³ Henry's Law Constant (H')	⁴ Target Groundwater Screening Level (µg/L)	¹ Soil Vapor Action Level (ug/m3)
				(unitless)	(ug/L)	(ug/m3)
DICHLOROETHYLENE, 1,1-	V	L	Yes	1.10E+00	7.0E+00	1.5E+05
DICHLOROETHYLENE, Cis 1,2-	V	L	Yes	1.70E-01	7.0E+01	2.4E+05
DICHLOROETHYLENE, Trans 1,2-	V	L	Yes	3.80E-01	1.0E+02	7.6E+05
DICHLOROPHENOL, 2,4-	NV	S	No	-	-	-
DICHLOROPHENOXYACETIC ACID (2,4-D)	NV	S	No	-	-	-
DICHLOROPROPANE, 1,2-	V	L	Yes	1.20E-01	5.0E+00	1.2E+04
DICHLOROPROPENE, 1,3-	V	L	Yes	1.50E-01	4.7E-01	1.4E+03
DIELDRIN	NV	S	No	-	-	-
DIETHYLPHTHALATE	NV	S	No	-	-	-
DIMETHYLPHENOL, 2,4-	NV	S	Yes	3.90E-05	3.6E+02	-
DIMETHYLPHTHALATE	NV	S	No	-	-	-
DINITROBENZENE, 1,3-	NV	S	No	-	-	-
DINITROPHENOL, 2,4-	NV	S	No	-	-	-
DINITROTOLUENE, 2,4- (2,4-DNT)	NV	S	No	-	-	-
DINITROTOLUENE, 2,6- (2,6-DNT)	NV	S	No	-	-	-
DIOXANE, 1,4-	V	L	No	-	-	-
DIOXIN (TEQ)	SV	S	No	-	-	-
DIURON	NV	S	No	-	-	-
ENDOSULFAN	SV	S	No	-	-	-
ENDRIN	NV	S	No	-	-	-
ETHANOL	V	L	No	-	-	-
ETHYLBENZENE	V	L	Yes	3.20E-01	3.0E+01	1.9E+05
FLUORANTHENE	NV	S	No	-	-	-
FLUORENE	V	S	No	-	-	-
GLYPHOSATE	NV	S	No	-	-	-
HEPTACHLOR	SV	S	No	-	-	-
HEPTACHLOR EPOXIDE	SV	S	No	-	-	-
HEXACHLORO BENZENE	SV	S	No	-	-	-
HEXACHLORO BUTADIENE	SV	S	No	-	-	-
HEXACHLORO CYCLOHEXANE (gamma) LINDANE	NV	S	No	-	-	-
HEXACHLOROETHANE	SV	S	No	-	-	-
HEXAZINONE	NV	S	No	-	-	-
INDENO(1,2,3-cd)PYRENE	NV	S	No	-	-	-
ISOPHORONE	NV	L	No	-	-	-
LEAD	NV	S	No	-	-	-
MERCURY	NV	S	No	-	-	-
METHOXYCHLOR	NV	S	No	-	-	-
METHYL ETHYL KETONE	V	L	Yes	2.30E-03	8.4E+03	3.9E+05
METHYL ISOBUTYL KETONE	V	L	Yes	5.60E-03	1.3E+03	1.5E+05
METHYL MERCURY	NV	S	No	-	-	-
METHYL TERT BUTYL ETHER	V	L	Yes	2.40E-02	5.0E+00	2.4E+03
METHYLENE CHLORIDE	V	L	Yes	1.30E-01	5.0E+00	1.3E+04
METHYLNAPHTHALENE, 1-	V	S	No	-	-	-
METHYLNAPHTHALENE, 2-	V	S	No	-	-	-
MOLYBDENUM	NV	S	No	-	-	-
NAPHTHALENE	V	S	Yes	1.80E-02	1.7E+01	6.1E+03
NICKEL	NV	S	No	-	-	-
NITROBENZENE	V	L	Yes	9.80E-04	#VALUE!	#VALUE!
NITROGLYCERIN	NV	L	No	-	-	-
NITROTOLUENE, 2-	V	S	Yes	5.10E-04	3.1E-01	3.2E+00
NITROTOLUENE, 3-	NV	S	Yes	3.80E-04	1.7E+00	-
NITROTOLUENE, 4-	NV	S	No	-	-	-
PENTACHLOROPHENOL	NV	S	No	-	-	-
PENTAERYTHRITOLTETRANITRATE (PETN)	NV	S	No	-	-	-
PERCHLORATE	NV	S	No	-	-	-
PHENANTHRENE	V	S	No	-	-	-
PHENOL	NV	S	No	-	-	-
POLYCHLORINATED BIPHENYLS (PCBs)	SV	S	No	-	-	-

TABLE E-2. ¹SOIL VAPOR ACTION LEVELS FOR EVALUATION OF VADOSE-ZONE LEACHATE AND PROTECTION OF DRINKING WATER AQUIFERS
(²volatile hydrocarbons, solvents, explosives and fumigants)

CHEMICAL	Physical State		² Potential Vapor-Phase COPC?	³ Henry's Law Constant (H')	⁴ Target Groundwater Screening Level (µg/L)	¹ Soil Vapor Action Level (ug/m ³)
				(unitless)	(ug/L)	(ug/m ³)
PROPICONAZOLE	NV	L	No	-	-	-
PYRENE	V	S	No	-	-	-
SELENIUM	NV	S	No	-	-	-
SILVER	NV	S	No	-	-	-
SIMAZINE	NV	S	No	-	-	-
STYRENE	V	L	Yes	1.10E-01	1.0E+01	2.2E+04
TERBACIL	NV	S	No	-	-	-
tert-BUTYL ALCOHOL	V	L	Yes	3.70E-04	6.0E+01	4.4E+02
TETRACHLOROETHANE, 1,1,1,2-	V	L	Yes	1.00E-01	5.7E-01	1.1E+03
TETRACHLOROETHANE, 1,1,2,2-	V	L	Yes	1.50E-02	7.6E-02	2.3E+01
TETRACHLOROETHYLENE	V	L	Yes	7.20E-01	5.0E+00	7.2E+04
TETRACHLOROPHENOL, 2,3,4,6-	NV	S	No	-	-	-
TETRANITRO-1,3,5,7-TETRAAZOCYCLOOCTANE (HMX)	NV	S	No	-	-	-
THALLIUM	NV	S	No	-	-	-
TOLUENE	V	L	Yes	2.70E-01	4.0E+01	2.2E+05
TOXAPHENE	NV	S	No	-	-	-
TPH (gasolines)	V	L	Yes	1.39E+01	7.4E+01	2.1E+07
TPH (middle distillates)	V	L	Yes	1.39E+01	9.1E+01	2.5E+07
TPH (residual fuels)	SV	L	No	-	-	-
TRICHLOROBENZENE, 1,2,4-	V	S	Yes	5.80E-02	7.0E+01	8.1E+04
TRICHLOROETHANE, 1,1,1-	V	L	Yes	7.00E-01	2.0E+02	2.8E+06
TRICHLOROETHANE, 1,1,2-	V	L	Yes	3.40E-02	5.0E+00	3.4E+03
TRICHLOROETHYLENE	V	L	Yes	4.00E-01	5.0E+00	4.0E+04
TRICHLOROPHENOL, 2,4,5-	NV	S	No	-	-	-
TRICHLOROPHENOL, 2,4,6-	NV	S	No	-	-	-
TRICHLOROPHENOXYACETIC ACID, 2,4,5- (2,4,5-T)	NV	S	No	-	-	-
TRICHLOROPHENOXYPROPIONIC ACID, 2,4,5- (2,4,5-TP)	NV	S	No	-	-	-
TRICHLOROPROPANE, 1,2,3-	V	L	Yes	1.40E-02	6.0E-01	1.7E+02
TRICHLOROPROPENE, 1,2,3-	V	L	Yes	7.20E-01	3.3E+00	4.8E+04
TRIFLURALIN	SV	S	No	-	-	-
TRINITROBENZENE, 1,3,5-	NV	S	No	-	-	-
TRINITROPHENYLMETHYLNITRAMINE, 2,4,6- (TETRYL)	NV	S	No	-	-	-
TRINITROTOLUENE, 2,4,6- (TNT)	NV	S	No	-	-	-
VANADIUM	NV	S	No	-	-	-
VINYL CHLORIDE	V	G	Yes	1.10E+00	2.0E+00	4.4E+04
XYLENES	V	L	Yes	2.70E-01	2.0E+01	1.1E+05
ZINC	NV	S	No	-	-	-

Notes:

1. Equivalent concentration of VOC in vadose-zone, soil gas when concentration in pore water/leachate is equal to drinking water screening level times a default dilution-attenuation factor of twenty; see Section 3.5 in Appendix 1 text and Section 4.3.4 in Volume 1). Downward attenuation during migration through the vadose zone (e.g., via volatilization)not considered; most applicable to vapors from leachate in close proximity to the water table.
 2. Common petroleum, chlorinated solvent or agricultural fumigant volatile chemicals of potential concern or related breakdown products (refer also to Section 9 of the Hawai'i DOH Technical Guidance Manual (HDOH 2016). Petroleum VOCs focus on TPHg, TPHmd, BTEX, MTBE and naphthalene.
 3. Physio-Chemical constants for chemicals from USEPA Region IX (USEPA 2012) or Ontario MOEE (MOEE 1996) when not available (see Table J).
 4. Lowest of drinking water goals based on toxicity and taste and odors (see Table D-1a).
- TPH -Total Petroleum Hydrocarbons. See Appendix 1, Section 6 for discussion of different TPH categories.

**TABLE F-1. CRITERIA FOR ASSIGNMENT
OF SOIL GROSS CONTAMINATION ACTION LEVELS**

Soil Category	Criteria	Gross Contamination Action Level (mg/kg)
Surface Soils		
Unrestricted Land Use (includes Residential, Schools, Parkland, etc.)	Odor Index \geq 100 OR no Odor Index and Vapor Pressure \geq 1 Torr OR no data	100
	$0.1 \leq$ Odor Index $<$ 100 OR no Odor Index and Vapor Pressure $<$ 1 Torr	500
	Odor Index $<$ 0.1 OR non-odorous chemical	1000
Industrial/Commercial Land Use Only	Odor Index \geq 100 OR no Odor Index and Vapor Pressure \geq 1 Torr OR no data	500
	$0.1 \leq$ Odor Index $<$ 100 OR no Odor Index and Vapor Pressure $<$ 1 Torr	1000
	Odor Index $<$ 0.1 OR non-odorous chemical	2500
Subsurface Soils		
Unrestricted Land Use (includes Residential, Schools, Parkland, etc.)	Odor Index \geq 100 OR no Odor Index and Vapor Pressure \geq 1 Torr OR no data	500
	$0.1 \leq$ Odor Index $<$ 100 OR no Odor Index and Vapor Pressure $<$ 1 Torr	1000
	Odor Index $<$ 0.1 OR non-odorous chemical	2500
Industrial/Commercial Land Use Only	Odor Index \geq 100 OR no Odor Index and Vapor Pressure \geq 1 Torr OR no data	1000
	$0.1 \leq$ Odor Index $<$ 100 OR no Odor Index and Vapor Pressure $<$ 1 Torr	2500
	Odor Index $<$ 0.1 OR non-odorous chemical	5000
Modified from Ontario Ministry of Environment and Energy (MOEE 1996) and Massachusetts Department of Environmental Protection (MADEP 1994).		

**TABLE F-2. GROSS CONTAMINATION ACTION LEVELS FOR ¹EXPOSED OR POTENTIALLY EXPOSED SOIL
(mg/kg)**

CONTAMINANT	² Final Unrestricted Land Use Action Level	Final Industrial/ Commercial Land Use Action Level	² Raw Unrestricted Action Level	Raw Industrial/ Commercial Action Level	Soil Saturation Limit (mg/kg)	Vapor Pressure (VP) (Torr @ 20-30 °C)	50 Percentile Odor Recognition Threshold (ORT) (ug/m ³)	50 Percentile Odor Recognition Threshold (ORT) (ppm-v)	Odor Index
ACENAPHTHENE	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	2.20E-03	5.13E+02	8.00E-02	2.75E-02
ACENAPHTHYLENE	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	9.12E-04	-	-	-
ACETONE	5.0E+02	1.0E+03	5.0E+02	1.0E+03	1.1E+05	2.32E+02	3.09E+04	1.30E+01	1.78E+01
ALDRIN	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	1.20E-04	2.63E+02	1.70E-02	7.06E-03
AMETRYN	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	2.70E-06	-	-	-
AMINO,2- DINITROTOLUENE,4,6-	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	1.10E-05	-	-	-
AMINO,4- DINITROTOLUENE,2,6-	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	1.10E-05	-	-	-
ANTHRACENE	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	6.50E-06	-	-	-
ANTIMONY	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	-	-	-	-
ARSENIC	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	-	-	-	-
ATRAZINE	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	2.90E-07	-	-	-
BARIUM	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	-	-	-	-
BENOMYL	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	3.70E-09	-	-	-
BENZENE	5.0E+02	1.0E+03	5.0E+02	1.0E+03	1.9E+03	9.48E+01	4.89E+03	1.50E+00	6.32E+01
BENZO(a)ANTHRACENE	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	2.10E-07	-	-	-
BENZO(a)PYRENE	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	5.50E-09	-	-	-
BENZO(b)FLUORANTHENE	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	5.00E-07	-	-	-
BENZO(g,h,i)PERYLENE	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	1.00E-10	-	-	-
BENZO(k)FLUORANTHENE	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	9.70E-10	-	-	-
BERYLLIUM	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	-	-	-	-
BIPHENYL, 1,1-	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	8.90E-03	6.00E+01	9.50E-03	9.37E-01
BIS(2-CHLOROETHYL)ETHER	5.0E+02	1.0E+03	5.0E+02	1.0E+03	5.0E+03	1.55E+00	2.87E+02	4.9E-02	3.16E+01
BIS(2-CHLORO-1-METHYLETHYL)ETHER	5.0E+02	7.9E+02	5.0E+02	1.0E+03	7.9E+02	5.30E-01	2.24E+03	3.20E-01	1.66E+00
BIS(2-ETHYLHEXYL)PHTHALATE	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	1.40E-07	-	-	-
BORON	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	-	-	-	-
BROMODICHLOROMETHANE	9.3E+02	9.3E+02	1.0E+03	2.5E+03	9.3E+02	5.00E+01	1.10E+07	1.68E+03	2.98E-02
BROMOFORM	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	5.40E+00	1.35E+04	1.30E+00	4.15E+00
BROMOMETHANE	5.0E+02	1.0E+03	5.0E+02	1.0E+03	3.6E+03	1.62E+03	8.00E+04	2.00E+01	8.08E+01
CADMIUM	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	-	-	-	-
CARBON TETRACHLORIDE	4.5E+02	4.5E+02	5.0E+02	1.0E+03	4.5E+02	1.15E+02	6.30E+04	1.00E+01	1.15E+01
CHLORDANE (TECHNICAL)	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	1.00E-05	8.40E+00	4.92E-04	2.03E-02
CHLOROANILINE, p-	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	2.70E-02	-	-	-
CHLOROBENZENE	5.0E+02	7.6E+02	5.0E+02	1.0E+03	7.6E+02	1.20E+01	1.00E+03	2.20E-01	5.44E+01
CHLOROETHANE	5.0E+02	1.0E+03	5.0E+02	1.0E+03	2.1E+03	1.01E+03	3.80E+05	1.40E+02	7.20E+00
CHLOROFORM	5.0E+02	1.0E+03	5.0E+02	1.0E+03	2.5E+03	1.97E+02	4.22E+05	8.50E+01	2.32E+00
CHLOROMETHANE	1.0E+02	5.0E+02	1.0E+02	5.0E+02	1.3E+03	4.30E+03	-	-	-
CHLOROPHENOL, 2-	1.0E+02	5.0E+02	1.0E+02	5.0E+02	2.7E+04	2.50E+00	1.90E+01	3.60E-03	6.94E+02
CHROMIUM (Total)	-	-	-	-	-	-	-	-	-
CHROMIUM III	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	-	-	-	-
CHROMIUM VI	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	-	-	-	-
CHRYSENE	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	6.20E-09	-	-	-
COBALT	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	-	-	-	-
COPPER	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	-	-	-	-
CYANIDE (Free)	1.0E+02	5.0E+02	1.0E+02	5.0E+02	NA	3.08E+02	6.52E+02	5.80E-01	5.31E+02
CYCLO-1,3,5-TRIMETHYLENE-2,4,6-TRINITRAMINE (RDX)	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	4.10E-09	-	-	-
DALAPON	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	1.50E-01	-	-	-
DIBENZO(a,h)ANTHTRACENE	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	9.60E-10	-	-	-

**TABLE F-2. GROSS CONTAMINATION ACTION LEVELS FOR ¹EXPOSED OR POTENTIALLY EXPOSED SOIL
(mg/kg)**

CONTAMINANT	² Final Unrestricted Land Use Action Level	Final Industrial/ Commercial Land Use Action Level	² Raw Unrestricted Action Level	Raw Industrial/ Commercial Action Level	Soil Saturation Limit (mg/kg)	Vapor Pressure (VP) (Torr @ 20-30 °C)	50 Percentile Odor Recognition Threshold (ORT) (ug/m ³)	50 Percentile Odor Recognition Threshold (ORT) (ppm-v)	Odor Index
DIBROMO-3-CHLOROPROPANE, 1,2-	5.0E+02	9.8E+02	5.0E+02	1.0E+03	9.8E+02	5.80E-01	-	-	-
DIBROMOCHLOROMETHANE	1.0E+02	5.0E+02	1.0E+02	5.0E+02	NA	5.54E+00	-	-	-
DIBROMOETHANE, 1,2-	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	1.12E+01	2.00E+05	2.60E+01	4.31E-01
DICHLOROBENZENE, 1,2-	3.8E+02	3.8E+02	1.0E+03	2.5E+03	3.8E+02	1.36E+00	3.05E+05	5.00E+01	2.72E-02
DICHLOROBENZENE, 1,3-	1.0E+02	5.0E+02	1.0E+02	5.0E+02	6.0E+02	2.15E+00	-	-	-
DICHLOROBENZENE, 1,4-	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	1.74E+00	1.10E+03	1.80E-01	9.67E+00
DICHLOROBENZIDINE, 3,3-	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	2.60E-07	-	-	-
DICHLORODIPHENYLDICHLOROETHANE (DDD)	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	1.40E-06	-	-	-
DICHLORODIPHENYLDICHLOROETHYLENE (DDE)	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	6.00E-06	-	-	-
DICHLORODIPHENYLTRICHLOROETHANE (DDT)	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	1.60E-07	-	-	-
DICHLOROETHANE, 1,1-	5.0E+02	1.0E+03	5.0E+02	1.0E+03	1.7E+03	2.27E+02	1.25E+05	3.00E+01	7.58E+00
DICHLOROETHANE, 1,2-	5.0E+02	1.0E+03	5.0E+02	1.0E+03	3.0E+03	7.90E+01	2.42E+03	5.90E-01	1.34E+02
DICHLOROETHYLENE, 1,1-	5.0E+02	1.0E+03	5.0E+02	1.0E+03	1.2E+03	6.00E+02	2.00E+06	5.00E+02	1.20E+00
DICHLOROETHYLENE, Cis 1,2-	1.0E+02	5.0E+02	1.0E+02	5.0E+02	2.4E+03	2.00E+02	-	-	-
DICHLOROETHYLENE, Trans 1,2-	5.0E+02	1.0E+03	5.0E+02	1.0E+03	1.9E+03	3.31E+02	6.73E+04	1.70E+01	1.95E+01
DICHLOROPHENOL, 2,4-	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	9.00E-02	1.40E+03	2.10E-01	4.29E-01
DICHLOROPHENOXYACETIC ACID (2,4-D)	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	8.30E-05	-	-	-
DICHLOROPROPANE, 1,2-	1.0E+02	5.0E+02	1.0E+02	5.0E+02	1.4E+03	5.33E+01	1.19E+03	2.50E-01	2.13E+02
DICHLOROPROPENE, 1,3-	5.0E+02	1.0E+03	5.0E+02	1.0E+03	1.6E+03	3.40E+01	4.16E+03	1.00E+00	3.40E+01
DIELDRIN	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	5.90E-06	-	-	-
DIETHYLPHTHALATE	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	2.10E-03	-	-	-
DIMETHYLPHENOL, 2,4-	1.0E+02	5.0E+02	1.0E+02	5.0E+02	NA	1.00E-01	1.00E+00	1.97E-04	5.08E+02
DIMETHYLPHTHALATE	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	3.08E-01	-	-	-
DINITROBENZENE, 1,3-	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	9.00E-04	-	-	-
DINITROPHENOL, 2,4-	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	3.90E-04	-	-	-
DINITROTOLUENE, 2,4- (2,4-DNT)	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	1.50E-04	-	-	-
DINITROTOLUENE, 2,6- (2,6-DNT)	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	5.70E-04	-	-	-
DIOXANE, 1,4-	5.0E+02	1.0E+03	5.0E+02	1.0E+03	1.2E+05	3.80E+01	6.12E+05	1.70E+02	2.24E-01
DIOXINS (TEQ)	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	1.50E-09	-	-	-
DIURON	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	6.90E-08	-	-	-
ENDOSULFAN	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	1.70E-07	-	-	-
ENDRIN	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	3.00E-06	-	-	-
ETHANOL	5.0E+02	1.0E+03	5.0E+02	1.0E+03	1.0E+05	5.30E+01	1.92E+04	1.00E+01	5.30E+00
ETHYLBENZENE	4.8E+02	4.8E+02	5.0E+02	1.0E+03	4.8E+02	9.60E+00	2.00E+03	4.50E-01	2.13E+01
FLUORANTHENE	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	9.20E-06	-	-	-
FLUORENE	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	6.00E-04	-	-	-
GLYPHOSATE	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	9.80E-08	-	-	-
HEPTACHLOR	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	4.00E-04	3.00E+02	2.00E-02	2.00E-02
HEPTACHLOR EPOXIDE	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	2.00E-05	3.00E+02	1.90E-02	1.05E-03
HEXACHLOROBENZENE	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	1.80E-05	-	-	-
HEXACHLOROBUTADIENE	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	2.20E-01	1.20E+04	1.10E+00	2.00E-01
HEXACHLOROCYCLOHEXANE (gamma) LINDANE	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	4.20E-05	-	-	-
HEXACHLOROETHANE	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	2.10E-01	-	-	-
HEXAZINONE	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	2.30E-07	-	-	-
INDENO(1,2,3-cd)PYRENE	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	1.30E-10	-	-	-
ISOPHORONE	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	4.40E-01	-	-	-
LEAD	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	-	-	-	-

**TABLE F-2. GROSS CONTAMINATION ACTION LEVELS FOR ¹EXPOSED OR POTENTIALLY EXPOSED SOIL
(mg/kg)**

CONTAMINANT	² Final Unrestricted Land Use Action Level	Final Industrial/ Commercial Land Use Action Level	² Raw Unrestricted Action Level	Raw Industrial/ Commercial Action Level	Soil Saturation Limit (mg/kg)	Vapor Pressure (VP) (Torr @ 20-30 °C)	50 Percentile Odor Recognition Threshold (ORT) (ug/m ³)	50 Percentile Odor Recognition Threshold (ORT) (ppm-v)	Odor Index
MERCURY	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	-	-	-	-
METHOXYCHLOR	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	2.60E-06	-	-	-
METHYL ETHYL KETONE	5.0E+02	1.0E+03	5.0E+02	1.0E+03	2.8E+04	9.06E+01	3.20E+04	1.10E+01	8.24E+00
METHYL ISOBUTYL KETONE	1.0E+02	5.0E+02	1.0E+02	5.0E+02	3.4E+03	1.99E+01	4.20E+02	1.00E-01	1.99E+02
METHYL MERCURY	1.0E+02	5.0E+02	1.0E+02	5.0E+02	NA	-	-	-	-
METHYL TERT BUTYL ETHER	1.0E+02	5.0E+02	1.0E+02	5.0E+02	8.9E+03	2.50E+02	5.30E+02	1.30E-01	1.92E+03
METHYLENE CHLORIDE	5.0E+02	1.0E+03	5.0E+02	1.0E+03	3.3E+03	4.35E+02	5.60E+05	1.60E+02	2.72E+00
METHYLNAPHTHALENE, 1-	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	6.70E-02	6.80E+01	1.15E-02	5.83E+00
METHYLNAPHTHALENE, 2-	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	5.50E-02	6.80E+01	1.15E-02	4.78E+00
MOLYBDENUM	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	-	-	-	-
NAPHTHALENE	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	8.50E-02	4.40E+02	8.40E-02	1.01E+00
NICKEL	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	-	-	-	-
NITROBENZENE	5.0E+02	1.0E+03	5.0E+02	1.0E+03	3.0E+03	2.45E-01	-	-	-
NITROGLYCERIN	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	4.00E-04	-	-	-
NITROTOLUENE, 2-	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	1.90E-01	-	-	-
NITROTOLUENE, 3-	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	2.05E-01	-	-	-
NITROTOLUENE, 4-	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	1.60E-02	-	-	-
PENTACHLOROPHENOL	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	1.10E-04	-	-	-
PENTAERYTHRITOLTETRANITRATE (PETN)	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	5.50E-09	-	-	-
PERCHLORATE	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	-	-	-	-
PHENANTHRENE	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	-	5.50E+01	7.42E-03	#VALUE!
PHENOL	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	3.50E-01	1.56E+02	4.00E-02	8.75E+00
POLYCHLORINATED BIPHENYLS (PCBs)	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	7.70E-05	-	-	-
PROPICONAZOLE	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	4.20E-07	-	-	-
PYRENE	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	4.50E-06	-	-	-
SELENIUM	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	1.40E-10	-	-	-
SILVER	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	-	-	-	-
SIMAZINE	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	2.20E-08	-	-	-
STYRENE	5.0E+02	8.7E+02	5.0E+02	1.0E+03	8.7E+02	6.40E+00	1.36E+03	3.00E-01	2.13E+01
TERBACIL	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	4.70E-07	-	-	-
tert-BUTYL ALCOHOL	1.0E+02	5.0E+02	1.0E+02	5.0E+02	1.1E+05	4.07E+01	-	-	-
TETRACHLOROETHANE, 1,1,1,2-	1.0E+02	5.0E+02	1.0E+02	5.0E+02	6.8E+02	1.20E+01	-	-	-
TETRACHLOROETHANE, 1,1,2,2-	5.0E+02	1.0E+03	5.0E+02	1.0E+03	1.9E+03	4.62E+00	1.05E+04	1.50E+00	3.08E+00
TETRACHLOROETHYLENE	1.7E+02	1.7E+02	5.0E+02	1.0E+03	1.7E+02	1.85E+01	3.17E+04	4.68E+00	3.95E+00
TETRACHLOROPHENOL, 2,3,4,6-	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	6.70E-04	-	-	-
TETRANITRO-1,3,5,7-TETRAAZOCYCLOOCTANE (HMX)	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	3.30E-14	-	-	-
THALLIUM	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	-	-	-	-
TOLUENE	5.0E+02	8.2E+02	5.0E+02	1.0E+03	8.2E+02	2.84E+01	3.00E+04	8.00E+00	3.55E+00
TOXAPHENE	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	6.70E-06	-	-	-
TPH (gasolines)	1.0E+02	5.0E+02	1.0E+02	5.0E+02	2.0E+03	3.00E+02	1.10E+03	2.50E-01	1.20E+03
TPH (middle distillates)	5.0E+02	6.8E+02	5.0E+02	1.0E+03	6.8E+02	1.00E+00	5.00E+03	7.00E-01	1.43E+00
TPH (residual fuels)	5.0E+02	2.5E+03	5.0E+02	2.5E+03	NA	-	-	-	-
TRICHLOROETHANE, 1,2,4-	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	4.60E-01	2.20E+04	2.96E+00	1.55E-01
TRICHLOROETHANE, 1,1,1-	5.0E+02	6.4E+02	5.0E+02	1.0E+03	6.4E+02	1.24E+02	6.51E+04	1.20E+01	1.03E+01
TRICHLOROETHANE, 1,1,1,2-	1.0E+02	5.0E+02	1.0E+02	5.0E+02	2.2E+03	2.30E+01	-	-	-
TRICHLOROETHYLENE	5.0E+02	6.9E+02	5.0E+02	2.5E+03	6.9E+02	6.90E+01	1.36E+06	2.49E+02	2.77E-01
TRICHLOROPHENOL, 2,4,5-	1.0E+02	5.0E+02	1.0E+02	5.0E+02	NA	7.50E-03	-	-	-

**TABLE F-2. GROSS CONTAMINATION ACTION LEVELS FOR ¹EXPOSED OR POTENTIALLY EXPOSED SOIL
(mg/kg)**

CONTAMINANT	² Final Unrestricted Land Use Action Level	Final Industrial/ Commercial Land Use Action Level	² Raw Unrestricted Action Level	Raw Industrial/ Commercial Action Level	Soil Saturation Limit (mg/kg)	Vapor Pressure (VP) (Torr @ 20-30 °C)	50 Percentile Odor Recognition Threshold (ORT) (ug/m ³)	50 Percentile Odor Recognition Threshold (ORT) (ppm-v)	Odor Index
TRICHLOROPHENOL, 2,4,6-	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	8.00E-03	3.00E-01	3.60E-05	2.22E+02
TRICHLOROPHENOXYACETIC ACID, 2,4,5- (2,4,5-T)	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	3.80E-05	-	-	-
TRICHLOROPHENOXYPROPIONIC ACID, 2,4,5- (2,4,5-TP)	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	1.00E-05	-	-	-
TRICHLOROPROPANE, 1,2,3-	1.0E+02	5.0E+02	1.0E+02	5.0E+02	1.4E+03	3.69E+00	-	-	-
TRICHLOROPROPENE, 1,2,3-	1.0E+02	3.1E+02	1.0E+02	5.0E+02	3.1E+02	4.40E+00	-	-	-
TRIFLURALIN	1.0E+02	5.0E+02	1.0E+02	5.0E+02	NA	4.60E-05	-	-	-
TRINITROBENZENE, 1,3,5-	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	6.40E-06	-	-	-
TRINITROPHENYLMETHYLNITRAMINE, 2,4,6- (TETRYL)	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	5.70E-08	-	-	-
TRINITROTOLUENE, 2,4,6- (TNT)	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	8.00E-06	-	-	-
VANADIUM	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	-	-	-	-
VINYL CHLORIDE	5.0E+02	1.0E+03	5.0E+02	1.0E+03	3.9E+03	2.98E+03	7.71E+05	2.94E+02	1.01E+01
XYLENES	2.6E+02	2.6E+02	5.0E+02	1.0E+03	2.6E+02	8.00E+00	4.41E+02	1.00E-01	8.00E+01
ZINC	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	-	-	-	-

Notes:

1. Default 0-3m below ground surface for residential settings and 0-1m below ground surface for commercial/industrial settings.
2. Based on unrestricted current or future land use. Considered adequate for residential housing, schools, medical facilities, day-care centers and other sensitive uses.
3. Referred to as "ceiling levels" in original MADEP guidance (MADEP 1994).

Odor Index = VP/ORT in ppm-v

Physio-chemical constants Ontario MOEE (MOEE 1996) except as noted.

Physio-chemical constants for chloroethane and chloromethane from ATSDR Toxicological Profiles (ATSDR 2001).

Odor Recognition Threshold in parts per million - volume (ppm-v = (concentration in mg/m³) x (24/molecular weight)).

TPH -Total Petroleum Hydrocarbons. See text for discussion of different TPH categories.

Ceiling Level: Based on comparison of vapor pressure and odor index to Table F-1 or saturation limit, if lower.

Saturation limits calculated using equation in USEPA RSL guidance (USEPA 2011) for chemicals that are liquid at ambient temperatures and pressures (refer to Appendix 2).

50% ORT of 0.13 ppm-v for MTBE from information in CaEPA Public Health Goal for MTBE (CaEPA 1999).

TPH VP values and ORTs from New Jersey Dept of Health (NJDPH 2008, 2010); ORTs for TPHg (0.25ppm) and TPHmd (0.7ppm) adjusted to ug/m³ based assumed MWs noted for TPHg and TPHd in Table H.

References for vapor pressure and odor threshold data (in order of use, see USEPA (1992) for additional ORT values):

1. Ontario Ministry of Environment and Energy (MOEE 1996).
2. Massachusetts Department of Environmental Protection (MADEP 1994).
3. Agency for Toxic Substances and Disease Registry (ATSDR 2001).
4. Vapor Pressure for 1,4 Dioxane from "Solvent Stabilizers - White Paper" (Mohr 2001). Odor Threshold from US Department of Health and Human Services, National Toxicology Program (USDHHS, 2001).
5. Military range Database (ARAMS), U.S. Army Corps of Engineers, Engineer Research and Development Center, <http://el.ercd.usace.army.mil/arams/databases.html> (used for explosive-related contaminants).

**TABLE F-3. GROSS CONTAMINATION ACTION LEVELS FOR ¹DEEP OR OTHERWISE ISOLATED SOILS
(mg/kg)**

CONTAMINANT	² Final Unrestricted Land Use Action Level	Final Industrial/ Commercial Land Use Action Level	² Raw Unrestricted Action Level	Raw Industrial/ Commercial Action Level	Soil Saturation Limit (mg/kg)	Vapor Pressure (VP) (Torr @ 20-30 °C)	50 Percentile Odor Recognition Threshold (ORT) (ug/m ³)	50 Percentile Odor Recognition Threshold (ORT) (ppm-v)	Odor Index
ACENAPHTHENE	2.5E+03	5.0E+03	2.5E+03	5.0E+03	NA	2.20E-03	5.13E+02	8.00E-02	2.75E-02
ACENAPHTHYLENE	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	9.12E-04	-	-	-
ACETONE	1.0E+03	2.5E+03	1.0E+03	2.5E+03	1.1E+05	2.32E+02	3.09E+04	1.30E+01	1.78E+01
ALDRIN	2.5E+03	5.0E+03	2.5E+03	5.0E+03	NA	1.20E-04	2.63E+02	1.70E-02	7.06E-03
AMETRYN	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	2.70E-06	-	-	-
AMINO,2- DINITROTOLUENE,4,6-	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	1.10E-05	-	-	-
AMINO,4- DINITROTOLUENE,2,6-	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	1.10E-05	-	-	-
ANTHRACENE	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	6.50E-06	-	-	-
ANTIMONY	2.5E+03	5.0E+03	2.5E+03	5.0E+03	NA	-	-	-	-
ARSENIC	2.5E+03	5.0E+03	2.5E+03	5.0E+03	NA	-	-	-	-
ATRAZINE	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	2.90E-07	-	-	-
BARIUM	2.5E+03	5.0E+03	2.5E+03	5.0E+03	NA	-	-	-	-
BENOMYL	2.5E+03	5.0E+03	2.5E+03	5.0E+03	NA	3.70E-09	-	-	-
BENZENE	1.0E+03	1.9E+03	1.0E+03	2.5E+03	1.9E+03	9.48E+01	4.89E+03	1.50E+00	6.32E+01
BENZO(a)ANTHRACENE	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	2.10E-07	-	-	-
BENZO(a)PYRENE	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	5.50E-09	-	-	-
BENZO(b)FLUORANTHENE	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	5.00E-07	-	-	-
BENZO(g,h,i)PERYLENE	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	1.00E-10	-	-	-
BENZO(k)FLUORANTHENE	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	9.70E-10	-	-	-
BERYLLIUM	2.5E+03	5.0E+03	2.5E+03	5.0E+03	NA	-	-	-	-
BIPHENYL, 1,1-	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	8.90E-03	6.00E+01	9.50E-03	9.37E-01
BIS(2-CHLOROETHYL)ETHER	1.0E+03	2.5E+03	1.0E+03	2.5E+03	5.0E+03	1.55E+00	2.87E+02	4.9E-02	3.16E+01
BIS(2-CHLORO-1-METHYLETHYL)ETHER	7.9E+02	7.9E+02	1.0E+03	2.5E+03	7.9E+02	5.30E-01	2.24E+03	3.20E-01	1.66E+00
BIS(2-ETHYLHEXYL)PHTHALATE	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	1.40E-07	-	-	-
BORON	2.5E+03	5.0E+03	2.5E+03	5.0E+03	NA	-	-	-	-
BROMODICHLOROMETHANE	9.3E+02	9.3E+02	2.5E+03	5.0E+03	9.3E+02	5.00E+01	1.10E+07	1.68E+03	2.98E-02
BROMOFORM	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	5.40E+00	1.35E+04	1.30E+00	4.15E+00
BROMOMETHANE	1.0E+03	2.5E+03	1.0E+03	2.5E+03	3.6E+03	1.62E+03	8.00E+04	2.00E+01	8.08E+01
CADMIUM	2.5E+03	5.0E+03	2.5E+03	5.0E+03	NA	-	-	-	-
CARBON TETRACHLORIDE	4.5E+02	4.5E+02	1.0E+03	2.5E+03	4.5E+02	1.15E+02	6.30E+04	1.00E+01	1.15E+01
CHLORDANE (TECHNICAL)	2.5E+03	5.0E+03	2.5E+03	5.0E+03	NA	1.00E-05	8.40E+00	4.92E-04	2.03E-02
CHLOROANILINE, p-	2.5E+03	5.0E+03	2.5E+03	5.0E+03	NA	2.70E-02	-	-	-
CHLOROBENZENE	7.6E+02	7.6E+02	1.0E+03	2.5E+03	7.6E+02	1.20E+01	1.00E+03	2.20E-01	5.44E+01
CHLOROETHANE	1.0E+03	2.1E+03	1.0E+03	2.5E+03	2.1E+03	1.01E+03	3.80E+05	1.40E+02	7.20E+00
CHLOROFORM	1.0E+03	2.5E+03	1.0E+03	2.5E+03	2.5E+03	1.97E+02	4.22E+05	8.50E+01	2.32E+00
CHLOROMETHANE	5.0E+02	1.0E+03	5.0E+02	1.0E+03	1.3E+03	4.30E+03	-	-	-
CHLOROPHENOL, 2-	5.0E+02	1.0E+03	5.0E+02	1.0E+03	2.7E+04	2.50E+00	1.90E+01	3.60E-03	6.94E+02
CHROMIUM (Total)	-	-	-	-	-	-	-	-	-
CHROMIUM III	2.5E+03	5.0E+03	2.5E+03	5.0E+03	NA	-	-	-	-
CHROMIUM VI	2.5E+03	5.0E+03	2.5E+03	5.0E+03	NA	-	-	-	-
CHRYSENE	2.5E+03	5.0E+03	2.5E+03	5.0E+03	NA	6.20E-09	-	-	-
COBALT	2.5E+03	5.0E+03	2.5E+03	5.0E+03	NA	-	-	-	-
COPPER	2.5E+03	5.0E+03	2.5E+03	5.0E+03	NA	-	-	-	-
CYANIDE (Free)	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	3.08E+02	6.52E+02	5.80E-01	5.31E+02
CYCLO-1,3,5-TRIMETHYLENE-2,4,6-TRINITRAMINE (RDX)	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	4.10E-09	-	-	-
DALAPON	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	1.50E-01	-	-	-
DIBENZO(a,h)ANTHTRACENE	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	9.60E-10	-	-	-
DIBROMO-3-CHLOROPROPANE, 1,2-	9.8E+02	9.8E+02	1.0E+03	2.5E+03	9.8E+02	5.80E-01	-	-	-

**TABLE F-3. GROSS CONTAMINATION ACTION LEVELS FOR ¹DEEP OR OTHERWISE ISOLATED SOILS
(mg/kg)**

CONTAMINANT	² Final Unrestricted Land Use Action Level	Final Industrial/ Commercial Land Use Action Level	² Raw Unrestricted Action Level	Raw Industrial/ Commercial Action Level	Soil Saturation Limit (mg/kg)	Vapor Pressure (VP) (Torr @ 20-30 °C)	50 Percentile Odor Recognition Threshold (ORT) (ug/m ³)	50 Percentile Odor Recognition Threshold (ORT) (ppm-v)	Odor Index
DIBROMOCHLOROMETHANE	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	5.54E+00	-	-	-
DIBROMOETHANE, 1,2-	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	1.12E+01	2.00E+05	2.60E+01	4.31E-01
DICHLOROBENZENE, 1,2-	3.8E+02	3.8E+02	2.5E+03	5.0E+03	3.8E+02	1.36E+00	3.05E+05	5.00E+01	2.72E-02
DICHLOROBENZENE, 1,3-	5.0E+02	6.0E+02	5.0E+02	1.0E+03	6.0E+02	2.15E+00	-	-	-
DICHLOROBENZENE, 1,4-	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	1.74E+00	1.10E+03	1.80E-01	9.67E+00
DICHLOROBENZIDINE, 3,3-	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	2.60E-07	-	-	-
DICHLORODIPHENYLDICHLOROETHANE (DDD)	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	1.40E-06	-	-	-
DICHLORODIPHENYLDICHLOROETHYLENE (DDE)	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	6.00E-06	-	-	-
DICHLORODIPHENYLTRICHLOROETHANE (DDT)	2.5E+03	5.0E+03	2.5E+03	5.0E+03	NA	1.60E-07	-	-	-
DICHLOROETHANE, 1,1-	1.0E+03	1.7E+03	1.0E+03	2.5E+03	1.7E+03	2.27E+02	1.25E+05	3.00E+01	7.58E+00
DICHLOROETHANE, 1,2-	1.0E+03	2.5E+03	1.0E+03	2.5E+03	3.0E+03	7.90E+01	2.42E+03	5.90E-01	1.34E+02
DICHLOROETHYLENE, 1,1-	1.0E+03	1.2E+03	1.0E+03	2.5E+03	1.2E+03	6.00E+02	2.00E+06	5.00E+02	1.20E+00
DICHLOROETHYLENE, Cis 1,2-	5.0E+02	1.0E+03	5.0E+02	1.0E+03	2.4E+03	2.00E+02	-	-	-
DICHLOROETHYLENE, Trans 1,2-	1.0E+03	1.9E+03	1.0E+03	2.5E+03	1.9E+03	3.31E+02	6.73E+04	1.70E+01	1.95E+01
DICHLOROPHENOL, 2,4-	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	9.00E-02	1.40E+03	2.10E-01	4.29E-01
DICHLOROPHENOXYACETIC ACID (2,4-D)	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	8.30E-05	-	-	-
DICHLOROPROPANE, 1,2-	5.0E+02	1.0E+03	5.0E+02	1.0E+03	1.4E+03	5.33E+01	1.19E+03	2.50E-01	2.13E+02
DICHLOROPROPENE, 1,3-	1.0E+03	1.6E+03	1.0E+03	2.5E+03	1.6E+03	3.40E+01	4.16E+03	1.00E+00	3.40E+01
DIELDRIN	2.5E+03	5.0E+03	2.5E+03	5.0E+03	NA	5.90E-06	-	-	-
DIETHYLPHTHALATE	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	2.10E-03	-	-	-
DIMETHYLPHENOL, 2,4-	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	1.00E-01	1.00E+00	1.97E-04	5.08E+02
DIMETHYLPHTHALATE	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	3.08E-01	-	-	-
DINITROBENZENE, 1,3-	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	9.00E-04	-	-	-
DINITROPHENOL, 2,4-	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	3.90E-04	-	-	-
DINITROTOLUENE, 2,4- (2,4-DNT)	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	1.50E-04	-	-	-
DINITROTOLUENE, 2,6- (2,6-DNT)	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	5.70E-04	-	-	-
DIOXANE, 1,4-	1.0E+03	2.5E+03	1.0E+03	2.5E+03	1.2E+05	3.80E+01	6.12E+05	1.70E+02	2.24E-01
DIOXINS (TEQ)	2.5E+03	5.0E+03	2.5E+03	5.0E+03	NA	1.50E-09	-	-	-
DIURON	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	6.90E-08	-	-	-
ENDOSULFAN	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	1.70E-07	-	-	-
ENDRIN	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	3.00E-06	-	-	-
ETHANOL	1.0E+03	2.5E+03	1.0E+03	2.5E+03	1.0E+05	5.30E+01	1.92E+04	1.00E+01	5.30E+00
ETHYLBENZENE	4.8E+02	4.8E+02	1.0E+03	2.5E+03	4.8E+02	9.60E+00	2.00E+03	4.50E-01	2.13E+01
FLUORANTHENE	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	9.20E-06	-	-	-
FLUORENE	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	6.00E-04	-	-	-
GLYPHOSATE	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	9.80E-08	-	-	-
HEPTACHLOR	2.5E+03	5.0E+03	2.5E+03	5.0E+03	NA	4.00E-04	3.00E+02	2.00E-02	2.00E-02
HEPTACHLOR EPOXIDE	2.5E+03	5.0E+03	2.5E+03	5.0E+03	NA	2.00E-05	3.00E+02	1.90E-02	1.05E-03
HEXACHLOROBENZENE	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	1.80E-05	-	-	-
HEXACHLOROBUTADIENE	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	2.20E-01	1.20E+04	1.10E+00	2.00E-01
HEXACHLOROCYCLOHEXANE (gamma) LINDANE	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	4.20E-05	-	-	-
HEXACHLOROETHANE	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	2.10E-01	-	-	-
HEXAZINONE	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	2.30E-07	-	-	-
INDENO(1,2,3-cd)PYRENE	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	1.30E-10	-	-	-
ISOPHORONE	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	4.40E-01	-	-	-
LEAD	2.5E+03	5.0E+03	2.5E+03	5.0E+03	NA	-	-	-	-
MERCURY	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	-	-	-	-
METHOXYCHLOR	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	2.60E-06	-	-	-

**TABLE F-3. GROSS CONTAMINATION ACTION LEVELS FOR ¹DEEP OR OTHERWISE ISOLATED SOILS
(mg/kg)**

CONTAMINANT	² Final Unrestricted Land Use Action Level	Final Industrial/ Commercial Land Use Action Level	² Raw Unrestricted Action Level	Raw Industrial/ Commercial Action Level	Soil Saturation Limit (mg/kg)	Vapor Pressure (VP) (Torr @ 20-30 °C)	50 Percentile Odor Recognition Threshold (ORT) (ug/m ³)	50 Percentile Odor Recognition Threshold (ORT) (ppm-v)	Odor Index
METHYL ETHYL KETONE	1.0E+03	2.5E+03	1.0E+03	2.5E+03	2.8E+04	9.06E+01	3.20E+04	1.10E+01	8.24E+00
METHYL ISOBUTYL KETONE	5.0E+02	1.0E+03	5.0E+02	1.0E+03	3.4E+03	1.99E+01	4.20E+02	1.00E-01	1.99E+02
METHYL MERCURY	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	-	-	-	-
METHYL TERT BUTYL ETHER	5.0E+02	1.0E+03	5.0E+02	1.0E+03	8.9E+03	2.50E+02	5.30E+02	1.30E-01	1.92E+03
METHYLENE CHLORIDE	1.0E+03	2.5E+03	1.0E+03	2.5E+03	3.3E+03	4.35E+02	5.60E+05	1.60E+02	2.72E+00
METHYLNAPHTHALENE, 1-	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	6.70E-02	6.80E+01	1.15E-02	5.83E+00
METHYLNAPHTHALENE, 2-	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	5.50E-02	6.80E+01	1.15E-02	4.78E+00
MOLYBDENUM	2.5E+03	5.0E+03	2.5E+03	5.0E+03	NA	-	-	-	-
NAPHTHALENE	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	8.50E-02	4.40E+02	8.40E-02	1.01E+00
NICKEL	2.5E+03	5.0E+03	2.5E+03	5.0E+03	NA	-	-	-	-
NITROBENZENE	1.0E+03	2.5E+03	1.0E+03	2.5E+03	3.0E+03	2.45E-01	-	-	-
NITROGLYCERIN	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	4.00E-04	-	-	-
NITROTOLUENE, 2-	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	1.90E-01	-	-	-
NITROTOLUENE, 3-	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	2.05E-01	-	-	-
NITROTOLUENE, 4-	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	1.60E-02	-	-	-
PENTACHLOROPHENOL	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	1.10E-04	-	-	-
PENTAERYTHRITOLTETRANITRATE (PETN)	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	5.50E-09	-	-	-
PERCHLORATE	2.5E+03	5.0E+03	2.5E+03	5.0E+03	NA	-	-	-	-
PHENANTHRENE	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	-	5.50E+01	7.42E-03	#VALUE!
PHENOL	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	3.50E-01	1.56E+02	4.00E-02	8.75E+00
POLYCHLORINATED BIPHENYLS (PCBs)	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	7.70E-05	-	-	-
PROPIONAZOLE	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	4.20E-07	-	-	-
PYRENE	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	4.50E-06	-	-	-
SELENIUM	2.5E+03	5.0E+03	2.5E+03	5.0E+03	NA	1.40E-10	-	-	-
SILVER	2.5E+03	5.0E+03	2.5E+03	5.0E+03	NA	-	-	-	-
SIMAZINE	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	2.20E-08	-	-	-
STYRENE	8.7E+02	8.7E+02	1.0E+03	2.5E+03	8.7E+02	6.40E+00	1.36E+03	3.00E-01	2.13E+01
TERBACIL	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	4.70E-07	-	-	-
tert-BUTYL ALCOHOL	5.0E+02	1.0E+03	5.0E+02	1.0E+03	1.1E+05	4.07E+01	-	-	-
TETRACHLOROETHANE, 1,1,1,2-	5.0E+02	6.8E+02	5.0E+02	1.0E+03	6.8E+02	1.20E+01	-	-	-
TETRACHLOROETHANE, 1,1,2,2-	1.0E+03	1.9E+03	1.0E+03	2.5E+03	1.9E+03	4.62E+00	1.05E+04	1.50E+00	3.08E+00
TETRACHLOROETHYLENE	1.7E+02	1.7E+02	1.0E+03	2.5E+03	1.7E+02	1.85E+01	3.17E+04	4.68E+00	3.95E+00
TETRACHLOROPHENOL, 2,3,4,6-	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	6.70E-04	-	-	-
TETRANITRO-1,3,5,7-TETRAAZOCYCLOOCTANE (HMX)	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	3.30E-14	-	-	-
THALLIUM	2.5E+03	5.0E+03	2.5E+03	5.0E+03	NA	-	-	-	-
TOLUENE	8.2E+02	8.2E+02	1.0E+03	2.5E+03	8.2E+02	2.84E+01	3.00E+04	8.00E+00	3.55E+00
TOXAPHENE	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	6.70E-06	-	-	-
TPH (gasolines)	2.0E+03	2.0E+03	5.0E+03	5.0E+03	2.0E+03	3.00E+02	1.00E+03	2.50E-01	1.20E+03
TPH (middle distillates)	5.0E+03	5.0E+03	5.0E+03	5.0E+03	NA	1.00E+00	1.00E+03	7.00E-01	1.43E+00
TPH (residual fuels)	5.0E+03	5.0E+03	5.0E+03	5.0E+03	NA	-	-	-	-
TRICHLOROBENZENE, 1,2,4-	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	4.60E-01	2.20E+04	2.96E+00	1.55E-01
TRICHLOROETHANE, 1,1,1-	6.4E+02	6.4E+02	1.0E+03	2.5E+03	6.4E+02	1.24E+02	6.51E+04	1.20E+01	1.03E+01
TRICHLOROETHANE, 1,1,2-	5.0E+02	1.0E+03	5.0E+02	1.0E+03	2.2E+03	2.30E+01	-	-	-
TRICHLOROETHYLENE	6.9E+02	6.9E+02	2.5E+03	5.0E+03	6.9E+02	6.90E+01	1.36E+06	2.49E+02	2.77E-01
TRICHLOROPHENOL, 2,4,5-	5.0E+02	1.0E+03	5.0E+02	1.0E+03	NA	7.50E-03	-	-	-
TRICHLOROPHENOL, 2,4,6-	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	8.00E-03	3.00E-01	3.60E-05	2.22E+02
TRICHLOROPHENOXYACETIC ACID, 2,4,5- (2,4,5-T)	2.5E+03	5.0E+03	2.5E+03	5.0E+03	NA	3.80E-05	-	-	-
TRICHLOROPHENOXYPROPIONIC ACID, 2,4,5- (2,4,5-TP)	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	1.00E-05	-	-	-

**TABLE F-3. GROSS CONTAMINATION ACTION LEVELS FOR ¹DEEP OR OTHERWISE ISOLATED SOILS
(mg/kg)**

CONTAMINANT	² Final Unrestricted Land Use Action Level	Final Industrial/ Commercial Land Use Action Level	² Raw Unrestricted Action Level	Raw Industrial/ Commercial Action Level	Soil Saturation Limit (mg/kg)	Vapor Pressure (VP) (Torr @ 20-30 °C)	50 Percentile Odor Recognition Threshold (ORT) (ug/m ³)	50 Percentile Odor Recognition Threshold (ORT) (ppm-v)	Odor Index
TRICHLOROPROPANE, 1,2,3-	5.0E+02	1.0E+03	5.0E+02	1.0E+03	1.4E+03	3.69E+00	-	-	-
TRICHLOROPROPENE, 1,2,3-	3.1E+02	3.1E+02	5.0E+02	1.0E+03	3.1E+02	4.40E+00	-	-	-
TRIFLURALIN	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	4.60E-05	-	-	-
TRINITROBENZENE, 1,3,5-	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	6.40E-06	-	-	-
TRINITROPHENYLMETHYLNITRAMINE, 2,4,6- (TETRYL)	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	5.70E-08	-	-	-
TRINITROTOLUENE, 2,4,6- (TNT)	1.0E+03	2.5E+03	1.0E+03	2.5E+03	NA	8.00E-06	-	-	-
VANADIUM	2.5E+03	5.0E+03	2.5E+03	5.0E+03	NA	-	-	-	-
VINYL CHLORIDE	1.0E+03	2.5E+03	1.0E+03	2.5E+03	3.9E+03	2.98E+03	7.71E+05	2.94E+02	1.01E+01
XYLENES	2.6E+02	2.6E+02	1.0E+03	2.5E+03	2.6E+02	8.00E+00	4.41E+02	1.00E-01	8.00E+01
ZINC	2.5E+03	5.0E+03	2.5E+03	5.0E+03	NA	-	-	-	-

Notes:

1. Default >3m below ground surface for residential settings and >1m below unpaved ground surface for commercial/industrial settings.
2. Based on unrestricted current or future land use. Considered adequate for residential housing, schools, medical facilities, day-care centers and other sensitive uses.
3. Referred to as "ceiling levels" in original MADEP guidance (MADEP 1994).

Odor Index = VP/ORT in ppm-v
 Physio-chemical constants Ontario MOEE (MOEE 1996) except as noted.
 Physio-chemical constants for chloroethane and chloromethane from ATSDR Toxicological Profiles (ATSDR 2001).
 Odor Recognition Threshold in parts per million - volume (ppm-v = (concentration in mg/m³) x (24/molecular weight)).
 TPH - Total Petroleum Hydrocarbons. See text for discussion of different TPH categories.
 Ceiling Level: Based on comparison of vapor pressure and odor index to Table F-1 or saturation limit, if lower.
 Saturation limits calculated using equation in USEPA Region IX PRG guidance (for chemicals that are liquid at ambient temperatures and pressures; refer to Appendix 2).
 Ceiling Levels for TPH after guidance from Massachusetts Department of Environmental Protection (MADEP 1997a).
 50% ORT of 0.13 ppm-v for MTBE from information in CaEPA Public Health Goal for MTBE (CalEPA 1999).
 TPH VP values from NIOSH (2002); TPHd ORT value from ATSDR (2001a). TPHg ORT based on threshold of 0.2ppm (AHC 2004; worst-case gasoline with TAME) and assumed MW of 108 (refer to Table H); ORT in ug/m³ = 200 ppbv x (104/24)= 900; rounded to 1,000 ug/m³.
 TPH(middle distillate fuels) gross contamination action level for isolated soils at commercial/industrial sites set at 5,000 mg/kg, based on profession judgement.

References for vapor pressure and odor threshold data (in order of use):

1. Ontario Ministry of Environment and Energy (MOEE 1996).
2. Massachusetts Department of Environmental Protection (MADEP 1994).
3. Agency for Toxic Substances and Disease Registry (ATSDR 2001).
4. National Library of Medicine, Hazardous Substances Data Bank (NLM 2000).
5. U.S. Department of Health and Human Services (NIOSH 2000).

TABLE G-1. GROUNDWATER GROSS CONTAMINATION ACTION LEVELS
(groundwater IS a current or potential source of drinking water)
(ug/L)

CHEMICAL PARAMETER	Final Action Level	Basis	Solubility (1/2)	Taste And Odor Threshold	Basis	Upper Limit
ACENAPHTHENE	2.0E+01	Taste & Odors	2.0E+03	2.0E+01	Ontario MOEE	5.0E+04
ACENAPHTHYLENE	2.0E+03	Solubility	2.0E+03	-	-	5.0E+04
ACETONE	2.0E+04	Taste & Odors	5.0E+08	2.0E+04	Amoore & Hautala	5.0E+04
ALDRIN	8.5E+00	Solubility	8.5E+00	1.7E+01	Ontario MOEE	5.0E+04
AMETRYN	5.0E+04	Upper Limit	1.0E+05	-	-	5.0E+04
AMINO,2- DINITROTOLUENE,4,6-	5.0E+04	Upper Limit	6.1E+05	-	-	5.0E+04
AMINO,4- DINITROTOLUENE,2,6-	5.0E+04	Upper Limit	6.1E+05	-	-	5.0E+04
ANTHRACENE	2.2E+01	Solubility	2.2E+01	-	-	5.0E+04
ANTIMONY	5.0E+04	Upper Limit	-	-	-	5.0E+04
ARSENIC	5.0E+04	Upper Limit	-	-	-	5.0E+04
ATRAZINE	2.0E+01	Taste & Odors	1.8E+04	2.0E+01	Young et al	5.0E+04
BARIUM	5.0E+04	Upper Limit	-	-	-	5.0E+04
BENOMYL	1.9E+03	Solubility	1.9E+03	-	-	5.0E+04
BENZENE	1.7E+02	Taste & Odors	9.0E+05	1.7E+02	Amoore & Hautala	5.0E+04
BENZO(a)ANTHRACENE	4.7E+00	Solubility	4.7E+00	-	-	5.0E+04
BENZO(a)PYRENE	8.0E-01	Solubility	8.0E-01	-	-	5.0E+04
BENZO(b)FLUORANTHENE	7.5E-01	Solubility	7.5E-01	-	-	5.0E+04
BENZO(g,h,i)PERYLENE	1.3E-01	Solubility	1.3E-01	-	-	5.0E+04
BENZO(k)FLUORANTHENE	4.0E-01	Solubility	4.0E-01	-	-	5.0E+04
BERYLLIUM	5.0E+04	Upper Limit	-	-	-	5.0E+04
BIPHENYL, 1,1-	5.0E-01	Taste & Odors	3.7E+03	5.0E-01	Amoore & Hautala	5.0E+04
BIS(2-CHLOROETHYL)ETHER	3.6E+02	Taste & Odors	8.6E+06	3.6E+02	Amoore & Hautala	5.0E+04
BIS(2-CHLORO-1-METHYLETHYL)ETHER	3.2E+02	Taste & Odors	8.5E+05	3.2E+02	Ontario MOEE	5.0E+04
BIS(2-ETHYLHEXYL)PHTHALATE	1.4E+02	Solubility	1.4E+02	-	-	5.0E+04
BORON	5.0E+04	Upper Limit	-	-	-	5.0E+04
BROMODICHLOROMETHANE	5.0E+04	Upper Limit	1.5E+06	-	-	5.0E+04
BROMOFORM	5.1E+02	Taste & Odors	1.6E+06	5.1E+02	Amoore & Hautala	5.0E+04
BROMOMETHANE	5.0E+04	Upper Limit	7.6E+06	-	-	5.0E+04
CADMIUM	5.0E+04	Upper Limit	-	-	-	5.0E+04
CARBON TETRACHLORIDE	5.2E+02	Taste & Odors	4.0E+05	5.2E+02	Amoore & Hautala	5.0E+04
CHLORDANE (TECHNICAL)	2.5E+00	Taste & Odors	2.8E+01	2.5E+00	Ontario MOEE	5.0E+04
CHLOROANILINE, p-	5.0E+04	Upper Limit	2.0E+06	-	-	5.0E+04
CHLOROBENZENE	5.0E+01	Taste & Odors	2.5E+05	5.0E+01	Amoore & Hautala	5.0E+04
CHLOROETHANE	1.6E+01	Taste & Odors	3.4E+06	1.6E+01	Amoore & Hautala	5.0E+04
CHLOROFORM	2.4E+03	Taste & Odors	4.0E+06	2.4E+03	Amoore & Hautala	5.0E+04
CHLOROMETHANE	5.0E+04	Upper Limit	2.7E+06	-	-	5.0E+04
CHLOROPHENOL, 2-	1.8E-01	Taste & Odors	5.7E+06	1.8E-01	Ontario MOEE	5.0E+04
CHROMIUM (Total)	5.0E+04	Upper Limit	-	-	-	5.0E+04
CHROMIUM III	5.0E+04	Upper Limit	-	-	-	5.0E+04
CHROMIUM VI	5.0E+04	Upper Limit	8.5E+08	-	-	5.0E+04
CHRYSENE	1.0E+00	Solubility	1.0E+00	-	-	5.0E+04
COBALT	5.0E+04	Upper Limit	-	-	-	5.0E+04
COPPER	1.0E+03	Taste & Odors	-	1.0E+03	CalDHS 2nd MCL	5.0E+04
CYANIDE (Free)	1.7E+02	Taste & Odors	4.8E+07	1.7E+02	Amoore & Hautala	5.0E+04

TABLE G-1. GROUNDWATER GROSS CONTAMINATION ACTION LEVELS
(groundwater IS a current or potential source of drinking water)
(ug/L)

CHEMICAL PARAMETER	Final Action Level	Basis	Solubility (1/2)	Taste And Odor Threshold	Basis	Upper Limit
CYCLO-1,3,5-TRIMETHYLENE-2,4,6-TRINITRAMINE (RDX)	3.0E+04	Solubility	3.0E+04	-	-	5.0E+04
DALAPON	5.0E+04	Upper Limit	2.5E+08	-	-	5.0E+04
DIBENZO(a,h)ANTHTRACENE	1.3E+00	Solubility	1.3E+00	-	-	5.0E+04
DIBROMO,1,2- CHLOROPROPANE,3-	1.0E+01	Taste & Odors	6.2E+05	1.0E+01	Amoore & Hautala	5.0E+04
DIBROMOCHLOROMETHANE	5.0E+04	Upper Limit	1.4E+06	-	-	5.0E+04
DIBROMOETHANE, 1,2-	5.0E+04	Upper Limit	2.0E+06	-	-	5.0E+04
DICHLORO BENZENE, 1,2-	1.0E+01	Taste & Odors	7.8E+04	1.0E+01	USEPA 2nd MCL	5.0E+04
DICHLORO BENZENE, 1,3-	5.0E+00	Taste & Odors	7.8E+04	5.0E+00	1,4 DCB	5.0E+04
DICHLORO BENZENE, 1,4-	5.0E+00	Taste & Odors	4.1E+04	5.0E+00	USEPA 2nd MCL	5.0E+04
DICHLORO BENZIDINE, 3,3-	1.6E+03	Solubility	1.6E+03	-	-	5.0E+04
DICHLORODIPHENYLDICHLOROETHANE (DDD)	4.5E+01	Solubility	4.5E+01	-	-	5.0E+04
DICHLORODIPHENYLDICHLOROETHYLENE (DDE)	2.0E+01	Solubility	2.0E+01	-	-	5.0E+04
DICHLORODIPHENYLTRICHLOROETHANE (DDT)	2.8E+00	Solubility	2.8E+00	3.5E+02	Ontario MOEE	5.0E+04
DICHLOROETHANE, 1,1-	5.0E+04	Upper Limit	2.5E+06	-	-	5.0E+04
DICHLOROETHANE, 1,2-	7.0E+03	Taste & Odors	4.3E+06	7.0E+03	Amoore & Hautala	5.0E+04
DICHLOROETHYLENE, 1,1-	1.5E+03	Taste & Odors	1.2E+06	1.5E+03	Amoore & Hautala	5.0E+04
DICHLOROETHYLENE, Cis 1,2-	5.0E+04	Upper Limit	3.2E+06	-	-	5.0E+04
DICHLOROETHYLENE, Trans 1,2-	2.6E+02	Taste & Odors	2.3E+06	2.6E+02	Amoore & Hautala	5.0E+04
DICHLOROPHENOL, 2,4-	3.0E-01	Taste & Odors	2.8E+06	3.0E-01	Ontario MOEE	5.0E+04
DICHLOROPHENOXYACETIC ACID (2,4-D)	5.0E+04	Upper Limit	3.4E+05	-	-	5.0E+04
DICHLOROPROPANE, 1,2-	1.0E+01	Taste & Odors	1.4E+06	1.0E+01	Ontario MOEE	5.0E+04
DICHLOROPROPENE, 1,3-	5.0E+04	Upper Limit	1.4E+06	-	-	5.0E+04
DIELDRIN	4.1E+01	Taste & Odors	9.8E+01	4.1E+01	Ontario MOEE	5.0E+04
DIETHYLPHTHALATE	5.0E+04	Upper Limit	5.4E+05	-	-	5.0E+04
DIMETHYLPHENOL, 2,4-	4.0E+02	Taste & Odors	3.9E+06	4.0E+02	Cal DHS AL	5.0E+04
DIMETHYLPHTHALATE	5.0E+04	Upper Limit	2.5E+06	-	-	5.0E+04
DINITROBENZENE, 1,3-	5.0E+04	Upper Limit	2.7E+05	-	-	5.0E+04
DINITROPHENOL, 2,4-	5.0E+04	Upper Limit	1.4E+06	-	-	5.0E+04
DINITROTOLUENE, 2,4- (2,4-DNT)	5.0E+04	Upper Limit	1.0E+05	-	-	5.0E+04
DINITROTOLUENE, 2,6- (2,6-DNT)	5.0E+04	Upper Limit	9.1E+04	-	-	5.0E+04
DIOXANE, 1,4-	5.0E+04	Upper Limit	5.0E+08	2.3E+05	Amoore & Hautala	5.0E+04
DIOXINS (TEQ)	1.0E-01	Solubility	1.0E-01	-	-	5.0E+04
DIURON	2.1E+04	Solubility	2.1E+04	-	-	5.0E+04
ENDOSULFAN	1.6E+02	Solubility	1.6E+02	-	-	5.0E+04
ENDRIN	4.1E+01	Taste & Odors	1.3E+02	4.1E+01	Ontario MOEE	5.0E+04
ETHANOL	5.0E+04	Upper Limit	5.0E+08	7.6E+05	Amoore & Hautala	5.0E+04
ETHYLBENZENE	3.0E+01	Taste & Odors	8.5E+04	3.0E+01	USEPA 2nd MCL	5.0E+04
FLUORANTHENE	1.3E+02	Solubility	1.3E+02	-	-	5.0E+04
FLUORENE	8.5E+02	Solubility	8.5E+02	-	-	5.0E+04
GLYPHOSATE	5.0E+04	Upper Limit	5.3E+06	-	-	5.0E+04
HEPTACHLOR	2.0E+01	Taste & Odors	9.0E+01	2.0E+01	Ontario MOEE	5.0E+04
HEPTACHLOR EPOXIDE	1.0E+02	Solubility	1.0E+02	-	-	5.0E+04
HEXACHLORO BENZENE	3.1E+00	Solubility	3.1E+00	3.0E+03	Ontario MOEE	5.0E+04
HEXACHLOROBUTADIENE	6.0E+00	Taste & Odors	1.6E+03	6.0E+00	Ontario MOEE	5.0E+04

TABLE G-1. GROUNDWATER GROSS CONTAMINATION ACTION LEVELS
(groundwater IS a current or potential source of drinking water)
(ug/L)

CHEMICAL PARAMETER	Final Action Level	Basis	Solubility (1/2)	Taste And Odor Threshold	Basis	Upper Limit
HEXACHLOROCYCLOHEXANE (gamma) LINDANE	3.7E+03	Solubility	3.7E+03	1.2E+04	Ontario MOEE	5.0E+04
HEXACHLOROETHANE	1.0E+01	Taste & Odors	2.5E+04	1.0E+01	Amoore & Hautala	5.0E+04
HEXAZINONE	5.0E+04	Upper Limit	1.7E+07	-	-	5.0E+04
INDENO(1,2,3-cd)PYRENE	9.5E-02	Solubility	9.5E-02	-	-	5.0E+04
ISOPHORONE	5.0E+04	Upper Limit	6.0E+06	-	-	5.0E+04
LEAD	5.0E+04	Upper Limit	-	-	-	5.0E+04
MERCURY	5.0E+04	Upper Limit	3.5E+07	-	-	5.0E+04
METHOXYCHLOR	5.0E+01	Solubility	5.0E+01	4.7E+03	Amoore & Hautala	5.0E+04
METHYL ETHYL KETONE	8.4E+03	Taste & Odors	1.1E+08	8.4E+03	Amoore & Hautala	5.0E+04
METHYL ISOBUTYL KETONE	1.3E+03	Taste & Odors	9.5E+06	1.3E+03	Amoore & Hautala	5.0E+04
METHYL MERCURY	5.0E+04	Upper Limit	-	-	-	5.0E+04
METHYL TERT BUTYL ETHER	5.0E+00	Taste & Odors	2.6E+07	5.0E+00	Cal DHS 2nd MCL	5.0E+04
METHYLENE CHLORIDE	9.1E+03	Taste & Odors	6.5E+06	9.1E+03	Ontario MOEE	5.0E+04
METHYLNAPHTHALENE, 1-	1.0E+01	Taste & Odors	1.3E+04	1.0E+01	Ontario MOEE	5.0E+04
METHYLNAPHTHALENE, 2-	1.0E+01	Taste & Odors	1.2E+04	1.0E+01	Ontario MOEE	5.0E+04
MOLYBDENUM	5.0E+04	Upper Limit	-	-	-	5.0E+04
NAPHTHALENE	2.1E+01	Taste & Odors	1.6E+04	2.1E+01	Amoore & Hautala	5.0E+04
NICKEL	5.0E+04	Upper Limit	-	-	-	5.0E+04
NITROBENZENE	5.0E+04	Upper Limit	1.0E+06	-	-	5.0E+04
NITROGLYCERIN	5.0E+04	Upper Limit	6.9E+05	-	-	5.0E+04
NITROTOLUENE, 2-	5.0E+04	Upper Limit	3.3E+05	-	-	5.0E+04
NITROTOLUENE, 3-	5.0E+04	Upper Limit	2.5E+05	-	-	5.0E+04
NITROTOLUENE, 4-	5.0E+04	Upper Limit	2.2E+05	-	-	5.0E+04
PENTACHLOROPHENOL	3.0E+01	Taste & Odors	7.0E+03	3.0E+01	Amoore & Hautala	5.0E+04
PENTAERYTHRITOLTETRANITRATE (PETN)	2.2E+04	Solubility	2.2E+04	-	-	5.0E+04
PERCHLORATE	5.0E+04	Upper Limit	1.2E+08	-	-	5.0E+04
PHENANTHRENE	4.1E+02	Solubility	4.1E+02	1.0E+03	Ontario MOEE	5.0E+04
PHENOL	7.9E+03	Taste & Odors	4.1E+07	7.9E+03	Amoore & Hautala	5.0E+04
POLYCHLORINATED BIPHENYLS (PCBs)	2.2E+01	Solubility	2.2E+01	-	-	5.0E+04
PROPICONAZOLE	5.0E+04	Upper Limit	5.5E+04	-	-	5.0E+04
PYRENE	6.8E+01	Solubility	6.8E+01	-	-	5.0E+04
SELENIUM	5.0E+04	Upper Limit	-	-	-	5.0E+04
SILVER	1.0E+02	Taste & Odors	-	1.0E+02	Cal DHS 2nd MCL	5.0E+04
SIMAZINE	3.1E+03	Solubility	3.1E+03	-	-	5.0E+04
STYRENE	1.0E+01	Taste & Odors	1.6E+05	1.0E+01	USEPA 2nd MCL	5.0E+04
TERBACIL	5.0E+04	Upper Limit	3.6E+05	-	-	5.0E+04
tert-BUTYL ALCOHOL	5.0E+04	Upper Limit	5.0E+08	-	-	5.0E+04
TETRACHLOROETHANE, 1,1,1,2-	5.0E+04	Upper Limit	5.4E+05	-	-	5.0E+04
TETRACHLOROETHANE, 1,1,2,2-	5.0E+02	Taste & Odors	1.4E+06	5.0E+02	Amoore & Hautala	5.0E+04
TETRACHLOROETHYLENE	1.7E+02	Taste & Odors	1.0E+05	1.7E+02	Amoore & Hautala	5.0E+04
TETRACHLOROPHENOL, 2,3,4,6-	1.2E+04	Solubility	1.2E+04	-	-	5.0E+04
TETRANITRO-1,3,5,7-TETRAAZOCYCLOOCTANE (HMX)	2.5E+03	Solubility	2.5E+03	-	-	5.0E+04
THALLIUM	5.0E+04	Upper Limit	-	-	-	5.0E+04
TOLUENE	4.0E+01	Taste & Odors	2.6E+05	4.0E+01	USEPA 2nd MCL	5.0E+04

TABLE G-1. GROUNDWATER GROSS CONTAMINATION ACTION LEVELS
(groundwater IS a current or potential source of drinking water)
(ug/L)

CHEMICAL PARAMETER	Final Action Level	Basis	Solubility (1/2)	Taste And Odor Threshold	Basis	Upper Limit
TOXAPHENE	1.4E+02	Taste & Odors	2.8E+02	1.4E+02	USEPA 2nd MCL	5.0E+04
TPH (gasolines)	5.0E+02	Taste & Odors	7.5E+04	5.0E+02	(see footnotes)	5.0E+04
TPH (middle distillates)	5.0E+02	Taste & Odors	2.6E+04	5.0E+02	(see footnotes)	5.0E+04
TPH (residual fuels)	5.0E+02	Taste & Odors		5.0E+02	(see footnotes)	5.0E+04
TRICHLOROBENZENE, 1,2,4-	3.0E+03	Taste & Odors	2.5E+04	3.0E+03	USEPA (1995)	5.0E+04
TRICHLOROETHANE, 1,1,1-	9.7E+02	Taste & Odors	6.5E+05	9.7E+02	Amoore & Hautala	5.0E+04
TRICHLOROETHANE, 1,1,2-	5.0E+04	Upper Limit	2.3E+06	-	-	5.0E+04
TRICHLOROETHYLENE	3.1E+02	Taste & Odors	6.4E+05	3.1E+02	Amoore & Hautala	5.0E+04
TRICHLOROPHENOL, 2,4,5-	2.0E+02	Taste & Odors	6.0E+05	2.0E+02	Ontario MOEE	5.0E+04
TRICHLOROPHENOL, 2,4,6-	1.0E+02	Taste & Odors	4.0E+05	1.0E+02	Ontario MOEE	5.0E+04
TRICHLOROPHENOXYACETIC ACID, 2,4,5- (2,4,5-T)	5.0E+04	Upper Limit	1.4E+05	-	-	5.0E+04
TRICHLOROPHENOXYPROPIONIC ACID, 2,4,5- (2,4,5-TP)	3.6E+04	Solubility	3.6E+04	-	-	5.0E+04
TRICHLOROPROPANE, 1,2,3-	5.0E+04	Upper Limit	8.8E+05	-	-	5.0E+04
TRICHLOROPROPENE, 1,2,3-	5.0E+04	Upper Limit	1.7E+05	-	-	5.0E+04
TRIFLURALIN	9.0E+01	Solubility	9.0E+01	-	-	5.0E+04
TRINITROBENZENE, 1,3,5-	5.0E+04	Upper Limit	1.4E+05	-	-	5.0E+04
TRINITROPHENYLMETHYLNITRAMINE, 2,4,6- (TETRYL)	3.7E+04	Solubility	3.7E+04	-	-	5.0E+04
TRINITROTOLUENE, 2,4,6- (TNT)	5.0E+04	Upper Limit	5.8E+04	-	-	5.0E+04
VANADIUM	5.0E+04	Upper Limit		-	-	5.0E+04
VINYL CHLORIDE	3.4E+03	Taste & Odors	4.4E+06	3.4E+03	Amoore & Hautala	5.0E+04
XYLENES	2.0E+01	Taste & Odors	5.3E+04	2.0E+01	USEPA 2nd MCL	5.0E+04
ZINC	5.0E+03	Taste & Odors		5.0E+03	Cal DHS 2nd MCL	5.0E+04

References:

Amoore & Hautala (1983) and USEPA and California Dept of Health Services drinking water taste and odor threshold ("secondary MCLs") as presented in *A Compilation of Water Quality Goals* (RWQCBCV 2007).

Other references (see Appendix 1 text): Ontario Ministry of Energy and Environment (MOEE 1996); Young et al (1996).

Upper limit of 50000 ug/L intended to limit general groundwater resource degradation (MOEE 1996).

1/2 solubility based on solubility constants in USEPA RSL guidance (USEPA 2008a) or Ontario MOEE (MOEE 1996) if not available.

Notes:

Ceiling Level: lowest of 1/2 solubility, taste and odor threshold and 50000 ug/L maximum level

TPH -Total Petroleum Hydrocarbons. See text for discussion of different TPH categories.

TPH ceiling levels after Massachusetts DEP (MADEP 1997a).

TPH Taste and Odor Thresholds based on review of published literature (refer to Section 6.6 in Appendix 1).

TABLE G-2. GROUNDWATER GROSS CONTAMINATION ACTION LEVELS
(groundwater IS NOT a current or potential source of drinking water)
(ug/L)

CHEMICAL PARAMETER	Final Action Level	Basis	Solubility (1/2)	Nuisance Odor Threshold	Basis	Upper Limit
ACENAPHTHENE	2.0E+02	Nuisance Odors	2.0E+03	2.0E+02	Ontario MOEE	5.0E+04
ACENAPHTHYLENE	2.0E+03	Solubility	2.0E+03	-	-	5.0E+04
ACETONE	5.0E+04	Upper Limit	5.0E+08	2.0E+05	Ontario MOEE	5.0E+04
ALDRIN	8.5E+00	Solubility	8.5E+00	1.7E+02	Ontario MOEE	5.0E+04
AMETRYN	5.0E+04	Upper Limit	1.0E+05	-	-	5.0E+04
AMINO,2- DINITROTOLUENE,4,6-	5.0E+04	Upper Limit	6.1E+05	-	-	5.0E+04
AMINO,4- DINITROTOLUENE,2,6-	5.0E+04	Upper Limit	6.1E+05	-	-	5.0E+04
ANTHRACENE	2.2E+01	Solubility	2.2E+01	-	-	5.0E+04
ANTIMONY	5.0E+04	Upper Limit	-	-	-	5.0E+04
ARSENIC	5.0E+04	Upper Limit	-	-	-	5.0E+04
ATRAZINE	1.8E+04	Solubility	1.8E+04	-	-	5.0E+04
BARIUM	5.0E+04	Upper Limit	-	-	-	5.0E+04
BENOMYL	1.9E+03	Solubility	1.9E+03	-	-	5.0E+04
BENZENE	2.0E+04	Nuisance Odors	9.0E+05	2.0E+04	Ontario MOEE	5.0E+04
BENZO(a)ANTHRACENE	4.7E+00	Solubility	4.7E+00	-	-	5.0E+04
BENZO(a)PYRENE	8.0E-01	Solubility	8.0E-01	-	-	5.0E+04
BENZO(b)FLUORANTHENE	7.5E-01	Solubility	7.5E-01	-	-	5.0E+04
BENZO(g,h,i)PERYLENE	1.3E-01	Solubility	1.3E-01	-	-	5.0E+04
BENZO(k)FLUORANTHENE	4.0E-01	Solubility	4.0E-01	-	-	5.0E+04
BERYLLIUM	5.0E+04	Upper Limit	-	-	-	5.0E+04
BIPHENYL, 1,1-	5.0E+00	Nuisance Odors	3.7E+03	5.0E+00	Amoore & Hautala	5.0E+04
BIS(2-CHLOROETHYL)ETHER	3.6E+03	Nuisance Odors	8.6E+06	3.6E+03	Amoore & Hautala	5.0E+04
BIS(2-CHLORO-1-METHYLETHYL)ETHER	3.2E+03	Nuisance Odors	8.5E+05	3.2E+03	Ontario MOEE	5.0E+04
BIS(2-ETHYLHEXYL)PHTHALATE	1.4E+02	Solubility	1.4E+02	-	-	5.0E+04
BORON	5.0E+04	Upper Limit	-	-	-	5.0E+04
BROMODICHLOROMETHANE	5.0E+04	Upper Limit	1.5E+06	-	-	5.0E+04
BROMOFORM	5.1E+03	Nuisance Odors	1.6E+06	5.1E+03	Ontario MOEE	5.0E+04
BROMOMETHANE	5.0E+04	Upper Limit	7.6E+06	-	-	5.0E+04
CADMIUM	5.0E+04	Upper Limit	-	-	-	5.0E+04
CARBON TETRACHLORIDE	5.2E+03	Nuisance Odors	4.0E+05	5.2E+03	Ontario MOEE	5.0E+04
CHLORDANE (TECHNICAL)	2.5E+01	Nuisance Odors	2.8E+01	2.5E+01	Ontario MOEE	5.0E+04
CHLOROANILINE, p-	5.0E+04	Upper Limit	2.0E+06	-	-	5.0E+04
CHLOROBENZENE	5.0E+02	Nuisance Odors	2.5E+05	5.0E+02	Ontario MOEE	5.0E+04
CHLOROETHANE	1.6E+02	Nuisance Odors	3.4E+06	1.6E+02	Amoore & Hautala	5.0E+04
CHLOROFORM	2.4E+04	Nuisance Odors	4.0E+06	2.4E+04	Ontario MOEE	5.0E+04
CHLOROMETHANE	5.0E+04	Upper Limit	2.7E+06	-	-	5.0E+04
CHLOROPHENOL, 2-	1.8E+00	Nuisance Odors	5.7E+06	1.8E+00	Ontario MOEE	5.0E+04
CHROMIUM (Total)	5.0E+04	Upper Limit	-	-	-	5.0E+04
CHROMIUM III	5.0E+04	Upper Limit	-	-	-	5.0E+04
CHROMIUM VI	5.0E+04	Upper Limit	8.5E+08	-	-	5.0E+04
CHRYSENE	1.0E+00	Solubility	1.0E+00	-	-	5.0E+04
COBALT	5.0E+04	Upper Limit	-	-	-	5.0E+04
COPPER	5.0E+04	Upper Limit	-	-	-	5.0E+04
CYANIDE (Free)	1.7E+03	Nuisance Odors	4.8E+07	1.7E+03	Ontario MOEE	5.0E+04
CYCLO-1,3,5-TRIMETHYLENE-2,4,6-TRINITRAMINE (RDX)	3.0E+04	Solubility	3.0E+04	-	-	5.0E+04

TABLE G-2. GROUNDWATER GROSS CONTAMINATION ACTION LEVELS
(groundwater IS NOT a current or potential source of drinking water)
(ug/L)

CHEMICAL PARAMETER	Final Action Level	Basis	Solubility (1/2)	Nuisance Odor Threshold	Basis	Upper Limit
DALAPON	5.0E+04	Upper Limit	2.5E+08	-	-	5.0E+04
DIBENZO(a,h)ANTHTRACENE	1.3E+00	Solubility	1.3E+00	-	-	5.0E+04
DIBROMO,1,2- CHLOROPROPANE,3-	1.0E+02	Nuisance Odors	6.2E+05	1.0E+02	Amoore & Hautala	5.0E+04
DIBROMOCHLOROMETHANE	5.0E+04	Upper Limit	1.4E+06	-	-	5.0E+04
DIBROMOETHANE, 1,2-	5.0E+04	Upper Limit	2.0E+06	-	-	5.0E+04
DICHLOROENZENE, 1,2-	1.0E+02	Nuisance Odors	7.8E+04	1.0E+02	Ontario MOEE	5.0E+04
DICHLOROENZENE, 1,3-	5.0E+04	Upper Limit	7.8E+04	-	-	5.0E+04
DICHLOROENZENE, 1,4-	1.1E+02	Nuisance Odors	4.1E+04	1.1E+02	Ontario MOEE	5.0E+04
DICHLOROBENZIDINE, 3,3-	1.6E+03	Solubility	1.6E+03	-	-	5.0E+04
DICHLORODIPHENYLDICHLOROETHANE (DDD)	4.5E+01	Solubility	4.5E+01	-	-	5.0E+04
DICHLORODIPHENYLDICHLOROETHYLENE (DDE)	2.0E+01	Solubility	2.0E+01	-	-	5.0E+04
DICHLORODIPHENYLTRICHLOROETHANE (DDT)	2.8E+00	Solubility	2.8E+00	3.5E+03	Ontario MOEE	5.0E+04
DICHLOROETHANE, 1,1-	5.0E+04	Upper Limit	2.5E+06	-	-	5.0E+04
DICHLOROETHANE, 1,2-	5.0E+04	Upper Limit	4.3E+06	2.0E+05	Ontario MOEE	5.0E+04
DICHLOROETHYLENE, 1,1-	1.5E+04	Nuisance Odors	1.2E+06	1.5E+04	Amoore & Hautala	5.0E+04
DICHLOROETHYLENE, Cis 1,2-	5.0E+04	Upper Limit	3.2E+06	-	-	5.0E+04
DICHLOROETHYLENE, Trans 1,2-	2.6E+03	Nuisance Odors	2.3E+06	2.6E+03	Ontario MOEE	5.0E+04
DICHLOROPHENOL, 2,4-	3.0E+00	Nuisance Odors	2.8E+06	3.0E+00	Ontario MOEE	5.0E+04
DICHLOROPHENOXYACETIC ACID (2,4-D)	5.0E+04	Upper Limit	3.4E+05	-	-	5.0E+04
DICHLOROPROPANE, 1,2-	1.0E+02	Nuisance Odors	1.4E+06	1.0E+02	Ontario MOEE	5.0E+04
DICHLOROPROPENE, 1,3-	5.0E+04	Upper Limit	1.4E+06	-	-	5.0E+04
DIELDRIN	9.8E+01	Solubility	9.8E+01	4.1E+02	Ontario MOEE	5.0E+04
DIETHYLPHTHALATE	5.0E+04	Upper Limit	5.4E+05	-	-	5.0E+04
DIMETHYLPHENOL, 2,4-	4.0E+03	Nuisance Odors	3.9E+06	4.0E+03	Ontario MOEE	5.0E+04
DIMETHYLPHTHALATE	5.0E+04	Upper Limit	2.5E+06	-	-	5.0E+04
DINITROBENZENE, 1,3-	5.0E+04	Upper Limit	2.7E+05	-	-	5.0E+04
DINITROPHENOL, 2,4-	5.0E+04	Upper Limit	1.4E+06	-	-	5.0E+04
DINITROTOLUENE, 2,4- (2,4-DNT)	5.0E+04	Upper Limit	1.0E+05	-	-	5.0E+04
DINITROTOLUENE, 2,6- (2,6-DNT)	5.0E+04	Upper Limit	9.1E+04	-	-	5.0E+04
DIOXANE, 1,4-	5.0E+04	Upper Limit	5.0E+08	-	-	5.0E+04
DIOXINS (TEQ)	1.0E-01	Solubility	1.0E-01	-	-	5.0E+04
DIURON	2.1E+04	Solubility	2.1E+04	-	-	5.0E+04
ENDOSULFAN	1.6E+02	Solubility	1.6E+02	-	-	5.0E+04
ENDRIN	1.3E+02	Solubility	1.3E+02	4.1E+02	Ontario MOEE	5.0E+04
ETHANOL	5.0E+04	Upper Limit	5.0E+08	7.6E+05	Amoore & Hautala	5.0E+04
ETHYLBENZENE	3.0E+02	Nuisance Odors	8.5E+04	3.0E+02	USEPA 2nd MCL	5.0E+04
FLUORANTHENE	1.3E+02	Solubility	1.3E+02	-	-	5.0E+04
FLUORENE	8.5E+02	Solubility	8.5E+02	-	-	5.0E+04
GLYPHOSATE	5.0E+04	Upper Limit	5.3E+06	-	-	5.0E+04
HEPTACHLOR	9.0E+01	Solubility	9.0E+01	2.0E+02	Ontario MOEE	5.0E+04
HEPTACHLOR EPOXIDE	1.0E+02	Solubility	1.0E+02	-	-	5.0E+04
HEXACHLOROENZENE	3.1E+00	Solubility	3.1E+00	3.0E+04	Ontario MOEE	5.0E+04
HEXACHLOROBUTADIENE	6.0E+01	Nuisance Odors	1.6E+03	6.0E+01	Ontario MOEE	5.0E+04
HEXACHLOROCYCLOHEXANE (gamma) LINDANE	3.7E+03	Solubility	3.7E+03	1.2E+05	Ontario MOEE	5.0E+04
HEXACHLOROETHANE	1.0E+02	Nuisance Odors	2.5E+04	1.0E+02	Ontario MOEE	5.0E+04

TABLE G-2. GROUNDWATER GROSS CONTAMINATION ACTION LEVELS
(groundwater IS NOT a current or potential source of drinking water)
(ug/L)

CHEMICAL PARAMETER	Final Action Level	Basis	Solubility (1/2)	Nuisance Odor Threshold	Basis	Upper Limit
HEXAZINONE	5.0E+04	Upper Limit	1.7E+07	-	-	5.0E+04
INDENO(1,2,3-cd)PYRENE	9.5E-02	Solubility	9.5E-02	-	-	5.0E+04
ISOPHORONE	5.0E+04	Upper Limit	6.0E+06	-	-	5.0E+04
LEAD	5.0E+04	Upper Limit		-	-	5.0E+04
MERCURY	5.0E+04	Upper Limit	3.5E+07	-	-	5.0E+04
METHOXYCHLOR	5.0E+01	Solubility	5.0E+01	4.7E+04	Ontario MOEE	5.0E+04
METHYL ETHYL KETONE	5.0E+04	Upper Limit	1.1E+08	8.4E+04	Amoore & Hautala	5.0E+04
METHYL ISOBUTYL KETONE	1.3E+04	Nuisance Odors	9.5E+06	1.3E+04	Amoore & Hautala	5.0E+04
METHYL MERCURY	5.0E+04	Upper Limit		-	-	5.0E+04
METHYL TERT BUTYL ETHER	1.8E+03	Nuisance Odors	2.6E+07	1.8E+03	CalDHS	5.0E+04
METHYLENE CHLORIDE	5.0E+04	Upper Limit	6.5E+06	9.1E+04	Ontario MOEE	5.0E+04
METHYLNAPHTHALENE, 1-	1.0E+02	Nuisance Odors	1.3E+04	1.0E+02	Ontario MOEE	5.0E+04
METHYLNAPHTHALENE, 2-	1.0E+02	Nuisance Odors	1.2E+04	1.0E+02	Ontario MOEE	5.0E+04
MOLYBDENUM	5.0E+04	Upper Limit		-	-	5.0E+04
NAPHTHALENE	2.1E+02	Nuisance Odors	1.6E+04	2.1E+02	Ontario MOEE	5.0E+04
NICKEL	5.0E+04	Upper Limit		-	-	5.0E+04
NITROBENZENE	5.0E+04	Upper Limit	1.0E+06	-	-	5.0E+04
NITROGLYCERIN	5.0E+04	Upper Limit	6.9E+05	-	-	5.0E+04
NITROTOLUENE, 2-	5.0E+04	Upper Limit	3.3E+05	-	-	5.0E+04
NITROTOLUENE, 3-	5.0E+04	Upper Limit	2.5E+05	-	-	5.0E+04
NITROTOLUENE, 4-	5.0E+04	Upper Limit	2.2E+05	-	-	5.0E+04
PENTACHLOROPHENOL	5.9E+03	Nuisance Odors	7.0E+03	5.9E+03	Ontario MOEE	5.0E+04
PENTAERYTHRITOLTETRANITRATE (PETN)	2.2E+04	Solubility	2.2E+04	-	-	5.0E+04
PERCHLORATE	5.0E+04	Upper Limit	1.2E+08	-	-	5.0E+04
PHENANTHRENE	4.1E+02	Solubility	4.1E+02	1.0E+04	Ontario MOEE	5.0E+04
PHENOL	5.0E+04	Upper Limit	4.1E+07	7.9E+04	Amoore & Hautala	5.0E+04
POLYCHLORINATED BIPHENYLS (PCBs)	2.2E+01	Solubility	2.2E+01	-	-	5.0E+04
PROPICONAZOLE	5.0E+04	Upper Limit	5.5E+04	-	-	5.0E+04
PYRENE	6.8E+01	Solubility	6.8E+01	-	-	5.0E+04
SELENIUM	5.0E+04	Upper Limit		-	-	5.0E+04
SILVER	5.0E+04	Upper Limit		-	-	5.0E+04
SIMAZINE	3.1E+03	Solubility	3.1E+03	-	-	5.0E+04
STYRENE	1.1E+02	Nuisance Odors	1.6E+05	1.1E+02	Ontario MOEE	5.0E+04
TERBACIL	5.0E+04	Upper Limit	3.6E+05	-	-	5.0E+04
tert-BUTYL ALCOHOL	5.0E+04	Upper Limit	5.0E+08	-	-	5.0E+04
TETRACHLOROETHANE, 1,1,1,2-	5.0E+04	Upper Limit	5.4E+05	-	-	5.0E+04
TETRACHLOROETHANE, 1,1,2,2-	5.0E+03	Nuisance Odors	1.4E+06	5.0E+03	Ontario MOEE	5.0E+04
TETRACHLOROETHYLENE	3.0E+03	Nuisance Odors	1.0E+05	3.0E+03	Ontario MOEE	5.0E+04
TETRACHLOROPHENOL, 2,3,4,6-	1.2E+04	Solubility	1.2E+04	-	-	5.0E+04
TETRANITRO-1,3,5,7-TETRAAZOCYCLOOCTANE (HMX)	2.5E+03	Solubility	2.5E+03	-	-	5.0E+04
THALLIUM	5.0E+04	Upper Limit		-	-	5.0E+04
TOLUENE	4.0E+02	Nuisance Odors	2.6E+05	4.0E+02	Ontario MOEE	5.0E+04
TOXAPHENE	1.4E+02	Nuisance Odors	2.8E+02	1.4E+02	USEPA 2nd MCL	5.0E+04
TPH (gasolines)	5.0E+03	Nuisance Odors	7.5E+04	5.0E+03	MADEP	5.0E+04
TPH (middle distillates)	5.0E+03	Nuisance Odors	2.6E+04	5.0E+03	MADEP	5.0E+04

TABLE G-2. GROUNDWATER GROSS CONTAMINATION ACTION LEVELS
(groundwater IS NOT a current or potential source of drinking water)
(ug/L)

CHEMICAL PARAMETER	Final Action Level	Basis	Solubility (1/2)	Nuisance Odor Threshold	Basis	Upper Limit
TPH (residual fuels)	5.0E+03	Nuisance Odors		5.0E+03	MADEP	5.0E+04
TRICHLOROBENZENE, 1,2,4-	2.5E+04	Solubility	2.5E+04	3.0E+04	USEPA (1995)	5.0E+04
TRICHLOROETHANE, 1,1,1-	5.0E+04	Upper Limit	6.5E+05	5.0E+05	Ontario MOEE	5.0E+04
TRICHLOROETHANE, 1,1,2-	5.0E+04	Upper Limit	2.3E+06	-	-	5.0E+04
TRICHLOROETHYLENE	5.0E+04	Upper Limit	6.4E+05	1.0E+05	Ontario MOEE	5.0E+04
TRICHLOROPHENOL, 2,4,5-	2.0E+03	Nuisance Odors	6.0E+05	2.0E+03	Ontario MOEE	5.0E+04
TRICHLOROPHENOL, 2,4,6-	1.0E+03	Nuisance Odors	4.0E+05	1.0E+03	Ontario MOEE	5.0E+04
TRICHLOROPHENOXYACETIC ACID, 2,4,5- (2,4,5-T)	5.0E+04	Upper Limit	1.4E+05	-	-	5.0E+04
TRICHLOROPHENOXYPROPIONIC ACID, 2,4,5- (2,4,5-TP)	3.6E+04	Solubility	3.6E+04	-	-	5.0E+04
TRICHLOROPROPANE, 1,2,3-	5.0E+04	Upper Limit	8.8E+05	-	-	5.0E+04
TRICHLOROPROPENE, 1,2,3-	5.0E+04	Upper Limit	1.7E+05	-	-	5.0E+04
TRIFLURALIN	9.0E+01	Solubility	9.0E+01	-	-	5.0E+04
TRINITROBENZENE, 1,3,5-	5.0E+04	Upper Limit	1.4E+05	-	-	5.0E+04
TRINITROPHENYLMETHYLNITRAMINE, 2,4,6- (TETRYL)	3.7E+04	Solubility	3.7E+04	-	-	5.0E+04
TRINITROTOLUENE, 2,4,6- (TNT)	5.0E+04	Upper Limit	5.8E+04	-	-	5.0E+04
VANADIUM	5.0E+04	Upper Limit				5.0E+04
VINYL CHLORIDE	3.4E+04	Nuisance Odors	4.4E+06	3.4E+04	Ontario MOEE	5.0E+04
XYLENES	5.3E+03	Nuisance Odors	5.3E+04	5.3E+03	Ontario MOEE	5.0E+04
ZINC	5.0E+04	Upper Limit				5.0E+04

References:

Unless otherwise noted, criteria for nuisance odor threshold from Ontario MOEE (MOEE 1996) OR data from Amoores and Hautala (1983) as presented in *A Compilation of Water Quality Goals* if not available (*RWQCBCV 2007*).

Upper limit of 50000 ug/L intended to limit general groundwater resource degradation (MOEE 1996).

1/2 solubility based on solubility constants in USEPA RSL guidance (USEPA 2008a) or Ontario MOEE (MOEE 1996) if not available.

Odor threshold for MTBE based on average, upper range at which most subjects could smell MTBE in water (CalEPA 1999).

Vapor Pressure for ethanol from *Fate and Transport of Ethanol-Blended Gasoline in the Environment* (Ulrich 1999). Odor threshold from

Notes:

Nuisance Odor Thresholds assume ten-fold attenuation/dilution of chemical in groundwater upon discharge to surface water.

Ceiling Level: lowest of 1/2 solubility, odor/taste threshold and 50000 ug/L maximum level (intended to limit general groundwater resource degradation).

TPH -Total Petroleum Hydrocarbons. See text for discussion of different TPH categories.

TPH ceiling level after Massachusetts DEP (MADEP 1997a).

TABLE G-3. SURFACE WATER GROSS CONTAMINATION ACTION LEVELS
(surface water IS a current or potential source of drinking water)
(ug/L)

CHEMICAL PARAMETER	Final Action Level	Basis	Solubility (1/2)	Taste And Odor Threshold	Basis	Upper Limit
ACENAPHTHENE	2.0E+01	Taste & Odors	2.0E+03	2.0E+01	Ontario MOEE	5.0E+04
ACENAPHTHYLENE	2.0E+03	Solubility	2.0E+03	-	-	5.0E+04
ACETONE	2.0E+04	Taste & Odors	5.0E+08	2.0E+04	Amoore & Hautala	5.0E+04
ALDRIN	8.5E+00	Solubility	8.5E+00	1.7E+01	Ontario MOEE	5.0E+04
AMETRYN	5.0E+04	Upper Limit	1.0E+05	-	-	5.0E+04
AMINO,2- DINITROTOLUENE,4,6-	5.0E+04	Upper Limit	6.1E+05	-	-	5.0E+04
AMINO,4- DINITROTOLUENE,2,6-	5.0E+04	Upper Limit	6.1E+05	-	-	5.0E+04
ANTHRACENE	2.2E+01	Solubility	2.2E+01	-	-	5.0E+04
ANTIMONY	5.0E+04	Upper Limit	-	-	-	5.0E+04
ARSENIC	5.0E+04	Upper Limit	-	-	-	5.0E+04
ATRAZINE	2.0E+01	Taste & Odors	1.8E+04	2.0E+01	Young et al	5.0E+04
BARIUM	5.0E+04	Upper Limit	-	-	-	5.0E+04
BENOMYL	1.9E+03	Solubility	1.9E+03	-	-	5.0E+04
BENZENE	1.7E+02	Taste & Odors	9.0E+05	1.7E+02	Amoore & Hautala	5.0E+04
BENZO(a)ANTHRACENE	4.7E+00	Solubility	4.7E+00	-	-	5.0E+04
BENZO(a)PYRENE	8.0E-01	Solubility	8.0E-01	-	-	5.0E+04
BENZO(b)FLUORANTHENE	7.5E-01	Solubility	7.5E-01	-	-	5.0E+04
BENZO(g,h,i)PERYLENE	1.3E-01	Solubility	1.3E-01	-	-	5.0E+04
BENZO(k)FLUORANTHENE	4.0E-01	Solubility	4.0E-01	-	-	5.0E+04
BERYLLIUM	5.0E+04	Upper Limit	-	-	-	5.0E+04
BIPHENYL, 1,1-	5.0E-01	Taste & Odors	3.7E+03	5.0E-01	Amoore & Hautala	5.0E+04
BIS(2-CHLOROETHYL)ETHER	3.6E+02	Taste & Odors	8.6E+06	3.6E+02	Amoore & Hautala	5.0E+04
BIS(2-CHLORO-1-METHYLETHYL)ETHER	3.2E+02	Taste & Odors	8.5E+05	3.2E+02	Ontario MOEE	5.0E+04
BIS(2-ETHYLHEXYL)PHTHALATE	1.4E+02	Solubility	1.4E+02	-	-	5.0E+04
BORON	5.0E+04	Upper Limit	-	-	-	5.0E+04
BROMODICHLOROMETHANE	5.0E+04	Upper Limit	1.5E+06	-	-	5.0E+04
BROMOFORM	5.1E+02	Taste & Odors	1.6E+06	5.1E+02	Amoore & Hautala	5.0E+04
BROMOMETHANE	5.0E+04	Upper Limit	7.6E+06	-	-	5.0E+04
CADMIUM	5.0E+04	Upper Limit	-	-	-	5.0E+04
CARBON TETRACHLORIDE	5.2E+02	Taste & Odors	4.0E+05	5.2E+02	Amoore & Hautala	5.0E+04
CHLORDANE (TECHNICAL)	2.5E+00	Taste & Odors	2.8E+01	2.5E+00	Ontario MOEE	5.0E+04
CHLOROANILINE, p-	5.0E+04	Upper Limit	2.0E+06	-	-	5.0E+04
CHLOROBENZENE	5.0E+01	Taste & Odors	2.5E+05	5.0E+01	Amoore & Hautala	5.0E+04
CHLOROETHANE	1.6E+01	Taste & Odors	3.4E+06	1.6E+01	Amoore & Hautala	5.0E+04
CHLOROFORM	2.4E+03	Taste & Odors	4.0E+06	2.4E+03	Amoore & Hautala	5.0E+04
CHLOROMETHANE	5.0E+04	Upper Limit	2.7E+06	-	-	5.0E+04
CHLOROPHENOL, 2-	1.8E-01	Taste & Odors	5.7E+06	1.8E-01	Ontario MOEE	5.0E+04
CHROMIUM (Total)	5.0E+04	Upper Limit	-	-	-	5.0E+04
CHROMIUM III	5.0E+04	Upper Limit	-	-	-	5.0E+04
CHROMIUM VI	5.0E+04	Upper Limit	8.5E+08	-	-	5.0E+04
CHRYSENE	1.0E+00	Solubility	1.0E+00	-	-	5.0E+04
COBALT	5.0E+04	Upper Limit	-	-	-	5.0E+04
COPPER	1.0E+03	Taste & Odors	-	1.0E+03	CalDHS 2nd MCL	5.0E+04
CYANIDE (Free)	1.7E+02	Taste & Odors	4.8E+07	1.7E+02	Amoore & Hautala	5.0E+04

TABLE G-3. SURFACE WATER GROSS CONTAMINATION ACTION LEVELS
(surface water IS a current or potential source of drinking water)
(ug/L)

CHEMICAL PARAMETER	Final Action Level	Basis	Solubility (1/2)	Taste And Odor Threshold	Basis	Upper Limit
CYCLO-1,3,5-TRIMETHYLENE-2,4,6-TRINITRAMINE (RDX)	3.0E+04	Solubility	3.0E+04	-	-	5.0E+04
DALAPON	5.0E+04	Upper Limit	2.5E+08	-	-	5.0E+04
DIBENZO(a,h)ANTHTRACENE	1.3E+00	Solubility	1.3E+00	-	-	5.0E+04
DIBROMO,1,2- CHLOROPROPANE,3-	1.0E+01	Taste & Odors	6.2E+05	1.0E+01	Amoore & Hautala	5.0E+04
DIBROMOCHLOROMETHANE	5.0E+04	Upper Limit	1.4E+06	-	-	5.0E+04
DIBROMOETHANE, 1,2-	5.0E+04	Upper Limit	2.0E+06	-	-	5.0E+04
DICHLOROBENZENE, 1,2-	1.0E+01	Taste & Odors	7.8E+04	1.0E+01	USEPA 2nd MCL	5.0E+04
DICHLOROBENZENE, 1,3-	5.0E+04	Upper Limit	7.8E+04	-	-	5.0E+04
DICHLOROBENZENE, 1,4-	5.0E+00	Taste & Odors	4.1E+04	5.0E+00	USEPA 2nd MCL	5.0E+04
DICHLOROBENZIDINE, 3,3-	1.6E+03	Solubility	1.6E+03	-	-	5.0E+04
DICHLORODIPHENYLDICHLOROETHANE (DDD)	4.5E+01	Solubility	4.5E+01	-	-	5.0E+04
DICHLORODIPHENYLDICHLOROETHYLENE (DDE)	2.0E+01	Solubility	2.0E+01	-	-	5.0E+04
DICHLORODIPHENYLTRICHLOROETHANE (DDT)	2.8E+00	Solubility	2.8E+00	3.5E+02	Ontario MOEE	5.0E+04
DICHLOROETHANE, 1,1-	5.0E+04	Upper Limit	2.5E+06	-	-	5.0E+04
DICHLOROETHANE, 1,2-	7.0E+03	Taste & Odors	4.3E+06	7.0E+03	Amoore & Hautala	5.0E+04
DICHLOROETHYLENE, 1,1-	1.5E+03	Taste & Odors	1.2E+06	1.5E+03	Amoore & Hautala	5.0E+04
DICHLOROETHYLENE, Cis 1,2-	5.0E+04	Upper Limit	3.2E+06	-	-	5.0E+04
DICHLOROETHYLENE, Trans 1,2-	2.6E+02	Taste & Odors	2.3E+06	2.6E+02	Amoore & Hautala	5.0E+04
DICHLOROPHENOL, 2,4-	3.0E-01	Taste & Odors	2.8E+06	3.0E-01	Ontario MOEE	5.0E+04
DICHLOROPHENOXYACETIC ACID (2,4-D)	5.0E+04	Upper Limit	3.4E+05	-	-	5.0E+04
DICHLOROPROPANE, 1,2-	1.0E+01	Taste & Odors	1.4E+06	1.0E+01	Ontario MOEE	5.0E+04
DICHLOROPROPENE, 1,3-	5.0E+04	Upper Limit	1.4E+06	-	-	5.0E+04
DIELDRIN	4.1E+01	Taste & Odors	9.8E+01	4.1E+01	Ontario MOEE	5.0E+04
DIETHYLPHTHALATE	5.0E+04	Upper Limit	5.4E+05	-	-	5.0E+04
DIMETHYLPHENOL, 2,4-	4.0E+02	Taste & Odors	3.9E+06	4.0E+02	Cal DHS AL	5.0E+04
DIMETHYLPHTHALATE	5.0E+04	Upper Limit	2.5E+06	-	-	5.0E+04
DINITROBENZENE, 1,3-	5.0E+04	Upper Limit	2.7E+05	-	-	5.0E+04
DINITROPHENOL, 2,4-	5.0E+04	Upper Limit	1.4E+06	-	-	5.0E+04
DINITROTOLUENE, 2,4- (2,4-DNT)	5.0E+04	Upper Limit	1.0E+05	-	-	5.0E+04
DINITROTOLUENE, 2,6- (2,6-DNT)	5.0E+04	Upper Limit	9.1E+04	-	-	5.0E+04
DIOXANE, 1,4-	5.0E+04	Upper Limit	5.0E+08	2.3E+05	Amoore & Hautala	5.0E+04
DIOXINS (TEQ)	1.0E-01	Solubility	1.0E-01	-	-	5.0E+04
DIURON	2.1E+04	Solubility	2.1E+04	-	-	5.0E+04
ENDOSULFAN	1.6E+02	Solubility	1.6E+02	-	-	5.0E+04
ENDRIN	4.1E+01	Taste & Odors	1.3E+02	4.1E+01	Ontario MOEE	5.0E+04
ETHANOL	5.0E+04	Upper Limit	5.0E+08	7.6E+05	Amoore & Hautala	5.0E+04
ETHYLBENZENE	3.0E+01	Taste & Odors	8.5E+04	3.0E+01	USEPA 2nd MCL	5.0E+04
FLUORANTHENE	1.3E+02	Solubility	1.3E+02	-	-	5.0E+04
FLUORENE	8.5E+02	Solubility	8.5E+02	-	-	5.0E+04
GLYPHOSATE	5.0E+04	Upper Limit	5.3E+06	-	-	5.0E+04
HEPTACHLOR	2.0E+01	Taste & Odors	9.0E+01	2.0E+01	Ontario MOEE	5.0E+04
HEPTACHLOR EPOXIDE	1.0E+02	Solubility	1.0E+02	-	-	5.0E+04
HEXACHLOROBENZENE	3.1E+00	Solubility	3.1E+00	3.0E+03	Ontario MOEE	5.0E+04
HEXACHLOROBUTADIENE	6.0E+00	Taste & Odors	1.6E+03	6.0E+00	Ontario MOEE	5.0E+04

TABLE G-3. SURFACE WATER GROSS CONTAMINATION ACTION LEVELS
(surface water IS a current or potential source of drinking water)
(ug/L)

CHEMICAL PARAMETER	Final Action Level	Basis	Solubility (1/2)	Taste And Odor Threshold	Basis	Upper Limit
HEXACHLOROCYCLOHEXANE (gamma) LINDANE	3.7E+03	Solubility	3.7E+03	1.2E+04	Ontario MOEE	5.0E+04
HEXACHLOROETHANE	1.0E+01	Taste & Odors	2.5E+04	1.0E+01	Amoore & Hautala	5.0E+04
HEXAZINONE	5.0E+04	Upper Limit	1.7E+07	-	-	5.0E+04
INDENO(1,2,3-cd)PYRENE	9.5E-02	Solubility	9.5E-02	-	-	5.0E+04
ISOPHORONE	5.0E+04	Upper Limit	6.0E+06	-	-	5.0E+04
LEAD	5.0E+04	Upper Limit	-	-	-	5.0E+04
MERCURY	5.0E+04	Upper Limit	3.5E+07	-	-	5.0E+04
METHOXYCHLOR	5.0E+01	Solubility	5.0E+01	4.7E+03	Amoore & Hautala	5.0E+04
METHYL ETHYL KETONE	8.4E+03	Taste & Odors	1.1E+08	8.4E+03	Amoore & Hautala	5.0E+04
METHYL ISOBUTYL KETONE	1.3E+03	Taste & Odors	9.5E+06	1.3E+03	Amoore & Hautala	5.0E+04
METHYL MERCURY	5.0E+04	Upper Limit	-	-	-	5.0E+04
METHYL TERT BUTYL ETHER	5.0E+00	Taste & Odors	2.6E+07	5.0E+00	Cal DHS 2nd MCL	5.0E+04
METHYLENE CHLORIDE	9.1E+03	Taste & Odors	6.5E+06	9.1E+03	Ontario MOEE	5.0E+04
METHYLNAPHTHALENE, 1-	1.0E+01	Taste & Odors	1.3E+04	1.0E+01	Ontario MOEE	5.0E+04
METHYLNAPHTHALENE, 2-	1.0E+01	Taste & Odors	1.2E+04	1.0E+01	Ontario MOEE	5.0E+04
MOLYBDENUM	5.0E+04	Upper Limit	-	-	-	5.0E+04
NAPHTHALENE	2.1E+01	Taste & Odors	1.6E+04	2.1E+01	Amoore & Hautala	5.0E+04
NICKEL	5.0E+04	Upper Limit	-	-	-	5.0E+04
NITROBENZENE	5.0E+04	Upper Limit	1.0E+06	-	-	5.0E+04
NITROGLYCERIN	5.0E+04	Upper Limit	6.9E+05	-	-	5.0E+04
NITROTOLUENE, 2-	5.0E+04	Upper Limit	3.3E+05	-	-	5.0E+04
NITROTOLUENE, 3-	5.0E+04	Upper Limit	2.5E+05	-	-	5.0E+04
NITROTOLUENE, 4-	5.0E+04	Upper Limit	2.2E+05	-	-	5.0E+04
PENTACHLOROPHENOL	3.0E+01	Taste & Odors	7.0E+03	3.0E+01	Amoore & Hautala	5.0E+04
PENTAERYTHRITOLTETRANITRATE (PETN)	2.2E+04	Solubility	2.2E+04	-	-	5.0E+04
PERCHLORATE	5.0E+04	Upper Limit	1.2E+08	-	-	5.0E+04
PHENANTHRENE	4.1E+02	Solubility	4.1E+02	1.0E+03	Ontario MOEE	5.0E+04
PHENOL	7.9E+03	Taste & Odors	4.1E+07	7.9E+03	Amoore & Hautala	5.0E+04
POLYCHLORINATED BIPHENYLS (PCBs)	2.2E+01	Solubility	2.2E+01	-	-	5.0E+04
PROPICONAZOLE	5.0E+04	Upper Limit	5.5E+04	-	-	5.0E+04
PYRENE	6.8E+01	Solubility	6.8E+01	-	-	5.0E+04
SELENIUM	5.0E+04	Upper Limit	-	-	-	5.0E+04
SILVER	1.0E+02	Taste & Odors	-	1.0E+02	Cal DHS 2nd MCL	5.0E+04
SIMAZINE	3.1E+03	Solubility	3.1E+03	-	-	5.0E+04
STYRENE	1.0E+01	Taste & Odors	1.6E+05	1.0E+01	USEPA 2nd MCL	5.0E+04
TERBACIL	5.0E+04	Upper Limit	3.6E+05	-	-	5.0E+04
tert-BUTYL ALCOHOL	5.0E+04	Upper Limit	5.0E+08	-	-	5.0E+04
TETRACHLOROETHANE, 1,1,1,2-	5.0E+04	Upper Limit	5.4E+05	-	-	5.0E+04
TETRACHLOROETHANE, 1,1,2,2-	5.0E+02	Taste & Odors	1.4E+06	5.0E+02	Amoore & Hautala	5.0E+04
TETRACHLOROETHYLENE	1.7E+02	Taste & Odors	1.0E+05	1.7E+02	Amoore & Hautala	5.0E+04
TETRACHLOROPHENOL, 2,3,4,6-	1.2E+04	Solubility	1.2E+04	-	-	5.0E+04
TETRANITRO-1,3,5,7-TETRAAZOCYCLOOCTANE (HMX)	2.5E+03	Solubility	2.5E+03	-	-	5.0E+04
THALLIUM	5.0E+04	Upper Limit	-	-	-	5.0E+04
TOLUENE	4.0E+01	Taste & Odors	2.6E+05	4.0E+01	USEPA 2nd MCL	5.0E+04

TABLE G-3. SURFACE WATER GROSS CONTAMINATION ACTION LEVELS
(surface water IS a current or potential source of drinking water)
(ug/L)

CHEMICAL PARAMETER	Final Action Level	Basis	Solubility (1/2)	Taste And Odor Threshold	Basis	Upper Limit
TOXAPHENE	1.4E+02	Taste & Odors	2.8E+02	1.4E+02	USEPA 2nd MCL	5.0E+04
TPH (gasolines)	5.0E+02	Taste & Odors	7.5E+04	5.0E+02	(see footnotes)	5.0E+04
TPH (middle distillates)	5.0E+02	Taste & Odors	2.6E+04	5.0E+02	(see footnotes)	5.0E+04
TPH (residual fuels)	5.0E+02	Taste & Odors		5.0E+02	(see footnotes)	5.0E+04
TRICHLOROBENZENE, 1,2,4-	3.0E+03	Taste & Odors	2.5E+04	3.0E+03	USEPA (1995)	5.0E+04
TRICHLOROETHANE, 1,1,1-	9.7E+02	Taste & Odors	6.5E+05	9.7E+02	Amoore & Hautala	5.0E+04
TRICHLOROETHANE, 1,1,2-	5.0E+04	Upper Limit	2.3E+06	-	-	5.0E+04
TRICHLOROETHYLENE	3.1E+02	Taste & Odors	6.4E+05	3.1E+02	Amoore & Hautala	5.0E+04
TRICHLOROPHENOL, 2,4,5-	2.0E+02	Taste & Odors	6.0E+05	2.0E+02	Ontario MOEE	5.0E+04
TRICHLOROPHENOL, 2,4,6-	1.0E+02	Taste & Odors	4.0E+05	1.0E+02	Ontario MOEE	5.0E+04
TRICHLOROPHENOXYACETIC ACID, 2,4,5- (2,4,5-T)	5.0E+04	Upper Limit	1.4E+05	-	-	5.0E+04
TRICHLOROPHENOXYPROPIONIC ACID, 2,4,5- (2,4,5-TP)	3.6E+04	Solubility	3.6E+04	-	-	5.0E+04
TRICHLOROPROPANE, 1,2,3-	5.0E+04	Upper Limit	8.8E+05	-	-	5.0E+04
TRICHLOROPROPENE, 1,2,3-	5.0E+04	Upper Limit	1.7E+05	-	-	5.0E+04
TRIFLURALIN	9.0E+01	Solubility	9.0E+01	-	-	5.0E+04
TRINITROBENZENE, 1,3,5-	5.0E+04	Upper Limit	1.4E+05	-	-	5.0E+04
TRINITROPHENYLMETHYLNITRAMINE, 2,4,6- (TETRYL)	3.7E+04	Solubility	3.7E+04	-	-	5.0E+04
TRINITROTOLUENE, 2,4,6- (TNT)	5.0E+04	Upper Limit	5.8E+04	-	-	5.0E+04
VANADIUM	5.0E+04	Upper Limit		-	-	5.0E+04
VINYL CHLORIDE	3.4E+03	Taste & Odors	4.4E+06	3.4E+03	Amoore & Hautala	5.0E+04
XYLENES	2.0E+01	Taste & Odors	5.3E+04	2.0E+01	USEPA 2nd MCL	5.0E+04
ZINC	5.0E+03	Taste & Odors		5.0E+03	Cal DHS 2nd MCL	5.0E+04

References:

Unless otherwise noted, criteria for drinking water taste and odor threshold from summary in *A Compilation of Water Quality Goals* (RWQCBCV 2007) or Ontario MOEE if not available (MOEE 1996).

Upper limit of 50000 ug/L intended to limit general groundwater resource degradation (MOEE 1996).

1/2 solubility based on solubility constants in USEPA RSL guidance (USEPA 2008a) or Ontario MOEE (MOEE 1996) if not available.

Notes:

Ceiling Level: lowest of 1/2 solubility, taste and odor threshold and 50000 ug/L maximum level

TPH -Total Petroleum Hydrocarbons. See text for discussion of different TPH categories.

TPH ceiling levels after Massachusetts DEP (MADEP 1997a).

TPH Taste and Odor Thresholds based on review of published literature (refer to Section 6.6 in Appendix 1).

TABLE G-4. SURFACE WATER GROSS CONTAMINATION ACTION LEVELS
(surface water IS NOT a current or potential source of drinking water)
(ug/L)

CHEMICAL PARAMETER	Final Action Level	Basis	Solubility (1/2)	Nuisance Odor Threshold	Basis	Upper Limit
ACENAPHTHENE	2.0E+01	Nuisance Odors	2.0E+03	2.0E+01	Ontario MOEE	5.0E+04
ACENAPHTHYLENE	2.0E+03	Solubility	2.0E+03	-	-	5.0E+04
ACETONE	2.0E+04	Nuisance Odors	5.0E+08	2.0E+04	Ontario MOEE	5.0E+04
ALDRIN	8.5E+00	Solubility	8.5E+00	1.7E+01	Ontario MOEE	5.0E+04
AMETRYN	5.0E+04	Upper Limit	1.0E+05	-	-	5.0E+04
AMINO,2- DINITROTOLUENE,4,6-	5.0E+04	Upper Limit	6.1E+05	-	-	5.0E+04
AMINO,4- DINITROTOLUENE,2,6-	5.0E+04	Upper Limit	6.1E+05	-	-	5.0E+04
ANTHRACENE	2.2E+01	Solubility	2.2E+01	-	-	5.0E+04
ANTIMONY	5.0E+04	Upper Limit	-	-	-	5.0E+04
ARSENIC	5.0E+04	Upper Limit	-	-	-	5.0E+04
ATRAZINE	1.8E+04	Solubility	1.8E+04	-	-	5.0E+04
BARIUM	5.0E+04	Upper Limit	-	-	-	5.0E+04
BENOMYL	1.9E+03	Solubility	1.9E+03	-	-	5.0E+04
BENZENE	2.0E+03	Nuisance Odors	9.0E+05	2.0E+03	Ontario MOEE	5.0E+04
BENZO(a)ANTHRACENE	4.7E+00	Solubility	4.7E+00	-	-	5.0E+04
BENZO(a)PYRENE	8.0E-01	Solubility	8.0E-01	-	-	5.0E+04
BENZO(b)FLUORANTHENE	7.5E-01	Solubility	7.5E-01	-	-	5.0E+04
BENZO(g,h,i)PERYLENE	1.3E-01	Solubility	1.3E-01	-	-	5.0E+04
BENZO(k)FLUORANTHENE	4.0E-01	Solubility	4.0E-01	-	-	5.0E+04
BERYLLIUM	5.0E+04	Upper Limit	-	-	-	5.0E+04
BIPHENYL, 1,1-	5.0E-01	Nuisance Odors	3.7E+03	5.0E-01	Amoore & Hautala	5.0E+04
BIS(2-CHLOROETHYL)ETHER	3.6E+02	Nuisance Odors	8.6E+06	3.6E+02	Amoore & Hautala	5.0E+04
BIS(2-CHLORO-1-METHYLETHYL)ETHER	3.2E+02	Nuisance Odors	8.5E+05	3.2E+02	Ontario MOEE	5.0E+04
BIS(2-ETHYLHEXYL)PHTHALATE	1.4E+02	Solubility	1.4E+02	-	-	5.0E+04
BORON	5.0E+04	Upper Limit	-	-	-	5.0E+04
BROMODICHLOROMETHANE	5.0E+04	Upper Limit	1.5E+06	-	-	5.0E+04
BROMOFORM	5.1E+02	Nuisance Odors	1.6E+06	5.1E+02	Ontario MOEE	5.0E+04
BROMOMETHANE	5.0E+04	Upper Limit	7.6E+06	-	-	5.0E+04
CADMIUM	5.0E+04	Upper Limit	-	-	-	5.0E+04
CARBON TETRACHLORIDE	5.2E+02	Nuisance Odors	4.0E+05	5.2E+02	Ontario MOEE	5.0E+04
CHLORDANE (TECHNICAL)	2.5E+00	Nuisance Odors	2.8E+01	2.5E+00	Ontario MOEE	5.0E+04
CHLOROANILINE, p-	5.0E+04	Upper Limit	2.0E+06	-	-	5.0E+04
CHLOROBENZENE	5.0E+01	Nuisance Odors	2.5E+05	5.0E+01	Ontario MOEE	5.0E+04
CHLOROETHANE	1.6E+01	Nuisance Odors	3.4E+06	1.6E+01	Amoore & Hautala	5.0E+04
CHLOROFORM	2.4E+03	Nuisance Odors	4.0E+06	2.4E+03	Ontario MOEE	5.0E+04
CHLOROMETHANE	5.0E+04	Upper Limit	2.7E+06	-	-	5.0E+04
CHLOROPHENOL, 2-	1.8E-01	Nuisance Odors	5.7E+06	1.8E-01	Ontario MOEE	5.0E+04
CHROMIUM (Total)	5.0E+04	Upper Limit	-	-	-	5.0E+04
CHROMIUM III	5.0E+04	Upper Limit	-	-	-	5.0E+04
CHROMIUM VI	5.0E+04	Upper Limit	8.5E+08	-	-	5.0E+04
CHRYSENE	1.0E+00	Solubility	1.0E+00	-	-	5.0E+04
COBALT	5.0E+04	Upper Limit	-	-	-	5.0E+04
COPPER	5.0E+04	Upper Limit	-	-	-	5.0E+04
CYANIDE (Free)	1.7E+02	Nuisance Odors	4.8E+07	1.7E+02	Ontario MOEE	5.0E+04

TABLE G-4. SURFACE WATER GROSS CONTAMINATION ACTION LEVELS
(surface water IS NOT a current or potential source of drinking water)
(ug/L)

CHEMICAL PARAMETER	Final Action Level	Basis	Solubility (1/2)	Nuisance Odor Threshold	Basis	Upper Limit
CYCLO-1,3,5-TRIMETHYLENE-2,4,6-TRINITRAMINE (RDX)	3.0E+04	Solubility	3.0E+04	-	-	5.0E+04
DALAPON	5.0E+04	Upper Limit	2.5E+08	-	-	5.0E+04
DIBENZO(a,h)ANTHTRACENE	1.3E+00	Solubility	1.3E+00	-	-	5.0E+04
DIBROMO,1,2- CHLOROPROPANE,3-	1.0E+01	Nuisance Odors	6.2E+05	1.0E+01	Amoore & Hautala	5.0E+04
DIBROMOCHLOROMETHANE	5.0E+04	Upper Limit	1.4E+06	-	-	5.0E+04
DIBROMOETHANE, 1,2-	5.0E+04	Upper Limit	2.0E+06	-	-	5.0E+04
DICHLOROENZENE, 1,2-	1.0E+01	Nuisance Odors	7.8E+04	1.0E+01	Ontario MOEE	5.0E+04
DICHLOROENZENE, 1,3-	5.0E+04	Upper Limit	7.8E+04	-	-	5.0E+04
DICHLOROENZENE, 1,4-	1.1E+01	Nuisance Odors	4.1E+04	1.1E+01	Ontario MOEE	5.0E+04
DICHLOROENZIDINE, 3,3-	1.6E+03	Solubility	1.6E+03	-	-	5.0E+04
DICHLORODIPHENYLDICHLOROETHANE (DDD)	4.5E+01	Solubility	4.5E+01	-	-	5.0E+04
DICHLORODIPHENYLDICHLOROETHYLENE (DDE)	2.0E+01	Solubility	2.0E+01	-	-	5.0E+04
DICHLORODIPHENYLTRICHLOROETHANE (DDT)	2.8E+00	Solubility	2.8E+00	3.5E+02	Ontario MOEE	5.0E+04
DICHLOROETHANE, 1,1-	5.0E+04	Upper Limit	2.5E+06	-	-	5.0E+04
DICHLOROETHANE, 1,2-	2.0E+04	Nuisance Odors	4.3E+06	2.0E+04	Ontario MOEE	5.0E+04
DICHLOROETHYLENE, 1,1-	1.5E+03	Nuisance Odors	1.2E+06	1.5E+03	Amoore & Hautala	5.0E+04
DICHLOROETHYLENE, Cis 1,2-	5.0E+04	Upper Limit	3.2E+06	-	-	5.0E+04
DICHLOROETHYLENE, Trans 1,2-	2.6E+02	Nuisance Odors	2.3E+06	2.6E+02	Ontario MOEE	5.0E+04
DICHLOROPHENOL, 2,4-	3.0E-01	Nuisance Odors	2.8E+06	3.0E-01	Ontario MOEE	5.0E+04
DICHLOROPHENOXYACETIC ACID (2,4-D)	5.0E+04	Upper Limit	3.4E+05	-	-	5.0E+04
DICHLOROPROPANE, 1,2-	1.0E+01	Nuisance Odors	1.4E+06	1.0E+01	Ontario MOEE	5.0E+04
DICHLOROPROPENE, 1,3-	5.0E+04	Upper Limit	1.4E+06	-	-	5.0E+04
DIELDRIN	4.1E+01	Nuisance Odors	9.8E+01	4.1E+01	Ontario MOEE	5.0E+04
DIETHYLPHTHALATE	5.0E+04	Upper Limit	5.4E+05	-	-	5.0E+04
DIMETHYLPHENOL, 2,4-	4.0E+02	Nuisance Odors	3.9E+06	4.0E+02	Ontario MOEE	5.0E+04
DIMETHYLPHTHALATE	5.0E+04	Upper Limit	2.5E+06	-	-	5.0E+04
DINITROBENZENE, 1,3-	5.0E+04	Upper Limit	2.7E+05	-	-	5.0E+04
DINITROPHENOL, 2,4-	5.0E+04	Upper Limit	1.4E+06	-	-	5.0E+04
DINITROTOLUENE, 2,4- (2,4-DNT)	5.0E+04	Upper Limit	1.0E+05	-	-	5.0E+04
DINITROTOLUENE, 2,6- (2,6-DNT)	5.0E+04	Upper Limit	9.1E+04	-	-	5.0E+04
DIOXANE, 1,4-	5.0E+04	Upper Limit	5.0E+08	-	-	5.0E+04
DIOXINS (TEQ)	1.0E-01	Solubility	1.0E-01	-	-	5.0E+04
DIURON	2.1E+04	Solubility	2.1E+04	-	-	5.0E+04
ENDOSULFAN	1.6E+02	Solubility	1.6E+02	-	-	5.0E+04
ENDRIN	4.1E+01	Nuisance Odors	1.3E+02	4.1E+01	Ontario MOEE	5.0E+04
ETHANOL	5.0E+04	Upper Limit	5.0E+08	7.6E+05	Amoore & Hautala	5.0E+04
ETHYLBENZENE	3.0E+01	Nuisance Odors	8.5E+04	3.0E+01	USEPA 2nd MCL	5.0E+04
FLUORANTHENE	1.3E+02	Solubility	1.3E+02	-	-	5.0E+04
FLUORENE	8.5E+02	Solubility	8.5E+02	-	-	5.0E+04
GLYPHOSATE	5.0E+04	Upper Limit	5.3E+06	-	-	5.0E+04
HEPTACHLOR	2.0E+01	Nuisance Odors	9.0E+01	2.0E+01	Ontario MOEE	5.0E+04
HEPTACHLOR EPOXIDE	1.0E+02	Solubility	1.0E+02	-	-	5.0E+04
HEXACHLOROENZENE	3.1E+00	Solubility	3.1E+00	3.0E+03	Ontario MOEE	5.0E+04
HEXACHLOROBUTADIENE	6.0E+00	Nuisance Odors	1.6E+03	6.0E+00	Ontario MOEE	5.0E+04

TABLE G-4. SURFACE WATER GROSS CONTAMINATION ACTION LEVELS
(surface water IS NOT a current or potential source of drinking water)
(ug/L)

CHEMICAL PARAMETER	Final Action Level	Basis	Solubility (1/2)	Nuisance Odor Threshold	Basis	Upper Limit
HEXACHLOROCYCLOHEXANE (gamma) LINDANE	3.7E+03	Solubility	3.7E+03	1.2E+04	Ontario MOEE	5.0E+04
HEXACHLOROETHANE	1.0E+01	Nuisance Odors	2.5E+04	1.0E+01	Ontario MOEE	5.0E+04
HEXAZINONE	5.0E+04	Upper Limit	1.7E+07	-	-	5.0E+04
INDENO(1,2,3-cd)PYRENE	9.5E-02	Solubility	9.5E-02	-	-	5.0E+04
ISOPHORONE	5.0E+04	Upper Limit	6.0E+06	-	-	5.0E+04
LEAD	5.0E+04	Upper Limit	-	-	-	5.0E+04
MERCURY	5.0E+04	Upper Limit	3.5E+07	-	-	5.0E+04
METHOXYCHLOR	5.0E+01	Solubility	5.0E+01	4.7E+03	Ontario MOEE	5.0E+04
METHYL ETHYL KETONE	8.4E+03	Nuisance Odors	1.1E+08	8.4E+03	Amoore & Hautala	5.0E+04
METHYL ISOBUTYL KETONE	1.3E+03	Nuisance Odors	9.5E+06	1.3E+03	Amoore & Hautala	5.0E+04
METHYL MERCURY	5.0E+04	Upper Limit	-	-	-	5.0E+04
METHYL TERT BUTYL ETHER	1.8E+02	Nuisance Odors	2.6E+07	1.8E+02	CalDHS	5.0E+04
METHYLENE CHLORIDE	9.1E+03	Nuisance Odors	6.5E+06	9.1E+03	Ontario MOEE	5.0E+04
METHYLNAPHTHALENE, 1-	1.0E+01	Nuisance Odors	1.3E+04	1.0E+01	Ontario MOEE	5.0E+04
METHYLNAPHTHALENE, 2-	1.0E+01	Nuisance Odors	1.2E+04	1.0E+01	Ontario MOEE	5.0E+04
MOLYBDENUM	5.0E+04	Upper Limit	-	-	-	5.0E+04
NAPHTHALENE	2.1E+01	Nuisance Odors	1.6E+04	2.1E+01	Ontario MOEE	5.0E+04
NICKEL	5.0E+04	Upper Limit	-	-	-	5.0E+04
NITROBENZENE	5.0E+04	Upper Limit	1.0E+06	-	-	5.0E+04
NITROGLYCERIN	5.0E+04	Upper Limit	6.9E+05	-	-	5.0E+04
NITROTOLUENE, 2-	5.0E+04	Upper Limit	3.3E+05	-	-	5.0E+04
NITROTOLUENE, 3-	5.0E+04	Upper Limit	2.5E+05	-	-	5.0E+04
NITROTOLUENE, 4-	5.0E+04	Upper Limit	2.2E+05	-	-	5.0E+04
PENTACHLOROPHENOL	5.9E+02	Nuisance Odors	7.0E+03	5.9E+02	Ontario MOEE	5.0E+04
PENTAERYTHRITOLTETRANITRATE (PETN)	2.2E+04	Solubility	2.2E+04	-	-	5.0E+04
PERCHLORATE	5.0E+04	Upper Limit	1.2E+08	-	-	5.0E+04
PHENANTHRENE	4.1E+02	Solubility	4.1E+02	1.0E+03	Ontario MOEE	5.0E+04
PHENOL	7.9E+03	Nuisance Odors	4.1E+07	7.9E+03	Amoore & Hautala	5.0E+04
POLYCHLORINATED BIPHENYLS (PCBs)	2.2E+01	Solubility	2.2E+01	-	-	5.0E+04
PROPICONAZOLE	5.0E+04	Upper Limit	5.5E+04	-	-	5.0E+04
PYRENE	6.8E+01	Solubility	6.8E+01	-	-	5.0E+04
SELENIUM	5.0E+04	Upper Limit	-	-	-	5.0E+04
SILVER	5.0E+04	Upper Limit	-	-	-	5.0E+04
SIMAZINE	3.1E+03	Solubility	3.1E+03	-	-	5.0E+04
STYRENE	1.1E+01	Nuisance Odors	1.6E+05	1.1E+01	Ontario MOEE	5.0E+04
TERBACIL	5.0E+04	Upper Limit	3.6E+05	-	-	5.0E+04
tert-BUTYL ALCOHOL	5.0E+04	Upper Limit	5.0E+08	-	-	5.0E+04
TETRACHLOROETHANE, 1,1,1,2-	5.0E+04	Upper Limit	5.4E+05	-	-	5.0E+04
TETRACHLOROETHANE, 1,1,2,2-	5.0E+02	Nuisance Odors	1.4E+06	5.0E+02	Ontario MOEE	5.0E+04
TETRACHLOROETHYLENE	3.0E+02	Nuisance Odors	1.0E+05	3.0E+02	Ontario MOEE	5.0E+04
TETRACHLOROPHENOL, 2,3,4,6-	1.2E+04	Solubility	1.2E+04	-	-	5.0E+04
TETRANITRO-1,3,5,7-TETRAAZOCYCLOOCTANE (HMX)	2.5E+03	Solubility	2.5E+03	-	-	5.0E+04
THALLIUM	5.0E+04	Upper Limit	-	-	-	5.0E+04
TOLUENE	4.0E+01	Nuisance Odors	2.6E+05	4.0E+01	Ontario MOEE	5.0E+04

TABLE G-4. SURFACE WATER GROSS CONTAMINATION ACTION LEVELS
(surface water IS NOT a current or potential source of drinking water)
(ug/L)

CHEMICAL PARAMETER	Final Action Level	Basis	Solubility (1/2)	Nuisance Odor Threshold	Basis	Upper Limit
TOXAPHENE	1.4E+02	Nuisance Odors	2.8E+02	1.4E+02	USEPA 2nd MCL	5.0E+04
TPH (gasolines)	5.0E+03	Nuisance Odors	7.5E+04	5.0E+03	MADEP	5.0E+04
TPH (middle distillates)	5.0E+03	Nuisance Odors	2.6E+04	5.0E+03	MADEP	5.0E+04
TPH (residual fuels)	5.0E+03	Nuisance Odors		5.0E+03	MADEP	5.0E+04
TRICHLOROBENZENE, 1,2,4-	3.0E+03	Nuisance Odors	2.5E+04	3.0E+03	USEPA (1995)	5.0E+04
TRICHLOROETHANE, 1,1,1-	5.0E+04	Nuisance Odors	6.5E+05	5.0E+04	Ontario MOEE	5.0E+04
TRICHLOROETHANE, 1,1,2-	5.0E+04	Upper Limit	2.3E+06	-	-	5.0E+04
TRICHLOROETHYLENE	1.0E+04	Nuisance Odors	6.4E+05	1.0E+04	Ontario MOEE	5.0E+04
TRICHLOROPHENOL, 2,4,5-	2.0E+02	Nuisance Odors	6.0E+05	2.0E+02	Ontario MOEE	5.0E+04
TRICHLOROPHENOL, 2,4,6-	1.0E+02	Nuisance Odors	4.0E+05	1.0E+02	Ontario MOEE	5.0E+04
TRICHLOROPHENOXYACETIC ACID, 2,4,5- (2,4,5-T)	5.0E+04	Upper Limit	1.4E+05	-	-	5.0E+04
TRICHLOROPHENOXYPROPIONIC ACID, 2,4,5- (2,4,5-TP)	3.6E+04	Solubility	3.6E+04	-	-	5.0E+04
TRICHLOROPROPANE, 1,2,3-	5.0E+04	Upper Limit	8.8E+05	-	-	5.0E+04
TRICHLOROPROPENE, 1,2,3-	5.0E+04	Upper Limit	1.7E+05	-	-	5.0E+04
TRIFLURALIN	9.0E+01	Solubility	9.0E+01	-	-	5.0E+04
TRINITROBENZENE, 1,3,5-	5.0E+04	Upper Limit	1.4E+05	-	-	5.0E+04
TRINITROPHENYLMETHYLNITRAMINE, 2,4,6- (TETRYL)	3.7E+04	Solubility	3.7E+04	-	-	5.0E+04
TRINITROTOLUENE, 2,4,6- (TNT)	2.0E+01	Nuisance Odors	5.8E+04	2.0E+01	Ontario MOEE	5.0E+04
VANADIUM	5.0E+04	Upper Limit		-	-	5.0E+04
VINYL CHLORIDE	3.4E+03	Nuisance Odors	4.4E+06	3.4E+03	Ontario MOEE	5.0E+04
XYLENES	5.3E+02	Nuisance Odors	5.3E+04	5.3E+02	Ontario MOEE	5.0E+04
ZINC	5.0E+04	Upper Limit		-	-	5.0E+04

References:

Unless otherwise noted, criteria for nuisance odor threshold from Ontario MOEE (MOEE 1996, minus groundwater-to-surface water dilution factor) OR data from Amoores and Hautala (1983) as presented in *A Compilation of Water Quality Goals* if not available (RWQCBCV 2007).

Upper limit of 50000 ug/L intended to limit general groundwater resource degradation (MOEE 1996).

1/2 solubility based on solubility constants in USEPA RSL guidance (USEPA 2008a) or Ontario MOEE (MOEE 1996) if not available.

Odor threshold for MTBE based on average, upper range at which most subjects could smell MTBE in water (CalEPA 1999).

Notes:

Nuisance Odor Thresholds assume no attenuation/dilution of chemical in surface water.

Ceiling Level: lowest of 1/2 solubility, odor/taste threshold and 50000 ug/L maximum level (intended to limit general groundwater resource degradation).

TPH -Total Petroleum Hydrocarbons. See text for discussion of different TPH categories.

TPH ceiling level after Massachusetts DEP (MADEP 1997a).

TABLE H. PHYSIO-CHEMICAL AND TOXICITY CONSTANTS USED IN MODELS.

CHEMICAL PARAMETER	Physical State	Molecular Weight	Organic carbon partition coefficient, K _{oc} (cm ³ /g)	Diffusivity in air, D _a (cm ² /s)	Diffusivity in water, D _w (cm ² /s)	Pure component water solubility, S (mg/L)	Vapor Pressure (mm Hg)	Henry's Law constant H (atm·m ³ /mol)	Henry's Law constant H' (unitless)	Dermal Absorption Factors					Cancer Slope Factor Oral (mg/kg-d) ⁻¹	Cancer Unit Risk Factor (Inhalation) (µg/m ³) ⁻¹	Reference Dose Oral (mg/kg-d)	Reference Dose Dermal (mg/kg-d)	Reference Concentration (Inhalation) (mg/m ³)	
										Soil		Water								
										GI Absorption Factor (unitless)	Skin Absorption Factor (unitless)	B (unitless)	tevent (hr/event)	t* (hr)						KP (cm/hr)
ACENAPHTHENE	V S	154	5.03E+03	5.10E-02	8.30E-06	3.90E+00	2.20E-03	1.80E-04	7.50E-03	1.0	0.13	4.1E-01	7.7E-01	1.8E+00	8.6E-02	6.0E-02	6.0E-02	2.1E-01		
ACENAPHTHYLENE	V S	152	2.50E+03	6.08E-02	7.88E-06	3.93E+00	9.12E-04	1.45E-03	5.95E-02	1.0	0.13	4.1E-01	7.7E-01	1.8E+00	8.6E-02	4.0E-02	4.0E-02	1.6E-01		
ACETONE	V L	58	2.40E+00	1.10E-01	1.10E-05	1.00E+06	2.32E+02	3.50E-05	1.40E-03	1.0		1.5E-03	2.2E-01	5.3E-01	5.1E-04	9.0E-01	9.0E-01	3.2E+00		
ALDRIN	SV	365	8.20E+04	2.30E-02	5.80E-06	1.70E-02	1.20E-04	4.40E-05	1.80E-03	1.0		2.2E+00	1.2E+01	4.8E+01	2.9E-01	1.0E-04	1.0E-04			
AMETRYN	NV S	227	4.28E+02	5.10E-02	6.00E-06	2.09E+02	2.70E-06	2.40E-09	9.90E-08	1.0	0.1	4.6E-02	2.0E+00	4.7E+00	7.9E-03	9.0E-03	9.0E-03			
AMINO-2, -DINITROTOLUENE, 4,6-	NV S	197	2.83E+02	5.60E-02	6.60E-06	1.22E+03	1.10E-05	3.30E-11	1.30E-09	1.0	0.006	1.1E-02	1.3E+00	3.2E+00	2.0E-03	1.0E-04	1.0E-04			
AMINO-4, -DINITROTOLUENE, 2,6-	NV S	197	2.83E+02	5.60E-02	6.60E-06	1.22E+03	1.10E-05	3.30E-11	1.30E-09	1.0	0.009	1.1E-02	1.3E+00	3.2E+00	2.0E-03	1.0E-04	1.0E-04			
ANTHRACENE	V S	178	1.64E+04	3.90E-02	7.90E-06	4.30E-02	6.50E-06	5.60E-05	2.30E-03	1.0	0.13	7.3E-01	1.0E+00	4.1E+00	1.4E-01	3.0E-01	3.0E-01	1.1E+00		
ANTIMONY	NV S	122								0.15		4.2E-03	5.1E-01	1.2E+00	1.0E-03	4.0E-04	4.0E-04	3.00E-04		
ARSENIC	NV S	75								1.0	0.03	3.3E-03	2.8E-01	6.6E-01	1.0E-03	1.5E+00	4.3E-03	3.0E-04	3.0E-04	1.5E-05
ATRAZINE	NV S	216	2.25E+02	2.60E-02	6.80E-06	3.50E+01	2.90E-07	2.40E-09	9.60E-08	1.0	0.1	3.0E-02	1.7E+00	4.1E+00	5.2E-03	2.3E-01	3.0E-03	3.0E-03		
BARIUM	NV S	137								0.07		4.5E-03	6.2E-01	1.5E+00	1.0E-03	2.0E-01	2.0E-01	5.0E-04		
BENOMYL	NV S	230	3.36E+02	4.30E-02	5.10E-06	3.80E+00	3.70E-09	4.90E-12	2.00E-10	1	0.1	6.2E-03	4.4E+00	1.1E+01	9.4E-04	5.0E-02	5.0E-02			
BENZENE	V L	78	1.50E+02	9.00E-02	1.00E-05	1.79E+03	9.48E+01	5.60E-03	2.30E-01	1.0		5.1E-02	2.9E-01	6.9E-01	1.5E-02	4.0E-03	4.0E-03	3.0E-02		
BENZO(a)ANTHRACENE	SV	228	1.77E+05	2.60E-02	6.70E-06	9.40E-03	2.10E-07	1.20E-05	4.90E-04	1.0	0.13	3.2E+00	2.0E+00	8.5E+00	5.5E-01	1.0E-01	6.0E-05			
BENZO(a)PYRENE	NV S	252	5.87E+05	2.50E-02	6.60E-06	1.60E-03	5.50E-09	4.60E-07	1.90E-05	1.0	0.13	4.4E+00	2.7E+00	1.2E+01	7.1E-01	1.0E+00	6.0E-04	3.0E-04	2.00E-06	
BENZO(b)FLUORANTHENE	NV S	252	5.99E+05	2.50E-02	6.40E-06	1.50E-03	5.00E-07	6.60E-07	2.70E-05	1.0	0.13	2.5E+00	2.7E+00	1.1E+01	4.2E-01	1.0E-01	6.0E-05			
BENZO(g,h,i)PERYLENE	NV S	276	1.60E+06	4.80E-02	5.60E-06	2.60E-04	1.00E-10	1.44E-07	5.90E-06	1.0	0.13	2.5E+00	2.7E+00	1.1E+01	4.2E-01	4.0E-02	4.0E-02			
BENZO(k)FLUORANTHENE	NV S	252	5.87E+05	2.50E-02	6.40E-06	8.00E-04	9.70E-10	5.80E-07	2.40E-05	1.0	0.13	4.2E+00	2.7E+00	1.2E+01	6.9E-01	1.0E-02	6.0E-06			
BERYLLIUM	NV S	9								0.007		1.2E-03	1.2E-01	2.8E-01	1.0E-03	2.0E-03	2.0E-03	2.0E-05		
BIPHENYL, 1,1-	V S	154	5.13E+03	4.70E-02	7.60E-06	7.48E+00	8.90E-03	3.10E-04	1.30E-02	1.0		4.5E-01	7.7E-01	1.8E+00	9.4E-02	8.0E-03	5.0E-01	5.0E-01	4.0E-04	
BIS(2-CHLOROETHYL)ETHER	V L	143	3.22E+01	5.70E-02	8.70E-06	1.72E+04	1.55E+00	1.70E-05	7.00E-04	1.0		8.2E-03	6.6E-01	1.6E+00	1.8E-03	1.1E+00	3.3E-04			
BIS(2-CHLORO-1-METHYLETHYL)ETHER	V L	171	6.10E+01	6.31E-02	6.40E-06	1.70E+03	5.30E-01	1.13E-04	4.63E-03	1.0		3.8E-02	9.5E-01	2.3E+00	7.6E-03	7.0E-02	1.0E-05	4.00E-02	4.0E-02	1.40E-01
BIS(2-ETHYLHEXYL)PHTHALATE	NV S	391	1.20E+05	1.70E-02	4.20E-06	2.70E-01	1.40E-07	2.70E-07	1.10E-05	1.0	0.1	8.6E+00	1.6E+01	7.3E+01	1.1E+00	1.4E-02	2.4E-06	2.0E-02	2.0E-02	
BORON	NV S	14								1.0		1.4E-03	1.3E-01	3.0E-01	1.0E-03	2.0E-01	2.0E-01	2.0E-02		
BROMODICHLOROMETHANE	V L	164	3.18E+01	5.60E-02	1.10E-05	3.03E+03	5.00E+01	2.10E-03	8.70E-02	1.0		2.0E-02	8.7E-01	2.1E+00	4.0E-03	6.2E-02	3.7E-05	8.0E-03	8.0E-03	2.8E-02
BROMOFORM	SV	253	3.18E+01	3.60E-02	1.00E-05	3.10E+03	5.40E+00	5.40E-04	2.20E-02	1.0		1.4E-02	2.7E+00	6.6E+00	2.4E-03	7.9E-03	1.1E-06	2.0E-02	2.0E-02	
BROMOMETHANE	V G	95	1.32E+01	1.00E-01	1.30E-05	1.52E+04	1.62E+03	7.30E-03	3.00E-01	1.0		1.1E-02	3.6E-01	8.6E-01	2.8E-03	1.4E-03	1.4E-03	5.0E-03		
CADMIUM	NV S	112								0.05	0.001	4.1E-03	4.5E-01	1.1E+00	1.0E-03	1.8E-03	1.0E-04	1.0E-04	1.0E-05	
CARBON TETRACHLORIDE	V L	154	4.39E+01	5.70E-02	9.80E-06	7.93E+02	1.15E+02	2.80E-02	1.10E+00	1.0		7.8E-02	7.6E-01	1.8E+00	1.6E-02	7.0E-02	6.0E-06	4.0E-03	4.0E-03	1.0E-01
CHLORDANE (TECHNICAL)	SV	410	6.75E+04	2.10E-02	5.40E-06	5.60E-02	1.00E-05	4.90E-05	2.00E-03	1.0	0.04	8.3E-01	2.1E+01	8.0E+01	1.1E-01	3.5E-01	1.0E-04	5.0E-04	5.0E-04	7.0E-04
CHLOROANILINE, p-	NV S	128	1.13E+02	7.00E-02	1.00E-05	3.90E+03	2.70E-02	1.20E-06	4.70E-05	1.0	0.1	2.2E-02	5.4E-01	1.3E+00	5.0E-03	2.0E-01		5.0E-04	5.0E-04	
CHLOROBENZENE, 1,3-	V L	113	2.34E+02	7.20E-02	9.50E-06	4.98E+02	1.20E+01	3.10E-03	1.30E-01	1.0		1.2E-01	4.5E-01	1.1E+00	2.8E-02	2.0E-02	2.0E-02	5.0E-02		
CHLOROBENZENE, 1,4-	V L	113	2.34E+02	7.20E-02	9.50E-06	4.98E+02	1.20E+01	3.10E-03	1.30E-01	1.0		1.2E-01	4.5E-01	1.1E+00	2.8E-02	2.0E-02	2.0E-02	5.0E-02		
CHLOROBENZENE, 1,2-	V L	113	2.34E+02	7.20E-02	9.50E-06	4.98E+02	1.20E+01	3.10E-03	1.30E-01	1.0		1.2E-01	4.5E-01	1.1E+00	2.8E-02	2.0E-02	2.0E-02	5.0E-02		
CHLOROFORM	V L	119	3.18E+01	7.70E-02	1.10E-05	7.95E+03	1.97E+02	3.70E-03	1.50E-01	1.0		2.9E-02	4.9E-01	1.2E+00	6.8E-03	3.1E-02	2.3E-05	1.0E-02	1.0E-02	9.8E-02
CHLOROMETHANE	V G	50	1.32E+01	1.20E-01	1.40E-05	5.32E+03	4.30E+03	8.80E-03	3.60E-01	1.0		9.0E-03	2.0E-01	4.8E-01	3.3E-03			9.0E-02		
CHLOROPHENOL, 2-	V L	129	3.88E+02	6.80E-02	9.50E-06	1.13E+04	2.50E+00	1.10E-05	4.60E-04	1.0		3.5E-02	5.5E-01	1.3E+00	8.0E-03			5.0E-03	5.0E-03	1.8E-02
CHROMIUM (Total)	NV S	52								0		2.8E-03	2.1E-01	4.9E-01	1.0E-03					
CHROMIUM III	NV S	52								1		2.8E-03	2.1E-01	4.9E-01	1.0E-03			1.5E+00		
CHROMIUM VI	NV S	52				1.69E+06				0.025		5.5E-03	2.1E-01	4.9E-01	2.0E-03	5.0E-01	8.4E-02	3.0E-03	3.0E-03	1.0E-04
CHRYSENE	NV S	228	1.81E+05	2.60E-02	6.70E-06	2.00E-03	6.20E-09	5.20E-06	2.10E-04	1.0	0.13	3.5E+00	2.0E+00	8.5E+00	6.0E-01	1.0E-03	6.0E-07			
COBALT	NV S	59								1.0		1.2E-03	2.2E-01	5.4E-01	4.0E-04		9.0E-03	3.00E-04	3.0E-04	6.00E-06
COPPER	NV S	64								1.0		3.1E-03	2.4E-01	5.7E-01	1.0E-03			4.0E-02	4.0E-02	
CYANIDE (Free)	V S	27		2.10E-01	2.50E-05	9.54E+04	3.08E+02	1.00E-04	4.20E-03	1.0		2.0E-03	1.5E-01	3.5E-01	1.0E-03	6.0E-04	6.0E-04	8.00E-04		
CYCLO-1,3,5-TRIMETHYLENE-2,4,6-TRINITRAMINE (RDX)	NV S	222	8.91E+01	3.10E-02	8.50E-06	5.97E+01	4.10E-09	2.00E-11	8.20E-10	1.0	0.015	1.9E-03	1.8E+00	4.4E+00	3.4E-04	8.0E-02	4.0E-03	4.0E-03		
DALAPON	NV L	143	3.20E+00	6.00E-02	9.40E-06	5.02E+05	1.50E-01	5.70E-08	2.30E-06	1.0	0.1	3.7E-03	6.6E-01	1.6E+00	8.2E-04			3.0E-02	3.0E-02	
DIBENZO(a,h)ANTHRACENE	NV S	278	1.91E+06	2.40E-02	6.00E-06	2.50E-03	9.60E-10	1.40E-07	5.80E-06	1.0	0.13	3.5E+00	2.0E+00	8.5E+00	6.0E-01	1.0E+00	6.0E-04			
DIBROMO, 1,2- CHLOROPROPANE, 3-	V L	236	1.16E+02	3.20E-02	8.90E-06	1.23E+03	5.80E-01	1.50E-04	6.00E-03	1.0		4.1E-02	2.2E+00	5.3E+00	6.9E-03	8.0E-01	6.0E-03	2.0E-04	2.0E-04	2.0E-04
DIBROMOCHLOROMETHANE	V S	208	3.18E+01	3.70E-02	1.10E-05	2.70E+03	5.54E+00	7.80E-04	3.20E-02	1.0		1.6E-02	1.5E+00	3.7E+00	2.9E-03	8.4E-02		2.0E-02	2.0E-02	7.0E-02
DIBROMOETHANE, 1,2-	V S	188	3.96E+01	4.30E-02	1.00E-05	3.91E+03	1.12E+01	6.50E-04	2.70E-02	1.0		1.5E-02	1.2E+00	2.8E+00	2.8					

TABLE H. PHYSIO-CHEMICAL AND TOXICITY CONSTANTS USED IN MODELS.

CHEMICAL PARAMETER	Physical State	Molecular Weight	Organic carbon partition coefficient, K _{oc} (cm ³ /g)	Diffusivity in air, D _a (cm ² /s)	Diffusivity in water, D _w (cm ² /s)	Pure component water solubility, S (mg/L)	Vapor Pressure (mm Hg)	Henry's Law constant H (atm-m ³ /mol)	Henry's Law constant H' (unitless)	Dermal Absorption Factors					Cancer Slope Factor Oral (mg/kg-d) ⁻¹	Cancer Unit Risk Factor (Inhalation) (ug/m ³) ⁻¹	Reference Dose Oral (mg/kg-d)	Reference Dose Dermal (mg/kg-d)	Reference Concentration (Inhalation) (mg/m ³)		
										Soil		Water									
										GI Absorption Factor (unitless)	Skin Absorption Factor (unitless)	B (unitless)	revent (hr/event)	t* (hr)						KP (cm/hr)	
DINITROPHENOL, 2,4-	NV	S	184	4.61E+02	4.10E-02	9.10E-06	2.79E+03	3.90E-04	8.60E-08	3.50E-06	1.0	0.1	9.8E-03	1.1E+00	2.7E+00	1.9E-03			2.0E-03	2.0E-03	
DINITROTOLUENE, 2,4-(2,4-DNT)	NV	S	182	5.76E+02	3.80E-02	7.90E-06	2.00E+02	1.50E-04	5.40E-08	2.20E-06	1.0	0.102	1.6E-02	1.1E+00	2.6E+00	3.1E-03			2.0E-03	2.0E-03	
DINITROTOLUENE, 2,6-(2,6-DNT)	NV	S	182	5.87E+02	3.70E-02	7.80E-06	1.82E+02	5.70E-04	7.50E-07	3.10E-05	1.0	0.099	1.9E-02	1.1E+00	2.6E+00	3.7E-03			3.0E-04	3.0E-04	
DIOXANE, 1,4-	V	L	88	2.60E+00	8.70E-02	1.10E-05	1.00E+06	3.80E+01	4.80E-06	2.00E-04	1.0		1.2E-03	3.3E-01	7.9E-01	3.3E-04	1.0E-01	5.0E-06	3.0E-02	3.0E-02	3.0E-02
DIOXINS (TEQ)	SV	S	356	2.49E+05	4.70E-02	6.80E-06	2.00E-04	1.50E-09	5.00E-10	2.00E-03	1.0	0.03	5.6E+00	6.7E+00	2.9E+01	8.1E-01	1.3E+05	3.8E+01	3.3E-09	3.3E-09	4.0E-08
DIURON	NV	S	233	1.09E+02	5.00E-02	5.90E-06	4.20E+01	6.90E-08	5.00E-10	2.10E-08	1.0	0.1	2.7E-02	2.1E+00	5.1E+00	4.7E-03			2.0E-03	2.0E-03	
ENDOSULFAN	SV	S	407	6.76E+03	2.20E-02	5.80E-06	3.25E-01	1.70E-07	6.50E-05	2.70E-03	1.0		2.2E-02	2.0E+01	4.8E+01	2.9E-03			6.0E-03	6.0E-03	
ENDRIN	NV	S	381	2.01E+04	3.60E-02	4.20E-06	2.50E-01	3.00E-06	6.40E-06	2.60E-04	1.0	0.1	2.4E-01	1.4E+01	3.4E+01	3.3E-02			3.0E-04	3.0E-04	
ETHANOL	V	L	46	3.09E-01			1.00E+06	5.30E+01	6.29E-06	2.58E-04	1.0										
ETHYLBENZENE	NV	L	106	4.46E+02	6.80E-02	8.50E-06	1.69E+02	9.60E+00	7.90E-03	3.20E-01	1.0		2.0E-01	4.1E-01	9.9E-01	4.9E-02	1.1E-02	2.5E-06	5.0E-02	5.0E-02	1.0E+00
FLUORANTHENE	V	S	202	5.55E+04	2.80E-02	7.20E-06	2.60E-01	9.20E-06	8.90E-06	3.60E-04	1.0	0.13	1.7E+00	1.4E+00	5.7E+00	3.1E-01			4.0E-02	4.0E-02	
FLUORENE	V	S	166	9.16E+03	4.40E-02	7.90E-06	1.69E+00	6.00E-04	9.60E-05	3.90E-03	1.0	0.13	5.5E-01	9.0E-01	2.2E+00	1.1E-01			4.0E-02	4.0E-02	1.4E-01
GLYPHOSATE	NV	S	169	2.10E+03	6.20E-02	7.30E-06	1.05E+04	9.80E-08	2.10E-12	8.60E-11	1.0	0.1	2.3E-07	9.3E-01	2.2E+00	4.5E-08			1.0E-01	1.0E-01	
HEPTACHLOR	SV	S	373	4.13E+04	2.20E-02	5.70E-06	1.80E-01	4.00E-04	2.90E-04	1.20E-02	1.0		1.1E+00	1.3E+01	5.0E+01	1.4E-01			4.5E+00	1.3E-03	1.0E-04
HEPTACHLOR EPOXIDE	SV	S	389	1.01E+04	2.40E-02	6.20E-06	2.00E-01	2.00E-05	2.10E-05	8.60E-04	1.0		1.6E-01	1.6E+01	3.8E+01	2.1E-02	9.1E+00	2.6E-03	1.3E-05	1.3E-05	3.0E-02
HEXACHLOROBENZENE	SV	S	285	6.20E+03	2.90E-02	7.80E-06	6.20E-03	1.80E-05	1.70E-03	7.00E-02	1.0		1.6E+00	4.1E+00	1.7E+01	2.5E-01	1.6E+00	4.6E-04	1.0E-05	1.0E-05	
HEXACHLOROBUTADIENE	SV	S	261	8.45E+02	2.70E-02	7.00E-06	3.20E+00	2.20E-01	1.00E-02	4.20E-01	1.0		5.0E-01	3.0E+00	7.3E+00	8.1E-02	7.8E-02	2.2E-05	1.0E-03	1.0E-03	
HEXACHLOROXYCLOHEXANE (gamma) LINDANE	NV	S	291	2.81E+03	4.30E-02	5.10E-06	7.30E+00	4.20E-05	5.10E-06	2.10E-04	1.0	0.04	1.4E-01	4.5E+00	1.1E+01	2.1E-02	1.1E+00	3.1E-04	3.0E-04	3.0E-04	
HEXACHLOROETHANE	NV	S	237	1.97E+02	3.20E-02	6.90E-06	5.00E+01	2.10E-01	3.90E-03	1.60E-01	1.0		2.5E-01	2.2E+00	5.3E+00	4.2E-02	4.0E-02	1.1E-05	7.0E-04	7.0E-04	3.0E-02
HEXAZINONE	NV	S	252	1.29E+02	2.50E-02	6.30E-06	3.30E+04	2.30E-07	2.30E-12	9.20E-11	1.0	0.1	6.2E-03	2.7E+00	6.5E+00	1.0E-03			3.3E-02	3.3E-02	
INDENO(1,2,3-cd)PYRENE	NV	S	276	1.95E+06	2.50E-02	6.40E-06	1.90E-04	1.30E-10	3.50E-07	1.40E-05	1.0	0.13	7.9E+00	3.7E+00	1.7E+01	1.2E+00	1.0E-01	6.0E-05		0.0E+00	
ISOPHORONE	NV	L	138	6.50E+01	5.30E-02	7.50E-06	1.20E+04	4.40E-01	6.60E-06	2.70E-04	1.0	0.1	1.6E-02	6.2E-01	1.5E+00	3.5E-03	9.5E-04		2.0E-01	2.0E-01	2.0E+00
LEAD	NV	S	207								1.0		5.5E-04	1.5E+00	3.7E+00	1.0E-04				0.0E+00	
MERCURY	NV	S	201				6.90E+04				0.1		6.3E-03	3.5E+00	8.4E+00	1.0E-03			3.0E-04	3.0E-04	3.0E-04
METHOXYCHLOR	NV	S	346	2.69E+04	2.20E-02	5.60E-06	1.00E-01	2.60E-06	2.00E-07	8.30E-06	1.0	0.1	3.1E-01	9.1E+00	2.2E+01	4.3E-02			5.0E-03	5.0E-03	
METHYL ETHYL KETONE	V	L	72	4.51E+00	9.10E-02	1.00E-05	2.23E+05	9.06E+01	5.70E-05	2.30E-03	1.0		3.1E-03	2.7E-01	6.4E-01	9.6E-04			6.0E-01	6.0E-01	5.0E+00
METHYL ISOBUTYL KETONE	V	L	100	1.26E+01	7.00E-02	8.30E-06	1.90E+04	1.99E-01	1.40E-04	5.60E-03	1.0		1.2E-02	3.8E-01	9.2E-01	3.2E-03					3.0E+00
METHYL MERCURY	NV	S	216								1.0		5.7E-03	1.7E+00	4.1E+00	1.0E-03			1.0E-04	1.0E-04	
METHYL TERT BUTYL ETHER	V	L	88	1.16E+01	7.50E-02	8.60E-06	5.10E+04	2.50E+02	5.90E-04	2.40E-02	1.0		7.6E-03	3.3E-01	7.9E-01	2.1E-03	1.8E-03	2.6E-07			3.0E+00
METHYLENE CHLORIDE	V	L	85	2.17E+01	1.00E-01	1.30E-05	1.30E+04	4.35E+02	3.30E-03	1.30E-01	1.0		1.3E-02	3.1E-01	7.5E-01	3.5E-03	2.0E-03	1.0E-08	6.0E-03	6.0E-03	6.0E-01
METHYLNAPHTHALENE, 1-	V	S	142	2.53E+03	5.30E-02	7.80E-06	2.58E+01	6.70E-02	5.10E-04	2.10E-02	1.0	0.13	4.3E-01	6.6E-01	1.6E+00	9.3E-02	2.9E-02		7.0E-02	7.0E-02	2.5E-01
METHYLNAPHTHALENE, 2-	V	S	142	2.48E+03	5.20E-02	7.80E-06	2.46E+01	5.50E-02	5.20E-04	2.10E-02	1.0	0.13	4.2E-01	6.6E-01	1.6E+00	9.2E-02			4.0E-03	4.0E-03	1.4E-02
MOLYBDENUM	NV	S	96								1.0		3.8E-03	3.6E-01	8.7E-01	1.0E-03			5.0E-03	5.0E-03	2.00E-03
NAPHTHALENE	V	S	128	1.54E+03	6.00E-02	8.40E-06	3.10E+01	8.50E-02	4.40E-04	1.80E-02	1.0	0.13	2.0E-01	5.5E-01	1.3E+00	4.7E-02	1.2E-01	3.4E-05	2.0E-02	2.0E-02	3.0E-03
NICKEL	NV	S	59								0.04		5.9E-04	2.2E-01	5.4E-01	2.0E-04			2.0E-02	2.0E-02	1.4E-05
NITROBENZENE	V	L	123	2.26E+02	6.80E-02	9.40E-06	2.09E+03	2.45E-01	2.40E-05	9.80E-04	1.0		2.3E-02	5.1E-01	1.2E+00	5.4E-03			4.0E-05	2.0E-03	9.0E-03
NITROGLYCERIN	NV	L	227	1.16E+02	2.90E-02	7.70E-06	1.38E+03	4.00E-04	8.70E-08	3.50E-06	1.0	0.1	5.8E-03	2.0E+00	4.7E+00	9.9E-04	1.7E-02		1.0E-04	1.0E-04	
NITROTOLUENE, 2-	V	S	137	3.71E+02	5.90E-02	8.70E-06	6.50E+02	1.90E-01	1.30E-05	5.10E-04	1.0		4.0E-02	6.2E-01	1.5E+00	9.0E-03	2.2E-01		9.0E-04	9.0E-04	3.2E-03
NITROTOLUENE, 3-	NV	S	137	3.63E+02	5.90E-02	8.70E-06	5.00E+02	2.05E-01	9.30E-06	3.80E-04	1.0	0.10	5.1E-02	6.2E-01	1.5E+00	1.1E-02			1.00E-04	1.0E-04	
NITROTOLUENE, 4-	NV	S	137	3.63E+02	5.70E-02	8.40E-06	4.42E+02	1.60E-02	5.60E-06	2.30E-04	1.0	0.1	4.5E-02	6.2E-01	1.5E+00	1.0E-02	1.6E-02		4.0E-03	4.0E-03	1.4E-02
PENTACHLOROPHENOL	NV	S	266	5.92E+02	3.00E-02	8.00E-06	1.40E+01	1.10E-04	2.50E-08	1.00E-06	1.0	0.25	8.0E-01	3.3E+00	1.3E+01	1.3E-01	4.0E-01	5.1E-06	5.0E-03	5.0E-03	
PENTAERYTHRITOLTETRA-NITRATE (PETN)	NV	S	316	6.48E+02	2.60E-02	6.80E-06	4.30E+01	5.50E-09	1.30E-09	5.40E-08	1.0	0.1	6.9E-03	6.2E+00	1.5E+01	1.0E-03	4.3E-03		9.0E-03	9.0E-03	
PERCHLORATE	NV	S	117				2.45E+05				1.0		4.2E-03	4.8E-01	1.1E+00	1.0E-03			7.0E-04	7.0E-04	
PHENANTHRENE	V	S	178	1.40E+04	6.08E-02	7.88E-06	8.16E-01		3.93E-05	1.61E-03	1.0	0.13	5.5E-01	9.0E-01	2.2E+00	1.1E-01			4.0E-02	4.0E-02	1.4E-01
PHENOL	NV	S	94	1.87E+02	8.30E-02	1.00E-05	8.28E+04	3.50E-01	3.30E-07	1.40E-05	1.0	0.1	1.6E-02	3.5E-01	8.5E-01	4.3E-03			3.0E-01	3.0E-01	2.0E-01
POLYCHLORINATED BIPHENYLS (PCBs)	SV	S	326	1.31E+05	2.40E-02	6.10E-06	4.30E-02	7.70E-05	2.80E-04	1.20E-02	1.0	0.14	5.2E+00	7.1E+00	3.1E+01	7.5E-01	2.0E+00	5.7E-04	2.0E-05	2.0E-05	
PROPIONAZOLE	NV	L	342	1.56E+03	2.10E-02	5.30E-06	1.10E+02	4.20E-07	1.70E-09	7.00E-08	1.0	0.1	4.0E-02	8.7E+00	2.1E+01	5.6E-03			1.0E-01	1.0E-01	
PYRENE	V	S	202	5.43E+04	2.80E-02	7.20E-06	1.35E+01	4.50E-06	1.20E-05	4.90E-04	1.0										

TABLE H. PHYSIO-CHEMICAL AND TOXICITY CONSTANTS USED IN MODELS.

CHEMICAL PARAMETER	Physical State	Molecular Weight	Organic carbon partition coefficient, K _{oc}	Diffusivity in air, D _a	Diffusivity in water, D _w	Pure component water solubility, S	Vapor Pressure	Henry's Law constant H	Henry's Law constant H'	Dermal Absorption Factors						Cancer Slope Factor Oral	Cancer Unit Risk Factor (Inhalation)	Reference Dose Oral	Reference Dose Dermal	Reference Concentration (Inhalation)	
										Soil			Water								
										GI Absorption Factor	Skin Absorption Factor										
										GIABS	ABS	B	revent	t*	KP						
		(unitless)	(unitless)	(unitless)	(hr/event)	(hr)	(cm/hr)	CSF _o d	IUR	RfDo	RfDd	RfC									
TRICHLOROPHENOXYACETIC ACID, 2,4,5- (2,4,5-T)	NV	S	255	1.07E+02	2.90E-02	7.80E-06	2.78E+02	3.80E-05	8.70E-09	3.50E-07	1.0	0.1	5.6E-02	2.8E+00	6.8E+00	9.1E-03			1.0E-02	1.0E-02	
TRICHLOROPHENOXYPROPIONIC ACID, 2,4,5- (2,4,5-TP)	NV	S	270	1.75E+02	2.30E-02	5.90E-06	7.10E+01	1.00E-05	9.10E-09	3.70E-07	1.0	0.1	1.0E-01	3.4E+00	8.2E+00	1.6E-02			8.0E-03	8.0E-03	
TRICHLOROPROPANE, 1,2,3-	V	L	147	1.16E+02	5.70E-02	9.20E-06	1.75E+03	3.69E+00	3.40E-04	1.40E-02	1.0		3.5E-02	7.0E-01	1.7E+00	7.5E-03	3.0E+01		4.0E-03	4.0E-03	3.0E-04
TRICHLOROPROPENE, 1,2,3-	V	L	145	1.16E+02	5.90E-02	9.40E-06	3.34E+02	4.40E+00	1.80E-02	7.20E-01	1.0		7.8E-02	6.9E-01	1.6E+00	1.7E-02			3.0E-03	3.0E-03	3.0E-04
TRIFLURALIN	SV	S	335	1.64E+04	2.20E-02	5.60E-06	1.80E-01	4.60E-05	1.00E-04	4.20E-03	1.0		5.1E-01	7.9E+00	1.9E+01	7.3E-02	7.7E-03		7.5E-03	7.5E-03	
TRINITROBENZENE, 1,3,5-	NV	S	213	1.68E+03	2.90E-02	7.70E-06	2.78E+02	6.40E-06	6.50E-09	2.70E-07	1.0	0.019	2.6E-01	5.0E-01	1.2E+00	6.2E-02			3.0E-02	3.0E-02	
TRINITROPHENYLMETHYLNITRAMINE, 2,4,6- (TETRYL)	NV	S	287	4.81E+03	2.60E-02	6.70E-06	7.40E+01	5.70E-08	2.70E-09	1.10E-07	1.0	0.00065	3.1E-03	4.3E+00	1.0E+01	4.7E-04			2.0E-03	2.0E-03	
TRINITROTOLUENE, 2,4,6- (TNT)	NV	S	227	2.81E+03	3.00E-02	7.90E-06	1.15E+02	8.00E-06	2.10E-08	8.50E-07	1.0	0.032	5.6E-03	2.0E+00	4.7E+00	9.6E-04	3.0E-02		5.0E-04	5.0E-04	
VANADIUM	NV	S	51								0.026		2.7E-03	2.0E-01	4.9E-01	1.0E-03			5.0E-03	5.0E-03	1.0E-04
VINYL CHLORIDE	V	G	63	2.17E+01	1.10E-01	1.20E-05	8.80E+03	2.98E+03	2.80E-02	1.10E+00	1.0		2.5E-02	2.4E-01	5.7E-01	8.4E-03	7.2E-01	4.4E-06	3.0E-03	3.0E-03	1.0E-01
XYLENES	V	L	106	3.83E+02	6.90E-02	8.50E-06	1.06E+02	8.00E+00	6.60E-03	2.70E-01	1.0		2.1E-01	4.1E-01	9.9E-01	5.3E-02			2.0E+00	2.0E+00	1.0E-01
ZINC	NV	S	67								1.0		1.9E-03	2.4E-01	5.9E-01	6.0E-04			3.0E-01	3.0E-01	

General Notes:
 Physical state of chemical at ambient conditions (V - volatile, NV - nonvolatile, SV-semivolatile, S - solid, L - liquid, G - gas).
 Chemical considered to be "volatile" if Henry's number (atm m3/mole) >0.00001 or VP >1 mm Hg and molecular weight <200, and "semi-volatile" if molecular weight >200.

Physio-chemical constants and toxicity factors primarily from USEPA RSL guidance (USEPA 2023). Other references include: National Library of Medicine Toxnet database (NLM 2008a), NLM ChemID Plus (NLM 2008b), ATSDR Toxprofiles (ATSDR 2006) and USDOE RAIS database (USDOE 2006), in that order or preference, unless otherwise noted.

Reference Concentration (RfC) for volatile noncarcinogens calculated based on oral reference dose if not available in USEPA RSL guidance (see Section 1.3; RfC = RfD x 80kg x (1/20m3-d). Resulting action levels may differ from those presented in the USEPA RSL guidance. Includes: acenaphthalene, acenaphthylene, anthracene, 2-chlorophenol, bromodichloromethane, dibromochloromethane, dibromomethane, 1,3 dichlorobenzene, 1,1 dichloroethane, cis 1,2-dichloroethylene, trans 1,2-dichloroethylene, 2,4-dimethylphenol, fluorene, 1 & 2-methylnaphthalene, 2-nitrotoluene, 3-nitrotoluene, phenanthrene, pyrene, 1,1,1,2-tetrachloroethane, 2,4,5-trichlorophenol.

Notes on Individual Chemicals
 Acenaphthylene dermal absorption factors based on factors for acenaphthene (not available, similar structure).
 Antimony toxicity factors based on metallic forms.
 Benzo(g,h,i)perylene dermal absorption factors based on factors for benzo(b)fluoranthene (not available, most conservative of benzo-PAHs)
 Total Chromium action levels based assumed background (refer to Section 2.8 in Volume 1).
 Cyanide action levels based on CN-
 Dibromochloromethane, dibromochloropropane and pyrene considered volatile for purposes of modeling (USEPA 2004). (Molecular weight adjusted to 199 in column E (hidden) to permit generation of volatilization factor in soil direct-exposure models.)
 Dioxins TEQ cancer slope factors based on 2,3,7,8-TCDD; see HDOH 2010 for background of noncancer toxicity factors.
 Ethanol toxicity factors not available (refer to Section 5.3.3 in Appendix 1).
 Mercury toxicity factors based on mercuric salts.
 Nickel toxicity factors based on soluble salts.
 Phenanthrene dermal absorption factors based on fluorene (not available, similar structure).
 PCB constants and toxicity factors based on Arochlor 1254.
 Thallium toxicity factors based on soluble salts.
 TBA vapor pressure from *Management of MBE Impacted Sites* (RWQCB 2001).
 Tetrachloroethylene - Cancer-based toxicity factors from CalEPA 2016; noncancer toxicity factors from USEPA 2016.
 TPH -Total Petroleum Hydrocarbons. See Section 6 of text for discussion of different TPH categories. TPH physiochemical constants based on C0-C10 aromatic compounds published in MADEP 2002 with noted exceptions (primarily affects soil leaching models). Molecular Weights: Gasolines (ATSDR 1995), Middle Distillates = Diesel (NRC 1996), Residual Fuels = Bunker F/Fuel Oil No. 6 (IARC 1989, CountryMark 2012). Gasoline solubility after USACE 1998. Gasoline and Middle Distillate vapor pressures from NJDEP 2008 and 2010, respectively.
 TPHg and TPHmd solubilities from USACE 1998. TPH as gasolines and middle distillates diffusivity constants based on xylenes. Required for direct exposure models - Does not significantly affect action levels. See Chapter 5 of Appendix 1.
 Residual fuels assumed to be semi-volatile due to the potential presence of >C8 aromatics and >C8-C18 aliphatics.
 TPH toxicity factors discussed in Appendix 1, Chapter 6.
 Xylenes physio-chemical and toxicity constants based on m-xylene.
 Vanadium toxicity factors based on metallic forms.
 Zinc toxicity factors based on metallic forms.

TABLE I-1. DIRECT-EXPOSURE ACTION LEVELS
¹UNRESTRICTED LAND USE SCENARIO

CHEMICAL	Final Action Level (mg/kg)	Basis	² Carcinogens (mg/kg)	² Mutagens (mg/kg)	³ Noncarcinogens (Final) (mg/kg)	³ Noncarcinogens (HQ = 1.0) (mg/kg)	Saturation (mg/kg)
ACENAPHTHENE	6.5E+02	noncarcinogenic effects			6.5E+02	3.2E+03	NA
ACENAPHTHYLENE	3.4E+02	noncarcinogenic effects			3.4E+02	1.7E+03	NA
ACETONE	5.7E+03	noncarcinogenic effects			5.7E+03	2.9E+04	1.1E+05
ALDRIN	3.9E+00	noncarcinogenic effects	1.7E+01		3.9E+00	7.8E+00	NA
AMETRYN	1.1E+02	noncarcinogenic effects			1.1E+02	5.7E+02	NA
AMINO,2- DINITROTOLUENE,4,6-	1.5E+00	noncarcinogenic effects			1.5E+00	7.7E+00	NA
AMINO,4- DINITROTOLUENE,2,6-	1.5E+00	noncarcinogenic effects			1.5E+00	7.7E+00	NA
ANTHRACENE	3.5E+03	noncarcinogenic effects			3.5E+03	1.7E+04	NA
ANTIMONY	6.3E+00	noncarcinogenic effects			6.3E+00	3.1E+01	NA
ARSENIC	2.3E+01	HDOH 2010	4.1E+01		2.2E+01	2.2E+01	NA
ATRAZINE	2.3E+00	carcinogenic effects	2.3E+00		3.8E+01	1.9E+02	NA
BARIUM	3.1E+03	noncarcinogenic effects			3.1E+03	1.5E+04	NA
BENOMYL	6.3E+02	noncarcinogenic effects			6.3E+02	3.2E+03	NA
BENZENE	1.2E+00	carcinogenic effects	1.2E+00		1.7E+01	8.7E+01	1.9E+03
BENZO(a)ANTHRACENE	1.1E+01	mutagenic effects	4.8E+01	1.1E+01			NA
BENZO(a)PYRENE	3.6E+00	noncarcinogenic effects	2.5E+01	5.6E+00	3.6E+00	1.8E+01	NA
BENZO(b)FLUORANTHENE	1.1E+01	mutagenic effects	4.9E+01	1.1E+01			NA
BENZO(g,h,i)PERYLENE	4.8E+02	noncarcinogenic effects			4.8E+02	2.4E+03	NA
BENZO(k)FLUORANTHENE	1.1E+02	mutagenic effects	4.9E+02	1.1E+02			NA
BERYLLIUM	3.1E+01	noncarcinogenic effects	1.6E+03		3.1E+01	1.6E+02	NA
BIPHENYL, 1,1-	1.0E+01	noncarcinogenic effects	8.4E+01		1.0E+01	5.1E+01	NA
BIS(2-CHLOROETHYL)ETHER	2.4E-01	carcinogenic effects	2.4E-01				5.0E+03
BIS(2-CHLORO-1-METHYLETHYL)ETHER	3.7E+00	carcinogenic effects	3.7E+00		3.1E+02	1.6E+03	7.9E+02
BIS(2-ETHYLHEXYL)PHTHALATE	3.7E+01	carcinogenic effects	3.7E+01		2.5E+02	1.3E+03	NA
BORON	3.1E+03	noncarcinogenic effects			3.1E+03	1.6E+04	NA
BROMODICHLOROMETHANE	3.2E-01	carcinogenic effects	3.2E-01		2.1E+01	1.0E+02	9.3E+02
BROMOFORM	2.0E+01	carcinogenic effects	2.0E+01		3.1E+02	1.6E+03	NA
BROMOMETHANE	1.5E+00	noncarcinogenic effects			1.5E+00	7.4E+00	3.6E+03
CADMIUM	1.5E+00	noncarcinogenic effects	2.1E+03		1.5E+00	7.5E+00	NA
CARBON TETRACHLORIDE	7.1E-01	carcinogenic effects	7.1E-01		2.2E+01	1.1E+02	4.5E+02
CHLORDANE (TECHNICAL)	1.7E+01	carcinogenic effects	1.7E+01		3.5E+01	3.5E+01	NA
CHLOROANILINE, p-	2.6E+00	carcinogenic effects	2.6E+00		6.3E+00	3.2E+01	NA
CHLOROBENZENE	5.9E+01	noncarcinogenic effects			5.9E+01	2.9E+02	7.6E+02
CHLOROETHANE	1.2E+03	noncarcinogenic effects			1.2E+03	6.0E+03	2.1E+03
CHLOROFORM	3.4E-01	carcinogenic effects	3.4E-01		4.2E+01	2.1E+02	2.5E+03
CHLOROMETHANE	2.4E+01	noncarcinogenic effects			2.4E+01	1.2E+02	1.3E+03
CHLOROPHENOL, 2-	6.8E+01	noncarcinogenic effects			6.8E+01	3.4E+02	2.7E+04
CHROMIUM (Total)		not available					
CHROMIUM III	2.3E+04	noncarcinogenic effects			2.3E+04	1.2E+05	NA
CHROMIUM VI	3.0E+01	mutagenic effects	1.3E+02	3.0E+01	4.7E+01	2.3E+02	NA
CHRYSENE	1.1E+03	mutagenic effects	4.9E+03	1.1E+03			NA
COBALT	4.7E+00	noncarcinogenic effects	4.2E+02		4.7E+00	2.3E+01	NA
COPPER	6.3E+02	noncarcinogenic effects			6.3E+02	3.1E+03	NA
CYANIDE (Free)	4.8E+00	noncarcinogenic effects			4.8E+00	2.4E+01	NA
CYCLO-1,3,5-TRIMETHYLENE-2,4,6-TRINITRAMINE (RDX)	8.1E+00	carcinogenic effects	8.1E+00		6.0E+01	3.0E+02	NA
DALAPON	3.8E+02	noncarcinogenic effects			3.8E+02	1.9E+03	NA
DIBENZO(a,h)ANTHRACENE	1.1E+00	mutagenic effects	4.9E+00	1.1E+00			NA

TABLE I-1. DIRECT-EXPOSURE ACTION LEVELS
¹UNRESTRICTED LAND USE SCENARIO

CHEMICAL	Final Action Level (mg/kg)	Basis	² Carcinogens (mg/kg)	² Mutagens (mg/kg)	³ Noncarcinogens (Final) (mg/kg)	³ Noncarcinogens (HQ = 1.0) (mg/kg)	Saturation (mg/kg)
DIBROMO,1,2- CHLOROPROPANE,3-	5.7E-03	mutagenic effects	1.6E-02	5.7E-03	9.9E-01	5.0E+00	9.8E+02
DIBROMOCHLOROMETHANE	8.0E+00	carcinogenic effects	8.0E+00		9.0E+01	4.5E+02	NA
DIBROMOETHANE, 1,2-	3.9E-02	carcinogenic effects	3.9E-02		1.6E+01	7.8E+01	NA
DICHLOROBENZENE, 1,2-	3.8E+02	saturation limit			3.9E+02	1.9E+03	3.8E+02
DICHLOROBENZENE, 1,3-	2.0E+02	noncarcinogenic effects			2.0E+02	1.0E+03	6.0E+02
DICHLOROBENZENE, 1,4-	2.8E+00	carcinogenic effects	2.8E+00		6.9E+02	3.5E+03	NA
DICHLOROBENZIDINE, 3,3-	1.2E+00	carcinogenic effects	1.2E+00				NA
DICHLORODIPHENYLDICHLOROETHANE (DDD)	2.2E+00	carcinogenic effects	2.2E+00		6.3E+00	3.2E+01	NA
DICHLORODIPHENYLDICHLOROETHYLENE (DDE)	1.9E+00	carcinogenic effects	1.9E+00		7.8E+00	3.9E+01	NA
DICHLORODIPHENYLTRICHLOROETHANE (DDT)	1.8E+00	carcinogenic effects	1.8E+00		7.3E+00	3.7E+01	NA
DICHLOROETHANE, 1,1-	3.8E+00	carcinogenic effects	3.8E+00		3.0E+02	1.5E+03	1.7E+03
DICHLOROETHANE, 1,2-	5.0E-01	carcinogenic effects	5.0E-01		6.7E+00	3.4E+01	3.0E+03
DICHLOROETHYLENE, 1,1-	4.9E+01	noncarcinogenic effects			4.9E+01	2.4E+02	1.2E+03
DICHLOROETHYLENE, Cis 1,2-	1.3E+01	noncarcinogenic effects			1.3E+01	6.5E+01	2.4E+03
DICHLOROETHYLENE, Trans 1,2-	1.5E+01	noncarcinogenic effects			1.5E+01	7.5E+01	1.9E+03
DICHLOROPHENOL, 2,4-	3.8E+01	noncarcinogenic effects			3.8E+01	1.9E+02	NA
DICHLOROPHENOXYACETIC ACID (2,4-D)	1.4E+02	noncarcinogenic effects			1.4E+02	7.0E+02	NA
DICHLOROPROPANE, 1,2-	2.6E+00	carcinogenic effects	2.6E+00		3.4E+00	1.7E+01	1.4E+03
DICHLOROPROPENE, 1,3-	1.9E+00	carcinogenic effects	1.9E+00		1.5E+01	7.7E+01	1.6E+03
DIELDRIN	2.5E+00	noncarcinogenic effects	7.5E+00		2.5E+00	5.1E+00	NA
DIETHYLPHTHALATE	1.0E+04	noncarcinogenic effects			1.0E+04	5.1E+04	NA
DIMETHYLPHENOL, 2,4-	2.5E+02	noncarcinogenic effects			2.5E+02	1.3E+03	NA
DIMETHYLPHTHALATE	1.3E+05	noncarcinogenic effects			1.3E+05	6.3E+05	NA
DINITROBENZENE, 1,3-	1.3E+00	noncarcinogenic effects			1.3E+00	6.3E+00	NA
DINITROPHENOL, 2,4-	2.5E+01	noncarcinogenic effects			2.5E+01	1.3E+02	NA
DINITROTOLUENE, 2,4- (2,4-DNT)	1.7E+00	carcinogenic effects	1.7E+00		2.5E+01	1.3E+02	NA
DINITROTOLUENE, 2,6- (2,6-DNT)	3.5E-01	carcinogenic effects	3.5E-01		3.8E+00	1.9E+01	NA
DIOXANE, 1,4-	5.3E+00	carcinogenic effects	5.3E+00		1.7E+02	8.5E+02	1.2E+05
DIOXINS (TEQ)	2.4E-04	HDOH 2010a					
DIURON	2.5E+01	noncarcinogenic effects			2.5E+01	1.3E+02	NA
ENDOSULFAN	9.4E+01	noncarcinogenic effects			9.4E+01	4.7E+02	NA
ENDRIN	3.8E+00	noncarcinogenic effects			3.8E+00	1.9E+01	NA
ETHANOL		not available					
ETHYLBENZENE	6.2E+01	carcinogenic effects	6.2E+01		4.9E+02	2.4E+03	4.8E+02
FLUORANTHENE	4.8E+02	noncarcinogenic effects			4.8E+02	2.4E+03	NA
FLUORENE	4.5E+02	noncarcinogenic effects			4.5E+02	2.3E+03	NA
GLYPHOSATE	1.3E+03	noncarcinogenic effects			1.3E+03	6.3E+03	NA
HEPTACHLOR	1.3E+00	carcinogenic effects	1.3E+00		1.6E+00	7.8E+00	NA
HEPTACHLOR EPOXIDE	2.0E-01	noncarcinogenic effects	6.9E-01		2.0E-01	1.0E+00	NA
HEXACHLOROBENZENE	1.6E-01	noncarcinogenic effects	2.2E-01		1.6E-01	7.8E-01	NA
HEXACHLOROBUTADIENE	1.3E+00	carcinogenic effects	1.3E+00		1.6E+01	7.8E+01	NA
HEXACHLOROCYCLOHEXANE (gamma) LINDANE	5.5E-01	carcinogenic effects	5.5E-01		4.3E+00	2.1E+01	NA
HEXACHLOROETHANE	2.0E+00	carcinogenic effects	2.0E+00		9.1E+00	4.6E+01	NA
HEXAZINONE	4.2E+02	noncarcinogenic effects			4.2E+02	2.1E+03	NA
INDENO(1,2,3-cd)PYRENE	1.1E+01	mutagenic effects	4.9E+01	1.1E+01			NA
ISOPHORONE	5.5E+02	carcinogenic effects	5.5E+02		2.5E+03	1.3E+04	NA
LEAD	2.0E+02	noncarcinogenic effects			2.0E+02		NA

TABLE I-1. DIRECT-EXPOSURE ACTION LEVELS
¹UNRESTRICTED LAND USE SCENARIO

CHEMICAL	Final Action Level (mg/kg)	Basis	² Carcinogens (mg/kg)	² Mutagens (mg/kg)	³ Noncarcinogens (Final) (mg/kg)	³ Noncarcinogens (HQ = 1.0) (mg/kg)	Saturation (mg/kg)
MERCURY	4.7E+00	noncarcinogenic effects			4.7E+00	2.3E+01	NA
METHOXYCHLOR	6.3E+01	noncarcinogenic effects			6.3E+01	3.2E+02	NA
METHYL ETHYL KETONE	5.6E+03	noncarcinogenic effects			5.6E+03	2.8E+04	2.8E+04
METHYL ISOBUTYL KETONE	3.4E+03	saturation limit			7.2E+03	3.6E+04	3.4E+03
METHYL MERCURY	1.6E+00	noncarcinogenic effects			1.6E+00	7.8E+00	NA
METHYL TERT BUTYL ETHER	5.0E+01	carcinogenic effects	5.0E+01		3.3E+03	1.7E+04	8.9E+03
METHYLENE CHLORIDE	5.8E+01	mutagenic effects	2.2E+02	5.8E+01	7.2E+01	3.6E+02	3.3E+03
METHYLNAPHTHALENE, 1-	1.7E+02	carcinogenic effects	1.7E+02		6.7E+02	3.3E+03	NA
METHYLNAPHTHALENE, 2-	3.8E+01	noncarcinogenic effects			3.8E+01	1.9E+02	NA
MOLYBDENUM	7.8E+01	noncarcinogenic effects			7.8E+01	3.9E+02	NA
NAPHTHALENE	2.1E+01	carcinogenic effects	2.1E+01		2.8E+01	1.4E+02	NA
NICKEL	1.2E+02	trench/construction worker			2.9E+02	1.5E+03	NA
NITROBENZENE	5.6E+00	carcinogenic effects	5.6E+00		2.6E+01	1.3E+02	3.0E+03
NITROGLYCERIN	1.3E+00	noncarcinogenic effects	3.1E+01		1.3E+00	6.3E+00	NA
NITROTOLUENE, 2-	3.1E+00	carcinogenic effects	3.1E+00		1.2E+01	6.2E+01	NA
NITROTOLUENE, 3-	1.3E+00	noncarcinogenic effects			1.3E+00	6.3E+00	NA
NITROTOLUENE, 4-	3.3E+01	carcinogenic effects	3.3E+01		5.1E+01	2.5E+02	NA
PENTACHLOROPHENOL	9.8E-01	carcinogenic effects	9.8E-01		4.9E+01	2.5E+02	NA
PENTAERYTHRITOLTETRANITRATE (PETN)	1.1E+02	noncarcinogenic effects	1.2E+02		1.1E+02	5.7E+02	NA
PERCHLORATE	1.1E+01	noncarcinogenic effects			1.1E+01	5.5E+01	NA
PHENANTHRENE	4.6E+02	noncarcinogenic effects			4.6E+02	2.3E+03	NA
PHENOL	3.8E+03	noncarcinogenic effects			3.8E+03	1.9E+04	NA
POLYCHLORINATED BIPHENYLS (PCBs)	1.2E+00	noncarcinogenic effects	2.3E+00		1.2E+00	1.2E+00	NA
PROPICONAZOLE	1.3E+03	noncarcinogenic effects			1.3E+03	6.3E+03	NA
PYRENE	3.6E+02	noncarcinogenic effects			3.6E+02	1.8E+03	NA
SELENIUM	7.8E+01	noncarcinogenic effects			7.8E+01	3.9E+02	NA
SILVER	7.8E+01	noncarcinogenic effects			7.8E+01	3.9E+02	NA
SIMAZINE	4.4E+00	carcinogenic effects	4.4E+00		6.3E+01	3.2E+02	NA
STYRENE	8.7E+02	saturation limit			1.3E+03	6.4E+03	8.7E+02
TERBACIL	1.6E+02	noncarcinogenic effects			1.6E+02	8.2E+02	NA
tert-BUTYL ALCOHOL	1.3E+03	carcinogenic effects	1.3E+03		5.2E+03	2.6E+04	1.1E+05
TETRACHLOROETHANE, 1,1,1,2-	2.2E+00	carcinogenic effects	2.2E+00		1.1E+02	5.3E+02	6.8E+02
TETRACHLOROETHANE, 1,1,2,2-	6.4E-01	carcinogenic effects	6.4E-01		3.1E+02	1.6E+03	1.9E+03
TETRACHLOROETHYLENE	1.1E+00	carcinogenic effects	1.1E+00		1.7E+01	8.7E+01	1.7E+02
TETRACHLOROPHENOL, 2,3,4,6-	3.8E+02	noncarcinogenic effects			3.8E+02	1.9E+03	NA
TETRANITRO-1,3,5,7-TETRAAZOCYCLOOCTANE (HMX)	7.7E+02	noncarcinogenic effects			7.7E+02	3.9E+03	NA
THALLIUM	7.8E-01	noncarcinogenic effects			7.8E-01	7.8E-01	NA
TOLUENE	8.2E+02	saturation limit			1.0E+03	5.0E+03	8.2E+02
TOXAPHENE	4.8E-01	carcinogenic effects	4.8E-01		1.1E+00	5.7E+00	NA
TPH (gasolines)	1.9E+02	noncarcinogenic effects			1.9E+02	1.9E+02	2.0E+03
TPH (middle distillates)	1.8E+02	noncarcinogenic effects			1.8E+02	1.8E+02	6.8E+02
TPH (residual fuels)	1.3E+03	noncarcinogenic effects			1.3E+03	1.3E+03	NA
TRICHLOROBENZENE, 1,2,4-	1.2E+01	noncarcinogenic effects	2.3E+01		1.2E+01	6.2E+01	NA
TRICHLOROETHANE, 1,1,1-	6.4E+02	saturation limit			1.8E+03	8.8E+03	6.4E+02
TRICHLOROETHANE, 1,1,2-	3.2E-01	noncarcinogenic effects	1.2E+00		3.2E-01	1.6E+00	2.2E+03
TRICHLOROETHYLENE	8.9E-01	noncarcinogenic effects	-	9.4E-01	8.9E-01	4.4E+00	6.9E+02
TRICHLOROPHENOL, 2,4,5-	1.3E+03	noncarcinogenic effects			1.3E+03	6.3E+03	NA

TABLE I-1. DIRECT-EXPOSURE ACTION LEVELS
¹UNRESTRICTED LAND USE SCENARIO

CHEMICAL	Final Action Level (mg/kg)	Basis	² Carcinogens	² Mutagens	³ Noncarcinogens (Final)	³ Noncarcinogens (HQ = 1.0)	Saturation (mg/kg)
			(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	
TRICHLOROPHENOL, 2,4,6-	1.3E+01	noncarcinogenic effects	4.8E+01		1.3E+01	6.3E+01	NA
TRICHLOROPHENOXYACETIC ACID, 2,4,5- (2,4,5-T)	1.3E+02	noncarcinogenic effects			1.3E+02	6.3E+02	NA
TRICHLOROPHENOXYPROPIONIC ACID, 2,4,5- (2,4,5-TP)	1.0E+02	noncarcinogenic effects			1.0E+02	5.1E+02	NA
TRICHLOROPROPANE, 1,2,3-	5.0E-03	mutagenic effects	2.2E-02	5.0E-03	1.1E+00	5.3E+00	1.4E+03
TRICHLOROPROPENE, 1,2,3-	1.6E-01	noncarcinogenic effects			1.6E-01	7.9E-01	3.1E+02
TRIFLURALIN	8.7E+01	carcinogenic effects	8.7E+01		1.2E+02	5.9E+02	NA
TRINITROBENZENE, 1,3,5-	4.5E+02	noncarcinogenic effects			4.5E+02	2.2E+03	NA
TRINITROPHENYLMETHYLNITRAMINE, 2,4,6- (TETRYL)	3.1E+01	noncarcinogenic effects			3.1E+01	1.6E+02	NA
TRINITROTOLUENE, 2,4,6- (TNT)	7.3E+00	noncarcinogenic effects	2.1E+01		7.3E+00	3.6E+01	NA
VANADIUM	7.8E+01	noncarcinogenic effects			7.8E+01	3.9E+02	NA
VINYL CHLORIDE	5.9E-02	mutagenic effects	-	5.9E-02	1.5E+01	7.4E+01	3.9E+03
XYLENES	1.3E+02	noncarcinogenic effects			1.3E+02	6.5E+02	2.6E+02
ZINC	4.7E+03	noncarcinogenic effects			4.7E+03	2.3E+04	NA

Primary source: USEPA Regional Screening Levels (USEPA 2017), modified as noted below and described in Appendix 1, Sections 1.4 and 4.2.2.

Notes:

- Based on assumed residential exposure scenario. Considered adequate for residential housing, schools, medical facilities, day-care centers, parks and other sensitive uses.
- Carcinogens: Default target excess cancer risk = 10^{-6} unless otherwise noted (see Sections 1.4 and 4.2.2). Target ECR of 10^{-5} used for Technical Chlordane and PCBs, ethylbenzene and carcinogenic PAHs with the exception of Benzo(a)pyrene. Target risk of 5×10^{-5} used for benzo(a)pyrene to allow focus on noncancer action levels. Target risk of 10^{-4} applied to aldrin, arsenic, dieldrin, TEQ dioxins and hexavalent chromium to reflect higher confidence in noncancer toxicity factors and/or background and other factors. Arsenic and TEQ dioxin action levels published separately (see Volume 1, Section 4.3.1.2).
- Noncarcinogens: Final action level based on default target hazard quotient = 0.2 unless otherwise noted (see Sections 1.4 and 4.2.2). TPH action levels based on HQ of 1.0 (see below footnote and Sections 3.2 and 6.0 in text). Action levels for thallium and Technical Chlordane based on HQ of 1.0. Action levels for aldrin and dieldrin (breakdown product of aldrin) based on HQ of 0.5. All chemicals - Action levels based on hazard quotient of 1.0 provided for reference.
- Arsenic direct exposure soil action levels: refer to Update to Soil Action Levels for Inorganic Arsenic and Recommended Soil Management Practices, HEER office Technical Memorandum, October 2010 (HDOH 2010a).
- TEQ dioxin action levels: Refer to *Update to Soil Action Levels for TEQ Dioxins and Recommended Soil Management Practices*, HEER office Technical Memorandum, June 2010 (HDOH 2010b).

See text for equations and assumptions used in models.

Final action level is lowest of individual screening levels for carcinogenic effects and noncarcinogenic effects or action level for construction/trench workers if lower (see Table I-3). Saturation limit used as upper limit for volatile organic compounds that are liquid at ambient conditions (see text).

Saturation: Theoretical soil saturation level in the absence of free product; calculated for volatile organic compounds that are liquids under ambient conditions (refer to Table H).

TPH: Total Petroleum Hydrocarbons. See Chapter 6 of Appendix 1 for discussion of different TPH categories and development of action levels.

TPHmd saturation level set to 500 mg/kg vs model-derived 150 mg/kg to address low confidence in direct exposure, vapor emission model (see Chapter 6). Direct-exposure action levels for both TPHg and TPHmd set at 500 mg/kg to consider biodegradation.

Ethanol: Human health toxicity data not available. Environmental concerns driven by gross contamination/nuisance concerns.

Direct-exposure screening level for lead based on 50% of 2011 USEPA RSL of 400 mg/kg (see text, assumes target blood level of 5 ug/dl).

**TABLE I-2. DIRECT-EXPOSURE ACTION LEVELS
COMMERCIAL/INDUSTRIAL LAND USE SCENARIO**

CHEMICAL	Final Action Level (mg/kg)	Basis	¹ Carcinogens (Risk = 10 ⁻⁶) (mg/kg)	² Noncarcinogens (Final) (mg/kg)	² Noncarcinogens (HQ = 1.0) (mg/kg)	Saturation (mg/kg)
ACENAPHTHENE	6.2E+03	noncarcinogenic effects		6.2E+03	3.1E+04	NA
ACENAPHTHYLENE	2.5E+03	noncarcinogenic effects		2.5E+03	1.3E+04	NA
ACETONE	3.3E+04	noncarcinogenic effects		3.3E+04	1.7E+05	1.1E+05
ALDRIN	5.1E+01	noncarcinogenic effects	7.1E+01	5.1E+01	1.0E+02	NA
AMETRYN	1.3E+03	noncarcinogenic effects		1.3E+03	6.5E+03	NA
AMINO,2- DINITROTOLUENE,4,6-	2.0E+01	noncarcinogenic effects		2.0E+01	1.0E+02	NA
AMINO,4- DINITROTOLUENE,2,6-	2.0E+01	noncarcinogenic effects		2.0E+01	9.8E+01	NA
ANTHRACENE	3.7E+04	noncarcinogenic effects		3.7E+04	1.8E+05	NA
ANTIMONY	8.2E+01	noncarcinogenic effects		8.2E+01	4.1E+02	NA
ARSENIC	9.5E+01	HDOH 2010	1.7E+02	2.7E+02	2.7E+02	NA
ATRAZINE	8.7E+00	carcinogenic effects	8.7E+00	4.3E+02	2.2E+03	NA
BARIUM	4.3E+03	trench/construction worker		3.8E+04	1.9E+05	NA
BENOMYL	7.2E+03	noncarcinogenic effects		7.2E+03	3.6E+04	NA
BENZENE	5.4E+00	carcinogenic effects	5.4E+00	9.0E+01	4.5E+02	1.9E+03
BENZO(a)ANTHRACENE	1.8E+02	carcinogenic effects	1.8E+02			NA
BENZO(a)PYRENE	1.5E+01	trench/construction worker	9.2E+01	3.9E+01	1.9E+02	NA
BENZO(b)FLUORANTHENE	1.8E+02	carcinogenic effects	1.8E+02			NA
BENZO(g,h,i)PERYLENE	5.3E+03	noncarcinogenic effects		5.3E+03	2.6E+04	NA
BENZO(k)FLUORANTHENE	1.8E+03	carcinogenic effects	1.8E+03			NA
BERYLLIUM	1.5E+02	trench/construction worker	6.9E+03	4.0E+02	2.0E+03	NA
BIPHENYL, 1,1-	4.3E+01	noncarcinogenic effects	3.6E+02	4.3E+01	2.1E+02	NA
BIS(2-CHLOROETHYL)ETHER	1.0E+00	carcinogenic effects	1.0E+00			5.0E+03
BIS(2-CHLORO-1-METHYLETHYL)ETHER	1.6E+01	carcinogenic effects	1.6E+01	2.0E+03	1.0E+04	7.9E+02
BIS(2-ETHYLHEXYL)PHTHALATE	1.4E+02	carcinogenic effects	1.4E+02	2.9E+03	1.4E+04	NA
BORON	4.1E+04	noncarcinogenic effects		4.1E+04	2.0E+05	NA
BROMODICHLOROMETHANE	1.4E+00	carcinogenic effects	1.4E+00	9.9E+01	5.0E+02	9.3E+02
BROMOFORM	8.8E+01	carcinogenic effects	8.8E+01	4.1E+03	2.0E+04	NA
BROMOMETHANE	6.5E+00	noncarcinogenic effects		6.5E+00	3.3E+01	3.6E+03
CADMIUM	1.9E+01	noncarcinogenic effects	9.3E+03	1.9E+01	9.4E+01	NA
CARBON TETRACHLORIDE	3.1E+00	carcinogenic effects	3.1E+00	1.2E+02	6.1E+02	4.5E+02
CHLORDANE (TECHNICAL)	6.8E+01	carcinogenic effects	6.8E+01		4.0E+02	NA
CHLOROANILINE, p-	1.0E+01	carcinogenic effects	1.0E+01	7.2E+01	3.6E+02	NA
CHLOROBENZENE	2.8E+02	noncarcinogenic effects		2.8E+02	1.4E+03	7.6E+02
CHLOROETHANE	2.1E+03	saturation limit		5.0E+03	2.5E+04	2.1E+03
CHLOROFORM	1.5E+00	carcinogenic effects	1.5E+00	2.2E+02	1.1E+03	2.5E+03
CHLOROMETHANE	1.0E+02	noncarcinogenic effects		1.0E+02	5.1E+02	1.3E+03
CHLOROPHENOL, 2-	7.1E+02	noncarcinogenic effects		7.1E+02	3.5E+03	2.7E+04
CHROMIUM (Total)		not available				
CHROMIUM III	3.1E+05	noncarcinogenic effects		3.1E+05	1.5E+06	NA
CHROMIUM VI	4.8E+02	trench/construction worker	5.6E+02	6.1E+02	3.1E+03	NA
CHRYSENE	1.8E+04	carcinogenic effects	1.8E+04			NA
COBALT	3.8E+01	trench/construction worker	1.9E+03	6.1E+01	3.0E+02	NA
COPPER	8.2E+03	noncarcinogenic effects		8.2E+03	4.1E+04	NA
CYANIDE (Free)	3.0E+01	noncarcinogenic effects		3.0E+01	1.5E+02	NA
CYCLO-1,3,5-TRIMETHYLENE-2,4,6-TRINITRAMINE (RDX)	3.4E+01	carcinogenic effects	3.4E+01	7.7E+02	3.8E+03	NA
DALAPON	4.3E+03	noncarcinogenic effects		4.3E+03	2.2E+04	NA
DIBENZO(a,h)ANTHRACENE	1.8E+01	carcinogenic effects	1.8E+01			NA

**TABLE I-2. DIRECT-EXPOSURE ACTION LEVELS
COMMERCIAL/INDUSTRIAL LAND USE SCENARIO**

CHEMICAL	Final Action Level (mg/kg)	Basis	¹ Carcinogens (Risk = 10 ⁻⁶) (mg/kg)	² Noncarcinogens (Final) (mg/kg)	² Noncarcinogens (HQ = 1.0) (mg/kg)	Saturation (mg/kg)
DIBROMO,1,2- CHLOROPROPANE,3-	7.0E-02	carcinogenic effects	7.0E-02	5.3E+00	2.7E+01	9.8E+02
DIBROMOCHLOROMETHANE	3.4E+01	carcinogenic effects	3.4E+01	4.7E+02	2.3E+03	NA
DIBROMOETHANE, 1,2-	1.7E-01	carcinogenic effects	1.7E-01	7.1E+01	3.5E+02	NA
DICHLOROBENZENE, 1,2-	3.8E+02	saturation limit		2.0E+03	1.0E+04	3.8E+02
DICHLOROBENZENE, 1,3-	6.0E+02	saturation limit		1.2E+03	6.1E+03	6.0E+02
DICHLOROBENZENE, 1,4-	1.2E+01	carcinogenic effects	1.2E+01	5.1E+03	2.6E+04	NA
DICHLOROENZIDINE, 3,3-	4.5E+00	carcinogenic effects	4.5E+00			NA
DICHLORODIPHENYLDICHLOROETHANE (DDD)	8.4E+00	carcinogenic effects	8.4E+00	7.2E+01	3.6E+02	NA
DICHLORODIPHENYLDICHLOROETHYLENE (DDE)	8.2E+00	carcinogenic effects	8.2E+00	1.0E+02	5.1E+02	NA
DICHLORODIPHENYLTRICHLOROETHANE (DDT)	7.5E+00	carcinogenic effects	7.5E+00	9.1E+01	4.5E+02	NA
DICHLOROETHANE, 1,1-	1.7E+01	carcinogenic effects	1.7E+01	1.3E+03	6.7E+03	1.7E+03
DICHLOROETHANE, 1,2-	2.2E+00	carcinogenic effects	2.2E+00	3.0E+01	1.5E+02	3.0E+03
DICHLOROETHYLENE, 1,1-	2.1E+02	noncarcinogenic effects		2.1E+02	1.1E+03	1.2E+03
DICHLOROETHYLENE, Cis 1,2-	7.7E+01	noncarcinogenic effects		7.7E+01	3.8E+02	2.4E+03
DICHLOROETHYLENE, Trans 1,2-	6.5E+01	noncarcinogenic effects		6.5E+01	3.3E+02	1.9E+03
DICHLOROPHENOL, 2,4-	4.3E+02	noncarcinogenic effects		4.3E+02	2.2E+03	NA
DICHLOROPHENOXYACETIC ACID (2,4-D)	1.7E+03	noncarcinogenic effects		1.7E+03	8.4E+03	NA
DICHLOROPROPANE, 1,2-	1.1E+01	carcinogenic effects	1.1E+01	1.4E+01	7.1E+01	1.4E+03
DICHLOROPROPENE, 1,3-	8.3E+00	carcinogenic effects	8.3E+00	6.6E+01	3.3E+02	1.6E+03
DIELDRIN	2.9E+01	carcinogenic effects	2.9E+01	2.9E+01	5.7E+01	NA
DIETHYLPHTHALATE	1.1E+05	noncarcinogenic effects		1.1E+05	5.7E+05	NA
DIMETHYLPHENOL, 2,4-	2.9E+03	noncarcinogenic effects		2.9E+03	1.4E+04	NA
DIMETHYLPHTHALATE	1.0E+06	maximum		1.4E+06	7.2E+06	NA
DINITROBENZENE, 1,3-	1.4E+01	noncarcinogenic effects		1.4E+01	7.2E+01	NA
DINITROPHENOL, 2,4-	2.9E+02	noncarcinogenic effects		2.9E+02	1.4E+03	NA
DINITROTOLUENE, 2,4- (2,4-DNT)	6.4E+00	carcinogenic effects	6.4E+00	2.9E+02	1.4E+03	NA
DINITROTOLUENE, 2,6- (2,6-DNT)	1.3E+00	carcinogenic effects	1.3E+00	4.3E+01	2.2E+02	NA
DIOXANE, 1,4-	2.2E+01	carcinogenic effects	2.2E+01	9.5E+02	4.7E+03	1.2E+05
DIOXINS (TEQ)	1.5E-03	HDOH 2010a				
DIURON	2.9E+02	noncarcinogenic effects		2.9E+02	1.4E+03	NA
ENDOSULFAN	1.2E+03	noncarcinogenic effects		1.2E+03	6.1E+03	NA
ENDRIN	4.3E+01	noncarcinogenic effects		4.3E+01	2.2E+02	NA
ETHANOL		not available				
ETHYLBENZENE	1.5E+02	trench/construction worker	2.7E+02	3.5E+03	1.8E+04	4.8E+02
FLUORANTHENE	5.3E+03	noncarcinogenic effects		5.3E+03	2.6E+04	NA
FLUORENE	4.6E+03	noncarcinogenic effects		4.6E+03	2.3E+04	NA
GLYPHOSATE	1.4E+04	noncarcinogenic effects		1.4E+04	7.2E+04	NA
HEPTACHLOR	5.6E+00	carcinogenic effects	5.6E+00	2.0E+01	1.0E+02	NA
HEPTACHLOR EPOXIDE	2.7E+00	noncarcinogenic effects	2.9E+00	2.7E+00	1.3E+01	NA
HEXACHLOROENZIDINE	9.4E-01	carcinogenic effects	9.4E-01	2.0E+00	1.0E+01	NA
HEXACHLOROBUTADIENE	5.5E+00	carcinogenic effects	5.5E+00	2.0E+02	1.0E+03	NA
HEXACHLOROCYCLOHEXANE (gamma) LINDANE	2.2E+00	carcinogenic effects	2.2E+00	5.2E+01	2.6E+02	NA
HEXACHLOROETHANE	8.5E+00	carcinogenic effects	8.5E+00	8.8E+01	4.4E+02	NA
HEXAZINONE	4.7E+03	noncarcinogenic effects		4.7E+03	2.4E+04	NA
INDENO(1,2,3-cd)PYRENE	1.8E+02	carcinogenic effects	1.8E+02			NA
ISOPHORONE	2.1E+03	carcinogenic effects	2.1E+03	2.9E+04	1.4E+05	NA
LEAD	8.0E+02	commercial/industrial exposure		8.0E+02		NA

**TABLE I-2. DIRECT-EXPOSURE ACTION LEVELS
COMMERCIAL/INDUSTRIAL LAND USE SCENARIO**

CHEMICAL	Final Action Level (mg/kg)	Basis	¹ Carcinogens (Risk = 10 ⁻⁶) (mg/kg)	² Noncarcinogens (Final) (mg/kg)	² Noncarcinogens (HQ = 1.0) (mg/kg)	Saturation (mg/kg)
MERCURY	6.1E+01	noncarcinogenic effects		6.1E+01	3.1E+02	NA
METHOXYCHLOR	7.2E+02	noncarcinogenic effects		7.2E+02	3.6E+03	NA
METHYL ETHYL KETONE	2.8E+04	saturation limit		4.0E+04	2.0E+05	2.8E+04
METHYL ISOBUTYL KETONE	3.4E+03	saturation limit		3.0E+04	1.5E+05	3.4E+03
METHYL MERCURY	2.0E+01	noncarcinogenic effects		2.0E+01	1.0E+02	NA
METHYL TERT BUTYL ETHER	2.2E+02	carcinogenic effects	2.2E+02	1.4E+04	7.0E+04	8.9E+03
METHYLENE CHLORIDE	6.2E+02	noncarcinogenic effects	9.6E+02	6.2E+02	3.1E+03	3.3E+03
METHYLNAPHTHALENE, 1-	4.5E+02	trench/construction worker	6.4E+02	5.5E+03	2.8E+04	NA
METHYLNAPHTHALENE, 2-	3.1E+02	noncarcinogenic effects		3.1E+02	1.6E+03	NA
MOLYBDENUM	1.0E+03	noncarcinogenic effects		1.0E+03	5.1E+03	NA
NAPHTHALENE	5.1E+01	trench/construction worker	8.3E+01	1.3E+02	6.3E+02	NA
NICKEL	1.2E+02	trench/construction worker		3.3E+03	1.6E+04	NA
NITROBENZENE	2.4E+01	carcinogenic effects	2.4E+01	2.5E+02	1.2E+03	3.0E+03
NITROGLYCERIN	1.4E+01	noncarcinogenic effects	1.2E+02	1.4E+01	7.2E+01	NA
NITROTOLUENE, 2-	1.3E+01	carcinogenic effects	1.3E+01	1.3E+02	6.3E+02	NA
NITROTOLUENE, 3-	1.4E+01	noncarcinogenic effects		1.4E+01	7.2E+01	NA
NITROTOLUENE, 4-	1.3E+02	carcinogenic effects	1.3E+02	5.7E+02	2.9E+03	NA
PENTACHLOROPHENOL	3.5E+00	carcinogenic effects	3.5E+00	5.0E+02	2.5E+03	NA
PENTAERYTHRITOLTETRANITRATE (PETN)	4.7E+02	carcinogenic effects	4.7E+02	1.3E+03	6.5E+03	NA
PERCHLORATE	1.4E+02	noncarcinogenic effects		1.4E+02	7.2E+02	NA
PHENANTHRENE	4.9E+03	noncarcinogenic effects		4.9E+03	2.4E+04	NA
PHENOL	4.3E+04	noncarcinogenic effects		4.3E+04	2.2E+05	NA
POLYCHLORINATED BIPHENYLS (PCBs)	8.6E+00	carcinogenic effects	8.6E+00	1.3E+01	1.3E+01	NA
PROPICONAZOLE	1.4E+04	noncarcinogenic effects		1.4E+04	7.2E+04	NA
PYRENE	3.9E+03	noncarcinogenic effects		3.9E+03	1.9E+04	NA
SELENIUM	1.0E+03	noncarcinogenic effects		1.0E+03	5.1E+03	NA
SILVER	1.0E+03	noncarcinogenic effects		1.0E+03	5.1E+03	NA
SIMAZINE	1.7E+01	carcinogenic effects	1.7E+01	7.2E+02	3.6E+03	NA
STYRENE	8.7E+02	saturation limit		7.4E+03	3.7E+04	8.7E+02
TERBACIL	1.9E+03	noncarcinogenic effects		1.9E+03	9.3E+03	NA
tert-BUTYL ALCOHOL	5.7E+03	carcinogenic effects	5.7E+03	5.1E+04	2.6E+05	1.1E+05
TETRACHLOROETHANE, 1,1,1,2-	9.5E+00	carcinogenic effects	9.5E+00	5.3E+02	2.6E+03	6.8E+02
TETRACHLOROETHANE, 1,1,2,2-	2.8E+00	carcinogenic effects	2.8E+00	4.1E+03	2.0E+04	1.9E+03
TETRACHLOROETHYLENE	5.0E+00	carcinogenic effects	5.0E+00	8.4E+01	4.2E+02	1.7E+02
TETRACHLOROPHENOL, 2,3,4,6-	4.3E+03	noncarcinogenic effects		4.3E+03	2.2E+04	NA
TETRANITRO-1,3,5,7-TETRAAZOCYCLOOCTANE (HMX)	1.0E+04	noncarcinogenic effects		1.0E+04	5.0E+04	NA
THALLIUM	1.0E+01	noncarcinogenic effects		1.0E+01	1.0E+01	NA
TOLUENE	8.2E+02	saturation limit		9.1E+03	4.5E+04	8.2E+02
TOXAPHENE	1.8E+00	carcinogenic effects	1.8E+00	1.3E+01	6.5E+01	NA
TPH (gasolines)	1.2E+03	noncarcinogenic effects		1.2E+03	1.2E+03	2.0E+03
TPH (middle distillates)	6.8E+02	saturation limit		9.4E+02	9.4E+02	6.8E+02
TPH (residual fuels)	1.6E+04	noncarcinogenic effects		1.6E+04	1.6E+04	NA
TRICHLOROBENZENE, 1,2,4-	5.5E+01	noncarcinogenic effects	9.9E+01	5.5E+01	2.8E+02	NA
TRICHLOROETHANE, 1,1,1-	6.4E+02	saturation limit		7.7E+03	3.8E+04	6.4E+02
TRICHLOROETHANE, 1,1,2-	1.4E+00	noncarcinogenic effects	5.3E+00	1.4E+00	6.8E+00	2.2E+03
TRICHLOROETHYLENE	4.0E+00	noncarcinogenic effects	6.4E+00	4.0E+00	2.0E+01	6.9E+02
TRICHLOROPHENOL, 2,4,5-	1.4E+04	noncarcinogenic effects		1.4E+04	7.2E+04	NA

**TABLE I-2. DIRECT-EXPOSURE ACTION LEVELS
COMMERCIAL/INDUSTRIAL LAND USE SCENARIO**

CHEMICAL	Final Action Level (mg/kg)	Basis	¹ Carcinogens (Risk = 10 ⁻⁶) (mg/kg)	² Noncarcinogens (Final) (mg/kg)	² Noncarcinogens (HQ = 1.0) (mg/kg)	Saturation (mg/kg)
TRICHLOROPHENOL, 2,4,6-	1.4E+02	noncarcinogenic effects	1.8E+02	1.4E+02	7.2E+02	NA
TRICHLOROPHENOXYACETIC ACID, 2,4,5- (2,4,5-T)	1.4E+03	noncarcinogenic effects		1.4E+03	7.2E+03	NA
TRICHLOROPHENOXYPROPIONIC ACID, 2,4,5- (2,4,5-TP)	1.1E+03	noncarcinogenic effects		1.1E+03	5.7E+03	NA
TRICHLOROPROPANE, 1,2,3-	9.5E-02	carcinogenic effects	9.5E-02	4.5E+00	2.2E+01	1.4E+03
TRICHLOROPROPENE, 1,2,3-	6.7E-01	noncarcinogenic effects		6.7E-01	3.3E+00	3.1E+02
TRIFLURALIN	3.7E+02	carcinogenic effects	3.7E+02	1.5E+03	7.7E+03	NA
TRINITROBENZENE, 1,3,5-	5.7E+03	noncarcinogenic effects		5.7E+03	2.8E+04	NA
TRINITROPHENYLMETHYLNITRAMINE, 2,4,6- (TETRYL)	4.1E+02	noncarcinogenic effects		4.1E+02	2.0E+03	NA
TRINITROTOLUENE, 2,4,6- (TNT)	8.4E+01	carcinogenic effects	8.4E+01	9.0E+01	4.5E+02	NA
VANADIUM	6.4E+02	trench/construction worker		1.0E+03	5.1E+03	NA
VINYL CHLORIDE	1.7E+00	carcinogenic effects	1.7E+00	7.9E+01	3.9E+02	3.9E+03
XYLENES	2.6E+02	saturation limit		5.4E+02	2.7E+03	2.6E+02
ZINC	6.1E+04	noncarcinogenic effects		6.1E+04	3.1E+05	NA

Primary source: USEPA Regional Screening Levels (USEPA 2017), modified as noted below and described in Appendix 1, Sections 1.4 and 4.2.2.

Notes:

1. Carcinogens: Default target excess cancer risk = 10⁻⁶ unless otherwise noted (see Sections 1.4 and 4.2.2). Target ECR of 10⁻⁵ used for Technical Chlordane and PCBs, ethylbenzene and carcinogenic PAHs with the exception of Benzo(a)pyrene. Target risk of 5x10⁻⁵ used for benzo(a)pyrene to allow focus on noncancer action levels. Target risk of 10⁻⁴ applied to aldrin, arsenic, dieldrin, TEQ dioxins and hexavalent chromium to reflect higher confidence in noncancer toxicity factors and/or background and other factors. Arsenic and TEQ dioxin action levels published separately (see Volume 1, Section 4.3.1.2).
2. Noncarcinogens: Final action level based on default target hazard quotient = 0.2 unless otherwise noted (see Sections 1.4 and 4.2.2). TPH action levels based on HQ of 1.0 (see below footnote and Sections 3.2 and 6.0 in text). Action levels for thallium and Technical Chlordane based on HQ of 1.0. Action levels for aldrin and dieldrin (breakdown product of aldrin) based on HQ of 0.5. All chemicals - Action levels based on hazard quotient of 1.0 provided for reference.
3. Arsenic direct exposure soil action levels: refer to Update to Soil Action Levels for Inorganic Arsenic and Recommended Soil Management Practices, HEER office Technical Memorandum, October 2010 (HDOH 2010a).
4. TEQ dioxin action levels: Refer to Update to Soil Action Levels for TEQ Dioxins and Recommended Soil Management Practices, HEER office Technical Memorandum, June 2010 (HDOH 2010b).

See text for equations and assumptions used in models.

Final action level is lowest of individual screening levels for carcinogenic effects and noncarcinogenic effects or action level for construction/trench workers if lower (see Table I-3). Saturation limit used as upper limit for volatile organic compounds that are liquid at ambient conditions (see text).

Saturation: Theoretical soil saturation level in the absence of free product; calculated for volatile organic compounds that are liquids under ambient conditions (refer to Table H).

TPH: Total Petroleum Hydrocarbons. See Chapter 6 of Appendix 1 for discussion of different TPH categories and development of action levels.

TPHmd saturation level set to 500 mg/kg vs model-derived 150 mg/kg to address low confidence in direct exposure, vapor emission model (see Chapter 6)

Ethanol: Human health toxicity data not available. Environmental concerns driven by gross contamination/nuisance concerns.

Direct-exposure screening level for lead from USEPA Regional Screening Levels (USEPA 2011).

**TABLE I-3. DIRECT-EXPOSURE ACTION LEVELS
CONSTRUCTION/TRENCH WORKER EXPOSURE SCENARIO**

CHEMICAL	Final Action Level (mg/kg)	Basis	¹ Carcinogens (Risk = 10 ⁻⁵) (mg/kg)	² Noncarcinogens (Final) (mg/kg)	² Noncarcinogens (HQ = 1.0) (mg/kg)	Saturation (mg/kg)
ACENAPHTHENE	1.1E+04	noncarcinogenic effects		1.1E+04	5.7E+04	NA
ACENAPHTHYLENE	4.3E+03	noncarcinogenic effects		4.3E+03	2.1E+04	NA
ACETONE	5.2E+04	noncarcinogenic effects		5.2E+04	2.6E+05	1.1E+05
ALDRIN	1.1E+02	noncarcinogenic effects	4.9E+02	1.1E+02	2.2E+02	NA
AMETRYN	2.6E+03	noncarcinogenic effects		2.6E+03	1.3E+04	NA
AMINO,2- DINITROTOLUENE,4,6-	4.3E+01	noncarcinogenic effects		4.3E+01	2.1E+02	NA
AMINO,4- DINITROTOLUENE,2,6-	4.2E+01	noncarcinogenic effects		4.2E+01	2.1E+02	NA
ANTHRACENE	7.1E+04	noncarcinogenic effects		7.1E+04	3.6E+05	NA
ANTIMONY	1.7E+02	noncarcinogenic effects		1.7E+02	8.3E+02	NA
ARSENIC	1.1E+02	carcinogenic effects	1.1E+02	3.1E+02	3.1E+02	NA
ATRAZINE	6.3E+02	carcinogenic effects	6.3E+02	8.7E+02	4.3E+03	NA
BARIUM	4.3E+03	noncarcinogenic effects		4.3E+03	2.1E+04	NA
BENOMYL	1.4E+04	noncarcinogenic effects		1.4E+04	7.2E+04	NA
BENZENE	3.0E+01	carcinogenic effects	3.0E+01	1.4E+02	6.9E+02	1.9E+03
BENZO(a)ANTHRACENE	1.3E+03	carcinogenic effects	1.3E+03			NA
BENZO(a)PYRENE	1.5E+01	noncarcinogenic effects	6.4E+02	1.5E+01	7.3E+01	NA
BENZO(b)FLUORANTHENE	1.3E+03	carcinogenic effects	1.3E+03			NA
BENZO(g,h,i)PERYLENE	1.0E+04	noncarcinogenic effects		1.0E+04	5.2E+04	NA
BENZO(k)FLUORANTHENE	1.3E+04	carcinogenic effects	1.3E+04			NA
BERYLLIUM	1.5E+02	noncarcinogenic effects	1.9E+03	1.5E+02	7.5E+02	NA
BIPHENYL, 1,1-	6.2E+01	noncarcinogenic effects	2.8E+03	6.2E+01	3.1E+02	NA
BIS(2-CHLOROETHYL)ETHER	6.2E+00	carcinogenic effects	6.2E+00			5.0E+03
BIS(2-CHLORO-1-METHYLETHYL)ETHER	9.7E+01	carcinogenic effects	9.7E+01	3.2E+03	1.6E+04	7.9E+02
BIS(2-ETHYLHEXYL)PHTHALATE	5.8E+03	noncarcinogenic effects	1.0E+04	5.8E+03	2.9E+04	NA
BORON	5.9E+04	noncarcinogenic effects		5.9E+04	3.0E+05	NA
BROMODICHLOROMETHANE	7.4E+00	carcinogenic effects	7.4E+00	1.5E+02	7.5E+02	9.3E+02
BROMOFORM	5.1E+03	carcinogenic effects	5.1E+03	8.8E+03	4.4E+04	NA
BROMOMETHANE	9.7E+00	noncarcinogenic effects		9.7E+00	4.9E+01	3.6E+03
CADMIUM	2.8E+01	noncarcinogenic effects	2.5E+03	2.8E+01	1.4E+02	NA
CARBON TETRACHLORIDE	1.7E+01	carcinogenic effects	1.7E+01	1.9E+02	9.5E+02	4.5E+02
CHLORDANE (TECHNICAL)	4.9E+02	carcinogenic effects	4.9E+02	8.0E+02	8.0E+02	NA
CHLOROANILINE, p-	1.4E+02	noncarcinogenic effects	7.2E+02	1.4E+02	7.2E+02	NA
CHLOROANILINE, p-	4.3E+02	noncarcinogenic effects		4.3E+02	2.1E+03	7.6E+02
CHLOROETHANE	2.1E+03	saturation limit		7.5E+03	3.7E+04	2.1E+03
CHLOROFORM	8.0E+00	carcinogenic effects	8.0E+00	3.4E+02	1.7E+03	2.5E+03
CHLOROMETHANE	1.5E+02	noncarcinogenic effects		1.5E+02	7.6E+02	1.3E+03
CHLOROPHENOL, 2-	1.3E+03	noncarcinogenic effects		1.3E+03	6.7E+03	2.7E+04
CHROMIUM (Total)		not available				
CHROMIUM III	6.6E+05	noncarcinogenic effects		6.6E+05	3.3E+06	NA
CHROMIUM VI	4.8E+02	carcinogenic effects	4.8E+02	5.4E+02	2.7E+03	NA
CHRYSENE	1.3E+05	carcinogenic effects	1.3E+05			NA
COBALT	3.8E+01	noncarcinogenic effects	5.0E+02	3.8E+01	1.9E+02	NA
COPPER	1.8E+04	noncarcinogenic effects		1.8E+04	8.8E+04	NA
CYANIDE (Free)	4.9E+01	noncarcinogenic effects		4.9E+01	2.4E+02	NA
CYCLO-1,3,5-TRIMETHYLENE-2,4,6-TRINITRAMINE (RDX)	1.6E+03	noncarcinogenic effects	2.6E+03	1.6E+03	8.2E+03	NA
DALAPON	8.7E+03	noncarcinogenic effects		8.7E+03	4.3E+04	NA
DIBENZO(a,h)ANTHRACENE	1.3E+02	carcinogenic effects	1.3E+02			NA

**TABLE I-3. DIRECT-EXPOSURE ACTION LEVELS
CONSTRUCTION/TRENCH WORKER EXPOSURE SCENARIO**

CHEMICAL	Final Action Level (mg/kg)	Basis	¹ Carcinogens (Risk = 10 ⁻⁵) (mg/kg)	² Noncarcinogens (Final) (mg/kg)	² Noncarcinogens (HQ = 1.0) (mg/kg)	Saturation (mg/kg)
DIBROMO,1,2- CHLOROPROPANE,3-	3.7E-01	carcinogenic effects	3.7E-01	8.2E+00	4.1E+01	9.8E+02
DIBROMOCHLOROMETHANE	2.6E+02	carcinogenic effects	2.6E+02	7.2E+02	3.6E+03	NA
DIBROMOETHANE, 1,2-	9.2E-01	carcinogenic effects	9.2E-01	1.1E+02	5.3E+02	NA
DICHLOROENZENE, 1,2-	3.8E+02	saturation limit		3.1E+03	1.5E+04	3.8E+02
DICHLOROENZENE, 1,3-	6.0E+02	saturation limit		1.9E+03	9.6E+03	6.0E+02
DICHLOROENZENE, 1,4-	6.6E+01	carcinogenic effects	6.6E+01	8.5E+03	4.3E+04	NA
DICHLOROBENZIDINE, 3,3-	3.1E+02	carcinogenic effects	3.1E+02			NA
DICHLORODIPHENYLDICHLOROETHANE (DDD)	1.4E+02	noncarcinogenic effects	6.0E+02	1.4E+02	7.2E+02	NA
DICHLORODIPHENYLDICHLOROETHYLENE (DDE)	2.2E+02	noncarcinogenic effects	6.2E+02	2.2E+02	1.1E+03	NA
DICHLORODIPHENYLTRICHLOROETHANE (DDT)	1.9E+02	noncarcinogenic effects	5.6E+02	1.9E+02	9.5E+02	NA
DICHLOROETHANE, 1,1-	9.0E+01	carcinogenic effects	9.0E+01	2.0E+03	1.0E+04	1.7E+03
DICHLOROETHANE, 1,2-	1.2E+01	carcinogenic effects	1.2E+01	4.5E+01	2.2E+02	3.0E+03
DICHLOROETHYLENE, 1,1-	3.2E+02	noncarcinogenic effects		3.2E+02	1.6E+03	1.2E+03
DICHLOROETHYLENE, Cis 1,2-	1.2E+02	noncarcinogenic effects		1.2E+02	6.1E+02	2.4E+03
DICHLOROETHYLENE, Trans 1,2-	9.8E+01	noncarcinogenic effects		9.8E+01	4.9E+02	1.9E+03
DICHLOROPHENOL, 2,4-	8.7E+02	noncarcinogenic effects		8.7E+02	4.3E+03	NA
DICHLOROPHENOXYACETIC ACID (2,4-D)	3.5E+03	noncarcinogenic effects		3.5E+03	1.8E+04	NA
DICHLOROPROPANE, 1,2-	2.1E+01	noncarcinogenic effects	6.4E+01	2.1E+01	1.1E+02	1.4E+03
DICHLOROPROPENE, 1,3-	4.8E+01	carcinogenic effects	4.8E+01	9.8E+01	4.9E+02	1.6E+03
DIELDRIN	5.8E+01	noncarcinogenic effects	2.0E+02	5.8E+01	1.2E+02	NA
DIETHYLPHTHALATE	2.3E+05	noncarcinogenic effects		2.3E+05	1.2E+06	NA
DIMETHYLPHENOL, 2,4-	5.7E+03	noncarcinogenic effects		5.7E+03	2.9E+04	NA
DIMETHYLPHTHALATE	1.0E+06	maximum		2.9E+06	1.4E+07	NA
DINITROBENZENE, 1,3-	2.9E+01	noncarcinogenic effects		2.9E+01	1.4E+02	NA
DINITROPHENOL, 2,4-	5.8E+02	noncarcinogenic effects		5.8E+02	2.9E+03	NA
DINITROTOLUENE, 2,4- (2,4-DNT)	4.6E+02	carcinogenic effects	4.6E+02	5.8E+02	2.9E+03	NA
DINITROTOLUENE, 2,6- (2,6-DNT)	8.7E+01	noncarcinogenic effects	9.7E+01	8.7E+01	4.4E+02	NA
DIOXANE, 1,4-	1.5E+03	noncarcinogenic effects	1.6E+03	1.5E+03	7.4E+03	1.2E+05
DIOXINS (TEQ)	1.5E-03	HDOH 2010a	1.4E-02			
DIURON	5.8E+02	noncarcinogenic effects		5.8E+02	2.9E+03	NA
ENDOSULFAN	2.7E+03	noncarcinogenic effects		2.7E+03	1.3E+04	NA
ENDRIN	8.7E+01	noncarcinogenic effects		8.7E+01	4.3E+02	NA
ETHANOL	1.5E-03	commercial/industrial exposure				
ETHYLBENZENE	1.5E+02	carcinogenic effects	1.5E+02	5.9E+03	3.0E+04	4.8E+02
FLUORANTHENE	1.0E+04	noncarcinogenic effects		1.0E+04	5.2E+04	NA
FLUORENE	8.8E+03	noncarcinogenic effects		8.8E+03	4.4E+04	NA
GLYPHOSATE	2.9E+04	noncarcinogenic effects		2.9E+04	1.4E+05	NA
HEPTACHLOR	4.1E+01	carcinogenic effects	4.1E+01	4.4E+01	2.2E+02	NA
HEPTACHLOR EPOXIDE	5.8E+00	noncarcinogenic effects	2.2E+01	5.8E+00	2.9E+01	NA
HEXACHLOROENZENE	4.4E+00	noncarcinogenic effects	5.9E+01	4.4E+00	2.2E+01	NA
HEXACHLOROBUTADIENE	3.1E+02	carcinogenic effects	3.1E+02	4.4E+02	2.2E+03	NA
HEXACHLOROCYCLOHEXANE (gamma) LINDANE	1.1E+02	noncarcinogenic effects	1.6E+02	1.1E+02	5.5E+02	NA
HEXACHLOROETHANE	1.6E+02	noncarcinogenic effects	4.7E+02	1.6E+02	8.1E+02	NA
HEXAZINONE	9.6E+03	noncarcinogenic effects		9.6E+03	4.8E+04	NA
INDENO(1,2,3-cd)PYRENE	1.3E+03	carcinogenic effects	1.3E+03			NA
ISOPHORONE	5.8E+04	noncarcinogenic effects	1.5E+05	5.8E+04	2.9E+05	NA
LEAD	8.0E+02	commercial/industrial exposure				

**TABLE I-3. DIRECT-EXPOSURE ACTION LEVELS
CONSTRUCTION/TRENCH WORKER EXPOSURE SCENARIO**

CHEMICAL	Final Action Level (mg/kg)	Basis	¹ Carcinogens (Risk = 10 ⁻⁵) (mg/kg)	² Noncarcinogens (Final) (mg/kg)	² Noncarcinogens (HQ = 1.0) (mg/kg)	Saturation (mg/kg)
MERCURY	1.3E+02	noncarcinogenic effects		1.3E+02	6.3E+02	NA
METHOXYCHLOR	1.4E+03	noncarcinogenic effects		1.4E+03	7.2E+03	NA
METHYL ETHYL KETONE	2.8E+04	saturation limit		6.5E+04	3.3E+05	2.8E+04
METHYL ISOBUTYL KETONE	3.4E+03	saturation limit		4.5E+04	2.2E+05	3.4E+03
METHYL MERCURY	4.4E+01	noncarcinogenic effects		4.4E+01	2.2E+02	NA
METHYL TERT BUTYL ETHER	1.2E+03	carcinogenic effects	1.2E+03	2.1E+04	1.0E+05	8.9E+03
METHYLENE CHLORIDE	1.1E+03	noncarcinogenic effects	6.5E+03	1.1E+03	5.5E+03	3.3E+03
METHYLNAPHTHALENE, 1-	4.5E+02	carcinogenic effects	4.5E+02	9.6E+03	4.8E+04	NA
METHYLNAPHTHALENE, 2-	5.5E+02	noncarcinogenic effects		5.5E+02	2.7E+03	NA
MOLYBDENUM	2.0E+03	noncarcinogenic effects		2.0E+03	9.9E+03	NA
NAPHTHALENE	5.1E+01	carcinogenic effects	5.1E+01	1.9E+02	9.4E+02	NA
NICKEL	1.2E+02	noncarcinogenic effects		1.2E+02	6.2E+02	NA
NITROBENZENE	1.3E+02	carcinogenic effects	1.3E+02	4.5E+02	2.3E+03	3.0E+03
NITROGLYCERIN	2.9E+01	noncarcinogenic effects	8.5E+03	2.9E+01	1.4E+02	NA
NITROTOLUENE, 2-	1.0E+02	carcinogenic effects	1.0E+02	2.4E+02	1.2E+03	NA
NITROTOLUENE, 3-	2.9E+01	noncarcinogenic effects		2.9E+01	1.4E+02	NA
NITROTOLUENE, 4-	1.1E+03	noncarcinogenic effects	9.1E+03	1.1E+03	5.7E+03	NA
PENTACHLOROPHENOL	2.4E+02	carcinogenic effects	2.4E+02	9.5E+02	4.8E+03	NA
PENTAERYTHRITOLTETRA-NITRATE (PETN)	2.6E+03	noncarcinogenic effects	3.4E+04	2.6E+03	1.3E+04	NA
PERCHLORATE	3.1E+02	noncarcinogenic effects		3.1E+02	1.5E+03	NA
PHENANTHRENE	9.3E+03	noncarcinogenic effects		9.3E+03	4.7E+04	NA
PHENOL	8.3E+04	noncarcinogenic effects		8.3E+04	4.1E+05	NA
POLYCHLORINATED BIPHENYLS (PCBs)	2.5E+01	noncarcinogenic effects	5.9E+01	2.5E+01	2.5E+01	NA
PROPIONAZOLE	2.9E+04	noncarcinogenic effects		2.9E+04	1.4E+05	NA
PYRENE	7.6E+03	noncarcinogenic effects		7.6E+03	3.8E+04	NA
SELENIUM	2.2E+03	noncarcinogenic effects		2.2E+03	1.1E+04	NA
SILVER	2.2E+03	noncarcinogenic effects		2.2E+03	1.1E+04	NA
SIMAZINE	1.2E+03	carcinogenic effects	1.2E+03	1.4E+03	7.2E+03	NA
STYRENE	8.7E+02	saturation limit		1.2E+04	5.8E+04	8.7E+02
TERBACIL	3.8E+03	noncarcinogenic effects		3.8E+03	1.9E+04	NA
tert-BUTYL ALCOHOL	4.4E+04	carcinogenic effects	4.4E+04	9.4E+04	4.7E+05	1.1E+05
TETRACHLOROETHANE, 1,1,1,2-	5.2E+01	carcinogenic effects	5.2E+01	8.0E+02	4.0E+03	6.8E+02
TETRACHLOROETHANE, 1,1,2,2-	1.6E+01	carcinogenic effects	1.6E+01	8.8E+03	4.4E+04	1.9E+03
TETRACHLOROETHYLENE	2.7E+01	carcinogenic effects	2.7E+01	1.3E+02	6.4E+02	1.7E+02
TETRACHLOROPHENOL, 2,3,4,6-	8.7E+03	noncarcinogenic effects		8.7E+03	4.3E+04	NA
TETRANITRO-1,3,5,7-TETRAAZOCYCLOOCTANE (HMX)	2.1E+04	noncarcinogenic effects		2.1E+04	1.1E+05	NA
THALLIUM	2.2E+01	noncarcinogenic effects		2.2E+01	2.2E+01	NA
TOLUENE	8.2E+02	saturation limit		1.6E+04	8.2E+04	8.2E+02
TOXAPHENE	2.6E+01	noncarcinogenic effects	1.3E+02	2.6E+01	1.3E+02	NA
TPH (gasolines)	1.9E+03	noncarcinogenic effects		1.9E+03	1.9E+03	2.0E+03
TPH (middle distillates)	6.8E+02	saturation limit		1.5E+03	1.5E+03	6.8E+02
TPH (residual fuels)	3.5E+04	noncarcinogenic effects		3.5E+04	3.5E+04	NA
TRICHLOROETHANE, 1,2,4-	8.2E+01	noncarcinogenic effects	7.6E+02	8.2E+01	4.1E+02	NA
TRICHLOROETHANE, 1,1,1-	6.4E+02	saturation limit		1.2E+04	5.8E+04	6.4E+02
TRICHLOROETHANE, 1,1,2-	2.0E+00	noncarcinogenic effects	2.9E+01	2.0E+00	1.0E+01	2.2E+03
TRICHLOROETHYLENE	6.1E+00	noncarcinogenic effects	3.5E+01	6.1E+00	3.0E+01	6.9E+02
TRICHLOROPHENOL, 2,4,5-	2.9E+04	noncarcinogenic effects		2.9E+04	1.4E+05	NA

**TABLE I-3. DIRECT-EXPOSURE ACTION LEVELS
CONSTRUCTION/TRENCH WORKER EXPOSURE SCENARIO**

CHEMICAL	Final Action Level (mg/kg)	Basis	¹ Carcinogens (Risk = 10 ⁻⁵) (mg/kg)	² Noncarcinogens (Final) (mg/kg)	² Noncarcinogens (HQ = 1.0) (mg/kg)	Saturation (mg/kg)
TRICHLOROPHENOL, 2,4,6-	2.9E+02	noncarcinogenic effects	1.3E+04	2.9E+02	1.4E+03	NA
TRICHLOROPHENOXYACETIC ACID, 2,4,5- (2,4,5-T)	2.9E+03	noncarcinogenic effects		2.9E+03	1.4E+04	NA
TRICHLOROPHENOXYPROPIONIC ACID, 2,4,5- (2,4,5-TP)	2.3E+03	noncarcinogenic effects		2.3E+03	1.2E+04	NA
TRICHLOROPROPANE, 1,2,3-	7.4E-01	carcinogenic effects	7.4E-01	6.7E+00	3.3E+01	1.4E+03
TRICHLOROPROPENE, 1,2,3-	9.9E-01	noncarcinogenic effects		9.9E-01	5.0E+00	3.1E+02
TRIFLURALIN	3.3E+03	noncarcinogenic effects	2.9E+04	3.3E+03	1.7E+04	NA
TRINITROBENZENE, 1,3,5-	1.2E+04	noncarcinogenic effects		1.2E+04	6.0E+04	NA
TRINITROPHENYLMETHYLNITRAMINE, 2,4,6- (TETRYL)	8.8E+02	noncarcinogenic effects		8.8E+02	4.4E+03	NA
TRINITROTOLUENE, 2,4,6- (TNT)	1.9E+02	noncarcinogenic effects	6.3E+03	1.9E+02	9.5E+02	NA
VANADIUM	6.4E+02	noncarcinogenic effects		6.4E+02	3.2E+03	NA
VINYL CHLORIDE	1.0E+01	carcinogenic effects	1.0E+01	1.2E+02	6.1E+02	3.9E+03
XYLENES	2.6E+02	saturation limit		8.1E+02	4.0E+03	2.6E+02
ZINC	1.3E+05	noncarcinogenic effects		1.3E+05	6.6E+05	NA

Primary source: USEPA Regional Screening Levels (USEPA 2017), modified as noted below and described in Appendix 1, Section 3.2.

- Carcinogens: Default target excess cancer risk = 10⁻⁵ (see Sections 1.4 and 4.2.2). Target excess cancer risk of 10⁻⁶ used for volatile contaminants that are carcinogens. Target risk of 5x10⁻⁵ used for benzo(a)pyrene. Target risk of 10⁻⁴ applied to aldrin, dieldrin, TEQ dioxins and hexavalent chromium action levels to reflect on higher confidence in noncancer toxicity factors and/or background and other factors.
- Noncarcinogens: Final action level based on default target hazard quotient = 0.2 unless noted (see Sections 1.4 and 4.2.2). TPH action levels based on HQ of 1.0 (see Section 3.2 in text). Action levels for Technical Chlordane and thallium based on HQ of 1.0. Action levels for aldrin and dieldrin (breakdown product of aldrin) based on HQ of 0.5. Screening levels based on hazard quotient of 1.0 provided for reference.
- Arsenic direct exposure soil action levels: refer to Update to Soil Action Levels for Inorganic Arsenic and Recommended Soil Management Practices, HEER office Technical Memorandum, October 2010 (HDOH 2010a).
- Maximum dioxin screening level set equal to commercial/industrial screening level to address dietary contribution (see text).

Notes:
See text for equations and assumptions used in models.
Final action level is lowest of individual screening levels for carcinogenic effects and noncarcinogenic effects. Saturation limit used as upper limit for volatile organic compounds that are liquid at ambient conditions (see text).

Action levels for volatile chemicals may not fully consider increased vapor emissions during excavation of contaminated soil or work in trenches with poor air flow. Include actions to minimize worker exposure to VOCs and other contaminants that exceed action levels for commercial/industrial workers in Table I-2 in a worker Health and Safety Plan (e.g., PPE, good hygiene, etc.).

Saturation: Theoretical soil saturation level in the absence of free product; calculated for volatile organic compounds that are liquids under ambient conditions (refer to Table H).
TPH: Total Petroleum Hydrocarbons. See Chapter 6 of Appendix 1 for discussion of different TPH categories and development of action levels.
TPHmd saturation level set to 500 mg/kg vs model-derived 150 mg/kg to address low confidence in direct exposure, vapor emission model (see Chapter 6)
Ethanol: Human health toxicity data not available. Environmental concerns driven by gross contamination/nuisance concerns.
Direct-exposure screening level for lead based on USEPA Regional Screening Levels for commercial/industrial exposure scenarios (USEPA 2017).

TABLE J. TARGET ORGANS AND CHRONIC HEALTH EFFECTS
 (For general reference only. May not be adequately comprehensive for some chemicals.
 Some noted effects may be insignificant. Refer to original documents for additional information.)

CHEMICAL PARAMETER	Target Organs And Health Effects														
	^a Carcinogen	^b Mutagen	^c Alimentary Tract	Cardiovascular	Developmental	Endocrine	Eye	Hematologic	Immune	Kidney	Nervous	Reproductive	Respiratory	^d Skin	Other
ACENAPHTHENE	D		4,5					3						3	
ACENAPHTHYLENE	D							4,5	3					3	= Fluorene
ACETONE	D		4,5					2		4,5					
ALDRIN	B2		5								2				
AMETRYN	D		5												
AMINO,2- DINITROTOLUENE,4,6-	D		2,6				2,3	2,6				6		2,3	No data, TNT data shown
AMINO,4- DINITROTOLUENE,2,6-	D		2,6				2,3	2,6				6		2,3	No data, TNT data shown
ANTHRACENE	D								3					3	
ANTIMONY	D			3			2,3	4,6				3	1,2,3		
ARSENIC	A		2,3,5	1,3	1,2,3			2,3,5			1,2,3			1,2,3,5	
ATRAZINE	C		2	5,7	3,4,5					2		7		2	
BARIUM	D			3				4		5		4			
BENOMYL	C				5										
BENZENE	A		2		1,3			1,2,3	2		1				
BENZO(a)ANTHRACENE	B2	M							3					3	No chronic toxicity factors.
BENZO(a)PYRENE	B2	M							3			2		3	No chronic toxicity factors.
BENZO(b)FLUORANTHENE	B2	M							3					3	No chronic toxicity factors.
BENZO(g,h,i)PERYLENE	D		4,5					4,5	3	4,5				3	= Fluoranthene
BENZO(k)FLUORANTHENE	B2	M							3					3	No chronic toxicity factors.
BERYLLIUM	B1		1,5						1				1,2,3,5	2	
BIPHENYL, 1,1-	D		2							5	2				
BIS(2-CHLOROETHYL)ETHER	B2										3	3			No chronic toxicity factors.
BIS(2-CHLORO-1-METHYLETHYL)ETHER	B2							5							
BIS(2-ETHYLHEXYL)PHTHALATE	?		6,7									7			No chronic toxicity factors.
BORON	D											3,5	4		
BROMODICHLOROMETHANE	B2		3							3,5					
BROMOFORM	B2		2,3,5							3	2,3				
BROMOMETHANE	D		1,2,4,5	2			1			1,2,3	2,3		2,3,4,5		
CADMIUM	B1/D									1,2,3,4,5			1,2,3		bone loss (1,3)
CARBON TETRACHLORIDE	B2		1,3,5		1					3	1				
CHLORDANE (TECHNICAL)	B2		2,3,5						2,4		3				
CHLOROANILINE, p-	?		2,5						4	2				2	
CHLOROBENZENE	D		1,2,4,5					2		1,2,3,4	2	1			
CHLOROETHANE	B		1		1,3										
CHLOROFORM	B2		1,2,3,5		1					1,2,3					
CHLOROMETHANE	C/D				3						2	2,3			
CHLOROPHENOL, 2-	D		1,3		1							1,4,5			
CHROMIUM (Total)	-														
CHROMIUM III	D							1					1	2	
CHROMIUM VI	A	M						1				1	1,5		
CHRYSENE	B2	M							3					3	No chronic toxicity factors.
COBALT	?			2									2	2	hearing (2)
COPPER	D		7										1,3	2	
CYANIDE (Free)	D			1,3		1,3,5		3			1,4,5		3		
CYCLO-1,3,5-TRIMETHYLENE-2,4,6-TRINITRAMINE (RDX)	C		3		3					3			1,2,3,4,5	1	
DALAPON	D									2,5,7					
DIBENZO(a,h)ANTHTRACENE	B2	M							3					2,3	
DIBROMO-3-CHLOROPROPANE, 1,2-	B2	M	1		1					2					
DIBROMOCHLOROMETHANE	C		5												
DIBROMOETHANE, 1,2-	B2				3							3	1,2		

TABLE J. TARGET ORGANS AND CHRONIC HEALTH EFFECTS
 (For general reference only. May not be adequately comprehensive for some chemicals.
 Some noted effects may be insignificant. Refer to original documents for additional information.)

CHEMICAL PARAMETER	Target Organs And Health Effects														
	^a Carcinogen	^b Mutagen	^c Alimentary Tract	Cardiovascular	Developmental	Endocrine	Eye	Hematologic	Immune	Kidney	Nervous	Reproductive	Respiratory	^d Skin	Other
DICHLOROBENZENE, 1,2-	D		2							2				2	
DICHLOROBENZENE, 1,3-	D		2							2					
DICHLOROBENZENE, 1,4-	C		1,2,5							1,2	1,	5	1		
DICHLOROBENZIDINE, 3,3-	B2		2												No chronic toxicity factors.
DICHLORODIPHENYLDICHLOROETHANE (DDD)	B2														No chronic toxicity factors.
DICHLORODIPHENYLDICHLOROETHYLENE (DDE)	B2														No chronic toxicity factors.
DICHLORODIPHENYLTRICHLOROETHANE (DDT)	B2		2,3,5								2	2			
DICHLOROETHANE, 1,1-	C		2							2,3,4,6					
DICHLOROETHANE, 1,2-	B2		1,												
DICHLOROETHYLENE, 1,1-	C/D		1,2,3,4,5							2	3		3		
DICHLOROETHYLENE, Cis 1,2-	D		3					3,4,6							
DICHLOROETHYLENE, Trans 1,2-	D		3					4,5					3		
DICHLOROPHENOL, 2,4-	E								4						
DICHLOROPHENOXYACETIC ACID (2,4-D)	D		5,7			7		5		5,7					
DICHLOROPROPANE, 1,2-	B2		2					2					4		
DICHLOROPROPENE, 1,3-	B2		5										3		
DIELDRIN	B2		5								2				
DIETHYLPHTHALATE	D				5							3			
DIMETHYLPHENOL, 2,4-	?							4,5			4,5				
DIMETHYLPHTHALATE	D														Information not available
DINITROBENZENE, 1,3-	D		2		2		2	2	5		2	2			
DINITROPHENOL, 2,4-	?						2,5				2				
DINITROTOLUENE, 2,4- (2,4-DNT)	D		5,6	3				2,3,5,6			3,5,6	4,6			
DINITROTOLUENE, 2,6- (2,6-DNT)	D		6	3	2			2,3,6			3	2,6			
DIOXANE, 1,4-	B2		1	1						1					
DIOXIN (2,3,7,8-TCDD)	B1?		1,3		1,3	1,3		1	3			1,3	1,3	3	No chronic toxicity factors.
DIURON	D							5							
ENDOSULFAN	?		3		3,5			5	3	3,4,5	3,5	3			
ENDRIN	D		4,5		3					5	4				
ETHANOL	D														
ETHYLBENZENE	D		1,4,5		1,3,5	1				1,4,5	2	2		2	
FLUORANTHENE	D		4,5					4,5	3	4,5				3	
FLUORENE	D							4,5	3					3	
GLYPHOSATE	D									5,7		7			
HEPTACHLOR	B2		5								6				
HEPTACHLOR EPOXIDE	B2		5								6				
HEXACHLOROBENZENE	B2		1,2,3,5			3		3	3	3	2,3	2			bones (3)
HEXACHLOROBUTADIENE	C		3							3				2	
HEXACHLOROCYCLOHEXANE (gamma) LINDANE	B2		1							1,2,5					
HEXACHLOROETHANE	C		2,3							2,3,5					
HEXAZINONE	D				5										
INDENO(1,2,3-cd)PYRENE	B2	M							3					3	No chronic toxicity factors.
ISOPHORONE	C		1		1										
LEAD	B2		2,6	6	2,6			2,6	2,6	2,6	2,6	6			
MERCURY	D				3				1	1,2	1,2,4,5				
METHOXYCHLOR	D		2		5					2	2	2,4,5			
METHYL ETHYL KETONE	D				5							1,2			
METHYL ISOBUTYL KETONE	D										6				
METHYL MERCURY	C				5							1,5			
METHYL TERT BUTYL ETHER	?		1,5				1			1,5					

TABLE J. TARGET ORGANS AND CHRONIC HEALTH EFFECTS
 (For general reference only. May not be adequately comprehensive for some chemicals.
 Some noted effects may be insignificant. Refer to original documents for additional information.)

CHEMICAL PARAMETER	Target Organs And Health Effects														Other	
	^a Carcinogen	^b Mutagen	^c Alimentary Tract	Cardiovascular	Developmental	Endocrine	Eye	Hematologic	Immune	Kidney	Nervous	Reproductive	Respiratory	^d Skin		
METHYLENE CHLORIDE	B2	M	2,5	1						2	1					
METHYLNAPHTHALENE, 1-	C							4,5	3					3		= Fluorene
METHYLNAPHTHALENE, 2-	D							4,5	3					3		= Fluorene
MOLYBDENUM	D							5								
NAPHTHALENE	C						2	2	3				1,5	3		
NICKEL	A/D		1,5					1		5			1,2	2		
NITROBENZENE	D		1,2,3,4,5,6		2	4,5,6		2,3,4,5,6		4,5,6	1,6		2	6		
NITROGLYCERIN	?															Information not available
NITROTOLUENE, 2-	?		2					2				2				
NITROTOLUENE, 3-	D							2								
NITROTOLUENE, 4-	?		2					2				2				
PENTACHLOROPHENOL	B2		1,2,3,5		1,3			3	3	2,5	2,3	1	2,3			
PENTAERYTHRITOLTETRA-NITRATE (PETN)	?															Information not available
PERCHLORATE	D					7		2								
PHENANTHRENE	D							4,5	3					3		= Fluorene
PHENOL	D		1,2		3,5			1		1,2	1	4	1			
POLYCHLORINATED BIPHENYLS (PCBs)	B2		1,2,3		1,3	3	5	3	1,3,5			1,2,3		3		
PROPICONAZOLE	D		5													
PYRENE	D								3	4,5						
SELENIUM	D		1,2,5	1				5			1		1,2	2,3,5		Selenosis (3,5)
SILVER	D													2,3,5		
SIMAZINE	?				4,5			5,7						2		
STYRENE	C		3,4,5					4,5			1,2,4,5		2	2		
TERBACIL	D		5			5										
tert-BUTYL ALCOHOL	?															No chronic toxicity factors.
TETRACHLOROETHANE, 1,1,1,2-	C		5							5						
TETRACHLOROETHANE, 1,1,2,2-	C		2,3								2,3					
TETRACHLOROETHYLENE	C		1,2,5							1,2						
TETRACHLOROPHENOL, 2,3,4,6-	D		1		1							1				
TETRA-NITRO-1,3,5,7-TETRAAZOCYCLOOCTANE (HMX)	D															
THALLIUM	D		2	2			2	5			2,3	2,3		2		
TOLUENE	D		4,5		1,3					4,5	1,2,5	2	1,5			
TOXAPHENE	B2		3			3			3	3						
TPH (gasolines)	D		8					8		8	8					Decreased body weight
TPH (middle distillates)	D		8					8		8	8					Decreased body weight
TPH (residual fuels)	D		8					8		8	8					Decreased body weight
TRICHLOROETHANE, 1,2,4-	D					4,5										
TRICHLOROETHANE, 1,1,1-	D		2,6	7							1					
TRICHLOROETHANE, 1,1,2-	C		5					6	7					2		
TRICHLOROETHYLENE	B2	M	2,3,6		3,6		1	3	6	2,3,6	1,2,3					
TRICHLOROPHENOL, 2,4,5-	D		1,2,4,5		1					2,4,5		1				
TRICHLOROPHENOL, 2,4,6-	B2		2													
TRICHLOROPHENOXYACETIC ACID, 2,4,5- (2,4,5-T)	D				2					5		2,5				
TRICHLOROPHENOXYPROPIONIC ACID, 2,4,5- (2,4,5-TP)	D		4,5,7													
TRICHLOROPROPANE, 1,2,3-	A2	M	3					3,5		3			3			
TRICHLOROPROPENE, 1,2,3-	D															Information not available
TRIFLURALIN	C		5					5						2		
TRINITROPHENYLMETHYLNITRAMINE, 2,4,6- (TETRYL)	D		2					2		2			2	2		
TRINITROTOLUENE, 1,3,5-	?															Information not available
TRINITROTOLUENE, 2,4,6- (TNT)	C		2,5,6				2,3	2,6				6		2,3		

TABLE J. TARGET ORGANS AND CHRONIC HEALTH EFFECTS
 (For general reference only. May not be adequately comprehensive for some chemicals.
 Some noted effects may be insignificant. Refer to original documents for additional information.)

CHEMICAL PARAMETER	Target Organs And Health Effects														Other
	^a Carcinogen	^b Mutagen	^c Alimentary Tract	Cardiovascular	Developmental	Endocrine	Eye	Hematologic	Immune	Kidney	Nervous	Reproductive	Respiratory	^d Skin	
VANADIUM	D		3							3			2,3		
VINYL CHLORIDE	A	M	1,2,3,5		1,3			2,3	3		3	1,3		2	No chronic toxicity factors.
XYLENES	D										1,2,3,4,5		1		
ZINC	D			1		3		1,3,4,5					1		

Notes:
 a. Carcinogen type from RWQCBCV 2007; ORNL 2001 (see classification below).
 b. Chemicals classified as mutagenic (M) in USEPA Regional Screening Levels guidance (USEPA 2011).
 c. Includes gastro-intestinal tract, liver, spleen, gall bladder, etc.
 d. Includes skin sensitization but not general dermatitis or defatting of skin.

Carcinogen Classification
 A: Human carcinogen
 B: Probable human carcinogen (B1: limited human evidence; B2 Sufficient evidence in animals and inadequate or no evidence in humans)
 C: Possible human carcinogen
 D: Not classifiable as to human carcinogenicity
 E: Evidence of noncarcinogenicity for humans
 NA: Carcinogen classification information not available

References:
 1. CalEPA, 2005, Consolidated Table of Chronic Reference Exposure Levels: California Environmental Protection Agency, Office of Environmental Health Hazard Assessment/Air Resources Board, April 2005, <http://www.arb.ca.gov/toxics/healthval/healthval.htm>
 2. CDC, 2007, International Chemical Safety Cards: International Programme on Chemical Safety: United Nations Environment Program, International Labour Office and World Health Organization (accessed December 2007); published through US Department of Health and Human Services, Centers for Disease Control and Prevention, <http://www.cdc.gov/niosh/ipcs/icstart.html>
 3. ATSDR, 2007, ToxFAQs™: Agency for Toxic Substances and Disease Registry (accessed December 2007), <http://www.atsdr.cdc.gov/toxfaq.html>
 4. Illinois, 2001, Tiered Approach to Corrective Action Objectives (TACO): Illinois Environmental Protection Agency, Title 35, Subtitle G, Chapter I, Subchapter f, Part 742, Appendix A, Table E, Similar-Acting Noncarcinogenic Chemicals (accessed December 2007), <http://www.ipcb.state.il.us/SLR/PCBandEPAEnvironmentalRegulations-Title35.asp>
 5. USEPA, 2007, IRIS: U.S. Environmental Protection Agency, IRIS Database (accessed December 2007); (Critical effect used for derivation of USEPA RfD as presented in IRIS database; may not be inclusive of all potentially significant health effects), <http://www.epa.gov/iris/subst/index.html>
 6. ORNL, 2007, Risk Assessment Information System (RAIS), Toxicity Profiles: Oak Ridge National Laboratory/U.S. Department of Energy (accessed December 2007), RAGs A Format, especially Critical Effect used for derivation of RfDs, http://risk.lsd.ornl.gov/tox/rap_toxp.shtml
 7. USEPA National Primary Drinking Water Standards (March 2001): U.S. Environmental Protection Agency, Office of Water, EPA 816-F-01-007, <http://www.epa.gov/safewater/consumer/pdf/mcl.pdf> (selectively used)
 8. TPH whole product toxicity based review of TPH Working Group petroleum carbon fraction guidance (TPHWG 1998, Volume 4) and Massachusetts DEP VPH/EPH guidance (MADEP 2002a).
 For additional online references, see also: Hazardous Substances (On-line) Database: U.S. National Library of Medicine, Toxicology Data Network, <http://toxnet.nlm.nih.gov>.

TABLE K. ¹NATURAL BACKGROUND CONCENTRATIONS OF METALS IN SOIL

CHEMICAL PARAMETER	Range (mg/kg)	² Upper Bound (mg/kg)	³ Background Threshold Value (mg/kg)	⁴ Selected Action Level (mg/kg)
ACENAPHTHENE				
ACENAPHTHYLENE				
ACETONE				
ALDRIN				
AMETRYN				
AMINO,2- DINITROTOLUENE,4,6-				
AMINO,4- DINITROTOLUENE,2,6-				
ANTHRACENE				
ANTIMONY	0.004-2.4	2.4E+00	2.4E+00	2.4E+00
ARSENIC	0.3-50	2.4E+01	5.0E+01	2.4E+01
ATRAZINE				
BARIUM	4.5-926	6.9E+02	9.3E+02	6.9E+02
BENOMYL				
BENZENE				
BENZO(a)ANTHRACENE				
BENZO(a)PYRENE				
BENZO(b)FLUORANTHENE				
BENZO(g,h,i)PERYLENE				
BENZO(k)FLUORANTHENE				
BERYLLIUM	0.05-3.8	3.0E+00	3.8E+00	3.0E+00
BIPHENYL, 1,1-				
BIS(2-CHLOROETHYL)ETHER				
BIS(2-CHLORO-1-METHYLETHYL)ETHER				
BIS(2-ETHYLHEXYL)PHTHALATE				
BORON				
BROMODICHLOROMETHANE				
BROMOFORM				
BROMOMETHANE				
CADMIUM	0.02-17	2.3E+00	1.7E+01	1.7E+01
CARBON TETRACHLORIDE				
CHLORDANE (TECHNICAL)				
CHLOROANILINE, p-				
CHLOROENZENE				
CHLOROETHANE				
CHLOROFORM				
CHLOROMETHANE				
CHLOROPHENOL, 2-				
CHROMIUM (Total)	8.52-3,180	1.1E+03	3.2E+03	1.1E+03
CHROMIUM III				
CHROMIUM VI				
CHRYSENE				
COBALT	0.69-113	8.0E+01	1.1E+02	8.0E+01
COPPER	2.4-450	2.5E+02	4.5E+02	2.5E+02

TABLE K. ¹NATURAL BACKGROUND CONCENTRATIONS OF METALS IN SOIL

CHEMICAL PARAMETER	Range (mg/kg)	² Upper Bound (mg/kg)	³ Background Threshold Value (mg/kg)	⁴ Selected Action Level (mg/kg)
CYANIDE (Free)				
CYCLO-1,3,5-TRIMETHYLENE-2,4,6-TRINITRAMINE (RDX)				
DALAPON				
DIBENZO(a,h)ANTHTRACENE				
DIBROMO,1,2- CHLOROPROPANE,3-				
DIBROMOCHLOROMETHANE				
DIBROMOETHANE, 1,2-				
DICHLOROBENZENE, 1,2-				
DICHLOROBENZENE, 1,3-				
DICHLOROBENZENE, 1,4-				
DICHLOROBENZIDINE, 3,3-				
DICHLORODIPHENYLDICHLOROETHANE (DDD)				
DICHLORODIPHENYLDICHLOROETHYLENE (DDE)				
DICHLORODIPHENYLTRICHLOROETHANE (DDT)				
DICHLOROETHANE, 1,1-				
DICHLOROETHANE, 1,2-				
DICHLOROETHYLENE, 1,1-				
DICHLOROETHYLENE, Cis 1,2-				
DICHLOROETHYLENE, Trans 1,2-				
DICHLOROPHENOL, 2,4-				
DICHLOROPHENOXYACETIC ACID (2,4-D)				
DICHLOROPROPANE, 1,2-				
DICHLOROPROPENE, 1,3-				
DIELDRIN				
DIETHYLPHTHALATE				
DIMETHYLPHENOL, 2,4-				
DIMETHYLPHTHALATE				
DINITROBENZENE, 1,3-				
DINITROPHENOL, 2,4-				
DINITROTOLUENE, 2,4- (2,4-DNT)				
DINITROTOLUENE, 2,6- (2,6-DNT)				
DIOXANE, 1,4-				
DIOXINS (TEQ)				2.0E-05
DIURON				
ENDOSULFAN				
ENDRIN				
ETHANOL				
ETHYLBENZENE				
FLUORANTHENE				
FLUORENE				
GLYPHOSATE				
HEPTACHLOR				
HEPTACHLOR EPOXIDE				
HEXACHLOROBENZENE				
HEXACHLOROBUTADIENE				

TABLE K. ¹NATURAL BACKGROUND CONCENTRATIONS OF METALS IN SOIL

CHEMICAL PARAMETER	Range (mg/kg)	² Upper Bound (mg/kg)	³ Background Threshold Value (mg/kg)	⁴ Selected Action Level (mg/kg)
HEXACHLOROCYCLOHEXANE (gamma) LINDANE				
HEXACHLOROETHANE				
HEXAZINONE				
INDENO(1,2,3-cd)PYRENE				
ISOPHORONE				
LEAD	0.76-73	7.3E+01	7.3E+01	7.3E+01
MERCURY	<0.017-1.4	7.2E-01	1.4E+00	7.2E-01
METHOXYCHLOR				
METHYL ETHYL KETONE				
METHYL ISOBUTYL KETONE				
METHYL MERCURY				
METHYL TERT BUTYL ETHER				
METHYLENE CHLORIDE				
METHYLNAPHTHALENE, 1-				
METHYLNAPHTHALENE, 2-				
MOLYBDENUM	0.06-4.0	4.0E+00	4.0E+00	4.0E+00
NAPHTHALENE				
NICKEL	2.1-767	4.1E+02	7.7E+02	4.1E+02
NITROBENZENE				
NITROGLYCERIN				
NITROTOLUENE, 2-				
NITROTOLUENE, 3-				
NITROTOLUENE, 4-				
PENTACHLOROPHENOL				
PENTAERYTHRITOLTETRANITRATE (PETN)				
PERCHLORATE				
PHENANTHRENE				
PHENOL				
POLYCHLORINATED BIPHENYLS (PCBs)				
PROPICONAZOLE				
PYRENE				
SELENIUM	0.24-12	7.1E+00	1.2E+01	7.1E+00
SILVER	0.02-1.5	1.5E+00	1.5E+00	1.5E+00
SIMAZINE				
STYRENE				
TERBACIL				
tert-BUTYL ALCOHOL				
TETRACHLOROETHANE, 1,1,1,2-				
TETRACHLOROETHANE, 1,1,2,2-				
TETRACHLOROETHYLENE				
TETRACHLOROPHENOL, 2,3,4,6-				
TETRANITRO-1,3,5,7-TETRAAZOCYCLOOCTANE (HMX)				
THALLIUM	<0.25-15	2.5E-01	1.5E+01	2.5E-01
TOLUENE				
TOXAPHENE				

TABLE K. ¹NATURAL BACKGROUND CONCENTRATIONS OF METALS IN SOIL

CHEMICAL PARAMETER	Range (mg/kg)	²Upper Bound (mg/kg)	³Background Threshold Value (mg/kg)	⁴Selected Action Level (mg/kg)
TPH (gasolines)				
TPH (middle distillates)				
TPH (residual fuels)				
TRICHLOROBENZENE, 1,2,4-				
TRICHLOROETHANE, 1,1,1-				
TRICHLOROETHANE, 1,1,2-				
TRICHLOROETHYLENE				
TRICHLOROPHENOL, 2,4,5-				
TRICHLOROPHENOL, 2,4,6-				
TRICHLOROPHENOXYACETIC ACID, 2,4,5- (2,4,5-T)				
TRICHLOROPHENOXYPROPIONIC ACID, 2,4,5- (2,4,5-TP)				
TRICHLOROPROPANE, 1,2,3-				
TRICHLOROPROPENE, 1,2,3-				
TRIFLURALIN				
TRINITROBENZENE, 1,3,5-				
TRINITROPHENYLMETHYLNITRAMINE, 2,4,6- (TETRYL)				
TRINITROTOLUENE, 2,4,6- (TNT)				
VANADIUM	0.25-1,090	7.7E+02	1.1E+03	7.7E+02
VINYL CHLORIDE				
XYLENES				
ZINC	3.6-1,200	3.5E+02	1.2E+03	3.5E+02
Electrical Conductivity (mS/cm, USEPA Method 120.1 MOD)				
Sodium Adsorption Ratio				
Primary Reference: Evaluation of Background Metal Concentrations in Soils of the Hawaiian Islands (HDOH 2011a). Refer to Appendix 1, Section 6.1. Notes: 1. Excludes samples with known or suspected anthropogenic contamination (see primary reference). 2. Upper Bound concentration selected based on evaluation of univariate sample data plots. 3. Background Threshold Value set to maximum-reported concentration, excluding samples with suspected anthropogenic contamination. 4. Selected action level based on Upper Bound concentration unless otherwise noted. 5. BTV for arsenic based on profession judgment (widespread use as herbicide; clear break from anticipated, natural background not apparent on univariate graphs). 5. BTV for cadmium based on profession judgment (natural background data based on 2011 study very limited; subsequent soil data reported by consultants indicates common occurrence of natural background between Upper Bound and BTV concentration). 6. BTV for lead set equal to selected, Upper Bound concentration (common contamination of soil with leaded paint or auto exhaust from leaded gasoline; clear break from anticipated, natural background not apparent on univariate graphs).				

TABLE L. SOIL ECOTOXICITY ACTION LEVELS
 (Discontinued as of Fall 2011 due to low confidence in use of published
 action levels in Hawai'i. See text Section 3.5.)

CHEMICAL PARAMETER	Urban Area Ecotoxicity Criteria (mg/kg)	
	Residential Areas	Commercial/ Industrial areas
ACENAPHTHENE	site-specific	site-specific
ACENAPHTHYLENE	site-specific	site-specific
ACETONE	site-specific	site-specific
ALDRIN	site-specific	site-specific
AMETRYN	site-specific	site-specific
AMINO,2- DINITROTOLUENE,4,6-	site-specific	site-specific
AMINO,4- DINITROTOLUENE,2,6-	site-specific	site-specific
ANTHRACENE	site-specific	site-specific
ANTIMONY	site-specific	site-specific
ARSENIC	site-specific	site-specific
ATRAZINE	site-specific	site-specific
BARIUM	site-specific	site-specific
BENOMYL	site-specific	site-specific
BENZENE	site-specific	site-specific
BENZO(a)ANTHRACENE	site-specific	site-specific
BENZO(a)PYRENE	site-specific	site-specific
BENZO(b)FLUORANTHENE	site-specific	site-specific
BENZO(g,h,i)PERYLENE	site-specific	site-specific
BENZO(k)FLUORANTHENE	site-specific	site-specific
BERYLLIUM	site-specific	site-specific
BIPHENYL, 1,1-	site-specific	site-specific
BIS(2-CHLOROETHYL)ETHER	site-specific	site-specific
BIS(2-CHLORO-1-METHYLETHYL)ETHER	site-specific	site-specific
BIS(2-ETHYLHEXYL)PHTHALATE	site-specific	site-specific
BORON	site-specific	site-specific
BROMODICHLOROMETHANE	site-specific	site-specific
BROMOFORM	site-specific	site-specific
BROMOMETHANE	site-specific	site-specific
CADMIUM	site-specific	site-specific
CARBON TETRACHLORIDE	site-specific	site-specific
CHLORDANE (TECHNICAL)	site-specific	site-specific
CHLOROANILINE, p-	site-specific	site-specific
CHLOROBENZENE	site-specific	site-specific
CHLOROETHANE	site-specific	site-specific
CHLOROFORM	site-specific	site-specific
CHLOROMETHANE	site-specific	site-specific
CHLOROPHENOL, 2-	site-specific	site-specific
CHROMIUM (Total)	site-specific	site-specific
CHROMIUM III	site-specific	site-specific
CHROMIUM VI	site-specific	site-specific
CHRYSENE	site-specific	site-specific
COBALT	site-specific	site-specific
COPPER	site-specific	site-specific
CYANIDE (Free)	site-specific	site-specific
CYCLO-1,3,5-TRIMETHYLENE-2,4,6-TRINITRAMINE (RDX)	site-specific	site-specific
DALAPON	site-specific	site-specific
DIBENZO(a,h)ANTHTRACENE	site-specific	site-specific
DIBROMO,1,2- CHLOROPROPANE,3-	site-specific	site-specific
DIBROMOCHLOROMETHANE	site-specific	site-specific
DIBROMOETHANE, 1,2-	site-specific	site-specific

TABLE L. SOIL ECOTOXICITY ACTION LEVELS
 (Discontinued as of Fall 2011 due to low confidence in use of published
 action levels in Hawai'i. See text Section 3.5.)

CHEMICAL PARAMETER	Urban Area Ecotoxicity Criteria (mg/kg)	
	Residential Areas	Commercial/ Industrial areas
DICHLOROBENZENE, 1,2-	site-specific	site-specific
DICHLOROBENZENE, 1,3-	site-specific	site-specific
DICHLOROBENZENE, 1,4-	site-specific	site-specific
DICHLOROBENZIDINE, 3,3-	site-specific	site-specific
DICHLORODIPHENYLDICHLOROETHANE (DDD)	site-specific	site-specific
DICHLORODIPHENYLDICHLOROETHYLENE (DDE)	site-specific	site-specific
DICHLORODIPHENYLTRICHLOROETHANE (DDT)	site-specific	site-specific
DICHLOROETHANE, 1,1-	site-specific	site-specific
DICHLOROETHANE, 1,2-	site-specific	site-specific
DICHLOROETHYLENE, 1,1-	site-specific	site-specific
DICHLOROETHYLENE, Cis 1,2-	site-specific	site-specific
DICHLOROETHYLENE, Trans 1,2-	site-specific	site-specific
DICHLOROPHENOL, 2,4-	site-specific	site-specific
DICHLOROPHENOXYACETIC ACID (2,4-D)	site-specific	site-specific
DICHLOROPROPANE, 1,2-	site-specific	site-specific
DICHLOROPROPENE, 1,3-	site-specific	site-specific
DIELDRIN	site-specific	site-specific
DIETHYLPHTHALATE	site-specific	site-specific
DIMETHYLPHENOL, 2,4-	site-specific	site-specific
DIMETHYLPHTHALATE	site-specific	site-specific
DINITROBENZENE, 1,3-	site-specific	site-specific
DINITROPHENOL, 2,4-	site-specific	site-specific
DINITROTOLUENE, 2,4- (2,4-DNT)	site-specific	site-specific
DINITROTOLUENE, 2,6- (2,6-DNT)	site-specific	site-specific
DIOXANE, 1,4-	site-specific	site-specific
DIOXINS (TEQ)	site-specific	site-specific
DIURON	site-specific	site-specific
ENDOSULFAN	site-specific	site-specific
ENDRIN	site-specific	site-specific
ETHANOL	site-specific	site-specific
ETHYLBENZENE	site-specific	site-specific
FLUORANTHENE	site-specific	site-specific
FLUORENE	site-specific	site-specific
GLYPHOSATE	site-specific	site-specific
HEPTACHLOR	site-specific	site-specific
HEPTACHLOR EPOXIDE	site-specific	site-specific
HEXACHLOROBENZENE	site-specific	site-specific
HEXACHLOROBUTADIENE	site-specific	site-specific
HEXACHLOROCYCLOHEXANE (gamma) LINDANE	site-specific	site-specific
HEXACHLOROETHANE	site-specific	site-specific
HEXAZINONE	site-specific	site-specific
INDENO(1,2,3-cd)PYRENE	site-specific	site-specific
ISOPHORONE	site-specific	site-specific
LEAD	site-specific	site-specific
MERCURY	site-specific	site-specific
METHOXYCHLOR	site-specific	site-specific
METHYL ETHYL KETONE	site-specific	site-specific
METHYL ISOBUTYL KETONE	site-specific	site-specific
METHYL MERCURY	site-specific	site-specific
METHYL TERT BUTYL ETHER	site-specific	site-specific
METHYLENE CHLORIDE	site-specific	site-specific
METHYLNAPHTHALENE, 1-	site-specific	site-specific

TABLE L. SOIL ECOTOXICITY ACTION LEVELS
 (Discontinued as of Fall 2011 due to low confidence in use of published
 action levels in Hawai'i. See text Section 3.5.)

CHEMICAL PARAMETER	Urban Area Ecotoxicity Criteria (mg/kg)	
	Residential Areas	Commercial/ Industrial areas
METHYLNAPHTHALENE, 2-	site-specific	site-specific
MOLYBDENUM	site-specific	site-specific
NAPHTHALENE	site-specific	site-specific
NICKEL	site-specific	site-specific
NITROBENZENE	site-specific	site-specific
NITROGLYCERIN	site-specific	site-specific
NITROTOLUENE, 2-	site-specific	site-specific
NITROTOLUENE, 3-	site-specific	site-specific
NITROTOLUENE, 4-	site-specific	site-specific
PENTACHLOROPHENOL	site-specific	site-specific
PENTAERYTHRITOLTETRANITRATE (PETN)	site-specific	site-specific
PERCHLORATE	site-specific	site-specific
PHENANTHRENE	site-specific	site-specific
PHENOL	site-specific	site-specific
POLYCHLORINATED BIPHENYLS (PCBs)	site-specific	site-specific
PROPICONAZOLE	site-specific	site-specific
PYRENE	site-specific	site-specific
SELENIUM	site-specific	site-specific
SILVER	site-specific	site-specific
SIMAZINE	site-specific	site-specific
STYRENE	site-specific	site-specific
TERBACIL	site-specific	site-specific
tert-BUTYL ALCOHOL	site-specific	site-specific
TETRACHLOROETHANE, 1,1,1,2-	site-specific	site-specific
TETRACHLOROETHANE, 1,1,2,2-	site-specific	site-specific
TETRACHLOROETHYLENE	site-specific	site-specific
TETRACHLOROPHENOL, 2,3,4,6-	site-specific	site-specific
TETRANITRO-1,3,5,7-TETRAAZOCYCLOOCTANE (HMX)	site-specific	site-specific
THALLIUM	site-specific	site-specific
TOLUENE	site-specific	site-specific
TOXAPHENE	site-specific	site-specific
TPH (gasolines)	site-specific	site-specific
TPH (middle distillates)	site-specific	site-specific
TPH (residual fuels)	site-specific	site-specific
TRICHLOROBENZENE, 1,2,4-	site-specific	site-specific
TRICHLOROETHANE, 1,1,1-	site-specific	site-specific
TRICHLOROETHANE, 1,1,2-	site-specific	site-specific
TRICHLOROETHYLENE	site-specific	site-specific
TRICHLOROPHENOL, 2,4,5-	site-specific	site-specific
TRICHLOROPHENOL, 2,4,6-	site-specific	site-specific
TRICHLOROPHENOXYACETIC ACID, 2,4,5- (2,4,5-T)	site-specific	site-specific
TRICHLOROPHENOXYPROPIONIC ACID, 2,4,5- (2,4,5-TP)	site-specific	site-specific
TRICHLOROPROPANE, 1,2,3-	site-specific	site-specific
TRICHLOROPROPENE, 1,2,3-	site-specific	site-specific
TRIFLURALIN	site-specific	site-specific
TRINITROBENZENE, 1,3,5-	site-specific	site-specific
TRINITROPHENYLMETHYLNITRAMINE, 2,4,6- (TETRYL)	site-specific	site-specific
TRINITROTOLUENE, 2,4,6- (TNT)	site-specific	site-specific
VANADIUM	site-specific	site-specific

TABLE L. SOIL ECOTOXICITY ACTION LEVELS
 (Discontinued as of Fall 2011 due to low confidence in use of published
 action levels in Hawai'i. See text Section 3.5.)

CHEMICAL PARAMETER	Urban Area Ecotoxicity Criteria (mg/kg)	
	Residential Areas	Commercial/ Industrial areas
VINYL CHLORIDE	site-specific	site-specific
XYLENES	site-specific	site-specific
ZINC	site-specific	site-specific
Electrical Conductivity (mS/cm, USEPA Method 120.1 MOD)	-	-
Sodium Adsorption Ratio	-	-
<p>Discontinued in Fall 2011. Site specific, ecological risk assessment recommended at sites where anthropogenic contamination identified and sensitive, terrestrial ecological habitats could be threatened.</p>		