

Submitting the TIER II Chemical Inventory Report to Your Local Emergency Planning Committee (LEPC) and Your Local Fire Department

In addition to filing your TIER II Chemical Inventory Report to the HEER Office, **HARDCOPIES** must also be submitted to the Local Emergency Planning Committee **AND** the local fire department of your facility's respective county. The **DEADLINE** for filing your Tier II Chemical Inventory Report is **March 1, 2026**.

Your TIER II submission to the LEPC and the local fire department must include the following:

- 1) The Tier II Chemical Inventory Report, completed with signature
- 2) Facility map(s) indicating chemical locations

COUNTY	LOCAL EMERGENCY PLANNING COMMITTEE	FIRE DEPARTMENT
City and County of Honolulu	Carlton Yamada - Chair Honolulu LEPC LEPC Coordinator Department of Emergency Management 650 South King Street Honolulu, Hawaii 96813 Phone: 808 723-8960 Fax: 808 768-1492 Email: dem@honolulu.gov https: www8.honolulu.gov/dem/hazardous-materials/	Sheldon Kalani Hao, Fire Chief Honolulu Fire Department c/o TRB – HazMat Section 890 Valkenburg Street Honolulu, Hawaii 96818 Phone: 808 723-7000 Fax: 808 723-7031 Email: HFDHazmatTRB@honolulu.gov
Hawaii County	Gerald Kosaki - Chair Hawaii County LEPC 277 Kapualani Street Hilo, Hawaii 96720 Gerald Kosaki, LEPC Chair Cell: 808 936-8181 gkosaki@hawaii.rr.com	Daniel Volpe, Acting Fire Chief Hawaii Fire Department 25 Aupuni Street, Suite 2501 Hilo, Hawaii 96720 Phone: 808 932-2903 Fax: 808 932-2928
Kauai County	Abraham Mohr - Chair Kauai LEPC Kauai Emergency Management Agency 3990 Kaana Street #100 Lihue, Hawaii 96766 Phone: 808 241-1800	Mike Gibson, Fire Chief Kauai County Fire Department 4444 Rice Street, Suite 315 Lihue, Hawaii 96766 Phone: 808 241-4980 Fax: 808 241-6508
Maui County	Jeffrey M. Kihune, Sr. - Chair Maui County LEPC 200 Dairy Road Kahului, Hawaii 96732 Phone: 808 870-7404 lepcmauicounty@yahoo.com	Brad Ventura, Chief Maui County Fire Department 200 Dairy Road Kahului, Hawaii 96732 Phone: 808 270-7561 Fax: 808 270-7919

Attachment 3-A