



Deposit Beverage Container Reporting Changes Effective July 1, 2016



Effective July 1, 2016, distributors of deposit beverage containers (DBC) must separately report PETE and HDPE plastics on monthly and semi-annual distributor report forms as specified in law (HRS §342G Part VIII). Monthly DBC filers must report PETE and HDPE separately on August 15, 2016. Semi-annual filers must report PETE and HDPE separately on January 15, 2017.

Changes to the Distributor Report Form are highlighted as shown below. The updated report form will be available on the DBC website on July 16, 2016.

State of Hawaii
Department of Health

Hawai'i Deposit Beverage Container Program

Monthly Distributor Report Form

For use by distributors who annually import or distribute more than 100,000 deposit beverage containers

Business Name _____

Address _____

Contact Person _____

Phone _____

E-mail _____

Reporting Period Thru

Nothing to Report This Period

Change of Address

Change of Ownership
Effective Date _____

Reminder: Register new business names with the DOH

Closed This Business
Effective Date _____

Please Note: Reporting is based on the number of containers sold, donated, or transferred.

Container Material Type	Container Count*	Container Fee Amount <small>container count x .01 =</small>	Deposit Amount <small>container count x .05 =</small>	Total Due
For containers 0-68 fl oz				
Aluminum		\$	\$	\$
Bi-Metal		\$	\$	\$
Plastic (PETE)		\$	\$	\$
Plastic (HDPE)		\$	\$	\$
Glass		\$	\$	\$
Totals		\$	\$	\$

Polyethylene Terephthalate, known commonly as **PET** or **PETE** is best known as clear plastic used for water and soda bottle containers. PET plastic will display a #1 within a triangle at the bottom of the container.

High-density polyethylene, **HDPE**, or polyethylene high-density, **PEHD**, is best known for as a harder opaque plastic used for juice. HDPE plastic will display a #2 within a triangle at the bottom of the container.



Contact the Deposit Beverage Container Program at 808-586-4226 with any questions regarding these changes.