

## 2015 Hawaii Air Monitoring Data (Radionuclides)

Sample Date	Media	City	State	Analyte Quantity	Standard Deviation (SD)	Minimum Detectable Concentration (MDC)	Unit	Analyte Name
12/19/2014	Air filter	HONOLULU	HI	0.00156	0.00018	0.0003	PCI/M3	Gross Beta
12/26/2014	Air filter	HONOLULU	HI	0.00171	0.00019	0.00029	PCI/M3	Gross Beta
12/30/2014	Air filter	HONOLULU	HI	0.00611	0.00043	0.00022	PCI/M3	Gross Beta
1/2/2015	Air filter	HONOLULU	HI	0.00425	0.00034	0.00029	PCI/M3	Gross Beta
1/6/2015	Air filter	HONOLULU	HI	0.00309	0.00025	0.00023	PCI/M3	Gross Beta
1/9/2015	Air filter	HONOLULU	HI	0.00536	0.00041	0.00032	PCI/M3	Gross Beta
1/12/2015	Air filter	HONOLULU	HI	0.00344	0.00029	0.0003	PCI/M3	Gross Beta
1/15/2015	Air filter	HONOLULU	HI	0.0051	0.00039	0.00034	PCI/M3	Gross Beta
1/20/2015	Air filter	HONOLULU	HI	0.00404	0.00029	0.00017	PCI/M3	Gross Beta
1/23/2015	Air filter	HONOLULU	HI	0.00482	0.00038	0.00031	PCI/M3	Gross Beta
1/26/2015	Air filter	HONOLULU	HI	0.00143	0.00017	0.00032	PCI/M3	Gross Beta
1/29/2015	Air filter	HONOLULU	HI	0.00361	0.0003	0.00031	PCI/M3	Gross Beta
2/2/2015	Air filter	HONOLULU	HI	0.00294	0.00024	0.00025	PCI/M3	Gross Beta
2/5/2015	Air filter	HONOLULU	HI	0.00369	0.00031	0.00029	PCI/M3	Gross Beta
2/9/2015	Air filter	HONOLULU	HI	0.00546	0.00039	0.00023	PCI/M3	Gross Beta
2/12/2015	Air filter	HONOLULU	HI	0.00492	0.00038	0.0003	PCI/M3	Gross Beta
2/17/2015	Air filter	HONOLULU	HI	0.00388	0.00028	0.00018	PCI/M3	Gross Beta
2/19/2015	Air filter	HONOLULU	HI	0.00529	0.00045	0.00048	PCI/M3	Gross Beta
2/23/2015	Air filter	HONOLULU	HI	0.00434	0.00032	0.00023	PCI/M3	Gross Beta
2/26/2015	Air filter	HONOLULU	HI	0.00427	0.00034	0.00031	PCI/M3	Gross Beta
3/2/2015	Air filter	HONOLULU	HI	0.00257	0.00022	0.00022	PCI/M3	Gross Beta
3/5/2015	Air filter	HONOLULU	HI	0.00223	0.00022	0.00031	PCI/M3	Gross Beta
3/9/2015	Air filter	HONOLULU	HI	0.00279	0.00023	0.00022	PCI/M3	Gross Beta
3/12/2015	Air filter	HONOLULU	HI	0.00206	0.00021	0.00032	PCI/M3	Gross Beta
3/17/2015	Air filter	HONOLULU	HI	0.00373	0.00027	0.00018	PCI/M3	Gross Beta
3/20/2015	Air filter	HONOLULU	HI	0.00683	0.00049	0.00029	PCI/M3	Gross Beta
3/24/2015	Air filter	HONOLULU	HI	0.00497	0.00036	0.00023	PCI/M3	Gross Beta
3/27/2015	Air filter	HONOLULU	HI	0.00674	0.00049	0.00032	PCI/M3	Gross Beta
3/30/2015	Air filter	HONOLULU	HI	0.00283	0.00026	0.00033	PCI/M3	Gross Beta
4/2/2015	Air filter	HONOLULU	HI	0.00226	0.00022	0.00029	PCI/M3	Gross Beta
4/6/2015	Air filter	HONOLULU	HI	0.00354	0.00027	0.00022	PCI/M3	Gross Beta

\*Samples were collected by HDOH and analyzed by the U.S. EPA (RadNet System)

## 2015 Hawaii Air Monitoring Data (Radionuclides)

Sample Date	Media	City	State	Analyte Quantity	Standard Deviation (SD)	Minimum Detectable Concentration (MDC)	Unit	Analyte Name
4/9/2015	Air filter	HONOLULU	HI	0.00431	0.00034	0.00031	PCI/M3	Gross Beta
4/13/2015	Air filter	HONOLULU	HI	0.00538	0.00038	0.00024	PCI/M3	Gross Beta
4/16/2015	Air filter	HONOLULU	HI	0.00315	0.00034	0.00045	PCI/M3	Gross Beta
4/20/2015	Air filter	HONOLULU	HI	0.00241	0.00021	0.00024	PCI/M3	Gross Beta
4/23/2015	Air filter	HONOLULU	HI	0.0028	0.00025	0.0003	PCI/M3	Gross Beta
4/27/2015	Air filter	HONOLULU	HI	0.00389	0.0003	0.00023	PCI/M3	Gross Beta
4/30/2015	Air filter	HONOLULU	HI	0.00207	0.00021	0.00031	PCI/M3	Gross Beta
5/4/2015	Air filter	HONOLULU	HI	0.00385	0.00029	0.00022	PCI/M3	Gross Beta
5/7/2015	Air filter	HONOLULU	HI	0.00633	0.00046	0.0003	PCI/M3	Gross Beta
5/11/2015	Air filter	HONOLULU	HI	0.00405	0.0003	0.00022	PCI/M3	Gross Beta
5/14/2015	Air filter	HONOLULU	HI	0.00481	0.00037	0.00031	PCI/M3	Gross Beta
5/19/2015	Air filter	HONOLULU	HI	0.00576	0.00039	0.00018	PCI/M3	Gross Beta
5/22/2015	Air filter	HONOLULU	HI	0.00394	0.00034	0.00039	PCI/M3	Gross Beta
5/29/2015	Air filter	HONOLULU	HI	0.0016	0.00018	0.0003	PCI/M3	Gross Beta
6/1/2015	Air filter	HONOLULU	HI	0.0018	0.0002	0.00033	PCI/M3	Gross Beta
6/4/2015	Air filter	HONOLULU	HI	0.00211	0.00021	0.00031	PCI/M3	Gross Beta
6/9/2015	Air filter	HONOLULU	HI	0.0026	0.00021	0.00019	PCI/M3	Gross Beta
6/13/2015	Air filter	HONOLULU	HI	0.00315	0.00027	0.00027	PCI/M3	Gross Beta
6/16/2015	Air filter	HONOLULU	HI	0.00314	0.00027	0.00029	PCI/M3	Gross Beta
6/18/2015	Air filter	HONOLULU	HI	0.00372	0.00032	0.00033	PCI/M3	Gross Beta
6/22/2015	Air filter	HONOLULU	HI	0.00257	0.00022	0.00022	PCI/M3	Gross Beta
6/25/2015	Air filter	HONOLULU	HI	0.00252	0.00024	0.00033	PCI/M3	Gross Beta
6/29/2015	Air filter	HONOLULU	HI	0.00507	0.00036	0.00024	PCI/M3	Gross Beta
7/2/2015	Air filter	HONOLULU	HI	0.00377	0.00032	0.00033	PCI/M3	Gross Beta
7/6/2015	Air filter	HONOLULU	HI	0.00299	0.00025	0.00025	PCI/M3	Gross Beta
7/9/2015	Air filter	HONOLULU	HI	0.00278	0.00025	0.00031	PCI/M3	Gross Beta
7/14/2015	Air filter	HONOLULU	HI	0.00099	0.00011	0.00018	PCI/M3	Gross Beta
7/17/2015	Air filter	HONOLULU	HI	0.00155	0.00018	0.00031	PCI/M3	Gross Beta
7/21/2015	Air filter	HONOLULU	HI	0.00323	0.00026	0.00024	PCI/M3	Gross Beta
7/24/2015	Air filter	HONOLULU	HI	0.00284	0.00026	0.00031	PCI/M3	Gross Beta
7/27/2015	Air filter	HONOLULU	HI	0.00187	0.0002	0.00031	PCI/M3	Gross Beta

\*Samples were collected by HDOH and analyzed by the U.S. EPA (RadNet System)

## 2015 Hawaii Air Monitoring Data (Radionuclides)

Sample Date	Media	City	State	Analyte Quantity	Standard Deviation (SD)	Minimum Detectable Concentration (MDC)	Unit	Analyte Name
7/30/2015	Air filter	HONOLULU	HI	0.00215	0.00022	0.00031	PCI/M3	Gross Beta
8/3/2015	Air filter	HONOLULU	HI	0.00274	0.00023	0.00025	PCI/M3	Gross Beta
8/6/2015	Air filter	HONOLULU	HI	0.00213	0.00022	0.00031	PCI/M3	Gross Beta
8/10/2015	Air filter	HONOLULU	HI	0.00248	0.00021	0.00023	PCI/M3	Gross Beta
8/13/2015	Air filter	HONOLULU	HI	0.00229	0.00023	0.00034	PCI/M3	Gross Beta
8/17/2015	Air filter	HONOLULU	HI	0.00165	0.00017	0.00025	PCI/M3	Gross Beta
8/20/2015	Air filter	HONOLULU	HI	0.00134	0.00018	0.00036	PCI/M3	Gross Beta
8/29/2015	Air filter	HONOLULU	HI	0.00145	0.00012	0.00013	PCI/M3	Gross Beta
9/1/2015	Air filter	HONOLULU	HI	0.00214	0.0002	0.00025	PCI/M3	Gross Beta
9/4/2015	Air filter	HONOLULU	HI	0.0023	0.00023	0.00032	PCI/M3	Gross Beta
9/8/2015	Air filter	HONOLULU	HI	0.0033	0.00027	0.00027	PCI/M3	Gross Beta
9/11/2015	Air filter	HONOLULU	HI	0.00174	0.0002	0.00036	PCI/M3	Gross Beta
9/15/2015	Air filter	HONOLULU	HI	0.00141	0.00016	0.00029	PCI/M3	Gross Beta
9/18/2015	Air filter	HONOLULU	HI	0.002	0.00021	0.00035	PCI/M3	Gross Beta
9/22/2015	Air filter	HONOLULU	HI	0.00226	0.0002	0.00026	PCI/M3	Gross Beta
9/25/2015	Air filter	HONOLULU	HI	0.00305	0.00027	0.00031	PCI/M3	Gross Beta
9/29/2015	Air filter	HONOLULU	HI	0.0024	0.00021	0.00024	PCI/M3	Gross Beta
10/2/2015	Air filter	HONOLULU	HI	0.0031	0.00027	0.00033	PCI/M3	Gross Beta
10/6/2015	Air filter	HONOLULU	HI	0.00219	0.0002	0.00027	PCI/M3	Gross Beta
10/9/2015	Air filter	HONOLULU	HI	0.0021	0.00022	0.00033	PCI/M3	Gross Beta
10/13/2015	Air filter	HONOLULU	HI	0.0025	0.00022	0.00025	PCI/M3	Gross Beta
10/16/2015	Air filter	HONOLULU	HI	0.00205	0.00021	0.00032	PCI/M3	Gross Beta
10/20/2015	Air filter	HONOLULU	HI	0.00171	0.00017	0.00027	PCI/M3	Gross Beta
10/23/2015	Air filter	HONOLULU	HI	0.00326	0.00029	0.00037	PCI/M3	Gross Beta
10/27/2015	Air filter	HONOLULU	HI	0.00276	0.00023	0.00027	PCI/M3	Gross Beta
10/30/2015	Air filter	HONOLULU	HI	0.00411	0.00034	0.00034	PCI/M3	Gross Beta
11/3/2015	Air filter	HONOLULU	HI	0.00292	0.00024	0.00028	PCI/M3	Gross Beta
11/6/2015	Air filter	HONOLULU	HI	0.0025	0.00024	0.00036	PCI/M3	Gross Beta
11/10/2015	Air filter	HONOLULU	HI	0.00263	0.00022	0.00023	PCI/M3	Gross Beta
11/13/2015	Air filter	HONOLULU	HI	0.00228	0.00022	0.00031	PCI/M3	Gross Beta
11/17/2015	Air filter	HONOLULU	HI	0.00243	0.00021	0.00026	PCI/M3	Gross Beta

\*Samples were collected by HDOH and analyzed by the U.S. EPA (RadNet System)

## 2015 Hawaii Air Monitoring Data (Radionuclides)

Sample Date	Media	City	State	Analyte Quantity	Standard Deviation (SD)	Minimum Detectable Concentration (MDC)	Unit	Analyte Name
11/20/2015	Air filter	HONOLULU	HI	0.00214	0.00022	0.00035	PCI/M3	Gross Beta
11/24/2015	Air filter	HONOLULU	HI	0.00128	0.00014	0.00024	PCI/M3	Gross Beta
11/27/2015	Air filter	HONOLULU	HI	0.00199	0.00021	0.00032	PCI/M3	Gross Beta
12/1/2015	Air filter	HONOLULU	HI	0.00285	0.00024	0.00027	PCI/M3	Gross Beta
12/4/2015	Air filter	HONOLULU	HI	0.00465	0.00037	0.00033	PCI/M3	Gross Beta
12/8/2015	Air filter	HONOLULU	HI	0.00357	0.00028	0.00024	PCI/M3	Gross Beta
12/11/2015	Air filter	HONOLULU	HI	0.00183	0.0002	0.00029	PCI/M3	Gross Beta
12/15/2015	Air filter	HONOLULU	HI	0.00244	0.00021	0.00021	PCI/M3	Gross Beta
12/18/2015	Air filter	HONOLULU	HI	0.00147	0.00018	0.00032	PCI/M3	Gross Beta
12/21/2015	Air filter	HONOLULU	HI	0.00284	0.00026	0.00031	PCI/M3	Gross Beta
12/24/2015	Air filter	HONOLULU	HI	0.00207	0.00021	0.00032	PCI/M3	Gross Beta
12/28/2015	Air filter	HONOLULU	HI	0.00141	0.00015	0.00024	PCI/M3	Gross Beta
12/31/2015	Air filter	HONOLULU	HI	0.003	0.00027	0.00032	PCI/M3	Gross Beta

\*Samples were collected by HDOH and analyzed by the U.S. EPA (RadNet System)