

2016 Hawaii Air Monitoring Data (Radionuclides)

Sample Date	Media	City	State	Analyte Quantity	Standard Deviation (SD)	Minimum Detectable Concentration (MDC)	Unit	Analyte Name
1/5/2016	Air filter	HONOLULU	HI	0.00405	0.00029	0.0002	pCi/m ³	Gross Beta
1/8/2016	Air filter	HONOLULU	HI	0.00264	0.00024	0.00031	pCi/m ³	Gross Beta
1/11/2016	Air filter	HONOLULU	HI	0.00282	0.00026	0.00032	pCi/m ³	Gross Beta
1/14/2016	Air filter	HONOLULU	HI	0.00424	0.00034	0.00035	pCi/m ³	Gross Beta
1/19/2016	Air filter	HONOLULU	HI	0.00462	0.00033	0.00021	pCi/m ³	Gross Beta
1/22/2016	Air filter	HONOLULU	HI	0.00365	0.00031	0.00033	pCi/m ³	Gross Beta
1/26/2016	Air filter	HONOLULU	HI	0.00315	0.00025	0.00023	pCi/m ³	Gross Beta
1/29/2016	Air filter	HONOLULU	HI	0.00398	0.00033	0.00037	pCi/m ³	Gross Beta
2/1/2016	Air filter	HONOLULU	HI	0.00306	0.00028	0.00037	pCi/m ³	Gross Beta
2/4/2016	Air filter	HONOLULU	HI	0.00229	0.00022	0.00031	pCi/m ³	Gross Beta
2/8/2016	Air filter	HONOLULU	HI	0.00264	0.00022	0.00025	pCi/m ³	Gross Beta
2/11/2016	Air filter	HONOLULU	HI	0.00551	0.00041	0.00033	pCi/m ³	Gross Beta
2/16/2016	Air filter	HONOLULU	HI	0.00422	0.0003	0.0002	pCi/m ³	Gross Beta
2/19/2016	Air filter	HONOLULU	HI	0.00392	0.00032	0.00035	pCi/m ³	Gross Beta
2/22/2016	Air filter	HONOLULU	HI	0.00261	0.00025	0.00037	pCi/m ³	Gross Beta
2/25/2016	Air filter	HONOLULU	HI	0.00318	0.00028	0.00032	pCi/m ³	Gross Beta
2/29/2016	Air filter	HONOLULU	HI	0.00444	0.00033	0.00027	pCi/m ³	Gross Beta
3/4/2016	Air filter	HONOLULU	HI	0.00534	0.00038	0.00025	pCi/m ³	Gross Beta
3/7/2016	Air filter	HONOLULU	HI	0.00517	0.0004	0.00032	pCi/m ³	Gross Beta
3/10/2016	Air filter	HONOLULU	HI	0.005	0.00039	0.00036	pCi/m ³	Gross Beta
3/14/2016	Air filter	HONOLULU	HI	0.00609	0.00043	0.00028	pCi/m ³	Gross Beta
3/17/2016	Air filter	HONOLULU	HI	0.00334	0.00029	0.00034	pCi/m ³	Gross Beta
3/21/2016	Air filter	HONOLULU	HI	0.00303	0.00025	0.00023	pCi/m ³	Gross Beta
3/24/2016	Air filter	HONOLULU	HI	0.00511	0.00039	0.00034	pCi/m ³	Gross Beta
3/28/2016	Air filter	HONOLULU	HI	0.00428	0.00032	0.00028	pCi/m ³	Gross Beta
3/31/2016	Air filter	HONOLULU	HI	0.00583	0.00043	0.00031	pCi/m ³	Gross Beta
4/5/2016	Air filter	HONOLULU	HI	0.00634	0.00043	0.00021	pCi/m ³	Gross Beta
4/8/2016	Air filter	HONOLULU	HI	0.00575	0.00043	0.00036	pCi/m ³	Gross Beta
4/11/2016	Air filter	HONOLULU	HI	0.00406	0.00033	0.00037	pCi/m ³	Gross Beta
4/14/2016	Air filter	HONOLULU	HI	0.00358	0.00031	0.00037	pCi/m ³	Gross Beta

*Samples were collected by HDOH and analyzed by the U.S. EPA (RadNet System)

2016 Hawaii Air Monitoring Data (Radionuclides)

Sample Date	Media	City	State	Analyte Quantity	Standard Deviation (SD)	Minimum Detectable Concentration (MDC)	Unit	Analyte Name
4/18/2016	Air filter	HONOLULU	HI	0.00229	0.0002	0.00024	pCi/m ³	Gross Beta
4/21/2016	Air filter	HONOLULU	HI	0.00507	0.00039	0.00032	pCi/m ³	Gross Beta
4/26/2016	Air filter	HONOLULU	HI	0.00588	0.0004	0.00022	pCi/m ³	Gross Beta
4/29/2016	Air filter	HONOLULU	HI	0.00307	0.00027	0.00034	pCi/m ³	Gross Beta
5/2/2016	Air filter	HONOLULU	HI	0.0044	0.00035	0.00034	pCi/m ³	Gross Beta
5/6/2016	Air filter	HONOLULU	HI	0.00213	0.00019	0.00024	pCi/m ³	Gross Beta
5/10/2016	Air filter	HONOLULU	HI	0.00404	0.00031	0.00027	pCi/m ³	Gross Beta
5/13/2016	Air filter	HONOLULU	HI	0.00474	0.00037	0.00032	pCi/m ³	Gross Beta
5/16/2016	Air filter	HONOLULU	HI	0.00285	0.00026	0.00037	pCi/m ³	Gross Beta
5/20/2016	Air filter	HONOLULU	HI	0.00228	0.00021	0.00027	pCi/m ³	Gross Beta
5/23/2016	Air filter	HONOLULU	HI	0.00317	0.00028	0.00037	pCi/m ³	Gross Beta
5/27/2016	Air filter	HONOLULU	HI	0.00143	0.00015	0.00026	pCi/m ³	Gross Beta
5/31/2016	Air filter	HONOLULU	HI	0.00285	0.00024	0.00025	pCi/m ³	Gross Beta
6/3/2016	Air filter	HONOLULU	HI	0.00297	0.00027	0.00032	pCi/m ³	Gross Beta
6/6/2016	Air filter	HONOLULU	HI	0.00375	0.00031	0.00033	pCi/m ³	Gross Beta
6/9/2016	Air filter	HONOLULU	HI	0.00398	0.00033	0.00037	pCi/m ³	Gross Beta
6/14/2016	Air filter	HONOLULU	HI	0.00236	0.0002	0.00022	pCi/m ³	Gross Beta
6/17/2016	Air filter	HONOLULU	HI	0.0022	0.00023	0.00036	pCi/m ³	Gross Beta
6/21/2016	Air filter	HONOLULU	HI	0.00175	0.00017	0.00022	pCi/m ³	Gross Beta
6/24/2016	Air filter	HONOLULU	HI	0.00211	0.00022	0.00032	pCi/m ³	Gross Beta
6/27/2016	Air filter	HONOLULU	HI	0.00253	0.00024	0.00031	pCi/m ³	Gross Beta
7/1/2016	Air filter	HONOLULU	HI	0.00389	0.0003	0.00026	pCi/m ³	Gross Beta
7/5/2016	Air filter	HONOLULU	HI	0.00384	0.0003	0.00026	pCi/m ³	Gross Beta
7/8/2016	Air filter	HONOLULU	HI	0.00126	0.00016	0.00031	pCi/m ³	Gross Beta
7/11/2016	Air filter	HONOLULU	HI	0.00176	0.0002	0.00032	pCi/m ³	Gross Beta
7/15/2016	Air filter	HONOLULU	HI	0.00197	0.00018	0.00024	pCi/m ³	Gross Beta
7/18/2016	Air filter	HONOLULU	HI	0.00123	0.00017	0.00037	pCi/m ³	Gross Beta
7/23/2016	Air filter	HONOLULU	HI	0.00143	0.00015	0.00025	pCi/m ³	Gross Beta
7/26/2016	Air filter	HONOLULU	HI	0.00175	0.00018	0.00028	pCi/m ³	Gross Beta
7/29/2016	Air filter	HONOLULU	HI	0.00442	0.00043	0.00074	pCi/m ³	Gross Beta

*Samples were collected by HDOH and analyzed by the U.S. EPA (RadNet System)

2016 Hawaii Air Monitoring Data (Radionuclides)

Sample Date	Media	City	State	Analyte Quantity	Standard Deviation (SD)	Minimum Detectable Concentration (MDC)	Unit	Analyte Name
8/1/2016	Air filter	HONOLULU	HI	0.00094	0.00023	0.00067	pCi/m ³	Gross Beta
8/4/2016	Air filter	HONOLULU	HI	0.00116	0.00026	0.00072	pCi/m ³	Gross Beta
8/8/2016	Air filter	HONOLULU	HI	0.00078	0.00012	0.00027	pCi/m ³	Gross Beta
8/12/2016	Air filter	HONOLULU	HI	0.00185	0.00018	0.00026	pCi/m ³	Gross Beta
8/16/2016	Air filter	HONOLULU	HI	0.00145	0.00016	0.00028	pCi/m ³	Gross Beta
8/18/2016	Air filter	HONOLULU	HI	0.00186	0.00026	0.00055	pCi/m ³	Gross Beta
8/23/2016	Air filter	HONOLULU	HI	0.00118	0.00013	0.00021	pCi/m ³	Gross Beta
8/26/2016	Air filter	HONOLULU	HI	0.00282	0.00026	0.00038	pCi/m ³	Gross Beta
8/29/2016	Air filter	HONOLULU	HI	0.00296	0.00026	0.00032	pCi/m ³	Gross Beta
9/2/2016	Air filter	HONOLULU	HI	0.00155	0.00016	0.00026	pCi/m ³	Gross Beta
9/6/2016	Air filter	HONOLULU	HI	0.00199	0.00019	0.00025	pCi/m ³	Gross Beta
9/9/2016	Air filter	HONOLULU	HI	0.00168	0.0002	0.00037	pCi/m ³	Gross Beta
9/13/2016	Air filter	HONOLULU	HI	0.00137	0.00015	0.00027	pCi/m ³	Gross Beta
9/16/2016	Air filter	HONOLULU	HI	0.00133	0.00018	0.00038	pCi/m ³	Gross Beta
9/20/2016	Air filter	HONOLULU	HI	0.00185	0.00018	0.00027	pCi/m ³	Gross Beta
9/26/2016	Air filter	HONOLULU	HI	0.00192	0.00016	0.00018	pCi/m ³	Gross Beta
9/29/2016	Air filter	HONOLULU	HI	0.00304	0.00028	0.00035	pCi/m ³	Gross Beta
10/5/2016	Air filter	HONOLULU	HI	0.00393	0.00028	0.0002	pCi/m ³	Gross Beta
10/7/2016	Air filter	HONOLULU	HI	0.00434	0.00035	0.00038	pCi/m ³	Gross Beta
10/11/2016	Air filter	HONOLULU	HI	0.00392	0.00032	0.00034	pCi/m ³	Gross Beta
10/13/2016	Air filter	HONOLULU	HI	0.0046	0.00037	0.00036	pCi/m ³	Gross Beta
10/17/2016	Air filter	HONOLULU	HI	0.00397	0.0003	0.00027	pCi/m ³	Gross Beta
10/24/2016	Air filter	HONOLULU	HI	0.00168	0.00017	0.00024	pCi/m ³	Gross Beta
10/27/2016	Air filter	HONOLULU	HI	0.0043	0.00034	0.0003	pCi/m ³	Gross Beta
11/1/2016	Air filter	HONOLULU	HI	0.00472	0.00033	0.0002	pCi/m ³	Gross Beta
11/4/2016	Air filter	HONOLULU	HI	0.00767	0.00055	0.00039	pCi/m ³	Gross Beta
11/7/2016	Air filter	HONOLULU	HI	0.00557	0.00042	0.00034	pCi/m ³	Gross Beta
11/10/2016	Air filter	HONOLULU	HI	0.00387	0.00032	0.00035	pCi/m ³	Gross Beta
11/14/2016	Air filter	HONOLULU	HI	0.00498	0.00036	0.00027	pCi/m ³	Gross Beta
11/18/2016	Air filter	HONOLULU	HI	0.00376	0.00029	0.00024	pCi/m ³	Gross Beta

*Samples were collected by HDOH and analyzed by the U.S. EPA (RadNet System)

2016 Hawaii Air Monitoring Data (Radionuclides)

Sample Date	Media	City	State	Analyte Quantity	Standard Deviation (SD)	Minimum Detectable Concentration (MDC)	Unit	Analyte Name
11/23/2016	Air filter	HONOLULU	HI	0.00273	0.00022	0.00022	pCi/m ³	Gross Beta
11/25/2016	Air filter	HONOLULU	HI	0.00176	0.0002	0.00037	pCi/m ³	Gross Beta
11/29/2016	Air filter	HONOLULU	HI	0.00473	0.00035	0.00027	pCi/m ³	Gross Beta
12/2/2016	Air filter	HONOLULU	HI	0.00188	0.00021	0.00035	pCi/m ³	Gross Beta
12/6/2016	Air filter	HONOLULU	HI	0.00212	0.00019	0.00025	pCi/m ³	Gross Beta
12/9/2016	Air filter	HONOLULU	HI	0.00148	0.00018	0.00035	pCi/m ³	Gross Beta
12/13/2016	Air filter	HONOLULU	HI	0.00286	0.00024	0.00026	pCi/m ³	Gross Beta
12/16/2016	Air filter	HONOLULU	HI	0.00318	0.00029	0.0004	pCi/m ³	Gross Beta
12/20/2016	Air filter	HONOLULU	HI	0.00198	0.00019	0.00025	pCi/m ³	Gross Beta
12/23/2016	Air filter	HONOLULU	HI	0.00165	0.0002	0.00038	pCi/m ³	Gross Beta
12/27/2016	Air filter	HONOLULU	HI	0.00214	0.00019	0.00024	pCi/m ³	Gross Beta

*Samples were collected by HDOH and analyzed by the U.S. EPA (RadNet System)