

Office of Health Care Assurance

State Licensing Section

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION

Facility's Name: A Better Living (E-ARCH)	CHAPTER 100.1
Address: 83 Kilani Ave, Wahiawa, Hawaii, 96786	Inspection Date: November 1, 2018 Annual

THIS PAGE MUST BE SUBMITTED WITH YOUR PLAN OF CORRECTION. IF IT IS NOT, YOUR PLAN OF CORRECTION WILL BE RETURNED TO YOU, UNREVIEWED.

YOUR PLAN OF CORRECTION MUST BE SUBMITTED WITHIN TEN (10) WORKING DAYS. IF IT IS NOT RECEIVED WITHIN TEN (10) WORKING DAYS, YOUR STATEMENT OF DEFICIENCIES WILL BE POSTED ONLINE, WITHOUT YOUR RESPONSE.

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-9 <u>Personnel, staffing and family requirements.</u> (e)(4) The substitute care giver who provides coverage for a period less than four hours shall:</p> <p>Be trained by the primary care giver to make prescribed medications available to residents and properly record such action.</p> <p><u>FINDINGS</u> No documentation that PCG trained SCG#1, SCG#2, SCG#3, SCG#4, and SCG#5 to make prescribed medications available to residents.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-9 <u>Personnel, staffing and family requirements.</u> (e)(4) The substitute care giver who provides coverage for a period less than four hours shall:</p> <p>Be trained by the primary care giver to make prescribed medications available to residents and properly record such action.</p> <p><u>FINDINGS</u> No documentation that PCG trained SCG#1, SCG#2, SCG#3, SCG#4, and SCG#5 to make prescribed medications available to residents.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-10 <u>Admission policies.</u> (a) Type I ARCHs shall admit residents requiring care as stated in section 11-100.1-2. The level of care needed by the resident shall be determined and documented by that resident's physician or APRN prior to admission. Information as to each resident's level of care shall be obtained prior to a resident's admission to a Type I ARCH and shall be made available for review by the department, the resident, the resident's legal guardian, the resident's responsible placement agency, and others authorized by the resident to review it.</p> <p><u>FINDINGS</u> Resident#1 = The level of care is not determined and documented by physician.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-10 <u>Admission policies.</u> (a) Type I ARCHs shall admit residents requiring care as stated in section 11-100.1-2. The level of care needed by the resident shall be determined and documented by that resident's physician or APRN prior to admission. Information as to each resident's level of care shall be obtained prior to a resident's admission to a Type I ARCH and shall be made available for review by the department, the resident, the resident's legal guardian, the resident's responsible placement agency, and others authorized by the resident to review it.</p> <p><u>FINDINGS</u> Resident#1 = The level of care is not determined and documented by physician.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-15 <u>Medications</u>. (e) All medications and supplements, such as vitamins, minerals, and formulas, shall be made available as ordered by a physician or APRN.</p> <p><u>FINDINGS</u> Resident#1 = Physician’s order for Calcium does not match the medication label. - Physician’s order: “Calcium 500mg, 1 tab, BID” - Medication bottle: “Calcium 500mg with vitamin D3 400IU”</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-15 <u>Medications</u>. (e) All medications and supplements, such as vitamins, minerals, and formulas, shall be made available as ordered by a physician or APRN.</p> <p><u>FINDINGS</u> Resident#1 = Physician’s order for Calcium does not match the medication label. - Physician’s order: “Calcium 500mg, 1 tab, BID” - Medication bottle: “Calcium 500mg with vitamin D3 400IU”</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN’T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-17 <u>Records and reports.</u> (b)(5) During residence, records shall include:</p> <p>Entries detailing all medications administered or made available;</p> <p><u>FINDINGS</u> Resident#1 = Physician's order for Divalproex 125mg, 1 cap, BID, PRN, was administered daily. PCG documented resident's behaviors however medication administration and response to the medication were not documented in progress notes.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-17 <u>Records and reports.</u> (b)(5) During residence, records shall include:</p> <p>Entries detailing all medications administered or made available;</p> <p><u>FINDINGS</u> Resident#1 = Physician's order for Divalproex 125mg, 1 cap, BID, PRN, was administered daily. PCG documented resident's behaviors however medication administration and response to the medication were not documented in progress notes.</p>	<p style="text-align: center;">PART 2</p> <p style="text-align: center;"><u>FUTURE PLAN</u></p> <p style="text-align: center;">USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-17 <u>Records and reports. (g)</u> All information contained in the resident's record shall be confidential. Written consent of the resident, or resident's guardian or surrogate, shall be required for the release of information to persons not otherwise authorized to receive it. Records shall be secured against loss, destruction, defacement, tampering, or use by unauthorized persons. There shall be written policies governing access to, duplication of, and release of any information from the resident's record. Records shall be readily accessible and available to authorized department personnel for the purpose of determining compliance with the provisions of this chapter.</p> <p><u>FINDINGS</u> Resident#1 = white correction tape was used in physical exam form and emergency information sheet.</p>	<p style="text-align: center;">PART 1</p> <p style="text-align: center;">Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-17 <u>Records and reports. (g)</u> All information contained in the resident's record shall be confidential. Written consent of the resident, or resident's guardian or surrogate, shall be required for the release of information to persons not otherwise authorized to receive it. Records shall be secured against loss, destruction, defacement, tampering, or use by unauthorized persons. There shall be written policies governing access to, duplication of, and release of any information from the resident's record. Records shall be readily accessible and available to authorized department personnel for the purpose of determining compliance with the provisions of this chapter.</p> <p><u>FINDINGS</u> Resident#1 = white correction tape was used in physical exam form and emergency information sheet.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (g)(3)(I) Fire prevention protection.</p> <p>Type I ARCHs shall be in compliance with, but not limited to, the following provisions:</p> <p>Each resident of a Type I home must be certified by a physician that the resident is ambulatory and capable of following directions and taking appropriate action for self-preservation under emergency conditions, except that a maximum of two residents, not so certified, may reside in the Type I home provided that either:</p> <p><u>FINDINGS</u> Resident#1 = Not certified by a physician that the resident is ambulatory and capable of following direction under emergency conditions at the time of readmission on 5/27/2018.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (g)(3)(I) Fire prevention protection.</p> <p>Type I ARCHs shall be in compliance with, but not limited to, the following provisions:</p> <p>Each resident of a Type I home must be certified by a physician that the resident is ambulatory and capable of following directions and taking appropriate action for self-preservation under emergency conditions, except that a maximum of two residents, not so certified, may reside in the Type I home provided that either:</p> <p><u>FINDINGS</u> Resident#1 = Not certified by a physician that the resident is ambulatory and capable of following direction under emergency conditions at the time of readmission on 5/27/2018.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (g)(3)(I) Fire prevention protection.</p> <p>Type I ARCHs shall be in compliance with, but not limited to, the following provisions:</p> <p>Each resident of a Type I home must be certified by a physician that the resident is ambulatory and capable of following directions and taking appropriate action for self-preservation under emergency conditions, except that a maximum of two residents, not so certified, may reside in the the Type I home provided that either:</p> <p><u>FINDINGS</u> Self-preservation statements for three (3) residents, completed by three (3) different physicians, indicate that there were three (3) non self-preserving residents residing in the home.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (g)(3)(I) Fire prevention protection.</p> <p>Type I ARCHs shall be in compliance with, but not limited to, the following provisions:</p> <p>Each resident of a Type I home must be certified by a physician that the resident is ambulatory and capable of following directions and taking appropriate action for self-preservation under emergency conditions, except that a maximum of two residents, not so certified, may reside in the Type I home provided that either:</p> <p><u>FINDINGS</u> Self-preservation statements for three (3) residents, completed by three (3) different physicians, indicate that there were three (3) non self-preserving residents residing in the home.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment</u>, (h)(3) The Type I ARCH shall maintain the entire facility and equipment in a safe and comfortable manner to minimize hazards to residents and care givers.</p> <p>All Type I ARCHs shall comply with applicable state laws and rules relating to sanitation, health, infection control and environmental safety;</p> <p><u>FINDINGS</u> PCG stated that dishes are sanitized once a week.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (h)(3) The Type I ARCH shall maintain the entire facility and equipment in a safe and comfortable manner to minimize hazards to residents and care givers.</p> <p>All Type I ARCHs shall comply with applicable state laws and rules relating to sanitation, health, infection control and environmental safety;</p> <p><u>FINDINGS</u> PCG stated that dishes are sanitized once a week.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (j)(1) Waste disposal:</p> <p>Every Type I ARCH shall provide a sufficient number of watertight receptacles, acceptable to the department for rubbish, garbage, refuse, and other matter. These receptacles shall be kept closed by tight fitting covers;</p> <p><u>FINDINGS</u> Trash receptacles in the kitchen and resident's dining area do not have tight-fitting covers.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (j)(1) Waste disposal:</p> <p>Every Type I ARCH shall provide a sufficient number of watertight receptacles, acceptable to the department for rubbish, garbage, refuse, and other matter. These receptacles shall be kept closed by tight fitting covers;</p> <p><u>FINDINGS</u> Trash receptacles in the kitchen and resident's dining area do not have tight-fitting covers.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-86 <u>Fire safety.</u> (a)(2) A Type I expanded ARCH shall be in compliance with existing fire safety standards for a Type I ARCH, as provided in section 11-100.1-23(b), and the following:</p> <p>Resident's sleeping room doors shall be self closing;</p> <p><u>FINDINGS</u> Resident's room #1 and room #2 doors do not self-close.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-86 <u>Fire safety.</u> (a)(2) A Type I expanded ARCH shall be in compliance with existing fire safety standards for a Type I ARCH, as provided in section 11-100.1-23(b), and the following:</p> <p>Resident's sleeping room doors shall be self closing;</p> <p><u>FINDINGS</u> Resident's room #1 and room #2 doors do not self-close.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

Licensee's/Administrator's Signature: _____

Print Name: _____

Date: _____