

Office of Health Care Assurance

State Licensing Section

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION

Facility's Name: JML	CHAPTER 100.1
Address: 92-560 Pilipono Street, Kapolei, Hawaii 96707	Inspection Date: September 15, 2016 Annual

THIS PAGE MUST BE SUBMITTED WITH YOUR PLAN OF CORRECTION. IF IT IS NOT, YOUR PLAN OF CORRECTION WILL BE RETURNED TO YOU, UNREVIEWED.

YOUR PLAN OF CORRECTION MUST BE SUBMITTED WITHIN TEN (10) WORKING DAYS. IF IT IS NOT RECEIVED WITHIN TEN (10) WORKING DAYS, YOUR STATEMENT OF DEFICIENCIES WILL BE POSTED ONLINE, WITHOUT YOUR RESPONSE.

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
☒	<p>§11-100.1-13 <u>Nutrition</u>. (d) Current menus shall be posted in the kitchen and in a conspicuous place in the dining area for the residents and department to review.</p> <p><u>FINDINGS</u> No menu posted in the resident dining area.</p>	<p>PART 1</p> <p>Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-13 <u>Nutrition</u>. (d) Current menus shall be posted in the kitchen and in a conspicuous place in the dining area for the residents and department to review.</p> <p><u>FINDINGS</u> No menu posted in the resident dining area.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-15 <u>Medications</u>. (b) Drugs shall be stored under proper conditions of sanitation, temperature, light, moisture, ventilation, segregation, and security. Medications that require storage in a refrigerator shall be properly labeled and kept in a separate locked container.</p> <p><u>FINDINGS</u> Three (3) medications in refrigerator unsecured. Two (2) lockable boxes available; however, locks were not engaged</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-15 <u>Medications.</u> (b) Drugs shall be stored under proper conditions of sanitation, temperature, light, moisture, ventilation, segregation, and security. Medications that require storage in a refrigerator shall be properly labeled and kept in a separate locked container.</p> <p><u>FINDINGS</u> Three (3) medications in refrigerator unsecured. Two (2) lockable boxes available; however, locks were not engaged</p>	<p style="text-align: center;">PART 2</p> <p style="text-align: center;"><u>FUTURE PLAN</u></p> <p style="text-align: center;">USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-15 <u>Medications.</u> (l) There shall be an acceptable procedure to separately secure medication or dispose of discontinued medications</p> <p><u>FINDINGS</u> Unsecured medication as follows:</p> <ol style="list-style-type: none"> 1. Bedroom #2, one (1) tube of “Neosporin Cream” unsecured. 2. Medication cabinet, one (1) tube of “Triple Antibiotic Ointment” expired Aug. 2016 on top of the medication cabinet in a plastic bin, unsecured. 3. Refrigerator, labeled medication no longer used, unsecured. One (1) bottle of “Latanoprost 0.005% Eye Drops” and one (1) box of “Sani –Supp” suppositories expired 09/08/15. 	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-15 <u>Medications.</u> (l) There shall be an acceptable procedure to separately secure medication or dispose of discontinued medications</p> <p><u>FINDINGS</u> Unsecured medication as follows:</p> <ol style="list-style-type: none"> 1. Bedroom #2, one (1) tube of “Neosporin Cream” unsecured. 2. Medication cabinet, one (1) tube of “Triple Antibiotic Ointment” expired Aug. 2016 on top of the medication cabinet in a plastic bin, unsecured. 3. Refrigerator, labeled medication no longer used, unsecured. One (1) bottle of “Latanoprost 0.005% Eye Drops” and one (1) box of “Sani –Supp” suppositories expired 09/08/15. 	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-17 <u>Records and reports.</u> (a)(4) The licensee or primary care giver shall maintain individual records for each resident. On admission, readmission, or transfer of a resident there shall be made available by the licensee or primary care giver for the department's review:</p> <p>A report of a recent medical examination and current diagnosis taken within the preceding twelve months and report of an examination for tuberculosis. The examination for tuberculosis shall follow current departmental policies;</p> <p><u>FINDINGS</u> Resident #1, no current physical examination.</p>	<p>PART 1</p> <p>Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-17 <u>Records and reports.</u> (a)(4) The licensee or primary care giver shall maintain individual records for each resident. On admission, readmission, or transfer of a resident there shall be made available by the licensee or primary care giver for the department's review:</p> <p>A report of a recent medical examination and current diagnosis taken within the preceding twelve months and report of an examination for tuberculosis. The examination for tuberculosis shall follow current departmental policies;</p> <p><u>FINDINGS</u> Resident #1, no current physical examination.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
☒	<p>§11-100.1-17 <u>Records and reports. (g)</u> All information contained in the resident's record shall be confidential. Written consent of the resident, or resident's guardian or surrogate, shall be required for the release of information to persons not otherwise authorized to receive it. Records shall be secured against loss, destruction, defacement, tampering, or use by unauthorized persons. There shall be written policies governing access to, duplication of, and release of any information from the resident's record. Records shall be readily accessible and available to authorized department personnel for the purpose of determining compliance with the provisions of this chapter.</p> <p><u>FINDINGS</u> Resident #1, liquid correction fluid on June 2016 medication record and resident emergency information form.</p>	<p>PART 1</p> <p>Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-17 <u>Records and reports. (g)</u> All information contained in the resident's record shall be confidential. Written consent of the resident, or resident's guardian or surrogate, shall be required for the release of information to persons not otherwise authorized to receive it. Records shall be secured against loss, destruction, defacement, tampering, or use by unauthorized persons. There shall be written policies governing access to, duplication of, and release of any information from the resident's record. Records shall be readily accessible and available to authorized department personnel for the purpose of determining compliance with the provisions of this chapter.</p> <p><u>FINDINGS</u> Resident #1, liquid correction fluid on June 2016 medication record and resident emergency information form.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (g)(3)(E) Fire prevention protection.</p> <p>Type I ARCHs shall be in compliance with, but not limited to, the following provisions:</p> <p>There shall be an adequate system of communication to summon help in case of fire or other emergency. This shall include telephone service. Inside stairways shall be provided for communication between floors within the Type I ARCH. All rooms utilized by the Type I ARCH, under the same roof, shall be connected by interior doors. The communication system shall assure prompt contact with care givers;</p> <p><u>FINDINGS</u></p> <p>Inadequate system of communication to summon help:</p> <ol style="list-style-type: none"> 1. Bedroom #2, electric signaling device not reliable. 2. Bedroom #5, electric signaling device not reliable. 3. Resident Bathroom, no signaling device. 	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (g)(3)(E) Fire prevention protection.</p> <p>Type I ARCHs shall be in compliance with, but not limited to, the following provisions:</p> <p>There shall be an adequate system of communication to summon help in case of fire or other emergency. This shall include telephone service. Inside stairways shall be provided for communication between floors within the Type I ARCH. All rooms utilized by the Type I ARCH, under the same roof, shall be connected by interior doors. The communication system shall assure prompt contact with care givers;</p> <p><u>FINDINGS</u></p> <p>Inadequate system of communication to summon help:</p> <ol style="list-style-type: none"> 1. Bedroom #2, electric signaling device not reliable. 2. Bedroom #5, electric signaling device not reliable. 3. Resident Bathroom, no signaling device. 	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (g)(3)(I) Fire prevention protection.</p> <p>Type I ARCHs shall be in compliance with, but not limited to, the following provisions:</p> <p>Each resident of a Type I home must be certified by a physician that the resident is ambulatory and capable of following directions and taking appropriate action for self-preservation under emergency conditions, except that a maximum of two residents, not so certified, may reside in the Type I home provided that either:</p> <p><u>FINDINGS</u> Resident #1, incomplete self-preservation certificate (4/25/26.) No answer for “Resident is or is not ambulatory.”</p>	<p>PART 1</p> <p>Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (g)(3)(I) Fire prevention protection.</p> <p>Type I ARCHs shall be in compliance with, but not limited to, the following provisions:</p> <p>Each resident of a Type I home must be certified by a physician that the resident is ambulatory and capable of following directions and taking appropriate action for self-preservation under emergency conditions, except that a maximum of two residents, not so certified, may reside in the Type I home provided that either:</p> <p><u>FINDINGS</u> Resident #1, incomplete self-preservation certificate (4/25/26.) No answer for “Resident is or is not ambulatory.”</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
	<p>§11-100.1-23 <u>Physical environment.</u> (h)(1)(B) The Type I ARCH shall maintain the entire facility and equipment in a safe and comfortable manner to minimize hazards to residents and care givers.</p> <p>Housekeeping:</p> <p>After discharge of any resident, the bed, bed furnishings, bedside furniture and equipment shall be thoroughly cleansed prior to subsequent resident admission;</p> <p><u>FINDINGS</u> Bedroom #2, former resident's belonging remain in the closet of the licensed bedroom following discharge.</p>	<p style="text-align: center;">PART 1</p> <p style="text-align: center;"><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p style="text-align: center;">USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (h)(1)(B) The Type I ARCH shall maintain the entire facility and equipment in a safe and comfortable manner to minimize hazards to residents and care givers.</p> <p>Housekeeping:</p> <p>After discharge of any resident, the bed, bed furnishings, bedside furniture and equipment shall be thoroughly cleansed prior to subsequent resident admission;</p> <p><u>FINDINGS</u> Bedroom #2, former resident's belonging remain in the closet of the licensed bedroom following discharge.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (h)(3) The Type I ARCH shall maintain the entire facility and equipment in a safe and comfortable manner to minimize hazards to residents and care givers.</p> <p>All Type I ARCHs shall comply with applicable state laws and rules relating to sanitation, health, infection control and environmental safety;</p> <p><u>FINDINGS</u> Bedroom #2, dresser door handle and hinge broken.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (h)(3) The Type I ARCH shall maintain the entire facility and equipment in a safe and comfortable manner to minimize hazards to residents and care givers.</p> <p>All Type I ARCHs shall comply with applicable state laws and rules relating to sanitation, health, infection control and environmental safety;</p> <p><u>FINDINGS</u> Bedroom #2, dresser door handle and hinge broken.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (o)(1)(D) Bedrooms:</p> <p>General conditions:</p> <p>Bedrooms shall not be used for recreation, cooking, dining, storage, bathrooms, laundries, foyers, corridors, lanais, and libraries;</p> <p><u>FINDINGS</u> Bedroom #2, wound care supplies, air mattress and other supplies stored. However, resident living in this room does not use air mattress, wound care supplies or other supplies.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (o)(1)(D) Bedrooms:</p> <p>General conditions:</p> <p>Bedrooms shall not be used for recreation, cooking, dining, storage, bathrooms, laundries, foyers, corridors, lanais, and libraries;</p> <p><u>FINDINGS</u> Bedroom #2, wound care supplies, air mattress and other supplies stored. However, resident living in this room does not use air mattress, wound care supplies or other supplies.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

Licensee's/Administrator's Signature: _____

Print Name: _____

Date: _____