

Office of Health Care Assurance

State Licensing Section

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION

Facility's Name: Billena, Mathilda (ARCH)	CHAPTER 100.1
Address: 94-1169 Limahana Street, Waipahu, Hawaii 96797	Inspection Date: November 15, 2016 Annual

THIS PAGE MUST BE SUBMITTED WITH YOUR PLAN OF CORRECTION. IF IT IS NOT, YOUR PLAN OF CORRECTION WILL BE RETURNED TO YOU, UNREVIEWED.

.

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-7 <u>General operational policies.</u> (a)(4) General operational policies of an ARCH or expanded ARCH shall be submitted by the applicant in writing to the department prior to licensure and shall include, but shall not be limited to:</p> <p>Visiting hours;</p> <p><u>FINDINGS</u> Resident #1, no visiting hours in the signed agreement.</p>	<p style="text-align: center;">PART 1</p> <p style="text-align: center;"><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p style="text-align: center;">USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-7 <u>General operational policies.</u> (a)(4) General operational policies of an ARCH or expanded ARCH shall be submitted by the applicant in writing to the department prior to licensure and shall include, but shall not be limited to:</p> <p>Visiting hours;</p> <p><u>FINDINGS</u> Resident #1, no visiting hours in the signed agreement.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-12 <u>Emergency care of residents and disaster preparedness.</u> (a)(3) The licensee shall maintain written procedures to follow in an emergency which shall include provisions for the following:</p> <p>Response to disasters which would include evacuation, emergency shelters, and food supply, and as directed by the Civil Defense.</p> <p><u>FINDINGS</u> Emergency procedures, no address for accommodations in the event of a fire. Please add a specific address.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-12 <u>Emergency care of residents and disaster preparedness.</u> (a)(3) The licensee shall maintain written procedures to follow in an emergency which shall include provisions for the following:</p> <p>Response to disasters which would include evacuation, emergency shelters, and food supply, and as directed by the Civil Defense.</p> <p><u>FINDINGS</u> Emergency procedures, no address for accommodations in the event of a fire. Please add a specific address.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-14 <u>Food sanitation.</u> (f) Toxic chemicals and cleaning agents, such as insecticides, fertilizers, bleaches and all other poisons, shall be properly labeled and securely stored apart from any food supplies.</p> <p><u>FINDINGS</u> Bathroom," Glade" spray unsecured.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-14 <u>Food sanitation.</u> (f) Toxic chemicals and cleaning agents, such as insecticides, fertilizers, bleaches and all other poisons, shall be properly labeled and securely stored apart from any food supplies.</p> <p><u>FINDINGS</u> Bathroom, “Glade” spray unsecured.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-15 <u>Medications.</u> (a) All medicines prescribed by physicians and dispensed by pharmacists shall be deemed properly labeled so long as no changes to the label have been made by the licensee, primary care giver or any ARCH/Expanded ARCH staff, and pills/medications are not removed from the original labeled container, other than for administration of medications. The storage shall be in a staff controlled work cabinet-counter apart from either resident's bathrooms or bedrooms.</p> <p><u>FINDINGS</u> Bedroom #3, medications in resident bedroom dresser drawer. i.e. one (1) tube of "Fluocinonide Cream USP, 0.05%" and (1) bottle of "Earwax Treatment Drops".</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-15 <u>Medications.</u> (a) All medicines prescribed by physicians and dispensed by pharmacists shall be deemed properly labeled so long as no changes to the label have been made by the licensee, primary care giver or any ARCH/Expanded ARCH staff, and pills/medications are not removed from the original labeled container, other than for administration of medications. The storage shall be in a staff controlled work cabinet-counter apart from either resident's bathrooms or bedrooms.</p> <p><u>FINDINGS</u> Bedroom #3, medications in resident bedroom dresser drawer. i.e. one (1) tube of "Fluocinonide Cream USP, 0.05%" and (1) bottle of "Earwax Treatment Drops".</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-15 <u>Medications.</u> (l) There shall be an acceptable procedure to separately secure medication or dispose of discontinued medications.</p> <p><u>FINDINGS</u> Bedroom #3, expired medications. i.e.: one (1) tube of “Fluocinonide Cream USP, 0.05% expired 12/01/15” and (1) bottle of “Earwax Treatment Drops expired 01/11” in dresser.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-15 <u>Medications</u>. (l) There shall be an acceptable procedure to separately secure medication or dispose of discontinued medications.</p> <p><u>FINDINGS</u> Bedroom #3, expired medications. i.e.: one (1) tube of “Fluocinonide Cream USP, 0.05% expired 12/01/15” and (1) bottle of “Earwax Treatment Drops expired 01/11” in dresser.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-16 <u>Personal care services.</u> (h) A schedule of activities shall be developed and implemented by the primary care giver for each resident which includes personal services to be provided, activities and any special care needs identified. The plan of care shall be reviewed and updated as needed.</p> <p><u>FINDINGS</u> Resident #1, “Plan of Care for Everybody” posted in the resident dining area; however, no individual plan of care and activity schedule.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-16 <u>Personal care services.</u> (h) A schedule of activities shall be developed and implemented by the primary care giver for each resident which includes personal services to be provided, activities and any special care needs identified. The plan of care shall be reviewed and updated as needed.</p> <p><u>FINDINGS</u> Resident #1, “Plan of Care for Everybody” posted in the resident dining area; however, no individual plan of care and activity schedule.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-17 <u>Records and reports.</u> (f)(2) General rules regarding records:</p> <p>Symbols and abbreviations may be used in recording entries only if a legend is provided to explain them;</p> <p><u>FINDINGS</u> Resident #1, no legend in medication record to explain the meaning of initials recorded by care giver making medications available. Repeat citation (2015).</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-17 <u>Records and reports.</u> (f)(2) General rules regarding records:</p> <p>Symbols and abbreviations may be used in recording entries only if a legend is provided to explain them;</p> <p><u>FINDINGS</u> Resident #1, no legend in medication record to explain the meaning of initials recorded by care giver making medications available. Repeat citation (2015).</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
☒	<p>§11-100.1-23 <u>Physical environment.</u> (g)(3)(G) Fire prevention protection.</p> <p>Type I ARCHs shall be in compliance with, but not limited to, the following provisions:</p> <p>Smoke detectors shall be provided in accordance with the most current edition of the National Fire Protection Association (NFPA) Standard 101 Life Safety Code, One and Two Family Dwellings. Existing Type I ARCHs may continue to use battery operated individual smoke detector units, however, upon transfer of ownership or primary care giver, such units shall be replaced with an automatic hard wiring UL approved smoke detector system;</p> <p><u>FINDINGS</u> For the monthly battery checks for smoke detectors, no documentation from June 2016 thru October 2016.</p>	<p style="text-align: center;">PART 1</p> <p style="text-align: center;">Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (g)(3)(G) Fire prevention protection.</p> <p>Type I ARCHs shall be in compliance with, but not limited to, the following provisions:</p> <p>Smoke detectors shall be provided in accordance with the most current edition of the National Fire Protection Association (NFPA) Standard 101 Life Safety Code, One and Two Family Dwellings. Existing Type I ARCHs may continue to use battery operated individual smoke detector units, however, upon transfer of ownership or primary care giver, such units shall be replaced with an automatic hard wiring UL approved smoke detector system;</p> <p><u>FINDINGS</u> For the monthly battery checks for smoke detectors, no documentation from June 2016 thru October 2016.</p>	<p style="text-align: center;">PART 2</p> <p style="text-align: center;"><u>FUTURE PLAN</u></p> <p style="text-align: center;">USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (h) The Type I ARCH shall maintain the entire facility and equipment in a safe and comfortable manner to minimize hazards to residents and care givers.</p> <p><u>FINDINGS</u> Bedroom #2, left ceiling panel sagging.</p>	<p style="text-align: center;">PART 1</p> <p style="text-align: center;"><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p style="text-align: center;">USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (h) The Type I ARCH shall maintain the entire facility and equipment in a safe and comfortable manner to minimize hazards to residents and care givers.</p> <p><u>FINDINGS</u> Bedroom #2, left ceiling panel sagging.</p>	<p style="text-align: center;">PART 2</p> <p style="text-align: center;"><u>FUTURE PLAN</u></p> <p style="text-align: center;">USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (h) The Type I ARCH shall maintain the entire facility and equipment in a safe and comfortable manner to minimize hazards to residents and care givers.</p> <p><u>FINDINGS</u> Bathroom, linoleum floor covering is cracked and buckling next to the base of the toilet.</p>	<p style="text-align: center;">PART 1</p> <p style="text-align: center;"><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p style="text-align: center;">USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (h) The Type I ARCH shall maintain the entire facility and equipment in a safe and comfortable manner to minimize hazards to residents and care givers.</p> <p><u>FINDINGS</u> Bathroom, linoleum floor covering is cracked and buckling next to the base of the toilet.</p>	<p style="text-align: center;">PART 2</p> <p style="text-align: center;"><u>FUTURE PLAN</u></p> <p style="text-align: center;">USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (h) The Type I ARCH shall maintain the entire facility and equipment in a safe and comfortable manner to minimize hazards to residents and care givers.</p> <p><u>FINDINGS</u> Bathroom ceiling, insect infestation observed.</p>	<p style="text-align: center;">PART 1</p> <p style="text-align: center;"><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p style="text-align: center;">USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (h) The Type I ARCH shall maintain the entire facility and equipment in a safe and comfortable manner to minimize hazards to residents and care givers.</p> <p><u>FINDINGS</u> Bathroom ceiling, insect infestation observed.</p>	<p style="text-align: center;">PART 2</p> <p style="text-align: center;"><u>FUTURE PLAN</u></p> <p style="text-align: center;">USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

Licensee's/Administrator's Signature: _____

Print Name: _____

Date: _____