

Office of Health Care Assurance

State Licensing Section

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION

Facility's Name: Cabico, Aurora (ARCH)	CHAPTER 100.1
Address: 1721 Merkle Street, Honolulu, Hawaii 96819	Inspection Date: May 19, 2020 Annual

THIS PAGE MUST BE SUBMITTED WITH YOUR PLAN OF CORRECTION. IF IT IS NOT, YOUR PLAN OF CORRECTION WILL BE RETURNED TO YOU, UNREVIEWED.

YOUR PLAN OF CORRECTION MUST BE SUBMITTED WITHIN TEN (10) WORKING DAYS. IF IT IS NOT RECEIVED WITHIN TEN (10) DAYS, YOUR STATEMENT OF DEFICIENCIES WILL BE POSTED ONLINE, WITHOUT YOUR RESPONSE.

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-17 <u>Records and reports.</u> (h)(1) Miscellaneous records:</p> <p>A permanent general register shall be maintained to record all admissions and discharges of residents;</p> <p><u>FINDINGS</u> General register not up to date.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-17 <u>Records and reports.</u> (h)(1) Miscellaneous records:</p> <p>A permanent general register shall be maintained to record all admissions and discharges of residents;</p> <p><u>FINDINGS</u> General register not up to date.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (h)(3) The Type I ARCH shall maintain the entire facility and equipment in a safe and comfortable manner to minimize hazards to residents and care givers.</p> <p>All Type I ARCHs shall comply with applicable state laws and rules relating to sanitation, health, infection control and environmental safety;</p> <p><u>FINDINGS</u> Per substitute care giver, dishes and utensils are sanitized once a week, instead of after each use.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (h)(3) The Type I ARCH shall maintain the entire facility and equipment in a safe and comfortable manner to minimize hazards to residents and care givers.</p> <p>All Type I ARCHs shall comply with applicable state laws and rules relating to sanitation, health, infection control and environmental safety;</p> <p><u>FINDINGS</u> Per substitute care giver, dishes and utensils are sanitized once a week, instead of after each use.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (p)(5) Miscellaneous:</p> <p>Signaling devices approved by the department shall be provided for resident's use at the bedside, in bathrooms, toilet rooms, and other areas where residents may be left alone. In Type I ARCHs where the primary care giver and residents do not reside on the same level or when other signaling mechanisms are deemed inadequate, there shall be an electronic signaling system.</p> <p><u>FINDINGS</u> Resident #1- No call light at bedside.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (p)(5) Miscellaneous:</p> <p>Signaling devices approved by the department shall be provided for resident's use at the bedside, in bathrooms, toilet rooms, and other areas where residents may be left alone. In Type I ARCHs where the primary care giver and residents do not reside on the same level or when other signaling mechanisms are deemed inadequate, there shall be an electronic signaling system.</p> <p><u>FINDINGS</u> Resident #1- No call light at bedside.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

Licensee's/Administrator's Signature: _____

Print Name: _____

Date: _____