

Office of Health Care Assurance

State Licensing Section

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION

Facility's Name: Castanaga, Imelda (ARCH/EARCH)	CHAPTER 100.1
Address: 94-972 Lumimoe Street, Waipahu, Hawaii 96797	Inspection Date: August 20, 2020 Annual

THIS PAGE MUST BE SUBMITTED WITH YOUR PLAN OF CORRECTION. IF IT IS NOT, YOUR PLAN OF CORRECTION WILL BE RETURNED TO YOU, UNREVIEWED.

YOUR PLAN OF CORRECTION MUST BE SUBMITTED WITHIN TEN (10) WORKING DAYS. IF IT IS NOT RECEIVED WITHIN TEN (10) WORKING DAYS, YOUR STATEMENT OF DEFICIENCIES WILL BE POSTED ONLINE, WITHOUT YOUR RESPONSE.

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-12 <u>Emergency care of residents and disaster preparedness.</u> (b) The licensee shall maintain a first aid kit for emergency use for each Type I ARCH.</p> <p><u>FINDINGS</u> First aid kit not maintained. No disposable plastic probe covers for the thermometer. Primary Care Giver states she uses saran wrap; however, this is not sufficient protection.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-12 <u>Emergency care of residents and disaster preparedness.</u> (b) The licensee shall maintain a first aid kit for emergency use for each Type I ARCH.</p> <p><u>FINDINGS</u> First aid kit not maintained. No disposable plastic probe covers for the thermometer. Primary Care Giver states she uses saran wrap; however, this is not sufficient protection.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-14 <u>Food sanitation.</u> (a) All food shall be procured, stored, prepared and served under sanitary conditions.</p> <p><u>FINDINGS</u> Kitchen refrigerator, a line of crawling ants on interior wall.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-14 <u>Food sanitation.</u> (a) All food shall be procured, stored, prepared and served under sanitary conditions.</p> <p><u>FINDINGS</u> Kitchen refrigerator, a line of crawling ants on interior wall.</p>	<p style="text-align: center;">PART 2</p> <p style="text-align: center;"><u>FUTURE PLAN</u></p> <p style="text-align: center;">USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-14 <u>Food sanitation.</u> (c) Refrigerators shall be equipped with an appropriate thermometer and temperature shall be maintained at 45°F or lower.</p> <p><u>FINDINGS</u> Kitchen refrigerator temperature not maintained at 45°F or lower. Two (2) thermometers placed on the top and middle shelves both read, 60°F. A digital thermometer in the door reads 72 °F.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-14 <u>Food sanitation.</u> (c) Refrigerators shall be equipped with an appropriate thermometer and temperature shall be maintained at 45°F or lower.</p> <p><u>FINDINGS</u> Kitchen refrigerator temperature not maintained at 45°F or lower. Two (2) thermometers placed on the top and middle shelves both read 60°F. A digital thermometer in the door reads 72 °F.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-14 <u>Food sanitation.</u> (d) Potentially hazardous food shall meet proper temperature requirements during storage, preparation, display, service, and transportation.</p> <p><u>FINDINGS</u> Fish soup stored in a refrigerator for more than three hours; however, refrigerator temperature recorded as 60°F- 72°F.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-14 <u>Food sanitation.</u> (d) Potentially hazardous food shall meet proper temperature requirements during storage, preparation, display, service, and transportation.</p> <p><u>FINDINGS</u> Fish soup stored in a refrigerator for more than three hours; however, refrigerator temperature recorded as 60°F- 72°F.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-15 <u>Medications.</u> (a) All medicines prescribed by physicians and dispensed by pharmacists shall be deemed properly labeled so long as no changes to the label have been made by the licensee, primary care giver or any ARCH/Expanded ARCH staff, and pills/medications are not removed from the original labeled container, other than for administration of medications. The storage shall be in a staff controlled work cabinet-counter apart from either resident's bathrooms or bedrooms.</p> <p><u>FINDINGS</u> Resident #1, primary care giver pre-poured medication to a weekly "Pill minder" box. For example, medication ordered for this evening and the balance of week removed from each labeled medication container prior to administration.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-15 <u>Medications.</u> (a) All medicines prescribed by physicians and dispensed by pharmacists shall be deemed properly labeled so long as no changes to the label have been made by the licensee, primary care giver or any ARCH/Expanded ARCH staff, and pills/medications are not removed from the original labeled container, other than for administration of medications. The storage shall be in a staff controlled work cabinet-counter apart from either resident's bathrooms or bedrooms.</p> <p><u>FINDINGS</u> Resident #1, primary care giver pre-poured medication to a weekly "Pill minder" box. For example, medication ordered for this evening and the balance of week removed from each labeled medication container prior to administration.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-15 <u>Medications.</u> (f) Medications made available to residents shall be recorded on a flowsheet. The flowsheet shall contain the resident's name, name of the medication, frequency, time, date and by whom the medication was made available to the resident.</p> <p><u>FINDINGS</u> Resident #1, no flowsheet record of who made medication available on the prior evening and this morning.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-15 <u>Medications.</u> (f) Medications made available to residents shall be recorded on a flowsheet. The flowsheet shall contain the resident's name, name of the medication, frequency, time, date and by whom the medication was made available to the resident.</p> <p><u>FINDINGS</u> Resident #1, no flowsheet record of who made medication available on the prior evening and this morning.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (o)(3)(B) Bedrooms:</p> <p>Bedroom furnishings:</p> <p>Each bed shall be supplied with a comfortable mattress cover, a pillow, pliable plastic pillow protector, pillow case, and an upper and lower sheet. A sheet blanket may be substituted for the top sheet when requested by the resident;</p> <p><u>FINDINGS</u> No pliable plastic (PP) pillow cover for the following:</p> <ol style="list-style-type: none"> 1. Resident #1, no PP pillow cover 2. Bedroom #2, first bed, , no PP pillow cover 	<p style="text-align: center;">PART 1</p> <p style="text-align: center;"><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p style="text-align: center;">USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (o)(3)(B) Bedrooms:</p> <p>Bedroom furnishings:</p> <p>Each bed shall be supplied with a comfortable mattress cover, a pillow, pliable plastic pillow protector, pillow case, and an upper and lower sheet. A sheet blanket may be substituted for the top sheet when requested by the resident;</p> <p><u>FINDINGS</u> No pliable plastic (PP) pillow cover for the following:</p> <ol style="list-style-type: none"> 1. Resident #1, no PP pillow cover 2. Bedroom #2, first bed, , no PP pillow cover 	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
	<p>§11-100.1-23 <u>Physical environment.</u> (p)(5) Miscellaneous:</p> <p>Signaling devices approved by the department shall be provided for resident's use at the bedside, in bathrooms, toilet rooms, and other areas where residents may be left alone. In Type I ARCHs where the primary care giver and residents do not reside on the same level or when other signaling mechanisms are deemed inadequate, there shall be an electronic signaling system.</p> <p><u>FINDINGS</u> Bedroom #2, no signaling device for the first of two beds.</p>	<p style="text-align: center;">PART 1</p> <p style="text-align: center;"><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p style="text-align: center;">USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (p)(5) Miscellaneous:</p> <p>Signaling devices approved by the department shall be provided for resident's use at the bedside, in bathrooms, toilet rooms, and other areas where residents may be left alone. In Type I ARCHs where the primary care giver and residents do not reside on the same level or when other signaling mechanisms are deemed inadequate, there shall be an electronic signaling system.</p> <p><u>FINDINGS</u> Bedroom #2, no signaling device for the first of two beds.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

Licensee's/Administrator's Signature: _____

Print Name: _____

Date: _____