

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION

Facility's Name: Island Care Home, L.L.C.	CHAPTER 100.1
Address: 151 Chong Street, Hilo, Hawaii 96720	Inspection Date: May 3, 2021 – Initial

THIS PAGE MUST BE SUBMITTED WITH YOUR PLAN OF CORRECTION. IF IT IS NOT, YOUR PLAN OF CORRECTION WILL BE RETURNED TO YOU, UNREVIEWED.

YOUR PLAN OF CORRECTION MUST BE SUBMITTED WITHIN TEN (10) WORKING DAYS. IF IT IS NOT RECEIVED WITHIN TEN (10) DAYS, YOUR STATEMENT OF DEFICIENCIES WILL BE POSTED ONLINE, WITHOUT YOUR RESPONSE.

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-9 <u>Personnel, staffing and family requirements.(a)</u> All individuals who either reside or provide care or services to residents in the Type I ARCH, shall have documented evidence that they have been examined by a physician prior to their first contact with the residents of the Type I ARCH, and thereafter shall be examined by a physician annually, to certify that they are free of infectious diseases.</p> <p>FINDINGS Primary caregiver (PCG) – no current physical examination. SCG #1 – no current physical examination. FM #1 and FM #2 – no current physical examination.</p>	<p style="text-align: center;">PART 1</p> <p style="text-align: center;"><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p style="text-align: center;">USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p> <p>physical examination was obtained for primary caregiver Family member #1- Family member #2 SCG #1 It has placed into home record</p>	<p>6/10/21</p>

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-9 <u>Personnel, staffing and family requirements.</u>(a) All individuals who either reside or provide care or services to residents in the Type I ARCH, shall have documented evidence that they have been examined by a physician prior to their first contact with the residents of the Type I ARCH, and thereafter shall be examined by a physician annually, to certify that they are free of infectious diseases.</p> <p>FINDINGS Primary caregiver (PCG) – no current physical examination. SCG #1 – no current physical examination. FM #1 and FM #2 – no current physical examination.</p>	<p style="text-align: center;">PART 2</p> <p style="text-align: center;"><u>FUTURE PLAN</u></p> <p style="text-align: center;">USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p> <p>Home will use spreadsheet on Laptop to identify when requirement are due to prevent them from expiring primary caregiver #1 Family member #1 family member #2 Will inform when an item is due 1 month before it is due. 1 month prior to expiration I will ask them for updated physical if they don't have it I will make an appointment for them.</p>	<p style="text-align: center;">6/10/21</p>

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-9 <u>Personnel, staffing and family requirements.</u> (b) All individuals who either reside or provide care or services to residents in the Type I ARCH shall have documented evidence of an initial and annual tuberculosis clearance.</p> <p><u>FINDINGS</u> SCG #1 – with a history of past positive tuberculosis (TB) skin test, no current TB symptoms screening.</p>	<p style="text-align: center;">PART 1</p> <p style="text-align: center;"><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p style="text-align: center;">USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p> <p style="text-align: center;">TB clearance was obtained for ^{SCG} primary caregiver #1. He was placed into home Record.</p>	<p style="text-align: right;">6/10/21</p>

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-9 <u>Personnel, staffing and family requirements.</u> (b) All individuals who either reside or provide care or services to residents in the Type I ARCH shall have documented evidence of an initial and annual tuberculosis clearance.</p> <p><u>FINDINGS</u> SCG #1 – with a history of past positive tuberculosis (TB) skin test, no current TB symptoms screening.</p>	<p style="text-align: center;">PART 2</p> <p style="text-align: center;"><u>FUTURE PLAN</u></p> <p style="text-align: center;">USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p> <p>Home will use a spreadsheet on laptop to identify when requirements are due to prevent them from expiring.</p> <p>^{SCG} primary caregiver #1</p> <p>2 month prior to expiration I will ask them for updated ^{TB} physical</p> <p>if they don't have it I will make an appointment for them.</p> <p>(1 month prior to expiring)</p>	<p>6/10/21</p>

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-9 <u>Personnel, staffing and family requirements.</u> (e)(3) The substitute care giver who provides coverage for a period less than four hours shall:</p> <p>Be currently certified in first aid;</p> <p><u>FINDINGS</u> SCG #1 -no current first aid certification</p>	<p style="text-align: center;">PART 1</p> <p style="text-align: center;"><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p style="text-align: center;">USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p> <p>First Aid certification was obtained for substitute caregiver #1 It was placed into home Record.</p>	<p style="text-align: right;">6/10/21</p>

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-9 <u>Personnel, staffing and family requirements.</u> (e)(3) The substitute care giver who provides coverage for a period less than four hours shall:</p> <p>Be currently certified in first aid;</p> <p><u>FINDINGS</u> SCG #1 -no current first aid certification</p>	<p style="text-align: center;">PART 2</p> <p style="text-align: center;"><u>FUTURE PLAN</u></p> <p style="text-align: center;">USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p> <p>Home will notify SCG # 1 that will inform SCG when an item is due. 8 weeks before it is due.</p> <p>And. Home will use spreadsheet on Laptop. to identify when requirement are due. to prevent them from expiring 1 month prior to. I will ask them for updated</p> <p>If the don't have it, I will make an appointment for them.</p>	<p>6/10/24</p>

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-9 <u>Personnel, staffing and family requirements.</u> (f)(1) The substitute care giver who provides coverage for a period greater than four hours in addition to the requirements specified in subsection (e) shall:</p> <p>Be currently certified in cardiopulmonary resuscitation;</p> <p><u>FINDINGS</u> SCG #1 – no current cardiopulmonary resuscitation (CPR) certification.</p>	<p style="text-align: center;">PART 1</p> <p style="text-align: center;"><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p style="text-align: center;">USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p> <p>Cardiopulmonary resuscitation certification was obtained for substitute caregiver #1 it was placed into home Record Record.</p>	<p>6/10/21</p>

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-9 <u>Personnel, staffing and family requirements.</u> (f)(1) The substitute care giver who provides coverage for a period greater than four hours in addition to the requirements specified in subsection (e) shall:</p> <p>Be currently certified in cardiopulmonary resuscitation;</p> <p><u>FINDINGS</u> SCG #1 -- no current cardiopulmonary resuscitation (CPR) certification.</p>	<p style="text-align: center;">PART 2</p> <p style="text-align: center;"><u>FUTURE PLAN</u></p> <p style="text-align: center;">USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p> <p>Home will notify SCG, when requirements are due to prevent them from expiring. SCG #1 will inform when an item is due 8 weeks before it is due. Home will use spreadsheet on laptop to identify when requirements are due to prevent them from expiring 1 month before to expiration If they don't have it, I will make an appointment for them.</p>	<p>6/10/21</p>

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-14 <u>Food sanitation.</u> (f) Toxic chemicals and cleaning agents, such as insecticides, fertilizers, bleaches and all other poisons, shall be properly labeled and securely stored apart from any food supplies.</p> <p><u>FINDINGS</u> Cabinet containing cleansers, bleach and other toxic chemicals was left unlocked.</p>	<p style="text-align: center;">PART 1</p> <p style="text-align: center;"><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p style="text-align: center;">USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p> <p>Bleach and other toxic chemicals was safely placed in lock It was placed into home cabinet. safely lock.</p>	<p>6/10/21</p>

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-14 <u>Food sanitation.</u> (f) Toxic chemicals and cleaning agents, such as insecticides, fertilizers, bleaches and all other poisons, shall be properly labeled and securely stored apart from any food supplies.</p> <p><u>FINDINGS</u> Cabinet containing cleansers, bleach and other toxic chemicals was left unlocked.</p>	<p style="text-align: center;">PART 2</p> <p style="text-align: center;"><u>FUTURE PLAN</u></p> <p style="text-align: center;">USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p> <p>PCB #1 will look at all the cabinet and box every time make sure they are lock all times.</p> <p>I will ^{put a} reminder</p> <p>I will put a reminder note on the chemical cabinet to remind me and my SCB.</p> <p>Return all chemicals and keep cabinet lock all times.</p>	<p>8/10/21</p> <p>lock</p>

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-15 <u>Medications.</u> (b) Drugs shall be stored under proper conditions of sanitation, temperature, light, moisture, ventilation, segregation, and security. Medications that require storage in a refrigerator shall be properly labeled and kept in a separate locked container.</p> <p><u>FINDINGS</u> Medication cabinet unlocked.</p>	<p style="text-align: center;">PART 1</p> <p style="text-align: center;"><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p style="text-align: center;">USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p> <p style="text-align: center;">medication cabinet was corrected by pqs #1 has been properly locked</p>	<p style="text-align: center;">6/10/21</p>

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-15 <u>Medications.</u> (b) Drugs shall be stored under proper conditions of sanitation, temperature, light, moisture, ventilation, segregation, and security. Medications that require storage in a refrigerator shall be properly labeled and kept in a separate locked container.</p> <p><u>FINDINGS</u> Medication cabinet unlocked.</p>	<p style="text-align: center;">PART 2</p> <p style="text-align: center;"><u>FUTURE PLAN</u></p> <p style="text-align: center;">USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p> <p>PCG #1 will look at all the time, make sure medication cabinet is properly locked</p> <p>will check the cabinet every time do to the meet requirement.</p> <p>I will lock the cabinet as soon as I removed or put away medication and place reminder note to remind me and SCB to keep medication cabinet all times.</p>	<p>6/10/21</p>

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (g)(3)(D) Fire prevention protection.</p> <p>Type I ARCHs shall be in compliance with, but not limited to, the following provisions:</p> <p>A drill shall be held to provide training for residents and personnel at various times of the day or night at least four times a year and at least three months from the previous drill, and the record shall contain the date, hour, personnel participating and description of drill, and the time taken to safely evacuate residents from the building. A copy of the fire drill procedure and results shall be submitted to the fire inspector or department upon request;</p> <p><u>FINDINGS</u> No fire drill records for April 2021.</p>	<p>PART 1</p> <p>Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.</p>	<p>6/10/21</p>

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (g)(3)(D) Fire prevention protection.</p> <p>Type I ARCHs shall be in compliance with, but not limited to, the following provisions:</p> <p>A drill shall be held to provide training for residents and personnel at various times of the day or night at least four times a year and at least three months from the previous drill, and the record shall contain the date, hour, personnel participating and description of drill, and the time taken to safely evacuate residents from the building. A copy of the fire drill procedure and results shall be submitted to the fire inspector or department upon request;</p> <p>FINDINGS No fire drill records for April 2021.</p>	<p style="text-align: center;">PART 2</p> <p style="text-align: center;"><u>FUTURE PLAN</u></p> <p style="text-align: center;">USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p> <p>Home will use a wall calendar place on the kitchen to put all due dates on. Will be done every month on the 1st 1st get a done by PCB, family members, and Resident. If there's any</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment</u>. (g)(3)(G) Fire prevention protection.</p> <p>Type I ARCHs shall be in compliance with, but not limited to, the following provisions:</p> <p>Smoke detectors shall be provided in accordance with the most current edition of the National Fire Protection Association (NFPA) Standard 101 Life Safety Code, One and Two Family Dwellings. Existing Type I ARCHs may continue to use battery operated individual smoke detector units, however, upon transfer of ownership or primary care giver, such units shall be replaced with an automatic hard wiring UL approved smoke detector system;</p> <p><u>FINDINGS</u> No monthly smoke detector checks for April 2021.</p>	<p>PART 1</p> <p>Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.</p>	<p>6/10/21</p>

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (g)(3)(G) Fire prevention protection.</p> <p>Type I ARCHs shall be in compliance with, but not limited to, the following provisions:</p> <p>Smoke detectors shall be provided in accordance with the most current edition of the National Fire Protection Association (NFPA) Standard 101 Life Safety Code, One and Two Family Dwellings. Existing Type I ARCHs may continue to use battery operated individual smoke detector units, however, upon transfer of ownership or primary care giver, such units shall be replaced with an automatic hard wiring UL approved smoke detector system;</p> <p><u>FINDINGS</u> No monthly smoke detector checks for April 2021.</p>	<p style="text-align: center;">PART 2</p> <p style="text-align: center;"><u>FUTURE PLAN</u></p> <p style="text-align: center;">USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p> <p>Home will use a wall calendar place on the kitchen kitchen to put all due dates on.</p> <p>Will be done every month 1st get a done by PEG#1 make sure smoke detectors works properly.</p>	<p>6/10/21</p>

Licensee's/Administrator's Signature:

Hestia Lee

Print Name:

Hestia Lee

Date:

6/10/21

June . 21 . 21