Foster Family Home - Deficiency Report

Provider ID:

1-514936

Home Name:

Rosalinda Lopez, RN

Review ID:

1-514936-9

92-6001 Puapake Street

Reviewer:

David Ayling

Kapolei

HI 96707

Begin Date:

11/18/2021

Foster Family Home

Required Certificate

[11-800-6]

6.(d)(1)

Comply with all applicable requirements in this chapter; and

Comment:

6.d.1 Annual unannounced inspection made today. Corrective action report was issued during visit with a written plan of correction due to CTA by 12/17/21.

Foster Family Home

Background Checks

[11-800-8]

8.(a)(2)

Be subject to adult protective service perpetrator checks if the individual has direct contact with a client; and

Comment:

8.(a)(2) - APS/CAN expired on 11/27/2020 for CG #3. Renewed on 3/8/2021.

Foster Family Home

Personnel and Staffing

[11-800-41]

41.(b)(8)

Have documentation of current training in blood borne pathogen and infection control, cardiopulmonary resuscitation, and basic first aid.

Comment:

41.(b)(8) - Blood borne pathogen certification expired on 10/10/2021 for CG #3.

Compliance Manager

Primary Care Giver

Date 11 18 2021

Page 1 of 1

11/18/2021 10:20:11 AM

David Ayling, RN

Community Care Foster Family Home (CCFFH) Written Corrective Action Plan (CAP) Chapter 11-800

PCG's Name on CCFFH Certificate:

Rosalinda S. Lopez

CCFFH Address:

92-6001 Puapake St., Kapolei, Hl. 96707

(PLEASE PRINT)

Rule Number	Corrective Action Taken – How was each issue fixed for each violation?	Date each violation was fixed	Prevention Strategy – How will you prevent each violation from happening again in the future?
8(9) (2) 41(b)	I showed CTA current APS/ CAN for CG.#3on the day of my visit.	11/18/2 1	I put the expiration dates for APS/ CAN and Blood Borne Pathogen for all CG.'S on my calendar.I will review it every month!
(8)	I received a current Blood Borne Pathogen Certificate from CG.#3.I placed the certification my CCFFH binder.	11/19/2	* *

All items that	t was fived are attached	an ship C	* **	
An itema trial	r were lixed arb arfabiliod	ID INIS CA	AP ,	
PCG's Signature:	t were fixed are attached Maunta	1'-	boler	Date: November 19,2021
				 The state of the s