CARE HOME CLOSED ON DECEMBER 14, 2021

Office of Health Care Assurance

State Licensing Section

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION

Facility's Name: Adele Care Home	CHAPTER 100,1
Address: 94-252 Kipou Street, Waipahu, Hawaii 96797	Inspection Date: December 6, 2021 Initial

THIS PAGE MUST BE SUBMITTED WITH YOUR PLAN OF CORRECTION. IF IT IS NOT, YOUR PLAN OF CORRECTION WILL BE RETURNED TO YOU, UNREVIEWED.

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-3 Licensing. (a)(4) No person, group of persons, or entity shall operate an ARCH or expanded ARCH without a license previously obtained under and in compliance with this chapter and chapter 321, HRS. The license issued by the department shall be posted in a conspicuous place visible to the public, on the premises of the ARCH or expanded ARCH; FINDINGS License issued by the department was not posted.	PART 1 DID YOU CORRECT THE DEFICIENCY? USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY	

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-3 <u>Licensing.</u> (a)(4) No person, group of persons, or entity shall operate an ARCH or expanded ARCH without a license previously obtained under and in compliance with this chapter and chapter 321, HRS. The license issued by the department shall be posted in a conspicuous place visible to the public, on the premises of the ARCH or expanded ARCH;	PART 2 <u>FUTURE PLAN</u> USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?	
FINDINGS License issued by the department was not posted.		
-		

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-9 Personnel, staffing and family requirements. (e)(3) The substitute care giver who provides coverage for a period less than four hours shall:	PART 1 <u>DID YOU CORRECT THE DEFICIENCY?</u>	
Be currently certified in first aid; FINDINGS	USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY	
Substitute care giver (SCG) #1 - No first aid certification. Submit a copy with the plan of correction (POC).		

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-9 Personnel, staffing and family requirements. (e)(3) The substitute care giver who provides coverage for a period less than four hours shall:	PART 2 <u>FUTURE PLAN</u>	
Be currently certified in first aid; FINDINGS Substitute care giver (SCG) #1 - No first aid certification. Submit a copy with the plan of correction (POC).	USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?	
·		

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
\$11-100.1-9 Personnel, staffing and family requirements. (e)(4) The substitute care giver who provides coverage for a period less than four hours shall: Be trained by the primary care giver to make prescribed medications available to residents and properly record such action. FINDINGS All SCGs - No training by the primary care giver (PCG) to make prescribed medication available to residents. Submit copies for each with the POC.	PLAN OF CORRECTION PART 1 DID YOU CORRECT THE DEFICIENCY? USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY	

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-9 Personnel, staffing and family requirements. (e)(4) The substitute care giver who provides coverage for a period less than four hours shall: Be trained by the primary care giver to make prescribed medications available to residents and properly record such action. FINDINGS All SCGs - No training by the primary care giver (PCG) to make prescribed medication available to residents. Submit copies for each with the POC.	PART 2 FUTURE PLAN USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?	Date
·		

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-10 Admission policies. (d) The Type I ARCH shall only admit residents at appropriate levels of care. The capacity of the Type I ARCH shall also be limited by this chapter, chapter 321, HRS, and as determined by the department. FINDINGS Resident #2 is a Community Care Foster Family Home (CCFFH) resident. The adult residential care home (ARCH) is not licensed for nursing home (NF), intermediate care facility (ICF) or skilled nursing facility (SNF) level residents.	PART 1 DID YOU CORRECT THE DEFICIENCY? USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
	§11-100.1-10 Admission policies. (d) The Type I ARCH shall only admit residents at appropriate levels of care. The capacity of the Type I ARCH shall also be limited by this chapter, chapter 321, HRS, and as determined by the department. FINDINGS Resident #2 is a Community Care Foster Family Home (CCFFH) resident. The adult residential care home (ARCH) is not licensed for nursing home (NF), intermediate care facility (ICF) or skilled nursing facility (SNF) level residents.	PART 2 FUTURE PLAN USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?	Date
:			

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
\$11-100.1-13 Nutrition. (d) Current menus shall be posted in the kitchen and in a conspicuous place in the dining area for the residents and department to review. FINDINGS Menus were not posted in the kitchen and dining area.	PART 1 DID YOU CORRECT THE DEFICIENCY? USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY	

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-13 <u>Nutrition.</u> (d) Current menus shall be posted in the kitchen and in a conspicuous place in the dining area for the residents and department to review.	PART 2 <u>FUTURE PLAN</u>	
FINDINGS Menus were not posted in the kitchen and dining area.	USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?	

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-15 Medications. (b) Drugs shall be stored under proper conditions of sanitation, temperature, light, moisture, ventilation, segregation, and security. Medications that require storage in a refrigerator shall be properly labeled and kept in a separate locked container. FINDINGS A cabinet containing medication, adjacent to the kitchen, was unlocked. The cabinet under the resident bathroom sink, containing cleaning supplies, was unlocked.	PART 1 DID YOU CORRECT THE DEFICIENCY? USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY	

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-15 Medications. (b) Drugs shall be stored under proper conditions of sanitation, temperature, light, moisture, ventilation, segregation, and security. Medications that require storage in a refrigerator shall be properly labeled and kept in a separate locked container. FINDINGS A cabinet containing medication, adjacent to the kitchen, was unlocked. The cabinet under the resident bathroom sink, containing cleaning supplies, was unlocked.	FUTURE PLAN USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?	

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-15 Medications. (b) Drugs shall be stored under proper conditions of sanitation, temperature, light, moisture, ventilation, segregation, and security. Medications that require storage in a refrigerator shall be properly labeled and kept in a separate locked container.	PART 1	
FINDINGS The door to the room containing food supply and cleaning agents (multiple bottles of bleach, laundry detergent and fabric softener) was open and unlocked upon entry to the ARCH. The door was closed and locked during the inspection.	Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.	

RULES (CRITERIA)	· PLAN OF CORRECTION	Completion Date
§11-100.1-15 Medications. (b) Drugs shall be stored under proper conditions of sanitation, temperature, light, moisture, ventilation, segregation, and security. Medications that require storage in a refrigerator shall be properly labeled and kept in a separate locked container. FINDINGS The door to the room containing food supply and cleaning agents (multiple bottles of bleach, laundry detergent and fabric softener) was open and unlocked upon entry to the ARCH.	PART 2 <u>FUTURE PLAN</u> USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?	
The door was closed and locked during the inspection.		

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
RULES (CRITERIA) §11-100.1-15 Medications. (e) All medications and supplements, such as vitamins, minerals, and formulas, shall be made available as ordered by a physician or APRN. FINDINGS Resident #1 - "Hydroxychloroquine sulfate 200 mg tab Take 1 tablet daily" ordered 11/2/21; however, the label and medication record noted "Take 2 tablets by mouth every day."	PLAN OF CORRECTION PART 1 DID YOU CORRECT THE DEFICIENCY? USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY	

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-15 Medications. (e) All medications and supplements, such as vitamins, minerals, and formulas, shall be made available as ordered by a physician or APRN. FINDINGS Resident #1 - "Hydroxychloroquine sulfate 200 mg tab Take 1 tablet daily" ordered 11/2/21; however, the label and medication record noted "Take 2 tablets by mouth every day."	PART 2 FUTURE PLAN USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?	Date

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-15 Medications. (e) All medications and supplements, such as vitamins, minerals, and formulas, shall be made available as ordered by a physician or APRN.	PART 1 <u>DID YOU CORRECT THE DEFICIENCY?</u>	
FINDINGS Resident #1 - "Melatonin 5 mg cap" and "vitamin B-12 1000 mcg tab" ordered 11/2/21 without the dosage and frequency specified.	USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
	§11-100.1-15 Medications. (e) All medications and supplements, such as vitamins, minerals, and formulas, shall be made available as ordered by a physician or APRN.	PART 2 <u>FUTURE PLAN</u>	
,	FINDINGS Resident #1 - "Melatonin 5 mg cap" and "vitamin B-12 1000 mcg tab" ordered 11/2/21 without the dosage and frequency specified.	USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?	
	·		
	,		

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
\$11-100.1-17 Records and reports. (f)(2) General rules regarding records: Symbols and abbreviations may be used in recording entries only if a legend is provided to explain them; FINDINGS Resident #1 - No legend for initials on the medication record.	PART 1 DID YOU CORRECT THE DEFICIENCY? USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY	

§11-100.1-17 Records and reports. (f)(2) General rules regarding records: PART 2 FIGURE DE AN	
Symbols and abbreviations may be used in recording entries only if a legend is provided to explain them; FINDINGS Resident #1 - No legend for initials on the medication record. Symbols and abbreviations may be used in recording entries only if a legend is provided to explain them; USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?	

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
\$11-100.1-17 Records and reports. (g) All information contained in the resident's record shall be confidential. Written consent of the resident, or resident's guardian or surrogate, shall be required for the release of information to persons not otherwise authorized to receive it. Records shall be secured against loss, destruction, defacement, tampering, or use by unauthorized persons. There shall be written policies governing access to, duplication of, and release of any information from the resident's record. Records shall be readily accessible and available to authorized department personnel for the purpose of determining compliance with the provisions of this chapter. FINDINGS Resident #1 - White-out used in the resident record (Admission Assessment).	Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.	

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
\$11-100.1-17 Records and reports. (g) All information contained in the resident's record shall be confidential. Written consent of the resident, or resident's guardian or surrogate, shall be required for the release of information to persons not otherwise authorized to receive it. Records shall be secured against loss, destruction, defacement, tampering, or use by unauthorized persons. There shall be written policies governing access to, duplication of, and release of any information from the resident's record. Records shall be readily accessible and available to authorized department personnel for the purpose of determining compliance with the provisions of this chapter. FINDINGS Resident #1 - White-out used in the resident record (Admission Assessment).	PART 2 FUTURE PLAN USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?	

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
\$11-100.1-23 Physical environment. (g)(3)(A) Fire prevention protection. Type I ARCHs shall be in compliance with, but not limited to, the following provisions: Fire escapes, stairways and other exit equipment shall be maintained operational and in good repair and free of obstruction; FINDINGS Fire escape to the area of refuge from the second exit was partially obstructed by potted plants. Clear width was 29 inches. The home is approved for wheelchairs.	PLAN OF CORRECTION PART 1 DID YOU CORRECT THE DEFICIENCY? USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
	§11-100.1-23 <u>Physical environment.</u> (g)(3)(A) Fire prevention protection.	PART 2	
	Type I ARCHs shall be in compliance with, but not limited to, the following provisions:	FUTURE PLAN USE THIS SPACE TO EXPLAIN YOUR FUTURE	
	Fire escapes, stairways and other exit equipment shall be maintained operational and in good repair and free of obstruction;	PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?	
	FINDINGS Fire escape to the area of refuge from the second exit was partially obstructed by potted plants. Clear width was 29 inches. The home is approved for wheelchairs.		

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-23 Physical environment. (o)(1)(C) Bedrooms: General conditions: Family members shall not sleep in residents' bedrooms; FINDINGS The PCG and SCG are occupying Bedroom #3.	PART 1 <u>DID YOU CORRECT THE DEFICIENCY?</u> USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY	Date
•		

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-23 Physical environment. (o)(1)(C) Bedrooms:	PART 2	
General conditions:	<u>FUTURE PLAN</u>	
Family members shall not sleep in residents' bedrooms;	USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT	
FINDINGS The PCG and SCG are occupying Bedroom #3.	IT DOESN'T HAPPEN AGAIN?	
-		

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-23 Physical environment. (p)(5) Miscellaneous: Signaling devices approved by the department shall be provided for resident's use at the bedside, in bathrooms, toilet rooms, and other areas where residents may be left alone. In Type I ARCHs where the primary care giver and residents do not reside on the same level or when other signaling mechanisms are deemed inadequate, there shall be an electronic signaling system. FINDINGS Bedroom #4 - No working signaling device. Corrected during the inspection.	Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.	

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-23 Physical environment. (p)(5) Miscellaneous: Signaling devices approved by the department shall be provided for resident's use at the bedside, in bathrooms, toilet rooms, and other areas where residents may be left alone. In Type I ARCHs where the primary care giver and residents do not reside on the same level or when other signaling mechanisms are deemed inadequate, there shall be an electronic signaling system.	PART 2 <u>FUTURE PLAN</u> USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?	
FINDINGS Bedroom #4 - No working signaling device.		
Corrected during the inspection.		

Licensee's/Administrator's Signature: _
Print Name:
Date