

Office of Health Care Assurance

State Licensing Section

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION

Facility's Name: Kunia Hale	CHAPTER 100.1
Address: 94-695 Kaaka Street, Waipahu, Hawaii 96797	Inspection Date: January 13, 2022 Initial

THIS PAGE MUST BE SUBMITTED WITH YOUR PLAN OF CORRECTION. IF IT IS NOT, YOUR PLAN OF CORRECTION WILL BE RETURNED TO YOU, UNREVIEWED.

YOUR PLAN OF CORRECTION MUST BE SUBMITTED WITHIN TEN (10) WORKING DAYS. IF IT IS NOT RECEIVED WITHIN TEN (10) WORKING DAYS, YOUR STATEMENT OF DEFICIENCIES WILL BE POSTED ONLINE, WITHOUT YOUR RESPONSE.

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-9 <u>Personnel, staffing and family requirements.</u> (b) All individuals who either reside or provide care or services to residents in the Type I ARCH shall have documented evidence of an initial and annual tuberculosis clearance.</p> <p><u>FINDINGS</u> Substitute care giver (SCG) #2 - No documentation of a chest x-ray following the positive tuberculosis (TB) skin test on 12/30/21. Chest x-ray was dated 7/16/21 (prior to the 12/30/21 skin test). Submit a copy of the chest x-ray with the plan of correction (POC).</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-9 <u>Personnel, staffing and family requirements.</u> (b) All individuals who either reside or provide care or services to residents in the Type I ARCH shall have documented evidence of an initial and annual tuberculosis clearance.</p> <p><u>FINDINGS</u> Substitute care giver (SCG) #2 - No documentation of a chest x-ray following the positive tuberculosis (TB) skin test on 12/30/21. Chest x-ray was dated 7/16/21 (prior to the 12/30/21 skin test). Submit a copy of the chest x-ray with the plan of correction (POC).</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-9 <u>Personnel, staffing and family requirements.</u> (e)(4) The substitute care giver who provides coverage for a period less than four hours shall:</p> <p>Be trained by the primary care giver to make prescribed medications available to residents and properly record such action.</p> <p><u>FINDINGS</u> SCG #1 and SCG #2 - No training by the primary care giver (PCG) to make prescribed medication available to residents. Submit a copy of the training for each with the POC.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-9 <u>Personnel, staffing and family requirements.</u> (e)(4) The substitute care giver who provides coverage for a period less than four hours shall:</p> <p>Be trained by the primary care giver to make prescribed medications available to residents and properly record such action.</p> <p><u>FINDINGS</u> SCG #1 and SCG #2 - No training by the primary care giver (PCG) to make prescribed medication available to residents. Submit a copy of the training for each with the POC.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-13 <u>Nutrition.</u> (b) Menus shall be written at least one week in advance, revised periodically, dated, and followed. If cycle menus are used, there shall be a minimum of four weekly menus.</p> <p><u>FINDINGS</u> Posted menu was not followed.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-13 <u>Nutrition.</u> (b) Menus shall be written at least one week in advance, revised periodically, dated, and followed. If cycle menus are used, there shall be a minimum of four weekly menus.</p> <p><u>FINDINGS</u> Posted menu was not followed.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-13 <u>Nutrition.</u> (e) Substitutes offered to residents who refuse food served shall be of similar nutritive value and documented.</p> <p><u>FINDINGS</u> No substitutions listed when the menu is not followed. There was no calcium substitute listed.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-13 <u>Nutrition</u>. (c) Substitutes offered to residents who refuse food served shall be of similar nutritive value and documented.</p> <p><u>FINDINGS</u> No substitutions listed when the menu is not followed. There was no calcium substitute listed.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-13 <u>Nutrition.</u> (l) Special diets shall be provided for residents only as ordered by their physician or APRN. Only those Type I ARCHs licensed to provide special diets may admit residents requiring such diets.</p> <p><u>FINDINGS</u> Resident #1 - Diet order of 11/15/21 was "diabetic diet" and "1800 cal ADA;" however, the PCG is not approved for special diets.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-13 <u>Nutrition.</u> (l) Special diets shall be provided for residents only as ordered by their physician or APRN. Only those Type I ARCHs licensed to provide special diets may admit residents requiring such diets.</p> <p><u>FINDINGS</u> Resident #1 - Diet order of 11/15/21 was "diabetic diet" and "1800 cal ADA;" however, the PCG is not approved for special diets.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-14 <u>Food sanitation.</u> (f) Toxic chemicals and cleaning agents, such as insecticides, fertilizers, bleaches and all other poisons, shall be properly labeled and securely stored apart from any food supplies.</p> <p><u>FINDINGS</u> Toxic chemicals & cleaning agents are not securely stored. A plastic container is used; however, not locked, in the laundry area.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-14 <u>Food sanitation.</u> (f) Toxic chemicals and cleaning agents, such as insecticides, fertilizers, bleaches and all other poisons, shall be properly labeled and securely stored apart from any food supplies.</p> <p><u>FINDINGS</u> Toxic chemicals & cleaning agents are not securely stored. A plastic container is used; however, not locked, in the laundry area.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-15 <u>Medications.</u> (b) Drugs shall be stored under proper conditions of sanitation, temperature, light, moisture, ventilation, segregation, and security. Medications that require storage in a refrigerator shall be properly labeled and kept in a separate locked container.</p> <p><u>FINDINGS</u> Upon arrival, the key was in the medication cabinet locking device. The key was removed when brought to the attention of the PCG.</p>	<p>PART 1</p> <p>Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-15 <u>Medications.</u> (b) Drugs shall be stored under proper conditions of sanitation, temperature, light, moisture, ventilation, segregation, and security. Medications that require storage in a refrigerator shall be properly labeled and kept in a separate locked container.</p> <p><u>FINDINGS</u> Upon arrival, the key was in the medication cabinet locking device. The key was removed when brought to the attention of the PCG.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-15 <u>Medications.</u> (m) All medications and supplements, such as vitamins, minerals, and formulas, when taken by the resident, shall be recorded on the resident's medication record, with date, time, name of drug, and dosage initialed by the care giver.</p> <p><u>FINDINGS</u> Resident #1 - "Simvastatin 20 mg daily for cholesterol" ordered 11/15/21; however, the medication record indicated "HS." The time of day was not specified. No legend for "HS."</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-15 <u>Medications.</u> (m) All medications and supplements, such as vitamins, minerals, and formulas, when taken by the resident, shall be recorded on the resident's medication record, with date, time, name of drug, and dosage initialed by the care giver.</p> <p><u>FINDINGS</u> Resident #1 - "Simvastatin 20 mg daily for cholesterol" ordered 11/15/21; however, the medication record indicated "HS." The time of day was not specified. No legend for "HS."</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (h)(4) The Type I ARCH shall maintain the entire facility and equipment in a safe and comfortable manner to minimize hazards to residents and care givers.</p> <p>Water supply. Hot and cold water shall be readily available to residents for personal washing purposes. Temperature of hot water at plumbing fixtures used by residents shall be regulated and maintained within the range of 100°-120°F.</p> <p><u>FINDINGS</u> Hot water temperature was 122° F.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (h)(4) The Type I ARCH shall maintain the entire facility and equipment in a safe and comfortable manner to minimize hazards to residents and care givers.</p> <p>Water supply. Hot and cold water shall be readily available to residents for personal washing purposes. Temperature of hot water at plumbing fixtures used by residents shall be regulated and maintained within the range of 100°-120°F.</p> <p><u>FINDINGS</u> Hot water temperature was 122° F.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (p)(5) Miscellaneous:</p> <p>Signaling devices approved by the department shall be provided for resident's use at the bedside, in bathrooms, toilet rooms, and other areas where residents may be left alone. In Type I ARCHs where the primary care giver and residents do not reside on the same level or when other signaling mechanisms are deemed inadequate, there shall be an electronic signaling system.</p> <p><u>FINDINGS</u> Bedroom #2 - No pliable plastic pillow protectors for two (2) pillows.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (p)(5) Miscellaneous:</p> <p>Signaling devices approved by the department shall be provided for resident's use at the bedside, in bathrooms, toilet rooms, and other areas where residents may be left alone. In Type I ARCHs where the primary care giver and residents do not reside on the same level or when other signaling mechanisms are deemed inadequate, there shall be an electronic signaling system.</p> <p><u>FINDINGS</u> Bedroom #2 - No pliable plastic pillow protectors for two (2) pillows.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (r) Facilities shall be maintained in accordance with provisions of state and local zoning, building, fire safety and health codes.</p> <p><u>FINDINGS</u> Bedroom #1 - Smoke detector was beeping throughout the inspection.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (r) Facilities shall be maintained in accordance with provisions of state and local zoning, building, fire safety and health codes.</p> <p><u>FINDINGS</u> Bedroom #1 - Smoke detector was beeping throughout the inspection.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

Licensee's/Administrator's Signature: _____

Print Name: _____

Date: _____