

Office of Health Care Assurance

State Licensing Section

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION

Facility's Name: Ganacial Care Home, LLC	CHAPTER 100.1
Address: 92-366 Waiomea Street, Kapolei, Hawaii 96707	Inspection Date: February 23, 2023 Initial

THIS PAGE MUST BE SUBMITTED WITH YOUR PLAN OF CORRECTION. IF IT IS NOT, YOUR PLAN OF CORRECTION WILL BE RETURNED TO YOU, UNREVIEWED.

YOUR PLAN OF CORRECTION MUST BE SUBMITTED WITHIN TEN (10) WORKING DAYS. IF IT IS NOT RECEIVED WITHIN TEN (10) WORKING DAYS, YOUR STATEMENT OF DEFICIENCIES WILL BE POSTED ONLINE, WITHOUT YOUR RESPONSE.

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-9 <u>Personnel, staffing and family requirements.</u> (e)(3) The substitute care giver who provides coverage for a period less than four hours shall:</p> <p>Be currently certified in first aid;</p> <p><u>FINDINGS</u> Substitute Care Giver #1 – No First Aid certification.</p> <p>Please submit a copy with your plan of correction (POC).</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-9 <u>Personnel, staffing and family requirements.</u> (e)(3) The substitute care giver who provides coverage for a period less than four hours shall:</p> <p>Be currently certified in first aid;</p> <p><u>FINDINGS</u> Substitute Care Giver #1 – No First Aid certification.</p> <p>Please submit a copy with your plan of correction (POC).</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-13 <u>Nutrition.</u> (e) Substitutes offered to residents who refuse food served shall be of similar nutritive value and documented.</p> <p><u>FINDINGS</u> Menu is soup of the day, furikake mahi mahi, or chicken pot pie, mashed potato and mixed vegetable, fruits, and key lime pie. Lunch served was eggplant and tofu, brown rice, and cut pear. No menu substitution recorded.</p>	<p>PART 1</p> <p>Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-13 <u>Nutrition</u>. (c) Substitutes offered to residents who refuse food served shall be of similar nutritive value and documented.</p> <p><u>FINDINGS</u> Menu is soup of the day, furikake mahi mahi, or chicken pot pie, mashed potato and mixed vegetable, fruits, and key lime pie. Lunch served was eggplant and tofu, brown rice, and cut pear. No menu substitution recorded.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-14 <u>Food sanitation.</u> (f) Toxic chemicals and cleaning agents, such as insecticides, fertilizers, bleaches and all other poisons, shall be properly labeled and securely stored apart from any food supplies.</p> <p><u>FINDINGS</u> Clorox spray, Windex spray, and Tilex spray were stored in unlocked cabinet in residents' bathroom. The cabinet was locked during inspection.</p>	<p>PART 1</p> <p>Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-14 <u>Food sanitation.</u> (f) Toxic chemicals and cleaning agents, such as insecticides, fertilizers, bleaches and all other poisons, shall be properly labeled and securely stored apart from any food supplies.</p> <p><u>FINDINGS</u> Clorox spray, Windex spray, and Tilex spray were stored in unlocked cabinet in residents' bathroom. The cabinet was locked during inspection.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-15 <u>Medications.</u> (b) Drugs shall be stored under proper conditions of sanitation, temperature, light, moisture, ventilation, segregation, and security. Medications that require storage in a refrigerator shall be properly labeled and kept in a separate locked container.</p> <p><u>FINDINGS</u> Medication cabinet was not locked upon department arrival.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-15 <u>Medications.</u> (b) Drugs shall be stored under proper conditions of sanitation, temperature, light, moisture, ventilation, segregation, and security. Medications that require storage in a refrigerator shall be properly labeled and kept in a separate locked container.</p> <p><u>FINDINGS</u> Medication cabinet was not locked upon department arrival.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-15 <u>Medications.</u> (c) Separate compartments shall be provided for each resident's medication and they shall be segregated according to external or internal use.</p> <p><u>FINDINGS</u> Resident #1 – External and internal medication were stored in the same container. Corrected during inspection.</p>	<p>PART 1</p> <p>Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-15 <u>Medications.</u> (c) Separate compartments shall be provided for each resident's medication and they shall be segregated according to external or internal use.</p> <p><u>FINDINGS</u> Resident #1 – External and internal medication were stored in the same container. Corrected during inspection.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-15 <u>Medications.</u> (e) All medications and supplements, such as vitamins, minerals, and formulas, shall be made available as ordered by a physician or APRN.</p> <p><u>FINDINGS</u> Resident #1 – Following medication was listed in Medication list dated 1/31/2023. However, there was no prescriber's name, signature, and administration instruction. -Diclofenac Sodium Topical Gel, 1% -Menthol (BIOFREEZE, MENTHOL) 10.5% Top Aero Spray -Sennoside-Docusate Sod (STIMULANT LAXATIVE PLUS) 8.6-50mg Oral Tab</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-15 <u>Medications.</u> (e) All medications and supplements, such as vitamins, minerals, and formulas, shall be made available as ordered by a physician or APRN.</p> <p><u>FINDINGS</u> Resident #1 – Following medication was listed in Medication list dated 1/31/2023. However, there was no prescriber's name, signature, and administration instruction. -Diclofenac Sodium Topical Gel, 1% -Menthol (BIOFREEZE, MENTHOL) 10.5% Top Aero Spray -Sennoside-Docusate Sod (STIMULANT LAXATIVE PLUS) 8.6-50mg Oral Tab</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-15 <u>Medications.</u> (e) All medications and supplements, such as vitamins, minerals, and formulas, shall be made available as ordered by a physician or APRN.</p> <p><u>FINDINGS</u> Resident #1 – Benzonatate 100mg Capsule, 1 capsule by mouth 3 times a day as needed for cough was stored with current medication. There was no physician's order.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-15 <u>Medications.</u> (e) All medications and supplements, such as vitamins, minerals, and formulas, shall be made available as ordered by a physician or APRN.</p> <p><u>FINDINGS</u> Resident #1 – Benzonatate 100mg Capsule, 1 capsule by mouth 3 times a day as needed for cough was stored with current medication. There was no physician's order.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-15 <u>Medications.</u> (e) All medications and supplements, such as vitamins, minerals, and formulas, shall be made available as ordered by a physician or APRN.</p> <p><u>FINDINGS</u> Resident #1 – Physician’s order dated 12/13/2022 includes NASAL MOISTURIZING 0.65% NASL AERO SPRAY, use 2 sprays in each nostril 2 times a day. The medication was not listed in medication administration record (MAR), not available at home.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-15 <u>Medications.</u> (e) All medications and supplements, such as vitamins, minerals, and formulas, shall be made available as ordered by a physician or APRN.</p> <p><u>FINDINGS</u> Resident #1 – Physician’s order dated 12/13/2022 includes NASAL MOISTURIZING 0.65% NASL AERO SPRAY, use 2 sprays in each nostril 2 times a day. The medication was not listed in medication administration record (MAR), not available at home.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN’T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-17 <u>Records and reports.</u> (f)(3) General rules regarding records:</p> <p>An area shall be provided for safe and secure storage of resident's records which must be retained in the ARCH for periods prescribed by state law;</p> <p><u>FINDINGS</u> Binder cabinet was not locked upon department arrival.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-17 <u>Records and reports.</u> (f)(3) General rules regarding records:</p> <p>An area shall be provided for safe and secure storage of resident's records which must be retained in the ARCH for periods prescribed by state law;</p> <p><u>FINDINGS</u> Binder cabinet was not locked upon department arrival.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-17 <u>Records and reports.</u> (h)(1) Miscellaneous records:</p> <p>A permanent general register shall be maintained to record all admissions and discharges of residents;</p> <p><u>FINDINGS</u> In Permanent Resident Register, “Religion,” “Referred by,” and “Admitted from” were not recorded for two (2) current residents.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-17 <u>Records and reports.</u> (h)(1) Miscellaneous records:</p> <p>A permanent general register shall be maintained to record all admissions and discharges of residents;</p> <p><u>FINDINGS</u> In Permanent Resident Register, “Religion,” “Referred by,” and “Admitted from” were not recorded for two (2) current residents.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (g)(3)(G) Fire prevention protection.</p> <p>Type I ARCHs shall be in compliance with, but not limited to, the following provisions:</p> <p>Smoke detectors shall be provided in accordance with the most current edition of the National Fire Protection Association (NFPA) Standard 101 Life Safety Code, One and Two Family Dwellings. Existing Type I ARCHs may continue to use battery operated individual smoke detector units, however, upon transfer of ownership or primary care giver, such units shall be replaced with an automatic hard wiring UL approved smoke detector system;</p> <p><u>FINDINGS</u> No record that smoke detectors were tested in January 2023.</p>	<p>PART 1</p> <p>Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (g)(3)(G) Fire prevention protection.</p> <p>Type I ARCHs shall be in compliance with, but not limited to, the following provisions:</p> <p>Smoke detectors shall be provided in accordance with the most current edition of the National Fire Protection Association (NFPA) Standard 101 Life Safety Code, One and Two Family Dwellings. Existing Type I ARCHs may continue to use battery operated individual smoke detector units, however, upon transfer of ownership or primary care giver, such units shall be replaced with an automatic hard wiring UL approved smoke detector system;</p> <p><u>FINDINGS</u> No record that smoke detectors were tested in January 2023.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

Licensee's/Administrator's Signature: _____

Print Name: _____

Date: _____