

Office of Health Care Assurance

State Licensing Section

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION

Facility's Name: Klare ARCH	CHAPTER 100.1
Address: 1067 Ala Lilikoi Street, Honolulu 96818	Inspection Date: November 10, 2022 Initial

THIS PAGE MUST BE SUBMITTED WITH YOUR PLAN OF CORRECTION. IF IT IS NOT, YOUR PLAN OF CORRECTION WILL BE RETURNED TO YOU, UNREVIEWED.

YOUR PLAN OF CORRECTION MUST BE SUBMITTED WITHIN TEN (10) WORKING DAYS. IF IT IS NOT RECEIVED WITHIN TEN (10) WORKING DAYS, YOUR STATEMENT OF DEFICIENCIES WILL BE POSTED ONLINE, WITHOUT YOUR RESPONSE.

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-9 <u>Personnel, staffing and family requirements.</u> (e)(3) The substitute care giver who provides coverage for a period less than four hours shall:</p> <p>Be currently certified in first aid;</p> <p><u>FINDINGS</u> Substitute Care Giver (SCG) #1, #2, #3 – No first aid certification.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-9 <u>Personnel, staffing and family requirements.</u> (e)(3) The substitute care giver who provides coverage for a period less than four hours shall:</p> <p>Be currently certified in first aid;</p> <p><u>FINDINGS</u> Substitute Care Giver (SCG) #1, #2, #3 – No first aid certification.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-9 <u>Personnel, staffing and family requirements.</u> (e)(4) The substitute care giver who provides coverage for a period less than four hours shall:</p> <p>Be trained by the primary care giver to make prescribed medications available to residents and properly record such action.</p> <p><u>FINDINGS</u> SCG #3 – No evidence of PCG training to make prescribed medication available to residents.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-9 <u>Personnel, staffing and family requirements.</u> (e)(4) The substitute care giver who provides coverage for a period less than four hours shall:</p> <p>Be trained by the primary care giver to make prescribed medications available to residents and properly record such action.</p> <p><u>FINDINGS</u> SCG #3 – No evidence of PCG training to make prescribed medication available to residents.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-9 <u>Personnel, staffing and family requirements.</u> (f)(1) The substitute care giver who provides coverage for a period greater than four hours in addition to the requirements specified in subsection (e) shall:</p> <p>Be currently certified in cardiopulmonary resuscitation;</p> <p><u>FINDINGS</u> SCG #1, #2, #3 – No cardiopulmonary resuscitation certification. Only certificates of online course completion were available.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-9 <u>Personnel, staffing and family requirements.</u> (f)(1) The substitute care giver who provides coverage for a period greater than four hours in addition to the requirements specified in subsection (e) shall:</p> <p>Be currently certified in cardiopulmonary resuscitation;</p> <p><u>FINDINGS</u> SCG #1, #2, #3 – No cardiopulmonary resuscitation certification. Only certificates of online course completion were available.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-12 <u>Emergency care of residents and disaster preparedness.</u> (a)(1) The licensee shall maintain written procedures to follow in an emergency which shall include provisions for the following:</p> <p>Arranging for immediate transfer or evaluation by a physician for any resident who becomes acutely ill, injured, or dies;</p> <p><u>FINDINGS</u> No emergency procedures for any residents who become acutely ill, injured, or dies.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-12 <u>Emergency care of residents and disaster preparedness.</u> (a)(1) The licensee shall maintain written procedures to follow in an emergency which shall include provisions for the following:</p> <p>Arranging for immediate transfer or evaluation by a physician for any resident who becomes acutely ill, injured, or dies;</p> <p><u>FINDINGS</u> No emergency procedures for any residents who become acutely ill, injured, or dies.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-13 <u>Nutrition.</u> (e) Substitutes offered to residents who refuse food served shall be of similar nutritive value and documented.</p> <p><u>FINDINGS</u> Lunch menu was “Garlic shrimp, bell pepper & carrots, asparagus, pre packed no sugar mix fruits, cucumber, brown rice.” Lunch served was beef and beans, broccoli with tofu, brown rice, and banana. No menu substitution documented.</p>	<p>PART 1</p> <p>Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-13 <u>Nutrition.</u> (e) Substitutes offered to residents who refuse food served shall be of similar nutritive value and documented.</p> <p><u>FINDINGS</u> Lunch menu was “Garlic shrimp, bell pepper & carrots, asparagus, pre packed no sugar mix fruits, cucumber, brown rice.” Lunch served was beef and beans, broccoli with tofu, brown rice, and banana. No menu substitution documented.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-14 <u>Food sanitation.</u> (a) All food shall be procured, stored, prepared and served under sanitary conditions.</p> <p><u>FINDINGS</u> Sweet potatoes and carrots in a box was directly placed on the ground. Corrected during inspection.</p>	<p>PART 1</p> <p>Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-14 <u>Food sanitation.</u> (a) All food shall be procured, stored, prepared and served under sanitary conditions.</p> <p><u>FINDINGS</u> Sweet potatoes and carrots in a box was directly placed on the ground. Corrected during inspection.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-15 <u>Medications.</u> (b) Drugs shall be stored under proper conditions of sanitation, temperature, light, moisture, ventilation, segregation, and security. Medications that require storage in a refrigerator shall be properly labeled and kept in a separate locked container.</p> <p><u>FINDINGS</u> An open container of Purelax was left on the kitchen counter. No label on the container. Per SCG, it was for a household member.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-15 <u>Medications.</u> (b) Drugs shall be stored under proper conditions of sanitation, temperature, light, moisture, ventilation, segregation, and security. Medications that require storage in a refrigerator shall be properly labeled and kept in a separate locked container.</p> <p><u>FINDINGS</u> An open container of Purelax was left on the kitchen counter. No label on the container. Per SCG, it was for a household member.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-15 <u>Medications.</u> (e) All medications and supplements, such as vitamins, minerals, and formulas, shall be made available as ordered by a physician or APRN.</p> <p><u>FINDINGS</u> Resident #1 – Physician’s order dated 6/9/22 was “Calcium Carbonate 500mg QID prn.” Indication for prn use was not provided.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-15 <u>Medications.</u> (e) All medications and supplements, such as vitamins, minerals, and formulas, shall be made available as ordered by a physician or APRN.</p> <p><u>FINDINGS</u> Resident #1 – Physician’s order dated 6/9/22 was “Calcium Carbonate 500mg QID prn.” Indication for prn use was not provided.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN’T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-15 <u>Medications.</u> (g) All medication orders shall be reevaluated and signed by the physician or APRN every four months or as ordered by the physician or APRN, not to exceed one year.</p> <p><u>FINDINGS</u> Resident #1 – General medication order was not reviewed and signed by physician from 6/9/2022 to current (11/10/2022), a period of five (5) months.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-15 <u>Medications.</u> (g) All medication orders shall be reevaluated and signed by the physician or APRN every four months or as ordered by the physician or APRN, not to exceed one year.</p> <p><u>FINDINGS</u> Resident #1 – General medication order was not reviewed and signed by physician from 6/9/2022 to current (11/10/2022), a period of five (5) months.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (g)(3)(C) Fire prevention protection.</p> <p>Type I ARCHs shall be in compliance with, but not limited to, the following provisions:</p> <p>Each Type I ARCH shall have a written plan for the safe care and evacuation of residents to areas of refuge in case of emergency. This plan shall be reviewed, and updated as necessary, whenever there is a significant change in the physical or mental condition of a resident or whenever a new resident enters the facility. All personnel shall be instructed in their respective duties in carrying out this plan. The written plan with directional diagrams shall be posted in a conspicuous location within the facility;</p> <p><u>FINDINGS</u> No written plan for evacuation of residents, areas of refuge in case of emergency.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (g)(3)(C) Fire prevention protection.</p> <p>Type I ARCHs shall be in compliance with, but not limited to, the following provisions:</p> <p>Each Type I ARCH shall have a written plan for the safe care and evacuation of residents to areas of refuge in case of emergency. This plan shall be reviewed, and updated as necessary, whenever there is a significant change in the physical or mental condition of a resident or whenever a new resident enters the facility. All personnel shall be instructed in their respective duties in carrying out this plan. The written plan with directional diagrams shall be posted in a conspicuous location within the facility;</p> <p><u>FINDINGS</u> No written plan for evacuation of residents, areas of refuge in case of emergency.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (g)(3)(D) Fire prevention protection.</p> <p>Type I ARCHs shall be in compliance with, but not limited to, the following provisions:</p> <p>A drill shall be held to provide training for residents and personnel at various times of the day or night at least four times a year and at least three months from the previous drill, and the record shall contain the date, hour, personnel participating and description of drill, and the time taken to safely evacuate residents from the building. A copy of the fire drill procedure and results shall be submitted to the fire inspector or department upon request;</p> <p><u>FINDINGS</u></p> <p>No documentation that fire drills were held to provide training to resident.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (g)(3)(D) Fire prevention protection.</p> <p>Type I ARCHs shall be in compliance with, but not limited to, the following provisions:</p> <p>A drill shall be held to provide training for residents and personnel at various times of the day or night at least four times a year and at least three months from the previous drill, and the record shall contain the date, hour, personnel participating and description of drill, and the time taken to safely evacuate residents from the building. A copy of the fire drill procedure and results shall be submitted to the fire inspector or department upon request;</p> <p><u>FINDINGS</u></p> <p>No documentation that fire drills were held to provide training to resident.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (h)(4) The Type I ARCH shall maintain the entire facility and equipment in a safe and comfortable manner to minimize hazards to residents and care givers.</p> <p>Water supply. Hot and cold water shall be readily available to residents for personal washing purposes. Temperature of hot water at plumbing fixtures used by residents shall be regulated and maintained within the range of 100°-120°F.</p> <p><u>FINDINGS</u> Hot water temperature was 92 degree F.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (h)(4) The Type I ARCH shall maintain the entire facility and equipment in a safe and comfortable manner to minimize hazards to residents and care givers.</p> <p>Water supply. Hot and cold water shall be readily available to residents for personal washing purposes. Temperature of hot water at plumbing fixtures used by residents shall be regulated and maintained within the range of 100°-120°F.</p> <p><u>FINDINGS</u> Hot water temperature was 92 degree F.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (j)(1) Waste disposal:</p> <p>Every Type I ARCH shall provide a sufficient number of watertight receptacles, acceptable to the department for rubbish, garbage, refuse, and other matter. These receptacles shall be kept closed by tight fitting covers;</p> <p><u>FINDINGS</u> Trash receptacle under the wet bar sink did not have a cover.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (j)(1) Waste disposal:</p> <p>Every Type I ARCH shall provide a sufficient number of watertight receptacles, acceptable to the department for rubbish, garbage, refuse, and other matter. These receptacles shall be kept closed by tight fitting covers;</p> <p><u>FINDINGS</u> Trash receptacle under the wet bar sink did not have a cover.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (r) Facilities shall be maintained in accordance with provisions of state and local zoning, building, fire safety and health codes.</p> <p><u>FINDINGS</u> The outlet plate in the kitchen was separated from the wall.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (r) Facilities shall be maintained in accordance with provisions of state and local zoning, building, fire safety and health codes.</p> <p><u>FINDINGS</u> The outlet plate in the kitchen was separated from the wall.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

Licensee's/Administrator's Signature: _____

Print Name: _____

Date: _____