## Foster Family Home - Deficiency Report

Provider ID: 1-090107

Home Name: Thelma Tugaoen, CNA Review ID: 1-090107-15

 91-1515 Pihi Street
 Reviewer:
 Po Lim

 Ewa Beach
 HI
 96706
 Begin Date:
 1/6/2023

Foster Family Home Required Certificate [11-800-6]

6.(d)(1) Comply with all applicable requirements in this chapter; and

Comment:

6.d.1. Unannounced inspection made for a 3-bed recertification. Corrective action report issued during inspection with Plan of Correction due to CTA on 2/06/2023. (30 days from the date the CCFFH is given their deficiency report).

Foster Family	nome Background Checks	[11-800-8]	
8.(a)(1)	Be subject to criminal history record checks in a	accordance with section 846-2.7, HRS;	
8.(a)(2)	Be subject to adult protective service perpetrato	or checks if the individual has direct contact w	th a client; and
Comment:		,	

8.a.1. And 8.a.2. HHM #1 and HHM#2 did not meet the 2 sets of APS, CAN, Fingerprints requirement within 12 month period.

Foster Family I	lome Personnel and Staffing	[11-800-41]
41.(b)(8)	Have documentation of current training in blood resuscitation, and basic first aid.	borne pathogen and infection control, cardiopulmonary
41.(g)	and specific skill areas needed to perform tasks	assessed by the department for competency in basic caregiver skills is necessary to carrying out each client's service plan. The of all caregivers shall be kept in the client's, case manager's, and vice plan.

Comment:

41.b.8. CG#5 is missing CPR/AED certificate. CG#4 is missing Bloodborne Pathogen certificate.

41.g. CG#4 is missing basic skill checklist of client #1.

Foster Family H	ome	Client Care and Services	[11-800-43]	
43.(c)(3)		on the caregiver following a service plandle		The RN case manager may
Comment:				

43.c.3 CG #4 and #5 were missing all RN delegations for Client #1.

CG#4 was missing all RN delegations for client #2 and #3

## Foster Family Home - Deficiency Report

3 Person Fire Safety,		3 Person Fire Safety	(3P) Fire	(3P) Fire	
Natural Disaster					
(3P)(b)(1) Fire	shall be co	onducted monthly			
(3P)(b)(6) Fire	shall inclu	de all SCGs at least once per year			
Comment:					
2Dh 1 Eiro drill f	for Docom	har 2022 is missing			

3P.b.1. Fire drill for December 2022 is missing.

3P.b.6. CG#4 did not conduct a fire drill within the past 12 months.

Compliance Manager
Primary Care Giver

 $\frac{1/6/2023}{116/23}$ Date

Page 2 of 2 1/6/2023 2:23:06 PM