Office of Health Care Assurance

State Licensing Section

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION

Facility's Name: Olive's Adult Residential Care Home (ARCH), LLC	CHAPTER 100.1
Address: 94-1006 Lumi Street, Waipahu, Hawaii 96797	Inspection Date: May 17, 2023 Initial

THIS PAGE MUST BE SUBMITTED WITH YOUR PLAN OF CORRECTION. IF IT IS NOT, YOUR PLAN OF CORRECTION WILL BE RETURNED TO YOU, UNREVIEWED.

YOUR PLAN OF CORRECTION MUST BE SUBMITTED WITHIN TEN (10) WORKING DAYS. IF IT IS NOT RECEIVED WITHIN TEN (10) WORKING DAYS, YOUR STATEMENT OF DEFICIENCIES WILL BE POSTED ONLINE, WITHOUT YOUR RESPONSE.

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-3 Licensing. (b)(1)(I) Application. In order to obtain a license, the applicant shall apply to the director upon forms provided by the department and shall provide any information required by the department to demonstrate that the applicant and the ARCH or expanded ARCH have met all of the requirements of this chapter. The following shall accompany the application: Documented evidence stating that the licensee, primary care giver, family members living in the ARCH or expanded ARCH that have access to the ARCH or expanded ARCH, and substitute care givers have no prior felony or abuse convictions in a court of law; FINDINGS Substitute Care Giver (SCG) #1 and household member (HM) #1 – No Fieldprint results.	PART 1 DID YOU CORRECT THE DEFICIENCY? USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY	-

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
RULES (CRITERIA) §11-100.1-3 Licensing. (b)(1)(I) Application. In order to obtain a license, the applicant shall apply to the director upon forms provided by the department and shall provide any information required by the department to demonstrate that the applicant and the ARCH or expanded ARCH have met all of the requirements of this chapter. The following shall accompany the application: Documented evidence stating that the licensee, primary care giver, family members living in the ARCH or expanded ARCH that have access to the ARCH or expanded ARCH, and substitute care givers have no prior felony or abuse convictions in a court of law; FINDINGS Substitute Care Giver (SCG) #1 and household member (HM) #1 – No Fieldprint results.	PLAN OF CORRECTION PART 2 FUTURE PLAN USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?	_

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-9 Personnel, staffing and family requirements. (a) All individuals who either reside or provide care or services to residents in the Type I ARCH, shall have documented evidence that they have been examined by a physician prior to their first contact with the residents of the Type I ARCH, and thereafter shall be examined by a physician annually, to certify that they are free of infectious diseases. FINDINGS SCG #1 and HM #2 – No current annual physical exam. Please submit a copy with your plan of correction (POC).	PART 1 DID YOU CORRECT THE DEFICIENCY? USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY	

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-9 Personnel, staffing and family requirements. (a) All individuals who either reside or provide care or services to residents in the Type I ARCH, shall have documented evidence that they have been examined by a physician prior to their first contact with the residents of the Type I ARCH, and thereafter shall be examined by a physician annually, to certify that they are free of infectious diseases. FINDINGS SCG #1 and HM #2 – No current annual physical exam. Please submit a copy with your plan of correction (POC).	FUTURE PLAN USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?	

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-9 Personnel, staffing and family requirements. (b) All individuals who either reside or provide care or services to residents in the Type I ARCH shall have documented evidence of an initial and annual tuberculosis clearance. FINDINGS SCG #2 – No initial/2 step tuberculosis clearance. Please submit a copy with your POC.	PART 1 DID YOU CORRECT THE DEFICIENCY? USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY	

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
\$11-100.1-9 Personnel, staffing and family requirements. (b) All individuals who either reside or provide care or services to residents in the Type I ARCH shall have documented evidence of an initial and annual tuberculosis clearance. FINDINGS SCG #2 – No initial/2 step tuberculosis clearance. Please submit a copy with your POC.	PART 2 FUTURE PLAN USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?	

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
\$11-100.1-9 Personnel, staffing and family requirements. (e)(3) The substitute care giver who provides coverage for a period less than four hours shall: Be currently certified in first aid; FINDINGS SCG #1 – No First Aid certification. Please submit a copy with your POC.	PART 1 DID YOU CORRECT THE DEFICIENCY? USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY	

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-9 Personnel, staffing and family requirements. (e)(3)	PART 2	
The substitute care giver who provides coverage for a period less than four hours shall:	<u>FUTURE PLAN</u>	
Be currently certified in first aid;	USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT	
FINDINGS SCG #1 – No First Aid certification.	IT DOESN'T HAPPEN AGAIN?	
Please submit a copy with your POC.		

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
\$11-100.1-9 Personnel, staffing and family requirements. (f)(1) The substitute care giver who provides coverage for a period greater than four hours in addition to the requirements specified in subsection (e) shall: Be currently certified in cardiopulmonary resuscitation; FINDINGS SCG #1 – No cardiopulmonary resuscitation certification. Please submit a copy with your POC.	PART 1 DID YOU CORRECT THE DEFICIENCY? USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY	

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-9 Personnel, staffing and family requirements. (f)(1) The substitute care giver who provides coverage for a period greater than four hours in addition to the requirements specified in subsection (e) shall: Be currently certified in cardiopulmonary resuscitation; FINDINGS SCG #1 – No cardiopulmonary resuscitation certification. Please submit a copy with your POC.	FUTURE PLAN USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?	

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-14 Food sanitation. (f) Toxic chemicals and cleaning agents, such as insecticides, fertilizers, bleaches and all other poisons, shall be properly labeled and securely stored apart from any food supplies. FINDINGS A box of Raid Ants Bait was stored in an unlocked cabinet in residents' bathroom #2. Removed by Primary Care Giver (PCG) during inspection.	Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.	Date

§11-100.1-14 Food sanitation. (f) Toxic chemicals and cleaning agents, such as insecticides, fertilizers, bleaches and all other poisons, shall be properly	PART 2	Date
labeled and securely stored apart from any food supplies.	FUTURE PLAN	
FINDINGS A box of Raid Ants Bait was stored in an unlocked cabinet in residents' bathroom #2. Removed by Primary Care Giver (PCG) during inspection.	USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?	
<u>I</u>	FINDINGS A box of Raid Ants Bait was stored in an unlocked cabinet n residents' bathroom #2. Removed by Primary Care Giver	USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-23 Physical environment. (g)(3)(G) Fire prevention protection. Type I ARCHs shall be in compliance with, but not limited to, the following provisions: Smoke detectors shall be provided in accordance with the most current edition of the National Fire Protection Association (NFPA) Standard 101 Life Safety Code, One and Two Family Dwellings. Existing Type I ARCHs may continue to use battery operated individual smoke detector units, however, upon transfer of ownership or primary care giver, such units shall be replaced with an automatic hard wiring UL approved smoke detector system; FINDINGS No record that smoke detectors were tested.	Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.	

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-23 Physical environment. (g)(3)(G) Fire prevention protection. Type I ARCHs shall be in compliance with, but not limited to, the following provisions: Smoke detectors shall be provided in accordance with the most current edition of the National Fire Protection Association (NFPA) Standard 101 Life Safety Code, One and Two Family Dwellings. Existing Type I ARCHs may continue to use battery operated individual smoke detector units, however, upon transfer of ownership or primary care giver, such units shall be replaced with an automatic hard wiring UL approved smoke detector system; FINDINGS No record that smoke detectors were tested.	PART 2 FUTURE PLAN USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?	-

Section Part 1 The Type I ARCH shall maintain the entire facility and equipment in a safe and comfortable manner to minimize hazards to residents and care givers. FINDINGS Insect droppings are seen inside the bedside drawer in resident bedroom #2. Part 1 DID YOU CORRECT THE DEFICIENCY?	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
	§11-100.1-23 Physical environment. (h) The Type I ARCH shall maintain the entire facility and equipment in a safe and comfortable manner to minimize hazards to residents and care givers. FINDINGS Insect droppings are seen inside the bedside drawer in	DID YOU CORRECT THE DEFICIENCY? USE THIS SPACE TO TELL US HOW YOU	

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-23 Physical environment. (h) The Type I ARCH shall maintain the entire facility and equipment in a safe and comfortable manner to minimize hazards to residents and care givers.	PART 2 <u>FUTURE PLAN</u>	
FINDINGS Insect droppings are seen inside the bedside drawer in resident bedroom #2.	USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?	

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-23 Physical environment. (o)(1)(D) Bedrooms:	PART 1	
General conditions:	DID YOU CORRECT THE DEFICIENCY?	
Bedrooms shall not be used for recreation, cooking, dining, storage, bathrooms, laundries, foyers, corridors, lanais, and libraries;	USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY	
FINDINGS Resident's bedroom #1 is used by SCG. SCG's belongings were stored in the room.		

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-23 Physical environment. (o)(1)(D) Bedrooms:	PART 2	
General conditions:	<u>FUTURE PLAN</u>	
Bedrooms shall not be used for recreation, cooking, dining, storage, bathrooms, laundries, foyers, corridors, lanais, and libraries;	USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?	
FINDINGS Resident's bedroom #1 is used by SCG. SCG's belongings were stored in the room.		

 Licensee's/Administrator's Signature:
Print Name:
Date: