Foster Family Home - Deficiency Report

Provider ID: 1-635336

Home Name: Maria Peretz, CNA Review ID: 1-635336-16

91-1124 Kaimalie Street Reviewer: Po Lim
Ewa Beach HI 96706 Begin Date: 7/5/2023

Foster Family Home Required Certificate [11-800-6]

6.(d)(1) Comply with all applicable requirements in this chapter; and

Comment:

6(d)(1) Unannounced visit made for a 3 bed annual inspection.

Deficiency Report issued during CCFFH inspection via email on 7/5/2023 with Plan of Correction due to CTA within 30 days of inspection date of issuance.

Foster Family Home Personnel and Staffing [11-800-41]

41.(b)(7) Have a current tuberculosis clearance that meets department guidelines; and

Comment:

41.(b)(7) CCFFH did not have evidence of current TB clearance or exclusion for CG# 4. CG#4 TB expired on 5/23/2023.

3 Person Fire Safety, 3 Person Fire Safety (3P) Fire Natural Disaster

(3P)(b)(1) Fire shall be conducted monthly

(3P)(b)(6) Fire shall include all SCGs at least once per year

Comment:

(3P)(b)(1)(6) The CCFFH did not have evidence that fire drills had been conducted monthly and each CG at least once per year.

CG#6 did not conduct fire drill for the past 12 months.

June 2023 fire drill is missing.

Compliance Manager

Primary Care Giver

7/3/2023 Pate 1/5(2023

Date

Terri	Van	Houston	RN
-------	-----	---------	----

Community Care Foster Family Home (CCFFH) Written Plan of Correction (POC)

Chapter 11-800

PCG's Name on CCFFH Certificate:	Maria	E lisa	Peretz	Foster	Cave	Hon	٠.

(PLEASE PRINT)

CCFFH Address: 91-1124 plainable st. Ena Beach HI 96704

(PLEASE PRINT)

Rule Number	Corrective Action Taken – How was each issue fixed for each violation?	Date each violation was fixed	Prevention Strategy How will you prevent each violation from happening again in the future?
41.60)(7)	i check and remind my substitute if he got his new TB clearance for this year and he said he already got it. i misfiled my fire duil form for the month of dune	7/4/23	alwayget a copy once Theyget there TPS crearance by Fax or text. to avoid this will not nappen again. put a note or cticker infront of my refrigerator. To avoid this will happen again, always make a note infront of my refrigeration and schedule all my substitute to do the fire drill with in a year.
		 	

All items that	it were corrected	are attached	to this POC		1 . 1
PCG's Signature:		Elim	Peretz	 Date:	7/14/2022

101821 S. Young