

Office of Health Care Assurance

State Licensing Section

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION

Facility's Name: Yamashiro Care Home L.L.C.	CHAPTER 100.1
Address: 45-386 Kamehameha Highway, Kaneohe, Hawaii 96744	Inspection Date: September 12, 2023 Annual

THIS PAGE MUST BE SUBMITTED WITH YOUR PLAN OF CORRECTION. IF IT IS NOT, YOUR PLAN OF CORRECTION WILL BE RETURNED TO YOU, UNREVIEWED.

YOUR PLAN OF CORRECTION MUST BE SUBMITTED WITHIN TEN (10) WORKING DAYS. IF IT IS NOT RECEIVED WITHIN TEN (10) DAYS, YOUR STATEMENT OF DEFICIENCIES WILL BE POSTED ONLINE, WITHOUT YOUR RESPONSE.

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-9 Personnel, staffing and family requirements. (b) All individuals who either reside or provide care or services to residents in the Type I ARCH shall have documented evidence of an initial and annual tuberculosis clearance.</p> <p><u>FINDINGS</u> Resident #1: No documented evidence of annual tuberculosis clearance.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-9 Personnel, staffing and family requirements. (b) All individuals who either reside or provide care or services to residents in the Type I ARCH shall have documented evidence of an initial and annual tuberculosis clearance.</p> <p><u>FINDINGS</u> Resident #1: No documented evidence of annual tuberculosis clearance.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 Physical environment. (g)(3)(I)(i) Fire prevention protection. Type I ARCHs shall be in compliance with, but not limited to, the following provisions:</p> <p>Each resident of a Type I home must be certified by a physician that the resident is ambulatory and capable of following directions and taking appropriate action for self-preservation under emergency conditions, except that a maximum of two residents, not so certified, may reside in the Type I home provided that either: For each such non-certified resident there must be a responsible adult on the premises of the home at all times that the non-certified resident is present in the home, and there must never be a stairway which must be negotiated for emergency exit by such non-certified resident;</p> <p><u>FINDINGS</u> Resident #1, Resident #2, Resident #3: a total of three (3) non-certified residents in care home.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 Physical environment. (g)(3)(I)(i) Fire prevention protection. Type I ARCHs shall be in compliance with, but not limited to, the following provisions:</p> <p>Each resident of a Type I home must be certified by a physician that the resident is ambulatory and capable of following directions and taking appropriate action for self-preservation under emergency conditions, except that a maximum of two residents, not so certified, may reside in the Type I home provided that either: For each such non-certified resident there must be a responsible adult on the premises of the home at all times that the non-certified resident is present in the home, and there must never be a stairway which must be negotiated for emergency exit by such non-certified resident;</p> <p><u>FINDINGS</u> Resident #1, Resident #2, Resident #3: a total of three (3) non-certified residents in care home.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

Licensee's/Administrator's Signature: _____

Print Name: _____

Date: _____