

Office of Health Care Assurance

State Licensing Section

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION

Facility's Name: Waipahu Hale	CHAPTER 100.1
Address: 94-1201 Huakai Street, Waipahu, Hawaii 96797	Inspection Date: September 19, 2023 Annual

THIS PAGE MUST BE SUBMITTED WITH YOUR PLAN OF CORRECTION. IF IT IS NOT, YOUR PLAN OF CORRECTION WILL BE RETURNED TO YOU, UNREVIEWED.

YOUR PLAN OF CORRECTION MUST BE SUBMITTED WITHIN TEN (10) WORKING DAYS. IF IT IS NOT RECEIVED WITHIN TEN (10) WORKING DAYS, YOUR STATEMENT OF DEFICIENCIES WILL BE POSTED ONLINE, WITHOUT YOUR RESPONSE.

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-15 <u>Medications.</u> (e) All medications and supplements, such as vitamins, minerals, and formulas, shall be made available as ordered by a physician or APRN.</p> <p><u>FINDINGS</u> Resident #1- Physician's order dated 5/15/23 states, "estradiol 0.01% apply 1g intravaginally at bedtime twice a week on Tuesdays and Saturdays", however, another order dated 5/15/23 states, 'estradiol cream 0.01% apply 2g intravaginally at bedtime twice a week. Every Tuesdays and Saturdays'. Conflicting medication orders provided between 5/15/23-8/22/23.</p>	<p>PART 1</p> <p>Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-15 <u>Medications.</u> (e) All medications and supplements, such as vitamins, minerals, and formulas, shall be made available as ordered by a physician or APRN.</p> <p><u>FINDINGS</u> Resident #1- Physician's order dated 5/15/23 states, "estradiol 0.01% apply 1g intravaginally at bedtime twice a week on Tuesdays and Saturdays", however another order dated 5/15/23 states, 'estradiol cream 0.01% apply 2g intravaginally at bedtime twice a week. Every Tuesdays and Saturdays". Conflicting medication orders provided between 5/15/23-8/22/23.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-17 <u>Records and reports.</u> (a)(4) The licensee or primary care giver shall maintain individual records for each resident. On admission, readmission, or transfer of a resident there shall be made available by the licensee or primary care giver for the department's review:</p> <p>A report of a recent medical examination and current diagnosis taken within the preceding twelve months and report of an examination for tuberculosis. The examination for tuberculosis shall follow current departmental policies;</p> <p><u>FINDINGS</u> Resident #5 – Initial 2-step TB clearance unavailable. Submit a copy with plan of correction.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-17 <u>Records and reports.</u> (a)(4) The licensee or primary care giver shall maintain individual records for each resident. On admission, readmission, or transfer of a resident there shall be made available by the licensee or primary care giver for the department's review:</p> <p>A report of a recent medical examination and current diagnosis taken within the preceding twelve months and report of an examination for tuberculosis. The examination for tuberculosis shall follow current departmental policies;</p> <p><u>FINDINGS</u> Resident #5 – Initial 2-step TB clearance unavailable. Submit a copy with plan of correction.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-17 <u>Records and reports.</u> (f)(4) General rules regarding records:</p> <p>All records shall be complete, accurate, current, and readily available for review by the department or responsible placement agency.</p> <p><u>FINDINGS</u> Resident #1 – Admission assessment dated 3/27/23 not signed by resident/resident representative.</p>	<p>PART 1</p> <p>Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-17 <u>Records and reports.</u> (f)(4) General rules regarding records:</p> <p>All records shall be complete, accurate, current, and readily available for review by the department or responsible placement agency.</p> <p><u>FINDINGS</u> Resident #1 – Admission assessment dated 3/27/23 not signed by resident/resident representative.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-17 <u>Records and reports. (g)</u> All information contained in the resident's record shall be confidential. Written consent of the resident, or resident's guardian or surrogate, shall be required for the release of information to persons not otherwise authorized to receive it. Records shall be secured against loss, destruction, defacement, tampering, or use by unauthorized persons. There shall be written policies governing access to, duplication of, and release of any information from the resident's record. Records shall be readily accessible and available to authorized department personnel for the purpose of determining compliance with the provisions of this chapter.</p> <p><u>FINDINGS</u> Resident #1, #4 – White out used on residents' records.</p>	<p>PART 1</p> <p>Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-17 <u>Records and reports. (g)</u> All information contained in the resident's record shall be confidential. Written consent of the resident, or resident's guardian or surrogate, shall be required for the release of information to persons not otherwise authorized to receive it. Records shall be secured against loss, destruction, defacement, tampering, or use by unauthorized persons. There shall be written policies governing access to, duplication of, and release of any information from the resident's record. Records shall be readily accessible and available to authorized department personnel for the purpose of determining compliance with the provisions of this chapter.</p> <p><u>FINDINGS</u> Resident #1, #4 – White out used on residents' records.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (g)(3)(I) Fire prevention protection.</p> <p>Type I ARCHs shall be in compliance with, but not limited to, the following provisions:</p> <p>Each resident of a Type I home must be certified by a physician that the resident is ambulatory and capable of following directions and taking appropriate action for self-preservation under emergency conditions, except that a maximum of two residents, not so certified, may reside in the Type I home provided that either:</p> <p><u>FINDINGS</u> Resident #4 – Self-preservation status unavailable for review. Submit a copy with plan of correction.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (g)(3)(I) Fire prevention protection.</p> <p>Type I ARCHs shall be in compliance with, but not limited to, the following provisions:</p> <p>Each resident of a Type I home must be certified by a physician that the resident is ambulatory and capable of following directions and taking appropriate action for self-preservation under emergency conditions, except that a maximum of two residents, not so certified, may reside in the Type I home provided that either:</p> <p><u>FINDINGS</u> Resident #4 – Self-preservation status unavailable for review. Submit a copy with plan of correction.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (g)(3)(I)(i) Fire prevention protection.</p> <p>Type I ARCHs shall be in compliance with, but not limited to, the following provisions:</p> <p>Each resident of a Type I home must be certified by a physician that the resident is ambulatory and capable of following directions and taking appropriate action for self-preservation under emergency conditions, except that a maximum of two residents, not so certified, may reside in the Type I home provided that either:</p> <p>For each such non-certified resident there must be a responsible adult on the premises of the home at all times that the non-certified resident is present in the home, and there must never be a stairway which must be negotiated for emergency exit by such non-certified resident;</p> <p><u>FINDINGS</u> Resident #1-3 – Three (3) non self-preserving residents residing in home with only two responsible adults available at the start of inspection.</p>	<p>PART 1</p> <p>Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (g)(3)(I)(i) Fire prevention protection.</p> <p>Type I ARCHs shall be in compliance with, but not limited to, the following provisions:</p> <p>Each resident of a Type I home must be certified by a physician that the resident is ambulatory and capable of following directions and taking appropriate action for self-preservation under emergency conditions, except that a maximum of two residents, not so certified, may reside in the Type I home provided that either:</p> <p>For each such non-certified resident there must be a responsible adult on the premises of the home at all times that the non-certified resident is present in the home, and there must never be a stairway which must be negotiated for emergency exit by such non-certified resident;</p> <p><u>FINDINGS</u> Resident #1-3 – Three (3) non self-preserving residents residing in home with only two responsible adults available at the start of inspection.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (j)(1) Waste disposal:</p> <p>Every Type I ARCH shall provide a sufficient number of watertight receptacles, acceptable to the department for rubbish, garbage, refuse, and other matter. These receptacles shall be kept closed by tight fitting covers;</p> <p><u>FINDINGS</u> Restroom – Receptacle does not include a tight fitting lid.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (j)(1) Waste disposal:</p> <p>Every Type I ARCH shall provide a sufficient number of watertight receptacles, acceptable to the department for rubbish, garbage, refuse, and other matter. These receptacles shall be kept closed by tight fitting covers;</p> <p><u>FINDINGS</u> Restroom – Receptacle does not include a tight fitting lid.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p>	

Licensee's/Administrator's Signature: _____

Print Name: _____

Date: _____