Office of Health Care Assurance

State Licensing Section

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION

Facility's Name: Waipahu Hale	CHAPTER 100.1
Address: 94-1201 Huakai Street, Waipahu, Hawaii 96797	Inspection Date: September 19, 2023 Annual

THIS PAGE MUST BE SUBMITTED WITH YOUR PLAN OF CORRECTION. IF IT IS NOT, YOUR PLAN OF CORRECTION WILL BE RETURNED TO YOU, UNREVIEWED.

YOUR PLAN OF CORRECTION MUST BE SUBMITTED WITHIN TEN (10) WORKING DAYS. IF IT IS NOT RECEIVED WITHIN TEN (10) WORKING DAYS, YOUR STATEMENT OF DEFICIENCIES WILL BE POSTED ONLINE, WITHOUT YOUR RESPONSE.

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-15 Medications. (e) All medications and supplements, such as vitamins, minerals, and formulas, shall be made available as ordered by a physician or APRN. FINDINGS Resident #1- Physician's order dated 5/15/23 states, "estradiol 0.01% apply 1g intravaginally at bedtime twice a week on Tuesdays and Saturdays", however, another order dated 5/15/23 states, "estradiol cream 0.01% apply 2g intravaginally at bedtime twice a week. Every Tuesdays and Saturdays". Conflicting nuclication orders provided between 5/15/23-8/22/23.	Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.	

RULES (CRITERIA)	PLAN OF CORRECTION	Completion
§11-100.1-15 Medications. (e) All medications and supplements, such as vitamins, minerals, and formulas, shall be made available as ordered by a physician or APRN.	PART 2 <u>FUTURE PLAN</u>	Date 09/20/2023
FINDINGS Resident #1- Physician's order dated 5/15/23 states, "estradiol 0.01% apply 1g intravaginally at bedtime twice a week on Tuesdays and Saturdays", however another order dated 5/15/23 states, 'estradiol cream 0.01% apply 2g intravaginally at bedtime twice a week. Every Tuesdays and Saturdays". Conflicting medication orders provided between	USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?	
5/15/23-8/22/23.	This CHO revised the Physician's Medication/Treatment Orders Sheet under the Discontinue Column. A note is added that says, "d/c any changes and new orders". This is to remind MD/APRN during visit to discontinue	
	existing order prior to writing a new one. In addition, this CHO put a note on resident's chart under MD Visit section that says, "Compare Physician's Medication/Treatment Orders with MD Visit Form or After Visit Summary for New Orders."	

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-17 Records and reports. (a)(4) The licensee or primary care giver shall maintain individual records for each resident. On admission, readmission, or transfer of a resident there shall be made available by the licensee or primary care giver for the department's review: A report of a recent medical examination and current diagnosis taken within the preceding twelve months and report of an examination for tuberculosis. The examination for tuberculosis shall follow current departmental policies;	PART 1 <u>DID YOU CORRECT THE DEFICIENCY?</u> USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY	09/27/2023
FINDINGS Resident #5 — Initial 2-step TB clearance unavailable. Submit a copy with plan of correction.	Resident #5 was brought to Waipahu Health Clinic for Step 2 TB test on 09/25/23 and went back on 09/27/23 for reading and it was negative.	

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-17 Records and reports. (a)(4) The licensee or primary care giver shall maintain individual records for each resident. On admission, readmission, or transfer of a resident there shall be made available by the	PART 2 <u>FUTURE PLAN</u>	09/27/2023
licensee or primary care giver for the department's review: A report of a recent medical examination and current	USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT	
diagnosis taken within the preceding twelve months and report of an examination for tuberculosis. The examination for tuberculosis shall follow current departmental policies;	IT DOESN'T HAPPEN AGAIN?	
FINDINGS Resident #5 — Initial 2-step TB clearance unavailable. Submit a copy with plan of correction.	This CHO put a note on Chapter 11- 100.1 folder under TB clearance. It states, For Quantiferon Test - it only can be counted as Two-Step for the year that is being done. The following year, a two-step TB test needs to be done or another Quantiferon Test. This CHO also put the same note at the Admisssion Requirements and Residents Chart under Immunization Section. An additional information regarding Two-Step TB Skin Test from Tuberculosis Control Program was also added on my Chapter 11- 100.1 folder under Immunization for future reference.	

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-17 Records and reports. (f)(4) General rules regarding records:	PART 1	Date
All records shall be complete, accurate, current, and readily available for review by the department or responsible placement agency. FINDINGS Resident #1 – Admission assessment dated 3/27/23 not signed by resident/resident representative.	Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.	

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-17 Records and reports. (f)(4) General rules regarding records:	PART 2	
All records shall be complete, accurate, current, and readily available for review by the department or responsible placement agency. FINDINGS Resident #1 — Admission assessment dated 3/27/23 not signed by resident/resident representative.	FUTURE PLAN USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?	09/20/2023
	This CHO added a note on the Admission checklist under Admission Assessment/Plan Of Care that says, "Make sure resident/resident representative sign after assessment " This CHO also put a post-it that says, "please sign" on all the Admission Assessment/Plan Of Care blank papers.	

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-17 Records and reports. (g) All information contained in the resident's record shall be confidential. Written consent of the resident, or resident's guardian or surrogate, shall be required for the release of information to persons not otherwise authorized to receive it. Records shall be secured against loss, destruction, defacement, tampering, or use by unauthorized persons. There shall be written policies governing access to, duplication of, and release of any information from the resident's record. Records shall be readily accessible and available to authorized department personnel for the purpose of determining compliance with the provisions of this chapter. FINDINGS Resident #1, #4 – White out used on residents' records.	Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.	

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-17 Records and reports. (g) All information contained in the resident's record shall be confidential. Written consent of the resident, or resident's guardian or surrogate, shall be required for the release of information to persons not otherwise authorized to receive it. Records shall be secured against loss, destruction, defacement, tampering, or use by unauthorized persons. There shall be written policies governing access to, duplication of, and release of any information from the resident's record. Records shall be readily accessible and available to authorized department personnel for the purpose of determining compliance with the provisions of this chapter. FINDINGS Resident #1, #4 — White out used on residents' records.	FUTURE PLAN USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN? This CHO discard all white outs. A note was also placed inside the resident's chart cabinet that says, "NO WHITE OUTS ALLOWED!"	09/19/2023

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
	§11-100.1-23 Physical environment. (g)(3)(I) Fire prevention protection.	PART 1	
	Type I ARCHs shall be in compliance with, but not limited to, the following provisions:	DID YOU CORRECT THE DEFICIENCY?	09/19/2023
,	Each resident of a Type I home must be certified by a physician that the resident is ambulatory and capable of following directions and taking appropriate action for self-preservation under emergency conditions, except that a maximum of two residents, not so certified, may reside in the Type I home provided that either:	USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY	
	FINDINGS Resident #4 — Self-preservation status unavailable for review. Submit a copy with plan of correction.	This CHO wrote the name of Resident #4.	

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-23 Physical environment. (g)(3)(I) Fire prevention protection.	PART 2	Date
Type I ARCHs shall be in compliance with, but not limited to, the following provisions: Each resident of a Type I home must be certified by a physician that the resident is ambulatory and capable of following directions and taking appropriate action for self-preservation under emergency conditions, except that a maximum of two residents, not so certified, may reside in the	FUTURE PLAN USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?	09/20/2023
Type I home provided that either: FINDINGS Resident #4 — Self-preservation status unavailable for review. Submit a copy with plan of correction.	This CHO added a note on the admission checklist under Self-Preservation that says, check all lines are correctly filled.	

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-23 Physical environment. (g)(3)(1)(i) Fire prevention protection.	PART 1	Date
Type I ARCHs shall be in compliance with, but not limited to, the following provisions:	Correcting the deficiency	
Each resident of a Type I home must be certified by a physician that the resident is ambulatory and capable of following directions and taking appropriate action for self-preservation under emergency conditions, except that a maximum of two residents, not so certified, may reside in the Type I home provided that either:	after-the-fact is not practical/appropriate. For this deficiency, only a future	
For each such non-certified resident there must be a responsible adult on the premises of the home at all times that the non-certified resident is present in the home, and there must never be a stairway which must be negotiated for emergency exit by such non-certified resident;	plan is required.	
FINDINGS Resident #1-3 – Three (3) non self-preserving residents residing in home with only two responsible adults available at the start of inspection.		

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
\boxtimes	§11-100.1-23 Physical environment. (g)(3)(I)(i) Fire prevention protection.	PART 2	Date
	Type I ARCHs shall be in compliance with, but not limited to, the following provisions:	<u>FUTURE PLAN</u>	09/19/2023
	Each resident of a Type I home must be certified by a physician that the resident is ambulatory and capable of following directions and taking appropriate action for self-preservation under emergency conditions, except that a maximum of two residents, not so certified, may reside in	USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?	
	the Type I home provided that either: For each such non-certified resident there must be a responsible adult on the premises of the home at all times that the non-certified resident is present in the home, and there must never be a stairway which must be negotiated for emergency exit by such non-certified resident;	This CHO put a sign on the main entrance exit door that reads, "STOP: Please check and make sure there are 3 adults at home before you go out!"	
	FINDINGS Resident #1-3 – Three (3) non self-preserving residents residing in home with only two responsible adults available at the start of inspection.		
			:

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
	§11-100.1-23 Physical environment. (j)(1) Waste disposal:	PART 1	
	Every Type I ARCH shall provide a sufficient number of watertight receptacles, acceptable to the department for rubbish, garbage, refuse, and other matter. These receptacles shall be kept closed by tight fitting covers;	DID YOU CORRECT THE DEFICIENCY?	09/20/2023
		USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY	
	FINDINGS Restroom – Receptacle does not include a tight fitting lid.		
	•	This CHO bought and replaced the receptacle with a tight fitting lid.	
		tight menig nd.	
:			
	i		

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-23 Physical environment. (j)(1) Waste disposal:	PART 2	
Every Type I ARCH shall provide a sufficient number of watertight receptacles, acceptable to the department for rubbish, garbage, refuse, and other matter. These receptacles shall be kept closed by tight fitting covers; FINDINGS Restroom – Receptacle does not include a tight fitting lid.	FUTURE PLAN USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?	09/20/2023
	This CHO put a reminder note on every 1st day of the month in the calendar. The note says, "Check every receptacle has a tight fitting cover"	

Licensee's/Administrator's Signature:	₩
Print Name:	Aga Antonio
	09/28/2023