Office of Health Care Assurance

State Licensing Section

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION

Facility's Name: Bautista, Dolores (ARCH)	CHAPTER 100.1
Address: 1939 Waikahe, Honolulu, Hawaii, 96819	Inspection Date: February 21, 2024 Annual

THIS PAGE MUST BE SUBMITTED WITH YOUR PLAN OF CORRECTION. IF IT IS NOT, YOUR PLAN OF CORRECTION WILL BE RETURNED TO YOU, UNREVIEWED.

YOUR PLAN OF CORRECTION MUST BE SUBMITTED WITHIN TEN (10) WORKING DAYS PER HAR 11-100.1-3(e)(2). IF IT IS NOT RECEIVED WITHIN TEN (10) WORKING DAYS, YOUR STATEMENT OF DEFICIENCIES WILL BE POSTED ONLINE, WITHOUT YOUR RESPONSE.

FAILURE TO CORRECT CITED DEFICIENCIES AS PER THE PLAN OF CORRECTION COULD RESULT IN REFUSAL TO RENEW YOUR LICENSE PER HAR 11-100.1-3(e)(3).

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-15 <u>Medications.</u> (a) All medicines prescribed by physicians and dispensed by pharmacists shall be deemed properly labeled so long as no changes to the label have been made by the licensee, primary care giver or any ARCH/Expanded ARCH staff, and pills/medications are not removed from the original labeled container, other than for administration of medications. The storage shall be in a staff controlled work cabinet-counter apart from either resident's bathrooms or bedrooms. FINDINGS Resident #1: Hydrocortisone 0.5% cream unlocked at bedside. Corrected during inspection, locked in staff controlled cabinet.	PART 1 Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.	

	Completion Date
Image: State in the state is a state is a state is controlled work cabinet. PART 2 Image: State is a state is a state is a state is controlled work cabinet. FUTURE PLAN Image: State is a state is a state is controlled work cabinet. Image: State is a state is a state is controlled work cabinet. Image: State is a state is controlled work cabinet. Image: State is a state is controlled work cabinet. Image: State is a state is controlled work cabinet. Image: State is a state is controlled work cabinet. Image: State is a state is controlled work cabinet. Image: State is a state is controlled work cabinet. Image: State is a state is controlled work cabinet. Image: State is a state is controlled work cabinet. Image: State is a state is controlled work cabinet. Image: State is a state is controlled work cabinet. Image: State is a state is controlled work cabinet. Image: State is a state is controlled work cabinet. Image: State is a state is controlled work cabinet. Image: State is a state is controlled work cabinet. Image: State is a state is controlled work cabinet. Image: State is a state is controlled work cabinet. Image: State is a state is controlled work cabinet. Image: State is a state is controlled work cabinet. Image: State is a state is controlled work cabinet. Image: State is a state is controlled work cabinet. Image: State is a state is controlled work cabinet. Image: State is a state is contro	

Licensee's/Administrator's Signature:

Print Name:

Date: _____