

Office of Health Care Assurance

State Licensing Section

## STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION

<b>Facility's Name: E. Mabini ARCH</b>	<b>CHAPTER 100.1</b>
<b>Address: 94-1083 Kahaulua Street, Waipahu, Hawaii 96797</b>	<b>Inspection Date: February 20, 2024 Annual</b>

**THIS PAGE MUST BE SUBMITTED WITH YOUR PLAN OF CORRECTION. IF IT IS NOT, YOUR PLAN OF CORRECTION WILL BE RETURNED TO YOU, UNREVIEWED.**

**YOUR PLAN OF CORRECTION MUST BE SUBMITTED WITHIN TEN (10) WORKING DAYS PER HAR 11-100.1-3(e)(2). IF IT IS NOT RECEIVED WITHIN TEN (10) WORKING DAYS, YOUR STATEMENT OF DEFICIENCIES WILL BE POSTED ONLINE, WITHOUT YOUR RESPONSE.**

**FAILURE TO CORRECT CITED DEFICIENCIES AS PER THE PLAN OF CORRECTION COULD RESULT IN REFUSAL TO RENEW YOUR LICENSE PER HAR 11-100.1-3(e)(3).**

	<b>RULES (CRITERIA)</b>	<b>PLAN OF CORRECTION</b>	<b>Completion Date</b>
<input checked="" type="checkbox"/>	<p>§11-100.1-9 <u>Personnel, staffing and family requirements.</u> (e)(4) The substitute care giver who provides coverage for a period less than four hours shall:</p> <p>Be trained by the primary care giver to make prescribed medications available to residents and properly record such action.</p> <p><b><u>FINDINGS</u></b> Substitute Caregiver (SCG) #1-3 – Primary caregiver training to make prescribed medications available is unavailable for review.</p> <p>Submit a copy with plan of correction.</p>	<p><b>PART 1</b></p> <p><b><u>DID YOU CORRECT THE DEFICIENCY?</u></b></p> <p><b>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</b></p>	

	<b>RULES (CRITERIA)</b>	<b>PLAN OF CORRECTION</b>	<b>Completion Date</b>
<input checked="" type="checkbox"/>	<p>§11-100.1-9 <u>Personnel, staffing and family requirements.</u> (e)(4) The substitute care giver who provides coverage for a period less than four hours shall:</p> <p>Be trained by the primary care giver to make prescribed medications available to residents and properly record such action.</p> <p><b><u>FINDINGS</u></b> Substitute Caregiver (SCG) #1-3 – Primary caregiver training to make prescribed medications available is unavailable for review.</p> <p>Submit a copy with plan of correction.</p>	<p><b>PART 2</b></p> <p><b><u>FUTURE PLAN</u></b></p> <p><b>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</b></p>	

	<b>RULES (CRITERIA)</b>	<b>PLAN OF CORRECTION</b>	<b>Completion Date</b>
<input checked="" type="checkbox"/>	<p>§11-100.1-13 <u>Nutrition.</u> (d) Current menus shall be posted in the kitchen and in a conspicuous place in the dining area for the residents and department to review.</p> <p><b><u>FINDINGS</u></b> Resident #2,3 – Residents prescribed chopped diet; however, menu unavailable for review.</p> <p>Submit a copy with plan of correction.</p>	<p><b>PART 1</b></p> <p><b><u>DID YOU CORRECT THE DEFICIENCY?</u></b></p> <p><b>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</b></p>	

	<b>RULES (CRITERIA)</b>	<b>PLAN OF CORRECTION</b>	<b>Completion Date</b>
<input checked="" type="checkbox"/>	<p>§11-100.1-13 <u>Nutrition</u>. (d)            Current menus shall be posted in the kitchen and in a conspicuous place in the dining area for the residents and department to review.</p> <p><b><u>FINDINGS</u></b>            Resident #2,3 – Residents prescribed chopped diet; however, menu unavailable for review.</p> <p>Submit a copy with plan of correction.</p>	<p style="text-align: center;"><b>PART 2</b></p> <p style="text-align: center;"><b><u>FUTURE PLAN</u></b></p> <p style="text-align: center;"><b>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</b></p>	

	<b>RULES (CRITERIA)</b>	<b>PLAN OF CORRECTION</b>	<b>Completion Date</b>
<input checked="" type="checkbox"/>	<p>§11-100.1-14 <u>Food sanitation.</u> (c) Refrigerators shall be equipped with an appropriate thermometer and temperature shall be maintained at 45°F or lower.</p> <p><b><u>FINDINGS</u></b> Thermometer unavailable in refrigerator.</p>	<p><b>PART 1</b></p> <p><b><u>DID YOU CORRECT THE DEFICIENCY?</u></b></p> <p><b>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</b></p>	

	<b>RULES (CRITERIA)</b>	<b>PLAN OF CORRECTION</b>	<b>Completion Date</b>
<input checked="" type="checkbox"/>	<p>§11-100.1-14 <u>Food sanitation.</u> (c) Refrigerators shall be equipped with an appropriate thermometer and temperature shall be maintained at 45°F or lower.</p> <p><b><u>FINDINGS</u></b> Thermometer unavailable in refrigerator.</p>	<p style="text-align: center;"><b>PART 2</b></p> <p style="text-align: center;"><b><u>FUTURE PLAN</u></b></p> <p style="text-align: center;"><b>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</b></p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-14 <u>Food sanitation.</u> (d) Potentially hazardous food shall meet proper temperature requirements during storage, preparation, display, service, and transportation.</p> <p><b><u>FINDINGS</u></b> PCG reports temperature of food is not checked when cooking food for residents</p>	<p style="text-align: center;"><b>PART 1</b></p> <p style="text-align: center;"><b>Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.</b></p>	



	<b>RULES (CRITERIA)</b>	<b>PLAN OF CORRECTION</b>	<b>Completion Date</b>
<input checked="" type="checkbox"/>	<p>§11-100.1-14 <u>Food sanitation.</u> (d) Potentially hazardous food shall meet proper temperature requirements during storage, preparation, display, service, and transportation.</p> <p><b><u>FINDINGS</u></b> PCG reports temperature of food is not checked when cooking food for residents</p>	<p><b>PART 2</b></p> <p><b><u>FUTURE PLAN</u></b></p> <p><b>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</b></p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (o)(1)(C) Bedrooms:</p> <p>General conditions:</p> <p>Family members shall not sleep in residents' bedrooms;</p> <p><b><u>FINDINGS</u></b> Bedroom #7 – Bedroom being utilized by substitute caregivers</p>	<p style="text-align: center;"><b>PART 1</b></p> <p style="text-align: center;"><b><u>DID YOU CORRECT THE DEFICIENCY?</u></b></p> <p style="text-align: center;"><b>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</b></p>	

	<b>RULES (CRITERIA)</b>	<b>PLAN OF CORRECTION</b>	<b>Completion Date</b>
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (o)(1)(C) Bedrooms:</p> <p>General conditions:</p> <p>Family members shall not sleep in residents' bedrooms;</p> <p><b><u>FINDINGS</u></b> Bedroom #7 – Bedroom being utilized by substitute caregivers</p>	<p style="text-align: center;"><b>PART 2</b></p> <p style="text-align: center;"><b><u>FUTURE PLAN</u></b></p> <p style="text-align: center;"><b>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</b></p>	

	<b>RULES (CRITERIA)</b>	<b>PLAN OF CORRECTION</b>	<b>Completion Date</b>
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (p)(5) Miscellaneous:</p> <p>Signaling devices approved by the department shall be provided for resident's use at the bedside, in bathrooms, toilet rooms, and other areas where residents may be left alone. In Type I ARCHs where the primary care giver and residents do not reside on the same level or when other signaling mechanisms are deemed inadequate, there shall be an electronic signaling system.</p> <p><b><u>FINDINGS</u></b> Bathroom – Signaling device not functioning</p>	<p><b>PART 1</b></p> <p><b><u>DID YOU CORRECT THE DEFICIENCY?</u></b></p> <p><b>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</b></p>	

	<b>RULES (CRITERIA)</b>	<b>PLAN OF CORRECTION</b>	<b>Completion Date</b>
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (p)(5) Miscellaneous:</p> <p>Signaling devices approved by the department shall be provided for resident's use at the bedside, in bathrooms, toilet rooms, and other areas where residents may be left alone. In Type I ARCHs where the primary care giver and residents do not reside on the same level or when other signaling mechanisms are deemed inadequate, there shall be an electronic signaling system.</p> <p><b><u>FINDINGS</u></b> Bathroom – Signaling device not functioning</p>	<p><b>PART 2</b></p> <p><b><u>FUTURE PLAN</u></b></p> <p><b>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</b></p>	

	<b>RULES (CRITERIA)</b>	<b>PLAN OF CORRECTION</b>	<b>Completion Date</b>
<input checked="" type="checkbox"/>	<p>§11-100.1-88 <u>Case management qualifications and services.</u> (a)(2) Case management services shall be provided for each expanded ARCH resident to plan, locate, coordinate and monitor comprehensive services to meet the individual resident's needs based on a comprehensive assessment. Case management services shall be provided by a registered nurse who:</p> <p>Has at least two years experience with client care coordination responsibilities and possesses knowledge and skills pertaining to the long term care needs of the geriatric population. The department may allow substitution of two additional years of client care coordination experience for a bachelor's degree.</p> <p><b><u>FINDINGS</u></b> Resident #1 – Current care plan dated 1/31/24 does not include the following medication orders:</p> <ul style="list-style-type: none"> <li>• Vitamin D3 50,000IU (cholecalciferol) 1.25mg 1 cap PO qweek (on Fridays)</li> <li>• Bactroban oinment (mupirocin) 2% tid prn open wounds</li> </ul> <p>Submit a copy of revised care plan with plan of correction</p>	<p><b>PART 1</b></p> <p><b><u>DID YOU CORRECT THE DEFICIENCY?</u></b></p> <p><b>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</b></p>	

	<b>RULES (CRITERIA)</b>	<b>PLAN OF CORRECTION</b>	<b>Completion Date</b>
<input checked="" type="checkbox"/>	<p>§11-100.1-88 <u>Case management qualifications and services.</u> (a)(2) Case management services shall be provided for each expanded ARCH resident to plan, locate, coordinate and monitor comprehensive services to meet the individual resident's needs based on a comprehensive assessment. Case management services shall be provided by a registered nurse who:</p> <p>Has at least two years experience with client care coordination responsibilities and possesses knowledge and skills pertaining to the long term care needs of the geriatric population. The department may allow substitution of two additional years of client care coordination experience for a bachelor's degree.</p> <p><b><u>FINDINGS</u></b> Resident #1 – Current care plan dated 1/31/24 does not include the following medication orders:</p> <ul style="list-style-type: none"> <li>• Vitamin D3 50,000IU (cholecalciferol) 1.25mg 1 cap PO qweek (on Fridays)</li> <li>• Bactroban oinment (mupirocin) 2% tid prn open wounds</li> </ul> <p>Submit a copy of revised care plan with plan of correction</p>	<p><b>PART 2</b></p> <p><b><u>FUTURE PLAN</u></b></p> <p><b>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</b></p>	

Licensee's/Administrator's Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Date: \_\_\_\_\_