## Foster Family Home - Deficiency Report

Provider ID: 1-100007

Home Name: Marivel Billete, CNA Review ID: 1-100007-19

91-1031 Makaike Street Reviewer: Po Lim
Ewa Beach HI 96706 Begin Date: 5/31/2024

Foster Family Home	Required Certificate	[11-800-6]
--------------------	----------------------	------------

6.(d)(1) Comply with all applicable requirements in this chapter; and

Comment:

6(d)(1) Unannounced visit made for a 2 bed annual inspection.

Deficiency Report issued during CCFFH inspection via email on 5/31/2024 with Plan of Correction due to CTA within 30 days of inspection date of issuance.

Foster Family	Home Fire Safety	[11-800-46]
46.(a)	46.(a) The home shall conduct, document, and maintain a record, in the home, of unannounced fire drills at different times of the day, evening, and night. Fire drills shall be conducted at least monthly under varied conditions and shall include the testing of smoke detectors.	
46.(b)(2)	All caregivers have been tra	ned to implement appropriate emergency procedures in the event of a fire.
Comment:		

46.(a) - Last fire drill present in record was documented on 1/3/2024. No fire drill documentation present for February to

46.(b)(2)- CG#3 did not have evidence of conducting a monthly fire drill within the past 12 months.

Compliance Manager

Date

5/31/2024 12:49:50 PM

Page 1 of 1

CTA RN Compliance Manager:

(	D	1	
	40	1	IM

## Community Care Foster Family Home (CCFFH) Written Plan of Correction (POC)

Chapter 11-800

PCG's Name on CC	FFH Certificate:	Marive	L BILLETE	
		(PLEASE P	PRINT)	
CCFFH Address:	91-1031	MAKAIKE	ST	
		(PLEASE P	PRINT)	

Rule Number	Corrective Action Taken – How was each issue fixed for each violation?	Date each violation was fixed	Prevention Strategy – How will you prevent each violation from happening again in the future?
46.(a)	May 31, 2024 @ 4:35 py Fire Drill completed by PCG	5/31/24	PCG will pre-schedule Fire Drills in Lor appointment book to assure montally drive
46 (b)	CG #3 was educated and performed fine Drill with with assisting on 6/2/24 of 6:00 pm	6/02/24	Despite CG7#3 rever had wor for PCG all a last year, SPG7 # informal to still needing to perfin the required Fire Drill at least twice a year, Ore in June and one M Dec.

All items that were corrected are attached to this POC

PCG's Signature:

Date: 06/03/2024

X CTA has reviewed all corrected items