

Office of Health Care Assurance

State Licensing Section

## STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION

<b>Facility's Name:</b> Charity Adult Residential Care Home/E-ARCH II	<b>CHAPTER 100.1</b>
<b>Address:</b> 1563 Molina Street, Honolulu, Hawaii 96818	<b>Inspection Date: July 29, 2024 Annual</b>

**THIS PAGE MUST BE SUBMITTED WITH YOUR PLAN OF CORRECTION. IF IT IS NOT, YOUR PLAN OF CORRECTION WILL BE RETURNED TO YOU, UNREVIEWED.**

**YOUR PLAN OF CORRECTION MUST BE SUBMITTED WITHIN TEN (10) WORKING DAYS PER HAR 11-100.1-3(e)(2). IF IT IS NOT RECEIVED WITHIN TEN (10) WORKING DAYS, YOUR STATEMENT OF DEFICIENCIES WILL BE POSTED ONLINE, WITHOUT YOUR RESPONSE.**

**FAILURE TO CORRECT CITED DEFICIENCIES AS PER THE PLAN OF CORRECTION COULD RESULT IN REFUSAL TO RENEW YOUR LICENSE PER HAR 11-100.1-3(e)(3).**

	<b>RULES (CRITERIA)</b>	<b>PLAN OF CORRECTION</b>	<b>Completion Date</b>
<input checked="" type="checkbox"/>	<p>§11-100.1-13 <u>Nutrition.</u> (d) Current menus shall be posted in the kitchen and in a conspicuous place in the dining area for the residents and department to review.</p> <p><b><u>FINDINGS</u></b> Resident #1-3 – Special diet menus unavailable for the following diets:</p> <ul style="list-style-type: none"> <li>• Resident #1 – Heart Healthy, soft, thin liquid</li> <li>• Resident #2,3 – Regular, pureed, honey thickened liquid</li> </ul> <p>Submit a copy of diet menus with plan of correction.</p>	<p><b>PART 1</b></p> <p><b><u>DID YOU CORRECT THE DEFICIENCY?</u></b></p> <p><b>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</b></p>	

	<b>RULES (CRITERIA)</b>	<b>PLAN OF CORRECTION</b>	<b>Completion Date</b>
<input checked="" type="checkbox"/>	<p>§11-100.1-13 <u>Nutrition.</u> (d) Current menus shall be posted in the kitchen and in a conspicuous place in the dining area for the residents and department to review.</p> <p><b><u>FINDINGS</u></b> Resident #1-3 – Special diet menus unavailable for the following diets:</p> <ul style="list-style-type: none"> <li>• Resident #1 – Heart Healthy, soft, thin liquid</li> <li>• Resident #2,3 – Regular, pureed, honey thickened liquid</li> </ul> <p>Submit a copy of diet menus with plan of correction.</p>	<p><b>PART 2</b></p> <p><b><u>FUTURE PLAN</u></b></p> <p><b>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</b></p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-14 <u>Food sanitation.</u> (d) Potentially hazardous food shall meet proper temperature requirements during storage, preparation, display, service, and transportation.</p> <p><b><u>FINDINGS</u></b> PCG reports preparing meals to 110°F, below the minimum safe temperature of 165°F</p>	<p style="text-align: center;"><b>PART 1</b></p> <p style="text-align: center;"><b>Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.</b></p>	

	<b>RULES (CRITERIA)</b>	<b>PLAN OF CORRECTION</b>	<b>Completion Date</b>
<input checked="" type="checkbox"/>	<p>§11-100.1-14 <u>Food sanitation.</u> (d) Potentially hazardous food shall meet proper temperature requirements during storage, preparation, display, service, and transportation.</p> <p><b><u>FINDINGS</u></b> PCG reports preparing meals to 110°F, below the minimum safe temperature of 165°F</p>	<p style="text-align: center;"><b>PART 2</b></p> <p style="text-align: center;"><b><u>FUTURE PLAN</u></b></p> <p style="text-align: center;"><b>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</b></p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-17 <u>Records and reports.</u> (b)(3) During residence, records shall include:</p> <p>Progress notes that shall be written on a monthly basis, or more often as appropriate, shall include observations of the resident's response to medication, treatments, diet, care plan, any changes in condition, indications of illness or injury, behavior patterns including the date, time, and any and all action taken. Documentation shall be completed immediately when any incident occurs;</p> <p><b><u>FINDINGS</u></b> Resident #1 – Resident’s response to daily/PRN medications unavailable on 6/2023 and 5/2023 progress note</p>	<p style="text-align: center;">PART 1</p> <p style="text-align: center;"><b>Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.</b></p>	

	<b>RULES (CRITERIA)</b>	<b>PLAN OF CORRECTION</b>	<b>Completion Date</b>
<input checked="" type="checkbox"/>	<p>§11-100.1-17 <u>Records and reports.</u> (b)(3) During residence, records shall include:</p> <p>Progress notes that shall be written on a monthly basis, or more often as appropriate, shall include observations of the resident's response to medication, treatments, diet, care plan, any changes in condition, indications of illness or injury, behavior patterns including the date, time, and any and all action taken. Documentation shall be completed immediately when any incident occurs;</p> <p><b><u>FINDINGS</u></b> Resident #1 – Resident’s response to daily/PRN medications unavailable on 6/2023 and 5/2023 progress note</p>	<p><b>PART 2</b></p> <p><b><u>FUTURE PLAN</u></b></p> <p><b>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN’T HAPPEN AGAIN?</b></p>	

	<b>RULES (CRITERIA)</b>	<b>PLAN OF CORRECTION</b>	<b>Completion Date</b>
<input checked="" type="checkbox"/>	<p>§11-100.1-21 <u>Residents' and primary care givers' rights and responsibilities.</u> (a)(2)(E) Residents' rights and responsibilities:</p> <p>Each resident shall:</p> <p>Be treated with understanding, respect, and full consideration of the resident's dignity and individuality, including privacy in treatment and in care of the resident's personal needs;</p> <p><b><u>FINDINGS</u></b> Bedroom #1 – Video surveillance monitor displaying another resident’s room was found on bedroom dresser. Per facility policy, monitor screen should be located near the caregivers’ view and away from other residents.</p>	<p><b>PART 1</b></p> <p><b><u>DID YOU CORRECT THE DEFICIENCY?</u></b></p> <p><b>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</b></p>	



	<b>RULES (CRITERIA)</b>	<b>PLAN OF CORRECTION</b>	<b>Completion Date</b>
<input checked="" type="checkbox"/>	<p>§11-100.1-21 <u>Residents' and primary care givers' rights and responsibilities.</u> (a)(2)(E) Residents' rights and responsibilities:</p> <p>Each resident shall:</p> <p>Be treated with understanding, respect, and full consideration of the resident's dignity and individuality, including privacy in treatment and in care of the resident's personal needs;</p> <p><b><u>FINDINGS</u></b> Bedroom #1 – Video surveillance monitor displaying another resident’s room was found on bedroom dresser. Per facility policy, monitor screen should be located near the caregivers’ view and away from other residents.</p>	<p><b>PART 2</b></p> <p><b><u>FUTURE PLAN</u></b></p> <p><b>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN’T HAPPEN AGAIN?</b></p>	

	<b>RULES (CRITERIA)</b>	<b>PLAN OF CORRECTION</b>	<b>Completion Date</b>
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (g)(3)(D) Fire prevention protection.</p> <p>Type I ARCHs shall be in compliance with, but not limited to, the following provisions:</p> <p>A drill shall be held to provide training for residents and personnel at various times of the day or night at least four times a year and at least three months from the previous drill, and the record shall contain the date, hour, personnel participating and description of drill, and the time taken to safely evacuate residents from the building. A copy of the fire drill procedure and results shall be submitted to the fire inspector or department upon request;</p> <p><b><u>FINDINGS</u></b> Bedroom #1 – Signaling device unavailable at bedside</p> <p>Bathroom #2 – Signaling device unavailable</p>	<p><b>PART 1</b></p> <p><b><u>DID YOU CORRECT THE DEFICIENCY?</u></b></p> <p><b>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</b></p>	

	<b>RULES (CRITERIA)</b>	<b>PLAN OF CORRECTION</b>	<b>Completion Date</b>
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (g)(3)(D) Fire prevention protection.</p> <p>Type I ARCHs shall be in compliance with, but not limited to, the following provisions:</p> <p>A drill shall be held to provide training for residents and personnel at various times of the day or night at least four times a year and at least three months from the previous drill, and the record shall contain the date, hour, personnel participating and description of drill, and the time taken to safely evacuate residents from the building. A copy of the fire drill procedure and results shall be submitted to the fire inspector or department upon request;</p> <p><b><u>FINDINGS</u></b> Bedroom #1 – Signaling device unavailable at bedside</p> <p>Bathroom #2 – Signaling device unavailable</p>	<p><b>PART 2</b></p> <p><b><u>FUTURE PLAN</u></b></p> <p><b>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</b></p>	

	<b>RULES (CRITERIA)</b>	<b>PLAN OF CORRECTION</b>	<b>Completion Date</b>
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (h)(3)  The Type I ARCH shall maintain the entire facility and equipment in a safe and comfortable manner to minimize hazards to residents and care givers.</p> <p>All Type I ARCHs shall comply with applicable state laws and rules relating to sanitation, health, infection control and environmental safety;</p> <p><b><u>FINDINGS</u></b>  Bedroom #2 – Oxygen in use sign not posted on bedroom door or at entrance of home despite oxygen tank stored in corner of bedroom</p>	<p><b>PART 1</b></p> <p><b><u>DID YOU CORRECT THE DEFICIENCY?</u></b></p> <p><b>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</b></p>	

	<b>RULES (CRITERIA)</b>	<b>PLAN OF CORRECTION</b>	<b>Completion Date</b>
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (h)(3)  The Type I ARCH shall maintain the entire facility and equipment in a safe and comfortable manner to minimize hazards to residents and care givers.</p> <p>All Type I ARCHs shall comply with applicable state laws and rules relating to sanitation, health, infection control and environmental safety;</p> <p><b><u>FINDINGS</u></b>  Bedroom #2 – Oxygen in use sign not posted on bedroom door or at entrance of home despite oxygen tank stored in corner of bedroom</p>	<p><b>PART 2</b></p> <p><b><u>FUTURE PLAN</u></b></p> <p><b>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</b></p>	

	<b>RULES (CRITERIA)</b>	<b>PLAN OF CORRECTION</b>	<b>Completion Date</b>
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (r) Facilities shall be maintained in accordance with provisions of state and local zoning, building, fire safety and health codes.</p> <p><b><u>FINDINGS</u></b> Heating element (microwave), cooling element (refrigerator), and faucet with running water located in kitchenette</p>	<p><b>PART 1</b></p> <p><b><u>DID YOU CORRECT THE DEFICIENCY?</u></b></p> <p><b>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</b></p>	

	<b>RULES (CRITERIA)</b>	<b>PLAN OF CORRECTION</b>	<b>Completion Date</b>
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (r) Facilities shall be maintained in accordance with provisions of state and local zoning, building, fire safety and health codes.</p> <p><b><u>FINDINGS</u></b> Heating element (microwave), cooling element (refrigerator), and faucet with running water located in kitchenette</p>	<p><b>PART 2</b></p> <p><b><u>FUTURE PLAN</u></b></p> <p><b>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</b></p>	

Licensee's/Administrator's Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Date: \_\_\_\_\_