

Office of Health Care Assurance

State Licensing Section

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION

Facility's Name: AL & L Care Home, LLC	CHAPTER 100.1
Address: 4496 Luapele Place, Honolulu, Hawaii, 96818	Inspection Date: February 20, 2025 Annual

THIS PAGE MUST BE SUBMITTED WITH YOUR PLAN OF CORRECTION. IF IT IS NOT, YOUR PLAN OF CORRECTION WILL BE RETURNED TO YOU, UNREVIEWED.

YOUR PLAN OF CORRECTION MUST BE SUBMITTED WITHIN TEN (10) WORKING DAYS. IF IT IS NOT RECEIVED WITHIN TEN (10) DAYS, YOUR STATEMENT OF DEFICIENCIES WILL BE POSTED ONLINE, WITHOUT YOUR RESPONSE.

AUG 11 2025

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-13 <u>Nutrition.</u> (1) Special diets shall be provided for residents only as ordered by their physician or APRN. Only those Type I ARCHs licensed to provide special diets may admit residents requiring such diets.</p> <p><u>FINDINGS</u> Resident #3: Physician diet order of "No added salt". No documented evidence diet is being provided as ordered.</p>	<p style="text-align: center;">PART 1</p> <p style="text-align: center;"><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p style="text-align: center;">USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p> <p style="text-align: center;"><i>Diet order has been change to Regular diet.</i></p>	<p style="text-align: right;"><i>11 Aug. 2025</i></p> <p style="text-align: right;">AUG 11 2025</p>

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-13 <u>Nutrition.</u> (1) Special diets shall be provided for residents only as ordered by their physician or APRN. Only those Type I ARCHs licensed to provide special diets may admit residents requiring such diets.</p> <p><u>FINDINGS</u> Resident #3: Physician diet order of "No added salt". No documented evidence diet is being provided as ordered.</p>	<p style="text-align: center;">PART 2</p> <p style="text-align: center;"><u>FUTURE PLAN</u></p> <p style="text-align: center;">USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p> <p style="text-align: center;"><i>I will generate a check list to obtain a diet order annually. If I do received a ^{special} diet order I will create a special menu and included in my reminder.</i></p>	<p style="text-align: right;"><i>11 Aug. 25</i></p>

AUG 11 2025

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-17 <u>Records and reports.</u> (h)(1) Miscellaneous records:</p> <p>A permanent general register shall be maintained to record all admissions and discharges of residents;</p> <p><u>FINDINGS</u> Resident #1: Resident not in general register.</p>	<p style="text-align: center;">PART 1</p> <p style="text-align: center;"><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p style="text-align: center;">USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p> <p><i>A general register has been updated reflecting resident #1</i></p>	<p><i>11 Aug. 25</i></p>

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-17 <u>Records and reports.</u> (h)(1) Miscellaneous records:</p> <p>A permanent general register shall be maintained to record all admissions and discharges of residents;</p> <p><u>FINDINGS</u> Resident #1: Resident not in general register.</p>	<p style="text-align: center;">PART 2</p> <p style="text-align: center;"><u>FUTURE PLAN</u></p> <p style="text-align: center;">USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p> <p style="text-align: center;"><i>I would generate check list reminder to complete register at admission.</i></p>	<p><i>11 Aug. 25</i></p>

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-17 <u>Records and reports.</u> (f)(1) General rules regarding records:</p> <p>All entries in the resident's record shall be written in black ink, or typewritten, shall be legible, dated, and signed by the individual making the entry;</p> <p><u>FINDINGS</u> Resident #2: White out used in Financial statement.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p> <p><i>After the fact.</i></p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-17 <u>Records and reports.</u> (f)(1) General rules regarding records:</p> <p>All entries in the resident's record shall be written in black ink, or typewritten, shall be legible, dated, and signed by the individual making the entry;</p> <p><u>FINDINGS</u> Resident #2: White out used in Financial statement.</p>	<p style="text-align: center;">PART 2</p> <p style="text-align: center;"><u>FUTURE PLAN</u></p> <p style="text-align: center;">USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p> <p style="text-align: center;"><i>All white out has been thrown away. I will make a reminder at in the resident binder.</i></p>	<p style="text-align: right;"><i>11 Aug. 25</i></p>

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-19 <u>Resident accounts.</u> (a) The conditions under which the primary care giver agrees to be responsible for the resident's funds or property shall be explained to the resident and the resident's family, legal guardian, surrogate or representative and documented in the resident's file. All single transfers with a value in excess of one hundred dollars shall be supported by an agreement signed by the primary care giver and the resident and the resident's family, legal guardian, surrogate or representative.</p> <p><u>FINDINGS</u> Resident #4: Financial statement incomplete.</p>	<p style="text-align: center;">PART 1</p> <p style="text-align: center;"><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p style="text-align: center;">USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p> <p style="text-align: center;"><i>Yes financial statement has been completed.</i></p>	<p style="text-align: right;"><i>11 Aug. 25</i></p>

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-19 <u>Resident accounts.</u> (a) The conditions under which the primary care giver agrees to be responsible for the resident's funds or property shall be explained to the resident and the resident's family, legal guardian, surrogate or representative and documented in the resident's file. All single transfers with a value in excess of one hundred dollars shall be supported by an agreement signed by the primary care giver and the resident and the resident's family, legal guardian, surrogate or representative.</p> <p>FINDINGS Resident #4: Financial statement incomplete.</p>	<p style="text-align: center;">PART 2</p> <p style="text-align: center;"><u>FUTURE PLAN</u></p> <p style="text-align: center;">USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p> <p style="text-align: center;"><i>I would generate ^acomplete checklist to complete financial statement at admission.</i></p>	<p style="text-align: right;"><i>11 Aug. 25</i></p>

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (i) All construction or alterations shall comply with current county building, land use and fire codes and ordinances in the state. The Type I ARCH licensed for wheelchair residents shall be accessible to and functional for the residents at the time of licensure.</p> <p><u>FINDINGS</u> Resident #4: Resident in wheelchair. ARCH not licensed for wheelchairs.</p>	<p style="text-align: center;">PART 1</p> <p style="text-align: center;"><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p style="text-align: center;">USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p> <p style="text-align: center;"><i>Wheel chair request will be submitted to Hanson Ho.</i></p> <p style="text-align: center;"><i>If wheel chair is not approved we will start discharge process.</i></p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (i) All construction or alterations shall comply with current county building, land use and fire codes and ordinances in the state. The Type I ARCH licensed for wheelchair residents shall be accessible to and functional for the residents at the time of licensure.</p> <p><u>FINDINGS</u> Resident #4: Resident in wheelchair. ARCH not licensed for wheelchairs.</p>	<p style="text-align: center;">PART 2</p> <p style="text-align: center;"><u>FUTURE PLAN</u></p> <p style="text-align: center;">USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p> <p style="text-align: center;"><i>We will make a personell reminder to abide to license stipulations and review with all my staff.</i></p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (p)(5) Miscellaneous:</p> <p>Signaling devices approved by the department shall be provided for resident's use at the bedside, in bathrooms, toilet rooms, and other areas where residents may be left alone. In Type I ARCHs where the primary care giver and residents do not reside on the same level or when other signaling mechanisms are deemed inadequate, there shall be an electronic signaling system.</p> <p><u>FINDINGS</u> Signaling device in bathroom #1 not within reach from toilet. Corrected during inspection.</p>	<p style="text-align: center;">PART 1</p> <p style="text-align: center;"><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p style="text-align: center;">USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p> <p style="text-align: center;"><i>Signaling device at^{is} not within reach from toilet</i></p>	<p style="text-align: right;"><i>11 Aug. 25</i></p>

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (p)(5) Miscellaneous:</p> <p>Signaling devices approved by the department shall be provided for resident's use at the bedside, in bathrooms, toilet rooms, and other areas where residents may be left alone. In Type I ARCHs where the primary care giver and residents do not reside on the same level or when other signaling mechanisms are deemed inadequate, there shall be an electronic signaling system.</p> <p><u>FINDINGS</u> Signaling device in bathroom #1 not within reach from toilet. Corrected during inspection.</p>	<p style="text-align: center;">PART 2</p> <p style="text-align: center;"><u>FUTURE PLAN</u></p> <p style="text-align: center;">USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p> <p style="text-align: center;"><i>I ^{will} would do round in the morning to make sure all the signaling devices are within reach and reminder in my personal note.</i></p>	<p style="text-align: right;"><i>11 Aug. 25</i></p>

AUG 11 2025

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (p)(5) Miscellaneous:</p> <p>Signaling devices approved by the department shall be provided for resident's use at the bedside, in bathrooms, toilet rooms, and other areas where residents may be left alone. In Type I ARCHs where the primary care giver and residents do not reside on the same level or when other signaling mechanisms are deemed inadequate, there shall be an electronic signaling system.</p> <p><u>FINDINGS</u> Resident #2: No signaling device at bedside.</p>	<p style="text-align: center;">PART 1</p> <p style="text-align: center;"><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p style="text-align: center;">USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p> <p style="text-align: center;"><i>Signaling device are at the bed side.</i></p>	<p style="text-align: center;"><i>11 Aug. 25</i></p>

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (p)(5) Miscellaneous:</p> <p>Signaling devices approved by the department shall be provided for resident's use at the bedside, in bathrooms, toilet rooms, and other areas where residents may be left alone. In Type I ARCHs where the primary care giver and residents do not reside on the same level or when other signaling mechanisms are deemed inadequate, there shall be an electronic signaling system.</p> <p><u>FINDINGS</u> Resident #2: No signaling device at bedside.</p>	<p style="text-align: center;">PART 2</p> <p style="text-align: center;"><u>FUTURE PLAN</u></p> <p style="text-align: center;">USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p> <p style="text-align: center;"><i>I will do round in the morning to make sure all the signaling devices are with in reach and reminders in my personal note.</i></p>	<p style="text-align: right;"><i>11 Aug 25</i></p>

Licensee's/Administrator's Signature: Lolita P. Schimmel

Print Name: Lolita P. Schimmel

Date: 11 Aug. 2025