

Office of Health Care Assurance

State Licensing Section

## STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION

<b>Facility's Name: Loumaile Cottage</b>	<b>CHAPTER 100.1</b>
<b>Address: 1118 Kaili Street, Honolulu, Hawaii 96701</b>	<b>Inspection Date: September 17, 2025 Annual</b>

**THIS PAGE MUST BE SUBMITTED WITH YOUR PLAN OF CORRECTION. IF IT IS NOT, YOUR PLAN OF CORRECTION WILL BE RETURNED TO YOU, UNREVIEWED.**

**YOUR PLAN OF CORRECTION MUST BE SUBMITTED WITHIN TEN (10) WORKING DAYS PER HAR 11-100.1-3(e)(2). IF IT IS NOT RECEIVED WITHIN TEN (10) WORKING DAYS, YOUR STATEMENT OF DEFICIENCIES WILL BE POSTED ONLINE, WITHOUT YOUR RESPONSE.**

**FAILURE TO CORRECT CITED DEFICIENCIES AS PER THE PLAN OF CORRECTION COULD RESULT IN REFUSAL TO RENEW YOUR LICENSE PER HAR 11-100.1-3(e)(3).**

	<b>RULES (CRITERIA)</b>	<b>PLAN OF CORRECTION</b>	<b>Completion Date</b>
<input checked="" type="checkbox"/>	<p>§11-100.1-10 <u>Admission policies.</u> (a)  Type I ARCHs shall admit residents requiring care as stated in section 11-100.1-2. The level of care needed by the resident shall be determined and documented by that resident's physician or APRN prior to admission. Information as to each resident's level of care shall be obtained prior to a resident's admission to a Type I ARCH and shall be made available for review by the department, the resident, the resident's legal guardian, the resident's responsible placement agency, and others authorized by the resident to review it.</p> <p><b><u>FINDINGS</u></b>  Resident #1- The level of care needed by the resident was not clarified. Both ARCH and ICF were checked off on the last health and physical exam on 4/28/25.</p> <p><b>Please submit an updated copy of the level of care with your plan of correction.</b></p>	<p><b>PART 1</b></p> <p><b><u>DID YOU CORRECT THE DEFICIENCY?</u></b></p> <p><b>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</b></p>	

	<b>RULES (CRITERIA)</b>	<b>PLAN OF CORRECTION</b>	<b>Completion Date</b>
<input checked="" type="checkbox"/>	<p>§11-100.1-10 <u>Admission policies.</u> (a)  Type I ARCHs shall admit residents requiring care as stated in section 11-100.1-2. The level of care needed by the resident shall be determined and documented by that resident's physician or APRN prior to admission. Information as to each resident's level of care shall be obtained prior to a resident's admission to a Type I ARCH and shall be made available for review by the department, the resident, the resident's legal guardian, the resident's responsible placement agency, and others authorized by the resident to review it.</p> <p><b><u>FINDINGS</u></b>  Resident #1- The level of care needed by the resident was not clarified. Both ARCH and ICF were checked off on the last health and physical exam on 4/28/25.</p> <p><b>Please submit an updated copy of the level of care with your plan of correction.</b></p>	<p><b>PART 2</b></p> <p><b><u>FUTURE PLAN</u></b></p> <p><b>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</b></p>	

	<b>RULES (CRITERIA)</b>	<b>PLAN OF CORRECTION</b>	<b>Completion Date</b>
<input checked="" type="checkbox"/>	<p>§11-100.1-14 <u>Food sanitation.</u> (e) A metal stem thermometer shall be available for checking cold and hot food temperatures.</p> <p><b><u>FINDINGS</u></b> No working metal stem thermometer available for checking cold and hot food temperatures during the time of inspection.</p>	<p><b>PART 1</b></p> <p><b><u>DID YOU CORRECT THE DEFICIENCY?</u></b></p> <p><b>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</b></p>	

	<b>RULES (CRITERIA)</b>	<b>PLAN OF CORRECTION</b>	<b>Completion Date</b>
<input checked="" type="checkbox"/>	<p>§11-100.1-14 <u>Food sanitation.</u> (e) A metal stem thermometer shall be available for checking cold and hot food temperatures.</p> <p><b><u>FINDINGS</u></b> No working metal stem thermometer available for checking cold and hot food temperatures during the time of inspection.</p>	<p><b>PART 2</b></p> <p><b><u>FUTURE PLAN</u></b></p> <p><b>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</b></p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-15 <u>Medications.</u> (a)  All medicines prescribed by physicians and dispensed by pharmacists shall be deemed properly labeled so long as no changes to the label have been made by the licensee, primary care giver or any ARCH/Expanded ARCH staff, and pills/medications are not removed from the original labeled container, other than for administration of medications. The storage shall be in a staff controlled work cabinet-counter apart from either resident's bathrooms or bedrooms.</p> <p><b><u>FINDINGS</u></b>  One (1) tube of Mupirocin 2% ointment with label was found in resident's bedside drawer.</p> <p>Substitute caregiver (SCG) removed and secured the medicated ointment during the time of inspection.</p>	<p style="text-align: center;">PART 1</p> <p style="text-align: center;"><b>Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.</b></p>	

	<b>RULES (CRITERIA)</b>	<b>PLAN OF CORRECTION</b>	<b>Completion Date</b>
<input checked="" type="checkbox"/>	<p>§11-100.1-15 <u>Medications.</u> (a)  All medicines prescribed by physicians and dispensed by pharmacists shall be deemed properly labeled so long as no changes to the label have been made by the licensee, primary care giver or any ARCH/Expanded ARCH staff, and pills/medications are not removed from the original labeled container, other than for administration of medications. The storage shall be in a staff controlled work cabinet-counter apart from either resident's bathrooms or bedrooms.</p> <p><b><u>FINDINGS</u></b>  One (1) tube of Mupirocin 2% ointment with label was found in resident's bedside drawer.</p> <p>SCG removed and secured the medicated ointment during the time of inspection.</p>	<p><b>PART 2</b></p> <p><b><u>FUTURE PLAN</u></b></p> <p><b>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</b></p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
☒	<p>§11-100.1-15 <u>Medications.</u> (e) All medications and supplements, such as vitamins, minerals, and formulas, shall be made available as ordered by a physician or APRN.</p> <p><b><u>FINDINGS</u></b> Resident #1- In the September 2025 medication administration record (MAR), Calcium 500+ D tablet was either withheld, not given, or refused with no documented evidence on 9/15/25 7pm dose.</p>	<p style="text-align: center;">PART 1</p> <p style="text-align: center;"><b>Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.</b></p>	


	<b>RULES (CRITERIA)</b>	<b>PLAN OF CORRECTION</b>	<b>Completion Date</b>
<input checked="" type="checkbox"/>	<p>§11-100.1-15 <u>Medications.</u> (e) All medications and supplements, such as vitamins, minerals, and formulas, shall be made available as ordered by a physician or APRN.</p> <p><b><u>FINDINGS</u></b> Resident #1- In the September 2025 MAR, Calcium 500+ D tablet was either withheld, not given, or refused with no documented evidence on 9/15/25 7pm dose.</p>	<p><b>PART 2</b></p> <p><b><u>FUTURE PLAN</u></b></p> <p><b>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</b></p>	


	<b>RULES (CRITERIA)</b>	<b>PLAN OF CORRECTION</b>	<b>Completion Date</b>
<input checked="" type="checkbox"/>	<p>§11-100.1-17 <u>Records and reports.</u> (a)(7)  The licensee or primary care giver shall maintain individual records for each resident. On admission, readmission, or transfer of a resident there shall be made available by the licensee or primary care giver for the department's review:</p> <p>Height and weight measurements taken;</p> <p><b><u>FINDINGS</u></b>  No weights were recorded for Resident #1, Resident #2, and Resident #3 for August 2025.</p>	<p><b>PART 1</b></p> <p><b>Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.</b></p>	

	<b>RULES (CRITERIA)</b>	<b>PLAN OF CORRECTION</b>	<b>Completion Date</b>
<input checked="" type="checkbox"/>	<p>§11-100.1-17 <u>Records and reports.</u> (a)(7)  The licensee or primary care giver shall maintain individual records for each resident. On admission, readmission, or transfer of a resident there shall be made available by the licensee or primary care giver for the department's review:</p> <p>Height and weight measurements taken;</p> <p><b><u>FINDINGS</u></b>  No weights were recorded for Resident #1, Resident #2, and Resident #3 for August 2025.</p>	<p><b>PART 2</b></p> <p><b><u>FUTURE PLAN</u></b></p> <p><b>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</b></p>	

	<b>RULES (CRITERIA)</b>	<b>PLAN OF CORRECTION</b>	<b>Completion Date</b>
<input checked="" type="checkbox"/>	<p>§11-100.1-21 <u>Residents' and primary care givers' rights and responsibilities.</u> (a)(1) Residents' rights and responsibilities:</p> <p>Written policies regarding the rights and responsibilities of residents during the stay in the Type I ARCH shall be established and a copy shall be provided to the resident and the resident's family, legal guardian, surrogate, sponsoring agency or representative payee, and to the public upon request. The Type I ARCH policies and procedures shall provide that each individual admitted shall:</p> <p><b><u>FINDINGS</u></b> Resident #1- No documented evidence of written policies provided to the resident and/or resident's family, legal guardian, surrogate due to no signature dated 7/2/25.</p> <p><b>Please submit a signed policy page with your plan of correction.</b></p>	<p><b>PART 1</b></p> <p><b><u>DID YOU CORRECT THE DEFICIENCY?</u></b></p> <p><b>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</b></p>	

	<b>RULES (CRITERIA)</b>	<b>PLAN OF CORRECTION</b>	<b>Completion Date</b>
<input checked="" type="checkbox"/>	<p>§11-100.1-21 <u>Residents' and primary care givers' rights and responsibilities.</u> (a)(1) Residents' rights and responsibilities:</p> <p>Written policies regarding the rights and responsibilities of residents during the stay in the Type I ARCH shall be established and a copy shall be provided to the resident and the resident's family, legal guardian, surrogate, sponsoring agency or representative payee, and to the public upon request. The Type I ARCH policies and procedures shall provide that each individual admitted shall:</p> <p><b><u>FINDINGS</u></b> Resident #1- No documented evidence of written policies provided to the resident and/or resident's family, legal guardian, surrogate due to no signature dated 7/2/25.</p> <p><b>Please submit a signed policy page with your plan of correction.</b></p>	<p><b>PART 2</b></p> <p><b><u>FUTURE PLAN</u></b></p> <p><b>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</b></p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (g)(3)(I) Fire prevention protection.</p> <p>Type I ARCHs shall be in compliance with, but not limited to, the following provisions:</p> <p>Each resident of a Type I home must be certified by a physician that the resident is ambulatory and capable of following directions and taking appropriate action for self-preservation under emergency conditions, except that a maximum of two residents, not so certified, may reside in the Type I home provided that either:</p> <p><b><u>FINDINGS</u></b> Resident #1, Resident #2, and Resident #3 were documented as not so certified residing in the Type I home.</p> 	<p style="text-align: center;"><b>PART 1</b></p> <p style="text-align: center;"><b><u>DID YOU CORRECT THE DEFICIENCY?</u></b></p> <p style="text-align: center;"><b>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</b></p>	

	<b>RULES (CRITERIA)</b>	<b>PLAN OF CORRECTION</b>	<b>Completion Date</b>
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (g)(3)(I) Fire prevention protection.</p> <p>Type I ARCHs shall be in compliance with, but not limited to, the following provisions:</p> <p>Each resident of a Type I home must be certified by a physician that the resident is ambulatory and capable of following directions and taking appropriate action for self-preservation under emergency conditions, except that a maximum of two residents, not so certified, may reside in the Type I home provided that either:</p> <p><b><u>FINDINGS</u></b> Resident #1, Resident #2, and Resident #3 were documented as not so certified residing in the Type I home.</p> <div style="text-align: center; margin-top: 20px;">  </div>	<p><b>PART 2</b></p> <p><b><u>FUTURE PLAN</u></b></p> <p><b>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</b></p>	

	<b>RULES (CRITERIA)</b>	<b>PLAN OF CORRECTION</b>	<b>Completion Date</b>
<input checked="" type="checkbox"/>	<p>§11-100.1-83 <u>Personnel and staffing requirements.</u> (5) In addition to the requirements in subchapter 2 and 3:</p> <p>Primary and substitute care givers shall have documented evidence of successful completion of twelve hours of continuing education courses per year on subjects pertinent to the management of an expanded ARCH and care of expanded ARCH residents.</p> <p><b><u>FINDINGS</u></b> Primary caregiver (PCG), SCG #1, SCG #2, and SCG #3- No documented evidence of successful completion of twelve hours of continuing education courses for 2025.</p> <p><b>Please submit copies of twelve hours continuing education with your plan of correction for PCG, SCG #1, SCG #2, and SCG #3.</b></p>	<p><b>PART 1</b></p> <p><b><u>DID YOU CORRECT THE DEFICIENCY?</u></b></p> <p><b>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</b></p>	

	<b>RULES (CRITERIA)</b>	<b>PLAN OF CORRECTION</b>	<b>Completion Date</b>
<input checked="" type="checkbox"/>	<p>§11-100.1-83 <u>Personnel and staffing requirements.</u> (5) In addition to the requirements in subchapter 2 and 3:</p> <p>Primary and substitute care givers shall have documented evidence of successful completion of twelve hours of continuing education courses per year on subjects pertinent to the management of an expanded ARCH and care of expanded ARCH residents.</p> <p><b><u>FINDINGS</u></b> PCG, SCG #1, SCG #2, and SCG #3- No documented evidence of successful completion of twelve hours of continuing education courses for 2025.</p> <p><b>Please submit copies of twelve hours continuing education with your plan of correction for PCG, SCG #1, SCG #2, and SCG #3.</b></p>	<p><b>PART 2</b></p> <p><b><u>FUTURE PLAN</u></b></p> <p><b>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</b></p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-86 <u>Fire safety.</u> (a)(3)  A Type I expanded ARCH shall be in compliance with existing fire safety standards for a Type I ARCH, as provided in section 11-100.1-23(b), and the following:</p> <p>Fire drills shall be conducted and documented at least monthly under varied conditions and times of day;</p> <p><b><u>FINDINGS</u></b>  No documented evidence that August 2025 fire drill was conducted.</p>	<p style="text-align: center;">PART 1</p> <p style="text-align: center;"><b>Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.</b></p>	

	<b>RULES (CRITERIA)</b>	<b>PLAN OF CORRECTION</b>	<b>Completion Date</b>
<input checked="" type="checkbox"/>	<p>§11-100.1-86 <u>Fire safety.</u> (a)(3)  A Type I expanded ARCH shall be in compliance with existing fire safety standards for a Type I ARCH, as provided in section 11-100.1-23(b), and the following:</p> <p>Fire drills shall be conducted and documented at least monthly under varied conditions and times of day;</p> <p><b><u>FINDINGS</u></b>  No documented evidence that August 2025 fire drill was conducted.</p>	<p><b>PART 2</b></p> <p><b><u>FUTURE PLAN</u></b></p> <p><b>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</b></p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-86 <u>Fire safety.</u> (a)(4)  A Type I expanded ARCH shall be in compliance with existing fire safety standards for a Type I ARCH, as provided in section 11-100.1-23(b), and the following:</p> <p>Hard wired smoke detectors shall be approved by a nationally recognized testing laboratory and all shall be tested at least monthly to assure working order;</p> <p><b><u>FINDINGS</u></b>  No documented evidence that in August 2025, hard wired smoke detector was tested to assure working order.</p>	<p style="text-align: center;">PART 1</p> <p style="text-align: center;"><b>Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.</b></p>	

	<b>RULES (CRITERIA)</b>	<b>PLAN OF CORRECTION</b>	<b>Completion Date</b>
☒	<p>§11-100.1-86 <u>Fire safety.</u> (a)(4)  A Type I expanded ARCH shall be in compliance with existing fire safety standards for a Type I ARCH, as provided in section 11-100.1-23(b), and the following:</p> <p>Hard wired smoke detectors shall be approved by a nationally recognized testing laboratory and all shall be tested at least monthly to assure working order;</p> <p><b><u>FINDINGS</u></b>  No documented evidence that in August 2025, hard wired smoke detector was tested to assure working order.</p>	<p style="text-align: center;"><b>PART 2</b></p> <p style="text-align: center;"><b><u>FUTURE PLAN</u></b></p> <p style="text-align: center;"><b>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</b></p>	

Licensee's/Administrator's Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Date: \_\_\_\_\_